



TCT Run 4 Summary

Parameter	Value
Run	4
Surface	N/A
Edge	x
Sample	4003
Vbias (V)	150.0
DAC (%)	63.0
Bandwidth	N/A
Path	C:\Users\miles\APD\TCT\Data\EdgeTCT\071026\071026\150V_63DAC
Irradiation (Fluence)	N/A
Notes	New sample 150V
Date	7/10/2026
Gain Constant	N/A


Collected Charge




Collected Charge




Rise Time




Transient Pulse - Sample: 4003 - Position: 0.0 μm - Charge: 2.31 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 5.0 μm - Charge: 1.80 pC - Rise Time: 0.54 ns




Transient Pulse - Sample: 4003 - Position: 10.0 μm - Charge: 2.55 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 15.0 μm - Charge: 1.45 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: 4003 - Position: 20.0 μm - Charge: 2.14 pC - Rise Time: 0.46 ns




Transient Pulse - Sample: 4003 - Position: 25.0 μm - Charge: 1.79 pC - Rise Time: 0.36 ns




Transient Pulse - Sample: 4003 - Position: 30.0 μm - Charge: 1.16 pC - Rise Time: 0.76 ns




Transient Pulse - Sample: 4003 - Position: 35.0 μm - Charge: 1.25 pC - Rise Time: 0.52 ns




Transient Pulse - Sample: 4003 - Position: 40.0 μm - Charge: 1.53 pC - Rise Time: 0.87 ns




Transient Pulse - Sample: 4003 - Position: 45.0 μm - Charge: 1.77 pC - Rise Time: 1.17 ns




Transient Pulse - Sample: 4003 - Position: 50.0 μm - Charge: 1.66 pC - Rise Time: 0.87 ns




Transient Pulse - Sample: 4003 - Position: 55.0 μm - Charge: 2.27 pC - Rise Time: 0.75 ns




Transient Pulse - Sample: 4003 - Position: 60.0 μm - Charge: 2.53 pC - Rise Time: 1.05 ns




Transient Pulse - Sample: 4003 - Position: 65.0 μm - Charge: 2.67 pC - Rise Time: 0.81 ns




Transient Pulse - Sample: 4003 - Position: 70.0 μm - Charge: 2.87 pC - Rise Time: 0.96 ns




Transient Pulse - Sample: 4003 - Position: 75.0 μm - Charge: 3.04 pC - Rise Time: 0.79 ns




Transient Pulse - Sample: 4003 - Position: 80.0 μm - Charge: 3.47 pC - Rise Time: 0.96 ns




Transient Pulse - Sample: 4003 - Position: 85.0 μm - Charge: 3.59 pC - Rise Time: 0.78 ns




Transient Pulse - Sample: 4003 - Position: 90.0 μm - Charge: 3.73 pC - Rise Time: 0.75 ns




Transient Pulse - Sample: 4003 - Position: 95.0 μm - Charge: 4.66 pC - Rise Time: 0.78 ns




Transient Pulse - Sample: 4003 - Position: 100.0 μm - Charge: 4.67 pC - Rise Time: 0.78 ns




Transient Pulse - Sample: 4003 - Position: 105.0 μm - Charge: 4.86 pC - Rise Time: 0.75 ns




Transient Pulse - Sample: 4003 - Position: 110.0 μm - Charge: 4.83 pC - Rise Time: 0.72 ns




Transient Pulse - Sample: 4003 - Position: 115.0 μm - Charge: 5.37 pC - Rise Time: 0.80 ns




Transient Pulse - Sample: 4003 - Position: 120.0 μm - Charge: 5.50 pC - Rise Time: 0.77 ns




Transient Pulse - Sample: 4003 - Position: 125.0 μm - Charge: 6.07 pC - Rise Time: 0.80 ns




Transient Pulse - Sample: 4003 - Position: 130.0 μm - Charge: 6.48 pC - Rise Time: 0.83 ns




Transient Pulse - Sample: 4003 - Position: 135.0 μm - Charge: 6.60 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: 4003 - Position: 140.0 μm - Charge: 7.14 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: 4003 - Position: 145.0 μm - Charge: 7.30 pC - Rise Time: 0.84 ns




Transient Pulse - Sample: 4003 - Position: 150.0 μm - Charge: 7.28 pC - Rise Time: 0.78 ns




Transient Pulse - Sample: 4003 - Position: 155.0 μm - Charge: 7.97 pC - Rise Time: 0.81 ns




Transient Pulse - Sample: 4003 - Position: 160.0 μm - Charge: 8.34 pC - Rise Time: 0.80 ns




Transient Pulse - Sample: 4003 - Position: 165.0 μm - Charge: 8.75 pC - Rise Time: 0.78 ns




Transient Pulse - Sample: 4003 - Position: 170.0 μm - Charge: 9.11 pC - Rise Time: 0.84 ns




Transient Pulse - Sample: 4003 - Position: 175.0 μm - Charge: 9.59 pC - Rise Time: 0.82 ns




Transient Pulse - Sample: 4003 - Position: 180.0 μm - Charge: 10.00 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: 4003 - Position: 185.0 μm - Charge: 10.12 pC - Rise Time: 0.87 ns




Transient Pulse - Sample: 4003 - Position: 190.0 μm - Charge: 10.45 pC - Rise Time: 0.87 ns




Transient Pulse - Sample: 4003 - Position: 195.0 μm - Charge: 11.05 pC - Rise Time: 0.87 ns




Transient Pulse - Sample: 4003 - Position: 200.0 μm - Charge: 11.39 pC - Rise Time: 0.83 ns




Transient Pulse - Sample: 4003 - Position: 205.0 μm - Charge: 11.50 pC - Rise Time: 0.82 ns




Transient Pulse - Sample: 4003 - Position: 210.0 μm - Charge: 11.82 pC - Rise Time: 0.80 ns




Transient Pulse - Sample: 4003 - Position: 215.0 μm - Charge: 12.24 pC - Rise Time: 0.84 ns




Transient Pulse - Sample: 4003 - Position: 220.0 μm - Charge: 12.66 pC - Rise Time: 0.83 ns




Transient Pulse - Sample: 4003 - Position: 225.0 μm - Charge: 12.93 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: 4003 - Position: 230.0 μm - Charge: 13.23 pC - Rise Time: 0.85 ns




Transient Pulse - Sample: 4003 - Position: 235.0 μm - Charge: 13.62 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: 4003 - Position: 240.0 μm - Charge: 13.59 pC - Rise Time: 0.83 ns




Transient Pulse - Sample: 4003 - Position: 245.0 μm - Charge: 14.29 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: 4003 - Position: 250.0 μm - Charge: 14.39 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: 4003 - Position: 255.0 μm - Charge: 14.39 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: 4003 - Position: 260.0 μm - Charge: 14.82 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 265.0 μm - Charge: 14.95 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: 4003 - Position: 270.0 μm - Charge: 15.37 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 4003 - Position: 275.0 μm - Charge: 15.66 pC - Rise Time: 0.82 ns




Transient Pulse - Sample: 4003 - Position: 280.0 μm - Charge: 15.88 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: 4003 - Position: 285.0 μm - Charge: 16.21 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: 4003 - Position: 290.0 μm - Charge: 16.28 pC - Rise Time: 0.84 ns




Transient Pulse - Sample: 4003 - Position: 295.0 μm - Charge: 16.14 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: 4003 - Position: 300.0 μm - Charge: 16.79 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 305.0 μm - Charge: 16.85 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: 4003 - Position: 310.0 μm - Charge: 16.84 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: 4003 - Position: 315.0 μm - Charge: 17.41 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: 4003 - Position: 320.0 μm - Charge: 17.16 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: 4003 - Position: 325.0 μm - Charge: 17.37 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 330.0 μm - Charge: 17.19 pC - Rise Time: 0.87 ns




Transient Pulse - Sample: 4003 - Position: 335.0 μm - Charge: 17.92 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: 4003 - Position: 340.0 μm - Charge: 17.69 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: 4003 - Position: 345.0 μm - Charge: 17.61 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: 4003 - Position: 350.0 μm - Charge: 17.42 pC - Rise Time: 0.87 ns




Transient Pulse - Sample: 4003 - Position: 355.0 μm - Charge: 17.56 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 360.0 μm - Charge: 17.21 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 365.0 μm - Charge: 17.41 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 370.0 μm - Charge: 17.16 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: 4003 - Position: 375.0 μm - Charge: 16.68 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: 4003 - Position: 380.0 μm - Charge: 16.87 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 385.0 μm - Charge: 16.42 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 390.0 μm - Charge: 16.40 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 395.0 μm - Charge: 16.61 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: 4003 - Position: 400.0 μm - Charge: 16.24 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 405.0 μm - Charge: 16.08 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 4003 - Position: 410.0 μm - Charge: 15.68 pC - Rise Time: 0.96 ns




Transient Pulse - Sample: 4003 - Position: 415.0 μm - Charge: 15.77 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: 4003 - Position: 420.0 μm - Charge: 15.45 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 425.0 μm - Charge: 15.09 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 4003 - Position: 430.0 μm - Charge: 15.09 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: 4003 - Position: 435.0 μm - Charge: 14.87 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 4003 - Position: 440.0 μm - Charge: 14.23 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: 4003 - Position: 445.0 μm - Charge: 14.12 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 450.0 μm - Charge: 13.95 pC - Rise Time: 0.94 ns




Transient Pulse - Sample: 4003 - Position: 455.0 μm - Charge: 13.23 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: 4003 - Position: 460.0 μm - Charge: 13.06 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: 4003 - Position: 465.0 μm - Charge: 12.77 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: 4003 - Position: 470.0 μm - Charge: 12.51 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 4003 - Position: 475.0 μm - Charge: 12.52 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: 4003 - Position: 480.0 μm - Charge: 11.72 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 4003 - Position: 485.0 μm - Charge: 11.82 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: 4003 - Position: 490.0 μm - Charge: 11.46 pC - Rise Time: 0.96 ns




Transient Pulse - Sample: 4003 - Position: 495.0 μm - Charge: 10.95 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 4003 - Position: 500.0 μm - Charge: 10.54 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 4003 - Position: 505.0 μm - Charge: 10.17 pC - Rise Time: 0.96 ns




Transient Pulse - Sample: 4003 - Position: 510.0 μm - Charge: 9.99 pC - Rise Time: 0.94 ns




Transient Pulse - Sample: 4003 - Position: 515.0 μm - Charge: 9.88 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: 4003 - Position: 520.0 μm - Charge: 9.40 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: 4003 - Position: 525.0 μm - Charge: 9.24 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 530.0 μm - Charge: 9.51 pC - Rise Time: 0.84 ns




Transient Pulse - Sample: 4003 - Position: 535.0 μm - Charge: 8.98 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: 4003 - Position: 540.0 μm - Charge: 8.44 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 545.0 μm - Charge: 8.76 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: 4003 - Position: 550.0 μm - Charge: 9.04 pC - Rise Time: 0.94 ns




Transient Pulse - Sample: 4003 - Position: 555.0 μm - Charge: 8.20 pC - Rise Time: 0.94 ns




Transient Pulse - Sample: 4003 - Position: 560.0 μm - Charge: 7.47 pC - Rise Time: 0.97 ns




Transient Pulse - Sample: 4003 - Position: 565.0 μm - Charge: 7.37 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 4003 - Position: 570.0 μm - Charge: 8.14 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 4003 - Position: 575.0 μm - Charge: 9.22 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: 4003 - Position: 580.0 μm - Charge: 9.35 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: 4003 - Position: 585.0 μm - Charge: 9.13 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: 4003 - Position: 590.0 μm - Charge: 9.30 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: 4003 - Position: 595.0 μm - Charge: 8.42 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: 4003 - Position: 600.0 μm - Charge: 6.98 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 4003 - Position: 605.0 μm - Charge: 5.00 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: 4003 - Position: 610.0 μm - Charge: 2.88 pC - Rise Time: 0.81 ns




Transient Pulse - Sample: 4003 - Position: 615.0 μm - Charge: 1.99 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: 4003 - Position: 620.0 μm - Charge: 2.20 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 625.0 μm - Charge: 1.69 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 630.0 μm - Charge: 0.65 pC - Rise Time: 0.02 ns




Transient Pulse - Sample: 4003 - Position: 635.0 μm - Charge: 1.61 pC - Rise Time: 0.00 ns (N/A)



Transient Pulse - Sample: 4003 - Position: 640.0 μm - Charge: 1.01 pC - Rise Time: 0.00 ns (N/A)



Transient Pulse - Sample: 4003 - Position: 645.0 μm - Charge: 1.04 pC - Rise Time: 0.00 ns (N/A)



Transient Pulse - Sample: 4003 - Position: 650.0 μm - Charge: 2.30 pC - Rise Time: 0.00 ns (N/A)

