


TCT Run 027 Summary

Parameter	Value
Run	Run027
Surface	N/A
Edge	x
Sample	TD_4004
Vbias (V)	325.0
DAC (%)	56.0
Bandwidth	500MHz
Path	C:\Users\APD-I\Desktop\TCT\EdgeTCT\Run027
Irradiation (Fluence)	N/A
Notes	N/A
Date	N/A
Gain Constant	N/A

Collected Charge



Collected Charge

027 - Vbias = 325.0V

Collected Charge [a.u.]

1.0
0.8
0.6
0.4
0.2
0.0

0


100

200

300


400

Distance (μm)




Rise Time


027 - Vbias = 325.0V




Amplitude




FWHM




Transient Pulse - Sample: TD_4004 - Position: 0.0 μm - Charge: 0.44 pC - Rise Time: 0.58 ns




Transient Pulse - Sample: TD_4004 - Position: 5.0 μm - Charge: 1.12 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: TD_4004 - Position: 10.0 μm - Charge: 1.13 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: TD_4004 - Position: 15.0 μm - Charge: 1.87 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: TD_4004 - Position: 20.0 μm - Charge: 1.85 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: TD_4004 - Position: 25.0 μm - Charge: 1.28 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: TD_4004 - Position: 30.0 μm - Charge: 1.50 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: TD_4004 - Position: 35.0 μm - Charge: 1.93 pC - Rise Time: 0.82 ns




Transient Pulse - Sample: TD_4004 - Position: 40.0 μm - Charge: 2.99 pC - Rise Time: 1.19 ns




Transient Pulse - Sample: TD_4004 - Position: 45.0 μm - Charge: 4.61 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: TD_4004 - Position: 50.0 μm - Charge: 7.61 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: TD_4004 - Position: 55.0 μm - Charge: 11.04 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: TD_4004 - Position: 60.0 μm - Charge: 16.14 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: TD_4004 - Position: 65.0 μm - Charge: 22.93 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: TD_4004 - Position: 70.0 μm - Charge: 29.04 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: TD_4004 - Position: 75.0 μm - Charge: 33.64 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: TD_4004 - Position: 80.0 μm - Charge: 36.71 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: TD_4004 - Position: 85.0 μm - Charge: 39.74 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: TD_4004 - Position: 90.0 μm - Charge: 42.69 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: TD_4004 - Position: 95.0 μm - Charge: 45.43 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: TD_4004 - Position: 100.0 μm - Charge: 48.18 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: TD_4004 - Position: 105.0 μm - Charge: 50.31 pC - Rise Time: 0.87 ns




Transient Pulse - Sample: TD_4004 - Position: 110.0 μm - Charge: 51.60 pC - Rise Time: 0.87 ns




Transient Pulse - Sample: TD_4004 - Position: 115.0 μm - Charge: 50.96 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: TD_4004 - Position: 120.0 μm - Charge: 51.13 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: TD_4004 - Position: 125.0 μm - Charge: 50.75 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: TD_4004 - Position: 130.0 μm - Charge: 50.85 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: TD_4004 - Position: 135.0 μm - Charge: 50.63 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: TD_4004 - Position: 140.0 μm - Charge: 49.83 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: TD_4004 - Position: 145.0 μm - Charge: 49.46 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: TD_4004 - Position: 150.0 μm - Charge: 49.96 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: TD_4004 - Position: 155.0 μm - Charge: 49.77 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: TD_4004 - Position: 160.0 μm - Charge: 50.91 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: TD_4004 - Position: 165.0 μm - Charge: 50.81 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: TD_4004 - Position: 170.0 μm - Charge: 51.45 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: TD_4004 - Position: 175.0 μm - Charge: 51.82 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: TD_4004 - Position: 180.0 μm - Charge: 51.62 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: TD_4004 - Position: 185.0 μm - Charge: 51.64 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: TD_4004 - Position: 190.0 μm - Charge: 51.90 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: TD_4004 - Position: 195.0 μm - Charge: 51.65 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: TD_4004 - Position: 200.0 μm - Charge: 51.60 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: TD_4004 - Position: 205.0 μm - Charge: 50.82 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: TD_4004 - Position: 210.0 μm - Charge: 51.38 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: TD_4004 - Position: 215.0 μm - Charge: 50.99 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: TD_4004 - Position: 220.0 μm - Charge: 51.19 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: TD_4004 - Position: 225.0 μm - Charge: 50.79 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: TD_4004 - Position: 230.0 μm - Charge: 49.72 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: TD_4004 - Position: 235.0 μm - Charge: 49.17 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: TD_4004 - Position: 240.0 μm - Charge: 48.90 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: TD_4004 - Position: 245.0 μm - Charge: 49.13 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: TD_4004 - Position: 250.0 μm - Charge: 48.85 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: TD_4004 - Position: 255.0 μm - Charge: 48.79 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: TD_4004 - Position: 260.0 μm - Charge: 48.89 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: TD_4004 - Position: 265.0 μm - Charge: 49.08 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: TD_4004 - Position: 270.0 μm - Charge: 49.53 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: TD_4004 - Position: 275.0 μm - Charge: 49.98 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: TD_4004 - Position: 280.0 μm - Charge: 49.95 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: TD_4004 - Position: 285.0 μm - Charge: 50.26 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: TD_4004 - Position: 290.0 μm - Charge: 49.48 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: TD_4004 - Position: 295.0 μm - Charge: 49.31 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: TD_4004 - Position: 300.0 μm - Charge: 48.81 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: TD_4004 - Position: 305.0 μm - Charge: 47.64 pC - Rise Time: 0.94 ns




Transient Pulse - Sample: TD_4004 - Position: 310.0 μm - Charge: 46.91 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: TD_4004 - Position: 315.0 μm - Charge: 47.44 pC - Rise Time: 0.96 ns




Transient Pulse - Sample: TD_4004 - Position: 320.0 μm - Charge: 47.52 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: TD_4004 - Position: 325.0 μm - Charge: 47.67 pC - Rise Time: 0.94 ns




Transient Pulse - Sample: TD_4004 - Position: 330.0 μm - Charge: 46.01 pC - Rise Time: 0.97 ns




Transient Pulse - Sample: TD_4004 - Position: 335.0 μm - Charge: 45.87 pC - Rise Time: 1.01 ns




Transient Pulse - Sample: TD_4004 - Position: 340.0 μm - Charge: 45.83 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: TD_4004 - Position: 345.0 μm - Charge: 45.50 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: TD_4004 - Position: 350.0 μm - Charge: 45.64 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: TD_4004 - Position: 355.0 μm - Charge: 46.51 pC - Rise Time: 1.01 ns




Transient Pulse - Sample: TD_4004 - Position: 360.0 μm - Charge: 46.33 pC - Rise Time: 1.00 ns




Transient Pulse - Sample: TD_4004 - Position: 365.0 μm - Charge: 45.45 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: TD_4004 - Position: 370.0 μm - Charge: 44.48 pC - Rise Time: 1.02 ns




Transient Pulse - Sample: TD_4004 - Position: 375.0 μm - Charge: 43.79 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: TD_4004 - Position: 380.0 μm - Charge: 41.48 pC - Rise Time: 1.02 ns




Transient Pulse - Sample: TD_4004 - Position: 385.0 μm - Charge: 37.48 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: TD_4004 - Position: 390.0 μm - Charge: 32.58 pC - Rise Time: 1.04 ns




Transient Pulse - Sample: TD_4004 - Position: 395.0 μm - Charge: 27.27 pC - Rise Time: 1.05 ns




Transient Pulse - Sample: TD_4004 - Position: 400.0 μm - Charge: 22.12 pC - Rise Time: 1.09 ns




Transient Pulse - Sample: TD_4004 - Position: 405.0 μm - Charge: 17.14 pC - Rise Time: 1.06 ns




Transient Pulse - Sample: TD_4004 - Position: 410.0 μm - Charge: 11.95 pC - Rise Time: 1.07 ns




Transient Pulse - Sample: TD_4004 - Position: 415.0 μm - Charge: 7.76 pC - Rise Time: 1.05 ns




Transient Pulse - Sample: TD_4004 - Position: 420.0 μm - Charge: 5.23 pC - Rise Time: 1.10 ns



Transient Pulse - Sample: TD_4004 - Position: 425.0 μm - Charge: 4.38 pC - Rise Time: 0.91 ns



Transient Pulse - Sample: TD_4004 - Position: 430.0 μm - Charge: 3.80 pC - Rise Time: 0.96 ns



Transient Pulse - Sample: TD_4004 - Position: 435.0 μm - Charge: 3.98 pC - Rise Time: 0.98 ns

