


TCT Run 034 Summary

| Parameter             | Value                                     |
|-----------------------|-------------------------------------------|
| Run                   | Run034                                    |
| Surface               | N/A                                       |
| Edge                  | x                                         |
| Sample                | TD_4004                                   |
| Vbias (V)             | 150.0                                     |
| DAC (%)               | 56.0                                      |
| Bandwidth             | 500MHz                                    |
| Path                  | C:\Users\APD-I\Desktop\TCT\EdgeTCT\Run034 |
| Irradiation (Fluence) | N/A                                       |
| Notes                 | N/A                                       |
| Date                  | N/A                                       |
| Gain Constant         | N/A                                       |

Collected Charge



Collected Charge

034 - Vbias = 150.0V

Collected Charge [a.u.]

1.0  
0.8  
0.6  
0.4  
0.2  
0.0

0


100

200


300

400


Distance ( $\mu\text{m}$ )




Rise Time




Amplitude




FWHM



Transient Pulse - Sample: TD\_4004 - Position: 0.0  $\mu\text{m}$  - Charge: 0.64 pC - Rise Time: 0.02 ns




Transient Pulse - Sample: TD\_4004 - Position: 5.0 $\mu$ m - Charge: 1.65 pC - Rise Time: 0.00 ns (N/A)







Transient Pulse - Sample: TD\_4004 - Position: 10.0  $\mu\text{m}$  - Charge: 2.36 pC - Rise Time: 0.64 ns




Transient Pulse - Sample: TD\_4004 - Position: 15.0  $\mu\text{m}$  - Charge: 2.96 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: TD\_4004 - Position: 20.0  $\mu\text{m}$  - Charge: 0.65 pC - Rise Time: 0.46 ns




Transient Pulse - Sample: TD\_4004 - Position: 25.0  $\mu\text{m}$  - Charge: 1.65 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: TD\_4004 - Position: 30.0  $\mu\text{m}$  - Charge: 2.14 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: TD\_4004 - Position: 35.0  $\mu\text{m}$  - Charge: 1.22 pC - Rise Time: 0.00 ns (N/A)



Transient Pulse - Sample: TD\_4004 - Position: 40.0  $\mu\text{m}$  - Charge: 1.86 pC - Rise Time: 5.56 ns




Transient Pulse - Sample: TD\_4004 - Position: 45.0  $\mu\text{m}$  - Charge: 2.97 pC - Rise Time: 0.95 ns







Transient Pulse - Sample: TD\_4004 - Position: 50.0  $\mu\text{m}$  - Charge: 5.17 pC - Rise Time: 0.97 ns




Transient Pulse - Sample: TD\_4004 - Position: 55.0  $\mu\text{m}$  - Charge: 8.03 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: TD\_4004 - Position: 60.0  $\mu\text{m}$  - Charge: 12.66 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: TD\_4004 - Position: 65.0  $\mu\text{m}$  - Charge: 20.08 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: TD\_4004 - Position: 70.0  $\mu\text{m}$  - Charge: 26.77 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: TD\_4004 - Position: 75.0  $\mu\text{m}$  - Charge: 32.40 pC - Rise Time: 0.89 ns



Transient Pulse - Sample: TD\_4004 - Position: 80.0  $\mu\text{m}$  - Charge: 36.97 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: TD\_4004 - Position: 85.0  $\mu\text{m}$  - Charge: 39.97 pC - Rise Time: 0.89 ns







Transient Pulse - Sample: TD\_4004 - Position: 90.0  $\mu\text{m}$  - Charge: 44.01 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: TD\_4004 - Position: 95.0  $\mu\text{m}$  - Charge: 47.12 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: TD\_4004 - Position: 100.0  $\mu\text{m}$  - Charge: 50.29 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: TD\_4004 - Position: 105.0  $\mu\text{m}$  - Charge: 52.41 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: TD\_4004 - Position: 110.0  $\mu\text{m}$  - Charge: 53.13 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: TD\_4004 - Position: 115.0  $\mu\text{m}$  - Charge: 52.11 pC - Rise Time: 0.91 ns



Transient Pulse - Sample: TD\_4004 - Position: 120.0  $\mu\text{m}$  - Charge: 51.40 pC - Rise Time: 0.94 ns




Transient Pulse - Sample: TD\_4004 - Position: 125.0  $\mu\text{m}$  - Charge: 49.92 pC - Rise Time: 0.95 ns







Transient Pulse - Sample: TD\_4004 - Position: 130.0  $\mu\text{m}$  - Charge: 47.52 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: TD\_4004 - Position: 135.0  $\mu\text{m}$  - Charge: 46.49 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: TD\_4004 - Position: 140.0  $\mu\text{m}$  - Charge: 45.15 pC - Rise Time: 1.01 ns




Transient Pulse - Sample: TD\_4004 - Position: 145.0  $\mu\text{m}$  - Charge: 44.77 pC - Rise Time: 1.00 ns




Transient Pulse - Sample: TD\_4004 - Position: 150.0  $\mu\text{m}$  - Charge: 44.94 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: TD\_4004 - Position: 155.0  $\mu\text{m}$  - Charge: 45.89 pC - Rise Time: 0.99 ns



Transient Pulse - Sample: TD\_4004 - Position: 160.0  $\mu\text{m}$  - Charge: 47.68 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: TD\_4004 - Position: 165.0  $\mu\text{m}$  - Charge: 49.59 pC - Rise Time: 0.98 ns







Transient Pulse - Sample: TD\_4004 - Position: 170.0  $\mu\text{m}$  - Charge: 51.28 pC - Rise Time: 0.96 ns




Transient Pulse - Sample: TD\_4004 - Position: 175.0  $\mu\text{m}$  - Charge: 53.29 pC - Rise Time: 0.96 ns




Transient Pulse - Sample: TD\_4004 - Position: 180.0  $\mu\text{m}$  - Charge: 53.85 pC - Rise Time: 0.94 ns




Transient Pulse - Sample: TD\_4004 - Position: 185.0  $\mu\text{m}$  - Charge: 55.16 pC - Rise Time: 0.94 ns




Transient Pulse - Sample: TD\_4004 - Position: 190.0  $\mu\text{m}$  - Charge: 54.55 pC - Rise Time: 0.94 ns




Transient Pulse - Sample: TD\_4004 - Position: 195.0  $\mu\text{m}$  - Charge: 54.18 pC - Rise Time: 0.94 ns



Transient Pulse - Sample: TD\_4004 - Position: 200.0  $\mu\text{m}$  - Charge: 53.37 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: TD\_4004 - Position: 205.0  $\mu\text{m}$  - Charge: 51.31 pC - Rise Time: 0.96 ns







Transient Pulse - Sample: TD\_4004 - Position: 210.0  $\mu\text{m}$  - Charge: 49.95 pC - Rise Time: 0.97 ns




Transient Pulse - Sample: TD\_4004 - Position: 215.0  $\mu\text{m}$  - Charge: 49.64 pC - Rise Time: 1.00 ns




Transient Pulse - Sample: TD\_4004 - Position: 220.0  $\mu\text{m}$  - Charge: 49.44 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: TD\_4004 - Position: 225.0  $\mu\text{m}$  - Charge: 48.06 pC - Rise Time: 0.98 ns




Transient Pulse - Sample: TD\_4004 - Position: 230.0  $\mu\text{m}$  - Charge: 44.63 pC - Rise Time: 0.98 ns




Transient Pulse - Sample: TD\_4004 - Position: 235.0  $\mu\text{m}$  - Charge: 42.12 pC - Rise Time: 1.02 ns



Transient Pulse - Sample: TD\_4004 - Position: 240.0  $\mu\text{m}$  - Charge: 40.70 pC - Rise Time: 1.00 ns




Transient Pulse - Sample: TD\_4004 - Position: 245.0  $\mu\text{m}$  - Charge: 41.06 pC - Rise Time: 1.04 ns







Transient Pulse - Sample: TD\_4004 - Position: 250.0  $\mu\text{m}$  - Charge: 40.65 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: TD\_4004 - Position: 255.0  $\mu\text{m}$  - Charge: 40.50 pC - Rise Time: 1.02 ns




Transient Pulse - Sample: TD\_4004 - Position: 260.0  $\mu\text{m}$  - Charge: 38.56 pC - Rise Time: 1.05 ns




Transient Pulse - Sample: TD\_4004 - Position: 265.0  $\mu\text{m}$  - Charge: 38.03 pC - Rise Time: 1.04 ns




Transient Pulse - Sample: TD\_4004 - Position: 270.0  $\mu\text{m}$  - Charge: 38.81 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: TD\_4004 - Position: 275.0  $\mu\text{m}$  - Charge: 39.62 pC - Rise Time: 1.01 ns



Transient Pulse - Sample: TD\_4004 - Position: 280.0  $\mu\text{m}$  - Charge: 39.99 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: TD\_4004 - Position: 285.0  $\mu\text{m}$  - Charge: 39.67 pC - Rise Time: 1.03 ns







Transient Pulse - Sample: TD\_4004 - Position: 290.0  $\mu\text{m}$  - Charge: 36.95 pC - Rise Time: 1.02 ns




Transient Pulse - Sample: TD\_4004 - Position: 295.0  $\mu\text{m}$  - Charge: 35.44 pC - Rise Time: 1.07 ns




Transient Pulse - Sample: TD\_4004 - Position: 300.0  $\mu\text{m}$  - Charge: 36.00 pC - Rise Time: 1.07 ns




Transient Pulse - Sample: TD\_4004 - Position: 305.0  $\mu\text{m}$  - Charge: 34.80 pC - Rise Time: 1.05 ns




Transient Pulse - Sample: TD\_4004 - Position: 310.0  $\mu\text{m}$  - Charge: 32.32 pC - Rise Time: 1.05 ns




Transient Pulse - Sample: TD\_4004 - Position: 315.0  $\mu\text{m}$  - Charge: 30.00 pC - Rise Time: 1.05 ns



Transient Pulse - Sample: TD\_4004 - Position: 320.0  $\mu\text{m}$  - Charge: 28.99 pC - Rise Time: 1.05 ns




Transient Pulse - Sample: TD\_4004 - Position: 325.0  $\mu\text{m}$  - Charge: 28.07 pC - Rise Time: 1.06 ns







Transient Pulse - Sample: TD\_4004 - Position: 330.0  $\mu\text{m}$  - Charge: 25.28 pC - Rise Time: 1.04 ns




Transient Pulse - Sample: TD\_4004 - Position: 335.0  $\mu\text{m}$  - Charge: 22.48 pC - Rise Time: 1.07 ns




Transient Pulse - Sample: TD\_4004 - Position: 340.0  $\mu\text{m}$  - Charge: 21.93 pC - Rise Time: 1.01 ns




Transient Pulse - Sample: TD\_4004 - Position: 345.0  $\mu\text{m}$  - Charge: 22.13 pC - Rise Time: 1.05 ns




Transient Pulse - Sample: TD\_4004 - Position: 350.0  $\mu\text{m}$  - Charge: 21.55 pC - Rise Time: 1.05 ns




Transient Pulse - Sample: TD\_4004 - Position: 355.0  $\mu\text{m}$  - Charge: 20.64 pC - Rise Time: 1.00 ns



Transient Pulse - Sample: TD\_4004 - Position: 360.0  $\mu\text{m}$  - Charge: 20.36 pC - Rise Time: 1.04 ns




Transient Pulse - Sample: TD\_4004 - Position: 365.0  $\mu\text{m}$  - Charge: 19.67 pC - Rise Time: 1.00 ns







Transient Pulse - Sample: TD\_4004 - Position: 370.0  $\mu\text{m}$  - Charge: 18.41 pC - Rise Time: 1.05 ns




Transient Pulse - Sample: TD\_4004 - Position: 375.0  $\mu\text{m}$  - Charge: 18.52 pC - Rise Time: 1.04 ns




Transient Pulse - Sample: TD\_4004 - Position: 380.0  $\mu\text{m}$  - Charge: 18.67 pC - Rise Time: 1.04 ns




Transient Pulse - Sample: TD\_4004 - Position: 385.0  $\mu\text{m}$  - Charge: 17.62 pC - Rise Time: 1.07 ns




Transient Pulse - Sample: TD\_4004 - Position: 390.0  $\mu\text{m}$  - Charge: 15.03 pC - Rise Time: 1.01 ns




Transient Pulse - Sample: TD\_4004 - Position: 395.0  $\mu\text{m}$  - Charge: 12.52 pC - Rise Time: 1.03 ns



Transient Pulse - Sample: TD\_4004 - Position: 400.0  $\mu\text{m}$  - Charge: 10.03 pC - Rise Time: 1.07 ns




Transient Pulse - Sample: TD\_4004 - Position: 405.0  $\mu\text{m}$  - Charge: 8.31 pC - Rise Time: 1.11 ns







Transient Pulse - Sample: TD\_4004 - Position: 410.0  $\mu\text{m}$  - Charge: 6.92 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: TD\_4004 - Position: 415.0  $\mu\text{m}$  - Charge: 4.96 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: TD\_4004 - Position: 420.0  $\mu\text{m}$  - Charge: 3.44 pC - Rise Time: 1.15 ns



Transient Pulse - Sample: TD\_4004 - Position: 425.0  $\mu\text{m}$  - Charge: 2.70 pC - Rise Time: 1.03 ns



Transient Pulse - Sample: TD\_4004 - Position: 430.0  $\mu\text{m}$  - Charge: 2.30 pC - Rise Time: 0.84 ns



Transient Pulse - Sample: TD\_4004 - Position: 435.0  $\mu\text{m}$  - Charge: 2.41 pC - Rise Time: 0.92 ns

