



TCT Run 1500um Summary

Parameter	Value
Run	1500um
Surface	x
Edge	N/A
Sample	1cm_42
Vbias (V)	150.0
DAC (%)	63.5
Bandwidth	500MHz
Path	C:\Users\APD-I\Desktop\TCT\Xscan\1500um
Irradiation (Fluence)	N/A
Notes	N/A
Date	N/A
Gain Constant	5.5


Collected Charge




Collected Charge




Gain




Transient Pulse - Sample: 1cm_42 - Position: 0.0 μm - Charge: 1.42 pC




Transient Pulse - Sample: 1cm_42 - Position: 5.0 μm - Charge: 5.53 pC




Transient Pulse - Sample: 1cm_42 - Position: 10.0 μm - Charge: 0.63 pC




Transient Pulse - Sample: 1cm_42 - Position: 15.0 μm - Charge: 0.57 pC




Transient Pulse - Sample: 1cm_42 - Position: 20.0 μm - Charge: 4.95 pC




Transient Pulse - Sample: 1cm_42 - Position: 25.0 μm - Charge: 6.85 pC




Transient Pulse - Sample: 1cm_42 - Position: 30.0 μm - Charge: 6.70 pC




Transient Pulse - Sample: 1cm_42 - Position: 35.0 μm - Charge: 0.56 pC




Transient Pulse - Sample: 1cm_42 - Position: 40.0 μm - Charge: 2.13 pC




Transient Pulse - Sample: 1cm_42 - Position: 45.0 μm - Charge: 2.25 pC




Transient Pulse - Sample: 1cm_42 - Position: 50.0 μm - Charge: 3.31 pC




Transient Pulse - Sample: 1cm_42 - Position: 55.0 μm - Charge: 3.97 pC




Transient Pulse - Sample: 1cm_42 - Position: 60.0 μm - Charge: 4.77 pC




Transient Pulse - Sample: 1cm_42 - Position: 65.0 μm - Charge: 5.88 pC




Transient Pulse - Sample: 1cm_42 - Position: 70.0 μm - Charge: 6.26 pC




Transient Pulse - Sample: 1cm_42 - Position: 75.0 μm - Charge: 9.13 pC




Transient Pulse - Sample: 1cm_42 - Position: 80.0 μm - Charge: 10.50 pC




Transient Pulse - Sample: 1cm_42 - Position: 85.0 μm - Charge: 13.44 pC




Transient Pulse - Sample: 1cm_42 - Position: 90.0 μm - Charge: 16.77 pC




Transient Pulse - Sample: 1cm_42 - Position: 95.0 μm - Charge: 19.74 pC




Transient Pulse - Sample: 1cm_42 - Position: 100.0 μm - Charge: 26.98 pC




Transient Pulse - Sample: 1cm_42 -Position: 105.0 μm - Charge: 33.94 pC




Transient Pulse - Sample: 1cm_42 - Position: 110.0 μm - Charge: 38.53 pC




Transient Pulse - Sample: 1cm_42 - Position: 115.0 μm - Charge: 46.79 pC




Transient Pulse - Sample: 1cm_42 -Position: 120.0 μm - Charge: 54.93 pC




Transient Pulse - Sample: 1cm_42 -Position: 125.0 μm - Charge: 65.24 pC




Transient Pulse - Sample: 1cm_42 - Position: 130.0 μm - Charge: 71.06 pC




Transient Pulse - Sample: 1cm_42 - Position: 135.0 μm - Charge: 81.41 pC




Transient Pulse - Sample: 1cm_42 - Position: 140.0 μm - Charge: 87.85 pC




Transient Pulse - Sample: 1cm_42 - Position: 145.0 μm - Charge: 96.10 pC




Transient Pulse - Sample: 1cm_42 - Position: 150.0 μm - Charge: 104.14 pC




Transient Pulse - Sample: 1cm_42 - Position: 155.0 μm - Charge: 112.94 pC




Transient Pulse - Sample: 1cm_42 - Position: 160.0 μm - Charge: 121.33 pC




Transient Pulse - Sample: 1cm_42 - Position: 165.0 μm - Charge: 127.01 pC




Transient Pulse - Sample: 1cm_42 - Position: 170.0 μm - Charge: 132.12 pC




Transient Pulse - Sample: 1cm_42 - Position: 175.0 μm - Charge: 137.09 pC




Transient Pulse - Sample: 1cm_42 - Position: 180.0 μm - Charge: 143.18 pC




Transient Pulse - Sample: 1cm_42 - Position: 185.0 μm - Charge: 146.66 pC




Transient Pulse - Sample: 1cm_42 - Position: 190.0 μm - Charge: 147.20 pC




Transient Pulse - Sample: 1cm_42 - Position: 195.0 μm - Charge: 155.75 pC




Transient Pulse - Sample: 1cm_42 - Position: 200.0 μm - Charge: 153.59 pC




Transient Pulse - Sample: 1cm_42 - Position: 205.0 μm - Charge: 160.25 pC




Transient Pulse - Sample: 1cm_42 - Position: 210.0 μm - Charge: 160.79 pC




Transient Pulse - Sample: 1cm_42 - Position: 215.0 μm - Charge: 163.69 pC




Transient Pulse - Sample: 1cm_42 - Position: 220.0 μm - Charge: 163.39 pC




Transient Pulse - Sample: 1cm_42 - Position: 225.0 μm - Charge: 165.17 pC




Transient Pulse - Sample: 1cm_42 - Position: 230.0 μm - Charge: 169.06 pC




Transient Pulse - Sample: 1cm_42 - Position: 235.0 μm - Charge: 169.28 pC




Transient Pulse - Sample: 1cm_42 - Position: 240.0 μm - Charge: 170.70 pC




Transient Pulse - Sample: 1cm_42 - Position: 245.0 μm - Charge: 171.86 pC




Transient Pulse - Sample: 1cm_42 - Position: 250.0 μm - Charge: 176.26 pC




Transient Pulse - Sample: 1cm_42 - Position: 255.0 μm - Charge: 172.66 pC




Transient Pulse - Sample: 1cm_42 - Position: 260.0 μm - Charge: 174.95 pC




Transient Pulse - Sample: 1cm_42 - Position: 265.0 μm - Charge: 172.49 pC




Transient Pulse - Sample: 1cm_42 - Position: 270.0 μm - Charge: 176.08 pC




Transient Pulse - Sample: 1cm_42 - Position: 275.0 μm - Charge: 178.29 pC




Transient Pulse - Sample: 1cm_42 - Position: 280.0 μm - Charge: 179.78 pC




Transient Pulse - Sample: 1cm_42 - Position: 285.0 μm - Charge: 177.17 pC




Transient Pulse - Sample: 1cm_42 - Position: 290.0 μm - Charge: 178.41 pC




Transient Pulse - Sample: 1cm_42 - Position: 295.0 μm - Charge: 177.16 pC




Transient Pulse - Sample: 1cm_42 - Position: 300.0 μm - Charge: 177.87 pC




Transient Pulse - Sample: 1cm_42 - Position: 305.0 μm - Charge: 180.02 pC




Transient Pulse - Sample: 1cm_42 - Position: 310.0 μm - Charge: 180.02 pC




Transient Pulse - Sample: 1cm_42 - Position: 315.0 μm - Charge: 177.64 pC




Transient Pulse - Sample: 1cm_42 - Position: 320.0 μm - Charge: 178.27 pC




Transient Pulse - Sample: 1cm_42 - Position: 325.0 μm - Charge: 179.69 pC




Transient Pulse - Sample: 1cm_42 - Position: 330.0 μm - Charge: 181.73 pC




Transient Pulse - Sample: 1cm_42 - Position: 335.0 μm - Charge: 176.20 pC




Transient Pulse - Sample: 1cm_42 - Position: 340.0 μm - Charge: 181.16 pC




Transient Pulse - Sample: 1cm_42 - Position: 345.0 μm - Charge: 177.67 pC




Transient Pulse - Sample: 1cm_42 - Position: 350.0 μm - Charge: 180.45 pC




Transient Pulse - Sample: 1cm_42 - Position: 355.0 μm - Charge: 178.61 pC




Transient Pulse - Sample: 1cm_42 - Position: 360.0 μm - Charge: 176.70 pC




Transient Pulse - Sample: 1cm_42 - Position: 365.0 μm - Charge: 180.68 pC




Transient Pulse - Sample: 1cm_42 - Position: 370.0 μm - Charge: 182.33 pC




Transient Pulse - Sample: 1cm_42 - Position: 375.0 μm - Charge: 179.74 pC




Transient Pulse - Sample: 1cm_42 - Position: 380.0 μm - Charge: 176.87 pC




Transient Pulse - Sample: 1cm_42 - Position: 385.0 μm - Charge: 177.63 pC




Transient Pulse - Sample: 1cm_42 - Position: 390.0 μm - Charge: 176.69 pC




Transient Pulse - Sample: 1cm_42 - Position: 395.0 μm - Charge: 178.24 pC




Transient Pulse - Sample: 1cm_42 - Position: 400.0 μm - Charge: 180.10 pC




Transient Pulse - Sample: 1cm_42 - Position: 405.0 μm - Charge: 179.11 pC




Transient Pulse - Sample: 1cm_42 - Position: 410.0 μm - Charge: 177.27 pC




Transient Pulse - Sample: 1cm_42 - Position: 415.0 μm - Charge: 175.96 pC




Transient Pulse - Sample: 1cm_42 - Position: 420.0 μm - Charge: 176.33 pC




Transient Pulse - Sample: 1cm_42 - Position: 425.0 μm - Charge: 176.67 pC




Transient Pulse - Sample: 1cm_42 - Position: 430.0 μm - Charge: 178.15 pC




Transient Pulse - Sample: 1cm_42 - Position: 435.0 μm - Charge: 174.49 pC




Transient Pulse - Sample: 1cm_42 - Position: 440.0 μm - Charge: 172.57 pC




Transient Pulse - Sample: 1cm_42 - Position: 445.0 μm - Charge: 171.78 pC




Transient Pulse - Sample: 1cm_42 - Position: 450.0 μm - Charge: 170.74 pC




Transient Pulse - Sample: 1cm_42 - Position: 455.0 μm - Charge: 172.14 pC




Transient Pulse - Sample: 1cm_42 - Position: 460.0 μm - Charge: 172.36 pC




Transient Pulse - Sample: 1cm_42 - Position: 465.0 μm - Charge: 165.38 pC




Transient Pulse - Sample: 1cm_42 - Position: 470.0 μm - Charge: 167.68 pC




Transient Pulse - Sample: 1cm_42 - Position: 475.0 μm - Charge: 167.51 pC




Transient Pulse - Sample: 1cm_42 - Position: 480.0 μm - Charge: 162.31 pC




Transient Pulse - Sample: 1cm_42 - Position: 485.0 μm - Charge: 159.02 pC




Transient Pulse - Sample: 1cm_42 - Position: 490.0 μm - Charge: 155.99 pC




Transient Pulse - Sample: 1cm_42 - Position: 495.0 μm - Charge: 151.20 pC




Transient Pulse - Sample: 1cm_42 - Position: 500.0 μm - Charge: 147.48 pC




Transient Pulse - Sample: 1cm_42 - Position: 505.0 μm - Charge: 141.12 pC




Transient Pulse - Sample: 1cm_42 - Position: 510.0 μm - Charge: 129.37 pC




Transient Pulse - Sample: 1cm_42 - Position: 515.0 μm - Charge: 121.05 pC




Transient Pulse - Sample: 1cm_42 - Position: 520.0 μm - Charge: 115.62 pC




Transient Pulse - Sample: 1cm_42 - Position: 525.0 μm - Charge: 102.02 pC




Transient Pulse - Sample: 1cm_42 - Position: 530.0 μm - Charge: 95.49 pC




Transient Pulse - Sample: 1cm_42 - Position: 535.0 μm - Charge: 84.46 pC




Transient Pulse - Sample: 1cm_42 - Position: 540.0 μm - Charge: 70.57 pC




Transient Pulse - Sample: 1cm_42 -Position: 545.0 μm - Charge: 65.37 pC




Transient Pulse - Sample: 1cm_42 - Position: 550.0 μm - Charge: 56.69 pC




Transient Pulse - Sample: 1cm_42 -Position: 555.0 μm - Charge: 48.06 pC




Transient Pulse - Sample: 1cm_42 - Position: 560.0 μm - Charge: 42.02 pC




Transient Pulse - Sample: 1cm_42 - Position: 565.0 μm - Charge: 35.77 pC




Transient Pulse - Sample: 1cm_42 -Position: 570.0 μm - Charge: 31.00 pC




Transient Pulse - Sample: 1cm_42 -Position: 575.0 μm - Charge: 27.08 pC




Transient Pulse - Sample: 1cm_42 -Position: 580.0 μm - Charge: 25.09 pC




Transient Pulse - Sample: 1cm_42 - Position: 585.0 μm - Charge: 23.92 pC




Transient Pulse - Sample: 1cm_42 - Position: 590.0 μm - Charge: 24.92 pC




Transient Pulse - Sample: 1cm_42 -Position: 595.0 μm - Charge: 27.63 pC




Transient Pulse - Sample: 1cm_42 - Position: 600.0 μm - Charge: 29.40 pC




Transient Pulse - Sample: 1cm_42 - Position: 605.0 μm - Charge: 33.85 pC




Transient Pulse - Sample: 1cm_42 -Position: 610.0 μm - Charge: 40.18 pC




Transient Pulse - Sample: 1cm_42 -Position: 615.0 μm - Charge: 49.02 pC




Transient Pulse - Sample: 1cm_42 -Position: 620.0 μm - Charge: 56.87 pC




Transient Pulse - Sample: 1cm_42 -Position: 625.0 μm - Charge: 62.99 pC




Transient Pulse - Sample: 1cm_42 - Position: 630.0 μm - Charge: 74.29 pC




Transient Pulse - Sample: 1cm_42 - Position: 635.0 μm - Charge: 81.41 pC




Transient Pulse - Sample: 1cm_42 - Position: 640.0 μm - Charge: 95.93 pC




Transient Pulse - Sample: 1cm_42 - Position: 645.0 μm - Charge: 103.56 pC




Transient Pulse - Sample: 1cm_42 - Position: 650.0 μm - Charge: 113.72 pC




Transient Pulse - Sample: 1cm_42 - Position: 655.0 μm - Charge: 121.10 pC




Transient Pulse - Sample: 1cm_42 - Position: 660.0 μm - Charge: 128.60 pC




Transient Pulse - Sample: 1cm_42 - Position: 665.0 μm - Charge: 136.01 pC




Transient Pulse - Sample: 1cm_42 - Position: 670.0 μm - Charge: 145.32 pC




Transient Pulse - Sample: 1cm_42 - Position: 675.0 μm - Charge: 151.01 pC




Transient Pulse - Sample: 1cm_42 - Position: 680.0 μm - Charge: 153.78 pC




Transient Pulse - Sample: 1cm_42 - Position: 685.0 μm - Charge: 161.16 pC




Transient Pulse - Sample: 1cm_42 - Position: 690.0 μm - Charge: 160.96 pC




Transient Pulse - Sample: 1cm_42 - Position: 695.0 μm - Charge: 166.30 pC




Transient Pulse - Sample: 1cm_42 - Position: 700.0 μm - Charge: 168.60 pC




Transient Pulse - Sample: 1cm_42 - Position: 705.0 μm - Charge: 175.12 pC




Transient Pulse - Sample: 1cm_42 - Position: 710.0 μm - Charge: 172.80 pC




Transient Pulse - Sample: 1cm_42 - Position: 715.0 μm - Charge: 172.46 pC




Transient Pulse - Sample: 1cm_42 - Position: 720.0 μm - Charge: 177.60 pC




Transient Pulse - Sample: 1cm_42 - Position: 725.0 μm - Charge: 177.16 pC




Transient Pulse - Sample: 1cm_42 - Position: 730.0 μm - Charge: 176.74 pC




Transient Pulse - Sample: 1cm_42 - Position: 735.0 μm - Charge: 177.55 pC




Transient Pulse - Sample: 1cm_42 - Position: 740.0 μm - Charge: 180.73 pC




Transient Pulse - Sample: 1cm_42 - Position: 745.0 μm - Charge: 181.66 pC




Transient Pulse - Sample: 1cm_42 - Position: 750.0 μm - Charge: 179.08 pC




Transient Pulse - Sample: 1cm_42 - Position: 755.0 μm - Charge: 180.82 pC




Transient Pulse - Sample: 1cm_42 - Position: 760.0 μm - Charge: 181.01 pC




Transient Pulse - Sample: 1cm_42 - Position: 765.0 μm - Charge: 183.30 pC




Transient Pulse - Sample: 1cm_42 - Position: 770.0 μm - Charge: 182.06 pC




Transient Pulse - Sample: 1cm_42 - Position: 775.0 μm - Charge: 177.78 pC




Transient Pulse - Sample: 1cm_42 - Position: 780.0 μm - Charge: 182.10 pC




Transient Pulse - Sample: 1cm_42 - Position: 785.0 μm - Charge: 182.26 pC




Transient Pulse - Sample: 1cm_42 - Position: 790.0 μm - Charge: 178.29 pC




Transient Pulse - Sample: 1cm_42 - Position: 795.0 μm - Charge: 182.63 pC




Transient Pulse - Sample: 1cm_42 - Position: 800.0 μm - Charge: 180.20 pC




Transient Pulse - Sample: 1cm_42 - Position: 805.0 μm - Charge: 177.76 pC




Transient Pulse - Sample: 1cm_42 - Position: 810.0 μm - Charge: 179.87 pC




Transient Pulse - Sample: 1cm_42 - Position: 815.0 μm - Charge: 182.77 pC




Transient Pulse - Sample: 1cm_42 - Position: 820.0 μm - Charge: 178.56 pC




Transient Pulse - Sample: 1cm_42 - Position: 825.0 μm - Charge: 180.69 pC




Transient Pulse - Sample: 1cm_42 - Position: 830.0 μm - Charge: 180.41 pC




Transient Pulse - Sample: 1cm_42 - Position: 835.0 μm - Charge: 179.27 pC




Transient Pulse - Sample: 1cm_42 - Position: 840.0 μm - Charge: 176.80 pC




Transient Pulse - Sample: 1cm_42 - Position: 845.0 μm - Charge: 180.08 pC




Transient Pulse - Sample: 1cm_42 - Position: 850.0 μm - Charge: 180.56 pC




Transient Pulse - Sample: 1cm_42 - Position: 855.0 μm - Charge: 176.45 pC




Transient Pulse - Sample: 1cm_42 - Position: 860.0 μm - Charge: 178.62 pC




Transient Pulse - Sample: 1cm_42 - Position: 865.0 μm - Charge: 181.28 pC




Transient Pulse - Sample: 1cm_42 - Position: 870.0 μm - Charge: 176.68 pC




Transient Pulse - Sample: 1cm_42 - Position: 875.0 μm - Charge: 176.49 pC




Transient Pulse - Sample: 1cm_42 - Position: 880.0 μm - Charge: 180.03 pC




Transient Pulse - Sample: 1cm_42 - Position: 885.0 μm - Charge: 183.60 pC




Transient Pulse - Sample: 1cm_42 - Position: 890.0 μm - Charge: 179.13 pC




Transient Pulse - Sample: 1cm_42 - Position: 895.0 μm - Charge: 179.85 pC




Transient Pulse - Sample: 1cm_42 - Position: 900.0 μm - Charge: 179.60 pC




Transient Pulse - Sample: 1cm_42 - Position: 905.0 μm - Charge: 181.23 pC




Transient Pulse - Sample: 1cm_42 - Position: 910.0 μm - Charge: 183.71 pC




Transient Pulse - Sample: 1cm_42 - Position: 915.0 μm - Charge: 183.05 pC




Transient Pulse - Sample: 1cm_42 - Position: 920.0 μm - Charge: 183.17 pC




Transient Pulse - Sample: 1cm_42 - Position: 925.0 μm - Charge: 184.35 pC




Transient Pulse - Sample: 1cm_42 - Position: 930.0 μm - Charge: 181.89 pC




Transient Pulse - Sample: 1cm_42 - Position: 935.0 μm - Charge: 182.79 pC




Transient Pulse - Sample: 1cm_42 - Position: 940.0 μm - Charge: 181.03 pC




Transient Pulse - Sample: 1cm_42 - Position: 945.0 μm - Charge: 180.45 pC




Transient Pulse - Sample: 1cm_42 - Position: 950.0 μm - Charge: 181.53 pC




Transient Pulse - Sample: 1cm_42 - Position: 955.0 μm - Charge: 182.80 pC




Transient Pulse - Sample: 1cm_42 - Position: 960.0 μm - Charge: 181.08 pC




Transient Pulse - Sample: 1cm_42 - Position: 965.0 μm - Charge: 180.30 pC




Transient Pulse - Sample: 1cm_42 - Position: 970.0 μm - Charge: 183.06 pC




Transient Pulse - Sample: 1cm_42 - Position: 975.0 μm - Charge: 180.83 pC




Transient Pulse - Sample: 1cm_42 - Position: 980.0 μm - Charge: 177.80 pC




Transient Pulse - Sample: 1cm_42 - Position: 985.0 μm - Charge: 178.96 pC




Transient Pulse - Sample: 1cm_42 - Position: 990.0 μm - Charge: 169.02 pC




Transient Pulse - Sample: 1cm_42 - Position: 995.0 μm - Charge: 165.76 pC




Transient Pulse - Sample: 1cm_42 - Position: 1000.0 μm - Charge: 165.56 pC




Transient Pulse - Sample: 1cm_42 - Position: 1005.0 μm - Charge: 154.19 pC




Transient Pulse - Sample: 1cm_42 - Position: 1010.0 μm - Charge: 153.99 pC




Transient Pulse - Sample: 1cm_42 - Position: 1015.0 μm - Charge: 140.83 pC




Transient Pulse - Sample: 1cm_42 - Position: 1020.0 μm - Charge: 133.74 pC




Transient Pulse - Sample: 1cm_42 - Position: 1025.0 μm - Charge: 122.75 pC




Transient Pulse - Sample: 1cm_42 - Position: 1030.0 μm - Charge: 112.97 pC




Transient Pulse - Sample: 1cm_42 - Position: 1035.0 μm - Charge: 103.92 pC




Transient Pulse - Sample: 1cm_42 - Position: 1040.0 μm - Charge: 91.46 pC




Transient Pulse - Sample: 1cm_42 - Position: 1045.0 μm - Charge: 82.17 pC




Transient Pulse - Sample: 1cm_42 - Position: 1050.0 μm - Charge: 70.12 pC




Transient Pulse - Sample: 1cm_42 - Position: 1055.0 μm - Charge: 62.02 pC




Transient Pulse - Sample: 1cm_42 - Position: 1060.0 μm - Charge: 52.08 pC




Transient Pulse - Sample: 1cm_42 - Position: 1065.0 μm - Charge: 45.93 pC




Transient Pulse - Sample: 1cm_42 - Position: 1070.0 μm - Charge: 37.08 pC




Transient Pulse - Sample: 1cm_42 - Position: 1075.0 μm - Charge: 32.94 pC




Transient Pulse - Sample: 1cm_42 - Position: 1080.0 μm - Charge: 28.40 pC




Transient Pulse - Sample: 1cm_42 - Position: 1085.0 μm - Charge: 25.29 pC




Transient Pulse - Sample: 1cm_42 - Position: 1090.0 μm - Charge: 24.03 pC




Transient Pulse - Sample: 1cm_42 - Position: 1095.0 μm - Charge: 24.85 pC




Transient Pulse - Sample: 1cm_42 - Position: 1100.0 μm - Charge: 27.98 pC




Transient Pulse - Sample: 1cm_42 - Position: 1105.0 μm - Charge: 29.80 pC




Transient Pulse - Sample: 1cm_42 - Position: 1110.0 μm - Charge: 33.11 pC




Transient Pulse - Sample: 1cm_42 - Position: 1115.0 μm - Charge: 42.85 pC




Transient Pulse - Sample: 1cm_42 - Position: 1120.0 μm - Charge: 51.87 pC




Transient Pulse - Sample: 1cm_42 - Position: 1125.0 μm - Charge: 56.29 pC




Transient Pulse - Sample: 1cm_42 - Position: 1130.0 μm - Charge: 66.64 pC




Transient Pulse - Sample: 1cm_42 - Position: 1135.0 μm - Charge: 75.84 pC




Transient Pulse - Sample: 1cm_42 - Position: 1140.0 μm - Charge: 85.68 pC




Transient Pulse - Sample: 1cm_42 - Position: 1145.0 μm - Charge: 99.35 pC




Transient Pulse - Sample: 1cm_42 - Position: 1150.0 μm - Charge: 110.48 pC




Transient Pulse - Sample: 1cm_42 - Position: 1155.0 μm - Charge: 118.50 pC




Transient Pulse - Sample: 1cm_42 - Position: 1160.0 μm - Charge: 125.02 pC




Transient Pulse - Sample: 1cm_42 - Position: 1165.0 μm - Charge: 131.17 pC




Transient Pulse - Sample: 1cm_42 - Position: 1170.0 μm - Charge: 137.13 pC




Transient Pulse - Sample: 1cm_42 - Position: 1175.0 μm - Charge: 150.71 pC




Transient Pulse - Sample: 1cm_42 - Position: 1180.0 μm - Charge: 157.43 pC




Transient Pulse - Sample: 1cm_42 - Position: 1185.0 μm - Charge: 161.04 pC




Transient Pulse - Sample: 1cm_42 - Position: 1190.0 μm - Charge: 164.50 pC




Transient Pulse - Sample: 1cm_42 - Position: 1195.0 μm - Charge: 172.64 pC




Transient Pulse - Sample: 1cm_42 - Position: 1200.0 μm - Charge: 174.41 pC




Transient Pulse - Sample: 1cm_42 - Position: 1205.0 μm - Charge: 178.21 pC




Transient Pulse - Sample: 1cm_42 - Position: 1210.0 μm - Charge: 176.20 pC




Transient Pulse - Sample: 1cm_42 - Position: 1215.0 μm - Charge: 181.04 pC




Transient Pulse - Sample: 1cm_42 - Position: 1220.0 μm - Charge: 178.32 pC




Transient Pulse - Sample: 1cm_42 - Position: 1225.0 μm - Charge: 179.86 pC




Transient Pulse - Sample: 1cm_42 - Position: 1230.0 μm - Charge: 182.16 pC




Transient Pulse - Sample: 1cm_42 - Position: 1235.0 μm - Charge: 188.01 pC




Transient Pulse - Sample: 1cm_42 - Position: 1240.0 μm - Charge: 182.58 pC




Transient Pulse - Sample: 1cm_42 - Position: 1245.0 μm - Charge: 183.24 pC




Transient Pulse - Sample: 1cm_42 - Position: 1250.0 μm - Charge: 185.21 pC




Transient Pulse - Sample: 1cm_42 - Position: 1255.0 μm - Charge: 187.10 pC




Transient Pulse - Sample: 1cm_42 - Position: 1260.0 μm - Charge: 187.49 pC




Transient Pulse - Sample: 1cm_42 - Position: 1265.0 μm - Charge: 184.95 pC




Transient Pulse - Sample: 1cm_42 - Position: 1270.0 μm - Charge: 187.25 pC




Transient Pulse - Sample: 1cm_42 - Position: 1275.0 μm - Charge: 187.12 pC




Transient Pulse - Sample: 1cm_42 - Position: 1280.0 μm - Charge: 186.63 pC




Transient Pulse - Sample: 1cm_42 - Position: 1285.0 μm - Charge: 190.26 pC




Transient Pulse - Sample: 1cm_42 - Position: 1290.0 μm - Charge: 188.42 pC




Transient Pulse - Sample: 1cm_42 - Position: 1295.0 μm - Charge: 187.64 pC




Transient Pulse - Sample: 1cm_42 - Position: 1300.0 μm - Charge: 184.65 pC




Transient Pulse - Sample: 1cm_42 - Position: 1305.0 μm - Charge: 183.37 pC




Transient Pulse - Sample: 1cm_42 - Position: 1310.0 μm - Charge: 186.41 pC




Transient Pulse - Sample: 1cm_42 - Position: 1315.0 μm - Charge: 189.00 pC




Transient Pulse - Sample: 1cm_42 - Position: 1320.0 μm - Charge: 189.69 pC




Transient Pulse - Sample: 1cm_42 - Position: 1325.0 μm - Charge: 187.29 pC




Transient Pulse - Sample: 1cm_42 - Position: 1330.0 μm - Charge: 189.28 pC




Transient Pulse - Sample: 1cm_42 - Position: 1335.0 μm - Charge: 190.84 pC




Transient Pulse - Sample: 1cm_42 - Position: 1340.0 μm - Charge: 192.04 pC




Transient Pulse - Sample: 1cm_42 - Position: 1345.0 μm - Charge: 190.88 pC




Transient Pulse - Sample: 1cm_42 - Position: 1350.0 μm - Charge: 189.98 pC




Transient Pulse - Sample: 1cm_42 - Position: 1355.0 μm - Charge: 188.78 pC




Transient Pulse - Sample: 1cm_42 - Position: 1360.0 μm - Charge: 189.97 pC




Transient Pulse - Sample: 1cm_42 - Position: 1365.0 μm - Charge: 186.56 pC




Transient Pulse - Sample: 1cm_42 - Position: 1370.0 μm - Charge: 190.09 pC




Transient Pulse - Sample: 1cm_42 - Position: 1375.0 μm - Charge: 187.47 pC




Transient Pulse - Sample: 1cm_42 - Position: 1380.0 μm - Charge: 190.33 pC




Transient Pulse - Sample: 1cm_42 - Position: 1385.0 μm - Charge: 192.68 pC




Transient Pulse - Sample: 1cm_42 - Position: 1390.0 μm - Charge: 184.56 pC




Transient Pulse - Sample: 1cm_42 - Position: 1395.0 μm - Charge: 188.14 pC




Transient Pulse - Sample: 1cm_42 - Position: 1400.0 μm - Charge: 190.48 pC




Transient Pulse - Sample: 1cm_42 - Position: 1405.0 μm - Charge: 187.04 pC




Transient Pulse - Sample: 1cm_42 - Position: 1410.0 μm - Charge: 191.31 pC




Transient Pulse - Sample: 1cm_42 - Position: 1415.0 μm - Charge: 188.57 pC




Transient Pulse - Sample: 1cm_42 - Position: 1420.0 μm - Charge: 189.21 pC




Transient Pulse - Sample: 1cm_42 - Position: 1425.0 μm - Charge: 187.23 pC




Transient Pulse - Sample: 1cm_42 - Position: 1430.0 μm - Charge: 187.76 pC




Transient Pulse - Sample: 1cm_42 - Position: 1435.0 μm - Charge: 189.32 pC




Transient Pulse - Sample: 1cm_42 - Position: 1440.0 μm - Charge: 188.23 pC




Transient Pulse - Sample: 1cm_42 - Position: 1445.0 μm - Charge: 183.89 pC




Transient Pulse - Sample: 1cm_42 - Position: 1450.0 μm - Charge: 183.08 pC




Transient Pulse - Sample: 1cm_42 - Position: 1455.0 μm - Charge: 188.73 pC




Transient Pulse - Sample: 1cm_42 - Position: 1460.0 μm - Charge: 185.24 pC




Transient Pulse - Sample: 1cm_42 - Position: 1465.0 μm - Charge: 182.22 pC




Transient Pulse - Sample: 1cm_42 - Position: 1470.0 μm - Charge: 183.22 pC




Transient Pulse - Sample: 1cm_42 - Position: 1475.0 μm - Charge: 185.86 pC




Transient Pulse - Sample: 1cm_42 - Position: 1480.0 μm - Charge: 179.30 pC




Transient Pulse - Sample: 1cm_42 - Position: 1485.0 μm - Charge: 178.60 pC




Transient Pulse - Sample: 1cm_42 - Position: 1490.0 μm - Charge: 175.49 pC




Transient Pulse - Sample: 1cm_42 - Position: 1495.0 μm - Charge: 172.77 pC




Transient Pulse - Sample: 1cm_42 - Position: 1500.0 μm - Charge: 168.03 pC




Transient Pulse - Sample: 1cm_42 - Position: 1505.0 μm - Charge: 162.61 pC




Transient Pulse - Sample: 1cm_42 - Position: 1510.0 μm - Charge: 156.13 pC




Transient Pulse - Sample: 1cm_42 - Position: 1515.0 μm - Charge: 149.46 pC




Transient Pulse - Sample: 1cm_42 - Position: 1520.0 μm - Charge: 141.39 pC




Transient Pulse - Sample: 1cm_42 - Position: 1525.0 μm - Charge: 131.59 pC




Transient Pulse - Sample: 1cm_42 - Position: 1530.0 μm - Charge: 122.37 pC




Transient Pulse - Sample: 1cm_42 - Position: 1535.0 μm - Charge: 111.06 pC




Transient Pulse - Sample: 1cm_42 - Position: 1540.0 μm - Charge: 99.24 pC




Transient Pulse - Sample: 1cm_42 - Position: 1545.0 μm - Charge: 91.21 pC




Transient Pulse - Sample: 1cm_42 - Position: 1550.0 μm - Charge: 79.27 pC




Transient Pulse - Sample: 1cm_42 - Position: 1555.0 μm - Charge: 68.63 pC




Transient Pulse - Sample: 1cm_42 - Position: 1560.0 μm - Charge: 57.10 pC




Transient Pulse - Sample: 1cm_42 - Position: 1565.0 μm - Charge: 49.82 pC




Transient Pulse - Sample: 1cm_42 - Position: 1570.0 μm - Charge: 43.86 pC




Transient Pulse - Sample: 1cm_42 - Position: 1575.0 μm - Charge: 36.27 pC




Transient Pulse - Sample: 1cm_42 - Position: 1580.0 μm - Charge: 30.55 pC




Transient Pulse - Sample: 1cm_42 - Position: 1585.0 μm - Charge: 27.89 pC




Transient Pulse - Sample: 1cm_42 - Position: 1590.0 μm - Charge: 23.91 pC




Transient Pulse - Sample: 1cm_42 - Position: 1595.0 μm - Charge: 25.15 pC




Transient Pulse - Sample: 1cm_42 - Position: 1600.0 μm - Charge: 25.74 pC




Transient Pulse - Sample: 1cm_42 - Position: 1605.0 μm - Charge: 27.20 pC




Transient Pulse - Sample: 1cm_42 - Position: 1610.0 μm - Charge: 31.99 pC




Transient Pulse - Sample: 1cm_42 - Position: 1615.0 μm - Charge: 37.12 pC




Transient Pulse - Sample: 1cm_42 - Position: 1620.0 μm - Charge: 46.36 pC




Transient Pulse - Sample: 1cm_42 - Position: 1625.0 μm - Charge: 50.50 pC




Transient Pulse - Sample: 1cm_42 - Position: 1630.0 μm - Charge: 58.45 pC




Transient Pulse - Sample: 1cm_42 - Position: 1635.0 μm - Charge: 69.47 pC




Transient Pulse - Sample: 1cm_42 - Position: 1640.0 μm - Charge: 79.27 pC




Transient Pulse - Sample: 1cm_42 - Position: 1645.0 μm - Charge: 88.35 pC




Transient Pulse - Sample: 1cm_42 - Position: 1650.0 μm - Charge: 97.79 pC




Transient Pulse - Sample: 1cm_42 - Position: 1655.0 μm - Charge: 109.16 pC




Transient Pulse - Sample: 1cm_42 - Position: 1660.0 μm - Charge: 115.11 pC




Transient Pulse - Sample: 1cm_42 - Position: 1665.0 μm - Charge: 122.82 pC




Transient Pulse - Sample: 1cm_42 - Position: 1670.0 μm - Charge: 129.50 pC




Transient Pulse - Sample: 1cm_42 - Position: 1675.0 μm - Charge: 140.31 pC




Transient Pulse - Sample: 1cm_42 - Position: 1680.0 μm - Charge: 144.84 pC




Transient Pulse - Sample: 1cm_42 - Position: 1685.0 μm - Charge: 148.30 pC




Transient Pulse - Sample: 1cm_42 - Position: 1690.0 μm - Charge: 154.70 pC




Transient Pulse - Sample: 1cm_42 - Position: 1695.0 μm - Charge: 160.00 pC




Transient Pulse - Sample: 1cm_42 - Position: 1700.0 μm - Charge: 164.03 pC




Transient Pulse - Sample: 1cm_42 - Position: 1705.0 μm - Charge: 162.63 pC




Transient Pulse - Sample: 1cm_42 - Position: 1710.0 μm - Charge: 168.53 pC




Transient Pulse - Sample: 1cm_42 - Position: 1715.0 μm - Charge: 172.43 pC




Transient Pulse - Sample: 1cm_42 - Position: 1720.0 μm - Charge: 174.47 pC




Transient Pulse - Sample: 1cm_42 - Position: 1725.0 μm - Charge: 172.94 pC




Transient Pulse - Sample: 1cm_42 - Position: 1730.0 μm - Charge: 178.57 pC




Transient Pulse - Sample: 1cm_42 - Position: 1735.0 μm - Charge: 177.46 pC




Transient Pulse - Sample: 1cm_42 - Position: 1740.0 μm - Charge: 180.57 pC




Transient Pulse - Sample: 1cm_42 - Position: 1745.0 μm - Charge: 181.45 pC




Transient Pulse - Sample: 1cm_42 - Position: 1750.0 μm - Charge: 184.95 pC




Transient Pulse - Sample: 1cm_42 - Position: 1755.0 μm - Charge: 180.92 pC




Transient Pulse - Sample: 1cm_42 - Position: 1760.0 μm - Charge: 184.78 pC




Transient Pulse - Sample: 1cm_42 - Position: 1765.0 μm - Charge: 185.37 pC




Transient Pulse - Sample: 1cm_42 - Position: 1770.0 μm - Charge: 188.22 pC




Transient Pulse - Sample: 1cm_42 - Position: 1775.0 μm - Charge: 188.52 pC




Transient Pulse - Sample: 1cm_42 - Position: 1780.0 μm - Charge: 191.14 pC




Transient Pulse - Sample: 1cm_42 - Position: 1785.0 μm - Charge: 192.10 pC




Transient Pulse - Sample: 1cm_42 - Position: 1790.0 μm - Charge: 191.97 pC




Transient Pulse - Sample: 1cm_42 - Position: 1795.0 μm - Charge: 192.39 pC




Transient Pulse - Sample: 1cm_42 - Position: 1800.0 μm - Charge: 191.51 pC




Transient Pulse - Sample: 1cm_42 - Position: 1805.0 μm - Charge: 188.24 pC




Transient Pulse - Sample: 1cm_42 - Position: 1810.0 μm - Charge: 194.74 pC




Transient Pulse - Sample: 1cm_42 - Position: 1815.0 μm - Charge: 192.91 pC




Transient Pulse - Sample: 1cm_42 - Position: 1820.0 μm - Charge: 190.12 pC




Transient Pulse - Sample: 1cm_42 - Position: 1825.0 μm - Charge: 190.98 pC




Transient Pulse - Sample: 1cm_42 - Position: 1830.0 μm - Charge: 196.59 pC




Transient Pulse - Sample: 1cm_42 - Position: 1835.0 μm - Charge: 193.61 pC




Transient Pulse - Sample: 1cm_42 - Position: 1840.0 μm - Charge: 194.41 pC




Transient Pulse - Sample: 1cm_42 - Position: 1845.0 μm - Charge: 192.75 pC




Transient Pulse - Sample: 1cm_42 - Position: 1850.0 μm - Charge: 194.09 pC




Transient Pulse - Sample: 1cm_42 - Position: 1855.0 μm - Charge: 199.30 pC




Transient Pulse - Sample: 1cm_42 - Position: 1860.0 μm - Charge: 195.89 pC




Transient Pulse - Sample: 1cm_42 - Position: 1865.0 μm - Charge: 195.43 pC




Transient Pulse - Sample: 1cm_42 - Position: 1870.0 μm - Charge: 193.07 pC




Transient Pulse - Sample: 1cm_42 - Position: 1875.0 μm - Charge: 197.19 pC




Transient Pulse - Sample: 1cm_42 - Position: 1880.0 μm - Charge: 195.60 pC




Transient Pulse - Sample: 1cm_42 - Position: 1885.0 μm - Charge: 191.57 pC




Transient Pulse - Sample: 1cm_42 - Position: 1890.0 μm - Charge: 199.63 pC




Transient Pulse - Sample: 1cm_42 - Position: 1895.0 μm - Charge: 193.63 pC




Transient Pulse - Sample: 1cm_42 - Position: 1900.0 μm - Charge: 195.78 pC




Transient Pulse - Sample: 1cm_42 - Position: 1905.0 μm - Charge: 194.43 pC




Transient Pulse - Sample: 1cm_42 - Position: 1910.0 μm - Charge: 196.04 pC




Transient Pulse - Sample: 1cm_42 - Position: 1915.0 μm - Charge: 192.28 pC




Transient Pulse - Sample: 1cm_42 - Position: 1920.0 μm - Charge: 195.10 pC




Transient Pulse - Sample: 1cm_42 - Position: 1925.0 μm - Charge: 194.54 pC




Transient Pulse - Sample: 1cm_42 - Position: 1930.0 μm - Charge: 188.86 pC




Transient Pulse - Sample: 1cm_42 - Position: 1935.0 μm - Charge: 189.47 pC




Transient Pulse - Sample: 1cm_42 - Position: 1940.0 μm - Charge: 190.03 pC




Transient Pulse - Sample: 1cm_42 - Position: 1945.0 μm - Charge: 189.61 pC




Transient Pulse - Sample: 1cm_42 - Position: 1950.0 μm - Charge: 191.81 pC




Transient Pulse - Sample: 1cm_42 - Position: 1955.0 μm - Charge: 188.90 pC




Transient Pulse - Sample: 1cm_42 - Position: 1960.0 μm - Charge: 189.77 pC




Transient Pulse - Sample: 1cm_42 - Position: 1965.0 μm - Charge: 189.58 pC




Transient Pulse - Sample: 1cm_42 - Position: 1970.0 μm - Charge: 186.21 pC




Transient Pulse - Sample: 1cm_42 - Position: 1975.0 μm - Charge: 182.87 pC




Transient Pulse - Sample: 1cm_42 - Position: 1980.0 μm - Charge: 183.72 pC




Transient Pulse - Sample: 1cm_42 - Position: 1985.0 μm - Charge: 181.15 pC




Transient Pulse - Sample: 1cm_42 - Position: 1990.0 μm - Charge: 179.71 pC




Transient Pulse - Sample: 1cm_42 - Position: 1995.0 μm - Charge: 174.13 pC




Transient Pulse - Sample: 1cm_42 - Position: 2000.0 μm - Charge: 170.58 pC




Transient Pulse - Sample: 1cm_42 - Position: 2005.0 μm - Charge: 169.68 pC




Transient Pulse - Sample: 1cm_42 - Position: 2010.0 μm - Charge: 158.34 pC




Transient Pulse - Sample: 1cm_42 - Position: 2015.0 μm - Charge: 152.37 pC




Transient Pulse - Sample: 1cm_42 - Position: 2020.0 μm - Charge: 144.26 pC




Transient Pulse - Sample: 1cm_42 - Position: 2025.0 μm - Charge: 139.19 pC




Transient Pulse - Sample: 1cm_42 - Position: 2030.0 μm - Charge: 129.39 pC




Transient Pulse - Sample: 1cm_42 - Position: 2035.0 μm - Charge: 120.71 pC




Transient Pulse - Sample: 1cm_42 - Position: 2040.0 μm - Charge: 109.54 pC




Transient Pulse - Sample: 1cm_42 - Position: 2045.0 μm - Charge: 96.36 pC




Transient Pulse - Sample: 1cm_42 - Position: 2050.0 μm - Charge: 88.09 pC




Transient Pulse - Sample: 1cm_42 - Position: 2055.0 μm - Charge: 78.19 pC




Transient Pulse - Sample: 1cm_42 - Position: 2060.0 μm - Charge: 69.01 pC




Transient Pulse - Sample: 1cm_42 - Position: 2065.0 μm - Charge: 59.61 pC




Transient Pulse - Sample: 1cm_42 - Position: 2070.0 μm - Charge: 50.71 pC




Transient Pulse - Sample: 1cm_42 - Position: 2075.0 μm - Charge: 41.71 pC




Transient Pulse - Sample: 1cm_42 - Position: 2080.0 μm - Charge: 37.06 pC




Transient Pulse - Sample: 1cm_42 - Position: 2085.0 μm - Charge: 30.69 pC




Transient Pulse - Sample: 1cm_42 - Position: 2090.0 μm - Charge: 26.18 pC




Transient Pulse - Sample: 1cm_42 - Position: 2095.0 μm - Charge: 24.96 pC




Transient Pulse - Sample: 1cm_42 - Position: 2100.0 μm - Charge: 24.38 pC




Transient Pulse - Sample: 1cm_42 - Position: 2105.0 μm - Charge: 25.11 pC




Transient Pulse - Sample: 1cm_42 - Position: 2110.0 μm - Charge: 28.47 pC




Transient Pulse - Sample: 1cm_42 - Position: 2115.0 μm - Charge: 33.39 pC




Transient Pulse - Sample: 1cm_42 - Position: 2120.0 μm - Charge: 41.47 pC




Transient Pulse - Sample: 1cm_42 - Position: 2125.0 μm - Charge: 48.32 pC




Transient Pulse - Sample: 1cm_42 - Position: 2130.0 μm - Charge: 57.54 pC




Transient Pulse - Sample: 1cm_42 - Position: 2135.0 μm - Charge: 62.69 pC




Transient Pulse - Sample: 1cm_42 - Position: 2140.0 μm - Charge: 70.18 pC




Transient Pulse - Sample: 1cm_42 - Position: 2145.0 μm - Charge: 82.99 pC




Transient Pulse - Sample: 1cm_42 - Position: 2150.0 μm - Charge: 97.36 pC




Transient Pulse - Sample: 1cm_42 - Position: 2155.0 μm - Charge: 101.34 pC




Transient Pulse - Sample: 1cm_42 - Position: 2160.0 μm - Charge: 113.61 pC




Transient Pulse - Sample: 1cm_42 - Position: 2165.0 μm - Charge: 122.56 pC




Transient Pulse - Sample: 1cm_42 - Position: 2170.0 μm - Charge: 131.40 pC




Transient Pulse - Sample: 1cm_42 - Position: 2175.0 μm - Charge: 139.28 pC




Transient Pulse - Sample: 1cm_42 - Position: 2180.0 μm - Charge: 150.48 pC




Transient Pulse - Sample: 1cm_42 - Position: 2185.0 μm - Charge: 156.51 pC




Transient Pulse - Sample: 1cm_42 - Position: 2190.0 μm - Charge: 162.28 pC




Transient Pulse - Sample: 1cm_42 - Position: 2195.0 μm - Charge: 167.19 pC




Transient Pulse - Sample: 1cm_42 - Position: 2200.0 μm - Charge: 178.26 pC




Transient Pulse - Sample: 1cm_42 - Position: 2205.0 μm - Charge: 174.89 pC




Transient Pulse - Sample: 1cm_42 - Position: 2210.0 μm - Charge: 180.99 pC




Transient Pulse - Sample: 1cm_42 - Position: 2215.0 μm - Charge: 183.23 pC




Transient Pulse - Sample: 1cm_42 - Position: 2220.0 μm - Charge: 183.82 pC




Transient Pulse - Sample: 1cm_42 - Position: 2225.0 μm - Charge: 186.87 pC




Transient Pulse - Sample: 1cm_42 - Position: 2230.0 μm - Charge: 190.59 pC




Transient Pulse - Sample: 1cm_42 - Position: 2235.0 μm - Charge: 195.73 pC




Transient Pulse - Sample: 1cm_42 - Position: 2240.0 μm - Charge: 193.89 pC




Transient Pulse - Sample: 1cm_42 - Position: 2245.0 μm - Charge: 192.13 pC




Transient Pulse - Sample: 1cm_42 - Position: 2250.0 μm - Charge: 194.79 pC




Transient Pulse - Sample: 1cm_42 - Position: 2255.0 μm - Charge: 195.27 pC




Transient Pulse - Sample: 1cm_42 - Position: 2260.0 μm - Charge: 197.86 pC




Transient Pulse - Sample: 1cm_42 - Position: 2265.0 μm - Charge: 201.11 pC




Transient Pulse - Sample: 1cm_42 - Position: 2270.0 μm - Charge: 203.89 pC




Transient Pulse - Sample: 1cm_42 - Position: 2275.0 μm - Charge: 199.30 pC




Transient Pulse - Sample: 1cm_42 - Position: 2280.0 μm - Charge: 199.41 pC




Transient Pulse - Sample: 1cm_42 - Position: 2285.0 μm - Charge: 204.79 pC




Transient Pulse - Sample: 1cm_42 - Position: 2290.0 μm - Charge: 203.18 pC




Transient Pulse - Sample: 1cm_42 - Position: 2295.0 μm - Charge: 202.88 pC




Transient Pulse - Sample: 1cm_42 - Position: 2300.0 μm - Charge: 207.21 pC




Transient Pulse - Sample: 1cm_42 - Position: 2305.0 μm - Charge: 205.45 pC




Transient Pulse - Sample: 1cm_42 - Position: 2310.0 μm - Charge: 202.73 pC




Transient Pulse - Sample: 1cm_42 - Position: 2315.0 μm - Charge: 205.37 pC




Transient Pulse - Sample: 1cm_42 - Position: 2320.0 μm - Charge: 207.21 pC




Transient Pulse - Sample: 1cm_42 - Position: 2325.0 μm - Charge: 208.71 pC




Transient Pulse - Sample: 1cm_42 - Position: 2330.0 μm - Charge: 205.06 pC




Transient Pulse - Sample: 1cm_42 - Position: 2335.0 μm - Charge: 204.63 pC




Transient Pulse - Sample: 1cm_42 - Position: 2340.0 μm - Charge: 205.69 pC




Transient Pulse - Sample: 1cm_42 - Position: 2345.0 μm - Charge: 209.21 pC




Transient Pulse - Sample: 1cm_42 - Position: 2350.0 μm - Charge: 203.52 pC




Transient Pulse - Sample: 1cm_42 - Position: 2355.0 μm - Charge: 206.36 pC




Transient Pulse - Sample: 1cm_42 - Position: 2360.0 μm - Charge: 205.79 pC




Transient Pulse - Sample: 1cm_42 - Position: 2365.0 μm - Charge: 204.55 pC




Transient Pulse - Sample: 1cm_42 - Position: 2370.0 μm - Charge: 205.69 pC




Transient Pulse - Sample: 1cm_42 - Position: 2375.0 μm - Charge: 210.10 pC




Transient Pulse - Sample: 1cm_42 - Position: 2380.0 μm - Charge: 203.35 pC




Transient Pulse - Sample: 1cm_42 - Position: 2385.0 μm - Charge: 202.99 pC




Transient Pulse - Sample: 1cm_42 - Position: 2390.0 μm - Charge: 205.64 pC




Transient Pulse - Sample: 1cm_42 - Position: 2395.0 μm - Charge: 206.17 pC




Transient Pulse - Sample: 1cm_42 - Position: 2400.0 μm - Charge: 203.97 pC




Transient Pulse - Sample: 1cm_42 - Position: 2405.0 μm - Charge: 205.12 pC




Transient Pulse - Sample: 1cm_42 - Position: 2410.0 μm - Charge: 205.93 pC




Transient Pulse - Sample: 1cm_42 - Position: 2415.0 μm - Charge: 206.74 pC




Transient Pulse - Sample: 1cm_42 - Position: 2420.0 μm - Charge: 207.99 pC




Transient Pulse - Sample: 1cm_42 - Position: 2425.0 μm - Charge: 206.24 pC




Transient Pulse - Sample: 1cm_42 - Position: 2430.0 μm - Charge: 206.48 pC




Transient Pulse - Sample: 1cm_42 - Position: 2435.0 μm - Charge: 211.54 pC




Transient Pulse - Sample: 1cm_42 - Position: 2440.0 μm - Charge: 207.90 pC




Transient Pulse - Sample: 1cm_42 - Position: 2445.0 μm - Charge: 208.98 pC




Transient Pulse - Sample: 1cm_42 - Position: 2450.0 μm - Charge: 210.40 pC




Transient Pulse - Sample: 1cm_42 - Position: 2455.0 μm - Charge: 209.68 pC




Transient Pulse - Sample: 1cm_42 - Position: 2460.0 μm - Charge: 207.18 pC




Transient Pulse - Sample: 1cm_42 - Position: 2465.0 μm - Charge: 207.11 pC




Transient Pulse - Sample: 1cm_42 - Position: 2470.0 μm - Charge: 205.93 pC




Transient Pulse - Sample: 1cm_42 - Position: 2475.0 μm - Charge: 208.23 pC




Transient Pulse - Sample: 1cm_42 - Position: 2480.0 μm - Charge: 203.41 pC




Transient Pulse - Sample: 1cm_42 - Position: 2485.0 μm - Charge: 202.04 pC




Transient Pulse - Sample: 1cm_42 - Position: 2490.0 μm - Charge: 199.10 pC




Transient Pulse - Sample: 1cm_42 - Position: 2495.0 μm - Charge: 200.67 pC




Transient Pulse - Sample: 1cm_42 - Position: 2500.0 μm - Charge: 197.56 pC




Transient Pulse - Sample: 1cm_42 - Position: 2505.0 μm - Charge: 194.32 pC




Transient Pulse - Sample: 1cm_42 - Position: 2510.0 μm - Charge: 187.92 pC




Transient Pulse - Sample: 1cm_42 - Position: 2515.0 μm - Charge: 189.18 pC




Transient Pulse - Sample: 1cm_42 - Position: 2520.0 μm - Charge: 183.77 pC




Transient Pulse - Sample: 1cm_42 - Position: 2525.0 μm - Charge: 172.99 pC




Transient Pulse - Sample: 1cm_42 - Position: 2530.0 μm - Charge: 161.68 pC




Transient Pulse - Sample: 1cm_42 - Position: 2535.0 μm - Charge: 155.72 pC




Transient Pulse - Sample: 1cm_42 - Position: 2540.0 μm - Charge: 146.23 pC




Transient Pulse - Sample: 1cm_42 - Position: 2545.0 μm - Charge: 134.64 pC




Transient Pulse - Sample: 1cm_42 - Position: 2550.0 μm - Charge: 122.36 pC




Transient Pulse - Sample: 1cm_42 - Position: 2555.0 μm - Charge: 112.74 pC




Transient Pulse - Sample: 1cm_42 - Position: 2560.0 μm - Charge: 97.33 pC




Transient Pulse - Sample: 1cm_42 - Position: 2565.0 μm - Charge: 90.34 pC




Transient Pulse - Sample: 1cm_42 - Position: 2570.0 μm - Charge: 78.26 pC




Transient Pulse - Sample: 1cm_42 - Position: 2575.0 μm - Charge: 68.86 pC




Transient Pulse - Sample: 1cm_42 - Position: 2580.0 μm - Charge: 57.84 pC




Transient Pulse - Sample: 1cm_42 - Position: 2585.0 μm - Charge: 47.40 pC




Transient Pulse - Sample: 1cm_42 - Position: 2590.0 μm - Charge: 40.27 pC




Transient Pulse - Sample: 1cm_42 - Position: 2595.0 μm - Charge: 35.23 pC




Transient Pulse - Sample: 1cm_42 - Position: 2600.0 μm - Charge: 30.64 pC




Transient Pulse - Sample: 1cm_42 - Position: 2605.0 μm - Charge: 27.41 pC




Transient Pulse - Sample: 1cm_42 - Position: 2610.0 μm - Charge: 27.04 pC




Transient Pulse - Sample: 1cm_42 - Position: 2615.0 μm - Charge: 30.46 pC




Transient Pulse - Sample: 1cm_42 - Position: 2620.0 μm - Charge: 32.73 pC




Transient Pulse - Sample: 1cm_42 - Position: 2625.0 μm - Charge: 40.88 pC




Transient Pulse - Sample: 1cm_42 - Position: 2630.0 μm - Charge: 46.00 pC




Transient Pulse - Sample: 1cm_42 - Position: 2635.0 μm - Charge: 54.06 pC




Transient Pulse - Sample: 1cm_42 - Position: 2640.0 μm - Charge: 63.93 pC




Transient Pulse - Sample: 1cm_42 - Position: 2645.0 μm - Charge: 77.64 pC




Transient Pulse - Sample: 1cm_42 - Position: 2650.0 μm - Charge: 84.49 pC




Transient Pulse - Sample: 1cm_42 - Position: 2655.0 μm - Charge: 96.50 pC




Transient Pulse - Sample: 1cm_42 - Position: 2660.0 μm - Charge: 109.60 pC




Transient Pulse - Sample: 1cm_42 - Position: 2665.0 μm - Charge: 123.98 pC




Transient Pulse - Sample: 1cm_42 - Position: 2670.0 μm - Charge: 133.26 pC




Transient Pulse - Sample: 1cm_42 - Position: 2675.0 μm - Charge: 145.32 pC




Transient Pulse - Sample: 1cm_42 - Position: 2680.0 μm - Charge: 154.04 pC




Transient Pulse - Sample: 1cm_42 - Position: 2685.0 μm - Charge: 162.90 pC




Transient Pulse - Sample: 1cm_42 - Position: 2690.0 μm - Charge: 171.16 pC




Transient Pulse - Sample: 1cm_42 - Position: 2695.0 μm - Charge: 181.84 pC




Transient Pulse - Sample: 1cm_42 - Position: 2700.0 μm - Charge: 184.62 pC




Transient Pulse - Sample: 1cm_42 - Position: 2705.0 μm - Charge: 191.90 pC




Transient Pulse - Sample: 1cm_42 - Position: 2710.0 μm - Charge: 192.21 pC




Transient Pulse - Sample: 1cm_42 - Position: 2715.0 μm - Charge: 202.96 pC




Transient Pulse - Sample: 1cm_42 - Position: 2720.0 μm - Charge: 200.83 pC




Transient Pulse - Sample: 1cm_42 - Position: 2725.0 μm - Charge: 204.33 pC




Transient Pulse - Sample: 1cm_42 - Position: 2730.0 μm - Charge: 203.37 pC




Transient Pulse - Sample: 1cm_42 - Position: 2735.0 μm - Charge: 206.35 pC




Transient Pulse - Sample: 1cm_42 - Position: 2740.0 μm - Charge: 210.28 pC




Transient Pulse - Sample: 1cm_42 - Position: 2745.0 μm - Charge: 212.85 pC




Transient Pulse - Sample: 1cm_42 - Position: 2750.0 μm - Charge: 214.05 pC




Transient Pulse - Sample: 1cm_42 - Position: 2755.0 μm - Charge: 211.11 pC




Transient Pulse - Sample: 1cm_42 - Position: 2760.0 μm - Charge: 211.24 pC




Transient Pulse - Sample: 1cm_42 - Position: 2765.0 μm - Charge: 211.79 pC




Transient Pulse - Sample: 1cm_42 - Position: 2770.0 μm - Charge: 208.68 pC




Transient Pulse - Sample: 1cm_42 - Position: 2775.0 μm - Charge: 210.89 pC




Transient Pulse - Sample: 1cm_42 - Position: 2780.0 μm - Charge: 213.96 pC




Transient Pulse - Sample: 1cm_42 - Position: 2785.0 μm - Charge: 209.99 pC




Transient Pulse - Sample: 1cm_42 - Position: 2790.0 μm - Charge: 211.46 pC




Transient Pulse - Sample: 1cm_42 - Position: 2795.0 μm - Charge: 214.50 pC




Transient Pulse - Sample: 1cm_42 - Position: 2800.0 μm - Charge: 214.87 pC




Transient Pulse - Sample: 1cm_42 - Position: 2805.0 μm - Charge: 208.84 pC




Transient Pulse - Sample: 1cm_42 - Position: 2810.0 μm - Charge: 211.45 pC




Transient Pulse - Sample: 1cm_42 - Position: 2815.0 μm - Charge: 210.38 pC




Transient Pulse - Sample: 1cm_42 - Position: 2820.0 μm - Charge: 213.20 pC




Transient Pulse - Sample: 1cm_42 - Position: 2825.0 μm - Charge: 215.63 pC




Transient Pulse - Sample: 1cm_42 - Position: 2830.0 μm - Charge: 214.12 pC




Transient Pulse - Sample: 1cm_42 - Position: 2835.0 μm - Charge: 210.06 pC




Transient Pulse - Sample: 1cm_42 - Position: 2840.0 μm - Charge: 215.16 pC




Transient Pulse - Sample: 1cm_42 - Position: 2845.0 μm - Charge: 209.33 pC




Transient Pulse - Sample: 1cm_42 - Position: 2850.0 μm - Charge: 209.14 pC




Transient Pulse - Sample: 1cm_42 - Position: 2855.0 μm - Charge: 213.33 pC




Transient Pulse - Sample: 1cm_42 - Position: 2860.0 μm - Charge: 213.39 pC




Transient Pulse - Sample: 1cm_42 - Position: 2865.0 μm - Charge: 213.66 pC




Transient Pulse - Sample: 1cm_42 - Position: 2870.0 μm - Charge: 212.06 pC




Transient Pulse - Sample: 1cm_42 - Position: 2875.0 μm - Charge: 208.26 pC




Transient Pulse - Sample: 1cm_42 - Position: 2880.0 μm - Charge: 213.21 pC




Transient Pulse - Sample: 1cm_42 - Position: 2885.0 μm - Charge: 214.88 pC




Transient Pulse - Sample: 1cm_42 - Position: 2890.0 μm - Charge: 210.93 pC




Transient Pulse - Sample: 1cm_42 - Position: 2895.0 μm - Charge: 215.38 pC




Transient Pulse - Sample: 1cm_42 - Position: 2900.0 μm - Charge: 212.17 pC




Transient Pulse - Sample: 1cm_42 - Position: 2905.0 μm - Charge: 212.88 pC




Transient Pulse - Sample: 1cm_42 - Position: 2910.0 μm - Charge: 215.18 pC




Transient Pulse - Sample: 1cm_42 - Position: 2915.0 μm - Charge: 213.80 pC




Transient Pulse - Sample: 1cm_42 - Position: 2920.0 μm - Charge: 213.54 pC




Transient Pulse - Sample: 1cm_42 - Position: 2925.0 μm - Charge: 214.28 pC




Transient Pulse - Sample: 1cm_42 - Position: 2930.0 μm - Charge: 215.86 pC




Transient Pulse - Sample: 1cm_42 - Position: 2935.0 μm - Charge: 212.28 pC




Transient Pulse - Sample: 1cm_42 - Position: 2940.0 μm - Charge: 213.85 pC




Transient Pulse - Sample: 1cm_42 - Position: 2945.0 μm - Charge: 215.21 pC




Transient Pulse - Sample: 1cm_42 - Position: 2950.0 μm - Charge: 217.04 pC




Transient Pulse - Sample: 1cm_42 - Position: 2955.0 μm - Charge: 216.75 pC




Transient Pulse - Sample: 1cm_42 - Position: 2960.0 μm - Charge: 214.00 pC




Transient Pulse - Sample: 1cm_42 - Position: 2965.0 μm - Charge: 219.35 pC




Transient Pulse - Sample: 1cm_42 - Position: 2970.0 μm - Charge: 217.17 pC




Transient Pulse - Sample: 1cm_42 - Position: 2975.0 μm - Charge: 216.73 pC




Transient Pulse - Sample: 1cm_42 - Position: 2980.0 μm - Charge: 218.51 pC




Transient Pulse - Sample: 1cm_42 - Position: 2985.0 μm - Charge: 219.06 pC




Transient Pulse - Sample: 1cm_42 - Position: 2990.0 μm - Charge: 217.40 pC




Transient Pulse - Sample: 1cm_42 - Position: 2995.0 μm - Charge: 225.11 pC




Transient Pulse - Sample: 1cm_42 - Position: 3000.0 μm - Charge: 220.58 pC




Transient Pulse - Sample: 1cm_42 - Position: 3005.0 μm - Charge: 212.68 pC




Transient Pulse - Sample: 1cm_42 - Position: 3010.0 μm - Charge: 214.40 pC




Transient Pulse - Sample: 1cm_42 - Position: 3015.0 μm - Charge: 211.30 pC




Transient Pulse - Sample: 1cm_42 - Position: 3020.0 μm - Charge: 206.52 pC




Transient Pulse - Sample: 1cm_42 - Position: 3025.0 μm - Charge: 199.79 pC




Transient Pulse - Sample: 1cm_42 - Position: 3030.0 μm - Charge: 195.57 pC




Transient Pulse - Sample: 1cm_42 - Position: 3035.0 μm - Charge: 188.14 pC




Transient Pulse - Sample: 1cm_42 - Position: 3040.0 μm - Charge: 176.50 pC




Transient Pulse - Sample: 1cm_42 - Position: 3045.0 μm - Charge: 163.55 pC




Transient Pulse - Sample: 1cm_42 - Position: 3050.0 μm - Charge: 150.51 pC




Transient Pulse - Sample: 1cm_42 - Position: 3055.0 μm - Charge: 139.67 pC




Transient Pulse - Sample: 1cm_42 - Position: 3060.0 μm - Charge: 127.94 pC




Transient Pulse - Sample: 1cm_42 - Position: 3065.0 μm - Charge: 113.32 pC




Transient Pulse - Sample: 1cm_42 - Position: 3070.0 μm - Charge: 100.35 pC




Transient Pulse - Sample: 1cm_42 - Position: 3075.0 μm - Charge: 91.04 pC




Transient Pulse - Sample: 1cm_42 - Position: 3080.0 μm - Charge: 76.29 pC




Transient Pulse - Sample: 1cm_42 - Position: 3085.0 μm - Charge: 65.08 pC




Transient Pulse - Sample: 1cm_42 - Position: 3090.0 μm - Charge: 56.42 pC




Transient Pulse - Sample: 1cm_42 - Position: 3095.0 μm - Charge: 48.98 pC




Transient Pulse - Sample: 1cm_42 - Position: 3100.0 μm - Charge: 39.04 pC




Transient Pulse - Sample: 1cm_42 - Position: 3105.0 μm - Charge: 34.37 pC




Transient Pulse - Sample: 1cm_42 - Position: 3110.0 μm - Charge: 30.54 pC




Transient Pulse - Sample: 1cm_42 - Position: 3115.0 μm - Charge: 33.40 pC




Transient Pulse - Sample: 1cm_42 - Position: 3120.0 μm - Charge: 28.80 pC




Transient Pulse - Sample: 1cm_42 - Position: 3125.0 μm - Charge: 34.15 pC




Transient Pulse - Sample: 1cm_42 - Position: 3130.0 μm - Charge: 38.07 pC




Transient Pulse - Sample: 1cm_42 - Position: 3135.0 μm - Charge: 45.42 pC




Transient Pulse - Sample: 1cm_42 - Position: 3140.0 μm - Charge: 54.16 pC




Transient Pulse - Sample: 1cm_42 - Position: 3145.0 μm - Charge: 64.58 pC




Transient Pulse - Sample: 1cm_42 - Position: 3150.0 μm - Charge: 74.90 pC




Transient Pulse - Sample: 1cm_42 - Position: 3155.0 μm - Charge: 86.49 pC




Transient Pulse - Sample: 1cm_42 - Position: 3160.0 μm - Charge: 95.10 pC




Transient Pulse - Sample: 1cm_42 - Position: 3165.0 μm - Charge: 109.07 pC




Transient Pulse - Sample: 1cm_42 - Position: 3170.0 μm - Charge: 122.17 pC




Transient Pulse - Sample: 1cm_42 - Position: 3175.0 μm - Charge: 136.85 pC




Transient Pulse - Sample: 1cm_42 - Position: 3180.0 μm - Charge: 148.97 pC




Transient Pulse - Sample: 1cm_42 - Position: 3185.0 μm - Charge: 159.99 pC




Transient Pulse - Sample: 1cm_42 - Position: 3190.0 μm - Charge: 176.08 pC




Transient Pulse - Sample: 1cm_42 - Position: 3195.0 μm - Charge: 179.89 pC




Transient Pulse - Sample: 1cm_42 - Position: 3200.0 μm - Charge: 189.64 pC




Transient Pulse - Sample: 1cm_42 - Position: 3205.0 μm - Charge: 197.37 pC




Transient Pulse - Sample: 1cm_42 - Position: 3210.0 μm - Charge: 204.22 pC




Transient Pulse - Sample: 1cm_42 - Position: 3215.0 μm - Charge: 210.64 pC




Transient Pulse - Sample: 1cm_42 - Position: 3220.0 μm - Charge: 210.61 pC




Transient Pulse - Sample: 1cm_42 - Position: 3225.0 μm - Charge: 218.27 pC




Transient Pulse - Sample: 1cm_42 - Position: 3230.0 μm - Charge: 215.82 pC




Transient Pulse - Sample: 1cm_42 - Position: 3235.0 μm - Charge: 221.45 pC




Transient Pulse - Sample: 1cm_42 - Position: 3240.0 μm - Charge: 223.55 pC




Transient Pulse - Sample: 1cm_42 - Position: 3245.0 μm - Charge: 225.51 pC




Transient Pulse - Sample: 1cm_42 - Position: 3250.0 μm - Charge: 228.10 pC




Transient Pulse - Sample: 1cm_42 - Position: 3255.0 μm - Charge: 228.58 pC




Transient Pulse - Sample: 1cm_42 - Position: 3260.0 μm - Charge: 227.42 pC




Transient Pulse - Sample: 1cm_42 - Position: 3265.0 μm - Charge: 233.05 pC




Transient Pulse - Sample: 1cm_42 - Position: 3270.0 μm - Charge: 228.00 pC




Transient Pulse - Sample: 1cm_42 - Position: 3275.0 μm - Charge: 226.43 pC




Transient Pulse - Sample: 1cm_42 - Position: 3280.0 μm - Charge: 231.96 pC




Transient Pulse - Sample: 1cm_42 - Position: 3285.0 μm - Charge: 231.57 pC




Transient Pulse - Sample: 1cm_42 - Position: 3290.0 μm - Charge: 232.84 pC




Transient Pulse - Sample: 1cm_42 - Position: 3295.0 μm - Charge: 230.21 pC




Transient Pulse - Sample: 1cm_42 - Position: 3300.0 μm - Charge: 228.81 pC




Transient Pulse - Sample: 1cm_42 - Position: 3305.0 μm - Charge: 227.29 pC




Transient Pulse - Sample: 1cm_42 - Position: 3310.0 μm - Charge: 225.64 pC




Transient Pulse - Sample: 1cm_42 - Position: 3315.0 μm - Charge: 232.23 pC




Transient Pulse - Sample: 1cm_42 - Position: 3320.0 μm - Charge: 228.64 pC




Transient Pulse - Sample: 1cm_42 - Position: 3325.0 μm - Charge: 229.30 pC




Transient Pulse - Sample: 1cm_42 - Position: 3330.0 μm - Charge: 232.51 pC




Transient Pulse - Sample: 1cm_42 - Position: 3335.0 μm - Charge: 229.22 pC




Transient Pulse - Sample: 1cm_42 - Position: 3340.0 μm - Charge: 231.84 pC




Transient Pulse - Sample: 1cm_42 - Position: 3345.0 μm - Charge: 229.85 pC




Transient Pulse - Sample: 1cm_42 - Position: 3350.0 μm - Charge: 234.71 pC




Transient Pulse - Sample: 1cm_42 - Position: 3355.0 μm - Charge: 229.06 pC




Transient Pulse - Sample: 1cm_42 - Position: 3360.0 μm - Charge: 227.67 pC




Transient Pulse - Sample: 1cm_42 - Position: 3365.0 μm - Charge: 227.74 pC




Transient Pulse - Sample: 1cm_42 - Position: 3370.0 μm - Charge: 231.24 pC




Transient Pulse - Sample: 1cm_42 - Position: 3375.0 μm - Charge: 232.36 pC




Transient Pulse - Sample: 1cm_42 - Position: 3380.0 μm - Charge: 232.15 pC




Transient Pulse - Sample: 1cm_42 - Position: 3385.0 μm - Charge: 232.73 pC




Transient Pulse - Sample: 1cm_42 - Position: 3390.0 μm - Charge: 231.63 pC




Transient Pulse - Sample: 1cm_42 - Position: 3395.0 μm - Charge: 227.77 pC




Transient Pulse - Sample: 1cm_42 - Position: 3400.0 μm - Charge: 226.72 pC




Transient Pulse - Sample: 1cm_42 - Position: 3405.0 μm - Charge: 233.67 pC




Transient Pulse - Sample: 1cm_42 - Position: 3410.0 μm - Charge: 230.57 pC




Transient Pulse - Sample: 1cm_42 - Position: 3415.0 μm - Charge: 234.53 pC




Transient Pulse - Sample: 1cm_42 - Position: 3420.0 μm - Charge: 233.03 pC




Transient Pulse - Sample: 1cm_42 - Position: 3425.0 μm - Charge: 229.61 pC




Transient Pulse - Sample: 1cm_42 - Position: 3430.0 μm - Charge: 230.77 pC




Transient Pulse - Sample: 1cm_42 - Position: 3435.0 μm - Charge: 230.31 pC




Transient Pulse - Sample: 1cm_42 - Position: 3440.0 μm - Charge: 237.71 pC




Transient Pulse - Sample: 1cm_42 - Position: 3445.0 μm - Charge: 231.93 pC




Transient Pulse - Sample: 1cm_42 - Position: 3450.0 μm - Charge: 236.05 pC




Transient Pulse - Sample: 1cm_42 - Position: 3455.0 μm - Charge: 232.17 pC




Transient Pulse - Sample: 1cm_42 - Position: 3460.0 μm - Charge: 235.30 pC




Transient Pulse - Sample: 1cm_42 - Position: 3465.0 μm - Charge: 233.85 pC




Transient Pulse - Sample: 1cm_42 - Position: 3470.0 μm - Charge: 233.03 pC




Transient Pulse - Sample: 1cm_42 - Position: 3475.0 μm - Charge: 237.61 pC




Transient Pulse - Sample: 1cm_42 - Position: 3480.0 μm - Charge: 235.48 pC




Transient Pulse - Sample: 1cm_42 - Position: 3485.0 μm - Charge: 230.75 pC




Transient Pulse - Sample: 1cm_42 - Position: 3490.0 μm - Charge: 227.73 pC




Transient Pulse - Sample: 1cm_42 - Position: 3495.0 μm - Charge: 233.15 pC




Transient Pulse - Sample: 1cm_42 - Position: 3500.0 μm - Charge: 230.27 pC




Transient Pulse - Sample: 1cm_42 - Position: 3505.0 μm - Charge: 225.34 pC




Transient Pulse - Sample: 1cm_42 - Position: 3510.0 μm - Charge: 219.85 pC




Transient Pulse - Sample: 1cm_42 - Position: 3515.0 μm - Charge: 220.15 pC




Transient Pulse - Sample: 1cm_42 - Position: 3520.0 μm - Charge: 213.05 pC




Transient Pulse - Sample: 1cm_42 - Position: 3525.0 μm - Charge: 210.99 pC




Transient Pulse - Sample: 1cm_42 - Position: 3530.0 μm - Charge: 202.28 pC




Transient Pulse - Sample: 1cm_42 - Position: 3535.0 μm - Charge: 196.96 pC




Transient Pulse - Sample: 1cm_42 - Position: 3540.0 μm - Charge: 185.64 pC




Transient Pulse - Sample: 1cm_42 - Position: 3545.0 μm - Charge: 172.81 pC




Transient Pulse - Sample: 1cm_42 - Position: 3550.0 μm - Charge: 157.55 pC




Transient Pulse - Sample: 1cm_42 - Position: 3555.0 μm - Charge: 147.14 pC




Transient Pulse - Sample: 1cm_42 - Position: 3560.0 μm - Charge: 139.54 pC




Transient Pulse - Sample: 1cm_42 - Position: 3565.0 μm - Charge: 118.48 pC




Transient Pulse - Sample: 1cm_42 - Position: 3570.0 μm - Charge: 109.70 pC




Transient Pulse - Sample: 1cm_42 - Position: 3575.0 μm - Charge: 95.33 pC




Transient Pulse - Sample: 1cm_42 - Position: 3580.0 μm - Charge: 85.14 pC




Transient Pulse - Sample: 1cm_42 - Position: 3585.0 μm - Charge: 72.88 pC




Transient Pulse - Sample: 1cm_42 - Position: 3590.0 μm - Charge: 61.55 pC




Transient Pulse - Sample: 1cm_42 - Position: 3595.0 μm - Charge: 56.31 pC




Transient Pulse - Sample: 1cm_42 - Position: 3600.0 μm - Charge: 49.70 pC




Transient Pulse - Sample: 1cm_42 - Position: 3605.0 μm - Charge: 38.94 pC




Transient Pulse - Sample: 1cm_42 - Position: 3610.0 μm - Charge: 39.97 pC




Transient Pulse - Sample: 1cm_42 - Position: 3615.0 μm - Charge: 34.42 pC




Transient Pulse - Sample: 1cm_42 - Position: 3620.0 μm - Charge: 33.89 pC




Transient Pulse - Sample: 1cm_42 - Position: 3625.0 μm - Charge: 36.19 pC




Transient Pulse - Sample: 1cm_42 - Position: 3630.0 μm - Charge: 38.83 pC




Transient Pulse - Sample: 1cm_42 - Position: 3635.0 μm - Charge: 44.22 pC




Transient Pulse - Sample: 1cm_42 - Position: 3640.0 μm - Charge: 50.66 pC




Transient Pulse - Sample: 1cm_42 - Position: 3645.0 μm - Charge: 58.79 pC




Transient Pulse - Sample: 1cm_42 - Position: 3650.0 μm - Charge: 72.22 pC




Transient Pulse - Sample: 1cm_42 - Position: 3655.0 μm - Charge: 82.40 pC




Transient Pulse - Sample: 1cm_42 - Position: 3660.0 μm - Charge: 95.47 pC




Transient Pulse - Sample: 1cm_42 - Position: 3665.0 μm - Charge: 108.31 pC




Transient Pulse - Sample: 1cm_42 - Position: 3670.0 μm - Charge: 123.98 pC




Transient Pulse - Sample: 1cm_42 - Position: 3675.0 μm - Charge: 135.47 pC




Transient Pulse - Sample: 1cm_42 - Position: 3680.0 μm - Charge: 146.70 pC




Transient Pulse - Sample: 1cm_42 - Position: 3685.0 μm - Charge: 162.57 pC




Transient Pulse - Sample: 1cm_42 - Position: 3690.0 μm - Charge: 171.86 pC




Transient Pulse - Sample: 1cm_42 - Position: 3695.0 μm - Charge: 180.05 pC




Transient Pulse - Sample: 1cm_42 - Position: 3700.0 μm - Charge: 192.35 pC




Transient Pulse - Sample: 1cm_42 - Position: 3705.0 μm - Charge: 201.70 pC




Transient Pulse - Sample: 1cm_42 - Position: 3710.0 μm - Charge: 208.83 pC




Transient Pulse - Sample: 1cm_42 - Position: 3715.0 μm - Charge: 219.61 pC




Transient Pulse - Sample: 1cm_42 - Position: 3720.0 μm - Charge: 219.99 pC




Transient Pulse - Sample: 1cm_42 - Position: 3725.0 μm - Charge: 224.53 pC




Transient Pulse - Sample: 1cm_42 - Position: 3730.0 μm - Charge: 230.98 pC




Transient Pulse - Sample: 1cm_42 - Position: 3735.0 μm - Charge: 231.58 pC




Transient Pulse - Sample: 1cm_42 - Position: 3740.0 μm - Charge: 236.03 pC




Transient Pulse - Sample: 1cm_42 - Position: 3745.0 μm - Charge: 237.19 pC




Transient Pulse - Sample: 1cm_42 - Position: 3750.0 μm - Charge: 236.62 pC




Transient Pulse - Sample: 1cm_42 - Position: 3755.0 μm - Charge: 235.96 pC




Transient Pulse - Sample: 1cm_42 - Position: 3760.0 μm - Charge: 237.04 pC




Transient Pulse - Sample: 1cm_42 - Position: 3765.0 μm - Charge: 237.30 pC




Transient Pulse - Sample: 1cm_42 - Position: 3770.0 μm - Charge: 237.03 pC




Transient Pulse - Sample: 1cm_42 - Position: 3775.0 μm - Charge: 233.10 pC




Transient Pulse - Sample: 1cm_42 - Position: 3780.0 μm - Charge: 238.76 pC




Transient Pulse - Sample: 1cm_42 - Position: 3785.0 μm - Charge: 233.52 pC




Transient Pulse - Sample: 1cm_42 - Position: 3790.0 μm - Charge: 234.82 pC




Transient Pulse - Sample: 1cm_42 - Position: 3795.0 μm - Charge: 237.77 pC




Transient Pulse - Sample: 1cm_42 - Position: 3800.0 μm - Charge: 237.21 pC




Transient Pulse - Sample: 1cm_42 - Position: 3805.0 μm - Charge: 238.39 pC




Transient Pulse - Sample: 1cm_42 - Position: 3810.0 μm - Charge: 231.79 pC




Transient Pulse - Sample: 1cm_42 - Position: 3815.0 μm - Charge: 234.71 pC




Transient Pulse - Sample: 1cm_42 - Position: 3820.0 μm - Charge: 234.48 pC




Transient Pulse - Sample: 1cm_42 - Position: 3825.0 μm - Charge: 235.93 pC




Transient Pulse - Sample: 1cm_42 - Position: 3830.0 μm - Charge: 234.77 pC




Transient Pulse - Sample: 1cm_42 - Position: 3835.0 μm - Charge: 236.58 pC




Transient Pulse - Sample: 1cm_42 - Position: 3840.0 μm - Charge: 232.19 pC




Transient Pulse - Sample: 1cm_42 - Position: 3845.0 μm - Charge: 230.25 pC




Transient Pulse - Sample: 1cm_42 - Position: 3850.0 μm - Charge: 232.05 pC




Transient Pulse - Sample: 1cm_42 - Position: 3855.0 μm - Charge: 232.65 pC




Transient Pulse - Sample: 1cm_42 - Position: 3860.0 μm - Charge: 232.29 pC




Transient Pulse - Sample: 1cm_42 - Position: 3865.0 μm - Charge: 237.19 pC




Transient Pulse - Sample: 1cm_42 - Position: 3870.0 μm - Charge: 227.07 pC




Transient Pulse - Sample: 1cm_42 - Position: 3875.0 μm - Charge: 235.37 pC




Transient Pulse - Sample: 1cm_42 - Position: 3880.0 μm - Charge: 231.64 pC




Transient Pulse - Sample: 1cm_42 - Position: 3885.0 μm - Charge: 231.65 pC




Transient Pulse - Sample: 1cm_42 - Position: 3890.0 μm - Charge: 229.58 pC




Transient Pulse - Sample: 1cm_42 - Position: 3895.0 μm - Charge: 231.97 pC




Transient Pulse - Sample: 1cm_42 - Position: 3900.0 μm - Charge: 236.11 pC




Transient Pulse - Sample: 1cm_42 - Position: 3905.0 μm - Charge: 233.95 pC




Transient Pulse - Sample: 1cm_42 - Position: 3910.0 μm - Charge: 233.05 pC




Transient Pulse - Sample: 1cm_42 - Position: 3915.0 μm - Charge: 233.42 pC




Transient Pulse - Sample: 1cm_42 - Position: 3920.0 μm - Charge: 236.59 pC




Transient Pulse - Sample: 1cm_42 - Position: 3925.0 μm - Charge: 235.63 pC




Transient Pulse - Sample: 1cm_42 - Position: 3930.0 μm - Charge: 233.27 pC




Transient Pulse - Sample: 1cm_42 - Position: 3935.0 μm - Charge: 236.58 pC




Transient Pulse - Sample: 1cm_42 - Position: 3940.0 μm - Charge: 237.75 pC




Transient Pulse - Sample: 1cm_42 - Position: 3945.0 μm - Charge: 235.63 pC




Transient Pulse - Sample: 1cm_42 - Position: 3950.0 μm - Charge: 236.88 pC




Transient Pulse - Sample: 1cm_42 - Position: 3955.0 μm - Charge: 236.78 pC




Transient Pulse - Sample: 1cm_42 - Position: 3960.0 μm - Charge: 237.08 pC




Transient Pulse - Sample: 1cm_42 - Position: 3965.0 μm - Charge: 240.24 pC




Transient Pulse - Sample: 1cm_42 - Position: 3970.0 μm - Charge: 237.85 pC




Transient Pulse - Sample: 1cm_42 - Position: 3975.0 μm - Charge: 232.43 pC




Transient Pulse - Sample: 1cm_42 - Position: 3980.0 μm - Charge: 234.91 pC




Transient Pulse - Sample: 1cm_42 - Position: 3985.0 μm - Charge: 234.68 pC




Transient Pulse - Sample: 1cm_42 - Position: 3990.0 μm - Charge: 234.54 pC




Transient Pulse - Sample: 1cm_42 - Position: 3995.0 μm - Charge: 234.93 pC




Transient Pulse - Sample: 1cm_42 - Position: 4000.0 μm - Charge: 229.73 pC




Transient Pulse - Sample: 1cm_42 - Position: 4005.0 μm - Charge: 229.51 pC




Transient Pulse - Sample: 1cm_42 - Position: 4010.0 μm - Charge: 230.17 pC




Transient Pulse - Sample: 1cm_42 - Position: 4015.0 μm - Charge: 228.13 pC




Transient Pulse - Sample: 1cm_42 - Position: 4020.0 μm - Charge: 224.42 pC




Transient Pulse - Sample: 1cm_42 - Position: 4025.0 μm - Charge: 218.25 pC




Transient Pulse - Sample: 1cm_42 - Position: 4030.0 μm - Charge: 211.90 pC




Transient Pulse - Sample: 1cm_42 - Position: 4035.0 μm - Charge: 206.57 pC




Transient Pulse - Sample: 1cm_42 - Position: 4040.0 μm - Charge: 198.17 pC




Transient Pulse - Sample: 1cm_42 - Position: 4045.0 μm - Charge: 187.21 pC




Transient Pulse - Sample: 1cm_42 - Position: 4050.0 μm - Charge: 175.91 pC




Transient Pulse - Sample: 1cm_42 - Position: 4055.0 μm - Charge: 166.60 pC




Transient Pulse - Sample: 1cm_42 - Position: 4060.0 μm - Charge: 150.56 pC




Transient Pulse - Sample: 1cm_42 - Position: 4065.0 μm - Charge: 134.21 pC




Transient Pulse - Sample: 1cm_42 - Position: 4070.0 μm - Charge: 123.11 pC




Transient Pulse - Sample: 1cm_42 - Position: 4075.0 μm - Charge: 113.18 pC




Transient Pulse - Sample: 1cm_42 - Position: 4080.0 μm - Charge: 97.52 pC




Transient Pulse - Sample: 1cm_42 - Position: 4085.0 μm - Charge: 85.72 pC




Transient Pulse - Sample: 1cm_42 - Position: 4090.0 μm - Charge: 73.34 pC




Transient Pulse - Sample: 1cm_42 - Position: 4095.0 μm - Charge: 59.07 pC




Transient Pulse - Sample: 1cm_42 - Position: 4100.0 μm - Charge: 51.98 pC




Transient Pulse - Sample: 1cm_42 - Position: 4105.0 μm - Charge: 45.07 pC




Transient Pulse - Sample: 1cm_42 - Position: 4110.0 μm - Charge: 40.96 pC




Transient Pulse - Sample: 1cm_42 - Position: 4115.0 μm - Charge: 33.44 pC




Transient Pulse - Sample: 1cm_42 - Position: 4120.0 μm - Charge: 32.78 pC




Transient Pulse - Sample: 1cm_42 - Position: 4125.0 μm - Charge: 33.44 pC




Transient Pulse - Sample: 1cm_42 - Position: 4130.0 μm - Charge: 35.69 pC




Transient Pulse - Sample: 1cm_42 - Position: 4135.0 μm - Charge: 40.05 pC




Transient Pulse - Sample: 1cm_42 - Position: 4140.0 μm - Charge: 48.11 pC




Transient Pulse - Sample: 1cm_42 - Position: 4145.0 μm - Charge: 56.08 pC




Transient Pulse - Sample: 1cm_42 - Position: 4150.0 μm - Charge: 66.82 pC




Transient Pulse - Sample: 1cm_42 - Position: 4155.0 μm - Charge: 76.01 pC




Transient Pulse - Sample: 1cm_42 - Position: 4160.0 μm - Charge: 86.06 pC




Transient Pulse - Sample: 1cm_42 - Position: 4165.0 μm - Charge: 97.02 pC




Transient Pulse - Sample: 1cm_42 - Position: 4170.0 μm - Charge: 110.55 pC




Transient Pulse - Sample: 1cm_42 - Position: 4175.0 μm - Charge: 127.43 pC




Transient Pulse - Sample: 1cm_42 - Position: 4180.0 μm - Charge: 136.55 pC




Transient Pulse - Sample: 1cm_42 - Position: 4185.0 μm - Charge: 147.41 pC




Transient Pulse - Sample: 1cm_42 - Position: 4190.0 μm - Charge: 157.05 pC




Transient Pulse - Sample: 1cm_42 - Position: 4195.0 μm - Charge: 168.63 pC




Transient Pulse - Sample: 1cm_42 - Position: 4200.0 μm - Charge: 178.18 pC




Transient Pulse - Sample: 1cm_42 - Position: 4205.0 μm - Charge: 184.69 pC




Transient Pulse - Sample: 1cm_42 - Position: 4210.0 μm - Charge: 198.36 pC




Transient Pulse - Sample: 1cm_42 - Position: 4215.0 μm - Charge: 206.09 pC




Transient Pulse - Sample: 1cm_42 - Position: 4220.0 μm - Charge: 214.24 pC




Transient Pulse - Sample: 1cm_42 - Position: 4225.0 μm - Charge: 214.71 pC




Transient Pulse - Sample: 1cm_42 - Position: 4230.0 μm - Charge: 220.98 pC




Transient Pulse - Sample: 1cm_42 - Position: 4235.0 μm - Charge: 224.46 pC




Transient Pulse - Sample: 1cm_42 - Position: 4240.0 μm - Charge: 223.88 pC




Transient Pulse - Sample: 1cm_42 - Position: 4245.0 μm - Charge: 223.85 pC




Transient Pulse - Sample: 1cm_42 - Position: 4250.0 μm - Charge: 230.99 pC




Transient Pulse - Sample: 1cm_42 - Position: 4255.0 μm - Charge: 228.70 pC




Transient Pulse - Sample: 1cm_42 - Position: 4260.0 μm - Charge: 233.14 pC




Transient Pulse - Sample: 1cm_42 - Position: 4265.0 μm - Charge: 231.26 pC




Transient Pulse - Sample: 1cm_42 - Position: 4270.0 μm - Charge: 237.91 pC




Transient Pulse - Sample: 1cm_42 - Position: 4275.0 μm - Charge: 230.55 pC




Transient Pulse - Sample: 1cm_42 - Position: 4280.0 μm - Charge: 237.93 pC




Transient Pulse - Sample: 1cm_42 - Position: 4285.0 μm - Charge: 234.72 pC




Transient Pulse - Sample: 1cm_42 - Position: 4290.0 μm - Charge: 235.05 pC




Transient Pulse - Sample: 1cm_42 - Position: 4295.0 μm - Charge: 236.41 pC




Transient Pulse - Sample: 1cm_42 - Position: 4300.0 μm - Charge: 234.82 pC




Transient Pulse - Sample: 1cm_42 - Position: 4305.0 μm - Charge: 235.38 pC




Transient Pulse - Sample: 1cm_42 - Position: 4310.0 μm - Charge: 233.97 pC




Transient Pulse - Sample: 1cm_42 - Position: 4315.0 μm - Charge: 235.65 pC




Transient Pulse - Sample: 1cm_42 - Position: 4320.0 μm - Charge: 236.07 pC




Transient Pulse - Sample: 1cm_42 - Position: 4325.0 μm - Charge: 234.17 pC




Transient Pulse - Sample: 1cm_42 - Position: 4330.0 μm - Charge: 237.63 pC




Transient Pulse - Sample: 1cm_42 - Position: 4335.0 μm - Charge: 237.25 pC




Transient Pulse - Sample: 1cm_42 - Position: 4340.0 μm - Charge: 233.54 pC




Transient Pulse - Sample: 1cm_42 - Position: 4345.0 μm - Charge: 233.49 pC




Transient Pulse - Sample: 1cm_42 - Position: 4350.0 μm - Charge: 234.00 pC




Transient Pulse - Sample: 1cm_42 - Position: 4355.0 μm - Charge: 236.01 pC




Transient Pulse - Sample: 1cm_42 - Position: 4360.0 μm - Charge: 238.00 pC




Transient Pulse - Sample: 1cm_42 - Position: 4365.0 μm - Charge: 237.97 pC




Transient Pulse - Sample: 1cm_42 - Position: 4370.0 μm - Charge: 236.61 pC




Transient Pulse - Sample: 1cm_42 - Position: 4375.0 μm - Charge: 238.02 pC




Transient Pulse - Sample: 1cm_42 - Position: 4380.0 μm - Charge: 235.50 pC




Transient Pulse - Sample: 1cm_42 - Position: 4385.0 μm - Charge: 233.73 pC




Transient Pulse - Sample: 1cm_42 - Position: 4390.0 μm - Charge: 235.80 pC




Transient Pulse - Sample: 1cm_42 - Position: 4395.0 μm - Charge: 233.86 pC




Transient Pulse - Sample: 1cm_42 - Position: 4400.0 μm - Charge: 233.03 pC




Transient Pulse - Sample: 1cm_42 - Position: 4405.0 μm - Charge: 237.85 pC




Transient Pulse - Sample: 1cm_42 - Position: 4410.0 μm - Charge: 232.58 pC




Transient Pulse - Sample: 1cm_42 - Position: 4415.0 μm - Charge: 235.95 pC




Transient Pulse - Sample: 1cm_42 - Position: 4420.0 μm - Charge: 234.27 pC




Transient Pulse - Sample: 1cm_42 - Position: 4425.0 μm - Charge: 234.82 pC




Transient Pulse - Sample: 1cm_42 - Position: 4430.0 μm - Charge: 229.60 pC




Transient Pulse - Sample: 1cm_42 - Position: 4435.0 μm - Charge: 234.00 pC




Transient Pulse - Sample: 1cm_42 - Position: 4440.0 μm - Charge: 233.16 pC




Transient Pulse - Sample: 1cm_42 - Position: 4445.0 μm - Charge: 231.17 pC




Transient Pulse - Sample: 1cm_42 - Position: 4450.0 μm - Charge: 225.87 pC




Transient Pulse - Sample: 1cm_42 - Position: 4455.0 μm - Charge: 226.50 pC




Transient Pulse - Sample: 1cm_42 - Position: 4460.0 μm - Charge: 224.76 pC




Transient Pulse - Sample: 1cm_42 - Position: 4465.0 μm - Charge: 224.86 pC




Transient Pulse - Sample: 1cm_42 - Position: 4470.0 μm - Charge: 223.83 pC




Transient Pulse - Sample: 1cm_42 - Position: 4475.0 μm - Charge: 225.66 pC




Transient Pulse - Sample: 1cm_42 - Position: 4480.0 μm - Charge: 220.38 pC




Transient Pulse - Sample: 1cm_42 - Position: 4485.0 μm - Charge: 222.24 pC




Transient Pulse - Sample: 1cm_42 - Position: 4490.0 μm - Charge: 219.33 pC




Transient Pulse - Sample: 1cm_42 - Position: 4495.0 μm - Charge: 225.42 pC




Transient Pulse - Sample: 1cm_42 - Position: 4500.0 μm - Charge: 216.98 pC




Transient Pulse - Sample: 1cm_42 - Position: 4505.0 μm - Charge: 212.83 pC




Transient Pulse - Sample: 1cm_42 - Position: 4510.0 μm - Charge: 213.83 pC




Transient Pulse - Sample: 1cm_42 - Position: 4515.0 μm - Charge: 211.97 pC




Transient Pulse - Sample: 1cm_42 - Position: 4520.0 μm - Charge: 208.75 pC




Transient Pulse - Sample: 1cm_42 - Position: 4525.0 μm - Charge: 206.43 pC




Transient Pulse - Sample: 1cm_42 - Position: 4530.0 μm - Charge: 195.87 pC




Transient Pulse - Sample: 1cm_42 - Position: 4535.0 μm - Charge: 190.47 pC




Transient Pulse - Sample: 1cm_42 - Position: 4540.0 μm - Charge: 185.67 pC




Transient Pulse - Sample: 1cm_42 - Position: 4545.0 μm - Charge: 174.08 pC




Transient Pulse - Sample: 1cm_42 - Position: 4550.0 μm - Charge: 169.29 pC




Transient Pulse - Sample: 1cm_42 - Position: 4555.0 μm - Charge: 160.25 pC




Transient Pulse - Sample: 1cm_42 - Position: 4560.0 μm - Charge: 146.87 pC




Transient Pulse - Sample: 1cm_42 - Position: 4565.0 μm - Charge: 139.78 pC




Transient Pulse - Sample: 1cm_42 - Position: 4570.0 μm - Charge: 126.09 pC




Transient Pulse - Sample: 1cm_42 - Position: 4575.0 μm - Charge: 119.81 pC




Transient Pulse - Sample: 1cm_42 - Position: 4580.0 μm - Charge: 104.79 pC




Transient Pulse - Sample: 1cm_42 - Position: 4585.0 μm - Charge: 90.73 pC




Transient Pulse - Sample: 1cm_42 - Position: 4590.0 μm - Charge: 81.52 pC




Transient Pulse - Sample: 1cm_42 - Position: 4595.0 μm - Charge: 68.71 pC




Transient Pulse - Sample: 1cm_42 - Position: 4600.0 μm - Charge: 60.58 pC




Transient Pulse - Sample: 1cm_42 - Position: 4605.0 μm - Charge: 52.99 pC




Transient Pulse - Sample: 1cm_42 - Position: 4610.0 μm - Charge: 46.71 pC




Transient Pulse - Sample: 1cm_42 - Position: 4615.0 μm - Charge: 37.93 pC




Transient Pulse - Sample: 1cm_42 - Position: 4620.0 μm - Charge: 32.99 pC




Transient Pulse - Sample: 1cm_42 - Position: 4625.0 μm - Charge: 29.97 pC




Transient Pulse - Sample: 1cm_42 - Position: 4630.0 μm - Charge: 29.64 pC




Transient Pulse - Sample: 1cm_42 - Position: 4635.0 μm - Charge: 30.80 pC




Transient Pulse - Sample: 1cm_42 - Position: 4640.0 μm - Charge: 34.69 pC




Transient Pulse - Sample: 1cm_42 - Position: 4645.0 μm - Charge: 38.50 pC




Transient Pulse - Sample: 1cm_42 - Position: 4650.0 μm - Charge: 45.22 pC




Transient Pulse - Sample: 1cm_42 - Position: 4655.0 μm - Charge: 52.79 pC




Transient Pulse - Sample: 1cm_42 - Position: 4660.0 μm - Charge: 63.45 pC




Transient Pulse - Sample: 1cm_42 - Position: 4665.0 μm - Charge: 69.47 pC




Transient Pulse - Sample: 1cm_42 - Position: 4670.0 μm - Charge: 80.17 pC




Transient Pulse - Sample: 1cm_42 - Position: 4675.0 μm - Charge: 91.69 pC




Transient Pulse - Sample: 1cm_42 - Position: 4680.0 μm - Charge: 101.16 pC




Transient Pulse - Sample: 1cm_42 - Position: 4685.0 μm - Charge: 113.79 pC




Transient Pulse - Sample: 1cm_42 - Position: 4690.0 μm - Charge: 120.06 pC




Transient Pulse - Sample: 1cm_42 - Position: 4695.0 μm - Charge: 133.27 pC




Transient Pulse - Sample: 1cm_42 - Position: 4700.0 μm - Charge: 140.37 pC




Transient Pulse - Sample: 1cm_42 - Position: 4705.0 μm - Charge: 148.64 pC




Transient Pulse - Sample: 1cm_42 - Position: 4710.0 μm - Charge: 155.16 pC




Transient Pulse - Sample: 1cm_42 - Position: 4715.0 μm - Charge: 160.91 pC




Transient Pulse - Sample: 1cm_42 - Position: 4720.0 μm - Charge: 165.97 pC




Transient Pulse - Sample: 1cm_42 - Position: 4725.0 μm - Charge: 171.19 pC




Transient Pulse - Sample: 1cm_42 - Position: 4730.0 μm - Charge: 174.94 pC




Transient Pulse - Sample: 1cm_42 - Position: 4735.0 μm - Charge: 179.48 pC




Transient Pulse - Sample: 1cm_42 - Position: 4740.0 μm - Charge: 175.16 pC




Transient Pulse - Sample: 1cm_42 - Position: 4745.0 μm - Charge: 181.46 pC




Transient Pulse - Sample: 1cm_42 - Position: 4750.0 μm - Charge: 179.90 pC




Transient Pulse - Sample: 1cm_42 - Position: 4755.0 μm - Charge: 182.80 pC




Transient Pulse - Sample: 1cm_42 - Position: 4760.0 μm - Charge: 184.21 pC




Transient Pulse - Sample: 1cm_42 - Position: 4765.0 μm - Charge: 182.31 pC




Transient Pulse - Sample: 1cm_42 - Position: 4770.0 μm - Charge: 180.50 pC




Transient Pulse - Sample: 1cm_42 - Position: 4775.0 μm - Charge: 184.37 pC




Transient Pulse - Sample: 1cm_42 - Position: 4780.0 μm - Charge: 187.27 pC




Transient Pulse - Sample: 1cm_42 - Position: 4785.0 μm - Charge: 186.92 pC




Transient Pulse - Sample: 1cm_42 - Position: 4790.0 μm - Charge: 188.08 pC




Transient Pulse - Sample: 1cm_42 - Position: 4795.0 μm - Charge: 184.41 pC




Transient Pulse - Sample: 1cm_42 - Position: 4800.0 μm - Charge: 181.27 pC




Transient Pulse - Sample: 1cm_42 - Position: 4805.0 μm - Charge: 181.66 pC




Transient Pulse - Sample: 1cm_42 - Position: 4810.0 μm - Charge: 181.07 pC




Transient Pulse - Sample: 1cm_42 - Position: 4815.0 μm - Charge: 184.26 pC




Transient Pulse - Sample: 1cm_42 - Position: 4820.0 μm - Charge: 180.23 pC




Transient Pulse - Sample: 1cm_42 - Position: 4825.0 μm - Charge: 179.98 pC




Transient Pulse - Sample: 1cm_42 - Position: 4830.0 μm - Charge: 180.93 pC




Transient Pulse - Sample: 1cm_42 - Position: 4835.0 μm - Charge: 178.27 pC




Transient Pulse - Sample: 1cm_42 - Position: 4840.0 μm - Charge: 173.57 pC




Transient Pulse - Sample: 1cm_42 - Position: 4845.0 μm - Charge: 174.07 pC




Transient Pulse - Sample: 1cm_42 - Position: 4850.0 μm - Charge: 171.55 pC




Transient Pulse - Sample: 1cm_42 - Position: 4855.0 μm - Charge: 168.23 pC




Transient Pulse - Sample: 1cm_42 - Position: 4860.0 μm - Charge: 167.20 pC




Transient Pulse - Sample: 1cm_42 - Position: 4865.0 μm - Charge: 164.13 pC




Transient Pulse - Sample: 1cm_42 - Position: 4870.0 μm - Charge: 160.83 pC




Transient Pulse - Sample: 1cm_42 - Position: 4875.0 μm - Charge: 153.43 pC




Transient Pulse - Sample: 1cm_42 - Position: 4880.0 μm - Charge: 140.35 pC




Transient Pulse - Sample: 1cm_42 - Position: 4885.0 μm - Charge: 135.06 pC




Transient Pulse - Sample: 1cm_42 - Position: 4890.0 μm - Charge: 124.60 pC




Transient Pulse - Sample: 1cm_42 - Position: 4895.0 μm - Charge: 112.92 pC




Transient Pulse - Sample: 1cm_42 - Position: 4900.0 μm - Charge: 104.67 pC




Transient Pulse - Sample: 1cm_42 - Position: 4905.0 μm - Charge: 92.00 pC




Transient Pulse - Sample: 1cm_42 - Position: 4910.0 μm - Charge: 78.84 pC




Transient Pulse - Sample: 1cm_42 - Position: 4915.0 μm - Charge: 63.98 pC




Transient Pulse - Sample: 1cm_42 - Position: 4920.0 μm - Charge: 56.52 pC




Transient Pulse - Sample: 1cm_42 - Position: 4925.0 μm - Charge: 46.68 pC




Transient Pulse - Sample: 1cm_42 - Position: 4930.0 μm - Charge: 37.20 pC




Transient Pulse - Sample: 1cm_42 - Position: 4935.0 μm - Charge: 30.61 pC




Transient Pulse - Sample: 1cm_42 - Position: 4940.0 μm - Charge: 23.28 pC




Transient Pulse - Sample: 1cm_42 - Position: 4945.0 μm - Charge: 16.22 pC




Transient Pulse - Sample: 1cm_42 - Position: 4950.0 μm - Charge: 10.11 pC




Transient Pulse - Sample: 1cm_42 - Position: 4955.0 μm - Charge: 9.37 pC




Transient Pulse - Sample: 1cm_42 - Position: 4960.0 μm - Charge: 5.48 pC




Transient Pulse - Sample: 1cm_42 - Position: 4965.0 μm - Charge: 4.24 pC




Transient Pulse - Sample: 1cm_42 - Position: 4970.0 μm - Charge: 3.70 pC




Transient Pulse - Sample: 1cm_42 - Position: 4975.0 μm - Charge: 2.02 pC




Transient Pulse - Sample: 1cm_42 - Position: 4980.0 μm - Charge: 0.82 pC




Transient Pulse - Sample: 1cm_42 - Position: 4985.0 μm - Charge: 6.17 pC




Transient Pulse - Sample: 1cm_42 - Position: 4990.0 μm - Charge: -0.21 pC




Transient Pulse - Sample: 1cm_42 - Position: 4995.0 μm - Charge: 5.99 pC




Transient Pulse - Sample: 1cm_42 - Position: 5000.0 μm - Charge: 0.52 pC




Transient Pulse - Sample: 1cm_42 - Position: 5005.0 μm - Charge: 2.55 pC




Transient Pulse - Sample: 1cm_42 - Position: 5010.0 μm - Charge: -0.65 pC




Transient Pulse - Sample: 1cm_42 - Position: 5015.0 μm - Charge: 3.84 pC




Transient Pulse - Sample: 1cm_42 - Position: 5020.0 μm - Charge: 1.84 pC




Transient Pulse - Sample: 1cm_42 - Position: 5025.0 μm - Charge: -1.67 pC




Transient Pulse - Sample: 1cm_42 - Position: 5030.0 μm - Charge: -2.00 pC




Transient Pulse - Sample: 1cm_42 - Position: 5035.0 μm - Charge: -0.06 pC




Transient Pulse - Sample: 1cm_42 - Position: 5040.0 μm - Charge: 2.84 pC




Transient Pulse - Sample: 1cm_42 - Position: 5045.0 μm - Charge: 4.72 pC




Transient Pulse - Sample: 1cm_42 - Position: 5050.0 μm - Charge: -1.44 pC




Transient Pulse - Sample: 1cm_42 - Position: 5055.0 μm - Charge: 1.63 pC



Transient Pulse - Sample: 1cm_42 - Position: 5060.0 μm - Charge: 3.78 pC



Transient Pulse - Sample: 1cm_42 - Position: 5065.0 μm - Charge: 2.96 pC



Transient Pulse - Sample: 1cm_42 - Position: 5070.0 μm - Charge: 2.34 pC

