



TCT Run 1cm_43 Summary

Parameter	Value
Run	1cm_43
Surface	N/A
Edge	N/A
Sample	new1cm
Vbias (V)	150.0
DAC (%)	63.3
Bandwidth	500MHz
Path	C:\Users\APD-I\Desktop\TCT\LGAD\111325\150V_1cm_35MIP
Irradiation (Fluence)	0.0
Notes	new wirebonds on 1cm, 35MIP 150V
Date	11/13/2025
Gain Constant	5.5


Collected Charge




Collected Charge




Gain




Transient Pulse - Sample: new1cm - Position: 0.0 μm - Charge: 1.54 pC




Transient Pulse - Sample: new1cm - Position: 5.0 μm - Charge: 2.89 pC




Transient Pulse - Sample: new1cm - Position: 10.0 μm - Charge: -0.87 pC




Transient Pulse - Sample: new1cm - Position: 15.0 μm - Charge: 1.76 pC




Transient Pulse - Sample: new1cm - Position: 20.0 μm - Charge: 4.53 pC




Transient Pulse - Sample: new1cm - Position: 25.0 μm - Charge: -0.85 pC




Transient Pulse - Sample: new1cm - Position: 30.0 μm - Charge: 1.69 pC




Transient Pulse - Sample: new1cm - Position: 35.0 μm - Charge: 2.17 pC




Transient Pulse - Sample: new1cm - Position: 40.0 μm - Charge: 1.20 pC




Transient Pulse - Sample: new1cm - Position: 45.0 μm - Charge: -1.67 pC




Transient Pulse - Sample: new1cm - Position: 50.0 μm - Charge: 1.16 pC




Transient Pulse - Sample: new1cm - Position: 55.0 μm - Charge: 2.81 pC




Transient Pulse - Sample: new1cm - Position: 60.0 μm - Charge: 6.46 pC




Transient Pulse - Sample: new1cm - Position: 65.0 μm - Charge: -2.02 pC




Transient Pulse - Sample: new1cm - Position: 70.0 μm - Charge: -0.00 pC




Transient Pulse - Sample: new1cm - Position: 75.0 μm - Charge: 1.36 pC




Transient Pulse - Sample: new1cm - Position: 80.0 μm - Charge: 0.50 pC




Transient Pulse - Sample: new1cm - Position: 85.0 μm - Charge: 5.71 pC




Transient Pulse - Sample: new1cm - Position: 90.0 μm - Charge: 6.18 pC




Transient Pulse - Sample: new1cm - Position: 95.0 μm - Charge: -0.32 pC




Transient Pulse - Sample: new1cm - Position: 100.0 μm - Charge: 0.24 pC




Transient Pulse - Sample: new1cm - Position: 105.0 μm - Charge: 5.82 pC




Transient Pulse - Sample: new1cm - Position: 110.0 μm - Charge: 2.21 pC




Transient Pulse - Sample: new1cm - Position: 115.0 μm - Charge: 2.95 pC




Transient Pulse - Sample: new1cm - Position: 120.0 μm - Charge: 2.11 pC




Transient Pulse - Sample: new1cm - Position: 125.0 μm - Charge: 1.71 pC




Transient Pulse - Sample: new1cm - Position: 130.0 μm - Charge: 3.38 pC




Transient Pulse - Sample: new1cm - Position: 135.0 μm - Charge: 3.45 pC




Transient Pulse - Sample: new1cm - Position: 140.0 μm - Charge: 3.17 pC




Transient Pulse - Sample: new1cm - Position: 145.0 μm - Charge: 4.17 pC




Transient Pulse - Sample: new1cm - Position: 150.0 μm - Charge: 4.60 pC




Transient Pulse - Sample: new1cm - Position: 155.0 μm - Charge: 6.43 pC




Transient Pulse - Sample: new1cm - Position: 160.0 μm - Charge: 6.93 pC




Transient Pulse - Sample: new1cm - Position: 165.0 μm - Charge: 8.81 pC




Transient Pulse - Sample: new1cm - Position: 170.0 μm - Charge: 10.50 pC




Transient Pulse - Sample: new1cm - Position: 175.0 μm - Charge: 13.20 pC




Transient Pulse - Sample: new1cm - Position: 180.0 μm - Charge: 16.92 pC




Transient Pulse - Sample: new1cm - Position: 185.0 μm - Charge: 20.39 pC




Transient Pulse - Sample: new1cm - Position: 190.0 μm - Charge: 26.02 pC




Transient Pulse - Sample: new1cm - Position: 195.0 μm - Charge: 33.03 pC




Transient Pulse - Sample: new1cm - Position: 200.0 μm - Charge: 40.93 pC




Transient Pulse - Sample: new1cm - Position: 205.0 μm - Charge: 50.88 pC




Transient Pulse - Sample: new1cm - Position: 210.0 μm - Charge: 58.52 pC




Transient Pulse - Sample: new1cm - Position: 215.0 μm - Charge: 67.75 pC




Transient Pulse - Sample: new1cm - Position: 220.0 μm - Charge: 80.56 pC




Transient Pulse - Sample: new1cm - Position: 225.0 μm - Charge: 87.38 pC




Transient Pulse - Sample: new1cm - Position: 230.0 μm - Charge: 96.82 pC




Transient Pulse - Sample: new1cm - Position: 235.0 μm - Charge: 107.55 pC




Transient Pulse - Sample: new1cm - Position: 240.0 μm - Charge: 115.30 pC




Transient Pulse - Sample: new1cm - Position: 245.0 μm - Charge: 125.28 pC




Transient Pulse - Sample: new1cm - Position: 250.0 μm - Charge: 133.22 pC




Transient Pulse - Sample: new1cm - Position: 255.0 μm - Charge: 138.41 pC




Transient Pulse - Sample: new1cm - Position: 260.0 μm - Charge: 143.97 pC




Transient Pulse - Sample: new1cm - Position: 265.0 μm - Charge: 156.26 pC




Transient Pulse - Sample: new1cm - Position: 270.0 μm - Charge: 157.45 pC




Transient Pulse - Sample: new1cm - Position: 275.0 μm - Charge: 163.66 pC




Transient Pulse - Sample: new1cm - Position: 280.0 μm - Charge: 165.73 pC




Transient Pulse - Sample: new1cm - Position: 285.0 μm - Charge: 170.62 pC




Transient Pulse - Sample: new1cm - Position: 290.0 μm - Charge: 173.79 pC




Transient Pulse - Sample: new1cm - Position: 295.0 μm - Charge: 172.75 pC




Transient Pulse - Sample: new1cm - Position: 300.0 μm - Charge: 178.02 pC




Transient Pulse - Sample: new1cm - Position: 305.0 μm - Charge: 178.66 pC




Transient Pulse - Sample: new1cm - Position: 310.0 μm - Charge: 181.53 pC




Transient Pulse - Sample: new1cm - Position: 315.0 μm - Charge: 183.35 pC




Transient Pulse - Sample: new1cm - Position: 320.0 μm - Charge: 186.72 pC




Transient Pulse - Sample: new1cm - Position: 325.0 μm - Charge: 183.55 pC




Transient Pulse - Sample: new1cm - Position: 330.0 μm - Charge: 189.31 pC




Transient Pulse - Sample: new1cm - Position: 335.0 μm - Charge: 189.41 pC




Transient Pulse - Sample: new1cm - Position: 340.0 μm - Charge: 191.93 pC




Transient Pulse - Sample: new1cm - Position: 345.0 μm - Charge: 192.31 pC




Transient Pulse - Sample: new1cm - Position: 350.0 μm - Charge: 190.45 pC




Transient Pulse - Sample: new1cm - Position: 355.0 μm - Charge: 195.14 pC




Transient Pulse - Sample: new1cm - Position: 360.0 μm - Charge: 196.07 pC




Transient Pulse - Sample: new1cm - Position: 365.0 μm - Charge: 194.59 pC




Transient Pulse - Sample: new1cm - Position: 370.0 μm - Charge: 195.77 pC




Transient Pulse - Sample: new1cm - Position: 375.0 μm - Charge: 195.68 pC




Transient Pulse - Sample: new1cm - Position: 380.0 μm - Charge: 196.31 pC




Transient Pulse - Sample: new1cm - Position: 385.0 μm - Charge: 196.58 pC




Transient Pulse - Sample: new1cm - Position: 390.0 μm - Charge: 198.17 pC




Transient Pulse - Sample: new1cm - Position: 395.0 μm - Charge: 197.56 pC




Transient Pulse - Sample: new1cm - Position: 400.0 μm - Charge: 194.54 pC




Transient Pulse - Sample: new1cm - Position: 405.0 μm - Charge: 202.59 pC




Transient Pulse - Sample: new1cm - Position: 410.0 μm - Charge: 197.52 pC




Transient Pulse - Sample: new1cm - Position: 415.0 μm - Charge: 200.89 pC




Transient Pulse - Sample: new1cm - Position: 420.0 μm - Charge: 196.86 pC




Transient Pulse - Sample: new1cm - Position: 425.0 μm - Charge: 200.21 pC




Transient Pulse - Sample: new1cm - Position: 430.0 μm - Charge: 201.32 pC




Transient Pulse - Sample: new1cm - Position: 435.0 μm - Charge: 201.10 pC




Transient Pulse - Sample: new1cm - Position: 440.0 μm - Charge: 198.78 pC




Transient Pulse - Sample: new1cm - Position: 445.0 μm - Charge: 201.27 pC




Transient Pulse - Sample: new1cm - Position: 450.0 μm - Charge: 200.74 pC




Transient Pulse - Sample: new1cm - Position: 455.0 μm - Charge: 196.90 pC




Transient Pulse - Sample: new1cm - Position: 460.0 μm - Charge: 201.07 pC




Transient Pulse - Sample: new1cm - Position: 465.0 μm - Charge: 199.56 pC




Transient Pulse - Sample: new1cm - Position: 470.0 μm - Charge: 201.68 pC




Transient Pulse - Sample: new1cm - Position: 475.0 μm - Charge: 197.95 pC




Transient Pulse - Sample: new1cm - Position: 480.0 μm - Charge: 199.53 pC




Transient Pulse - Sample: new1cm - Position: 485.0 μm - Charge: 200.79 pC




Transient Pulse - Sample: new1cm - Position: 490.0 μm - Charge: 200.08 pC




Transient Pulse - Sample: new1cm - Position: 495.0 μm - Charge: 199.46 pC




Transient Pulse - Sample: new1cm - Position: 500.0 μm - Charge: 197.45 pC




Transient Pulse - Sample: new1cm - Position: 505.0 μm - Charge: 197.50 pC




Transient Pulse - Sample: new1cm - Position: 510.0 μm - Charge: 196.70 pC




Transient Pulse - Sample: new1cm - Position: 515.0 μm - Charge: 199.56 pC




Transient Pulse - Sample: new1cm - Position: 520.0 μm - Charge: 195.74 pC




Transient Pulse - Sample: new1cm - Position: 525.0 μm - Charge: 196.94 pC




Transient Pulse - Sample: new1cm - Position: 530.0 μm - Charge: 195.52 pC




Transient Pulse - Sample: new1cm - Position: 535.0 μm - Charge: 195.06 pC




Transient Pulse - Sample: new1cm - Position: 540.0 μm - Charge: 194.43 pC




Transient Pulse - Sample: new1cm - Position: 545.0 μm - Charge: 194.15 pC




Transient Pulse - Sample: new1cm - Position: 550.0 μm - Charge: 192.75 pC




Transient Pulse - Sample: new1cm - Position: 555.0 μm - Charge: 193.01 pC




Transient Pulse - Sample: new1cm - Position: 560.0 μm - Charge: 194.27 pC




Transient Pulse - Sample: new1cm - Position: 565.0 μm - Charge: 191.84 pC




Transient Pulse - Sample: new1cm - Position: 570.0 μm - Charge: 187.65 pC




Transient Pulse - Sample: new1cm - Position: 575.0 μm - Charge: 184.55 pC




Transient Pulse - Sample: new1cm - Position: 580.0 μm - Charge: 179.38 pC




Transient Pulse - Sample: new1cm - Position: 585.0 μm - Charge: 173.44 pC




Transient Pulse - Sample: new1cm - Position: 590.0 μm - Charge: 168.93 pC




Transient Pulse - Sample: new1cm - Position: 595.0 μm - Charge: 159.14 pC




Transient Pulse - Sample: new1cm - Position: 600.0 μm - Charge: 152.04 pC




Transient Pulse - Sample: new1cm - Position: 605.0 μm - Charge: 142.90 pC




Transient Pulse - Sample: new1cm - Position: 610.0 μm - Charge: 135.40 pC




Transient Pulse - Sample: new1cm - Position: 615.0 μm - Charge: 119.76 pC




Transient Pulse - Sample: new1cm - Position: 620.0 μm - Charge: 106.50 pC




Transient Pulse - Sample: new1cm - Position: 625.0 μm - Charge: 95.12 pC




Transient Pulse - Sample: new1cm - Position: 630.0 μm - Charge: 85.48 pC




Transient Pulse - Sample: new1cm - Position: 635.0 μm - Charge: 73.28 pC




Transient Pulse - Sample: new1cm - Position: 640.0 μm - Charge: 65.52 pC




Transient Pulse - Sample: new1cm - Position: 645.0 μm - Charge: 52.73 pC




Transient Pulse - Sample: new1cm - Position: 650.0 μm - Charge: 46.12 pC




Transient Pulse - Sample: new1cm - Position: 655.0 μm - Charge: 39.97 pC




Transient Pulse - Sample: new1cm - Position: 660.0 μm - Charge: 32.75 pC




Transient Pulse - Sample: new1cm - Position: 665.0 μm - Charge: 29.15 pC




Transient Pulse - Sample: new1cm - Position: 670.0 μm - Charge: 27.70 pC




Transient Pulse - Sample: new1cm -Position: 675.0 μm - Charge: 24.18 pC




Transient Pulse - Sample: new1cm -Position: 680.0 μm - Charge: 24.44 pC




Transient Pulse - Sample: new1cm - Position: 685.0 μm - Charge: 26.52 pC




Transient Pulse - Sample: new1cm - Position: 690.0 μm - Charge: 31.67 pC




Transient Pulse - Sample: new1cm - Position: 695.0 μm - Charge: 38.01 pC




Transient Pulse - Sample: new1cm - Position: 700.0 μm - Charge: 45.51 pC




Transient Pulse - Sample: new1cm - Position: 705.0 μm - Charge: 52.67 pC




Transient Pulse - Sample: new1cm - Position: 710.0 μm - Charge: 61.59 pC




Transient Pulse - Sample: new1cm - Position: 715.0 μm - Charge: 74.71 pC




Transient Pulse - Sample: new1cm - Position: 720.0 μm - Charge: 85.27 pC




Transient Pulse - Sample: new1cm - Position: 725.0 μm - Charge: 93.72 pC




Transient Pulse - Sample: new1cm - Position: 730.0 μm - Charge: 103.51 pC




Transient Pulse - Sample: new1cm - Position: 735.0 μm - Charge: 118.32 pC




Transient Pulse - Sample: new1cm - Position: 740.0 μm - Charge: 128.88 pC




Transient Pulse - Sample: new1cm - Position: 745.0 μm - Charge: 135.56 pC




Transient Pulse - Sample: new1cm - Position: 750.0 μm - Charge: 144.95 pC




Transient Pulse - Sample: new1cm - Position: 755.0 μm - Charge: 154.46 pC




Transient Pulse - Sample: new1cm - Position: 760.0 μm - Charge: 162.89 pC




Transient Pulse - Sample: new1cm - Position: 765.0 μm - Charge: 167.87 pC




Transient Pulse - Sample: new1cm - Position: 770.0 μm - Charge: 176.62 pC




Transient Pulse - Sample: new1cm - Position: 775.0 μm - Charge: 181.80 pC




Transient Pulse - Sample: new1cm - Position: 780.0 μm - Charge: 188.01 pC




Transient Pulse - Sample: new1cm - Position: 785.0 μm - Charge: 186.32 pC




Transient Pulse - Sample: new1cm - Position: 790.0 μm - Charge: 193.14 pC




Transient Pulse - Sample: new1cm - Position: 795.0 μm - Charge: 193.04 pC




Transient Pulse - Sample: new1cm - Position: 800.0 μm - Charge: 197.48 pC




Transient Pulse - Sample: new1cm - Position: 805.0 μm - Charge: 197.71 pC




Transient Pulse - Sample: new1cm - Position: 810.0 μm - Charge: 197.00 pC




Transient Pulse - Sample: new1cm - Position: 815.0 μm - Charge: 198.70 pC




Transient Pulse - Sample: new1cm - Position: 820.0 μm - Charge: 202.60 pC




Transient Pulse - Sample: new1cm - Position: 825.0 μm - Charge: 200.70 pC




Transient Pulse - Sample: new1cm - Position: 830.0 μm - Charge: 201.35 pC




Transient Pulse - Sample: new1cm - Position: 835.0 μm - Charge: 201.62 pC




Transient Pulse - Sample: new1cm - Position: 840.0 μm - Charge: 204.83 pC




Transient Pulse - Sample: new1cm - Position: 845.0 μm - Charge: 204.06 pC




Transient Pulse - Sample: new1cm - Position: 850.0 μm - Charge: 202.22 pC




Transient Pulse - Sample: new1cm - Position: 855.0 μm - Charge: 205.72 pC




Transient Pulse - Sample: new1cm - Position: 860.0 μm - Charge: 204.06 pC




Transient Pulse - Sample: new1cm - Position: 865.0 μm - Charge: 206.87 pC




Transient Pulse - Sample: new1cm - Position: 870.0 μm - Charge: 207.08 pC




Transient Pulse - Sample: new1cm - Position: 875.0 μm - Charge: 206.77 pC




Transient Pulse - Sample: new1cm - Position: 880.0 μm - Charge: 202.68 pC




Transient Pulse - Sample: new1cm - Position: 885.0 μm - Charge: 207.69 pC




Transient Pulse - Sample: new1cm - Position: 890.0 μm - Charge: 203.24 pC




Transient Pulse - Sample: new1cm - Position: 895.0 μm - Charge: 201.74 pC




Transient Pulse - Sample: new1cm - Position: 900.0 μm - Charge: 203.73 pC




Transient Pulse - Sample: new1cm - Position: 905.0 μm - Charge: 205.82 pC




Transient Pulse - Sample: new1cm - Position: 910.0 μm - Charge: 202.02 pC




Transient Pulse - Sample: new1cm - Position: 915.0 μm - Charge: 203.19 pC




Transient Pulse - Sample: new1cm - Position: 920.0 μm - Charge: 205.62 pC




Transient Pulse - Sample: new1cm - Position: 925.0 μm - Charge: 203.14 pC




Transient Pulse - Sample: new1cm - Position: 930.0 μm - Charge: 203.71 pC




Transient Pulse - Sample: new1cm - Position: 935.0 μm - Charge: 207.43 pC




Transient Pulse - Sample: new1cm - Position: 940.0 μm - Charge: 207.04 pC




Transient Pulse - Sample: new1cm - Position: 945.0 μm - Charge: 206.02 pC




Transient Pulse - Sample: new1cm - Position: 950.0 μm - Charge: 204.18 pC




Transient Pulse - Sample: new1cm - Position: 955.0 μm - Charge: 206.85 pC




Transient Pulse - Sample: new1cm - Position: 960.0 μm - Charge: 202.19 pC




Transient Pulse - Sample: new1cm - Position: 965.0 μm - Charge: 204.05 pC




Transient Pulse - Sample: new1cm - Position: 970.0 μm - Charge: 206.16 pC




Transient Pulse - Sample: new1cm - Position: 975.0 μm - Charge: 204.67 pC




Transient Pulse - Sample: new1cm - Position: 980.0 μm - Charge: 205.37 pC




Transient Pulse - Sample: new1cm - Position: 985.0 μm - Charge: 205.55 pC




Transient Pulse - Sample: new1cm - Position: 990.0 μm - Charge: 202.64 pC




Transient Pulse - Sample: new1cm - Position: 995.0 μm - Charge: 205.36 pC




Transient Pulse - Sample: new1cm - Position: 1000.0 μm - Charge: 204.59 pC




Transient Pulse - Sample: new1cm - Position: 1005.0 μm - Charge: 207.09 pC




Transient Pulse - Sample: new1cm - Position: 1010.0 μm - Charge: 203.49 pC




Transient Pulse - Sample: new1cm - Position: 1015.0 μm - Charge: 209.61 pC




Transient Pulse - Sample: new1cm - Position: 1020.0 μm - Charge: 206.47 pC




Transient Pulse - Sample: new1cm - Position: 1025.0 μm - Charge: 203.93 pC




Transient Pulse - Sample: new1cm - Position: 1030.0 μm - Charge: 206.53 pC




Transient Pulse - Sample: new1cm - Position: 1035.0 μm - Charge: 204.73 pC




Transient Pulse - Sample: new1cm - Position: 1040.0 μm - Charge: 207.94 pC




Transient Pulse - Sample: new1cm - Position: 1045.0 μm - Charge: 205.31 pC




Transient Pulse - Sample: new1cm - Position: 1050.0 μm - Charge: 205.80 pC




Transient Pulse - Sample: new1cm - Position: 1055.0 μm - Charge: 204.82 pC




Transient Pulse - Sample: new1cm - Position: 1060.0 μm - Charge: 204.10 pC




Transient Pulse - Sample: new1cm - Position: 1065.0 μm - Charge: 204.67 pC




Transient Pulse - Sample: new1cm - Position: 1070.0 μm - Charge: 200.63 pC




Transient Pulse - Sample: new1cm - Position: 1075.0 μm - Charge: 203.52 pC




Transient Pulse - Sample: new1cm - Position: 1080.0 μm - Charge: 199.79 pC




Transient Pulse - Sample: new1cm - Position: 1085.0 μm - Charge: 191.16 pC




Transient Pulse - Sample: new1cm - Position: 1090.0 μm - Charge: 184.94 pC




Transient Pulse - Sample: new1cm - Position: 1095.0 μm - Charge: 181.60 pC




Transient Pulse - Sample: new1cm - Position: 1100.0 μm - Charge: 171.45 pC




Transient Pulse - Sample: new1cm - Position: 1105.0 μm - Charge: 164.45 pC




Transient Pulse - Sample: new1cm - Position: 1110.0 μm - Charge: 153.18 pC




Transient Pulse - Sample: new1cm - Position: 1115.0 μm - Charge: 140.11 pC




Transient Pulse - Sample: new1cm - Position: 1120.0 μm - Charge: 130.46 pC




Transient Pulse - Sample: new1cm - Position: 1125.0 μm - Charge: 116.42 pC




Transient Pulse - Sample: new1cm - Position: 1130.0 μm - Charge: 105.55 pC




Transient Pulse - Sample: new1cm - Position: 1135.0 μm - Charge: 93.40 pC




Transient Pulse - Sample: new1cm - Position: 1140.0 μm - Charge: 82.39 pC




Transient Pulse - Sample: new1cm - Position: 1145.0 μm - Charge: 70.51 pC




Transient Pulse - Sample: new1cm - Position: 1150.0 μm - Charge: 58.85 pC




Transient Pulse - Sample: new1cm - Position: 1155.0 μm - Charge: 52.13 pC




Transient Pulse - Sample: new1cm - Position: 1160.0 μm - Charge: 43.04 pC




Transient Pulse - Sample: new1cm - Position: 1165.0 μm - Charge: 35.27 pC




Transient Pulse - Sample: new1cm - Position: 1170.0 μm - Charge: 31.24 pC




Transient Pulse - Sample: new1cm - Position: 1175.0 μm - Charge: 27.48 pC




Transient Pulse - Sample: new1cm - Position: 1180.0 μm - Charge: 26.59 pC




Transient Pulse - Sample: new1cm - Position: 1185.0 μm - Charge: 26.20 pC




Transient Pulse - Sample: new1cm - Position: 1190.0 μm - Charge: 28.11 pC




Transient Pulse - Sample: new1cm - Position: 1195.0 μm - Charge: 32.47 pC




Transient Pulse - Sample: new1cm - Position: 1200.0 μm - Charge: 38.11 pC




Transient Pulse - Sample: new1cm - Position: 1205.0 μm - Charge: 45.78 pC




Transient Pulse - Sample: new1cm - Position: 1210.0 μm - Charge: 55.81 pC




Transient Pulse - Sample: new1cm - Position: 1215.0 μm - Charge: 62.98 pC




Transient Pulse - Sample: new1cm - Position: 1220.0 μm - Charge: 74.45 pC




Transient Pulse - Sample: new1cm - Position: 1225.0 μm - Charge: 83.12 pC




Transient Pulse - Sample: new1cm - Position: 1230.0 μm - Charge: 94.09 pC




Transient Pulse - Sample: new1cm - Position: 1235.0 μm - Charge: 109.49 pC




Transient Pulse - Sample: new1cm - Position: 1240.0 μm - Charge: 122.91 pC




Transient Pulse - Sample: new1cm - Position: 1245.0 μm - Charge: 131.45 pC




Transient Pulse - Sample: new1cm - Position: 1250.0 μm - Charge: 141.38 pC




Transient Pulse - Sample: new1cm - Position: 1255.0 μm - Charge: 153.97 pC




Transient Pulse - Sample: new1cm - Position: 1260.0 μm - Charge: 159.49 pC




Transient Pulse - Sample: new1cm - Position: 1265.0 μm - Charge: 167.63 pC




Transient Pulse - Sample: new1cm - Position: 1270.0 μm - Charge: 174.29 pC




Transient Pulse - Sample: new1cm - Position: 1275.0 μm - Charge: 184.62 pC




Transient Pulse - Sample: new1cm - Position: 1280.0 μm - Charge: 188.30 pC




Transient Pulse - Sample: new1cm - Position: 1285.0 μm - Charge: 191.76 pC




Transient Pulse - Sample: new1cm - Position: 1290.0 μm - Charge: 194.90 pC




Transient Pulse - Sample: new1cm - Position: 1295.0 μm - Charge: 193.91 pC




Transient Pulse - Sample: new1cm - Position: 1300.0 μm - Charge: 201.54 pC




Transient Pulse - Sample: new1cm - Position: 1305.0 μm - Charge: 202.61 pC




Transient Pulse - Sample: new1cm - Position: 1310.0 μm - Charge: 201.53 pC




Transient Pulse - Sample: new1cm - Position: 1315.0 μm - Charge: 207.89 pC




Transient Pulse - Sample: new1cm - Position: 1320.0 μm - Charge: 207.39 pC




Transient Pulse - Sample: new1cm - Position: 1325.0 μm - Charge: 208.74 pC




Transient Pulse - Sample: new1cm - Position: 1330.0 μm - Charge: 214.01 pC




Transient Pulse - Sample: new1cm - Position: 1335.0 μm - Charge: 211.41 pC




Transient Pulse - Sample: new1cm - Position: 1340.0 μm - Charge: 211.88 pC




Transient Pulse - Sample: new1cm - Position: 1345.0 μm - Charge: 213.71 pC




Transient Pulse - Sample: new1cm - Position: 1350.0 μm - Charge: 217.42 pC




Transient Pulse - Sample: new1cm - Position: 1355.0 μm - Charge: 210.49 pC




Transient Pulse - Sample: new1cm - Position: 1360.0 μm - Charge: 211.84 pC




Transient Pulse - Sample: new1cm - Position: 1365.0 μm - Charge: 210.79 pC




Transient Pulse - Sample: new1cm - Position: 1370.0 μm - Charge: 213.58 pC




Transient Pulse - Sample: new1cm - Position: 1375.0 μm - Charge: 215.21 pC




Transient Pulse - Sample: new1cm - Position: 1380.0 μm - Charge: 215.95 pC




Transient Pulse - Sample: new1cm - Position: 1385.0 μm - Charge: 216.80 pC




Transient Pulse - Sample: new1cm - Position: 1390.0 μm - Charge: 216.80 pC




Transient Pulse - Sample: new1cm - Position: 1395.0 μm - Charge: 213.11 pC




Transient Pulse - Sample: new1cm - Position: 1400.0 μm - Charge: 212.90 pC




Transient Pulse - Sample: new1cm - Position: 1405.0 μm - Charge: 212.77 pC




Transient Pulse - Sample: new1cm - Position: 1410.0 μm - Charge: 214.85 pC




Transient Pulse - Sample: new1cm - Position: 1415.0 μm - Charge: 212.11 pC




Transient Pulse - Sample: new1cm - Position: 1420.0 μm - Charge: 214.79 pC




Transient Pulse - Sample: new1cm - Position: 1425.0 μm - Charge: 213.06 pC




Transient Pulse - Sample: new1cm - Position: 1430.0 μm - Charge: 214.32 pC




Transient Pulse - Sample: new1cm - Position: 1435.0 μm - Charge: 210.64 pC




Transient Pulse - Sample: new1cm - Position: 1440.0 μm - Charge: 212.87 pC




Transient Pulse - Sample: new1cm - Position: 1445.0 μm - Charge: 213.44 pC




Transient Pulse - Sample: new1cm - Position: 1450.0 μm - Charge: 213.32 pC




Transient Pulse - Sample: new1cm - Position: 1455.0 μm - Charge: 211.94 pC




Transient Pulse - Sample: new1cm - Position: 1460.0 μm - Charge: 213.88 pC




Transient Pulse - Sample: new1cm - Position: 1465.0 μm - Charge: 214.59 pC




Transient Pulse - Sample: new1cm - Position: 1470.0 μm - Charge: 216.34 pC




Transient Pulse - Sample: new1cm - Position: 1475.0 μm - Charge: 214.55 pC




Transient Pulse - Sample: new1cm - Position: 1480.0 μm - Charge: 217.71 pC




Transient Pulse - Sample: new1cm - Position: 1485.0 μm - Charge: 214.18 pC




Transient Pulse - Sample: new1cm - Position: 1490.0 μm - Charge: 214.07 pC




Transient Pulse - Sample: new1cm - Position: 1495.0 μm - Charge: 211.89 pC




Transient Pulse - Sample: new1cm - Position: 1500.0 μm - Charge: 215.40 pC




Transient Pulse - Sample: new1cm - Position: 1505.0 μm - Charge: 213.49 pC




Transient Pulse - Sample: new1cm - Position: 1510.0 μm - Charge: 216.66 pC




Transient Pulse - Sample: new1cm - Position: 1515.0 μm - Charge: 218.91 pC




Transient Pulse - Sample: new1cm - Position: 1520.0 μm - Charge: 218.25 pC




Transient Pulse - Sample: new1cm - Position: 1525.0 μm - Charge: 214.97 pC




Transient Pulse - Sample: new1cm - Position: 1530.0 μm - Charge: 214.79 pC




Transient Pulse - Sample: new1cm - Position: 1535.0 μm - Charge: 217.36 pC




Transient Pulse - Sample: new1cm - Position: 1540.0 μm - Charge: 214.81 pC




Transient Pulse - Sample: new1cm - Position: 1545.0 μm - Charge: 214.89 pC




Transient Pulse - Sample: new1cm - Position: 1550.0 μm - Charge: 216.34 pC




Transient Pulse - Sample: new1cm - Position: 1555.0 μm - Charge: 216.41 pC




Transient Pulse - Sample: new1cm - Position: 1560.0 μm - Charge: 215.12 pC




Transient Pulse - Sample: new1cm - Position: 1565.0 μm - Charge: 209.57 pC




Transient Pulse - Sample: new1cm - Position: 1570.0 μm - Charge: 211.58 pC




Transient Pulse - Sample: new1cm - Position: 1575.0 μm - Charge: 208.37 pC




Transient Pulse - Sample: new1cm - Position: 1580.0 μm - Charge: 208.76 pC




Transient Pulse - Sample: new1cm - Position: 1585.0 μm - Charge: 204.79 pC




Transient Pulse - Sample: new1cm - Position: 1590.0 μm - Charge: 201.22 pC




Transient Pulse - Sample: new1cm - Position: 1595.0 μm - Charge: 192.98 pC




Transient Pulse - Sample: new1cm - Position: 1600.0 μm - Charge: 187.35 pC




Transient Pulse - Sample: new1cm - Position: 1605.0 μm - Charge: 178.66 pC




Transient Pulse - Sample: new1cm - Position: 1610.0 μm - Charge: 170.49 pC




Transient Pulse - Sample: new1cm - Position: 1615.0 μm - Charge: 155.49 pC




Transient Pulse - Sample: new1cm - Position: 1620.0 μm - Charge: 143.94 pC




Transient Pulse - Sample: new1cm - Position: 1625.0 μm - Charge: 131.83 pC




Transient Pulse - Sample: new1cm - Position: 1630.0 μm - Charge: 120.97 pC




Transient Pulse - Sample: new1cm - Position: 1635.0 μm - Charge: 106.32 pC




Transient Pulse - Sample: new1cm - Position: 1640.0 μm - Charge: 94.96 pC




Transient Pulse - Sample: new1cm - Position: 1645.0 μm - Charge: 83.36 pC




Transient Pulse - Sample: new1cm - Position: 1650.0 μm - Charge: 70.57 pC




Transient Pulse - Sample: new1cm - Position: 1655.0 μm - Charge: 59.43 pC




Transient Pulse - Sample: new1cm - Position: 1660.0 μm - Charge: 51.49 pC




Transient Pulse - Sample: new1cm - Position: 1665.0 μm - Charge: 43.98 pC




Transient Pulse - Sample: new1cm - Position: 1670.0 μm - Charge: 37.90 pC




Transient Pulse - Sample: new1cm - Position: 1675.0 μm - Charge: 31.48 pC




Transient Pulse - Sample: new1cm - Position: 1680.0 μm - Charge: 29.51 pC




Transient Pulse - Sample: new1cm - Position: 1685.0 μm - Charge: 26.90 pC




Transient Pulse - Sample: new1cm - Position: 1690.0 μm - Charge: 28.29 pC




Transient Pulse - Sample: new1cm - Position: 1695.0 μm - Charge: 28.17 pC




Transient Pulse - Sample: new1cm - Position: 1700.0 μm - Charge: 32.01 pC




Transient Pulse - Sample: new1cm - Position: 1705.0 μm - Charge: 38.91 pC




Transient Pulse - Sample: new1cm - Position: 1710.0 μm - Charge: 46.53 pC




Transient Pulse - Sample: new1cm - Position: 1715.0 μm - Charge: 57.45 pC




Transient Pulse - Sample: new1cm - Position: 1720.0 μm - Charge: 66.36 pC




Transient Pulse - Sample: new1cm - Position: 1725.0 μm - Charge: 75.59 pC




Transient Pulse - Sample: new1cm - Position: 1730.0 μm - Charge: 86.75 pC




Transient Pulse - Sample: new1cm - Position: 1735.0 μm - Charge: 97.31 pC




Transient Pulse - Sample: new1cm - Position: 1740.0 μm - Charge: 109.25 pC




Transient Pulse - Sample: new1cm - Position: 1745.0 μm - Charge: 124.13 pC




Transient Pulse - Sample: new1cm - Position: 1750.0 μm - Charge: 133.47 pC




Transient Pulse - Sample: new1cm - Position: 1755.0 μm - Charge: 145.52 pC




Transient Pulse - Sample: new1cm - Position: 1760.0 μm - Charge: 149.89 pC




Transient Pulse - Sample: new1cm - Position: 1765.0 μm - Charge: 159.61 pC




Transient Pulse - Sample: new1cm - Position: 1770.0 μm - Charge: 165.14 pC




Transient Pulse - Sample: new1cm - Position: 1775.0 μm - Charge: 171.86 pC




Transient Pulse - Sample: new1cm - Position: 1780.0 μm - Charge: 180.60 pC




Transient Pulse - Sample: new1cm - Position: 1785.0 μm - Charge: 184.60 pC




Transient Pulse - Sample: new1cm - Position: 1790.0 μm - Charge: 190.72 pC




Transient Pulse - Sample: new1cm - Position: 1795.0 μm - Charge: 191.10 pC




Transient Pulse - Sample: new1cm - Position: 1800.0 μm - Charge: 195.16 pC




Transient Pulse - Sample: new1cm - Position: 1805.0 μm - Charge: 199.04 pC




Transient Pulse - Sample: new1cm - Position: 1810.0 μm - Charge: 198.98 pC




Transient Pulse - Sample: new1cm - Position: 1815.0 μm - Charge: 204.22 pC




Transient Pulse - Sample: new1cm - Position: 1820.0 μm - Charge: 204.24 pC




Transient Pulse - Sample: new1cm - Position: 1825.0 μm - Charge: 202.79 pC




Transient Pulse - Sample: new1cm - Position: 1830.0 μm - Charge: 205.35 pC




Transient Pulse - Sample: new1cm - Position: 1835.0 μm - Charge: 209.57 pC




Transient Pulse - Sample: new1cm - Position: 1840.0 μm - Charge: 208.55 pC




Transient Pulse - Sample: new1cm - Position: 1845.0 μm - Charge: 208.48 pC




Transient Pulse - Sample: new1cm - Position: 1850.0 μm - Charge: 212.63 pC




Transient Pulse - Sample: new1cm - Position: 1855.0 μm - Charge: 212.87 pC




Transient Pulse - Sample: new1cm - Position: 1860.0 μm - Charge: 211.22 pC




Transient Pulse - Sample: new1cm - Position: 1865.0 μm - Charge: 217.41 pC




Transient Pulse - Sample: new1cm - Position: 1870.0 μm - Charge: 217.61 pC




Transient Pulse - Sample: new1cm - Position: 1875.0 μm - Charge: 217.26 pC




Transient Pulse - Sample: new1cm - Position: 1880.0 μm - Charge: 216.61 pC




Transient Pulse - Sample: new1cm - Position: 1885.0 μm - Charge: 223.60 pC




Transient Pulse - Sample: new1cm - Position: 1890.0 μm - Charge: 223.26 pC




Transient Pulse - Sample: new1cm - Position: 1895.0 μm - Charge: 226.54 pC




Transient Pulse - Sample: new1cm - Position: 1900.0 μm - Charge: 216.98 pC




Transient Pulse - Sample: new1cm - Position: 1905.0 μm - Charge: 226.83 pC




Transient Pulse - Sample: new1cm - Position: 1910.0 μm - Charge: 222.51 pC




Transient Pulse - Sample: new1cm - Position: 1915.0 μm - Charge: 230.87 pC




Transient Pulse - Sample: new1cm - Position: 1920.0 μm - Charge: 227.49 pC




Transient Pulse - Sample: new1cm - Position: 1925.0 μm - Charge: 223.65 pC




Transient Pulse - Sample: new1cm - Position: 1930.0 μm - Charge: 219.96 pC




Transient Pulse - Sample: new1cm - Position: 1935.0 μm - Charge: 222.39 pC




Transient Pulse - Sample: new1cm - Position: 1940.0 μm - Charge: 223.65 pC




Transient Pulse - Sample: new1cm - Position: 1945.0 μm - Charge: 223.28 pC




Transient Pulse - Sample: new1cm - Position: 1950.0 μm - Charge: 224.79 pC




Transient Pulse - Sample: new1cm - Position: 1955.0 μm - Charge: 224.04 pC




Transient Pulse - Sample: new1cm - Position: 1960.0 μm - Charge: 224.21 pC




Transient Pulse - Sample: new1cm - Position: 1965.0 μm - Charge: 223.25 pC




Transient Pulse - Sample: new1cm - Position: 1970.0 μm - Charge: 228.63 pC




Transient Pulse - Sample: new1cm - Position: 1975.0 μm - Charge: 226.25 pC




Transient Pulse - Sample: new1cm - Position: 1980.0 μm - Charge: 222.99 pC




Transient Pulse - Sample: new1cm - Position: 1985.0 μm - Charge: 225.01 pC




Transient Pulse - Sample: new1cm - Position: 1990.0 μm - Charge: 223.11 pC




Transient Pulse - Sample: new1cm - Position: 1995.0 μm - Charge: 228.96 pC




Transient Pulse - Sample: new1cm - Position: 2000.0 μm - Charge: 226.32 pC




Transient Pulse - Sample: new1cm - Position: 2005.0 μm - Charge: 227.15 pC




Transient Pulse - Sample: new1cm - Position: 2010.0 μm - Charge: 223.06 pC




Transient Pulse - Sample: new1cm - Position: 2015.0 μm - Charge: 225.01 pC




Transient Pulse - Sample: new1cm - Position: 2020.0 μm - Charge: 227.67 pC




Transient Pulse - Sample: new1cm - Position: 2025.0 μm - Charge: 222.45 pC




Transient Pulse - Sample: new1cm - Position: 2030.0 μm - Charge: 219.78 pC




Transient Pulse - Sample: new1cm - Position: 2035.0 μm - Charge: 220.78 pC




Transient Pulse - Sample: new1cm - Position: 2040.0 μm - Charge: 218.77 pC




Transient Pulse - Sample: new1cm - Position: 2045.0 μm - Charge: 221.71 pC




Transient Pulse - Sample: new1cm - Position: 2050.0 μm - Charge: 217.79 pC




Transient Pulse - Sample: new1cm - Position: 2055.0 μm - Charge: 218.29 pC




Transient Pulse - Sample: new1cm - Position: 2060.0 μm - Charge: 214.83 pC




Transient Pulse - Sample: new1cm - Position: 2065.0 μm - Charge: 215.70 pC




Transient Pulse - Sample: new1cm - Position: 2070.0 μm - Charge: 214.31 pC




Transient Pulse - Sample: new1cm - Position: 2075.0 μm - Charge: 213.93 pC




Transient Pulse - Sample: new1cm - Position: 2080.0 μm - Charge: 206.60 pC




Transient Pulse - Sample: new1cm - Position: 2085.0 μm - Charge: 202.92 pC




Transient Pulse - Sample: new1cm - Position: 2090.0 μm - Charge: 200.19 pC




Transient Pulse - Sample: new1cm - Position: 2095.0 μm - Charge: 197.49 pC




Transient Pulse - Sample: new1cm - Position: 2100.0 μm - Charge: 181.81 pC




Transient Pulse - Sample: new1cm - Position: 2105.0 μm - Charge: 173.73 pC




Transient Pulse - Sample: new1cm - Position: 2110.0 μm - Charge: 163.70 pC




Transient Pulse - Sample: new1cm - Position: 2115.0 μm - Charge: 155.19 pC




Transient Pulse - Sample: new1cm - Position: 2120.0 μm - Charge: 141.65 pC




Transient Pulse - Sample: new1cm - Position: 2125.0 μm - Charge: 124.13 pC




Transient Pulse - Sample: new1cm - Position: 2130.0 μm - Charge: 114.35 pC




Transient Pulse - Sample: new1cm - Position: 2135.0 μm - Charge: 105.59 pC




Transient Pulse - Sample: new1cm - Position: 2140.0 μm - Charge: 92.89 pC




Transient Pulse - Sample: new1cm - Position: 2145.0 μm - Charge: 81.92 pC




Transient Pulse - Sample: new1cm - Position: 2150.0 μm - Charge: 66.92 pC




Transient Pulse - Sample: new1cm - Position: 2155.0 μm - Charge: 61.58 pC




Transient Pulse - Sample: new1cm - Position: 2160.0 μm - Charge: 52.06 pC




Transient Pulse - Sample: new1cm - Position: 2165.0 μm - Charge: 44.07 pC




Transient Pulse - Sample: new1cm - Position: 2170.0 μm - Charge: 36.36 pC




Transient Pulse - Sample: new1cm - Position: 2175.0 μm - Charge: 31.41 pC




Transient Pulse - Sample: new1cm - Position: 2180.0 μm - Charge: 28.23 pC




Transient Pulse - Sample: new1cm - Position: 2185.0 μm - Charge: 28.90 pC




Transient Pulse - Sample: new1cm - Position: 2190.0 μm - Charge: 29.27 pC




Transient Pulse - Sample: new1cm - Position: 2195.0 μm - Charge: 32.49 pC




Transient Pulse - Sample: new1cm - Position: 2200.0 μm - Charge: 34.65 pC




Transient Pulse - Sample: new1cm - Position: 2205.0 μm - Charge: 39.61 pC




Transient Pulse - Sample: new1cm - Position: 2210.0 μm - Charge: 44.20 pC




Transient Pulse - Sample: new1cm - Position: 2215.0 μm - Charge: 54.79 pC




Transient Pulse - Sample: new1cm - Position: 2220.0 μm - Charge: 65.56 pC




Transient Pulse - Sample: new1cm - Position: 2225.0 μm - Charge: 73.93 pC




Transient Pulse - Sample: new1cm - Position: 2230.0 μm - Charge: 84.58 pC




Transient Pulse - Sample: new1cm - Position: 2235.0 μm - Charge: 94.01 pC




Transient Pulse - Sample: new1cm - Position: 2240.0 μm - Charge: 108.66 pC




Transient Pulse - Sample: new1cm - Position: 2245.0 μm - Charge: 122.55 pC




Transient Pulse - Sample: new1cm - Position: 2250.0 μm - Charge: 129.36 pC




Transient Pulse - Sample: new1cm - Position: 2255.0 μm - Charge: 139.20 pC




Transient Pulse - Sample: new1cm - Position: 2260.0 μm - Charge: 152.89 pC




Transient Pulse - Sample: new1cm - Position: 2265.0 μm - Charge: 161.09 pC




Transient Pulse - Sample: new1cm - Position: 2270.0 μm - Charge: 167.04 pC




Transient Pulse - Sample: new1cm - Position: 2275.0 μm - Charge: 181.03 pC




Transient Pulse - Sample: new1cm - Position: 2280.0 μm - Charge: 184.36 pC




Transient Pulse - Sample: new1cm - Position: 2285.0 μm - Charge: 189.91 pC




Transient Pulse - Sample: new1cm - Position: 2290.0 μm - Charge: 194.71 pC




Transient Pulse - Sample: new1cm - Position: 2295.0 μm - Charge: 204.00 pC




Transient Pulse - Sample: new1cm - Position: 2300.0 μm - Charge: 203.93 pC




Transient Pulse - Sample: new1cm - Position: 2305.0 μm - Charge: 204.32 pC




Transient Pulse - Sample: new1cm - Position: 2310.0 μm - Charge: 206.36 pC




Transient Pulse - Sample: new1cm - Position: 2315.0 μm - Charge: 214.00 pC




Transient Pulse - Sample: new1cm - Position: 2320.0 μm - Charge: 215.36 pC




Transient Pulse - Sample: new1cm - Position: 2325.0 μm - Charge: 216.26 pC




Transient Pulse - Sample: new1cm - Position: 2330.0 μm - Charge: 223.53 pC




Transient Pulse - Sample: new1cm - Position: 2335.0 μm - Charge: 224.89 pC




Transient Pulse - Sample: new1cm - Position: 2340.0 μm - Charge: 227.29 pC




Transient Pulse - Sample: new1cm - Position: 2345.0 μm - Charge: 226.83 pC




Transient Pulse - Sample: new1cm - Position: 2350.0 μm - Charge: 230.89 pC




Transient Pulse - Sample: new1cm - Position: 2355.0 μm - Charge: 224.92 pC




Transient Pulse - Sample: new1cm - Position: 2360.0 μm - Charge: 224.73 pC




Transient Pulse - Sample: new1cm - Position: 2365.0 μm - Charge: 228.64 pC




Transient Pulse - Sample: new1cm - Position: 2370.0 μm - Charge: 227.15 pC




Transient Pulse - Sample: new1cm - Position: 2375.0 μm - Charge: 230.19 pC




Transient Pulse - Sample: new1cm - Position: 2380.0 μm - Charge: 232.37 pC




Transient Pulse - Sample: new1cm - Position: 2385.0 μm - Charge: 233.54 pC




Transient Pulse - Sample: new1cm - Position: 2390.0 μm - Charge: 236.35 pC




Transient Pulse - Sample: new1cm - Position: 2395.0 μm - Charge: 231.41 pC




Transient Pulse - Sample: new1cm - Position: 2400.0 μm - Charge: 231.59 pC




Transient Pulse - Sample: new1cm - Position: 2405.0 μm - Charge: 234.42 pC




Transient Pulse - Sample: new1cm - Position: 2410.0 μm - Charge: 238.45 pC




Transient Pulse - Sample: new1cm - Position: 2415.0 μm - Charge: 231.41 pC




Transient Pulse - Sample: new1cm - Position: 2420.0 μm - Charge: 239.49 pC




Transient Pulse - Sample: new1cm - Position: 2425.0 μm - Charge: 239.28 pC




Transient Pulse - Sample: new1cm - Position: 2430.0 μm - Charge: 232.42 pC




Transient Pulse - Sample: new1cm - Position: 2435.0 μm - Charge: 235.22 pC




Transient Pulse - Sample: new1cm - Position: 2440.0 μm - Charge: 237.71 pC




Transient Pulse - Sample: new1cm - Position: 2445.0 μm - Charge: 237.15 pC




Transient Pulse - Sample: new1cm - Position: 2450.0 μm - Charge: 235.49 pC




Transient Pulse - Sample: new1cm - Position: 2455.0 μm - Charge: 238.60 pC




Transient Pulse - Sample: new1cm - Position: 2460.0 μm - Charge: 236.80 pC




Transient Pulse - Sample: new1cm - Position: 2465.0 μm - Charge: 238.49 pC




Transient Pulse - Sample: new1cm - Position: 2470.0 μm - Charge: 234.77 pC




Transient Pulse - Sample: new1cm - Position: 2475.0 μm - Charge: 235.73 pC




Transient Pulse - Sample: new1cm - Position: 2480.0 μm - Charge: 235.06 pC




Transient Pulse - Sample: new1cm - Position: 2485.0 μm - Charge: 236.07 pC




Transient Pulse - Sample: new1cm - Position: 2490.0 μm - Charge: 235.53 pC




Transient Pulse - Sample: new1cm - Position: 2495.0 μm - Charge: 239.53 pC




Transient Pulse - Sample: new1cm - Position: 2500.0 μm - Charge: 236.87 pC




Transient Pulse - Sample: new1cm - Position: 2505.0 μm - Charge: 232.15 pC




Transient Pulse - Sample: new1cm - Position: 2510.0 μm - Charge: 241.27 pC




Transient Pulse - Sample: new1cm - Position: 2515.0 μm - Charge: 236.23 pC




Transient Pulse - Sample: new1cm - Position: 2520.0 μm - Charge: 236.01 pC




Transient Pulse - Sample: new1cm - Position: 2525.0 μm - Charge: 238.63 pC




Transient Pulse - Sample: new1cm - Position: 2530.0 μm - Charge: 237.15 pC




Transient Pulse - Sample: new1cm - Position: 2535.0 μm - Charge: 237.17 pC




Transient Pulse - Sample: new1cm - Position: 2540.0 μm - Charge: 239.10 pC




Transient Pulse - Sample: new1cm - Position: 2545.0 μm - Charge: 237.71 pC




Transient Pulse - Sample: new1cm - Position: 2550.0 μm - Charge: 239.43 pC




Transient Pulse - Sample: new1cm - Position: 2555.0 μm - Charge: 233.65 pC




Transient Pulse - Sample: new1cm - Position: 2560.0 μm - Charge: 235.97 pC




Transient Pulse - Sample: new1cm - Position: 2565.0 μm - Charge: 234.14 pC




Transient Pulse - Sample: new1cm - Position: 2570.0 μm - Charge: 235.09 pC




Transient Pulse - Sample: new1cm - Position: 2575.0 μm - Charge: 231.50 pC




Transient Pulse - Sample: new1cm - Position: 2580.0 μm - Charge: 233.31 pC




Transient Pulse - Sample: new1cm - Position: 2585.0 μm - Charge: 235.55 pC




Transient Pulse - Sample: new1cm - Position: 2590.0 μm - Charge: 225.33 pC




Transient Pulse - Sample: new1cm - Position: 2595.0 μm - Charge: 224.57 pC




Transient Pulse - Sample: new1cm - Position: 2600.0 μm - Charge: 217.35 pC




Transient Pulse - Sample: new1cm - Position: 2605.0 μm - Charge: 210.74 pC




Transient Pulse - Sample: new1cm - Position: 2610.0 μm - Charge: 206.50 pC




Transient Pulse - Sample: new1cm - Position: 2615.0 μm - Charge: 200.06 pC




Transient Pulse - Sample: new1cm - Position: 2620.0 μm - Charge: 192.69 pC




Transient Pulse - Sample: new1cm - Position: 2625.0 μm - Charge: 178.29 pC




Transient Pulse - Sample: new1cm - Position: 2630.0 μm - Charge: 164.42 pC




Transient Pulse - Sample: new1cm - Position: 2635.0 μm - Charge: 150.07 pC




Transient Pulse - Sample: new1cm - Position: 2640.0 μm - Charge: 139.89 pC




Transient Pulse - Sample: new1cm - Position: 2645.0 μm - Charge: 126.09 pC




Transient Pulse - Sample: new1cm - Position: 2650.0 μm - Charge: 110.97 pC




Transient Pulse - Sample: new1cm - Position: 2655.0 μm - Charge: 99.59 pC




Transient Pulse - Sample: new1cm - Position: 2660.0 μm - Charge: 86.78 pC




Transient Pulse - Sample: new1cm - Position: 2665.0 μm - Charge: 72.04 pC




Transient Pulse - Sample: new1cm - Position: 2670.0 μm - Charge: 61.57 pC




Transient Pulse - Sample: new1cm - Position: 2675.0 μm - Charge: 55.69 pC




Transient Pulse - Sample: new1cm - Position: 2680.0 μm - Charge: 45.48 pC




Transient Pulse - Sample: new1cm - Position: 2685.0 μm - Charge: 38.39 pC




Transient Pulse - Sample: new1cm - Position: 2690.0 μm - Charge: 34.30 pC




Transient Pulse - Sample: new1cm - Position: 2695.0 μm - Charge: 30.62 pC




Transient Pulse - Sample: new1cm - Position: 2700.0 μm - Charge: 33.38 pC




Transient Pulse - Sample: new1cm - Position: 2705.0 μm - Charge: 34.04 pC




Transient Pulse - Sample: new1cm - Position: 2710.0 μm - Charge: 36.54 pC




Transient Pulse - Sample: new1cm - Position: 2715.0 μm - Charge: 41.91 pC




Transient Pulse - Sample: new1cm - Position: 2720.0 μm - Charge: 50.53 pC




Transient Pulse - Sample: new1cm - Position: 2725.0 μm - Charge: 60.20 pC




Transient Pulse - Sample: new1cm - Position: 2730.0 μm - Charge: 70.35 pC




Transient Pulse - Sample: new1cm - Position: 2735.0 μm - Charge: 80.48 pC




Transient Pulse - Sample: new1cm - Position: 2740.0 μm - Charge: 93.67 pC




Transient Pulse - Sample: new1cm - Position: 2745.0 μm - Charge: 107.35 pC




Transient Pulse - Sample: new1cm - Position: 2750.0 μm - Charge: 119.11 pC




Transient Pulse - Sample: new1cm - Position: 2755.0 μm - Charge: 134.15 pC




Transient Pulse - Sample: new1cm - Position: 2760.0 μm - Charge: 146.45 pC




Transient Pulse - Sample: new1cm - Position: 2765.0 μm - Charge: 160.52 pC




Transient Pulse - Sample: new1cm - Position: 2770.0 μm - Charge: 175.13 pC




Transient Pulse - Sample: new1cm - Position: 2775.0 μm - Charge: 183.06 pC




Transient Pulse - Sample: new1cm - Position: 2780.0 μm - Charge: 195.59 pC




Transient Pulse - Sample: new1cm - Position: 2785.0 μm - Charge: 204.92 pC




Transient Pulse - Sample: new1cm - Position: 2790.0 μm - Charge: 211.45 pC




Transient Pulse - Sample: new1cm - Position: 2795.0 μm - Charge: 217.36 pC




Transient Pulse - Sample: new1cm - Position: 2800.0 μm - Charge: 225.60 pC




Transient Pulse - Sample: new1cm - Position: 2805.0 μm - Charge: 226.86 pC




Transient Pulse - Sample: new1cm - Position: 2810.0 μm - Charge: 228.64 pC




Transient Pulse - Sample: new1cm - Position: 2815.0 μm - Charge: 233.76 pC




Transient Pulse - Sample: new1cm - Position: 2820.0 μm - Charge: 235.69 pC




Transient Pulse - Sample: new1cm - Position: 2825.0 μm - Charge: 239.50 pC




Transient Pulse - Sample: new1cm - Position: 2830.0 μm - Charge: 241.41 pC




Transient Pulse - Sample: new1cm - Position: 2835.0 μm - Charge: 239.56 pC




Transient Pulse - Sample: new1cm - Position: 2840.0 μm - Charge: 243.65 pC




Transient Pulse - Sample: new1cm - Position: 2845.0 μm - Charge: 240.28 pC




Transient Pulse - Sample: new1cm - Position: 2850.0 μm - Charge: 241.20 pC




Transient Pulse - Sample: new1cm - Position: 2855.0 μm - Charge: 245.95 pC




Transient Pulse - Sample: new1cm - Position: 2860.0 μm - Charge: 242.82 pC




Transient Pulse - Sample: new1cm - Position: 2865.0 μm - Charge: 240.56 pC




Transient Pulse - Sample: new1cm - Position: 2870.0 μm - Charge: 244.70 pC




Transient Pulse - Sample: new1cm - Position: 2875.0 μm - Charge: 244.22 pC




Transient Pulse - Sample: new1cm - Position: 2880.0 μm - Charge: 244.78 pC




Transient Pulse - Sample: new1cm - Position: 2885.0 μm - Charge: 242.96 pC




Transient Pulse - Sample: new1cm - Position: 2890.0 μm - Charge: 243.45 pC




Transient Pulse - Sample: new1cm - Position: 2895.0 μm - Charge: 245.46 pC




Transient Pulse - Sample: new1cm - Position: 2900.0 μm - Charge: 243.44 pC




Transient Pulse - Sample: new1cm - Position: 2905.0 μm - Charge: 241.72 pC




Transient Pulse - Sample: new1cm - Position: 2910.0 μm - Charge: 242.88 pC




Transient Pulse - Sample: new1cm - Position: 2915.0 μm - Charge: 244.55 pC




Transient Pulse - Sample: new1cm - Position: 2920.0 μm - Charge: 247.08 pC




Transient Pulse - Sample: new1cm - Position: 2925.0 μm - Charge: 246.40 pC




Transient Pulse - Sample: new1cm - Position: 2930.0 μm - Charge: 241.75 pC




Transient Pulse - Sample: new1cm - Position: 2935.0 μm - Charge: 241.04 pC




Transient Pulse - Sample: new1cm - Position: 2940.0 μm - Charge: 240.70 pC




Transient Pulse - Sample: new1cm - Position: 2945.0 μm - Charge: 245.35 pC




Transient Pulse - Sample: new1cm - Position: 2950.0 μm - Charge: 247.34 pC




Transient Pulse - Sample: new1cm - Position: 2955.0 μm - Charge: 239.34 pC




Transient Pulse - Sample: new1cm - Position: 2960.0 μm - Charge: 242.47 pC




Transient Pulse - Sample: new1cm - Position: 2965.0 μm - Charge: 245.18 pC




Transient Pulse - Sample: new1cm - Position: 2970.0 μm - Charge: 247.29 pC




Transient Pulse - Sample: new1cm - Position: 2975.0 μm - Charge: 244.45 pC




Transient Pulse - Sample: new1cm - Position: 2980.0 μm - Charge: 245.65 pC




Transient Pulse - Sample: new1cm - Position: 2985.0 μm - Charge: 245.27 pC




Transient Pulse - Sample: new1cm - Position: 2990.0 μm - Charge: 243.37 pC




Transient Pulse - Sample: new1cm - Position: 2995.0 μm - Charge: 247.02 pC




Transient Pulse - Sample: new1cm - Position: 3000.0 μm - Charge: 246.94 pC




Transient Pulse - Sample: new1cm - Position: 3005.0 μm - Charge: 246.39 pC




Transient Pulse - Sample: new1cm - Position: 3010.0 μm - Charge: 248.56 pC




Transient Pulse - Sample: new1cm - Position: 3015.0 μm - Charge: 247.34 pC




Transient Pulse - Sample: new1cm - Position: 3020.0 μm - Charge: 250.14 pC




Transient Pulse - Sample: new1cm - Position: 3025.0 μm - Charge: 248.43 pC




Transient Pulse - Sample: new1cm - Position: 3030.0 μm - Charge: 249.70 pC




Transient Pulse - Sample: new1cm - Position: 3035.0 μm - Charge: 247.89 pC




Transient Pulse - Sample: new1cm - Position: 3040.0 μm - Charge: 254.56 pC




Transient Pulse - Sample: new1cm - Position: 3045.0 μm - Charge: 253.76 pC




Transient Pulse - Sample: new1cm - Position: 3050.0 μm - Charge: 248.31 pC




Transient Pulse - Sample: new1cm - Position: 3055.0 μm - Charge: 246.55 pC




Transient Pulse - Sample: new1cm - Position: 3060.0 μm - Charge: 253.85 pC




Transient Pulse - Sample: new1cm - Position: 3065.0 μm - Charge: 250.15 pC




Transient Pulse - Sample: new1cm - Position: 3070.0 μm - Charge: 250.53 pC




Transient Pulse - Sample: new1cm - Position: 3075.0 μm - Charge: 251.98 pC




Transient Pulse - Sample: new1cm - Position: 3080.0 μm - Charge: 247.86 pC




Transient Pulse - Sample: new1cm - Position: 3085.0 μm - Charge: 254.26 pC




Transient Pulse - Sample: new1cm - Position: 3090.0 μm - Charge: 247.95 pC




Transient Pulse - Sample: new1cm - Position: 3095.0 μm - Charge: 249.05 pC




Transient Pulse - Sample: new1cm - Position: 3100.0 μm - Charge: 242.67 pC




Transient Pulse - Sample: new1cm - Position: 3105.0 μm - Charge: 244.05 pC




Transient Pulse - Sample: new1cm - Position: 3110.0 μm - Charge: 238.60 pC




Transient Pulse - Sample: new1cm - Position: 3115.0 μm - Charge: 233.00 pC




Transient Pulse - Sample: new1cm - Position: 3120.0 μm - Charge: 228.30 pC




Transient Pulse - Sample: new1cm - Position: 3125.0 μm - Charge: 216.39 pC




Transient Pulse - Sample: new1cm - Position: 3130.0 μm - Charge: 201.54 pC




Transient Pulse - Sample: new1cm - Position: 3135.0 μm - Charge: 189.87 pC




Transient Pulse - Sample: new1cm - Position: 3140.0 μm - Charge: 183.02 pC




Transient Pulse - Sample: new1cm - Position: 3145.0 μm - Charge: 170.07 pC




Transient Pulse - Sample: new1cm - Position: 3150.0 μm - Charge: 150.14 pC




Transient Pulse - Sample: new1cm - Position: 3155.0 μm - Charge: 133.35 pC




Transient Pulse - Sample: new1cm - Position: 3160.0 μm - Charge: 120.03 pC




Transient Pulse - Sample: new1cm - Position: 3165.0 μm - Charge: 106.11 pC




Transient Pulse - Sample: new1cm - Position: 3170.0 μm - Charge: 91.88 pC




Transient Pulse - Sample: new1cm - Position: 3175.0 μm - Charge: 76.76 pC




Transient Pulse - Sample: new1cm - Position: 3180.0 μm - Charge: 65.83 pC




Transient Pulse - Sample: new1cm - Position: 3185.0 μm - Charge: 55.67 pC




Transient Pulse - Sample: new1cm - Position: 3190.0 μm - Charge: 47.85 pC




Transient Pulse - Sample: new1cm - Position: 3195.0 μm - Charge: 43.07 pC




Transient Pulse - Sample: new1cm - Position: 3200.0 μm - Charge: 37.35 pC




Transient Pulse - Sample: new1cm - Position: 3205.0 μm - Charge: 35.96 pC




Transient Pulse - Sample: new1cm - Position: 3210.0 μm - Charge: 36.99 pC




Transient Pulse - Sample: new1cm - Position: 3215.0 μm - Charge: 34.55 pC




Transient Pulse - Sample: new1cm - Position: 3220.0 μm - Charge: 43.05 pC




Transient Pulse - Sample: new1cm - Position: 3225.0 μm - Charge: 53.39 pC




Transient Pulse - Sample: new1cm - Position: 3230.0 μm - Charge: 57.15 pC




Transient Pulse - Sample: new1cm - Position: 3235.0 μm - Charge: 68.28 pC




Transient Pulse - Sample: new1cm - Position: 3240.0 μm - Charge: 83.30 pC




Transient Pulse - Sample: new1cm - Position: 3245.0 μm - Charge: 92.72 pC




Transient Pulse - Sample: new1cm - Position: 3250.0 μm - Charge: 105.77 pC




Transient Pulse - Sample: new1cm - Position: 3255.0 μm - Charge: 117.42 pC




Transient Pulse - Sample: new1cm - Position: 3260.0 μm - Charge: 137.31 pC




Transient Pulse - Sample: new1cm - Position: 3265.0 μm - Charge: 151.95 pC




Transient Pulse - Sample: new1cm - Position: 3270.0 μm - Charge: 167.41 pC




Transient Pulse - Sample: new1cm - Position: 3275.0 μm - Charge: 181.61 pC




Transient Pulse - Sample: new1cm - Position: 3280.0 μm - Charge: 189.41 pC




Transient Pulse - Sample: new1cm - Position: 3285.0 μm - Charge: 200.53 pC




Transient Pulse - Sample: new1cm - Position: 3290.0 μm - Charge: 215.13 pC




Transient Pulse - Sample: new1cm - Position: 3295.0 μm - Charge: 223.11 pC




Transient Pulse - Sample: new1cm - Position: 3300.0 μm - Charge: 233.70 pC




Transient Pulse - Sample: new1cm - Position: 3305.0 μm - Charge: 236.07 pC




Transient Pulse - Sample: new1cm - Position: 3310.0 μm - Charge: 240.68 pC




Transient Pulse - Sample: new1cm - Position: 3315.0 μm - Charge: 250.21 pC




Transient Pulse - Sample: new1cm - Position: 3320.0 μm - Charge: 250.28 pC




Transient Pulse - Sample: new1cm - Position: 3325.0 μm - Charge: 256.40 pC




Transient Pulse - Sample: new1cm - Position: 3330.0 μm - Charge: 254.79 pC




Transient Pulse - Sample: new1cm - Position: 3335.0 μm - Charge: 262.01 pC




Transient Pulse - Sample: new1cm - Position: 3340.0 μm - Charge: 264.14 pC




Transient Pulse - Sample: new1cm - Position: 3345.0 μm - Charge: 259.91 pC




Transient Pulse - Sample: new1cm - Position: 3350.0 μm - Charge: 260.57 pC




Transient Pulse - Sample: new1cm - Position: 3355.0 μm - Charge: 262.29 pC




Transient Pulse - Sample: new1cm - Position: 3360.0 μm - Charge: 263.18 pC




Transient Pulse - Sample: new1cm - Position: 3365.0 μm - Charge: 262.07 pC




Transient Pulse - Sample: new1cm - Position: 3370.0 μm - Charge: 264.37 pC




Transient Pulse - Sample: new1cm - Position: 3375.0 μm - Charge: 260.48 pC




Transient Pulse - Sample: new1cm - Position: 3380.0 μm - Charge: 262.10 pC




Transient Pulse - Sample: new1cm - Position: 3385.0 μm - Charge: 263.40 pC




Transient Pulse - Sample: new1cm - Position: 3390.0 μm - Charge: 268.12 pC




Transient Pulse - Sample: new1cm - Position: 3395.0 μm - Charge: 261.84 pC




Transient Pulse - Sample: new1cm - Position: 3400.0 μm - Charge: 261.48 pC




Transient Pulse - Sample: new1cm - Position: 3405.0 μm - Charge: 262.68 pC




Transient Pulse - Sample: new1cm - Position: 3410.0 μm - Charge: 261.46 pC




Transient Pulse - Sample: new1cm - Position: 3415.0 μm - Charge: 259.42 pC




Transient Pulse - Sample: new1cm - Position: 3420.0 μm - Charge: 258.52 pC




Transient Pulse - Sample: new1cm - Position: 3425.0 μm - Charge: 260.04 pC




Transient Pulse - Sample: new1cm - Position: 3430.0 μm - Charge: 261.75 pC




Transient Pulse - Sample: new1cm - Position: 3435.0 μm - Charge: 260.01 pC




Transient Pulse - Sample: new1cm - Position: 3440.0 μm - Charge: 259.64 pC




Transient Pulse - Sample: new1cm - Position: 3445.0 μm - Charge: 257.23 pC




Transient Pulse - Sample: new1cm - Position: 3450.0 μm - Charge: 260.93 pC




Transient Pulse - Sample: new1cm - Position: 3455.0 μm - Charge: 263.26 pC




Transient Pulse - Sample: new1cm - Position: 3460.0 μm - Charge: 261.33 pC




Transient Pulse - Sample: new1cm - Position: 3465.0 μm - Charge: 262.45 pC




Transient Pulse - Sample: new1cm - Position: 3470.0 μm - Charge: 261.22 pC




Transient Pulse - Sample: new1cm - Position: 3475.0 μm - Charge: 260.46 pC




Transient Pulse - Sample: new1cm - Position: 3480.0 μm - Charge: 259.85 pC




Transient Pulse - Sample: new1cm - Position: 3485.0 μm - Charge: 261.62 pC




Transient Pulse - Sample: new1cm - Position: 3490.0 μm - Charge: 257.38 pC




Transient Pulse - Sample: new1cm - Position: 3495.0 μm - Charge: 260.89 pC




Transient Pulse - Sample: new1cm - Position: 3500.0 μm - Charge: 263.19 pC




Transient Pulse - Sample: new1cm - Position: 3505.0 μm - Charge: 256.83 pC




Transient Pulse - Sample: new1cm - Position: 3510.0 μm - Charge: 261.44 pC




Transient Pulse - Sample: new1cm - Position: 3515.0 μm - Charge: 258.32 pC




Transient Pulse - Sample: new1cm - Position: 3520.0 μm - Charge: 259.05 pC




Transient Pulse - Sample: new1cm - Position: 3525.0 μm - Charge: 263.86 pC




Transient Pulse - Sample: new1cm - Position: 3530.0 μm - Charge: 264.33 pC




Transient Pulse - Sample: new1cm - Position: 3535.0 μm - Charge: 262.17 pC




Transient Pulse - Sample: new1cm - Position: 3540.0 μm - Charge: 260.73 pC




Transient Pulse - Sample: new1cm - Position: 3545.0 μm - Charge: 260.71 pC




Transient Pulse - Sample: new1cm - Position: 3550.0 μm - Charge: 260.34 pC




Transient Pulse - Sample: new1cm - Position: 3555.0 μm - Charge: 261.63 pC




Transient Pulse - Sample: new1cm - Position: 3560.0 μm - Charge: 261.55 pC




Transient Pulse - Sample: new1cm - Position: 3565.0 μm - Charge: 265.02 pC




Transient Pulse - Sample: new1cm - Position: 3570.0 μm - Charge: 266.61 pC




Transient Pulse - Sample: new1cm - Position: 3575.0 μm - Charge: 262.52 pC




Transient Pulse - Sample: new1cm - Position: 3580.0 μm - Charge: 261.15 pC




Transient Pulse - Sample: new1cm - Position: 3585.0 μm - Charge: 262.17 pC




Transient Pulse - Sample: new1cm - Position: 3590.0 μm - Charge: 261.99 pC




Transient Pulse - Sample: new1cm - Position: 3595.0 μm - Charge: 262.04 pC




Transient Pulse - Sample: new1cm - Position: 3600.0 μm - Charge: 258.24 pC




Transient Pulse - Sample: new1cm - Position: 3605.0 μm - Charge: 254.96 pC




Transient Pulse - Sample: new1cm - Position: 3610.0 μm - Charge: 256.19 pC




Transient Pulse - Sample: new1cm - Position: 3615.0 μm - Charge: 247.39 pC




Transient Pulse - Sample: new1cm - Position: 3620.0 μm - Charge: 239.88 pC




Transient Pulse - Sample: new1cm - Position: 3625.0 μm - Charge: 233.48 pC




Transient Pulse - Sample: new1cm - Position: 3630.0 μm - Charge: 220.42 pC




Transient Pulse - Sample: new1cm - Position: 3635.0 μm - Charge: 207.67 pC




Transient Pulse - Sample: new1cm - Position: 3640.0 μm - Charge: 192.39 pC




Transient Pulse - Sample: new1cm - Position: 3645.0 μm - Charge: 178.07 pC




Transient Pulse - Sample: new1cm - Position: 3650.0 μm - Charge: 164.39 pC




Transient Pulse - Sample: new1cm - Position: 3655.0 μm - Charge: 147.63 pC




Transient Pulse - Sample: new1cm - Position: 3660.0 μm - Charge: 129.83 pC




Transient Pulse - Sample: new1cm - Position: 3665.0 μm - Charge: 114.92 pC




Transient Pulse - Sample: new1cm - Position: 3670.0 μm - Charge: 101.38 pC




Transient Pulse - Sample: new1cm - Position: 3675.0 μm - Charge: 86.25 pC




Transient Pulse - Sample: new1cm - Position: 3680.0 μm - Charge: 73.06 pC




Transient Pulse - Sample: new1cm - Position: 3685.0 μm - Charge: 63.37 pC




Transient Pulse - Sample: new1cm - Position: 3690.0 μm - Charge: 53.57 pC




Transient Pulse - Sample: new1cm - Position: 3695.0 μm - Charge: 48.79 pC




Transient Pulse - Sample: new1cm - Position: 3700.0 μm - Charge: 41.00 pC




Transient Pulse - Sample: new1cm - Position: 3705.0 μm - Charge: 37.92 pC




Transient Pulse - Sample: new1cm - Position: 3710.0 μm - Charge: 35.45 pC




Transient Pulse - Sample: new1cm - Position: 3715.0 μm - Charge: 38.47 pC




Transient Pulse - Sample: new1cm - Position: 3720.0 μm - Charge: 40.95 pC




Transient Pulse - Sample: new1cm - Position: 3725.0 μm - Charge: 51.81 pC




Transient Pulse - Sample: new1cm - Position: 3730.0 μm - Charge: 60.84 pC




Transient Pulse - Sample: new1cm - Position: 3735.0 μm - Charge: 69.33 pC




Transient Pulse - Sample: new1cm - Position: 3740.0 μm - Charge: 85.50 pC




Transient Pulse - Sample: new1cm - Position: 3745.0 μm - Charge: 101.69 pC




Transient Pulse - Sample: new1cm - Position: 3750.0 μm - Charge: 111.18 pC




Transient Pulse - Sample: new1cm - Position: 3755.0 μm - Charge: 129.47 pC




Transient Pulse - Sample: new1cm - Position: 3760.0 μm - Charge: 145.27 pC




Transient Pulse - Sample: new1cm - Position: 3765.0 μm - Charge: 161.79 pC




Transient Pulse - Sample: new1cm - Position: 3770.0 μm - Charge: 175.18 pC




Transient Pulse - Sample: new1cm - Position: 3775.0 μm - Charge: 188.26 pC




Transient Pulse - Sample: new1cm - Position: 3780.0 μm - Charge: 199.61 pC




Transient Pulse - Sample: new1cm - Position: 3785.0 μm - Charge: 211.63 pC




Transient Pulse - Sample: new1cm - Position: 3790.0 μm - Charge: 220.71 pC




Transient Pulse - Sample: new1cm - Position: 3795.0 μm - Charge: 233.32 pC




Transient Pulse - Sample: new1cm - Position: 3800.0 μm - Charge: 243.54 pC




Transient Pulse - Sample: new1cm - Position: 3805.0 μm - Charge: 243.40 pC




Transient Pulse - Sample: new1cm - Position: 3810.0 μm - Charge: 253.73 pC




Transient Pulse - Sample: new1cm - Position: 3815.0 μm - Charge: 253.29 pC




Transient Pulse - Sample: new1cm - Position: 3820.0 μm - Charge: 259.71 pC




Transient Pulse - Sample: new1cm - Position: 3825.0 μm - Charge: 264.39 pC




Transient Pulse - Sample: new1cm - Position: 3830.0 μm - Charge: 258.48 pC




Transient Pulse - Sample: new1cm - Position: 3835.0 μm - Charge: 264.24 pC




Transient Pulse - Sample: new1cm - Position: 3840.0 μm - Charge: 269.30 pC




Transient Pulse - Sample: new1cm - Position: 3845.0 μm - Charge: 265.30 pC




Transient Pulse - Sample: new1cm - Position: 3850.0 μm - Charge: 267.29 pC




Transient Pulse - Sample: new1cm - Position: 3855.0 μm - Charge: 268.74 pC




Transient Pulse - Sample: new1cm - Position: 3860.0 μm - Charge: 266.39 pC




Transient Pulse - Sample: new1cm - Position: 3865.0 μm - Charge: 270.31 pC




Transient Pulse - Sample: new1cm - Position: 3870.0 μm - Charge: 266.47 pC




Transient Pulse - Sample: new1cm - Position: 3875.0 μm - Charge: 270.21 pC




Transient Pulse - Sample: new1cm - Position: 3880.0 μm - Charge: 267.43 pC




Transient Pulse - Sample: new1cm - Position: 3885.0 μm - Charge: 270.45 pC




Transient Pulse - Sample: new1cm - Position: 3890.0 μm - Charge: 266.79 pC




Transient Pulse - Sample: new1cm - Position: 3895.0 μm - Charge: 271.60 pC




Transient Pulse - Sample: new1cm - Position: 3900.0 μm - Charge: 270.88 pC




Transient Pulse - Sample: new1cm - Position: 3905.0 μm - Charge: 265.22 pC




Transient Pulse - Sample: new1cm - Position: 3910.0 μm - Charge: 267.66 pC




Transient Pulse - Sample: new1cm - Position: 3915.0 μm - Charge: 269.71 pC




Transient Pulse - Sample: new1cm - Position: 3920.0 μm - Charge: 268.83 pC




Transient Pulse - Sample: new1cm - Position: 3925.0 μm - Charge: 265.40 pC




Transient Pulse - Sample: new1cm - Position: 3930.0 μm - Charge: 267.03 pC




Transient Pulse - Sample: new1cm - Position: 3935.0 μm - Charge: 269.66 pC




Transient Pulse - Sample: new1cm - Position: 3940.0 μm - Charge: 265.02 pC




Transient Pulse - Sample: new1cm - Position: 3945.0 μm - Charge: 265.77 pC




Transient Pulse - Sample: new1cm - Position: 3950.0 μm - Charge: 265.04 pC




Transient Pulse - Sample: new1cm - Position: 3955.0 μm - Charge: 265.27 pC




Transient Pulse - Sample: new1cm - Position: 3960.0 μm - Charge: 270.37 pC




Transient Pulse - Sample: new1cm - Position: 3965.0 μm - Charge: 265.99 pC




Transient Pulse - Sample: new1cm - Position: 3970.0 μm - Charge: 267.48 pC




Transient Pulse - Sample: new1cm - Position: 3975.0 μm - Charge: 265.13 pC




Transient Pulse - Sample: new1cm - Position: 3980.0 μm - Charge: 263.30 pC




Transient Pulse - Sample: new1cm - Position: 3985.0 μm - Charge: 266.05 pC




Transient Pulse - Sample: new1cm - Position: 3990.0 μm - Charge: 263.76 pC




Transient Pulse - Sample: new1cm - Position: 3995.0 μm - Charge: 266.11 pC




Transient Pulse - Sample: new1cm - Position: 4000.0 μm - Charge: 267.40 pC




Transient Pulse - Sample: new1cm - Position: 4005.0 μm - Charge: 265.09 pC




Transient Pulse - Sample: new1cm - Position: 4010.0 μm - Charge: 267.89 pC




Transient Pulse - Sample: new1cm - Position: 4015.0 μm - Charge: 265.69 pC




Transient Pulse - Sample: new1cm - Position: 4020.0 μm - Charge: 267.76 pC




Transient Pulse - Sample: new1cm - Position: 4025.0 μm - Charge: 270.04 pC




Transient Pulse - Sample: new1cm - Position: 4030.0 μm - Charge: 266.64 pC




Transient Pulse - Sample: new1cm - Position: 4035.0 μm - Charge: 269.93 pC




Transient Pulse - Sample: new1cm - Position: 4040.0 μm - Charge: 271.64 pC




Transient Pulse - Sample: new1cm - Position: 4045.0 μm - Charge: 270.30 pC




Transient Pulse - Sample: new1cm - Position: 4050.0 μm - Charge: 267.90 pC




Transient Pulse - Sample: new1cm - Position: 4055.0 μm - Charge: 268.78 pC




Transient Pulse - Sample: new1cm - Position: 4060.0 μm - Charge: 269.09 pC




Transient Pulse - Sample: new1cm - Position: 4065.0 μm - Charge: 267.37 pC




Transient Pulse - Sample: new1cm - Position: 4070.0 μm - Charge: 267.61 pC




Transient Pulse - Sample: new1cm - Position: 4075.0 μm - Charge: 271.19 pC




Transient Pulse - Sample: new1cm - Position: 4080.0 μm - Charge: 265.28 pC




Transient Pulse - Sample: new1cm - Position: 4085.0 μm - Charge: 265.30 pC




Transient Pulse - Sample: new1cm - Position: 4090.0 μm - Charge: 263.22 pC




Transient Pulse - Sample: new1cm - Position: 4095.0 μm - Charge: 264.35 pC




Transient Pulse - Sample: new1cm - Position: 4100.0 μm - Charge: 259.26 pC




Transient Pulse - Sample: new1cm - Position: 4105.0 μm - Charge: 254.69 pC




Transient Pulse - Sample: new1cm - Position: 4110.0 μm - Charge: 255.06 pC




Transient Pulse - Sample: new1cm - Position: 4115.0 μm - Charge: 250.48 pC




Transient Pulse - Sample: new1cm - Position: 4120.0 μm - Charge: 243.25 pC




Transient Pulse - Sample: new1cm - Position: 4125.0 μm - Charge: 238.22 pC




Transient Pulse - Sample: new1cm - Position: 4130.0 μm - Charge: 229.70 pC




Transient Pulse - Sample: new1cm - Position: 4135.0 μm - Charge: 222.52 pC




Transient Pulse - Sample: new1cm - Position: 4140.0 μm - Charge: 207.07 pC




Transient Pulse - Sample: new1cm - Position: 4145.0 μm - Charge: 196.76 pC




Transient Pulse - Sample: new1cm - Position: 4150.0 μm - Charge: 179.97 pC




Transient Pulse - Sample: new1cm - Position: 4155.0 μm - Charge: 164.36 pC




Transient Pulse - Sample: new1cm - Position: 4160.0 μm - Charge: 150.53 pC




Transient Pulse - Sample: new1cm - Position: 4165.0 μm - Charge: 133.77 pC




Transient Pulse - Sample: new1cm - Position: 4170.0 μm - Charge: 115.21 pC




Transient Pulse - Sample: new1cm - Position: 4175.0 μm - Charge: 103.53 pC




Transient Pulse - Sample: new1cm - Position: 4180.0 μm - Charge: 91.04 pC




Transient Pulse - Sample: new1cm - Position: 4185.0 μm - Charge: 74.99 pC




Transient Pulse - Sample: new1cm - Position: 4190.0 μm - Charge: 66.97 pC




Transient Pulse - Sample: new1cm - Position: 4195.0 μm - Charge: 54.42 pC




Transient Pulse - Sample: new1cm - Position: 4200.0 μm - Charge: 46.27 pC




Transient Pulse - Sample: new1cm - Position: 4205.0 μm - Charge: 40.53 pC




Transient Pulse - Sample: new1cm - Position: 4210.0 μm - Charge: 36.21 pC




Transient Pulse - Sample: new1cm - Position: 4215.0 μm - Charge: 34.74 pC




Transient Pulse - Sample: new1cm - Position: 4220.0 μm - Charge: 38.08 pC




Transient Pulse - Sample: new1cm - Position: 4225.0 μm - Charge: 39.56 pC




Transient Pulse - Sample: new1cm - Position: 4230.0 μm - Charge: 45.12 pC




Transient Pulse - Sample: new1cm - Position: 4235.0 μm - Charge: 55.83 pC




Transient Pulse - Sample: new1cm - Position: 4240.0 μm - Charge: 61.88 pC




Transient Pulse - Sample: new1cm - Position: 4245.0 μm - Charge: 75.47 pC




Transient Pulse - Sample: new1cm - Position: 4250.0 μm - Charge: 84.84 pC




Transient Pulse - Sample: new1cm - Position: 4255.0 μm - Charge: 98.25 pC




Transient Pulse - Sample: new1cm - Position: 4260.0 μm - Charge: 113.15 pC




Transient Pulse - Sample: new1cm - Position: 4265.0 μm - Charge: 123.68 pC




Transient Pulse - Sample: new1cm - Position: 4270.0 μm - Charge: 143.99 pC




Transient Pulse - Sample: new1cm - Position: 4275.0 μm - Charge: 153.09 pC




Transient Pulse - Sample: new1cm - Position: 4280.0 μm - Charge: 168.56 pC




Transient Pulse - Sample: new1cm - Position: 4285.0 μm - Charge: 182.29 pC




Transient Pulse - Sample: new1cm - Position: 4290.0 μm - Charge: 190.20 pC




Transient Pulse - Sample: new1cm - Position: 4295.0 μm - Charge: 202.00 pC




Transient Pulse - Sample: new1cm - Position: 4300.0 μm - Charge: 214.17 pC




Transient Pulse - Sample: new1cm - Position: 4305.0 μm - Charge: 221.87 pC




Transient Pulse - Sample: new1cm - Position: 4310.0 μm - Charge: 230.11 pC




Transient Pulse - Sample: new1cm - Position: 4315.0 μm - Charge: 236.03 pC




Transient Pulse - Sample: new1cm - Position: 4320.0 μm - Charge: 242.02 pC




Transient Pulse - Sample: new1cm - Position: 4325.0 μm - Charge: 244.44 pC




Transient Pulse - Sample: new1cm - Position: 4330.0 μm - Charge: 244.82 pC




Transient Pulse - Sample: new1cm - Position: 4335.0 μm - Charge: 247.54 pC




Transient Pulse - Sample: new1cm - Position: 4340.0 μm - Charge: 250.71 pC




Transient Pulse - Sample: new1cm - Position: 4345.0 μm - Charge: 253.95 pC




Transient Pulse - Sample: new1cm - Position: 4350.0 μm - Charge: 254.68 pC




Transient Pulse - Sample: new1cm - Position: 4355.0 μm - Charge: 254.49 pC




Transient Pulse - Sample: new1cm - Position: 4360.0 μm - Charge: 255.44 pC




Transient Pulse - Sample: new1cm - Position: 4365.0 μm - Charge: 256.90 pC




Transient Pulse - Sample: new1cm - Position: 4370.0 μm - Charge: 258.80 pC




Transient Pulse - Sample: new1cm - Position: 4375.0 μm - Charge: 261.96 pC




Transient Pulse - Sample: new1cm - Position: 4380.0 μm - Charge: 260.06 pC




Transient Pulse - Sample: new1cm - Position: 4385.0 μm - Charge: 258.37 pC




Transient Pulse - Sample: new1cm - Position: 4390.0 μm - Charge: 265.24 pC




Transient Pulse - Sample: new1cm - Position: 4395.0 μm - Charge: 264.91 pC




Transient Pulse - Sample: new1cm - Position: 4400.0 μm - Charge: 260.29 pC




Transient Pulse - Sample: new1cm - Position: 4405.0 μm - Charge: 264.17 pC




Transient Pulse - Sample: new1cm - Position: 4410.0 μm - Charge: 263.05 pC




Transient Pulse - Sample: new1cm - Position: 4415.0 μm - Charge: 261.79 pC




Transient Pulse - Sample: new1cm - Position: 4420.0 μm - Charge: 260.05 pC




Transient Pulse - Sample: new1cm - Position: 4425.0 μm - Charge: 260.24 pC




Transient Pulse - Sample: new1cm - Position: 4430.0 μm - Charge: 262.30 pC




Transient Pulse - Sample: new1cm - Position: 4435.0 μm - Charge: 260.18 pC




Transient Pulse - Sample: new1cm - Position: 4440.0 μm - Charge: 259.60 pC




Transient Pulse - Sample: new1cm - Position: 4445.0 μm - Charge: 261.91 pC




Transient Pulse - Sample: new1cm - Position: 4450.0 μm - Charge: 263.78 pC




Transient Pulse - Sample: new1cm - Position: 4455.0 μm - Charge: 259.07 pC




Transient Pulse - Sample: new1cm - Position: 4460.0 μm - Charge: 265.36 pC




Transient Pulse - Sample: new1cm - Position: 4465.0 μm - Charge: 261.29 pC




Transient Pulse - Sample: new1cm - Position: 4470.0 μm - Charge: 260.19 pC




Transient Pulse - Sample: new1cm - Position: 4475.0 μm - Charge: 264.70 pC




Transient Pulse - Sample: new1cm - Position: 4480.0 μm - Charge: 262.28 pC




Transient Pulse - Sample: new1cm - Position: 4485.0 μm - Charge: 261.22 pC




Transient Pulse - Sample: new1cm - Position: 4490.0 μm - Charge: 260.11 pC




Transient Pulse - Sample: new1cm - Position: 4495.0 μm - Charge: 259.42 pC




Transient Pulse - Sample: new1cm - Position: 4500.0 μm - Charge: 260.25 pC




Transient Pulse - Sample: new1cm - Position: 4505.0 μm - Charge: 259.04 pC




Transient Pulse - Sample: new1cm - Position: 4510.0 μm - Charge: 258.25 pC




Transient Pulse - Sample: new1cm - Position: 4515.0 μm - Charge: 253.69 pC




Transient Pulse - Sample: new1cm - Position: 4520.0 μm - Charge: 257.54 pC




Transient Pulse - Sample: new1cm - Position: 4525.0 μm - Charge: 256.81 pC




Transient Pulse - Sample: new1cm - Position: 4530.0 μm - Charge: 259.50 pC




Transient Pulse - Sample: new1cm - Position: 4535.0 μm - Charge: 255.20 pC




Transient Pulse - Sample: new1cm - Position: 4540.0 μm - Charge: 257.09 pC




Transient Pulse - Sample: new1cm - Position: 4545.0 μm - Charge: 253.13 pC




Transient Pulse - Sample: new1cm - Position: 4550.0 μm - Charge: 254.68 pC




Transient Pulse - Sample: new1cm - Position: 4555.0 μm - Charge: 248.29 pC




Transient Pulse - Sample: new1cm - Position: 4560.0 μm - Charge: 251.57 pC




Transient Pulse - Sample: new1cm - Position: 4565.0 μm - Charge: 246.57 pC




Transient Pulse - Sample: new1cm - Position: 4570.0 μm - Charge: 248.82 pC




Transient Pulse - Sample: new1cm - Position: 4575.0 μm - Charge: 244.74 pC




Transient Pulse - Sample: new1cm - Position: 4580.0 μm - Charge: 244.99 pC




Transient Pulse - Sample: new1cm - Position: 4585.0 μm - Charge: 241.05 pC




Transient Pulse - Sample: new1cm - Position: 4590.0 μm - Charge: 240.12 pC




Transient Pulse - Sample: new1cm - Position: 4595.0 μm - Charge: 239.04 pC




Transient Pulse - Sample: new1cm - Position: 4600.0 μm - Charge: 238.01 pC




Transient Pulse - Sample: new1cm - Position: 4605.0 μm - Charge: 232.02 pC




Transient Pulse - Sample: new1cm - Position: 4610.0 μm - Charge: 233.45 pC




Transient Pulse - Sample: new1cm - Position: 4615.0 μm - Charge: 227.03 pC




Transient Pulse - Sample: new1cm - Position: 4620.0 μm - Charge: 222.13 pC




Transient Pulse - Sample: new1cm - Position: 4625.0 μm - Charge: 221.49 pC




Transient Pulse - Sample: new1cm - Position: 4630.0 μm - Charge: 211.49 pC




Transient Pulse - Sample: new1cm - Position: 4635.0 μm - Charge: 198.75 pC




Transient Pulse - Sample: new1cm - Position: 4640.0 μm - Charge: 190.69 pC




Transient Pulse - Sample: new1cm - Position: 4645.0 μm - Charge: 180.95 pC




Transient Pulse - Sample: new1cm - Position: 4650.0 μm - Charge: 170.10 pC




Transient Pulse - Sample: new1cm - Position: 4655.0 μm - Charge: 154.48 pC




Transient Pulse - Sample: new1cm - Position: 4660.0 μm - Charge: 142.79 pC




Transient Pulse - Sample: new1cm - Position: 4665.0 μm - Charge: 128.68 pC




Transient Pulse - Sample: new1cm - Position: 4670.0 μm - Charge: 113.31 pC




Transient Pulse - Sample: new1cm - Position: 4675.0 μm - Charge: 101.15 pC




Transient Pulse - Sample: new1cm - Position: 4680.0 μm - Charge: 89.58 pC




Transient Pulse - Sample: new1cm - Position: 4685.0 μm - Charge: 75.18 pC




Transient Pulse - Sample: new1cm - Position: 4690.0 μm - Charge: 63.91 pC




Transient Pulse - Sample: new1cm - Position: 4695.0 μm - Charge: 52.08 pC




Transient Pulse - Sample: new1cm - Position: 4700.0 μm - Charge: 45.11 pC




Transient Pulse - Sample: new1cm - Position: 4705.0 μm - Charge: 40.54 pC




Transient Pulse - Sample: new1cm - Position: 4710.0 μm - Charge: 34.19 pC




Transient Pulse - Sample: new1cm - Position: 4715.0 μm - Charge: 32.30 pC




Transient Pulse - Sample: new1cm - Position: 4720.0 μm - Charge: 33.29 pC




Transient Pulse - Sample: new1cm - Position: 4725.0 μm - Charge: 32.12 pC




Transient Pulse - Sample: new1cm - Position: 4730.0 μm - Charge: 37.32 pC




Transient Pulse - Sample: new1cm - Position: 4735.0 μm - Charge: 44.61 pC




Transient Pulse - Sample: new1cm - Position: 4740.0 μm - Charge: 52.32 pC




Transient Pulse - Sample: new1cm - Position: 4745.0 μm - Charge: 62.11 pC




Transient Pulse - Sample: new1cm - Position: 4750.0 μm - Charge: 70.47 pC




Transient Pulse - Sample: new1cm - Position: 4755.0 μm - Charge: 77.68 pC




Transient Pulse - Sample: new1cm - Position: 4760.0 μm - Charge: 91.34 pC




Transient Pulse - Sample: new1cm - Position: 4765.0 μm - Charge: 100.61 pC




Transient Pulse - Sample: new1cm - Position: 4770.0 μm - Charge: 112.30 pC




Transient Pulse - Sample: new1cm - Position: 4775.0 μm - Charge: 121.74 pC




Transient Pulse - Sample: new1cm - Position: 4780.0 μm - Charge: 138.07 pC




Transient Pulse - Sample: new1cm - Position: 4785.0 μm - Charge: 146.65 pC




Transient Pulse - Sample: new1cm - Position: 4790.0 μm - Charge: 154.59 pC




Transient Pulse - Sample: new1cm - Position: 4795.0 μm - Charge: 161.51 pC




Transient Pulse - Sample: new1cm - Position: 4800.0 μm - Charge: 172.65 pC




Transient Pulse - Sample: new1cm - Position: 4805.0 μm - Charge: 176.29 pC




Transient Pulse - Sample: new1cm - Position: 4810.0 μm - Charge: 183.37 pC




Transient Pulse - Sample: new1cm - Position: 4815.0 μm - Charge: 189.08 pC




Transient Pulse - Sample: new1cm - Position: 4820.0 μm - Charge: 191.43 pC




Transient Pulse - Sample: new1cm - Position: 4825.0 μm - Charge: 195.23 pC




Transient Pulse - Sample: new1cm - Position: 4830.0 μm - Charge: 199.13 pC




Transient Pulse - Sample: new1cm - Position: 4835.0 μm - Charge: 198.26 pC




Transient Pulse - Sample: new1cm - Position: 4840.0 μm - Charge: 197.08 pC




Transient Pulse - Sample: new1cm - Position: 4845.0 μm - Charge: 200.27 pC




Transient Pulse - Sample: new1cm - Position: 4850.0 μm - Charge: 201.56 pC




Transient Pulse - Sample: new1cm - Position: 4855.0 μm - Charge: 201.89 pC




Transient Pulse - Sample: new1cm - Position: 4860.0 μm - Charge: 201.43 pC




Transient Pulse - Sample: new1cm - Position: 4865.0 μm - Charge: 205.59 pC




Transient Pulse - Sample: new1cm - Position: 4870.0 μm - Charge: 203.52 pC




Transient Pulse - Sample: new1cm - Position: 4875.0 μm - Charge: 201.51 pC




Transient Pulse - Sample: new1cm - Position: 4880.0 μm - Charge: 204.30 pC




Transient Pulse - Sample: new1cm - Position: 4885.0 μm - Charge: 203.83 pC




Transient Pulse - Sample: new1cm - Position: 4890.0 μm - Charge: 198.08 pC




Transient Pulse - Sample: new1cm - Position: 4895.0 μm - Charge: 201.50 pC




Transient Pulse - Sample: new1cm - Position: 4900.0 μm - Charge: 202.14 pC




Transient Pulse - Sample: new1cm - Position: 4905.0 μm - Charge: 198.09 pC




Transient Pulse - Sample: new1cm - Position: 4910.0 μm - Charge: 198.99 pC




Transient Pulse - Sample: new1cm - Position: 4915.0 μm - Charge: 199.84 pC




Transient Pulse - Sample: new1cm - Position: 4920.0 μm - Charge: 195.37 pC




Transient Pulse - Sample: new1cm - Position: 4925.0 μm - Charge: 197.05 pC




Transient Pulse - Sample: new1cm - Position: 4930.0 μm - Charge: 192.15 pC




Transient Pulse - Sample: new1cm - Position: 4935.0 μm - Charge: 191.87 pC




Transient Pulse - Sample: new1cm - Position: 4940.0 μm - Charge: 189.99 pC




Transient Pulse - Sample: new1cm - Position: 4945.0 μm - Charge: 186.50 pC




Transient Pulse - Sample: new1cm - Position: 4950.0 μm - Charge: 188.03 pC




Transient Pulse - Sample: new1cm - Position: 4955.0 μm - Charge: 183.35 pC




Transient Pulse - Sample: new1cm - Position: 4960.0 μm - Charge: 180.68 pC




Transient Pulse - Sample: new1cm - Position: 4965.0 μm - Charge: 170.67 pC




Transient Pulse - Sample: new1cm - Position: 4970.0 μm - Charge: 161.34 pC




Transient Pulse - Sample: new1cm - Position: 4975.0 μm - Charge: 150.89 pC




Transient Pulse - Sample: new1cm - Position: 4980.0 μm - Charge: 142.81 pC




Transient Pulse - Sample: new1cm - Position: 4985.0 μm - Charge: 137.08 pC




Transient Pulse - Sample: new1cm - Position: 4990.0 μm - Charge: 123.88 pC




Transient Pulse - Sample: new1cm - Position: 4995.0 μm - Charge: 113.27 pC




Transient Pulse - Sample: new1cm - Position: 5000.0 μm - Charge: 98.58 pC




Transient Pulse - Sample: new1cm - Position: 5005.0 μm - Charge: 86.49 pC




Transient Pulse - Sample: new1cm - Position: 5010.0 μm - Charge: 71.77 pC




Transient Pulse - Sample: new1cm - Position: 5015.0 μm - Charge: 60.15 pC




Transient Pulse - Sample: new1cm - Position: 5020.0 μm - Charge: 48.99 pC




Transient Pulse - Sample: new1cm - Position: 5025.0 μm - Charge: 40.89 pC




Transient Pulse - Sample: new1cm - Position: 5030.0 μm - Charge: 30.73 pC




Transient Pulse - Sample: new1cm - Position: 5035.0 μm - Charge: 24.88 pC




Transient Pulse - Sample: new1cm - Position: 5040.0 μm - Charge: 18.06 pC




Transient Pulse - Sample: new1cm - Position: 5045.0 μm - Charge: 13.99 pC




Transient Pulse - Sample: new1cm -Position: 5050.0 μm - Charge: 8.51 pC




Transient Pulse - Sample: new1cm -Position: 5055.0 μm - Charge: 7.25 pC




Transient Pulse - Sample: new1cm - Position: 5060.0 μm - Charge: 5.10 pC




Transient Pulse - Sample: new1cm - Position: 5065.0 μm - Charge: 2.99 pC




Transient Pulse - Sample: new1cm - Position: 5070.0 μm - Charge: 2.44 pC




Transient Pulse - Sample: new1cm - Position: 5075.0 μm - Charge: 1.97 pC




Transient Pulse - Sample: new1cm - Position: 5080.0 μm - Charge: 3.28 pC




Transient Pulse - Sample: new1cm - Position: 5085.0 μm - Charge: 2.49 pC




Transient Pulse - Sample: new1cm - Position: 5090.0 μm - Charge: 4.16 pC




Transient Pulse - Sample: new1cm - Position: 5095.0 μm - Charge: 1.12 pC




Transient Pulse - Sample: new1cm - Position: 5100.0 μm - Charge: 3.31 pC




Transient Pulse - Sample: new1cm - Position: 5105.0 μm - Charge: 0.28 pC




Transient Pulse - Sample: new1cm - Position: 5110.0 μm - Charge: 5.55 pC




Transient Pulse - Sample: new1cm - Position: 5115.0 μm - Charge: -0.11 pC




Transient Pulse - Sample: new1cm - Position: 5120.0 μm - Charge: 3.58 pC




Transient Pulse - Sample: new1cm - Position: 5125.0 μm - Charge: -0.20 pC




Transient Pulse - Sample: new1cm - Position: 5130.0 μm - Charge: 1.05 pC




Transient Pulse - Sample: new1cm - Position: 5135.0 μm - Charge: 1.63 pC




Transient Pulse - Sample: new1cm - Position: 5140.0 μm - Charge: 3.59 pC




Transient Pulse - Sample: new1cm - Position: 5145.0 μm - Charge: 4.34 pC




Transient Pulse - Sample: new1cm - Position: 5150.0 μm - Charge: -0.72 pC




Transient Pulse - Sample: new1cm - Position: 5155.0 μm - Charge: 2.90 pC




Transient Pulse - Sample: new1cm - Position: 5160.0 μm - Charge: 1.18 pC




Transient Pulse - Sample: new1cm - Position: 5165.0 μm - Charge: 0.57 pC




Transient Pulse - Sample: new1cm - Position: 5170.0 μm - Charge: -0.18 pC




Transient Pulse - Sample: new1cm - Position: 5175.0 μm - Charge: -2.58 pC




Transient Pulse - Sample: new1cm - Position: 5180.0 μm - Charge: 1.59 pC



Transient Pulse - Sample: new1cm - Position: 5185.0 μm - Charge: -0.13 pC



Transient Pulse - Sample: new1cm - Position: 5190.0 μm - Charge: 1.11 pC



Transient Pulse - Sample: new1cm - Position: 5195.0 μm - Charge: 2.19 pC

