



TCT Run 5000um Summary

Parameter	Value
Run	5000um
Surface	x
Edge	N/A
Sample	1cm_42
Vbias (V)	150.0
DAC (%)	63.5
Bandwidth	500MHz
Path	C:\Users\APD-I\Desktop\TCT\Xscan\5000um
Irradiation (Fluence)	N/A
Notes	N/A
Date	N/A
Gain Constant	5.5


Collected Charge




Collected Charge




Gain




Transient Pulse - Sample: 1cm_42 - Position: 0.0 μm - Charge: 12.69 pC




Transient Pulse - Sample: 1cm_42 - Position: 5.0 μm - Charge: 17.03 pC




Transient Pulse - Sample: 1cm_42 - Position: 10.0 μm - Charge: 20.22 pC




Transient Pulse - Sample: 1cm_42 - Position: 15.0 μm - Charge: 23.90 pC




Transient Pulse - Sample: 1cm_42 - Position: 20.0 μm - Charge: 30.49 pC




Transient Pulse - Sample: 1cm_42 - Position: 25.0 μm - Charge: 37.29 pC




Transient Pulse - Sample: 1cm_42 - Position: 30.0 μm - Charge: 43.46 pC




Transient Pulse - Sample: 1cm_42 - Position: 35.0 μm - Charge: 52.13 pC




Transient Pulse - Sample: 1cm_42 - Position: 40.0 μm - Charge: 60.15 pC




Transient Pulse - Sample: 1cm_42 - Position: 45.0 μm - Charge: 69.06 pC




Transient Pulse - Sample: 1cm_42 - Position: 50.0 μm - Charge: 77.49 pC




Transient Pulse - Sample: 1cm_42 - Position: 55.0 μm - Charge: 89.14 pC




Transient Pulse - Sample: 1cm_42 - Position: 60.0 μm - Charge: 93.48 pC




Transient Pulse - Sample: 1cm_42 - Position: 65.0 μm - Charge: 105.92 pC




Transient Pulse - Sample: 1cm_42 - Position: 70.0 μm - Charge: 110.42 pC




Transient Pulse - Sample: 1cm_42 - Position: 75.0 μm - Charge: 118.87 pC




Transient Pulse - Sample: 1cm_42 - Position: 80.0 μm - Charge: 125.88 pC




Transient Pulse - Sample: 1cm_42 - Position: 85.0 μm - Charge: 132.35 pC




Transient Pulse - Sample: 1cm_42 - Position: 90.0 μm - Charge: 136.35 pC




Transient Pulse - Sample: 1cm_42 - Position: 95.0 μm - Charge: 139.25 pC




Transient Pulse - Sample: 1cm_42 - Position: 100.0 μm - Charge: 147.12 pC




Transient Pulse - Sample: 1cm_42 - Position: 105.0 μm - Charge: 151.49 pC




Transient Pulse - Sample: 1cm_42 - Position: 110.0 μm - Charge: 151.02 pC




Transient Pulse - Sample: 1cm_42 - Position: 115.0 μm - Charge: 152.22 pC




Transient Pulse - Sample: 1cm_42 - Position: 120.0 μm - Charge: 158.40 pC




Transient Pulse - Sample: 1cm_42 - Position: 125.0 μm - Charge: 158.97 pC




Transient Pulse - Sample: 1cm_42 - Position: 130.0 μm - Charge: 161.31 pC




Transient Pulse - Sample: 1cm_42 - Position: 135.0 μm - Charge: 161.80 pC




Transient Pulse - Sample: 1cm_42 - Position: 140.0 μm - Charge: 162.83 pC




Transient Pulse - Sample: 1cm_42 - Position: 145.0 μm - Charge: 165.94 pC




Transient Pulse - Sample: 1cm_42 - Position: 150.0 μm - Charge: 167.44 pC




Transient Pulse - Sample: 1cm_42 - Position: 155.0 μm - Charge: 167.30 pC




Transient Pulse - Sample: 1cm_42 - Position: 160.0 μm - Charge: 164.10 pC




Transient Pulse - Sample: 1cm_42 - Position: 165.0 μm - Charge: 166.28 pC




Transient Pulse - Sample: 1cm_42 - Position: 170.0 μm - Charge: 169.62 pC




Transient Pulse - Sample: 1cm_42 - Position: 175.0 μm - Charge: 165.72 pC




Transient Pulse - Sample: 1cm_42 - Position: 180.0 μm - Charge: 170.16 pC




Transient Pulse - Sample: 1cm_42 - Position: 185.0 μm - Charge: 167.27 pC




Transient Pulse - Sample: 1cm_42 - Position: 190.0 μm - Charge: 168.49 pC




Transient Pulse - Sample: 1cm_42 - Position: 195.0 μm - Charge: 170.73 pC




Transient Pulse - Sample: 1cm_42 - Position: 200.0 μm - Charge: 165.28 pC




Transient Pulse - Sample: 1cm_42 - Position: 205.0 μm - Charge: 167.09 pC




Transient Pulse - Sample: 1cm_42 - Position: 210.0 μm - Charge: 167.55 pC




Transient Pulse - Sample: 1cm_42 - Position: 215.0 μm - Charge: 168.88 pC




Transient Pulse - Sample: 1cm_42 - Position: 220.0 μm - Charge: 167.65 pC




Transient Pulse - Sample: 1cm_42 - Position: 225.0 μm - Charge: 167.44 pC




Transient Pulse - Sample: 1cm_42 - Position: 230.0 μm - Charge: 171.75 pC




Transient Pulse - Sample: 1cm_42 - Position: 235.0 μm - Charge: 170.93 pC




Transient Pulse - Sample: 1cm_42 - Position: 240.0 μm - Charge: 170.14 pC




Transient Pulse - Sample: 1cm_42 - Position: 245.0 μm - Charge: 170.96 pC




Transient Pulse - Sample: 1cm_42 - Position: 250.0 μm - Charge: 171.00 pC




Transient Pulse - Sample: 1cm_42 - Position: 255.0 μm - Charge: 170.06 pC




Transient Pulse - Sample: 1cm_42 - Position: 260.0 μm - Charge: 168.81 pC




Transient Pulse - Sample: 1cm_42 - Position: 265.0 μm - Charge: 169.98 pC




Transient Pulse - Sample: 1cm_42 - Position: 270.0 μm - Charge: 169.43 pC




Transient Pulse - Sample: 1cm_42 - Position: 275.0 μm - Charge: 169.96 pC




Transient Pulse - Sample: 1cm_42 - Position: 280.0 μm - Charge: 171.99 pC




Transient Pulse - Sample: 1cm_42 - Position: 285.0 μm - Charge: 170.36 pC




Transient Pulse - Sample: 1cm_42 - Position: 290.0 μm - Charge: 169.56 pC




Transient Pulse - Sample: 1cm_42 - Position: 295.0 μm - Charge: 169.60 pC




Transient Pulse - Sample: 1cm_42 - Position: 300.0 μm - Charge: 168.84 pC




Transient Pulse - Sample: 1cm_42 - Position: 305.0 μm - Charge: 166.70 pC




Transient Pulse - Sample: 1cm_42 - Position: 310.0 μm - Charge: 172.68 pC




Transient Pulse - Sample: 1cm_42 - Position: 315.0 μm - Charge: 167.75 pC




Transient Pulse - Sample: 1cm_42 - Position: 320.0 μm - Charge: 171.49 pC




Transient Pulse - Sample: 1cm_42 - Position: 325.0 μm - Charge: 173.60 pC




Transient Pulse - Sample: 1cm_42 - Position: 330.0 μm - Charge: 168.00 pC




Transient Pulse - Sample: 1cm_42 - Position: 335.0 μm - Charge: 173.20 pC




Transient Pulse - Sample: 1cm_42 - Position: 340.0 μm - Charge: 170.44 pC




Transient Pulse - Sample: 1cm_42 - Position: 345.0 μm - Charge: 171.06 pC




Transient Pulse - Sample: 1cm_42 - Position: 350.0 μm - Charge: 174.87 pC




Transient Pulse - Sample: 1cm_42 - Position: 355.0 μm - Charge: 172.49 pC




Transient Pulse - Sample: 1cm_42 - Position: 360.0 μm - Charge: 168.68 pC




Transient Pulse - Sample: 1cm_42 - Position: 365.0 μm - Charge: 170.16 pC




Transient Pulse - Sample: 1cm_42 - Position: 370.0 μm - Charge: 172.66 pC




Transient Pulse - Sample: 1cm_42 - Position: 375.0 μm - Charge: 169.50 pC




Transient Pulse - Sample: 1cm_42 - Position: 380.0 μm - Charge: 169.14 pC




Transient Pulse - Sample: 1cm_42 - Position: 385.0 μm - Charge: 166.42 pC




Transient Pulse - Sample: 1cm_42 - Position: 390.0 μm - Charge: 166.17 pC




Transient Pulse - Sample: 1cm_42 - Position: 395.0 μm - Charge: 165.29 pC




Transient Pulse - Sample: 1cm_42 - Position: 400.0 μm - Charge: 164.00 pC




Transient Pulse - Sample: 1cm_42 - Position: 405.0 μm - Charge: 157.43 pC




Transient Pulse - Sample: 1cm_42 - Position: 410.0 μm - Charge: 152.72 pC




Transient Pulse - Sample: 1cm_42 - Position: 415.0 μm - Charge: 147.75 pC




Transient Pulse - Sample: 1cm_42 - Position: 420.0 μm - Charge: 139.66 pC




Transient Pulse - Sample: 1cm_42 - Position: 425.0 μm - Charge: 128.75 pC




Transient Pulse - Sample: 1cm_42 - Position: 430.0 μm - Charge: 121.26 pC




Transient Pulse - Sample: 1cm_42 - Position: 435.0 μm - Charge: 117.27 pC




Transient Pulse - Sample: 1cm_42 - Position: 440.0 μm - Charge: 106.64 pC




Transient Pulse - Sample: 1cm_42 -Position: 445.0 μm - Charge: 96.17 pC




Transient Pulse - Sample: 1cm_42 -Position: 450.0 μm - Charge: 87.52 pC




Transient Pulse - Sample: 1cm_42 -Position: 455.0 μm - Charge: 75.26 pC




Transient Pulse - Sample: 1cm_42 -Position: 460.0 μm - Charge: 69.43 pC




Transient Pulse - Sample: 1cm_42 -Position: 465.0 μm - Charge: 57.22 pC




Transient Pulse - Sample: 1cm_42 - Position: 470.0 μm - Charge: 49.21 pC




Transient Pulse - Sample: 1cm_42 -Position: 475.0 μm - Charge: 44.69 pC




Transient Pulse - Sample: 1cm_42 -Position: 480.0 μm - Charge: 36.22 pC




Transient Pulse - Sample: 1cm_42 -Position: 485.0 μm - Charge: 30.26 pC




Transient Pulse - Sample: 1cm_42 -Position: 490.0 μm - Charge: 29.06 pC




Transient Pulse - Sample: 1cm_42 -Position: 495.0 μm - Charge: 26.45 pC




Transient Pulse - Sample: 1cm_42 - Position: 500.0 μm - Charge: 23.85 pC




Transient Pulse - Sample: 1cm_42 - Position: 505.0 μm - Charge: 23.88 pC




Transient Pulse - Sample: 1cm_42 - Position: 510.0 μm - Charge: 25.57 pC




Transient Pulse - Sample: 1cm_42 -Position: 515.0 μm - Charge: 28.89 pC




Transient Pulse - Sample: 1cm_42 - Position: 520.0 μm - Charge: 32.34 pC




Transient Pulse - Sample: 1cm_42 - Position: 525.0 μm - Charge: 37.72 pC




Transient Pulse - Sample: 1cm_42 -Position: 530.0 μm - Charge: 43.39 pC




Transient Pulse - Sample: 1cm_42 -Position: 535.0 μm - Charge: 51.35 pC




Transient Pulse - Sample: 1cm_42 -Position: 540.0 μm - Charge: 61.90 pC




Transient Pulse - Sample: 1cm_42 - Position: 545.0 μm - Charge: 71.66 pC




Transient Pulse - Sample: 1cm_42 - Position: 550.0 μm - Charge: 79.58 pC




Transient Pulse - Sample: 1cm_42 - Position: 555.0 μm - Charge: 92.25 pC




Transient Pulse - Sample: 1cm_42 - Position: 560.0 μm - Charge: 101.77 pC




Transient Pulse - Sample: 1cm_42 - Position: 565.0 μm - Charge: 108.84 pC




Transient Pulse - Sample: 1cm_42 - Position: 570.0 μm - Charge: 119.26 pC




Transient Pulse - Sample: 1cm_42 - Position: 575.0 μm - Charge: 129.64 pC




Transient Pulse - Sample: 1cm_42 - Position: 580.0 μm - Charge: 134.44 pC




Transient Pulse - Sample: 1cm_42 - Position: 585.0 μm - Charge: 139.59 pC




Transient Pulse - Sample: 1cm_42 - Position: 590.0 μm - Charge: 148.68 pC




Transient Pulse - Sample: 1cm_42 - Position: 595.0 μm - Charge: 151.71 pC




Transient Pulse - Sample: 1cm_42 - Position: 600.0 μm - Charge: 157.68 pC




Transient Pulse - Sample: 1cm_42 - Position: 605.0 μm - Charge: 161.41 pC




Transient Pulse - Sample: 1cm_42 - Position: 610.0 μm - Charge: 163.13 pC




Transient Pulse - Sample: 1cm_42 - Position: 615.0 μm - Charge: 167.75 pC




Transient Pulse - Sample: 1cm_42 - Position: 620.0 μm - Charge: 169.66 pC




Transient Pulse - Sample: 1cm_42 - Position: 625.0 μm - Charge: 169.93 pC




Transient Pulse - Sample: 1cm_42 - Position: 630.0 μm - Charge: 170.62 pC




Transient Pulse - Sample: 1cm_42 - Position: 635.0 μm - Charge: 171.45 pC




Transient Pulse - Sample: 1cm_42 - Position: 640.0 μm - Charge: 171.62 pC




Transient Pulse - Sample: 1cm_42 - Position: 645.0 μm - Charge: 170.56 pC




Transient Pulse - Sample: 1cm_42 - Position: 650.0 μm - Charge: 171.85 pC




Transient Pulse - Sample: 1cm_42 - Position: 655.0 μm - Charge: 172.95 pC




Transient Pulse - Sample: 1cm_42 - Position: 660.0 μm - Charge: 172.63 pC




Transient Pulse - Sample: 1cm_42 - Position: 665.0 μm - Charge: 173.32 pC




Transient Pulse - Sample: 1cm_42 - Position: 670.0 μm - Charge: 173.14 pC




Transient Pulse - Sample: 1cm_42 - Position: 675.0 μm - Charge: 171.17 pC




Transient Pulse - Sample: 1cm_42 - Position: 680.0 μm - Charge: 168.15 pC




Transient Pulse - Sample: 1cm_42 - Position: 685.0 μm - Charge: 170.10 pC




Transient Pulse - Sample: 1cm_42 - Position: 690.0 μm - Charge: 167.25 pC




Transient Pulse - Sample: 1cm_42 - Position: 695.0 μm - Charge: 168.73 pC




Transient Pulse - Sample: 1cm_42 - Position: 700.0 μm - Charge: 165.99 pC




Transient Pulse - Sample: 1cm_42 - Position: 705.0 μm - Charge: 171.86 pC




Transient Pulse - Sample: 1cm_42 - Position: 710.0 μm - Charge: 169.30 pC




Transient Pulse - Sample: 1cm_42 - Position: 715.0 μm - Charge: 165.74 pC




Transient Pulse - Sample: 1cm_42 - Position: 720.0 μm - Charge: 166.13 pC




Transient Pulse - Sample: 1cm_42 - Position: 725.0 μm - Charge: 165.91 pC




Transient Pulse - Sample: 1cm_42 - Position: 730.0 μm - Charge: 164.58 pC




Transient Pulse - Sample: 1cm_42 - Position: 735.0 μm - Charge: 162.66 pC




Transient Pulse - Sample: 1cm_42 - Position: 740.0 μm - Charge: 164.24 pC




Transient Pulse - Sample: 1cm_42 - Position: 745.0 μm - Charge: 164.90 pC




Transient Pulse - Sample: 1cm_42 - Position: 750.0 μm - Charge: 159.51 pC




Transient Pulse - Sample: 1cm_42 - Position: 755.0 μm - Charge: 164.27 pC




Transient Pulse - Sample: 1cm_42 - Position: 760.0 μm - Charge: 164.84 pC




Transient Pulse - Sample: 1cm_42 - Position: 765.0 μm - Charge: 162.82 pC




Transient Pulse - Sample: 1cm_42 - Position: 770.0 μm - Charge: 161.54 pC




Transient Pulse - Sample: 1cm_42 - Position: 775.0 μm - Charge: 163.41 pC




Transient Pulse - Sample: 1cm_42 - Position: 780.0 μm - Charge: 161.07 pC




Transient Pulse - Sample: 1cm_42 - Position: 785.0 μm - Charge: 159.21 pC




Transient Pulse - Sample: 1cm_42 - Position: 790.0 μm - Charge: 163.04 pC




Transient Pulse - Sample: 1cm_42 - Position: 795.0 μm - Charge: 158.86 pC




Transient Pulse - Sample: 1cm_42 - Position: 800.0 μm - Charge: 161.90 pC




Transient Pulse - Sample: 1cm_42 - Position: 805.0 μm - Charge: 161.16 pC




Transient Pulse - Sample: 1cm_42 - Position: 810.0 μm - Charge: 162.51 pC




Transient Pulse - Sample: 1cm_42 - Position: 815.0 μm - Charge: 160.16 pC




Transient Pulse - Sample: 1cm_42 - Position: 820.0 μm - Charge: 162.54 pC




Transient Pulse - Sample: 1cm_42 - Position: 825.0 μm - Charge: 164.98 pC




Transient Pulse - Sample: 1cm_42 - Position: 830.0 μm - Charge: 165.62 pC




Transient Pulse - Sample: 1cm_42 - Position: 835.0 μm - Charge: 167.38 pC




Transient Pulse - Sample: 1cm_42 - Position: 840.0 μm - Charge: 165.69 pC




Transient Pulse - Sample: 1cm_42 - Position: 845.0 μm - Charge: 164.94 pC




Transient Pulse - Sample: 1cm_42 - Position: 850.0 μm - Charge: 165.83 pC




Transient Pulse - Sample: 1cm_42 - Position: 855.0 μm - Charge: 164.40 pC




Transient Pulse - Sample: 1cm_42 - Position: 860.0 μm - Charge: 167.07 pC




Transient Pulse - Sample: 1cm_42 - Position: 865.0 μm - Charge: 167.42 pC




Transient Pulse - Sample: 1cm_42 - Position: 870.0 μm - Charge: 168.17 pC




Transient Pulse - Sample: 1cm_42 - Position: 875.0 μm - Charge: 166.83 pC




Transient Pulse - Sample: 1cm_42 - Position: 880.0 μm - Charge: 173.97 pC




Transient Pulse - Sample: 1cm_42 - Position: 885.0 μm - Charge: 167.62 pC




Transient Pulse - Sample: 1cm_42 - Position: 890.0 μm - Charge: 167.56 pC




Transient Pulse - Sample: 1cm_42 - Position: 895.0 μm - Charge: 166.64 pC




Transient Pulse - Sample: 1cm_42 - Position: 900.0 μm - Charge: 162.08 pC




Transient Pulse - Sample: 1cm_42 - Position: 905.0 μm - Charge: 163.04 pC




Transient Pulse - Sample: 1cm_42 - Position: 910.0 μm - Charge: 162.06 pC




Transient Pulse - Sample: 1cm_42 - Position: 915.0 μm - Charge: 154.68 pC




Transient Pulse - Sample: 1cm_42 - Position: 920.0 μm - Charge: 151.58 pC




Transient Pulse - Sample: 1cm_42 - Position: 925.0 μm - Charge: 142.53 pC




Transient Pulse - Sample: 1cm_42 - Position: 930.0 μm - Charge: 135.19 pC




Transient Pulse - Sample: 1cm_42 - Position: 935.0 μm - Charge: 131.18 pC




Transient Pulse - Sample: 1cm_42 - Position: 940.0 μm - Charge: 120.56 pC




Transient Pulse - Sample: 1cm_42 - Position: 945.0 μm - Charge: 107.73 pC




Transient Pulse - Sample: 1cm_42 - Position: 950.0 μm - Charge: 100.57 pC




Transient Pulse - Sample: 1cm_42 -Position: 955.0 μm - Charge: 91.37 pC




Transient Pulse - Sample: 1cm_42 -Position: 960.0 μm - Charge: 80.51 pC




Transient Pulse - Sample: 1cm_42 -Position: 965.0 μm - Charge: 71.70 pC




Transient Pulse - Sample: 1cm_42 -Position: 970.0 μm - Charge: 63.63 pC




Transient Pulse - Sample: 1cm_42 -Position: 975.0 μm - Charge: 54.09 pC




Transient Pulse - Sample: 1cm_42 -Position: 980.0 μm - Charge: 48.15 pC




Transient Pulse - Sample: 1cm_42 -Position: 985.0 μm - Charge: 39.51 pC




Transient Pulse - Sample: 1cm_42 -Position: 990.0 μm - Charge: 33.46 pC




Transient Pulse - Sample: 1cm_42 -Position: 995.0 μm - Charge: 28.18 pC




Transient Pulse - Sample: 1cm_42 - Position: 1000.0 μm - Charge: 26.04 pC




Transient Pulse - Sample: 1cm_42 - Position: 1005.0 μm - Charge: 25.50 pC




Transient Pulse - Sample: 1cm_42 - Position: 1010.0 μm - Charge: 24.29 pC




Transient Pulse - Sample: 1cm_42 - Position: 1015.0 μm - Charge: 25.78 pC




Transient Pulse - Sample: 1cm_42 - Position: 1020.0 μm - Charge: 27.17 pC




Transient Pulse - Sample: 1cm_42 - Position: 1025.0 μm - Charge: 31.21 pC




Transient Pulse - Sample: 1cm_42 - Position: 1030.0 μm - Charge: 36.39 pC




Transient Pulse - Sample: 1cm_42 - Position: 1035.0 μm - Charge: 45.74 pC




Transient Pulse - Sample: 1cm_42 - Position: 1040.0 μm - Charge: 56.41 pC




Transient Pulse - Sample: 1cm_42 - Position: 1045.0 μm - Charge: 64.69 pC




Transient Pulse - Sample: 1cm_42 - Position: 1050.0 μm - Charge: 71.61 pC




Transient Pulse - Sample: 1cm_42 - Position: 1055.0 μm - Charge: 80.39 pC




Transient Pulse - Sample: 1cm_42 - Position: 1060.0 μm - Charge: 91.08 pC




Transient Pulse - Sample: 1cm_42 - Position: 1065.0 μm - Charge: 103.13 pC




Transient Pulse - Sample: 1cm_42 - Position: 1070.0 μm - Charge: 116.77 pC




Transient Pulse - Sample: 1cm_42 - Position: 1075.0 μm - Charge: 124.59 pC




Transient Pulse - Sample: 1cm_42 - Position: 1080.0 μm - Charge: 131.70 pC




Transient Pulse - Sample: 1cm_42 - Position: 1085.0 μm - Charge: 137.50 pC




Transient Pulse - Sample: 1cm_42 - Position: 1090.0 μm - Charge: 146.12 pC




Transient Pulse - Sample: 1cm_42 - Position: 1095.0 μm - Charge: 149.01 pC




Transient Pulse - Sample: 1cm_42 - Position: 1100.0 μm - Charge: 158.11 pC




Transient Pulse - Sample: 1cm_42 - Position: 1105.0 μm - Charge: 160.51 pC




Transient Pulse - Sample: 1cm_42 - Position: 1110.0 μm - Charge: 165.67 pC




Transient Pulse - Sample: 1cm_42 - Position: 1115.0 μm - Charge: 165.83 pC




Transient Pulse - Sample: 1cm_42 - Position: 1120.0 μm - Charge: 169.86 pC




Transient Pulse - Sample: 1cm_42 - Position: 1125.0 μm - Charge: 169.04 pC




Transient Pulse - Sample: 1cm_42 - Position: 1130.0 μm - Charge: 170.32 pC




Transient Pulse - Sample: 1cm_42 - Position: 1135.0 μm - Charge: 171.69 pC




Transient Pulse - Sample: 1cm_42 - Position: 1140.0 μm - Charge: 174.00 pC




Transient Pulse - Sample: 1cm_42 - Position: 1145.0 μm - Charge: 171.54 pC




Transient Pulse - Sample: 1cm_42 - Position: 1150.0 μm - Charge: 174.41 pC




Transient Pulse - Sample: 1cm_42 - Position: 1155.0 μm - Charge: 172.01 pC




Transient Pulse - Sample: 1cm_42 - Position: 1160.0 μm - Charge: 170.98 pC




Transient Pulse - Sample: 1cm_42 - Position: 1165.0 μm - Charge: 175.54 pC




Transient Pulse - Sample: 1cm_42 - Position: 1170.0 μm - Charge: 170.45 pC




Transient Pulse - Sample: 1cm_42 - Position: 1175.0 μm - Charge: 172.44 pC




Transient Pulse - Sample: 1cm_42 - Position: 1180.0 μm - Charge: 174.46 pC




Transient Pulse - Sample: 1cm_42 - Position: 1185.0 μm - Charge: 170.90 pC




Transient Pulse - Sample: 1cm_42 - Position: 1190.0 μm - Charge: 167.56 pC




Transient Pulse - Sample: 1cm_42 - Position: 1195.0 μm - Charge: 169.72 pC




Transient Pulse - Sample: 1cm_42 - Position: 1200.0 μm - Charge: 171.85 pC




Transient Pulse - Sample: 1cm_42 - Position: 1205.0 μm - Charge: 171.92 pC




Transient Pulse - Sample: 1cm_42 - Position: 1210.0 μm - Charge: 167.60 pC




Transient Pulse - Sample: 1cm_42 - Position: 1215.0 μm - Charge: 172.59 pC




Transient Pulse - Sample: 1cm_42 - Position: 1220.0 μm - Charge: 166.65 pC




Transient Pulse - Sample: 1cm_42 - Position: 1225.0 μm - Charge: 168.82 pC




Transient Pulse - Sample: 1cm_42 - Position: 1230.0 μm - Charge: 166.96 pC




Transient Pulse - Sample: 1cm_42 - Position: 1235.0 μm - Charge: 169.53 pC




Transient Pulse - Sample: 1cm_42 - Position: 1240.0 μm - Charge: 166.07 pC




Transient Pulse - Sample: 1cm_42 - Position: 1245.0 μm - Charge: 164.74 pC




Transient Pulse - Sample: 1cm_42 - Position: 1250.0 μm - Charge: 164.53 pC




Transient Pulse - Sample: 1cm_42 - Position: 1255.0 μm - Charge: 164.05 pC




Transient Pulse - Sample: 1cm_42 - Position: 1260.0 μm - Charge: 166.23 pC




Transient Pulse - Sample: 1cm_42 - Position: 1265.0 μm - Charge: 162.13 pC




Transient Pulse - Sample: 1cm_42 - Position: 1270.0 μm - Charge: 164.05 pC




Transient Pulse - Sample: 1cm_42 - Position: 1275.0 μm - Charge: 162.93 pC




Transient Pulse - Sample: 1cm_42 - Position: 1280.0 μm - Charge: 165.68 pC




Transient Pulse - Sample: 1cm_42 - Position: 1285.0 μm - Charge: 171.04 pC




Transient Pulse - Sample: 1cm_42 - Position: 1290.0 μm - Charge: 164.64 pC




Transient Pulse - Sample: 1cm_42 - Position: 1295.0 μm - Charge: 163.36 pC




Transient Pulse - Sample: 1cm_42 - Position: 1300.0 μm - Charge: 162.95 pC




Transient Pulse - Sample: 1cm_42 - Position: 1305.0 μm - Charge: 160.53 pC




Transient Pulse - Sample: 1cm_42 - Position: 1310.0 μm - Charge: 164.58 pC




Transient Pulse - Sample: 1cm_42 - Position: 1315.0 μm - Charge: 169.43 pC




Transient Pulse - Sample: 1cm_42 - Position: 1320.0 μm - Charge: 162.55 pC




Transient Pulse - Sample: 1cm_42 - Position: 1325.0 μm - Charge: 165.98 pC




Transient Pulse - Sample: 1cm_42 - Position: 1330.0 μm - Charge: 170.51 pC




Transient Pulse - Sample: 1cm_42 - Position: 1335.0 μm - Charge: 167.85 pC




Transient Pulse - Sample: 1cm_42 - Position: 1340.0 μm - Charge: 165.57 pC




Transient Pulse - Sample: 1cm_42 - Position: 1345.0 μm - Charge: 166.77 pC




Transient Pulse - Sample: 1cm_42 - Position: 1350.0 μm - Charge: 168.43 pC




Transient Pulse - Sample: 1cm_42 - Position: 1355.0 μm - Charge: 168.66 pC




Transient Pulse - Sample: 1cm_42 - Position: 1360.0 μm - Charge: 169.40 pC




Transient Pulse - Sample: 1cm_42 - Position: 1365.0 μm - Charge: 169.86 pC




Transient Pulse - Sample: 1cm_42 - Position: 1370.0 μm - Charge: 169.23 pC




Transient Pulse - Sample: 1cm_42 - Position: 1375.0 μm - Charge: 168.64 pC




Transient Pulse - Sample: 1cm_42 - Position: 1380.0 μm - Charge: 171.21 pC




Transient Pulse - Sample: 1cm_42 - Position: 1385.0 μm - Charge: 169.09 pC




Transient Pulse - Sample: 1cm_42 - Position: 1390.0 μm - Charge: 171.22 pC




Transient Pulse - Sample: 1cm_42 - Position: 1395.0 μm - Charge: 169.41 pC




Transient Pulse - Sample: 1cm_42 - Position: 1400.0 μm - Charge: 169.36 pC




Transient Pulse - Sample: 1cm_42 - Position: 1405.0 μm - Charge: 169.87 pC




Transient Pulse - Sample: 1cm_42 - Position: 1410.0 μm - Charge: 168.40 pC




Transient Pulse - Sample: 1cm_42 - Position: 1415.0 μm - Charge: 164.09 pC




Transient Pulse - Sample: 1cm_42 - Position: 1420.0 μm - Charge: 157.50 pC




Transient Pulse - Sample: 1cm_42 - Position: 1425.0 μm - Charge: 156.32 pC




Transient Pulse - Sample: 1cm_42 - Position: 1430.0 μm - Charge: 144.46 pC




Transient Pulse - Sample: 1cm_42 - Position: 1435.0 μm - Charge: 137.67 pC




Transient Pulse - Sample: 1cm_42 - Position: 1440.0 μm - Charge: 128.49 pC




Transient Pulse - Sample: 1cm_42 - Position: 1445.0 μm - Charge: 117.28 pC




Transient Pulse - Sample: 1cm_42 - Position: 1450.0 μm - Charge: 117.25 pC




Transient Pulse - Sample: 1cm_42 - Position: 1455.0 μm - Charge: 98.68 pC




Transient Pulse - Sample: 1cm_42 - Position: 1460.0 μm - Charge: 89.48 pC




Transient Pulse - Sample: 1cm_42 - Position: 1465.0 μm - Charge: 81.62 pC




Transient Pulse - Sample: 1cm_42 - Position: 1470.0 μm - Charge: 71.33 pC




Transient Pulse - Sample: 1cm_42 - Position: 1475.0 μm - Charge: 59.20 pC




Transient Pulse - Sample: 1cm_42 - Position: 1480.0 μm - Charge: 53.91 pC




Transient Pulse - Sample: 1cm_42 - Position: 1485.0 μm - Charge: 44.82 pC




Transient Pulse - Sample: 1cm_42 - Position: 1490.0 μm - Charge: 35.13 pC




Transient Pulse - Sample: 1cm_42 - Position: 1495.0 μm - Charge: 34.10 pC




Transient Pulse - Sample: 1cm_42 - Position: 1500.0 μm - Charge: 27.18 pC




Transient Pulse - Sample: 1cm_42 - Position: 1505.0 μm - Charge: 25.38 pC




Transient Pulse - Sample: 1cm_42 - Position: 1510.0 μm - Charge: 23.75 pC




Transient Pulse - Sample: 1cm_42 - Position: 1515.0 μm - Charge: 24.62 pC




Transient Pulse - Sample: 1cm_42 - Position: 1520.0 μm - Charge: 26.28 pC




Transient Pulse - Sample: 1cm_42 - Position: 1525.0 μm - Charge: 28.48 pC




Transient Pulse - Sample: 1cm_42 - Position: 1530.0 μm - Charge: 32.07 pC




Transient Pulse - Sample: 1cm_42 - Position: 1535.0 μm - Charge: 43.58 pC




Transient Pulse - Sample: 1cm_42 - Position: 1540.0 μm - Charge: 46.36 pC




Transient Pulse - Sample: 1cm_42 - Position: 1545.0 μm - Charge: 55.19 pC




Transient Pulse - Sample: 1cm_42 - Position: 1550.0 μm - Charge: 69.25 pC




Transient Pulse - Sample: 1cm_42 - Position: 1555.0 μm - Charge: 77.00 pC




Transient Pulse - Sample: 1cm_42 - Position: 1560.0 μm - Charge: 86.21 pC




Transient Pulse - Sample: 1cm_42 - Position: 1565.0 μm - Charge: 99.23 pC




Transient Pulse - Sample: 1cm_42 - Position: 1570.0 μm - Charge: 109.08 pC




Transient Pulse - Sample: 1cm_42 - Position: 1575.0 μm - Charge: 115.39 pC




Transient Pulse - Sample: 1cm_42 - Position: 1580.0 μm - Charge: 128.40 pC




Transient Pulse - Sample: 1cm_42 - Position: 1585.0 μm - Charge: 133.79 pC




Transient Pulse - Sample: 1cm_42 - Position: 1590.0 μm - Charge: 143.86 pC




Transient Pulse - Sample: 1cm_42 - Position: 1595.0 μm - Charge: 148.51 pC




Transient Pulse - Sample: 1cm_42 - Position: 1600.0 μm - Charge: 157.38 pC




Transient Pulse - Sample: 1cm_42 - Position: 1605.0 μm - Charge: 162.59 pC




Transient Pulse - Sample: 1cm_42 - Position: 1610.0 μm - Charge: 163.74 pC




Transient Pulse - Sample: 1cm_42 - Position: 1615.0 μm - Charge: 168.04 pC




Transient Pulse - Sample: 1cm_42 - Position: 1620.0 μm - Charge: 172.51 pC




Transient Pulse - Sample: 1cm_42 - Position: 1625.0 μm - Charge: 170.08 pC




Transient Pulse - Sample: 1cm_42 - Position: 1630.0 μm - Charge: 170.90 pC




Transient Pulse - Sample: 1cm_42 - Position: 1635.0 μm - Charge: 171.69 pC




Transient Pulse - Sample: 1cm_42 - Position: 1640.0 μm - Charge: 174.72 pC




Transient Pulse - Sample: 1cm_42 - Position: 1645.0 μm - Charge: 170.97 pC




Transient Pulse - Sample: 1cm_42 - Position: 1650.0 μm - Charge: 171.80 pC




Transient Pulse - Sample: 1cm_42 - Position: 1655.0 μm - Charge: 177.68 pC




Transient Pulse - Sample: 1cm_42 - Position: 1660.0 μm - Charge: 172.07 pC




Transient Pulse - Sample: 1cm_42 - Position: 1665.0 μm - Charge: 175.25 pC




Transient Pulse - Sample: 1cm_42 - Position: 1670.0 μm - Charge: 168.76 pC




Transient Pulse - Sample: 1cm_42 - Position: 1675.0 μm - Charge: 171.16 pC




Transient Pulse - Sample: 1cm_42 - Position: 1680.0 μm - Charge: 172.07 pC




Transient Pulse - Sample: 1cm_42 - Position: 1685.0 μm - Charge: 169.75 pC




Transient Pulse - Sample: 1cm_42 - Position: 1690.0 μm - Charge: 171.71 pC




Transient Pulse - Sample: 1cm_42 - Position: 1695.0 μm - Charge: 169.15 pC




Transient Pulse - Sample: 1cm_42 - Position: 1700.0 μm - Charge: 168.58 pC




Transient Pulse - Sample: 1cm_42 - Position: 1705.0 μm - Charge: 175.74 pC




Transient Pulse - Sample: 1cm_42 - Position: 1710.0 μm - Charge: 174.74 pC




Transient Pulse - Sample: 1cm_42 - Position: 1715.0 μm - Charge: 173.81 pC




Transient Pulse - Sample: 1cm_42 - Position: 1720.0 μm - Charge: 169.01 pC




Transient Pulse - Sample: 1cm_42 - Position: 1725.0 μm - Charge: 168.02 pC




Transient Pulse - Sample: 1cm_42 - Position: 1730.0 μm - Charge: 175.47 pC




Transient Pulse - Sample: 1cm_42 - Position: 1735.0 μm - Charge: 166.73 pC




Transient Pulse - Sample: 1cm_42 - Position: 1740.0 μm - Charge: 167.87 pC




Transient Pulse - Sample: 1cm_42 - Position: 1745.0 μm - Charge: 169.04 pC




Transient Pulse - Sample: 1cm_42 - Position: 1750.0 μm - Charge: 165.59 pC




Transient Pulse - Sample: 1cm_42 - Position: 1755.0 μm - Charge: 166.59 pC




Transient Pulse - Sample: 1cm_42 - Position: 1760.0 μm - Charge: 166.62 pC




Transient Pulse - Sample: 1cm_42 - Position: 1765.0 μm - Charge: 174.49 pC




Transient Pulse - Sample: 1cm_42 - Position: 1770.0 μm - Charge: 172.54 pC




Transient Pulse - Sample: 1cm_42 - Position: 1775.0 μm - Charge: 170.37 pC




Transient Pulse - Sample: 1cm_42 - Position: 1780.0 μm - Charge: 166.08 pC




Transient Pulse - Sample: 1cm_42 - Position: 1785.0 μm - Charge: 173.14 pC




Transient Pulse - Sample: 1cm_42 - Position: 1790.0 μm - Charge: 172.83 pC




Transient Pulse - Sample: 1cm_42 - Position: 1795.0 μm - Charge: 172.06 pC




Transient Pulse - Sample: 1cm_42 - Position: 1800.0 μm - Charge: 168.97 pC




Transient Pulse - Sample: 1cm_42 - Position: 1805.0 μm - Charge: 166.91 pC




Transient Pulse - Sample: 1cm_42 - Position: 1810.0 μm - Charge: 171.59 pC




Transient Pulse - Sample: 1cm_42 - Position: 1815.0 μm - Charge: 175.02 pC




Transient Pulse - Sample: 1cm_42 - Position: 1820.0 μm - Charge: 174.76 pC




Transient Pulse - Sample: 1cm_42 - Position: 1825.0 μm - Charge: 179.84 pC




Transient Pulse - Sample: 1cm_42 - Position: 1830.0 μm - Charge: 176.82 pC




Transient Pulse - Sample: 1cm_42 - Position: 1835.0 μm - Charge: 172.82 pC




Transient Pulse - Sample: 1cm_42 - Position: 1840.0 μm - Charge: 176.85 pC




Transient Pulse - Sample: 1cm_42 - Position: 1845.0 μm - Charge: 178.19 pC




Transient Pulse - Sample: 1cm_42 - Position: 1850.0 μm - Charge: 172.65 pC




Transient Pulse - Sample: 1cm_42 - Position: 1855.0 μm - Charge: 178.35 pC




Transient Pulse - Sample: 1cm_42 - Position: 1860.0 μm - Charge: 180.90 pC




Transient Pulse - Sample: 1cm_42 - Position: 1865.0 μm - Charge: 175.53 pC




Transient Pulse - Sample: 1cm_42 - Position: 1870.0 μm - Charge: 176.49 pC




Transient Pulse - Sample: 1cm_42 - Position: 1875.0 μm - Charge: 176.38 pC




Transient Pulse - Sample: 1cm_42 - Position: 1880.0 μm - Charge: 179.02 pC




Transient Pulse - Sample: 1cm_42 - Position: 1885.0 μm - Charge: 177.87 pC




Transient Pulse - Sample: 1cm_42 - Position: 1890.0 μm - Charge: 175.94 pC




Transient Pulse - Sample: 1cm_42 - Position: 1895.0 μm - Charge: 174.27 pC




Transient Pulse - Sample: 1cm_42 - Position: 1900.0 μm - Charge: 179.03 pC




Transient Pulse - Sample: 1cm_42 - Position: 1905.0 μm - Charge: 173.11 pC




Transient Pulse - Sample: 1cm_42 - Position: 1910.0 μm - Charge: 164.50 pC




Transient Pulse - Sample: 1cm_42 - Position: 1915.0 μm - Charge: 163.85 pC




Transient Pulse - Sample: 1cm_42 - Position: 1920.0 μm - Charge: 161.98 pC




Transient Pulse - Sample: 1cm_42 - Position: 1925.0 μm - Charge: 149.70 pC




Transient Pulse - Sample: 1cm_42 - Position: 1930.0 μm - Charge: 139.60 pC




Transient Pulse - Sample: 1cm_42 - Position: 1935.0 μm - Charge: 136.82 pC




Transient Pulse - Sample: 1cm_42 - Position: 1940.0 μm - Charge: 128.08 pC




Transient Pulse - Sample: 1cm_42 - Position: 1945.0 μm - Charge: 119.03 pC




Transient Pulse - Sample: 1cm_42 - Position: 1950.0 μm - Charge: 111.31 pC




Transient Pulse - Sample: 1cm_42 - Position: 1955.0 μm - Charge: 101.40 pC




Transient Pulse - Sample: 1cm_42 - Position: 1960.0 μm - Charge: 94.00 pC




Transient Pulse - Sample: 1cm_42 - Position: 1965.0 μm - Charge: 84.68 pC




Transient Pulse - Sample: 1cm_42 - Position: 1970.0 μm - Charge: 73.75 pC




Transient Pulse - Sample: 1cm_42 - Position: 1975.0 μm - Charge: 68.79 pC




Transient Pulse - Sample: 1cm_42 - Position: 1980.0 μm - Charge: 56.27 pC




Transient Pulse - Sample: 1cm_42 - Position: 1985.0 μm - Charge: 47.32 pC




Transient Pulse - Sample: 1cm_42 - Position: 1990.0 μm - Charge: 42.06 pC




Transient Pulse - Sample: 1cm_42 - Position: 1995.0 μm - Charge: 37.94 pC




Transient Pulse - Sample: 1cm_42 - Position: 2000.0 μm - Charge: 30.58 pC




Transient Pulse - Sample: 1cm_42 - Position: 2005.0 μm - Charge: 24.74 pC




Transient Pulse - Sample: 1cm_42 - Position: 2010.0 μm - Charge: 23.98 pC




Transient Pulse - Sample: 1cm_42 - Position: 2015.0 μm - Charge: 22.06 pC




Transient Pulse - Sample: 1cm_42 - Position: 2020.0 μm - Charge: 25.00 pC




Transient Pulse - Sample: 1cm_42 - Position: 2025.0 μm - Charge: 28.20 pC




Transient Pulse - Sample: 1cm_42 - Position: 2030.0 μm - Charge: 32.54 pC




Transient Pulse - Sample: 1cm_42 - Position: 2035.0 μm - Charge: 36.64 pC




Transient Pulse - Sample: 1cm_42 - Position: 2040.0 μm - Charge: 42.33 pC




Transient Pulse - Sample: 1cm_42 - Position: 2045.0 μm - Charge: 47.38 pC




Transient Pulse - Sample: 1cm_42 - Position: 2050.0 μm - Charge: 56.63 pC




Transient Pulse - Sample: 1cm_42 - Position: 2055.0 μm - Charge: 67.33 pC




Transient Pulse - Sample: 1cm_42 - Position: 2060.0 μm - Charge: 79.96 pC




Transient Pulse - Sample: 1cm_42 - Position: 2065.0 μm - Charge: 87.40 pC




Transient Pulse - Sample: 1cm_42 - Position: 2070.0 μm - Charge: 101.81 pC




Transient Pulse - Sample: 1cm_42 - Position: 2075.0 μm - Charge: 104.98 pC




Transient Pulse - Sample: 1cm_42 - Position: 2080.0 μm - Charge: 121.05 pC




Transient Pulse - Sample: 1cm_42 - Position: 2085.0 μm - Charge: 130.05 pC




Transient Pulse - Sample: 1cm_42 - Position: 2090.0 μm - Charge: 132.02 pC




Transient Pulse - Sample: 1cm_42 - Position: 2095.0 μm - Charge: 142.02 pC




Transient Pulse - Sample: 1cm_42 - Position: 2100.0 μm - Charge: 150.41 pC




Transient Pulse - Sample: 1cm_42 - Position: 2105.0 μm - Charge: 153.86 pC




Transient Pulse - Sample: 1cm_42 - Position: 2110.0 μm - Charge: 158.49 pC




Transient Pulse - Sample: 1cm_42 - Position: 2115.0 μm - Charge: 170.93 pC




Transient Pulse - Sample: 1cm_42 - Position: 2120.0 μm - Charge: 174.54 pC




Transient Pulse - Sample: 1cm_42 - Position: 2125.0 μm - Charge: 176.02 pC




Transient Pulse - Sample: 1cm_42 - Position: 2130.0 μm - Charge: 179.65 pC




Transient Pulse - Sample: 1cm_42 - Position: 2135.0 μm - Charge: 175.98 pC




Transient Pulse - Sample: 1cm_42 - Position: 2140.0 μm - Charge: 183.81 pC




Transient Pulse - Sample: 1cm_42 - Position: 2145.0 μm - Charge: 182.87 pC




Transient Pulse - Sample: 1cm_42 - Position: 2150.0 μm - Charge: 182.72 pC




Transient Pulse - Sample: 1cm_42 - Position: 2155.0 μm - Charge: 183.41 pC




Transient Pulse - Sample: 1cm_42 - Position: 2160.0 μm - Charge: 182.96 pC




Transient Pulse - Sample: 1cm_42 - Position: 2165.0 μm - Charge: 187.94 pC




Transient Pulse - Sample: 1cm_42 - Position: 2170.0 μm - Charge: 183.98 pC




Transient Pulse - Sample: 1cm_42 - Position: 2175.0 μm - Charge: 180.23 pC




Transient Pulse - Sample: 1cm_42 - Position: 2180.0 μm - Charge: 183.97 pC




Transient Pulse - Sample: 1cm_42 - Position: 2185.0 μm - Charge: 183.23 pC




Transient Pulse - Sample: 1cm_42 - Position: 2190.0 μm - Charge: 185.29 pC




Transient Pulse - Sample: 1cm_42 - Position: 2195.0 μm - Charge: 185.82 pC




Transient Pulse - Sample: 1cm_42 - Position: 2200.0 μm - Charge: 184.17 pC




Transient Pulse - Sample: 1cm_42 - Position: 2205.0 μm - Charge: 184.50 pC




Transient Pulse - Sample: 1cm_42 - Position: 2210.0 μm - Charge: 183.28 pC




Transient Pulse - Sample: 1cm_42 - Position: 2215.0 μm - Charge: 187.96 pC




Transient Pulse - Sample: 1cm_42 - Position: 2220.0 μm - Charge: 182.71 pC




Transient Pulse - Sample: 1cm_42 - Position: 2225.0 μm - Charge: 183.02 pC




Transient Pulse - Sample: 1cm_42 - Position: 2230.0 μm - Charge: 188.07 pC




Transient Pulse - Sample: 1cm_42 - Position: 2235.0 μm - Charge: 179.23 pC




Transient Pulse - Sample: 1cm_42 - Position: 2240.0 μm - Charge: 186.70 pC




Transient Pulse - Sample: 1cm_42 - Position: 2245.0 μm - Charge: 184.77 pC




Transient Pulse - Sample: 1cm_42 - Position: 2250.0 μm - Charge: 186.32 pC




Transient Pulse - Sample: 1cm_42 - Position: 2255.0 μm - Charge: 184.04 pC




Transient Pulse - Sample: 1cm_42 - Position: 2260.0 μm - Charge: 180.27 pC




Transient Pulse - Sample: 1cm_42 - Position: 2265.0 μm - Charge: 180.59 pC




Transient Pulse - Sample: 1cm_42 - Position: 2270.0 μm - Charge: 182.45 pC




Transient Pulse - Sample: 1cm_42 - Position: 2275.0 μm - Charge: 183.48 pC




Transient Pulse - Sample: 1cm_42 - Position: 2280.0 μm - Charge: 184.34 pC




Transient Pulse - Sample: 1cm_42 - Position: 2285.0 μm - Charge: 184.41 pC




Transient Pulse - Sample: 1cm_42 - Position: 2290.0 μm - Charge: 185.45 pC




Transient Pulse - Sample: 1cm_42 - Position: 2295.0 μm - Charge: 179.63 pC




Transient Pulse - Sample: 1cm_42 - Position: 2300.0 μm - Charge: 182.30 pC




Transient Pulse - Sample: 1cm_42 - Position: 2305.0 μm - Charge: 178.06 pC




Transient Pulse - Sample: 1cm_42 - Position: 2310.0 μm - Charge: 181.85 pC




Transient Pulse - Sample: 1cm_42 - Position: 2315.0 μm - Charge: 177.84 pC




Transient Pulse - Sample: 1cm_42 - Position: 2320.0 μm - Charge: 178.53 pC




Transient Pulse - Sample: 1cm_42 - Position: 2325.0 μm - Charge: 183.26 pC




Transient Pulse - Sample: 1cm_42 - Position: 2330.0 μm - Charge: 178.25 pC




Transient Pulse - Sample: 1cm_42 - Position: 2335.0 μm - Charge: 176.90 pC




Transient Pulse - Sample: 1cm_42 - Position: 2340.0 μm - Charge: 174.59 pC




Transient Pulse - Sample: 1cm_42 - Position: 2345.0 μm - Charge: 174.33 pC




Transient Pulse - Sample: 1cm_42 - Position: 2350.0 μm - Charge: 177.89 pC




Transient Pulse - Sample: 1cm_42 - Position: 2355.0 μm - Charge: 172.72 pC




Transient Pulse - Sample: 1cm_42 - Position: 2360.0 μm - Charge: 176.22 pC




Transient Pulse - Sample: 1cm_42 - Position: 2365.0 μm - Charge: 174.05 pC




Transient Pulse - Sample: 1cm_42 - Position: 2370.0 μm - Charge: 173.29 pC




Transient Pulse - Sample: 1cm_42 - Position: 2375.0 μm - Charge: 181.07 pC




Transient Pulse - Sample: 1cm_42 - Position: 2380.0 μm - Charge: 172.51 pC




Transient Pulse - Sample: 1cm_42 - Position: 2385.0 μm - Charge: 169.44 pC




Transient Pulse - Sample: 1cm_42 - Position: 2390.0 μm - Charge: 171.83 pC




Transient Pulse - Sample: 1cm_42 - Position: 2395.0 μm - Charge: 169.59 pC




Transient Pulse - Sample: 1cm_42 - Position: 2400.0 μm - Charge: 173.65 pC




Transient Pulse - Sample: 1cm_42 - Position: 2405.0 μm - Charge: 164.27 pC




Transient Pulse - Sample: 1cm_42 - Position: 2410.0 μm - Charge: 166.55 pC




Transient Pulse - Sample: 1cm_42 - Position: 2415.0 μm - Charge: 165.71 pC




Transient Pulse - Sample: 1cm_42 - Position: 2420.0 μm - Charge: 160.61 pC




Transient Pulse - Sample: 1cm_42 - Position: 2425.0 μm - Charge: 159.69 pC




Transient Pulse - Sample: 1cm_42 - Position: 2430.0 μm - Charge: 153.56 pC




Transient Pulse - Sample: 1cm_42 - Position: 2435.0 μm - Charge: 155.07 pC




Transient Pulse - Sample: 1cm_42 - Position: 2440.0 μm - Charge: 150.21 pC




Transient Pulse - Sample: 1cm_42 - Position: 2445.0 μm - Charge: 141.42 pC




Transient Pulse - Sample: 1cm_42 - Position: 2450.0 μm - Charge: 133.05 pC




Transient Pulse - Sample: 1cm_42 - Position: 2455.0 μm - Charge: 125.49 pC




Transient Pulse - Sample: 1cm_42 - Position: 2460.0 μm - Charge: 118.28 pC




Transient Pulse - Sample: 1cm_42 - Position: 2465.0 μm - Charge: 107.90 pC




Transient Pulse - Sample: 1cm_42 - Position: 2470.0 μm - Charge: 95.02 pC




Transient Pulse - Sample: 1cm_42 - Position: 2475.0 μm - Charge: 87.80 pC




Transient Pulse - Sample: 1cm_42 - Position: 2480.0 μm - Charge: 77.74 pC




Transient Pulse - Sample: 1cm_42 - Position: 2485.0 μm - Charge: 65.88 pC




Transient Pulse - Sample: 1cm_42 - Position: 2490.0 μm - Charge: 59.52 pC




Transient Pulse - Sample: 1cm_42 - Position: 2495.0 μm - Charge: 50.72 pC




Transient Pulse - Sample: 1cm_42 - Position: 2500.0 μm - Charge: 43.81 pC




Transient Pulse - Sample: 1cm_42 - Position: 2505.0 μm - Charge: 36.93 pC




Transient Pulse - Sample: 1cm_42 - Position: 2510.0 μm - Charge: 29.91 pC




Transient Pulse - Sample: 1cm_42 - Position: 2515.0 μm - Charge: 26.55 pC




Transient Pulse - Sample: 1cm_42 - Position: 2520.0 μm - Charge: 24.41 pC




Transient Pulse - Sample: 1cm_42 - Position: 2525.0 μm - Charge: 23.41 pC




Transient Pulse - Sample: 1cm_42 - Position: 2530.0 μm - Charge: 25.97 pC




Transient Pulse - Sample: 1cm_42 - Position: 2535.0 μm - Charge: 27.42 pC




Transient Pulse - Sample: 1cm_42 - Position: 2540.0 μm - Charge: 30.98 pC




Transient Pulse - Sample: 1cm_42 - Position: 2545.0 μm - Charge: 43.47 pC




Transient Pulse - Sample: 1cm_42 - Position: 2550.0 μm - Charge: 49.49 pC




Transient Pulse - Sample: 1cm_42 - Position: 2555.0 μm - Charge: 55.22 pC




Transient Pulse - Sample: 1cm_42 - Position: 2560.0 μm - Charge: 66.41 pC




Transient Pulse - Sample: 1cm_42 - Position: 2565.0 μm - Charge: 77.08 pC




Transient Pulse - Sample: 1cm_42 - Position: 2570.0 μm - Charge: 84.56 pC




Transient Pulse - Sample: 1cm_42 - Position: 2575.0 μm - Charge: 99.47 pC




Transient Pulse - Sample: 1cm_42 - Position: 2580.0 μm - Charge: 109.67 pC




Transient Pulse - Sample: 1cm_42 - Position: 2585.0 μm - Charge: 116.63 pC




Transient Pulse - Sample: 1cm_42 - Position: 2590.0 μm - Charge: 126.11 pC




Transient Pulse - Sample: 1cm_42 - Position: 2595.0 μm - Charge: 140.01 pC




Transient Pulse - Sample: 1cm_42 - Position: 2600.0 μm - Charge: 145.65 pC




Transient Pulse - Sample: 1cm_42 - Position: 2605.0 μm - Charge: 151.41 pC




Transient Pulse - Sample: 1cm_42 - Position: 2610.0 μm - Charge: 153.92 pC




Transient Pulse - Sample: 1cm_42 - Position: 2615.0 μm - Charge: 161.50 pC




Transient Pulse - Sample: 1cm_42 - Position: 2620.0 μm - Charge: 161.16 pC




Transient Pulse - Sample: 1cm_42 - Position: 2625.0 μm - Charge: 163.46 pC




Transient Pulse - Sample: 1cm_42 - Position: 2630.0 μm - Charge: 168.37 pC




Transient Pulse - Sample: 1cm_42 - Position: 2635.0 μm - Charge: 174.76 pC




Transient Pulse - Sample: 1cm_42 - Position: 2640.0 μm - Charge: 175.34 pC




Transient Pulse - Sample: 1cm_42 - Position: 2645.0 μm - Charge: 174.71 pC




Transient Pulse - Sample: 1cm_42 - Position: 2650.0 μm - Charge: 174.27 pC




Transient Pulse - Sample: 1cm_42 - Position: 2655.0 μm - Charge: 174.94 pC




Transient Pulse - Sample: 1cm_42 - Position: 2660.0 μm - Charge: 175.89 pC




Transient Pulse - Sample: 1cm_42 - Position: 2665.0 μm - Charge: 177.65 pC




Transient Pulse - Sample: 1cm_42 - Position: 2670.0 μm - Charge: 173.35 pC




Transient Pulse - Sample: 1cm_42 - Position: 2675.0 μm - Charge: 174.39 pC




Transient Pulse - Sample: 1cm_42 - Position: 2680.0 μm - Charge: 172.29 pC




Transient Pulse - Sample: 1cm_42 - Position: 2685.0 μm - Charge: 177.17 pC




Transient Pulse - Sample: 1cm_42 - Position: 2690.0 μm - Charge: 177.49 pC




Transient Pulse - Sample: 1cm_42 - Position: 2695.0 μm - Charge: 179.57 pC




Transient Pulse - Sample: 1cm_42 - Position: 2700.0 μm - Charge: 174.14 pC




Transient Pulse - Sample: 1cm_42 - Position: 2705.0 μm - Charge: 175.55 pC




Transient Pulse - Sample: 1cm_42 - Position: 2710.0 μm - Charge: 178.37 pC




Transient Pulse - Sample: 1cm_42 - Position: 2715.0 μm - Charge: 175.27 pC




Transient Pulse - Sample: 1cm_42 - Position: 2720.0 μm - Charge: 181.03 pC




Transient Pulse - Sample: 1cm_42 - Position: 2725.0 μm - Charge: 180.15 pC




Transient Pulse - Sample: 1cm_42 - Position: 2730.0 μm - Charge: 181.82 pC




Transient Pulse - Sample: 1cm_42 - Position: 2735.0 μm - Charge: 179.00 pC




Transient Pulse - Sample: 1cm_42 - Position: 2740.0 μm - Charge: 182.54 pC




Transient Pulse - Sample: 1cm_42 - Position: 2745.0 μm - Charge: 179.30 pC




Transient Pulse - Sample: 1cm_42 - Position: 2750.0 μm - Charge: 187.49 pC




Transient Pulse - Sample: 1cm_42 - Position: 2755.0 μm - Charge: 186.70 pC




Transient Pulse - Sample: 1cm_42 - Position: 2760.0 μm - Charge: 187.14 pC




Transient Pulse - Sample: 1cm_42 - Position: 2765.0 μm - Charge: 182.83 pC




Transient Pulse - Sample: 1cm_42 - Position: 2770.0 μm - Charge: 188.91 pC




Transient Pulse - Sample: 1cm_42 - Position: 2775.0 μm - Charge: 189.69 pC




Transient Pulse - Sample: 1cm_42 - Position: 2780.0 μm - Charge: 191.85 pC




Transient Pulse - Sample: 1cm_42 - Position: 2785.0 μm - Charge: 185.64 pC




Transient Pulse - Sample: 1cm_42 - Position: 2790.0 μm - Charge: 190.69 pC




Transient Pulse - Sample: 1cm_42 - Position: 2795.0 μm - Charge: 191.79 pC




Transient Pulse - Sample: 1cm_42 - Position: 2800.0 μm - Charge: 190.51 pC




Transient Pulse - Sample: 1cm_42 - Position: 2805.0 μm - Charge: 192.69 pC




Transient Pulse - Sample: 1cm_42 - Position: 2810.0 μm - Charge: 192.34 pC




Transient Pulse - Sample: 1cm_42 - Position: 2815.0 μm - Charge: 191.47 pC




Transient Pulse - Sample: 1cm_42 - Position: 2820.0 μm - Charge: 192.21 pC




Transient Pulse - Sample: 1cm_42 - Position: 2825.0 μm - Charge: 195.31 pC




Transient Pulse - Sample: 1cm_42 - Position: 2830.0 μm - Charge: 192.23 pC




Transient Pulse - Sample: 1cm_42 - Position: 2835.0 μm - Charge: 195.20 pC




Transient Pulse - Sample: 1cm_42 - Position: 2840.0 μm - Charge: 194.14 pC




Transient Pulse - Sample: 1cm_42 - Position: 2845.0 μm - Charge: 195.40 pC




Transient Pulse - Sample: 1cm_42 - Position: 2850.0 μm - Charge: 194.04 pC




Transient Pulse - Sample: 1cm_42 - Position: 2855.0 μm - Charge: 193.80 pC




Transient Pulse - Sample: 1cm_42 - Position: 2860.0 μm - Charge: 198.83 pC




Transient Pulse - Sample: 1cm_42 - Position: 2865.0 μm - Charge: 205.21 pC




Transient Pulse - Sample: 1cm_42 - Position: 2870.0 μm - Charge: 191.73 pC




Transient Pulse - Sample: 1cm_42 - Position: 2875.0 μm - Charge: 193.10 pC




Transient Pulse - Sample: 1cm_42 - Position: 2880.0 μm - Charge: 198.87 pC




Transient Pulse - Sample: 1cm_42 - Position: 2885.0 μm - Charge: 200.21 pC




Transient Pulse - Sample: 1cm_42 - Position: 2890.0 μm - Charge: 198.34 pC




Transient Pulse - Sample: 1cm_42 - Position: 2895.0 μm - Charge: 199.77 pC




Transient Pulse - Sample: 1cm_42 - Position: 2900.0 μm - Charge: 202.45 pC




Transient Pulse - Sample: 1cm_42 - Position: 2905.0 μm - Charge: 197.26 pC




Transient Pulse - Sample: 1cm_42 - Position: 2910.0 μm - Charge: 197.29 pC




Transient Pulse - Sample: 1cm_42 - Position: 2915.0 μm - Charge: 195.29 pC




Transient Pulse - Sample: 1cm_42 - Position: 2920.0 μm - Charge: 193.96 pC




Transient Pulse - Sample: 1cm_42 - Position: 2925.0 μm - Charge: 192.67 pC




Transient Pulse - Sample: 1cm_42 - Position: 2930.0 μm - Charge: 188.44 pC




Transient Pulse - Sample: 1cm_42 - Position: 2935.0 μm - Charge: 184.78 pC




Transient Pulse - Sample: 1cm_42 - Position: 2940.0 μm - Charge: 180.31 pC




Transient Pulse - Sample: 1cm_42 - Position: 2945.0 μm - Charge: 178.08 pC




Transient Pulse - Sample: 1cm_42 - Position: 2950.0 μm - Charge: 163.53 pC




Transient Pulse - Sample: 1cm_42 - Position: 2955.0 μm - Charge: 155.89 pC




Transient Pulse - Sample: 1cm_42 - Position: 2960.0 μm - Charge: 150.22 pC




Transient Pulse - Sample: 1cm_42 - Position: 2965.0 μm - Charge: 142.05 pC




Transient Pulse - Sample: 1cm_42 - Position: 2970.0 μm - Charge: 129.03 pC




Transient Pulse - Sample: 1cm_42 - Position: 2975.0 μm - Charge: 120.17 pC




Transient Pulse - Sample: 1cm_42 - Position: 2980.0 μm - Charge: 103.05 pC




Transient Pulse - Sample: 1cm_42 - Position: 2985.0 μm - Charge: 94.28 pC




Transient Pulse - Sample: 1cm_42 - Position: 2990.0 μm - Charge: 84.58 pC




Transient Pulse - Sample: 1cm_42 - Position: 2995.0 μm - Charge: 71.32 pC




Transient Pulse - Sample: 1cm_42 - Position: 3000.0 μm - Charge: 59.85 pC




Transient Pulse - Sample: 1cm_42 - Position: 3005.0 μm - Charge: 56.07 pC




Transient Pulse - Sample: 1cm_42 - Position: 3010.0 μm - Charge: 44.96 pC




Transient Pulse - Sample: 1cm_42 - Position: 3015.0 μm - Charge: 39.53 pC




Transient Pulse - Sample: 1cm_42 - Position: 3020.0 μm - Charge: 31.68 pC




Transient Pulse - Sample: 1cm_42 - Position: 3025.0 μm - Charge: 32.03 pC




Transient Pulse - Sample: 1cm_42 - Position: 3030.0 μm - Charge: 27.08 pC




Transient Pulse - Sample: 1cm_42 - Position: 3035.0 μm - Charge: 26.39 pC




Transient Pulse - Sample: 1cm_42 - Position: 3040.0 μm - Charge: 28.16 pC




Transient Pulse - Sample: 1cm_42 - Position: 3045.0 μm - Charge: 35.43 pC




Transient Pulse - Sample: 1cm_42 - Position: 3050.0 μm - Charge: 38.30 pC




Transient Pulse - Sample: 1cm_42 - Position: 3055.0 μm - Charge: 45.91 pC




Transient Pulse - Sample: 1cm_42 - Position: 3060.0 μm - Charge: 50.82 pC




Transient Pulse - Sample: 1cm_42 - Position: 3065.0 μm - Charge: 60.91 pC




Transient Pulse - Sample: 1cm_42 - Position: 3070.0 μm - Charge: 72.98 pC




Transient Pulse - Sample: 1cm_42 - Position: 3075.0 μm - Charge: 83.11 pC




Transient Pulse - Sample: 1cm_42 - Position: 3080.0 μm - Charge: 96.07 pC




Transient Pulse - Sample: 1cm_42 - Position: 3085.0 μm - Charge: 108.00 pC




Transient Pulse - Sample: 1cm_42 - Position: 3090.0 μm - Charge: 125.59 pC




Transient Pulse - Sample: 1cm_42 - Position: 3095.0 μm - Charge: 128.38 pC




Transient Pulse - Sample: 1cm_42 - Position: 3100.0 μm - Charge: 142.65 pC




Transient Pulse - Sample: 1cm_42 - Position: 3105.0 μm - Charge: 155.87 pC




Transient Pulse - Sample: 1cm_42 - Position: 3110.0 μm - Charge: 162.20 pC




Transient Pulse - Sample: 1cm_42 - Position: 3115.0 μm - Charge: 168.02 pC




Transient Pulse - Sample: 1cm_42 - Position: 3120.0 μm - Charge: 171.26 pC




Transient Pulse - Sample: 1cm_42 - Position: 3125.0 μm - Charge: 179.68 pC




Transient Pulse - Sample: 1cm_42 - Position: 3130.0 μm - Charge: 182.41 pC




Transient Pulse - Sample: 1cm_42 - Position: 3135.0 μm - Charge: 195.79 pC




Transient Pulse - Sample: 1cm_42 - Position: 3140.0 μm - Charge: 195.46 pC




Transient Pulse - Sample: 1cm_42 - Position: 3145.0 μm - Charge: 194.62 pC




Transient Pulse - Sample: 1cm_42 - Position: 3150.0 μm - Charge: 199.28 pC




Transient Pulse - Sample: 1cm_42 - Position: 3155.0 μm - Charge: 206.55 pC




Transient Pulse - Sample: 1cm_42 - Position: 3160.0 μm - Charge: 203.57 pC




Transient Pulse - Sample: 1cm_42 - Position: 3165.0 μm - Charge: 202.63 pC




Transient Pulse - Sample: 1cm_42 - Position: 3170.0 μm - Charge: 203.40 pC




Transient Pulse - Sample: 1cm_42 - Position: 3175.0 μm - Charge: 206.04 pC




Transient Pulse - Sample: 1cm_42 - Position: 3180.0 μm - Charge: 204.85 pC




Transient Pulse - Sample: 1cm_42 - Position: 3185.0 μm - Charge: 201.28 pC




Transient Pulse - Sample: 1cm_42 - Position: 3190.0 μm - Charge: 205.18 pC




Transient Pulse - Sample: 1cm_42 - Position: 3195.0 μm - Charge: 206.09 pC




Transient Pulse - Sample: 1cm_42 - Position: 3200.0 μm - Charge: 205.47 pC




Transient Pulse - Sample: 1cm_42 - Position: 3205.0 μm - Charge: 204.80 pC




Transient Pulse - Sample: 1cm_42 - Position: 3210.0 μm - Charge: 201.27 pC




Transient Pulse - Sample: 1cm_42 - Position: 3215.0 μm - Charge: 204.75 pC




Transient Pulse - Sample: 1cm_42 - Position: 3220.0 μm - Charge: 204.23 pC




Transient Pulse - Sample: 1cm_42 - Position: 3225.0 μm - Charge: 201.04 pC




Transient Pulse - Sample: 1cm_42 - Position: 3230.0 μm - Charge: 203.39 pC




Transient Pulse - Sample: 1cm_42 - Position: 3235.0 μm - Charge: 198.88 pC




Transient Pulse - Sample: 1cm_42 - Position: 3240.0 μm - Charge: 200.75 pC




Transient Pulse - Sample: 1cm_42 - Position: 3245.0 μm - Charge: 202.36 pC




Transient Pulse - Sample: 1cm_42 - Position: 3250.0 μm - Charge: 200.50 pC




Transient Pulse - Sample: 1cm_42 - Position: 3255.0 μm - Charge: 200.02 pC




Transient Pulse - Sample: 1cm_42 - Position: 3260.0 μm - Charge: 199.94 pC




Transient Pulse - Sample: 1cm_42 - Position: 3265.0 μm - Charge: 199.72 pC




Transient Pulse - Sample: 1cm_42 - Position: 3270.0 μm - Charge: 205.50 pC




Transient Pulse - Sample: 1cm_42 - Position: 3275.0 μm - Charge: 202.03 pC




Transient Pulse - Sample: 1cm_42 - Position: 3280.0 μm - Charge: 196.92 pC




Transient Pulse - Sample: 1cm_42 - Position: 3285.0 μm - Charge: 197.67 pC




Transient Pulse - Sample: 1cm_42 - Position: 3290.0 μm - Charge: 201.59 pC




Transient Pulse - Sample: 1cm_42 - Position: 3295.0 μm - Charge: 205.79 pC




Transient Pulse - Sample: 1cm_42 - Position: 3300.0 μm - Charge: 201.58 pC




Transient Pulse - Sample: 1cm_42 - Position: 3305.0 μm - Charge: 203.86 pC




Transient Pulse - Sample: 1cm_42 - Position: 3310.0 μm - Charge: 205.48 pC




Transient Pulse - Sample: 1cm_42 - Position: 3315.0 μm - Charge: 199.45 pC




Transient Pulse - Sample: 1cm_42 - Position: 3320.0 μm - Charge: 200.38 pC




Transient Pulse - Sample: 1cm_42 - Position: 3325.0 μm - Charge: 206.72 pC




Transient Pulse - Sample: 1cm_42 - Position: 3330.0 μm - Charge: 200.73 pC




Transient Pulse - Sample: 1cm_42 - Position: 3335.0 μm - Charge: 204.38 pC




Transient Pulse - Sample: 1cm_42 - Position: 3340.0 μm - Charge: 201.12 pC




Transient Pulse - Sample: 1cm_42 - Position: 3345.0 μm - Charge: 201.38 pC




Transient Pulse - Sample: 1cm_42 - Position: 3350.0 μm - Charge: 203.90 pC




Transient Pulse - Sample: 1cm_42 - Position: 3355.0 μm - Charge: 204.95 pC




Transient Pulse - Sample: 1cm_42 - Position: 3360.0 μm - Charge: 204.24 pC




Transient Pulse - Sample: 1cm_42 - Position: 3365.0 μm - Charge: 206.02 pC




Transient Pulse - Sample: 1cm_42 - Position: 3370.0 μm - Charge: 209.29 pC




Transient Pulse - Sample: 1cm_42 - Position: 3375.0 μm - Charge: 205.37 pC




Transient Pulse - Sample: 1cm_42 - Position: 3380.0 μm - Charge: 208.13 pC




Transient Pulse - Sample: 1cm_42 - Position: 3385.0 μm - Charge: 210.24 pC




Transient Pulse - Sample: 1cm_42 - Position: 3390.0 μm - Charge: 204.28 pC




Transient Pulse - Sample: 1cm_42 - Position: 3395.0 μm - Charge: 204.91 pC




Transient Pulse - Sample: 1cm_42 - Position: 3400.0 μm - Charge: 206.02 pC




Transient Pulse - Sample: 1cm_42 - Position: 3405.0 μm - Charge: 204.60 pC




Transient Pulse - Sample: 1cm_42 - Position: 3410.0 μm - Charge: 203.36 pC




Transient Pulse - Sample: 1cm_42 - Position: 3415.0 μm - Charge: 203.59 pC




Transient Pulse - Sample: 1cm_42 - Position: 3420.0 μm - Charge: 205.17 pC




Transient Pulse - Sample: 1cm_42 - Position: 3425.0 μm - Charge: 203.10 pC




Transient Pulse - Sample: 1cm_42 - Position: 3430.0 μm - Charge: 194.96 pC




Transient Pulse - Sample: 1cm_42 - Position: 3435.0 μm - Charge: 194.31 pC




Transient Pulse - Sample: 1cm_42 - Position: 3440.0 μm - Charge: 189.53 pC




Transient Pulse - Sample: 1cm_42 - Position: 3445.0 μm - Charge: 182.28 pC




Transient Pulse - Sample: 1cm_42 - Position: 3450.0 μm - Charge: 176.75 pC




Transient Pulse - Sample: 1cm_42 - Position: 3455.0 μm - Charge: 171.98 pC




Transient Pulse - Sample: 1cm_42 - Position: 3460.0 μm - Charge: 154.21 pC




Transient Pulse - Sample: 1cm_42 - Position: 3465.0 μm - Charge: 147.57 pC




Transient Pulse - Sample: 1cm_42 - Position: 3470.0 μm - Charge: 133.00 pC




Transient Pulse - Sample: 1cm_42 - Position: 3475.0 μm - Charge: 128.79 pC




Transient Pulse - Sample: 1cm_42 - Position: 3480.0 μm - Charge: 111.76 pC




Transient Pulse - Sample: 1cm_42 - Position: 3485.0 μm - Charge: 97.51 pC




Transient Pulse - Sample: 1cm_42 - Position: 3490.0 μm - Charge: 87.65 pC




Transient Pulse - Sample: 1cm_42 - Position: 3495.0 μm - Charge: 73.53 pC




Transient Pulse - Sample: 1cm_42 - Position: 3500.0 μm - Charge: 66.10 pC




Transient Pulse - Sample: 1cm_42 - Position: 3505.0 μm - Charge: 53.20 pC




Transient Pulse - Sample: 1cm_42 - Position: 3510.0 μm - Charge: 50.44 pC




Transient Pulse - Sample: 1cm_42 - Position: 3515.0 μm - Charge: 42.93 pC




Transient Pulse - Sample: 1cm_42 - Position: 3520.0 μm - Charge: 36.65 pC




Transient Pulse - Sample: 1cm_42 - Position: 3525.0 μm - Charge: 31.74 pC




Transient Pulse - Sample: 1cm_42 - Position: 3530.0 μm - Charge: 29.95 pC




Transient Pulse - Sample: 1cm_42 - Position: 3535.0 μm - Charge: 28.30 pC




Transient Pulse - Sample: 1cm_42 - Position: 3540.0 μm - Charge: 31.05 pC




Transient Pulse - Sample: 1cm_42 - Position: 3545.0 μm - Charge: 35.17 pC




Transient Pulse - Sample: 1cm_42 - Position: 3550.0 μm - Charge: 39.81 pC




Transient Pulse - Sample: 1cm_42 - Position: 3555.0 μm - Charge: 46.93 pC




Transient Pulse - Sample: 1cm_42 - Position: 3560.0 μm - Charge: 55.62 pC




Transient Pulse - Sample: 1cm_42 - Position: 3565.0 μm - Charge: 64.33 pC




Transient Pulse - Sample: 1cm_42 - Position: 3570.0 μm - Charge: 74.46 pC




Transient Pulse - Sample: 1cm_42 - Position: 3575.0 μm - Charge: 85.46 pC




Transient Pulse - Sample: 1cm_42 - Position: 3580.0 μm - Charge: 94.83 pC




Transient Pulse - Sample: 1cm_42 - Position: 3585.0 μm - Charge: 110.86 pC




Transient Pulse - Sample: 1cm_42 - Position: 3590.0 μm - Charge: 123.74 pC




Transient Pulse - Sample: 1cm_42 - Position: 3595.0 μm - Charge: 133.38 pC




Transient Pulse - Sample: 1cm_42 - Position: 3600.0 μm - Charge: 145.51 pC




Transient Pulse - Sample: 1cm_42 - Position: 3605.0 μm - Charge: 158.50 pC




Transient Pulse - Sample: 1cm_42 - Position: 3610.0 μm - Charge: 162.40 pC




Transient Pulse - Sample: 1cm_42 - Position: 3615.0 μm - Charge: 173.30 pC




Transient Pulse - Sample: 1cm_42 - Position: 3620.0 μm - Charge: 179.35 pC




Transient Pulse - Sample: 1cm_42 - Position: 3625.0 μm - Charge: 189.23 pC




Transient Pulse - Sample: 1cm_42 - Position: 3630.0 μm - Charge: 196.39 pC




Transient Pulse - Sample: 1cm_42 - Position: 3635.0 μm - Charge: 196.80 pC




Transient Pulse - Sample: 1cm_42 - Position: 3640.0 μm - Charge: 199.23 pC




Transient Pulse - Sample: 1cm_42 - Position: 3645.0 μm - Charge: 204.92 pC




Transient Pulse - Sample: 1cm_42 - Position: 3650.0 μm - Charge: 209.55 pC




Transient Pulse - Sample: 1cm_42 - Position: 3655.0 μm - Charge: 208.17 pC




Transient Pulse - Sample: 1cm_42 - Position: 3660.0 μm - Charge: 207.15 pC




Transient Pulse - Sample: 1cm_42 - Position: 3665.0 μm - Charge: 210.12 pC




Transient Pulse - Sample: 1cm_42 - Position: 3670.0 μm - Charge: 210.64 pC




Transient Pulse - Sample: 1cm_42 - Position: 3675.0 μm - Charge: 206.97 pC




Transient Pulse - Sample: 1cm_42 - Position: 3680.0 μm - Charge: 214.14 pC




Transient Pulse - Sample: 1cm_42 - Position: 3685.0 μm - Charge: 210.71 pC




Transient Pulse - Sample: 1cm_42 - Position: 3690.0 μm - Charge: 213.65 pC




Transient Pulse - Sample: 1cm_42 - Position: 3695.0 μm - Charge: 211.19 pC




Transient Pulse - Sample: 1cm_42 - Position: 3700.0 μm - Charge: 211.75 pC




Transient Pulse - Sample: 1cm_42 - Position: 3705.0 μm - Charge: 210.97 pC




Transient Pulse - Sample: 1cm_42 - Position: 3710.0 μm - Charge: 209.86 pC




Transient Pulse - Sample: 1cm_42 - Position: 3715.0 μm - Charge: 209.35 pC




Transient Pulse - Sample: 1cm_42 - Position: 3720.0 μm - Charge: 208.37 pC




Transient Pulse - Sample: 1cm_42 - Position: 3725.0 μm - Charge: 209.65 pC




Transient Pulse - Sample: 1cm_42 - Position: 3730.0 μm - Charge: 211.68 pC




Transient Pulse - Sample: 1cm_42 - Position: 3735.0 μm - Charge: 206.00 pC




Transient Pulse - Sample: 1cm_42 - Position: 3740.0 μm - Charge: 206.73 pC




Transient Pulse - Sample: 1cm_42 - Position: 3745.0 μm - Charge: 207.22 pC




Transient Pulse - Sample: 1cm_42 - Position: 3750.0 μm - Charge: 211.34 pC




Transient Pulse - Sample: 1cm_42 - Position: 3755.0 μm - Charge: 208.17 pC




Transient Pulse - Sample: 1cm_42 - Position: 3760.0 μm - Charge: 210.71 pC




Transient Pulse - Sample: 1cm_42 - Position: 3765.0 μm - Charge: 206.29 pC




Transient Pulse - Sample: 1cm_42 - Position: 3770.0 μm - Charge: 201.76 pC




Transient Pulse - Sample: 1cm_42 - Position: 3775.0 μm - Charge: 205.00 pC




Transient Pulse - Sample: 1cm_42 - Position: 3780.0 μm - Charge: 207.13 pC




Transient Pulse - Sample: 1cm_42 - Position: 3785.0 μm - Charge: 207.79 pC




Transient Pulse - Sample: 1cm_42 - Position: 3790.0 μm - Charge: 211.06 pC




Transient Pulse - Sample: 1cm_42 - Position: 3795.0 μm - Charge: 207.50 pC




Transient Pulse - Sample: 1cm_42 - Position: 3800.0 μm - Charge: 208.08 pC




Transient Pulse - Sample: 1cm_42 - Position: 3805.0 μm - Charge: 205.14 pC




Transient Pulse - Sample: 1cm_42 - Position: 3810.0 μm - Charge: 205.86 pC




Transient Pulse - Sample: 1cm_42 - Position: 3815.0 μm - Charge: 204.57 pC




Transient Pulse - Sample: 1cm_42 - Position: 3820.0 μm - Charge: 204.08 pC




Transient Pulse - Sample: 1cm_42 - Position: 3825.0 μm - Charge: 208.57 pC




Transient Pulse - Sample: 1cm_42 - Position: 3830.0 μm - Charge: 208.99 pC




Transient Pulse - Sample: 1cm_42 - Position: 3835.0 μm - Charge: 208.28 pC




Transient Pulse - Sample: 1cm_42 - Position: 3840.0 μm - Charge: 212.78 pC




Transient Pulse - Sample: 1cm_42 - Position: 3845.0 μm - Charge: 212.10 pC




Transient Pulse - Sample: 1cm_42 - Position: 3850.0 μm - Charge: 211.11 pC




Transient Pulse - Sample: 1cm_42 - Position: 3855.0 μm - Charge: 206.84 pC




Transient Pulse - Sample: 1cm_42 - Position: 3860.0 μm - Charge: 208.25 pC




Transient Pulse - Sample: 1cm_42 - Position: 3865.0 μm - Charge: 210.56 pC




Transient Pulse - Sample: 1cm_42 - Position: 3870.0 μm - Charge: 209.21 pC




Transient Pulse - Sample: 1cm_42 - Position: 3875.0 μm - Charge: 212.23 pC




Transient Pulse - Sample: 1cm_42 - Position: 3880.0 μm - Charge: 211.00 pC




Transient Pulse - Sample: 1cm_42 - Position: 3885.0 μm - Charge: 211.13 pC




Transient Pulse - Sample: 1cm_42 - Position: 3890.0 μm - Charge: 213.59 pC




Transient Pulse - Sample: 1cm_42 - Position: 3895.0 μm - Charge: 214.25 pC




Transient Pulse - Sample: 1cm_42 - Position: 3900.0 μm - Charge: 216.95 pC




Transient Pulse - Sample: 1cm_42 - Position: 3905.0 μm - Charge: 213.55 pC




Transient Pulse - Sample: 1cm_42 - Position: 3910.0 μm - Charge: 213.99 pC




Transient Pulse - Sample: 1cm_42 - Position: 3915.0 μm - Charge: 212.51 pC




Transient Pulse - Sample: 1cm_42 - Position: 3920.0 μm - Charge: 210.48 pC




Transient Pulse - Sample: 1cm_42 - Position: 3925.0 μm - Charge: 213.91 pC




Transient Pulse - Sample: 1cm_42 - Position: 3930.0 μm - Charge: 207.88 pC




Transient Pulse - Sample: 1cm_42 - Position: 3935.0 μm - Charge: 205.55 pC




Transient Pulse - Sample: 1cm_42 - Position: 3940.0 μm - Charge: 200.43 pC




Transient Pulse - Sample: 1cm_42 - Position: 3945.0 μm - Charge: 196.78 pC




Transient Pulse - Sample: 1cm_42 - Position: 3950.0 μm - Charge: 193.88 pC




Transient Pulse - Sample: 1cm_42 - Position: 3955.0 μm - Charge: 182.71 pC




Transient Pulse - Sample: 1cm_42 - Position: 3960.0 μm - Charge: 177.66 pC




Transient Pulse - Sample: 1cm_42 - Position: 3965.0 μm - Charge: 165.14 pC




Transient Pulse - Sample: 1cm_42 - Position: 3970.0 μm - Charge: 153.31 pC




Transient Pulse - Sample: 1cm_42 - Position: 3975.0 μm - Charge: 144.17 pC




Transient Pulse - Sample: 1cm_42 - Position: 3980.0 μm - Charge: 130.49 pC




Transient Pulse - Sample: 1cm_42 - Position: 3985.0 μm - Charge: 119.39 pC




Transient Pulse - Sample: 1cm_42 - Position: 3990.0 μm - Charge: 106.12 pC




Transient Pulse - Sample: 1cm_42 - Position: 3995.0 μm - Charge: 90.55 pC




Transient Pulse - Sample: 1cm_42 - Position: 4000.0 μm - Charge: 81.66 pC




Transient Pulse - Sample: 1cm_42 - Position: 4005.0 μm - Charge: 70.28 pC




Transient Pulse - Sample: 1cm_42 - Position: 4010.0 μm - Charge: 60.91 pC




Transient Pulse - Sample: 1cm_42 - Position: 4015.0 μm - Charge: 51.00 pC




Transient Pulse - Sample: 1cm_42 - Position: 4020.0 μm - Charge: 44.78 pC




Transient Pulse - Sample: 1cm_42 - Position: 4025.0 μm - Charge: 38.94 pC




Transient Pulse - Sample: 1cm_42 - Position: 4030.0 μm - Charge: 34.38 pC




Transient Pulse - Sample: 1cm_42 - Position: 4035.0 μm - Charge: 29.75 pC




Transient Pulse - Sample: 1cm_42 - Position: 4040.0 μm - Charge: 28.67 pC




Transient Pulse - Sample: 1cm_42 - Position: 4045.0 μm - Charge: 31.66 pC




Transient Pulse - Sample: 1cm_42 - Position: 4050.0 μm - Charge: 37.46 pC




Transient Pulse - Sample: 1cm_42 - Position: 4055.0 μm - Charge: 40.00 pC




Transient Pulse - Sample: 1cm_42 - Position: 4060.0 μm - Charge: 48.93 pC




Transient Pulse - Sample: 1cm_42 - Position: 4065.0 μm - Charge: 58.12 pC




Transient Pulse - Sample: 1cm_42 - Position: 4070.0 μm - Charge: 66.46 pC




Transient Pulse - Sample: 1cm_42 - Position: 4075.0 μm - Charge: 80.77 pC




Transient Pulse - Sample: 1cm_42 - Position: 4080.0 μm - Charge: 90.40 pC




Transient Pulse - Sample: 1cm_42 - Position: 4085.0 μm - Charge: 103.03 pC




Transient Pulse - Sample: 1cm_42 - Position: 4090.0 μm - Charge: 117.61 pC




Transient Pulse - Sample: 1cm_42 - Position: 4095.0 μm - Charge: 127.18 pC




Transient Pulse - Sample: 1cm_42 - Position: 4100.0 μm - Charge: 138.49 pC




Transient Pulse - Sample: 1cm_42 - Position: 4105.0 μm - Charge: 151.22 pC




Transient Pulse - Sample: 1cm_42 - Position: 4110.0 μm - Charge: 162.33 pC




Transient Pulse - Sample: 1cm_42 - Position: 4115.0 μm - Charge: 172.65 pC




Transient Pulse - Sample: 1cm_42 - Position: 4120.0 μm - Charge: 183.57 pC




Transient Pulse - Sample: 1cm_42 - Position: 4125.0 μm - Charge: 185.00 pC




Transient Pulse - Sample: 1cm_42 - Position: 4130.0 μm - Charge: 193.73 pC




Transient Pulse - Sample: 1cm_42 - Position: 4135.0 μm - Charge: 199.25 pC




Transient Pulse - Sample: 1cm_42 - Position: 4140.0 μm - Charge: 202.05 pC




Transient Pulse - Sample: 1cm_42 - Position: 4145.0 μm - Charge: 202.89 pC




Transient Pulse - Sample: 1cm_42 - Position: 4150.0 μm - Charge: 208.19 pC




Transient Pulse - Sample: 1cm_42 - Position: 4155.0 μm - Charge: 211.68 pC




Transient Pulse - Sample: 1cm_42 - Position: 4160.0 μm - Charge: 219.51 pC




Transient Pulse - Sample: 1cm_42 - Position: 4165.0 μm - Charge: 213.06 pC




Transient Pulse - Sample: 1cm_42 - Position: 4170.0 μm - Charge: 218.98 pC




Transient Pulse - Sample: 1cm_42 - Position: 4175.0 μm - Charge: 214.10 pC




Transient Pulse - Sample: 1cm_42 - Position: 4180.0 μm - Charge: 216.61 pC




Transient Pulse - Sample: 1cm_42 - Position: 4185.0 μm - Charge: 216.05 pC




Transient Pulse - Sample: 1cm_42 - Position: 4190.0 μm - Charge: 218.14 pC




Transient Pulse - Sample: 1cm_42 - Position: 4195.0 μm - Charge: 212.95 pC




Transient Pulse - Sample: 1cm_42 - Position: 4200.0 μm - Charge: 216.21 pC




Transient Pulse - Sample: 1cm_42 - Position: 4205.0 μm - Charge: 213.83 pC




Transient Pulse - Sample: 1cm_42 - Position: 4210.0 μm - Charge: 211.18 pC




Transient Pulse - Sample: 1cm_42 - Position: 4215.0 μm - Charge: 213.58 pC




Transient Pulse - Sample: 1cm_42 - Position: 4220.0 μm - Charge: 218.36 pC




Transient Pulse - Sample: 1cm_42 - Position: 4225.0 μm - Charge: 214.58 pC




Transient Pulse - Sample: 1cm_42 - Position: 4230.0 μm - Charge: 219.28 pC




Transient Pulse - Sample: 1cm_42 - Position: 4235.0 μm - Charge: 214.29 pC




Transient Pulse - Sample: 1cm_42 - Position: 4240.0 μm - Charge: 215.27 pC




Transient Pulse - Sample: 1cm_42 - Position: 4245.0 μm - Charge: 212.30 pC




Transient Pulse - Sample: 1cm_42 - Position: 4250.0 μm - Charge: 217.69 pC




Transient Pulse - Sample: 1cm_42 - Position: 4255.0 μm - Charge: 212.13 pC




Transient Pulse - Sample: 1cm_42 - Position: 4260.0 μm - Charge: 209.47 pC




Transient Pulse - Sample: 1cm_42 - Position: 4265.0 μm - Charge: 212.39 pC




Transient Pulse - Sample: 1cm_42 - Position: 4270.0 μm - Charge: 210.91 pC




Transient Pulse - Sample: 1cm_42 - Position: 4275.0 μm - Charge: 212.83 pC




Transient Pulse - Sample: 1cm_42 - Position: 4280.0 μm - Charge: 214.98 pC




Transient Pulse - Sample: 1cm_42 - Position: 4285.0 μm - Charge: 212.68 pC




Transient Pulse - Sample: 1cm_42 - Position: 4290.0 μm - Charge: 211.61 pC




Transient Pulse - Sample: 1cm_42 - Position: 4295.0 μm - Charge: 211.73 pC




Transient Pulse - Sample: 1cm_42 - Position: 4300.0 μm - Charge: 212.70 pC




Transient Pulse - Sample: 1cm_42 - Position: 4305.0 μm - Charge: 213.97 pC




Transient Pulse - Sample: 1cm_42 - Position: 4310.0 μm - Charge: 212.28 pC




Transient Pulse - Sample: 1cm_42 - Position: 4315.0 μm - Charge: 211.53 pC




Transient Pulse - Sample: 1cm_42 - Position: 4320.0 μm - Charge: 212.79 pC




Transient Pulse - Sample: 1cm_42 - Position: 4325.0 μm - Charge: 212.81 pC




Transient Pulse - Sample: 1cm_42 - Position: 4330.0 μm - Charge: 214.33 pC




Transient Pulse - Sample: 1cm_42 - Position: 4335.0 μm - Charge: 210.53 pC




Transient Pulse - Sample: 1cm_42 - Position: 4340.0 μm - Charge: 212.70 pC




Transient Pulse - Sample: 1cm_42 - Position: 4345.0 μm - Charge: 213.34 pC




Transient Pulse - Sample: 1cm_42 - Position: 4350.0 μm - Charge: 212.69 pC




Transient Pulse - Sample: 1cm_42 - Position: 4355.0 μm - Charge: 211.56 pC




Transient Pulse - Sample: 1cm_42 - Position: 4360.0 μm - Charge: 209.12 pC




Transient Pulse - Sample: 1cm_42 - Position: 4365.0 μm - Charge: 216.61 pC




Transient Pulse - Sample: 1cm_42 - Position: 4370.0 μm - Charge: 211.51 pC




Transient Pulse - Sample: 1cm_42 - Position: 4375.0 μm - Charge: 211.68 pC




Transient Pulse - Sample: 1cm_42 - Position: 4380.0 μm - Charge: 211.81 pC




Transient Pulse - Sample: 1cm_42 - Position: 4385.0 μm - Charge: 217.16 pC




Transient Pulse - Sample: 1cm_42 - Position: 4390.0 μm - Charge: 214.50 pC




Transient Pulse - Sample: 1cm_42 - Position: 4395.0 μm - Charge: 216.57 pC




Transient Pulse - Sample: 1cm_42 - Position: 4400.0 μm - Charge: 215.07 pC




Transient Pulse - Sample: 1cm_42 - Position: 4405.0 μm - Charge: 213.28 pC




Transient Pulse - Sample: 1cm_42 - Position: 4410.0 μm - Charge: 212.04 pC




Transient Pulse - Sample: 1cm_42 - Position: 4415.0 μm - Charge: 216.03 pC




Transient Pulse - Sample: 1cm_42 - Position: 4420.0 μm - Charge: 213.70 pC




Transient Pulse - Sample: 1cm_42 - Position: 4425.0 μm - Charge: 210.66 pC




Transient Pulse - Sample: 1cm_42 - Position: 4430.0 μm - Charge: 211.49 pC




Transient Pulse - Sample: 1cm_42 - Position: 4435.0 μm - Charge: 207.27 pC




Transient Pulse - Sample: 1cm_42 - Position: 4440.0 μm - Charge: 203.78 pC




Transient Pulse - Sample: 1cm_42 - Position: 4445.0 μm - Charge: 199.55 pC




Transient Pulse - Sample: 1cm_42 - Position: 4450.0 μm - Charge: 192.19 pC




Transient Pulse - Sample: 1cm_42 - Position: 4455.0 μm - Charge: 185.22 pC




Transient Pulse - Sample: 1cm_42 - Position: 4460.0 μm - Charge: 175.09 pC




Transient Pulse - Sample: 1cm_42 - Position: 4465.0 μm - Charge: 169.51 pC




Transient Pulse - Sample: 1cm_42 - Position: 4470.0 μm - Charge: 158.71 pC




Transient Pulse - Sample: 1cm_42 - Position: 4475.0 μm - Charge: 150.79 pC




Transient Pulse - Sample: 1cm_42 - Position: 4480.0 μm - Charge: 135.58 pC




Transient Pulse - Sample: 1cm_42 - Position: 4485.0 μm - Charge: 123.39 pC




Transient Pulse - Sample: 1cm_42 - Position: 4490.0 μm - Charge: 112.12 pC




Transient Pulse - Sample: 1cm_42 - Position: 4495.0 μm - Charge: 100.81 pC




Transient Pulse - Sample: 1cm_42 - Position: 4500.0 μm - Charge: 88.00 pC




Transient Pulse - Sample: 1cm_42 - Position: 4505.0 μm - Charge: 76.94 pC




Transient Pulse - Sample: 1cm_42 - Position: 4510.0 μm - Charge: 64.39 pC




Transient Pulse - Sample: 1cm_42 - Position: 4515.0 μm - Charge: 57.39 pC




Transient Pulse - Sample: 1cm_42 - Position: 4520.0 μm - Charge: 51.33 pC




Transient Pulse - Sample: 1cm_42 - Position: 4525.0 μm - Charge: 41.27 pC




Transient Pulse - Sample: 1cm_42 - Position: 4530.0 μm - Charge: 36.38 pC




Transient Pulse - Sample: 1cm_42 - Position: 4535.0 μm - Charge: 35.26 pC




Transient Pulse - Sample: 1cm_42 - Position: 4540.0 μm - Charge: 31.33 pC




Transient Pulse - Sample: 1cm_42 - Position: 4545.0 μm - Charge: 28.81 pC




Transient Pulse - Sample: 1cm_42 - Position: 4550.0 μm - Charge: 31.81 pC




Transient Pulse - Sample: 1cm_42 - Position: 4555.0 μm - Charge: 33.53 pC




Transient Pulse - Sample: 1cm_42 - Position: 4560.0 μm - Charge: 38.88 pC




Transient Pulse - Sample: 1cm_42 - Position: 4565.0 μm - Charge: 43.96 pC




Transient Pulse - Sample: 1cm_42 - Position: 4570.0 μm - Charge: 54.52 pC




Transient Pulse - Sample: 1cm_42 - Position: 4575.0 μm - Charge: 61.78 pC




Transient Pulse - Sample: 1cm_42 - Position: 4580.0 μm - Charge: 68.92 pC




Transient Pulse - Sample: 1cm_42 - Position: 4585.0 μm - Charge: 80.77 pC




Transient Pulse - Sample: 1cm_42 - Position: 4590.0 μm - Charge: 90.95 pC




Transient Pulse - Sample: 1cm_42 - Position: 4595.0 μm - Charge: 100.08 pC




Transient Pulse - Sample: 1cm_42 - Position: 4600.0 μm - Charge: 113.30 pC




Transient Pulse - Sample: 1cm_42 - Position: 4605.0 μm - Charge: 123.28 pC




Transient Pulse - Sample: 1cm_42 - Position: 4610.0 μm - Charge: 132.83 pC




Transient Pulse - Sample: 1cm_42 - Position: 4615.0 μm - Charge: 144.54 pC




Transient Pulse - Sample: 1cm_42 - Position: 4620.0 μm - Charge: 150.37 pC




Transient Pulse - Sample: 1cm_42 - Position: 4625.0 μm - Charge: 159.92 pC




Transient Pulse - Sample: 1cm_42 - Position: 4630.0 μm - Charge: 171.54 pC




Transient Pulse - Sample: 1cm_42 - Position: 4635.0 μm - Charge: 177.51 pC




Transient Pulse - Sample: 1cm_42 - Position: 4640.0 μm - Charge: 181.27 pC




Transient Pulse - Sample: 1cm_42 - Position: 4645.0 μm - Charge: 187.48 pC




Transient Pulse - Sample: 1cm_42 - Position: 4650.0 μm - Charge: 190.75 pC




Transient Pulse - Sample: 1cm_42 - Position: 4655.0 μm - Charge: 196.87 pC




Transient Pulse - Sample: 1cm_42 - Position: 4660.0 μm - Charge: 194.91 pC




Transient Pulse - Sample: 1cm_42 - Position: 4665.0 μm - Charge: 199.40 pC




Transient Pulse - Sample: 1cm_42 - Position: 4670.0 μm - Charge: 200.33 pC




Transient Pulse - Sample: 1cm_42 - Position: 4675.0 μm - Charge: 202.92 pC




Transient Pulse - Sample: 1cm_42 - Position: 4680.0 μm - Charge: 203.71 pC




Transient Pulse - Sample: 1cm_42 - Position: 4685.0 μm - Charge: 205.73 pC




Transient Pulse - Sample: 1cm_42 - Position: 4690.0 μm - Charge: 205.64 pC




Transient Pulse - Sample: 1cm_42 - Position: 4695.0 μm - Charge: 200.44 pC




Transient Pulse - Sample: 1cm_42 - Position: 4700.0 μm - Charge: 203.35 pC




Transient Pulse - Sample: 1cm_42 - Position: 4705.0 μm - Charge: 202.79 pC




Transient Pulse - Sample: 1cm_42 - Position: 4710.0 μm - Charge: 203.22 pC




Transient Pulse - Sample: 1cm_42 - Position: 4715.0 μm - Charge: 201.18 pC




Transient Pulse - Sample: 1cm_42 - Position: 4720.0 μm - Charge: 202.80 pC




Transient Pulse - Sample: 1cm_42 - Position: 4725.0 μm - Charge: 199.38 pC




Transient Pulse - Sample: 1cm_42 - Position: 4730.0 μm - Charge: 196.59 pC




Transient Pulse - Sample: 1cm_42 - Position: 4735.0 μm - Charge: 197.78 pC




Transient Pulse - Sample: 1cm_42 - Position: 4740.0 μm - Charge: 199.73 pC




Transient Pulse - Sample: 1cm_42 - Position: 4745.0 μm - Charge: 195.06 pC




Transient Pulse - Sample: 1cm_42 - Position: 4750.0 μm - Charge: 193.52 pC




Transient Pulse - Sample: 1cm_42 - Position: 4755.0 μm - Charge: 190.04 pC




Transient Pulse - Sample: 1cm_42 - Position: 4760.0 μm - Charge: 193.85 pC




Transient Pulse - Sample: 1cm_42 - Position: 4765.0 μm - Charge: 189.57 pC




Transient Pulse - Sample: 1cm_42 - Position: 4770.0 μm - Charge: 186.67 pC




Transient Pulse - Sample: 1cm_42 - Position: 4775.0 μm - Charge: 178.84 pC




Transient Pulse - Sample: 1cm_42 - Position: 4780.0 μm - Charge: 176.78 pC




Transient Pulse - Sample: 1cm_42 - Position: 4785.0 μm - Charge: 170.21 pC




Transient Pulse - Sample: 1cm_42 - Position: 4790.0 μm - Charge: 163.50 pC




Transient Pulse - Sample: 1cm_42 - Position: 4795.0 μm - Charge: 158.62 pC




Transient Pulse - Sample: 1cm_42 - Position: 4800.0 μm - Charge: 146.54 pC




Transient Pulse - Sample: 1cm_42 - Position: 4805.0 μm - Charge: 138.53 pC




Transient Pulse - Sample: 1cm_42 - Position: 4810.0 μm - Charge: 127.75 pC




Transient Pulse - Sample: 1cm_42 - Position: 4815.0 μm - Charge: 114.43 pC




Transient Pulse - Sample: 1cm_42 - Position: 4820.0 μm - Charge: 104.50 pC




Transient Pulse - Sample: 1cm_42 - Position: 4825.0 μm - Charge: 91.18 pC




Transient Pulse - Sample: 1cm_42 - Position: 4830.0 μm - Charge: 82.73 pC




Transient Pulse - Sample: 1cm_42 - Position: 4835.0 μm - Charge: 68.13 pC




Transient Pulse - Sample: 1cm_42 - Position: 4840.0 μm - Charge: 58.15 pC




Transient Pulse - Sample: 1cm_42 - Position: 4845.0 μm - Charge: 48.02 pC




Transient Pulse - Sample: 1cm_42 - Position: 4850.0 μm - Charge: 39.01 pC




Transient Pulse - Sample: 1cm_42 - Position: 4855.0 μm - Charge: 31.73 pC




Transient Pulse - Sample: 1cm_42 - Position: 4860.0 μm - Charge: 25.72 pC




Transient Pulse - Sample: 1cm_42 - Position: 4865.0 μm - Charge: 18.91 pC




Transient Pulse - Sample: 1cm_42 - Position: 4870.0 μm - Charge: 12.75 pC




Transient Pulse - Sample: 1cm_42 - Position: 4875.0 μm - Charge: 10.01 pC




Transient Pulse - Sample: 1cm_42 - Position: 4880.0 μm - Charge: 7.54 pC




Transient Pulse - Sample: 1cm_42 - Position: 4885.0 μm - Charge: 5.63 pC




Transient Pulse - Sample: 1cm_42 - Position: 4890.0 μm - Charge: 4.03 pC




Transient Pulse - Sample: 1cm_42 - Position: 4895.0 μm - Charge: 3.00 pC




Transient Pulse - Sample: 1cm_42 - Position: 4900.0 μm - Charge: 1.32 pC




Transient Pulse - Sample: 1cm_42 - Position: 4905.0 μm - Charge: 5.18 pC




Transient Pulse - Sample: 1cm_42 - Position: 4910.0 μm - Charge: 2.47 pC




Transient Pulse - Sample: 1cm_42 - Position: 4915.0 μm - Charge: -1.46 pC




Transient Pulse - Sample: 1cm_42 - Position: 4920.0 μm - Charge: 6.08 pC




Transient Pulse - Sample: 1cm_42 - Position: 4925.0 μm - Charge: 4.62 pC




Transient Pulse - Sample: 1cm_42 - Position: 4930.0 μm - Charge: 4.96 pC




Transient Pulse - Sample: 1cm_42 - Position: 4935.0 μm - Charge: 3.82 pC




Transient Pulse - Sample: 1cm_42 - Position: 4940.0 μm - Charge: 1.87 pC




Transient Pulse - Sample: 1cm_42 - Position: 4945.0 μm - Charge: -0.03 pC




Transient Pulse - Sample: 1cm_42 - Position: 4950.0 μm - Charge: 6.78 pC




Transient Pulse - Sample: 1cm_42 - Position: 4955.0 μm - Charge: 6.00 pC




Transient Pulse - Sample: 1cm_42 - Position: 4960.0 μm - Charge: 4.36 pC




Transient Pulse - Sample: 1cm_42 - Position: 4965.0 μm - Charge: 5.66 pC




Transient Pulse - Sample: 1cm_42 - Position: 4970.0 μm - Charge: 6.35 pC




Transient Pulse - Sample: 1cm_42 - Position: 4975.0 μm - Charge: 3.71 pC




Transient Pulse - Sample: 1cm_42 - Position: 4980.0 μm - Charge: -2.56 pC




Transient Pulse - Sample: 1cm_42 - Position: 4985.0 μm - Charge: -1.71 pC




Transient Pulse - Sample: 1cm_42 - Position: 4990.0 μm - Charge: -3.69 pC




Transient Pulse - Sample: 1cm_42 - Position: 4995.0 μm - Charge: 1.89 pC




Transient Pulse - Sample: 1cm_42 - Position: 5000.0 μm - Charge: 5.36 pC




Transient Pulse - Sample: 1cm_42 - Position: 5005.0 μm - Charge: -1.22 pC




Transient Pulse - Sample: 1cm_42 - Position: 5010.0 μm - Charge: 1.90 pC




Transient Pulse - Sample: 1cm_42 - Position: 5015.0 μm - Charge: 0.27 pC




Transient Pulse - Sample: 1cm_42 - Position: 5020.0 μm - Charge: 1.66 pC




Transient Pulse - Sample: 1cm_42 - Position: 5025.0 μm - Charge: 0.38 pC




Transient Pulse - Sample: 1cm_42 - Position: 5030.0 μm - Charge: 2.89 pC




Transient Pulse - Sample: 1cm_42 - Position: 5035.0 μm - Charge: 5.34 pC




Transient Pulse - Sample: 1cm_42 - Position: 5040.0 μm - Charge: 6.30 pC




Transient Pulse - Sample: 1cm_42 - Position: 5045.0 μm - Charge: 5.37 pC




Transient Pulse - Sample: 1cm_42 - Position: 5050.0 μm - Charge: 1.01 pC




Transient Pulse - Sample: 1cm_42 - Position: 5055.0 μm - Charge: -1.53 pC



Transient Pulse - Sample: 1cm_42 - Position: 5060.0 μm - Charge: 3.01 pC



Transient Pulse - Sample: 1cm_42 - Position: 5065.0 μm - Charge: 5.57 pC



Transient Pulse - Sample: 1cm_42 - Position: 5070.0 μm - Charge: 5.50 pC

