



TCT Run 5mm_23_35MIP Summary

Parameter	Value
Run	5mm_23_35MIP
Surface	x
Edge	N/A
Sample	5mm_23
Vbias (V)	150.0
DAC (%)	63.3
Bandwidth	500MHz
Path	C:\Users\APD-I\Desktop\TCT\LGAD\35MIP_101725\5mm_23
Irradiation (Fluence)	0.0
Notes	MIP Cal w/ 35 MIP 63.3 DAC 5mm_23
Date	10/17/2025
Gain Constant	5.5


Collected Charge




Collected Charge




Gain




Transient Pulse - Sample: 5mm_23 - Position: 0.0 μm - Charge: 3.65 pC




Transient Pulse - Sample: 5mm_23 - Position: 5.0 μm - Charge: 1.59 pC




Transient Pulse - Sample: 5mm_23 - Position: 10.0 μm - Charge: 1.52 pC




Transient Pulse - Sample: 5mm_23 - Position: 15.0 μm - Charge: 2.34 pC




Transient Pulse - Sample: 5mm_23 - Position: 20.0 μm - Charge: 0.94 pC




Transient Pulse - Sample: 5mm_23 - Position: 25.0 μm - Charge: 1.32 pC




Transient Pulse - Sample: 5mm_23 - Position: 30.0 μm - Charge: 2.68 pC




Transient Pulse - Sample: 5mm_23 - Position: 35.0 μm - Charge: 2.43 pC




Transient Pulse - Sample: 5mm_23 - Position: 40.0 μm - Charge: 4.88 pC




Transient Pulse - Sample: 5mm_23 - Position: 45.0 μm - Charge: 5.26 pC




Transient Pulse - Sample: 5mm_23 - Position: 50.0 μm - Charge: 0.45 pC




Transient Pulse - Sample: 5mm_23 - Position: 55.0 μm - Charge: 2.53 pC




Transient Pulse - Sample: 5mm_23 - Position: 60.0 μm - Charge: 4.34 pC




Transient Pulse - Sample: 5mm_23 - Position: 65.0 μm - Charge: -0.33 pC




Transient Pulse - Sample: 5mm_23 - Position: 70.0 μm - Charge: 3.63 pC




Transient Pulse - Sample: 5mm_23 - Position: 75.0 μm - Charge: 4.15 pC




Transient Pulse - Sample: 5mm_23 - Position: 80.0 μm - Charge: 3.69 pC




Transient Pulse - Sample: 5mm_23 - Position: 85.0 μm - Charge: 1.16 pC




Transient Pulse - Sample: 5mm_23 - Position: 90.0 μm - Charge: 3.06 pC




Transient Pulse - Sample: 5mm_23 - Position: 95.0 μm - Charge: 2.05 pC




Transient Pulse - Sample: 5mm_23 - Position: 100.0 μm - Charge: 4.57 pC




Transient Pulse - Sample: 5mm_23 - Position: 105.0 μm - Charge: 0.11 pC




Transient Pulse - Sample: 5mm_23 - Position: 110.0 μm - Charge: 2.05 pC




Transient Pulse - Sample: 5mm_23 - Position: 115.0 μm - Charge: 0.28 pC




Transient Pulse - Sample: 5mm_23 - Position: 120.0 μm - Charge: 1.83 pC




Transient Pulse - Sample: 5mm_23 - Position: 125.0 μm - Charge: 0.90 pC




Transient Pulse - Sample: 5mm_23 - Position: 130.0 μm - Charge: 3.97 pC




Transient Pulse - Sample: 5mm_23 - Position: 135.0 μm - Charge: 4.12 pC




Transient Pulse - Sample: 5mm_23 - Position: 140.0 μm - Charge: 2.75 pC




Transient Pulse - Sample: 5mm_23 - Position: 145.0 μm - Charge: 2.93 pC




Transient Pulse - Sample: 5mm_23 - Position: 150.0 μm - Charge: 3.97 pC




Transient Pulse - Sample: 5mm_23 - Position: 155.0 μm - Charge: 4.82 pC




Transient Pulse - Sample: 5mm_23 - Position: 160.0 μm - Charge: 5.88 pC




Transient Pulse - Sample: 5mm_23 - Position: 165.0 μm - Charge: 7.33 pC




Transient Pulse - Sample: 5mm_23 - Position: 170.0 μm - Charge: 7.77 pC




Transient Pulse - Sample: 5mm_23 - Position: 175.0 μm - Charge: 10.52 pC




Transient Pulse - Sample: 5mm_23 - Position: 180.0 μm - Charge: 13.69 pC




Transient Pulse - Sample: 5mm_23 - Position: 185.0 μm - Charge: 17.38 pC




Transient Pulse - Sample: 5mm_23 - Position: 190.0 μm - Charge: 22.87 pC




Transient Pulse - Sample: 5mm_23 - Position: 195.0 μm - Charge: 28.85 pC




Transient Pulse - Sample: 5mm_23 - Position: 200.0 μm - Charge: 35.23 pC




Transient Pulse - Sample: 5mm_23 - Position: 205.0 μm - Charge: 41.29 pC




Transient Pulse - Sample: 5mm_23 - Position: 210.0 μm - Charge: 47.47 pC




Transient Pulse - Sample: 5mm_23 - Position: 215.0 μm - Charge: 53.76 pC




Transient Pulse - Sample: 5mm_23 - Position: 220.0 μm - Charge: 65.27 pC




Transient Pulse - Sample: 5mm_23 - Position: 225.0 μm - Charge: 75.09 pC




Transient Pulse - Sample: 5mm_23 - Position: 230.0 μm - Charge: 79.81 pC




Transient Pulse - Sample: 5mm_23 - Position: 235.0 μm - Charge: 84.84 pC




Transient Pulse - Sample: 5mm_23 - Position: 240.0 μm - Charge: 91.51 pC




Transient Pulse - Sample: 5mm_23 - Position: 245.0 μm - Charge: 97.19 pC




Transient Pulse - Sample: 5mm_23 - Position: 250.0 μm - Charge: 101.25 pC




Transient Pulse - Sample: 5mm_23 - Position: 255.0 μm - Charge: 106.53 pC




Transient Pulse - Sample: 5mm_23 - Position: 260.0 μm - Charge: 107.27 pC




Transient Pulse - Sample: 5mm_23 - Position: 265.0 μm - Charge: 109.68 pC




Transient Pulse - Sample: 5mm_23 - Position: 270.0 μm - Charge: 110.57 pC




Transient Pulse - Sample: 5mm_23 - Position: 275.0 μm - Charge: 113.07 pC




Transient Pulse - Sample: 5mm_23 - Position: 280.0 μm - Charge: 114.95 pC




Transient Pulse - Sample: 5mm_23 - Position: 285.0 μm - Charge: 115.44 pC




Transient Pulse - Sample: 5mm_23 - Position: 290.0 μm - Charge: 113.87 pC




Transient Pulse - Sample: 5mm_23 - Position: 295.0 μm - Charge: 115.37 pC




Transient Pulse - Sample: 5mm_23 - Position: 300.0 μm - Charge: 113.92 pC




Transient Pulse - Sample: 5mm_23 - Position: 305.0 μm - Charge: 115.64 pC




Transient Pulse - Sample: 5mm_23 - Position: 310.0 μm - Charge: 114.56 pC




Transient Pulse - Sample: 5mm_23 - Position: 315.0 μm - Charge: 114.65 pC




Transient Pulse - Sample: 5mm_23 - Position: 320.0 μm - Charge: 114.72 pC




Transient Pulse - Sample: 5mm_23 - Position: 325.0 μm - Charge: 113.69 pC




Transient Pulse - Sample: 5mm_23 - Position: 330.0 μm - Charge: 114.91 pC




Transient Pulse - Sample: 5mm_23 - Position: 335.0 μm - Charge: 113.12 pC




Transient Pulse - Sample: 5mm_23 - Position: 340.0 μm - Charge: 112.56 pC




Transient Pulse - Sample: 5mm_23 - Position: 345.0 μm - Charge: 114.90 pC




Transient Pulse - Sample: 5mm_23 - Position: 350.0 μm - Charge: 115.82 pC




Transient Pulse - Sample: 5mm_23 - Position: 355.0 μm - Charge: 112.46 pC




Transient Pulse - Sample: 5mm_23 - Position: 360.0 μm - Charge: 115.52 pC




Transient Pulse - Sample: 5mm_23 - Position: 365.0 μm - Charge: 115.78 pC




Transient Pulse - Sample: 5mm_23 - Position: 370.0 μm - Charge: 116.82 pC




Transient Pulse - Sample: 5mm_23 - Position: 375.0 μm - Charge: 115.71 pC




Transient Pulse - Sample: 5mm_23 - Position: 380.0 μm - Charge: 117.44 pC




Transient Pulse - Sample: 5mm_23 - Position: 385.0 μm - Charge: 114.67 pC




Transient Pulse - Sample: 5mm_23 - Position: 390.0 μm - Charge: 115.58 pC




Transient Pulse - Sample: 5mm_23 - Position: 395.0 μm - Charge: 115.41 pC




Transient Pulse - Sample: 5mm_23 - Position: 400.0 μm - Charge: 115.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 405.0 μm - Charge: 115.02 pC




Transient Pulse - Sample: 5mm_23 - Position: 410.0 μm - Charge: 114.18 pC




Transient Pulse - Sample: 5mm_23 - Position: 415.0 μm - Charge: 115.89 pC




Transient Pulse - Sample: 5mm_23 - Position: 420.0 μm - Charge: 117.35 pC




Transient Pulse - Sample: 5mm_23 - Position: 425.0 μm - Charge: 115.86 pC




Transient Pulse - Sample: 5mm_23 - Position: 430.0 μm - Charge: 114.00 pC




Transient Pulse - Sample: 5mm_23 - Position: 435.0 μm - Charge: 113.74 pC




Transient Pulse - Sample: 5mm_23 - Position: 440.0 μm - Charge: 113.24 pC




Transient Pulse - Sample: 5mm_23 - Position: 445.0 μm - Charge: 117.21 pC




Transient Pulse - Sample: 5mm_23 - Position: 450.0 μm - Charge: 115.88 pC




Transient Pulse - Sample: 5mm_23 - Position: 455.0 μm - Charge: 116.25 pC




Transient Pulse - Sample: 5mm_23 - Position: 460.0 μm - Charge: 113.96 pC




Transient Pulse - Sample: 5mm_23 - Position: 465.0 μm - Charge: 115.52 pC




Transient Pulse - Sample: 5mm_23 - Position: 470.0 μm - Charge: 114.01 pC




Transient Pulse - Sample: 5mm_23 - Position: 475.0 μm - Charge: 118.11 pC




Transient Pulse - Sample: 5mm_23 - Position: 480.0 μm - Charge: 118.45 pC




Transient Pulse - Sample: 5mm_23 - Position: 485.0 μm - Charge: 115.68 pC




Transient Pulse - Sample: 5mm_23 - Position: 490.0 μm - Charge: 115.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 495.0 μm - Charge: 114.81 pC




Transient Pulse - Sample: 5mm_23 - Position: 500.0 μm - Charge: 114.48 pC




Transient Pulse - Sample: 5mm_23 - Position: 505.0 μm - Charge: 114.10 pC




Transient Pulse - Sample: 5mm_23 - Position: 510.0 μm - Charge: 113.19 pC




Transient Pulse - Sample: 5mm_23 - Position: 515.0 μm - Charge: 115.76 pC




Transient Pulse - Sample: 5mm_23 - Position: 520.0 μm - Charge: 112.55 pC




Transient Pulse - Sample: 5mm_23 - Position: 525.0 μm - Charge: 110.28 pC




Transient Pulse - Sample: 5mm_23 - Position: 530.0 μm - Charge: 111.56 pC




Transient Pulse - Sample: 5mm_23 - Position: 535.0 μm - Charge: 108.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 540.0 μm - Charge: 103.20 pC




Transient Pulse - Sample: 5mm_23 - Position: 545.0 μm - Charge: 98.55 pC




Transient Pulse - Sample: 5mm_23 - Position: 550.0 μm - Charge: 94.85 pC




Transient Pulse - Sample: 5mm_23 - Position: 555.0 μm - Charge: 89.42 pC




Transient Pulse - Sample: 5mm_23 - Position: 560.0 μm - Charge: 82.83 pC




Transient Pulse - Sample: 5mm_23 - Position: 565.0 μm - Charge: 73.57 pC




Transient Pulse - Sample: 5mm_23 - Position: 570.0 μm - Charge: 66.05 pC




Transient Pulse - Sample: 5mm_23 - Position: 575.0 μm - Charge: 57.33 pC




Transient Pulse - Sample: 5mm_23 - Position: 580.0 μm - Charge: 53.38 pC




Transient Pulse - Sample: 5mm_23 - Position: 585.0 μm - Charge: 44.14 pC




Transient Pulse - Sample: 5mm_23 - Position: 590.0 μm - Charge: 39.43 pC




Transient Pulse - Sample: 5mm_23 - Position: 595.0 μm - Charge: 31.91 pC




Transient Pulse - Sample: 5mm_23 - Position: 600.0 μm - Charge: 26.89 pC




Transient Pulse - Sample: 5mm_23 - Position: 605.0 μm - Charge: 23.12 pC




Transient Pulse - Sample: 5mm_23 - Position: 610.0 μm - Charge: 20.26 pC




Transient Pulse - Sample: 5mm_23 - Position: 615.0 μm - Charge: 17.86 pC




Transient Pulse - Sample: 5mm_23 - Position: 620.0 μm - Charge: 17.88 pC




Transient Pulse - Sample: 5mm_23 - Position: 625.0 μm - Charge: 18.50 pC




Transient Pulse - Sample: 5mm_23 - Position: 630.0 μm - Charge: 22.21 pC




Transient Pulse - Sample: 5mm_23 - Position: 635.0 μm - Charge: 23.32 pC




Transient Pulse - Sample: 5mm_23 - Position: 640.0 μm - Charge: 28.08 pC




Transient Pulse - Sample: 5mm_23 - Position: 645.0 μm - Charge: 33.90 pC




Transient Pulse - Sample: 5mm_23 - Position: 650.0 μm - Charge: 41.52 pC




Transient Pulse - Sample: 5mm_23 - Position: 655.0 μm - Charge: 49.19 pC




Transient Pulse - Sample: 5mm_23 - Position: 660.0 μm - Charge: 56.01 pC




Transient Pulse - Sample: 5mm_23 - Position: 665.0 μm - Charge: 61.43 pC




Transient Pulse - Sample: 5mm_23 - Position: 670.0 μm - Charge: 67.57 pC




Transient Pulse - Sample: 5mm_23 - Position: 675.0 μm - Charge: 77.60 pC




Transient Pulse - Sample: 5mm_23 - Position: 680.0 μm - Charge: 83.16 pC




Transient Pulse - Sample: 5mm_23 - Position: 685.0 μm - Charge: 89.23 pC




Transient Pulse - Sample: 5mm_23 - Position: 690.0 μm - Charge: 97.45 pC




Transient Pulse - Sample: 5mm_23 - Position: 695.0 μm - Charge: 100.46 pC




Transient Pulse - Sample: 5mm_23 - Position: 700.0 μm - Charge: 105.35 pC




Transient Pulse - Sample: 5mm_23 - Position: 705.0 μm - Charge: 109.56 pC




Transient Pulse - Sample: 5mm_23 - Position: 710.0 μm - Charge: 111.46 pC




Transient Pulse - Sample: 5mm_23 - Position: 715.0 μm - Charge: 114.66 pC




Transient Pulse - Sample: 5mm_23 - Position: 720.0 μm - Charge: 114.53 pC




Transient Pulse - Sample: 5mm_23 - Position: 725.0 μm - Charge: 118.06 pC




Transient Pulse - Sample: 5mm_23 - Position: 730.0 μm - Charge: 117.75 pC




Transient Pulse - Sample: 5mm_23 - Position: 735.0 μm - Charge: 117.87 pC




Transient Pulse - Sample: 5mm_23 - Position: 740.0 μm - Charge: 118.24 pC




Transient Pulse - Sample: 5mm_23 - Position: 745.0 μm - Charge: 119.91 pC




Transient Pulse - Sample: 5mm_23 - Position: 750.0 μm - Charge: 119.57 pC




Transient Pulse - Sample: 5mm_23 - Position: 755.0 μm - Charge: 119.48 pC




Transient Pulse - Sample: 5mm_23 - Position: 760.0 μm - Charge: 120.15 pC




Transient Pulse - Sample: 5mm_23 - Position: 765.0 μm - Charge: 117.86 pC




Transient Pulse - Sample: 5mm_23 - Position: 770.0 μm - Charge: 120.65 pC




Transient Pulse - Sample: 5mm_23 - Position: 775.0 μm - Charge: 122.61 pC




Transient Pulse - Sample: 5mm_23 - Position: 780.0 μm - Charge: 121.42 pC




Transient Pulse - Sample: 5mm_23 - Position: 785.0 μm - Charge: 121.25 pC




Transient Pulse - Sample: 5mm_23 - Position: 790.0 μm - Charge: 121.65 pC




Transient Pulse - Sample: 5mm_23 - Position: 795.0 μm - Charge: 122.48 pC




Transient Pulse - Sample: 5mm_23 - Position: 800.0 μm - Charge: 123.32 pC




Transient Pulse - Sample: 5mm_23 - Position: 805.0 μm - Charge: 120.20 pC




Transient Pulse - Sample: 5mm_23 - Position: 810.0 μm - Charge: 123.14 pC




Transient Pulse - Sample: 5mm_23 - Position: 815.0 μm - Charge: 121.56 pC




Transient Pulse - Sample: 5mm_23 - Position: 820.0 μm - Charge: 122.26 pC




Transient Pulse - Sample: 5mm_23 - Position: 825.0 μm - Charge: 122.95 pC




Transient Pulse - Sample: 5mm_23 - Position: 830.0 μm - Charge: 124.84 pC




Transient Pulse - Sample: 5mm_23 - Position: 835.0 μm - Charge: 122.98 pC




Transient Pulse - Sample: 5mm_23 - Position: 840.0 μm - Charge: 120.91 pC




Transient Pulse - Sample: 5mm_23 - Position: 845.0 μm - Charge: 122.80 pC




Transient Pulse - Sample: 5mm_23 - Position: 850.0 μm - Charge: 122.75 pC




Transient Pulse - Sample: 5mm_23 - Position: 855.0 μm - Charge: 121.97 pC




Transient Pulse - Sample: 5mm_23 - Position: 860.0 μm - Charge: 123.48 pC




Transient Pulse - Sample: 5mm_23 - Position: 865.0 μm - Charge: 123.15 pC




Transient Pulse - Sample: 5mm_23 - Position: 870.0 μm - Charge: 122.35 pC




Transient Pulse - Sample: 5mm_23 - Position: 875.0 μm - Charge: 122.67 pC




Transient Pulse - Sample: 5mm_23 - Position: 880.0 μm - Charge: 122.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 885.0 μm - Charge: 124.85 pC




Transient Pulse - Sample: 5mm_23 - Position: 890.0 μm - Charge: 124.43 pC




Transient Pulse - Sample: 5mm_23 - Position: 895.0 μm - Charge: 123.47 pC




Transient Pulse - Sample: 5mm_23 - Position: 900.0 μm - Charge: 125.84 pC




Transient Pulse - Sample: 5mm_23 - Position: 905.0 μm - Charge: 122.62 pC




Transient Pulse - Sample: 5mm_23 - Position: 910.0 μm - Charge: 122.83 pC




Transient Pulse - Sample: 5mm_23 - Position: 915.0 μm - Charge: 123.09 pC




Transient Pulse - Sample: 5mm_23 - Position: 920.0 μm - Charge: 125.55 pC




Transient Pulse - Sample: 5mm_23 - Position: 925.0 μm - Charge: 126.55 pC




Transient Pulse - Sample: 5mm_23 - Position: 930.0 μm - Charge: 124.92 pC




Transient Pulse - Sample: 5mm_23 - Position: 935.0 μm - Charge: 127.07 pC




Transient Pulse - Sample: 5mm_23 - Position: 940.0 μm - Charge: 124.92 pC




Transient Pulse - Sample: 5mm_23 - Position: 945.0 μm - Charge: 126.72 pC




Transient Pulse - Sample: 5mm_23 - Position: 950.0 μm - Charge: 123.57 pC




Transient Pulse - Sample: 5mm_23 - Position: 955.0 μm - Charge: 126.44 pC




Transient Pulse - Sample: 5mm_23 - Position: 960.0 μm - Charge: 125.47 pC




Transient Pulse - Sample: 5mm_23 - Position: 965.0 μm - Charge: 124.42 pC




Transient Pulse - Sample: 5mm_23 - Position: 970.0 μm - Charge: 124.51 pC




Transient Pulse - Sample: 5mm_23 - Position: 975.0 μm - Charge: 125.49 pC




Transient Pulse - Sample: 5mm_23 - Position: 980.0 μm - Charge: 125.79 pC




Transient Pulse - Sample: 5mm_23 - Position: 985.0 μm - Charge: 125.59 pC




Transient Pulse - Sample: 5mm_23 - Position: 990.0 μm - Charge: 125.62 pC




Transient Pulse - Sample: 5mm_23 - Position: 995.0 μm - Charge: 123.21 pC




Transient Pulse - Sample: 5mm_23 - Position: 1000.0 μm - Charge: 124.50 pC




Transient Pulse - Sample: 5mm_23 - Position: 1005.0 μm - Charge: 123.00 pC




Transient Pulse - Sample: 5mm_23 - Position: 1010.0 μm - Charge: 122.19 pC




Transient Pulse - Sample: 5mm_23 - Position: 1015.0 μm - Charge: 126.06 pC




Transient Pulse - Sample: 5mm_23 - Position: 1020.0 μm - Charge: 123.52 pC




Transient Pulse - Sample: 5mm_23 - Position: 1025.0 μm - Charge: 123.35 pC




Transient Pulse - Sample: 5mm_23 - Position: 1030.0 μm - Charge: 120.05 pC




Transient Pulse - Sample: 5mm_23 - Position: 1035.0 μm - Charge: 120.64 pC




Transient Pulse - Sample: 5mm_23 - Position: 1040.0 μm - Charge: 114.43 pC




Transient Pulse - Sample: 5mm_23 - Position: 1045.0 μm - Charge: 110.41 pC




Transient Pulse - Sample: 5mm_23 - Position: 1050.0 μm - Charge: 103.88 pC




Transient Pulse - Sample: 5mm_23 - Position: 1055.0 μm - Charge: 101.25 pC




Transient Pulse - Sample: 5mm_23 - Position: 1060.0 μm - Charge: 90.37 pC




Transient Pulse - Sample: 5mm_23 - Position: 1065.0 μm - Charge: 85.70 pC




Transient Pulse - Sample: 5mm_23 - Position: 1070.0 μm - Charge: 78.73 pC




Transient Pulse - Sample: 5mm_23 - Position: 1075.0 μm - Charge: 68.31 pC




Transient Pulse - Sample: 5mm_23 - Position: 1080.0 μm - Charge: 63.45 pC




Transient Pulse - Sample: 5mm_23 - Position: 1085.0 μm - Charge: 55.66 pC




Transient Pulse - Sample: 5mm_23 - Position: 1090.0 μm - Charge: 45.71 pC




Transient Pulse - Sample: 5mm_23 - Position: 1095.0 μm - Charge: 39.57 pC




Transient Pulse - Sample: 5mm_23 - Position: 1100.0 μm - Charge: 35.34 pC




Transient Pulse - Sample: 5mm_23 - Position: 1105.0 μm - Charge: 29.22 pC




Transient Pulse - Sample: 5mm_23 - Position: 1110.0 μm - Charge: 25.21 pC




Transient Pulse - Sample: 5mm_23 - Position: 1115.0 μm - Charge: 23.85 pC




Transient Pulse - Sample: 5mm_23 - Position: 1120.0 μm - Charge: 20.15 pC




Transient Pulse - Sample: 5mm_23 - Position: 1125.0 μm - Charge: 19.36 pC




Transient Pulse - Sample: 5mm_23 - Position: 1130.0 μm - Charge: 20.05 pC




Transient Pulse - Sample: 5mm_23 - Position: 1135.0 μm - Charge: 20.85 pC




Transient Pulse - Sample: 5mm_23 - Position: 1140.0 μm - Charge: 25.07 pC




Transient Pulse - Sample: 5mm_23 - Position: 1145.0 μm - Charge: 31.66 pC




Transient Pulse - Sample: 5mm_23 - Position: 1150.0 μm - Charge: 35.60 pC




Transient Pulse - Sample: 5mm_23 - Position: 1155.0 μm - Charge: 43.11 pC




Transient Pulse - Sample: 5mm_23 - Position: 1160.0 μm - Charge: 48.39 pC




Transient Pulse - Sample: 5mm_23 - Position: 1165.0 μm - Charge: 57.22 pC




Transient Pulse - Sample: 5mm_23 - Position: 1170.0 μm - Charge: 64.87 pC




Transient Pulse - Sample: 5mm_23 - Position: 1175.0 μm - Charge: 71.87 pC




Transient Pulse - Sample: 5mm_23 - Position: 1180.0 μm - Charge: 82.24 pC




Transient Pulse - Sample: 5mm_23 - Position: 1185.0 μm - Charge: 87.86 pC




Transient Pulse - Sample: 5mm_23 - Position: 1190.0 μm - Charge: 96.37 pC




Transient Pulse - Sample: 5mm_23 - Position: 1195.0 μm - Charge: 101.23 pC




Transient Pulse - Sample: 5mm_23 - Position: 1200.0 μm - Charge: 107.04 pC




Transient Pulse - Sample: 5mm_23 - Position: 1205.0 μm - Charge: 110.11 pC




Transient Pulse - Sample: 5mm_23 - Position: 1210.0 μm - Charge: 116.73 pC




Transient Pulse - Sample: 5mm_23 - Position: 1215.0 μm - Charge: 118.95 pC




Transient Pulse - Sample: 5mm_23 - Position: 1220.0 μm - Charge: 122.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 1225.0 μm - Charge: 121.37 pC




Transient Pulse - Sample: 5mm_23 - Position: 1230.0 μm - Charge: 122.22 pC




Transient Pulse - Sample: 5mm_23 - Position: 1235.0 μm - Charge: 126.45 pC




Transient Pulse - Sample: 5mm_23 - Position: 1240.0 μm - Charge: 126.83 pC




Transient Pulse - Sample: 5mm_23 - Position: 1245.0 μm - Charge: 127.68 pC




Transient Pulse - Sample: 5mm_23 - Position: 1250.0 μm - Charge: 126.35 pC




Transient Pulse - Sample: 5mm_23 - Position: 1255.0 μm - Charge: 128.41 pC




Transient Pulse - Sample: 5mm_23 - Position: 1260.0 μm - Charge: 124.51 pC




Transient Pulse - Sample: 5mm_23 - Position: 1265.0 μm - Charge: 128.44 pC




Transient Pulse - Sample: 5mm_23 - Position: 1270.0 μm - Charge: 127.73 pC




Transient Pulse - Sample: 5mm_23 - Position: 1275.0 μm - Charge: 127.89 pC




Transient Pulse - Sample: 5mm_23 - Position: 1280.0 μm - Charge: 129.82 pC




Transient Pulse - Sample: 5mm_23 - Position: 1285.0 μm - Charge: 128.22 pC




Transient Pulse - Sample: 5mm_23 - Position: 1290.0 μm - Charge: 128.66 pC




Transient Pulse - Sample: 5mm_23 - Position: 1295.0 μm - Charge: 128.64 pC




Transient Pulse - Sample: 5mm_23 - Position: 1300.0 μm - Charge: 128.03 pC




Transient Pulse - Sample: 5mm_23 - Position: 1305.0 μm - Charge: 126.28 pC




Transient Pulse - Sample: 5mm_23 - Position: 1310.0 μm - Charge: 130.45 pC




Transient Pulse - Sample: 5mm_23 - Position: 1315.0 μm - Charge: 129.09 pC




Transient Pulse - Sample: 5mm_23 - Position: 1320.0 μm - Charge: 129.41 pC




Transient Pulse - Sample: 5mm_23 - Position: 1325.0 μm - Charge: 129.23 pC




Transient Pulse - Sample: 5mm_23 - Position: 1330.0 μm - Charge: 129.69 pC




Transient Pulse - Sample: 5mm_23 - Position: 1335.0 μm - Charge: 130.40 pC




Transient Pulse - Sample: 5mm_23 - Position: 1340.0 μm - Charge: 132.20 pC




Transient Pulse - Sample: 5mm_23 - Position: 1345.0 μm - Charge: 130.58 pC




Transient Pulse - Sample: 5mm_23 - Position: 1350.0 μm - Charge: 133.29 pC




Transient Pulse - Sample: 5mm_23 - Position: 1355.0 μm - Charge: 133.24 pC




Transient Pulse - Sample: 5mm_23 - Position: 1360.0 μm - Charge: 132.65 pC




Transient Pulse - Sample: 5mm_23 - Position: 1365.0 μm - Charge: 135.80 pC




Transient Pulse - Sample: 5mm_23 - Position: 1370.0 μm - Charge: 136.28 pC




Transient Pulse - Sample: 5mm_23 - Position: 1375.0 μm - Charge: 140.60 pC




Transient Pulse - Sample: 5mm_23 - Position: 1380.0 μm - Charge: 137.43 pC




Transient Pulse - Sample: 5mm_23 - Position: 1385.0 μm - Charge: 140.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 1390.0 μm - Charge: 140.93 pC




Transient Pulse - Sample: 5mm_23 - Position: 1395.0 μm - Charge: 143.24 pC




Transient Pulse - Sample: 5mm_23 - Position: 1400.0 μm - Charge: 146.05 pC




Transient Pulse - Sample: 5mm_23 - Position: 1405.0 μm - Charge: 144.64 pC




Transient Pulse - Sample: 5mm_23 - Position: 1410.0 μm - Charge: 144.16 pC




Transient Pulse - Sample: 5mm_23 - Position: 1415.0 μm - Charge: 149.74 pC




Transient Pulse - Sample: 5mm_23 - Position: 1420.0 μm - Charge: 150.27 pC




Transient Pulse - Sample: 5mm_23 - Position: 1425.0 μm - Charge: 148.55 pC




Transient Pulse - Sample: 5mm_23 - Position: 1430.0 μm - Charge: 148.36 pC




Transient Pulse - Sample: 5mm_23 - Position: 1435.0 μm - Charge: 152.13 pC




Transient Pulse - Sample: 5mm_23 - Position: 1440.0 μm - Charge: 151.46 pC




Transient Pulse - Sample: 5mm_23 - Position: 1445.0 μm - Charge: 149.49 pC




Transient Pulse - Sample: 5mm_23 - Position: 1450.0 μm - Charge: 152.36 pC




Transient Pulse - Sample: 5mm_23 - Position: 1455.0 μm - Charge: 150.81 pC




Transient Pulse - Sample: 5mm_23 - Position: 1460.0 μm - Charge: 151.90 pC




Transient Pulse - Sample: 5mm_23 - Position: 1465.0 μm - Charge: 149.31 pC




Transient Pulse - Sample: 5mm_23 - Position: 1470.0 μm - Charge: 148.83 pC




Transient Pulse - Sample: 5mm_23 - Position: 1475.0 μm - Charge: 148.34 pC




Transient Pulse - Sample: 5mm_23 - Position: 1480.0 μm - Charge: 148.20 pC




Transient Pulse - Sample: 5mm_23 - Position: 1485.0 μm - Charge: 144.63 pC




Transient Pulse - Sample: 5mm_23 - Position: 1490.0 μm - Charge: 148.06 pC




Transient Pulse - Sample: 5mm_23 - Position: 1495.0 μm - Charge: 143.85 pC




Transient Pulse - Sample: 5mm_23 - Position: 1500.0 μm - Charge: 142.79 pC




Transient Pulse - Sample: 5mm_23 - Position: 1505.0 μm - Charge: 140.04 pC




Transient Pulse - Sample: 5mm_23 - Position: 1510.0 μm - Charge: 139.87 pC




Transient Pulse - Sample: 5mm_23 - Position: 1515.0 μm - Charge: 135.01 pC




Transient Pulse - Sample: 5mm_23 - Position: 1520.0 μm - Charge: 137.18 pC




Transient Pulse - Sample: 5mm_23 - Position: 1525.0 μm - Charge: 133.28 pC




Transient Pulse - Sample: 5mm_23 - Position: 1530.0 μm - Charge: 128.51 pC




Transient Pulse - Sample: 5mm_23 - Position: 1535.0 μm - Charge: 124.77 pC




Transient Pulse - Sample: 5mm_23 - Position: 1540.0 μm - Charge: 120.58 pC




Transient Pulse - Sample: 5mm_23 - Position: 1545.0 μm - Charge: 110.91 pC




Transient Pulse - Sample: 5mm_23 - Position: 1550.0 μm - Charge: 105.70 pC




Transient Pulse - Sample: 5mm_23 - Position: 1555.0 μm - Charge: 99.45 pC




Transient Pulse - Sample: 5mm_23 - Position: 1560.0 μm - Charge: 91.44 pC




Transient Pulse - Sample: 5mm_23 - Position: 1565.0 μm - Charge: 81.86 pC




Transient Pulse - Sample: 5mm_23 - Position: 1570.0 μm - Charge: 74.16 pC




Transient Pulse - Sample: 5mm_23 - Position: 1575.0 μm - Charge: 66.45 pC




Transient Pulse - Sample: 5mm_23 - Position: 1580.0 μm - Charge: 57.50 pC




Transient Pulse - Sample: 5mm_23 - Position: 1585.0 μm - Charge: 49.28 pC




Transient Pulse - Sample: 5mm_23 - Position: 1590.0 μm - Charge: 41.79 pC




Transient Pulse - Sample: 5mm_23 - Position: 1595.0 μm - Charge: 37.75 pC




Transient Pulse - Sample: 5mm_23 - Position: 1600.0 μm - Charge: 31.11 pC




Transient Pulse - Sample: 5mm_23 - Position: 1605.0 μm - Charge: 25.87 pC




Transient Pulse - Sample: 5mm_23 - Position: 1610.0 μm - Charge: 21.36 pC




Transient Pulse - Sample: 5mm_23 - Position: 1615.0 μm - Charge: 18.52 pC




Transient Pulse - Sample: 5mm_23 - Position: 1620.0 μm - Charge: 19.42 pC




Transient Pulse - Sample: 5mm_23 - Position: 1625.0 μm - Charge: 21.05 pC




Transient Pulse - Sample: 5mm_23 - Position: 1630.0 μm - Charge: 21.14 pC




Transient Pulse - Sample: 5mm_23 - Position: 1635.0 μm - Charge: 27.32 pC




Transient Pulse - Sample: 5mm_23 - Position: 1640.0 μm - Charge: 30.40 pC




Transient Pulse - Sample: 5mm_23 - Position: 1645.0 μm - Charge: 35.03 pC




Transient Pulse - Sample: 5mm_23 - Position: 1650.0 μm - Charge: 40.45 pC




Transient Pulse - Sample: 5mm_23 - Position: 1655.0 μm - Charge: 43.61 pC




Transient Pulse - Sample: 5mm_23 - Position: 1660.0 μm - Charge: 50.63 pC




Transient Pulse - Sample: 5mm_23 - Position: 1665.0 μm - Charge: 59.34 pC




Transient Pulse - Sample: 5mm_23 - Position: 1670.0 μm - Charge: 67.04 pC




Transient Pulse - Sample: 5mm_23 - Position: 1675.0 μm - Charge: 70.28 pC




Transient Pulse - Sample: 5mm_23 - Position: 1680.0 μm - Charge: 80.23 pC




Transient Pulse - Sample: 5mm_23 - Position: 1685.0 μm - Charge: 87.97 pC




Transient Pulse - Sample: 5mm_23 - Position: 1690.0 μm - Charge: 94.11 pC




Transient Pulse - Sample: 5mm_23 - Position: 1695.0 μm - Charge: 103.63 pC




Transient Pulse - Sample: 5mm_23 - Position: 1700.0 μm - Charge: 107.18 pC




Transient Pulse - Sample: 5mm_23 - Position: 1705.0 μm - Charge: 110.80 pC




Transient Pulse - Sample: 5mm_23 - Position: 1710.0 μm - Charge: 119.26 pC




Transient Pulse - Sample: 5mm_23 - Position: 1715.0 μm - Charge: 121.71 pC




Transient Pulse - Sample: 5mm_23 - Position: 1720.0 μm - Charge: 126.08 pC




Transient Pulse - Sample: 5mm_23 - Position: 1725.0 μm - Charge: 127.43 pC




Transient Pulse - Sample: 5mm_23 - Position: 1730.0 μm - Charge: 130.10 pC




Transient Pulse - Sample: 5mm_23 - Position: 1735.0 μm - Charge: 132.16 pC




Transient Pulse - Sample: 5mm_23 - Position: 1740.0 μm - Charge: 132.27 pC




Transient Pulse - Sample: 5mm_23 - Position: 1745.0 μm - Charge: 133.03 pC




Transient Pulse - Sample: 5mm_23 - Position: 1750.0 μm - Charge: 132.39 pC




Transient Pulse - Sample: 5mm_23 - Position: 1755.0 μm - Charge: 132.85 pC




Transient Pulse - Sample: 5mm_23 - Position: 1760.0 μm - Charge: 134.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 1765.0 μm - Charge: 136.48 pC




Transient Pulse - Sample: 5mm_23 - Position: 1770.0 μm - Charge: 134.75 pC




Transient Pulse - Sample: 5mm_23 - Position: 1775.0 μm - Charge: 137.04 pC




Transient Pulse - Sample: 5mm_23 - Position: 1780.0 μm - Charge: 136.02 pC




Transient Pulse - Sample: 5mm_23 - Position: 1785.0 μm - Charge: 135.30 pC




Transient Pulse - Sample: 5mm_23 - Position: 1790.0 μm - Charge: 135.32 pC




Transient Pulse - Sample: 5mm_23 - Position: 1795.0 μm - Charge: 135.40 pC




Transient Pulse - Sample: 5mm_23 - Position: 1800.0 μm - Charge: 134.29 pC




Transient Pulse - Sample: 5mm_23 - Position: 1805.0 μm - Charge: 134.36 pC




Transient Pulse - Sample: 5mm_23 - Position: 1810.0 μm - Charge: 134.97 pC




Transient Pulse - Sample: 5mm_23 - Position: 1815.0 μm - Charge: 135.23 pC




Transient Pulse - Sample: 5mm_23 - Position: 1820.0 μm - Charge: 135.45 pC




Transient Pulse - Sample: 5mm_23 - Position: 1825.0 μm - Charge: 135.84 pC




Transient Pulse - Sample: 5mm_23 - Position: 1830.0 μm - Charge: 133.53 pC




Transient Pulse - Sample: 5mm_23 - Position: 1835.0 μm - Charge: 135.30 pC




Transient Pulse - Sample: 5mm_23 - Position: 1840.0 μm - Charge: 134.17 pC




Transient Pulse - Sample: 5mm_23 - Position: 1845.0 μm - Charge: 134.12 pC




Transient Pulse - Sample: 5mm_23 - Position: 1850.0 μm - Charge: 137.16 pC




Transient Pulse - Sample: 5mm_23 - Position: 1855.0 μm - Charge: 137.46 pC




Transient Pulse - Sample: 5mm_23 - Position: 1860.0 μm - Charge: 134.35 pC




Transient Pulse - Sample: 5mm_23 - Position: 1865.0 μm - Charge: 134.16 pC




Transient Pulse - Sample: 5mm_23 - Position: 1870.0 μm - Charge: 135.45 pC




Transient Pulse - Sample: 5mm_23 - Position: 1875.0 μm - Charge: 138.02 pC




Transient Pulse - Sample: 5mm_23 - Position: 1880.0 μm - Charge: 136.58 pC




Transient Pulse - Sample: 5mm_23 - Position: 1885.0 μm - Charge: 137.13 pC




Transient Pulse - Sample: 5mm_23 - Position: 1890.0 μm - Charge: 135.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 1895.0 μm - Charge: 136.94 pC




Transient Pulse - Sample: 5mm_23 - Position: 1900.0 μm - Charge: 139.28 pC




Transient Pulse - Sample: 5mm_23 - Position: 1905.0 μm - Charge: 136.78 pC




Transient Pulse - Sample: 5mm_23 - Position: 1910.0 μm - Charge: 138.13 pC




Transient Pulse - Sample: 5mm_23 - Position: 1915.0 μm - Charge: 135.76 pC




Transient Pulse - Sample: 5mm_23 - Position: 1920.0 μm - Charge: 137.80 pC




Transient Pulse - Sample: 5mm_23 - Position: 1925.0 μm - Charge: 143.22 pC




Transient Pulse - Sample: 5mm_23 - Position: 1930.0 μm - Charge: 139.96 pC




Transient Pulse - Sample: 5mm_23 - Position: 1935.0 μm - Charge: 141.39 pC




Transient Pulse - Sample: 5mm_23 - Position: 1940.0 μm - Charge: 140.62 pC




Transient Pulse - Sample: 5mm_23 - Position: 1945.0 μm - Charge: 142.08 pC




Transient Pulse - Sample: 5mm_23 - Position: 1950.0 μm - Charge: 141.90 pC




Transient Pulse - Sample: 5mm_23 - Position: 1955.0 μm - Charge: 142.05 pC




Transient Pulse - Sample: 5mm_23 - Position: 1960.0 μm - Charge: 142.67 pC




Transient Pulse - Sample: 5mm_23 - Position: 1965.0 μm - Charge: 144.25 pC




Transient Pulse - Sample: 5mm_23 - Position: 1970.0 μm - Charge: 144.82 pC




Transient Pulse - Sample: 5mm_23 - Position: 1975.0 μm - Charge: 145.89 pC




Transient Pulse - Sample: 5mm_23 - Position: 1980.0 μm - Charge: 142.65 pC




Transient Pulse - Sample: 5mm_23 - Position: 1985.0 μm - Charge: 145.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 1990.0 μm - Charge: 144.93 pC




Transient Pulse - Sample: 5mm_23 - Position: 1995.0 μm - Charge: 144.44 pC




Transient Pulse - Sample: 5mm_23 - Position: 2000.0 μm - Charge: 145.82 pC




Transient Pulse - Sample: 5mm_23 - Position: 2005.0 μm - Charge: 143.99 pC




Transient Pulse - Sample: 5mm_23 - Position: 2010.0 μm - Charge: 145.96 pC




Transient Pulse - Sample: 5mm_23 - Position: 2015.0 μm - Charge: 142.93 pC




Transient Pulse - Sample: 5mm_23 - Position: 2020.0 μm - Charge: 147.36 pC




Transient Pulse - Sample: 5mm_23 - Position: 2025.0 μm - Charge: 143.99 pC




Transient Pulse - Sample: 5mm_23 - Position: 2030.0 μm - Charge: 140.95 pC




Transient Pulse - Sample: 5mm_23 - Position: 2035.0 μm - Charge: 139.93 pC




Transient Pulse - Sample: 5mm_23 - Position: 2040.0 μm - Charge: 136.91 pC




Transient Pulse - Sample: 5mm_23 - Position: 2045.0 μm - Charge: 136.59 pC




Transient Pulse - Sample: 5mm_23 - Position: 2050.0 μm - Charge: 134.62 pC




Transient Pulse - Sample: 5mm_23 - Position: 2055.0 μm - Charge: 127.79 pC




Transient Pulse - Sample: 5mm_23 - Position: 2060.0 μm - Charge: 125.10 pC




Transient Pulse - Sample: 5mm_23 - Position: 2065.0 μm - Charge: 116.08 pC




Transient Pulse - Sample: 5mm_23 - Position: 2070.0 μm - Charge: 107.23 pC




Transient Pulse - Sample: 5mm_23 - Position: 2075.0 μm - Charge: 101.17 pC




Transient Pulse - Sample: 5mm_23 - Position: 2080.0 μm - Charge: 90.96 pC




Transient Pulse - Sample: 5mm_23 - Position: 2085.0 μm - Charge: 83.24 pC




Transient Pulse - Sample: 5mm_23 - Position: 2090.0 μm - Charge: 72.25 pC




Transient Pulse - Sample: 5mm_23 - Position: 2095.0 μm - Charge: 64.19 pC




Transient Pulse - Sample: 5mm_23 - Position: 2100.0 μm - Charge: 56.27 pC




Transient Pulse - Sample: 5mm_23 - Position: 2105.0 μm - Charge: 48.42 pC




Transient Pulse - Sample: 5mm_23 - Position: 2110.0 μm - Charge: 44.14 pC




Transient Pulse - Sample: 5mm_23 - Position: 2115.0 μm - Charge: 36.35 pC




Transient Pulse - Sample: 5mm_23 - Position: 2120.0 μm - Charge: 29.24 pC




Transient Pulse - Sample: 5mm_23 - Position: 2125.0 μm - Charge: 26.68 pC




Transient Pulse - Sample: 5mm_23 - Position: 2130.0 μm - Charge: 21.04 pC




Transient Pulse - Sample: 5mm_23 - Position: 2135.0 μm - Charge: 23.09 pC




Transient Pulse - Sample: 5mm_23 - Position: 2140.0 μm - Charge: 18.98 pC




Transient Pulse - Sample: 5mm_23 - Position: 2145.0 μm - Charge: 20.34 pC




Transient Pulse - Sample: 5mm_23 - Position: 2150.0 μm - Charge: 24.37 pC




Transient Pulse - Sample: 5mm_23 - Position: 2155.0 μm - Charge: 29.27 pC




Transient Pulse - Sample: 5mm_23 - Position: 2160.0 μm - Charge: 35.01 pC




Transient Pulse - Sample: 5mm_23 - Position: 2165.0 μm - Charge: 39.29 pC




Transient Pulse - Sample: 5mm_23 - Position: 2170.0 μm - Charge: 48.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 2175.0 μm - Charge: 57.72 pC




Transient Pulse - Sample: 5mm_23 - Position: 2180.0 μm - Charge: 63.56 pC




Transient Pulse - Sample: 5mm_23 - Position: 2185.0 μm - Charge: 71.74 pC




Transient Pulse - Sample: 5mm_23 - Position: 2190.0 μm - Charge: 80.20 pC




Transient Pulse - Sample: 5mm_23 - Position: 2195.0 μm - Charge: 90.90 pC




Transient Pulse - Sample: 5mm_23 - Position: 2200.0 μm - Charge: 95.37 pC




Transient Pulse - Sample: 5mm_23 - Position: 2205.0 μm - Charge: 102.55 pC




Transient Pulse - Sample: 5mm_23 - Position: 2210.0 μm - Charge: 111.84 pC




Transient Pulse - Sample: 5mm_23 - Position: 2215.0 μm - Charge: 116.77 pC




Transient Pulse - Sample: 5mm_23 - Position: 2220.0 μm - Charge: 119.97 pC




Transient Pulse - Sample: 5mm_23 - Position: 2225.0 μm - Charge: 123.46 pC




Transient Pulse - Sample: 5mm_23 - Position: 2230.0 μm - Charge: 130.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 2235.0 μm - Charge: 132.83 pC




Transient Pulse - Sample: 5mm_23 - Position: 2240.0 μm - Charge: 132.01 pC




Transient Pulse - Sample: 5mm_23 - Position: 2245.0 μm - Charge: 133.95 pC




Transient Pulse - Sample: 5mm_23 - Position: 2250.0 μm - Charge: 132.45 pC




Transient Pulse - Sample: 5mm_23 - Position: 2255.0 μm - Charge: 136.21 pC




Transient Pulse - Sample: 5mm_23 - Position: 2260.0 μm - Charge: 134.91 pC




Transient Pulse - Sample: 5mm_23 - Position: 2265.0 μm - Charge: 133.81 pC




Transient Pulse - Sample: 5mm_23 - Position: 2270.0 μm - Charge: 138.05 pC




Transient Pulse - Sample: 5mm_23 - Position: 2275.0 μm - Charge: 133.51 pC




Transient Pulse - Sample: 5mm_23 - Position: 2280.0 μm - Charge: 136.73 pC




Transient Pulse - Sample: 5mm_23 - Position: 2285.0 μm - Charge: 139.30 pC




Transient Pulse - Sample: 5mm_23 - Position: 2290.0 μm - Charge: 135.75 pC




Transient Pulse - Sample: 5mm_23 - Position: 2295.0 μm - Charge: 133.90 pC




Transient Pulse - Sample: 5mm_23 - Position: 2300.0 μm - Charge: 138.34 pC




Transient Pulse - Sample: 5mm_23 - Position: 2305.0 μm - Charge: 136.17 pC




Transient Pulse - Sample: 5mm_23 - Position: 2310.0 μm - Charge: 137.26 pC




Transient Pulse - Sample: 5mm_23 - Position: 2315.0 μm - Charge: 137.79 pC




Transient Pulse - Sample: 5mm_23 - Position: 2320.0 μm - Charge: 136.96 pC




Transient Pulse - Sample: 5mm_23 - Position: 2325.0 μm - Charge: 137.61 pC




Transient Pulse - Sample: 5mm_23 - Position: 2330.0 μm - Charge: 137.56 pC




Transient Pulse - Sample: 5mm_23 - Position: 2335.0 μm - Charge: 138.63 pC




Transient Pulse - Sample: 5mm_23 - Position: 2340.0 μm - Charge: 136.26 pC




Transient Pulse - Sample: 5mm_23 - Position: 2345.0 μm - Charge: 138.05 pC




Transient Pulse - Sample: 5mm_23 - Position: 2350.0 μm - Charge: 137.92 pC




Transient Pulse - Sample: 5mm_23 - Position: 2355.0 μm - Charge: 134.98 pC




Transient Pulse - Sample: 5mm_23 - Position: 2360.0 μm - Charge: 136.37 pC




Transient Pulse - Sample: 5mm_23 - Position: 2365.0 μm - Charge: 136.53 pC




Transient Pulse - Sample: 5mm_23 - Position: 2370.0 μm - Charge: 139.80 pC




Transient Pulse - Sample: 5mm_23 - Position: 2375.0 μm - Charge: 137.09 pC




Transient Pulse - Sample: 5mm_23 - Position: 2380.0 μm - Charge: 137.41 pC




Transient Pulse - Sample: 5mm_23 - Position: 2385.0 μm - Charge: 138.00 pC




Transient Pulse - Sample: 5mm_23 - Position: 2390.0 μm - Charge: 138.03 pC




Transient Pulse - Sample: 5mm_23 - Position: 2395.0 μm - Charge: 137.20 pC




Transient Pulse - Sample: 5mm_23 - Position: 2400.0 μm - Charge: 137.17 pC




Transient Pulse - Sample: 5mm_23 - Position: 2405.0 μm - Charge: 136.36 pC




Transient Pulse - Sample: 5mm_23 - Position: 2410.0 μm - Charge: 135.77 pC




Transient Pulse - Sample: 5mm_23 - Position: 2415.0 μm - Charge: 137.85 pC




Transient Pulse - Sample: 5mm_23 - Position: 2420.0 μm - Charge: 137.20 pC




Transient Pulse - Sample: 5mm_23 - Position: 2425.0 μm - Charge: 135.03 pC




Transient Pulse - Sample: 5mm_23 - Position: 2430.0 μm - Charge: 137.14 pC




Transient Pulse - Sample: 5mm_23 - Position: 2435.0 μm - Charge: 137.25 pC




Transient Pulse - Sample: 5mm_23 - Position: 2440.0 μm - Charge: 138.01 pC




Transient Pulse - Sample: 5mm_23 - Position: 2445.0 μm - Charge: 139.07 pC




Transient Pulse - Sample: 5mm_23 - Position: 2450.0 μm - Charge: 138.59 pC




Transient Pulse - Sample: 5mm_23 - Position: 2455.0 μm - Charge: 136.50 pC




Transient Pulse - Sample: 5mm_23 - Position: 2460.0 μm - Charge: 137.11 pC




Transient Pulse - Sample: 5mm_23 - Position: 2465.0 μm - Charge: 136.78 pC




Transient Pulse - Sample: 5mm_23 - Position: 2470.0 μm - Charge: 139.37 pC




Transient Pulse - Sample: 5mm_23 - Position: 2475.0 μm - Charge: 138.97 pC




Transient Pulse - Sample: 5mm_23 - Position: 2480.0 μm - Charge: 136.24 pC




Transient Pulse - Sample: 5mm_23 - Position: 2485.0 μm - Charge: 139.06 pC




Transient Pulse - Sample: 5mm_23 - Position: 2490.0 μm - Charge: 138.16 pC




Transient Pulse - Sample: 5mm_23 - Position: 2495.0 μm - Charge: 138.14 pC




Transient Pulse - Sample: 5mm_23 - Position: 2500.0 μm - Charge: 138.16 pC




Transient Pulse - Sample: 5mm_23 - Position: 2505.0 μm - Charge: 137.72 pC




Transient Pulse - Sample: 5mm_23 - Position: 2510.0 μm - Charge: 136.31 pC




Transient Pulse - Sample: 5mm_23 - Position: 2515.0 μm - Charge: 136.87 pC




Transient Pulse - Sample: 5mm_23 - Position: 2520.0 μm - Charge: 137.49 pC




Transient Pulse - Sample: 5mm_23 - Position: 2525.0 μm - Charge: 134.66 pC




Transient Pulse - Sample: 5mm_23 - Position: 2530.0 μm - Charge: 135.36 pC




Transient Pulse - Sample: 5mm_23 - Position: 2535.0 μm - Charge: 136.46 pC




Transient Pulse - Sample: 5mm_23 - Position: 2540.0 μm - Charge: 134.02 pC




Transient Pulse - Sample: 5mm_23 - Position: 2545.0 μm - Charge: 133.95 pC




Transient Pulse - Sample: 5mm_23 - Position: 2550.0 μm - Charge: 132.83 pC




Transient Pulse - Sample: 5mm_23 - Position: 2555.0 μm - Charge: 130.34 pC




Transient Pulse - Sample: 5mm_23 - Position: 2560.0 μm - Charge: 125.75 pC




Transient Pulse - Sample: 5mm_23 - Position: 2565.0 μm - Charge: 119.32 pC




Transient Pulse - Sample: 5mm_23 - Position: 2570.0 μm - Charge: 116.70 pC




Transient Pulse - Sample: 5mm_23 - Position: 2575.0 μm - Charge: 110.45 pC




Transient Pulse - Sample: 5mm_23 - Position: 2580.0 μm - Charge: 103.07 pC




Transient Pulse - Sample: 5mm_23 - Position: 2585.0 μm - Charge: 96.82 pC




Transient Pulse - Sample: 5mm_23 - Position: 2590.0 μm - Charge: 88.13 pC




Transient Pulse - Sample: 5mm_23 - Position: 2595.0 μm - Charge: 83.30 pC




Transient Pulse - Sample: 5mm_23 - Position: 2600.0 μm - Charge: 70.78 pC




Transient Pulse - Sample: 5mm_23 - Position: 2605.0 μm - Charge: 63.65 pC




Transient Pulse - Sample: 5mm_23 - Position: 2610.0 μm - Charge: 53.25 pC




Transient Pulse - Sample: 5mm_23 - Position: 2615.0 μm - Charge: 47.29 pC




Transient Pulse - Sample: 5mm_23 - Position: 2620.0 μm - Charge: 38.30 pC




Transient Pulse - Sample: 5mm_23 - Position: 2625.0 μm - Charge: 34.87 pC




Transient Pulse - Sample: 5mm_23 - Position: 2630.0 μm - Charge: 28.26 pC




Transient Pulse - Sample: 5mm_23 - Position: 2635.0 μm - Charge: 26.03 pC




Transient Pulse - Sample: 5mm_23 - Position: 2640.0 μm - Charge: 21.92 pC




Transient Pulse - Sample: 5mm_23 - Position: 2645.0 μm - Charge: 23.55 pC




Transient Pulse - Sample: 5mm_23 - Position: 2650.0 μm - Charge: 20.09 pC




Transient Pulse - Sample: 5mm_23 - Position: 2655.0 μm - Charge: 23.89 pC




Transient Pulse - Sample: 5mm_23 - Position: 2660.0 μm - Charge: 25.59 pC




Transient Pulse - Sample: 5mm_23 - Position: 2665.0 μm - Charge: 30.82 pC




Transient Pulse - Sample: 5mm_23 - Position: 2670.0 μm - Charge: 35.56 pC




Transient Pulse - Sample: 5mm_23 - Position: 2675.0 μm - Charge: 44.35 pC




Transient Pulse - Sample: 5mm_23 - Position: 2680.0 μm - Charge: 49.60 pC




Transient Pulse - Sample: 5mm_23 - Position: 2685.0 μm - Charge: 58.02 pC




Transient Pulse - Sample: 5mm_23 - Position: 2690.0 μm - Charge: 65.19 pC




Transient Pulse - Sample: 5mm_23 - Position: 2695.0 μm - Charge: 73.95 pC




Transient Pulse - Sample: 5mm_23 - Position: 2700.0 μm - Charge: 85.02 pC




Transient Pulse - Sample: 5mm_23 - Position: 2705.0 μm - Charge: 93.57 pC




Transient Pulse - Sample: 5mm_23 - Position: 2710.0 μm - Charge: 101.09 pC




Transient Pulse - Sample: 5mm_23 - Position: 2715.0 μm - Charge: 105.55 pC




Transient Pulse - Sample: 5mm_23 - Position: 2720.0 μm - Charge: 111.75 pC




Transient Pulse - Sample: 5mm_23 - Position: 2725.0 μm - Charge: 117.25 pC




Transient Pulse - Sample: 5mm_23 - Position: 2730.0 μm - Charge: 118.82 pC




Transient Pulse - Sample: 5mm_23 - Position: 2735.0 μm - Charge: 123.17 pC




Transient Pulse - Sample: 5mm_23 - Position: 2740.0 μm - Charge: 124.53 pC




Transient Pulse - Sample: 5mm_23 - Position: 2745.0 μm - Charge: 129.44 pC




Transient Pulse - Sample: 5mm_23 - Position: 2750.0 μm - Charge: 134.20 pC




Transient Pulse - Sample: 5mm_23 - Position: 2755.0 μm - Charge: 135.51 pC




Transient Pulse - Sample: 5mm_23 - Position: 2760.0 μm - Charge: 135.64 pC




Transient Pulse - Sample: 5mm_23 - Position: 2765.0 μm - Charge: 135.44 pC




Transient Pulse - Sample: 5mm_23 - Position: 2770.0 μm - Charge: 133.83 pC




Transient Pulse - Sample: 5mm_23 - Position: 2775.0 μm - Charge: 132.36 pC




Transient Pulse - Sample: 5mm_23 - Position: 2780.0 μm - Charge: 132.95 pC




Transient Pulse - Sample: 5mm_23 - Position: 2785.0 μm - Charge: 136.02 pC




Transient Pulse - Sample: 5mm_23 - Position: 2790.0 μm - Charge: 136.22 pC




Transient Pulse - Sample: 5mm_23 - Position: 2795.0 μm - Charge: 133.71 pC




Transient Pulse - Sample: 5mm_23 - Position: 2800.0 μm - Charge: 135.80 pC




Transient Pulse - Sample: 5mm_23 - Position: 2805.0 μm - Charge: 136.70 pC




Transient Pulse - Sample: 5mm_23 - Position: 2810.0 μm - Charge: 134.03 pC




Transient Pulse - Sample: 5mm_23 - Position: 2815.0 μm - Charge: 132.46 pC




Transient Pulse - Sample: 5mm_23 - Position: 2820.0 μm - Charge: 133.49 pC




Transient Pulse - Sample: 5mm_23 - Position: 2825.0 μm - Charge: 135.23 pC




Transient Pulse - Sample: 5mm_23 - Position: 2830.0 μm - Charge: 134.29 pC




Transient Pulse - Sample: 5mm_23 - Position: 2835.0 μm - Charge: 135.50 pC




Transient Pulse - Sample: 5mm_23 - Position: 2840.0 μm - Charge: 134.30 pC




Transient Pulse - Sample: 5mm_23 - Position: 2845.0 μm - Charge: 134.29 pC




Transient Pulse - Sample: 5mm_23 - Position: 2850.0 μm - Charge: 135.04 pC




Transient Pulse - Sample: 5mm_23 - Position: 2855.0 μm - Charge: 132.90 pC




Transient Pulse - Sample: 5mm_23 - Position: 2860.0 μm - Charge: 132.61 pC




Transient Pulse - Sample: 5mm_23 - Position: 2865.0 μm - Charge: 137.10 pC




Transient Pulse - Sample: 5mm_23 - Position: 2870.0 μm - Charge: 132.28 pC




Transient Pulse - Sample: 5mm_23 - Position: 2875.0 μm - Charge: 134.40 pC




Transient Pulse - Sample: 5mm_23 - Position: 2880.0 μm - Charge: 135.25 pC




Transient Pulse - Sample: 5mm_23 - Position: 2885.0 μm - Charge: 134.19 pC




Transient Pulse - Sample: 5mm_23 - Position: 2890.0 μm - Charge: 134.62 pC




Transient Pulse - Sample: 5mm_23 - Position: 2895.0 μm - Charge: 134.18 pC




Transient Pulse - Sample: 5mm_23 - Position: 2900.0 μm - Charge: 134.73 pC




Transient Pulse - Sample: 5mm_23 - Position: 2905.0 μm - Charge: 135.83 pC




Transient Pulse - Sample: 5mm_23 - Position: 2910.0 μm - Charge: 135.24 pC




Transient Pulse - Sample: 5mm_23 - Position: 2915.0 μm - Charge: 134.63 pC




Transient Pulse - Sample: 5mm_23 - Position: 2920.0 μm - Charge: 133.75 pC




Transient Pulse - Sample: 5mm_23 - Position: 2925.0 μm - Charge: 133.64 pC




Transient Pulse - Sample: 5mm_23 - Position: 2930.0 μm - Charge: 134.75 pC




Transient Pulse - Sample: 5mm_23 - Position: 2935.0 μm - Charge: 132.89 pC




Transient Pulse - Sample: 5mm_23 - Position: 2940.0 μm - Charge: 133.96 pC




Transient Pulse - Sample: 5mm_23 - Position: 2945.0 μm - Charge: 132.86 pC




Transient Pulse - Sample: 5mm_23 - Position: 2950.0 μm - Charge: 132.11 pC




Transient Pulse - Sample: 5mm_23 - Position: 2955.0 μm - Charge: 133.70 pC




Transient Pulse - Sample: 5mm_23 - Position: 2960.0 μm - Charge: 130.82 pC




Transient Pulse - Sample: 5mm_23 - Position: 2965.0 μm - Charge: 131.98 pC




Transient Pulse - Sample: 5mm_23 - Position: 2970.0 μm - Charge: 133.23 pC




Transient Pulse - Sample: 5mm_23 - Position: 2975.0 μm - Charge: 136.22 pC




Transient Pulse - Sample: 5mm_23 - Position: 2980.0 μm - Charge: 133.01 pC




Transient Pulse - Sample: 5mm_23 - Position: 2985.0 μm - Charge: 133.27 pC




Transient Pulse - Sample: 5mm_23 - Position: 2990.0 μm - Charge: 135.11 pC




Transient Pulse - Sample: 5mm_23 - Position: 2995.0 μm - Charge: 130.53 pC




Transient Pulse - Sample: 5mm_23 - Position: 3000.0 μm - Charge: 131.28 pC




Transient Pulse - Sample: 5mm_23 - Position: 3005.0 μm - Charge: 132.48 pC




Transient Pulse - Sample: 5mm_23 - Position: 3010.0 μm - Charge: 130.61 pC




Transient Pulse - Sample: 5mm_23 - Position: 3015.0 μm - Charge: 132.68 pC




Transient Pulse - Sample: 5mm_23 - Position: 3020.0 μm - Charge: 131.52 pC




Transient Pulse - Sample: 5mm_23 - Position: 3025.0 μm - Charge: 132.48 pC




Transient Pulse - Sample: 5mm_23 - Position: 3030.0 μm - Charge: 129.92 pC




Transient Pulse - Sample: 5mm_23 - Position: 3035.0 μm - Charge: 131.62 pC




Transient Pulse - Sample: 5mm_23 - Position: 3040.0 μm - Charge: 130.56 pC




Transient Pulse - Sample: 5mm_23 - Position: 3045.0 μm - Charge: 132.25 pC




Transient Pulse - Sample: 5mm_23 - Position: 3050.0 μm - Charge: 129.82 pC




Transient Pulse - Sample: 5mm_23 - Position: 3055.0 μm - Charge: 127.01 pC




Transient Pulse - Sample: 5mm_23 - Position: 3060.0 μm - Charge: 124.52 pC




Transient Pulse - Sample: 5mm_23 - Position: 3065.0 μm - Charge: 122.70 pC




Transient Pulse - Sample: 5mm_23 - Position: 3070.0 μm - Charge: 117.68 pC




Transient Pulse - Sample: 5mm_23 - Position: 3075.0 μm - Charge: 109.30 pC




Transient Pulse - Sample: 5mm_23 - Position: 3080.0 μm - Charge: 106.43 pC




Transient Pulse - Sample: 5mm_23 - Position: 3085.0 μm - Charge: 98.05 pC




Transient Pulse - Sample: 5mm_23 - Position: 3090.0 μm - Charge: 92.24 pC




Transient Pulse - Sample: 5mm_23 - Position: 3095.0 μm - Charge: 81.02 pC




Transient Pulse - Sample: 5mm_23 - Position: 3100.0 μm - Charge: 73.22 pC




Transient Pulse - Sample: 5mm_23 - Position: 3105.0 μm - Charge: 65.05 pC




Transient Pulse - Sample: 5mm_23 - Position: 3110.0 μm - Charge: 54.47 pC




Transient Pulse - Sample: 5mm_23 - Position: 3115.0 μm - Charge: 48.75 pC




Transient Pulse - Sample: 5mm_23 - Position: 3120.0 μm - Charge: 40.20 pC




Transient Pulse - Sample: 5mm_23 - Position: 3125.0 μm - Charge: 34.38 pC




Transient Pulse - Sample: 5mm_23 - Position: 3130.0 μm - Charge: 28.97 pC




Transient Pulse - Sample: 5mm_23 - Position: 3135.0 μm - Charge: 23.16 pC




Transient Pulse - Sample: 5mm_23 - Position: 3140.0 μm - Charge: 21.79 pC




Transient Pulse - Sample: 5mm_23 - Position: 3145.0 μm - Charge: 20.40 pC




Transient Pulse - Sample: 5mm_23 - Position: 3150.0 μm - Charge: 21.33 pC




Transient Pulse - Sample: 5mm_23 - Position: 3155.0 μm - Charge: 21.86 pC




Transient Pulse - Sample: 5mm_23 - Position: 3160.0 μm - Charge: 27.89 pC




Transient Pulse - Sample: 5mm_23 - Position: 3165.0 μm - Charge: 31.33 pC




Transient Pulse - Sample: 5mm_23 - Position: 3170.0 μm - Charge: 36.63 pC




Transient Pulse - Sample: 5mm_23 - Position: 3175.0 μm - Charge: 46.09 pC




Transient Pulse - Sample: 5mm_23 - Position: 3180.0 μm - Charge: 52.77 pC




Transient Pulse - Sample: 5mm_23 - Position: 3185.0 μm - Charge: 61.28 pC




Transient Pulse - Sample: 5mm_23 - Position: 3190.0 μm - Charge: 69.67 pC




Transient Pulse - Sample: 5mm_23 - Position: 3195.0 μm - Charge: 79.89 pC




Transient Pulse - Sample: 5mm_23 - Position: 3200.0 μm - Charge: 84.04 pC




Transient Pulse - Sample: 5mm_23 - Position: 3205.0 μm - Charge: 92.09 pC




Transient Pulse - Sample: 5mm_23 - Position: 3210.0 μm - Charge: 101.86 pC




Transient Pulse - Sample: 5mm_23 - Position: 3215.0 μm - Charge: 106.11 pC




Transient Pulse - Sample: 5mm_23 - Position: 3220.0 μm - Charge: 112.00 pC




Transient Pulse - Sample: 5mm_23 - Position: 3225.0 μm - Charge: 114.37 pC




Transient Pulse - Sample: 5mm_23 - Position: 3230.0 μm - Charge: 118.93 pC




Transient Pulse - Sample: 5mm_23 - Position: 3235.0 μm - Charge: 121.16 pC




Transient Pulse - Sample: 5mm_23 - Position: 3240.0 μm - Charge: 124.34 pC




Transient Pulse - Sample: 5mm_23 - Position: 3245.0 μm - Charge: 126.58 pC




Transient Pulse - Sample: 5mm_23 - Position: 3250.0 μm - Charge: 126.30 pC




Transient Pulse - Sample: 5mm_23 - Position: 3255.0 μm - Charge: 130.15 pC




Transient Pulse - Sample: 5mm_23 - Position: 3260.0 μm - Charge: 128.53 pC




Transient Pulse - Sample: 5mm_23 - Position: 3265.0 μm - Charge: 127.53 pC




Transient Pulse - Sample: 5mm_23 - Position: 3270.0 μm - Charge: 130.71 pC




Transient Pulse - Sample: 5mm_23 - Position: 3275.0 μm - Charge: 130.50 pC




Transient Pulse - Sample: 5mm_23 - Position: 3280.0 μm - Charge: 129.27 pC




Transient Pulse - Sample: 5mm_23 - Position: 3285.0 μm - Charge: 132.21 pC




Transient Pulse - Sample: 5mm_23 - Position: 3290.0 μm - Charge: 132.76 pC




Transient Pulse - Sample: 5mm_23 - Position: 3295.0 μm - Charge: 131.60 pC




Transient Pulse - Sample: 5mm_23 - Position: 3300.0 μm - Charge: 131.19 pC




Transient Pulse - Sample: 5mm_23 - Position: 3305.0 μm - Charge: 130.36 pC




Transient Pulse - Sample: 5mm_23 - Position: 3310.0 μm - Charge: 129.39 pC




Transient Pulse - Sample: 5mm_23 - Position: 3315.0 μm - Charge: 128.46 pC




Transient Pulse - Sample: 5mm_23 - Position: 3320.0 μm - Charge: 132.17 pC




Transient Pulse - Sample: 5mm_23 - Position: 3325.0 μm - Charge: 128.34 pC




Transient Pulse - Sample: 5mm_23 - Position: 3330.0 μm - Charge: 130.49 pC




Transient Pulse - Sample: 5mm_23 - Position: 3335.0 μm - Charge: 129.95 pC




Transient Pulse - Sample: 5mm_23 - Position: 3340.0 μm - Charge: 130.05 pC




Transient Pulse - Sample: 5mm_23 - Position: 3345.0 μm - Charge: 129.32 pC




Transient Pulse - Sample: 5mm_23 - Position: 3350.0 μm - Charge: 129.55 pC




Transient Pulse - Sample: 5mm_23 - Position: 3355.0 μm - Charge: 129.85 pC




Transient Pulse - Sample: 5mm_23 - Position: 3360.0 μm - Charge: 127.59 pC




Transient Pulse - Sample: 5mm_23 - Position: 3365.0 μm - Charge: 128.29 pC




Transient Pulse - Sample: 5mm_23 - Position: 3370.0 μm - Charge: 129.77 pC




Transient Pulse - Sample: 5mm_23 - Position: 3375.0 μm - Charge: 125.97 pC




Transient Pulse - Sample: 5mm_23 - Position: 3380.0 μm - Charge: 129.70 pC




Transient Pulse - Sample: 5mm_23 - Position: 3385.0 μm - Charge: 126.34 pC




Transient Pulse - Sample: 5mm_23 - Position: 3390.0 μm - Charge: 127.67 pC




Transient Pulse - Sample: 5mm_23 - Position: 3395.0 μm - Charge: 129.09 pC




Transient Pulse - Sample: 5mm_23 - Position: 3400.0 μm - Charge: 128.73 pC




Transient Pulse - Sample: 5mm_23 - Position: 3405.0 μm - Charge: 125.82 pC




Transient Pulse - Sample: 5mm_23 - Position: 3410.0 μm - Charge: 129.47 pC




Transient Pulse - Sample: 5mm_23 - Position: 3415.0 μm - Charge: 127.41 pC




Transient Pulse - Sample: 5mm_23 - Position: 3420.0 μm - Charge: 130.79 pC




Transient Pulse - Sample: 5mm_23 - Position: 3425.0 μm - Charge: 126.19 pC




Transient Pulse - Sample: 5mm_23 - Position: 3430.0 μm - Charge: 127.26 pC




Transient Pulse - Sample: 5mm_23 - Position: 3435.0 μm - Charge: 128.14 pC




Transient Pulse - Sample: 5mm_23 - Position: 3440.0 μm - Charge: 129.67 pC




Transient Pulse - Sample: 5mm_23 - Position: 3445.0 μm - Charge: 128.90 pC




Transient Pulse - Sample: 5mm_23 - Position: 3450.0 μm - Charge: 126.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 3455.0 μm - Charge: 126.62 pC




Transient Pulse - Sample: 5mm_23 - Position: 3460.0 μm - Charge: 125.44 pC




Transient Pulse - Sample: 5mm_23 - Position: 3465.0 μm - Charge: 124.73 pC




Transient Pulse - Sample: 5mm_23 - Position: 3470.0 μm - Charge: 129.42 pC




Transient Pulse - Sample: 5mm_23 - Position: 3475.0 μm - Charge: 130.19 pC




Transient Pulse - Sample: 5mm_23 - Position: 3480.0 μm - Charge: 125.19 pC




Transient Pulse - Sample: 5mm_23 - Position: 3485.0 μm - Charge: 124.91 pC




Transient Pulse - Sample: 5mm_23 - Position: 3490.0 μm - Charge: 128.02 pC




Transient Pulse - Sample: 5mm_23 - Position: 3495.0 μm - Charge: 127.18 pC




Transient Pulse - Sample: 5mm_23 - Position: 3500.0 μm - Charge: 124.72 pC




Transient Pulse - Sample: 5mm_23 - Position: 3505.0 μm - Charge: 125.42 pC




Transient Pulse - Sample: 5mm_23 - Position: 3510.0 μm - Charge: 124.81 pC




Transient Pulse - Sample: 5mm_23 - Position: 3515.0 μm - Charge: 125.49 pC




Transient Pulse - Sample: 5mm_23 - Position: 3520.0 μm - Charge: 124.06 pC




Transient Pulse - Sample: 5mm_23 - Position: 3525.0 μm - Charge: 123.97 pC




Transient Pulse - Sample: 5mm_23 - Position: 3530.0 μm - Charge: 122.35 pC




Transient Pulse - Sample: 5mm_23 - Position: 3535.0 μm - Charge: 121.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 3540.0 μm - Charge: 125.36 pC




Transient Pulse - Sample: 5mm_23 - Position: 3545.0 μm - Charge: 123.91 pC




Transient Pulse - Sample: 5mm_23 - Position: 3550.0 μm - Charge: 128.68 pC




Transient Pulse - Sample: 5mm_23 - Position: 3555.0 μm - Charge: 120.21 pC




Transient Pulse - Sample: 5mm_23 - Position: 3560.0 μm - Charge: 120.75 pC




Transient Pulse - Sample: 5mm_23 - Position: 3565.0 μm - Charge: 117.43 pC




Transient Pulse - Sample: 5mm_23 - Position: 3570.0 μm - Charge: 113.81 pC




Transient Pulse - Sample: 5mm_23 - Position: 3575.0 μm - Charge: 112.61 pC




Transient Pulse - Sample: 5mm_23 - Position: 3580.0 μm - Charge: 104.17 pC




Transient Pulse - Sample: 5mm_23 - Position: 3585.0 μm - Charge: 101.03 pC




Transient Pulse - Sample: 5mm_23 - Position: 3590.0 μm - Charge: 94.01 pC




Transient Pulse - Sample: 5mm_23 - Position: 3595.0 μm - Charge: 89.24 pC




Transient Pulse - Sample: 5mm_23 - Position: 3600.0 μm - Charge: 81.06 pC




Transient Pulse - Sample: 5mm_23 - Position: 3605.0 μm - Charge: 70.43 pC




Transient Pulse - Sample: 5mm_23 - Position: 3610.0 μm - Charge: 59.92 pC




Transient Pulse - Sample: 5mm_23 - Position: 3615.0 μm - Charge: 55.68 pC




Transient Pulse - Sample: 5mm_23 - Position: 3620.0 μm - Charge: 47.51 pC




Transient Pulse - Sample: 5mm_23 - Position: 3625.0 μm - Charge: 41.35 pC




Transient Pulse - Sample: 5mm_23 - Position: 3630.0 μm - Charge: 34.08 pC




Transient Pulse - Sample: 5mm_23 - Position: 3635.0 μm - Charge: 29.11 pC




Transient Pulse - Sample: 5mm_23 - Position: 3640.0 μm - Charge: 25.22 pC




Transient Pulse - Sample: 5mm_23 - Position: 3645.0 μm - Charge: 22.40 pC




Transient Pulse - Sample: 5mm_23 - Position: 3650.0 μm - Charge: 19.29 pC




Transient Pulse - Sample: 5mm_23 - Position: 3655.0 μm - Charge: 19.23 pC




Transient Pulse - Sample: 5mm_23 - Position: 3660.0 μm - Charge: 19.55 pC




Transient Pulse - Sample: 5mm_23 - Position: 3665.0 μm - Charge: 22.73 pC




Transient Pulse - Sample: 5mm_23 - Position: 3670.0 μm - Charge: 27.34 pC




Transient Pulse - Sample: 5mm_23 - Position: 3675.0 μm - Charge: 32.61 pC




Transient Pulse - Sample: 5mm_23 - Position: 3680.0 μm - Charge: 39.67 pC




Transient Pulse - Sample: 5mm_23 - Position: 3685.0 μm - Charge: 43.84 pC




Transient Pulse - Sample: 5mm_23 - Position: 3690.0 μm - Charge: 55.49 pC




Transient Pulse - Sample: 5mm_23 - Position: 3695.0 μm - Charge: 62.84 pC




Transient Pulse - Sample: 5mm_23 - Position: 3700.0 μm - Charge: 67.41 pC




Transient Pulse - Sample: 5mm_23 - Position: 3705.0 μm - Charge: 76.84 pC




Transient Pulse - Sample: 5mm_23 - Position: 3710.0 μm - Charge: 88.26 pC




Transient Pulse - Sample: 5mm_23 - Position: 3715.0 μm - Charge: 92.49 pC




Transient Pulse - Sample: 5mm_23 - Position: 3720.0 μm - Charge: 98.79 pC




Transient Pulse - Sample: 5mm_23 - Position: 3725.0 μm - Charge: 103.81 pC




Transient Pulse - Sample: 5mm_23 - Position: 3730.0 μm - Charge: 107.84 pC




Transient Pulse - Sample: 5mm_23 - Position: 3735.0 μm - Charge: 114.48 pC




Transient Pulse - Sample: 5mm_23 - Position: 3740.0 μm - Charge: 117.96 pC




Transient Pulse - Sample: 5mm_23 - Position: 3745.0 μm - Charge: 119.47 pC




Transient Pulse - Sample: 5mm_23 - Position: 3750.0 μm - Charge: 122.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 3755.0 μm - Charge: 122.58 pC




Transient Pulse - Sample: 5mm_23 - Position: 3760.0 μm - Charge: 125.83 pC




Transient Pulse - Sample: 5mm_23 - Position: 3765.0 μm - Charge: 124.99 pC




Transient Pulse - Sample: 5mm_23 - Position: 3770.0 μm - Charge: 123.52 pC




Transient Pulse - Sample: 5mm_23 - Position: 3775.0 μm - Charge: 121.91 pC




Transient Pulse - Sample: 5mm_23 - Position: 3780.0 μm - Charge: 124.61 pC




Transient Pulse - Sample: 5mm_23 - Position: 3785.0 μm - Charge: 126.33 pC




Transient Pulse - Sample: 5mm_23 - Position: 3790.0 μm - Charge: 125.62 pC




Transient Pulse - Sample: 5mm_23 - Position: 3795.0 μm - Charge: 123.84 pC




Transient Pulse - Sample: 5mm_23 - Position: 3800.0 μm - Charge: 124.93 pC




Transient Pulse - Sample: 5mm_23 - Position: 3805.0 μm - Charge: 123.16 pC




Transient Pulse - Sample: 5mm_23 - Position: 3810.0 μm - Charge: 121.82 pC




Transient Pulse - Sample: 5mm_23 - Position: 3815.0 μm - Charge: 122.09 pC




Transient Pulse - Sample: 5mm_23 - Position: 3820.0 μm - Charge: 121.56 pC




Transient Pulse - Sample: 5mm_23 - Position: 3825.0 μm - Charge: 123.22 pC




Transient Pulse - Sample: 5mm_23 - Position: 3830.0 μm - Charge: 123.87 pC




Transient Pulse - Sample: 5mm_23 - Position: 3835.0 μm - Charge: 122.07 pC




Transient Pulse - Sample: 5mm_23 - Position: 3840.0 μm - Charge: 122.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 3845.0 μm - Charge: 120.62 pC




Transient Pulse - Sample: 5mm_23 - Position: 3850.0 μm - Charge: 122.59 pC




Transient Pulse - Sample: 5mm_23 - Position: 3855.0 μm - Charge: 120.58 pC




Transient Pulse - Sample: 5mm_23 - Position: 3860.0 μm - Charge: 120.44 pC




Transient Pulse - Sample: 5mm_23 - Position: 3865.0 μm - Charge: 123.16 pC




Transient Pulse - Sample: 5mm_23 - Position: 3870.0 μm - Charge: 120.63 pC




Transient Pulse - Sample: 5mm_23 - Position: 3875.0 μm - Charge: 120.53 pC




Transient Pulse - Sample: 5mm_23 - Position: 3880.0 μm - Charge: 123.18 pC




Transient Pulse - Sample: 5mm_23 - Position: 3885.0 μm - Charge: 122.25 pC




Transient Pulse - Sample: 5mm_23 - Position: 3890.0 μm - Charge: 122.48 pC




Transient Pulse - Sample: 5mm_23 - Position: 3895.0 μm - Charge: 122.79 pC




Transient Pulse - Sample: 5mm_23 - Position: 3900.0 μm - Charge: 122.12 pC




Transient Pulse - Sample: 5mm_23 - Position: 3905.0 μm - Charge: 120.12 pC




Transient Pulse - Sample: 5mm_23 - Position: 3910.0 μm - Charge: 120.84 pC




Transient Pulse - Sample: 5mm_23 - Position: 3915.0 μm - Charge: 120.23 pC




Transient Pulse - Sample: 5mm_23 - Position: 3920.0 μm - Charge: 121.10 pC




Transient Pulse - Sample: 5mm_23 - Position: 3925.0 μm - Charge: 120.59 pC




Transient Pulse - Sample: 5mm_23 - Position: 3930.0 μm - Charge: 120.20 pC




Transient Pulse - Sample: 5mm_23 - Position: 3935.0 μm - Charge: 120.71 pC




Transient Pulse - Sample: 5mm_23 - Position: 3940.0 μm - Charge: 122.68 pC




Transient Pulse - Sample: 5mm_23 - Position: 3945.0 μm - Charge: 121.31 pC




Transient Pulse - Sample: 5mm_23 - Position: 3950.0 μm - Charge: 118.41 pC




Transient Pulse - Sample: 5mm_23 - Position: 3955.0 μm - Charge: 120.39 pC




Transient Pulse - Sample: 5mm_23 - Position: 3960.0 μm - Charge: 121.51 pC




Transient Pulse - Sample: 5mm_23 - Position: 3965.0 μm - Charge: 118.13 pC




Transient Pulse - Sample: 5mm_23 - Position: 3970.0 μm - Charge: 120.46 pC




Transient Pulse - Sample: 5mm_23 - Position: 3975.0 μm - Charge: 120.72 pC




Transient Pulse - Sample: 5mm_23 - Position: 3980.0 μm - Charge: 120.96 pC




Transient Pulse - Sample: 5mm_23 - Position: 3985.0 μm - Charge: 116.81 pC




Transient Pulse - Sample: 5mm_23 - Position: 3990.0 μm - Charge: 121.73 pC




Transient Pulse - Sample: 5mm_23 - Position: 3995.0 μm - Charge: 118.12 pC




Transient Pulse - Sample: 5mm_23 - Position: 4000.0 μm - Charge: 117.74 pC




Transient Pulse - Sample: 5mm_23 - Position: 4005.0 μm - Charge: 120.42 pC




Transient Pulse - Sample: 5mm_23 - Position: 4010.0 μm - Charge: 119.91 pC




Transient Pulse - Sample: 5mm_23 - Position: 4015.0 μm - Charge: 119.14 pC




Transient Pulse - Sample: 5mm_23 - Position: 4020.0 μm - Charge: 117.98 pC




Transient Pulse - Sample: 5mm_23 - Position: 4025.0 μm - Charge: 120.97 pC




Transient Pulse - Sample: 5mm_23 - Position: 4030.0 μm - Charge: 117.01 pC




Transient Pulse - Sample: 5mm_23 - Position: 4035.0 μm - Charge: 117.79 pC




Transient Pulse - Sample: 5mm_23 - Position: 4040.0 μm - Charge: 120.00 pC




Transient Pulse - Sample: 5mm_23 - Position: 4045.0 μm - Charge: 117.90 pC




Transient Pulse - Sample: 5mm_23 - Position: 4050.0 μm - Charge: 116.99 pC




Transient Pulse - Sample: 5mm_23 - Position: 4055.0 μm - Charge: 115.21 pC




Transient Pulse - Sample: 5mm_23 - Position: 4060.0 μm - Charge: 115.63 pC




Transient Pulse - Sample: 5mm_23 - Position: 4065.0 μm - Charge: 114.26 pC




Transient Pulse - Sample: 5mm_23 - Position: 4070.0 μm - Charge: 109.87 pC




Transient Pulse - Sample: 5mm_23 - Position: 4075.0 μm - Charge: 105.25 pC




Transient Pulse - Sample: 5mm_23 - Position: 4080.0 μm - Charge: 103.21 pC




Transient Pulse - Sample: 5mm_23 - Position: 4085.0 μm - Charge: 97.12 pC




Transient Pulse - Sample: 5mm_23 - Position: 4090.0 μm - Charge: 92.99 pC




Transient Pulse - Sample: 5mm_23 - Position: 4095.0 μm - Charge: 86.48 pC




Transient Pulse - Sample: 5mm_23 - Position: 4100.0 μm - Charge: 80.14 pC




Transient Pulse - Sample: 5mm_23 - Position: 4105.0 μm - Charge: 71.26 pC




Transient Pulse - Sample: 5mm_23 - Position: 4110.0 μm - Charge: 63.31 pC




Transient Pulse - Sample: 5mm_23 - Position: 4115.0 μm - Charge: 53.67 pC




Transient Pulse - Sample: 5mm_23 - Position: 4120.0 μm - Charge: 47.98 pC




Transient Pulse - Sample: 5mm_23 - Position: 4125.0 μm - Charge: 40.60 pC




Transient Pulse - Sample: 5mm_23 - Position: 4130.0 μm - Charge: 35.08 pC




Transient Pulse - Sample: 5mm_23 - Position: 4135.0 μm - Charge: 28.29 pC




Transient Pulse - Sample: 5mm_23 -Position: 4140.0 μm - Charge: 24.44 pC




Transient Pulse - Sample: 5mm_23 - Position: 4145.0 μm - Charge: 21.42 pC




Transient Pulse - Sample: 5mm_23 - Position: 4150.0 μm - Charge: 18.98 pC




Transient Pulse - Sample: 5mm_23 - Position: 4155.0 μm - Charge: 17.62 pC




Transient Pulse - Sample: 5mm_23 - Position: 4160.0 μm - Charge: 17.60 pC




Transient Pulse - Sample: 5mm_23 - Position: 4165.0 μm - Charge: 18.35 pC




Transient Pulse - Sample: 5mm_23 - Position: 4170.0 μm - Charge: 21.61 pC




Transient Pulse - Sample: 5mm_23 - Position: 4175.0 μm - Charge: 27.23 pC




Transient Pulse - Sample: 5mm_23 - Position: 4180.0 μm - Charge: 28.17 pC




Transient Pulse - Sample: 5mm_23 - Position: 4185.0 μm - Charge: 33.15 pC




Transient Pulse - Sample: 5mm_23 - Position: 4190.0 μm - Charge: 42.25 pC




Transient Pulse - Sample: 5mm_23 - Position: 4195.0 μm - Charge: 48.18 pC




Transient Pulse - Sample: 5mm_23 - Position: 4200.0 μm - Charge: 56.70 pC




Transient Pulse - Sample: 5mm_23 - Position: 4205.0 μm - Charge: 59.06 pC




Transient Pulse - Sample: 5mm_23 - Position: 4210.0 μm - Charge: 65.18 pC




Transient Pulse - Sample: 5mm_23 - Position: 4215.0 μm - Charge: 68.59 pC




Transient Pulse - Sample: 5mm_23 - Position: 4220.0 μm - Charge: 76.44 pC




Transient Pulse - Sample: 5mm_23 - Position: 4225.0 μm - Charge: 85.08 pC




Transient Pulse - Sample: 5mm_23 - Position: 4230.0 μm - Charge: 88.79 pC




Transient Pulse - Sample: 5mm_23 - Position: 4235.0 μm - Charge: 94.08 pC




Transient Pulse - Sample: 5mm_23 - Position: 4240.0 μm - Charge: 97.47 pC




Transient Pulse - Sample: 5mm_23 - Position: 4245.0 μm - Charge: 101.76 pC




Transient Pulse - Sample: 5mm_23 - Position: 4250.0 μm - Charge: 106.91 pC




Transient Pulse - Sample: 5mm_23 - Position: 4255.0 μm - Charge: 110.53 pC




Transient Pulse - Sample: 5mm_23 - Position: 4260.0 μm - Charge: 113.08 pC




Transient Pulse - Sample: 5mm_23 - Position: 4265.0 μm - Charge: 115.41 pC




Transient Pulse - Sample: 5mm_23 - Position: 4270.0 μm - Charge: 116.43 pC




Transient Pulse - Sample: 5mm_23 - Position: 4275.0 μm - Charge: 118.11 pC




Transient Pulse - Sample: 5mm_23 - Position: 4280.0 μm - Charge: 115.45 pC




Transient Pulse - Sample: 5mm_23 - Position: 4285.0 μm - Charge: 118.50 pC




Transient Pulse - Sample: 5mm_23 - Position: 4290.0 μm - Charge: 116.86 pC




Transient Pulse - Sample: 5mm_23 - Position: 4295.0 μm - Charge: 115.36 pC




Transient Pulse - Sample: 5mm_23 - Position: 4300.0 μm - Charge: 114.73 pC




Transient Pulse - Sample: 5mm_23 - Position: 4305.0 μm - Charge: 115.97 pC




Transient Pulse - Sample: 5mm_23 - Position: 4310.0 μm - Charge: 115.77 pC




Transient Pulse - Sample: 5mm_23 - Position: 4315.0 μm - Charge: 114.91 pC




Transient Pulse - Sample: 5mm_23 - Position: 4320.0 μm - Charge: 116.29 pC




Transient Pulse - Sample: 5mm_23 - Position: 4325.0 μm - Charge: 116.70 pC




Transient Pulse - Sample: 5mm_23 - Position: 4330.0 μm - Charge: 116.27 pC




Transient Pulse - Sample: 5mm_23 - Position: 4335.0 μm - Charge: 115.80 pC




Transient Pulse - Sample: 5mm_23 - Position: 4340.0 μm - Charge: 118.13 pC




Transient Pulse - Sample: 5mm_23 - Position: 4345.0 μm - Charge: 118.82 pC




Transient Pulse - Sample: 5mm_23 - Position: 4350.0 μm - Charge: 122.10 pC




Transient Pulse - Sample: 5mm_23 - Position: 4355.0 μm - Charge: 119.10 pC




Transient Pulse - Sample: 5mm_23 - Position: 4360.0 μm - Charge: 120.97 pC




Transient Pulse - Sample: 5mm_23 - Position: 4365.0 μm - Charge: 122.19 pC




Transient Pulse - Sample: 5mm_23 - Position: 4370.0 μm - Charge: 126.60 pC




Transient Pulse - Sample: 5mm_23 - Position: 4375.0 μm - Charge: 125.46 pC




Transient Pulse - Sample: 5mm_23 - Position: 4380.0 μm - Charge: 126.28 pC




Transient Pulse - Sample: 5mm_23 - Position: 4385.0 μm - Charge: 127.75 pC




Transient Pulse - Sample: 5mm_23 - Position: 4390.0 μm - Charge: 127.01 pC




Transient Pulse - Sample: 5mm_23 - Position: 4395.0 μm - Charge: 131.22 pC




Transient Pulse - Sample: 5mm_23 - Position: 4400.0 μm - Charge: 129.46 pC




Transient Pulse - Sample: 5mm_23 - Position: 4405.0 μm - Charge: 132.67 pC




Transient Pulse - Sample: 5mm_23 - Position: 4410.0 μm - Charge: 133.21 pC




Transient Pulse - Sample: 5mm_23 - Position: 4415.0 μm - Charge: 131.78 pC




Transient Pulse - Sample: 5mm_23 - Position: 4420.0 μm - Charge: 134.99 pC




Transient Pulse - Sample: 5mm_23 - Position: 4425.0 μm - Charge: 134.35 pC




Transient Pulse - Sample: 5mm_23 - Position: 4430.0 μm - Charge: 132.34 pC




Transient Pulse - Sample: 5mm_23 - Position: 4435.0 μm - Charge: 131.20 pC




Transient Pulse - Sample: 5mm_23 - Position: 4440.0 μm - Charge: 126.60 pC




Transient Pulse - Sample: 5mm_23 - Position: 4445.0 μm - Charge: 119.86 pC




Transient Pulse - Sample: 5mm_23 - Position: 4450.0 μm - Charge: 112.57 pC




Transient Pulse - Sample: 5mm_23 - Position: 4455.0 μm - Charge: 104.29 pC




Transient Pulse - Sample: 5mm_23 - Position: 4460.0 μm - Charge: 91.48 pC




Transient Pulse - Sample: 5mm_23 - Position: 4465.0 μm - Charge: 82.45 pC




Transient Pulse - Sample: 5mm_23 - Position: 4470.0 μm - Charge: 68.58 pC




Transient Pulse - Sample: 5mm_23 - Position: 4475.0 μm - Charge: 56.00 pC




Transient Pulse - Sample: 5mm_23 - Position: 4480.0 μm - Charge: 44.20 pC




Transient Pulse - Sample: 5mm_23 - Position: 4485.0 μm - Charge: 36.13 pC




Transient Pulse - Sample: 5mm_23 - Position: 4490.0 μm - Charge: 26.89 pC




Transient Pulse - Sample: 5mm_23 - Position: 4495.0 μm - Charge: 19.92 pC




Transient Pulse - Sample: 5mm_23 - Position: 4500.0 μm - Charge: 17.59 pC




Transient Pulse - Sample: 5mm_23 - Position: 4505.0 μm - Charge: 14.92 pC




Transient Pulse - Sample: 5mm_23 - Position: 4510.0 μm - Charge: 14.08 pC




Transient Pulse - Sample: 5mm_23 - Position: 4515.0 μm - Charge: 13.76 pC




Transient Pulse - Sample: 5mm_23 - Position: 4520.0 μm - Charge: 14.69 pC




Transient Pulse - Sample: 5mm_23 - Position: 4525.0 μm - Charge: 16.70 pC




Transient Pulse - Sample: 5mm_23 - Position: 4530.0 μm - Charge: 19.89 pC




Transient Pulse - Sample: 5mm_23 - Position: 4535.0 μm - Charge: 27.44 pC




Transient Pulse - Sample: 5mm_23 - Position: 4540.0 μm - Charge: 36.24 pC




Transient Pulse - Sample: 5mm_23 - Position: 4545.0 μm - Charge: 43.26 pC




Transient Pulse - Sample: 5mm_23 - Position: 4550.0 μm - Charge: 52.48 pC




Transient Pulse - Sample: 5mm_23 - Position: 4555.0 μm - Charge: 63.74 pC




Transient Pulse - Sample: 5mm_23 - Position: 4560.0 μm - Charge: 74.48 pC




Transient Pulse - Sample: 5mm_23 - Position: 4565.0 μm - Charge: 81.29 pC




Transient Pulse - Sample: 5mm_23 - Position: 4570.0 μm - Charge: 88.37 pC




Transient Pulse - Sample: 5mm_23 - Position: 4575.0 μm - Charge: 93.25 pC




Transient Pulse - Sample: 5mm_23 - Position: 4580.0 μm - Charge: 93.22 pC




Transient Pulse - Sample: 5mm_23 - Position: 4585.0 μm - Charge: 97.44 pC




Transient Pulse - Sample: 5mm_23 - Position: 4590.0 μm - Charge: 94.67 pC




Transient Pulse - Sample: 5mm_23 - Position: 4595.0 μm - Charge: 94.58 pC




Transient Pulse - Sample: 5mm_23 - Position: 4600.0 μm - Charge: 93.39 pC




Transient Pulse - Sample: 5mm_23 - Position: 4605.0 μm - Charge: 86.30 pC




Transient Pulse - Sample: 5mm_23 - Position: 4610.0 μm - Charge: 81.38 pC




Transient Pulse - Sample: 5mm_23 - Position: 4615.0 μm - Charge: 76.77 pC




Transient Pulse - Sample: 5mm_23 - Position: 4620.0 μm - Charge: 68.73 pC




Transient Pulse - Sample: 5mm_23 - Position: 4625.0 μm - Charge: 58.57 pC




Transient Pulse - Sample: 5mm_23 - Position: 4630.0 μm - Charge: 50.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 4635.0 μm - Charge: 41.74 pC




Transient Pulse - Sample: 5mm_23 - Position: 4640.0 μm - Charge: 36.62 pC




Transient Pulse - Sample: 5mm_23 - Position: 4645.0 μm - Charge: 30.87 pC




Transient Pulse - Sample: 5mm_23 - Position: 4650.0 μm - Charge: 25.34 pC




Transient Pulse - Sample: 5mm_23 - Position: 4655.0 μm - Charge: 21.46 pC




Transient Pulse - Sample: 5mm_23 - Position: 4660.0 μm - Charge: 18.82 pC




Transient Pulse - Sample: 5mm_23 - Position: 4665.0 μm - Charge: 17.38 pC




Transient Pulse - Sample: 5mm_23 - Position: 4670.0 μm - Charge: 17.97 pC




Transient Pulse - Sample: 5mm_23 - Position: 4675.0 μm - Charge: 18.97 pC




Transient Pulse - Sample: 5mm_23 - Position: 4680.0 μm - Charge: 22.40 pC




Transient Pulse - Sample: 5mm_23 - Position: 4685.0 μm - Charge: 26.88 pC




Transient Pulse - Sample: 5mm_23 - Position: 4690.0 μm - Charge: 30.91 pC




Transient Pulse - Sample: 5mm_23 - Position: 4695.0 μm - Charge: 36.79 pC




Transient Pulse - Sample: 5mm_23 - Position: 4700.0 μm - Charge: 43.87 pC




Transient Pulse - Sample: 5mm_23 - Position: 4705.0 μm - Charge: 50.68 pC




Transient Pulse - Sample: 5mm_23 - Position: 4710.0 μm - Charge: 56.27 pC




Transient Pulse - Sample: 5mm_23 - Position: 4715.0 μm - Charge: 64.89 pC




Transient Pulse - Sample: 5mm_23 - Position: 4720.0 μm - Charge: 73.13 pC




Transient Pulse - Sample: 5mm_23 - Position: 4725.0 μm - Charge: 76.12 pC




Transient Pulse - Sample: 5mm_23 - Position: 4730.0 μm - Charge: 84.57 pC




Transient Pulse - Sample: 5mm_23 - Position: 4735.0 μm - Charge: 89.92 pC




Transient Pulse - Sample: 5mm_23 - Position: 4740.0 μm - Charge: 94.65 pC




Transient Pulse - Sample: 5mm_23 - Position: 4745.0 μm - Charge: 101.08 pC




Transient Pulse - Sample: 5mm_23 - Position: 4750.0 μm - Charge: 103.17 pC




Transient Pulse - Sample: 5mm_23 - Position: 4755.0 μm - Charge: 107.31 pC




Transient Pulse - Sample: 5mm_23 - Position: 4760.0 μm - Charge: 108.55 pC




Transient Pulse - Sample: 5mm_23 - Position: 4765.0 μm - Charge: 110.15 pC




Transient Pulse - Sample: 5mm_23 - Position: 4770.0 μm - Charge: 110.62 pC




Transient Pulse - Sample: 5mm_23 - Position: 4775.0 μm - Charge: 113.71 pC




Transient Pulse - Sample: 5mm_23 - Position: 4780.0 μm - Charge: 112.34 pC




Transient Pulse - Sample: 5mm_23 - Position: 4785.0 μm - Charge: 114.82 pC




Transient Pulse - Sample: 5mm_23 - Position: 4790.0 μm - Charge: 112.44 pC




Transient Pulse - Sample: 5mm_23 - Position: 4795.0 μm - Charge: 113.06 pC




Transient Pulse - Sample: 5mm_23 - Position: 4800.0 μm - Charge: 112.82 pC




Transient Pulse - Sample: 5mm_23 - Position: 4805.0 μm - Charge: 113.24 pC




Transient Pulse - Sample: 5mm_23 - Position: 4810.0 μm - Charge: 112.21 pC




Transient Pulse - Sample: 5mm_23 - Position: 4815.0 μm - Charge: 115.64 pC




Transient Pulse - Sample: 5mm_23 - Position: 4820.0 μm - Charge: 113.75 pC




Transient Pulse - Sample: 5mm_23 - Position: 4825.0 μm - Charge: 113.16 pC




Transient Pulse - Sample: 5mm_23 - Position: 4830.0 μm - Charge: 113.01 pC




Transient Pulse - Sample: 5mm_23 - Position: 4835.0 μm - Charge: 111.60 pC




Transient Pulse - Sample: 5mm_23 - Position: 4840.0 μm - Charge: 111.57 pC




Transient Pulse - Sample: 5mm_23 - Position: 4845.0 μm - Charge: 114.61 pC




Transient Pulse - Sample: 5mm_23 - Position: 4850.0 μm - Charge: 117.83 pC




Transient Pulse - Sample: 5mm_23 - Position: 4855.0 μm - Charge: 115.89 pC




Transient Pulse - Sample: 5mm_23 - Position: 4860.0 μm - Charge: 117.14 pC




Transient Pulse - Sample: 5mm_23 - Position: 4865.0 μm - Charge: 113.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 4870.0 μm - Charge: 117.07 pC




Transient Pulse - Sample: 5mm_23 - Position: 4875.0 μm - Charge: 114.94 pC




Transient Pulse - Sample: 5mm_23 - Position: 4880.0 μm - Charge: 115.56 pC




Transient Pulse - Sample: 5mm_23 - Position: 4885.0 μm - Charge: 115.47 pC




Transient Pulse - Sample: 5mm_23 - Position: 4890.0 μm - Charge: 114.90 pC




Transient Pulse - Sample: 5mm_23 - Position: 4895.0 μm - Charge: 116.76 pC




Transient Pulse - Sample: 5mm_23 - Position: 4900.0 μm - Charge: 115.56 pC




Transient Pulse - Sample: 5mm_23 - Position: 4905.0 μm - Charge: 114.37 pC




Transient Pulse - Sample: 5mm_23 - Position: 4910.0 μm - Charge: 115.80 pC




Transient Pulse - Sample: 5mm_23 - Position: 4915.0 μm - Charge: 114.01 pC




Transient Pulse - Sample: 5mm_23 - Position: 4920.0 μm - Charge: 114.95 pC




Transient Pulse - Sample: 5mm_23 - Position: 4925.0 μm - Charge: 114.44 pC




Transient Pulse - Sample: 5mm_23 - Position: 4930.0 μm - Charge: 118.83 pC




Transient Pulse - Sample: 5mm_23 - Position: 4935.0 μm - Charge: 118.23 pC




Transient Pulse - Sample: 5mm_23 - Position: 4940.0 μm - Charge: 117.44 pC




Transient Pulse - Sample: 5mm_23 - Position: 4945.0 μm - Charge: 116.00 pC




Transient Pulse - Sample: 5mm_23 - Position: 4950.0 μm - Charge: 118.48 pC




Transient Pulse - Sample: 5mm_23 - Position: 4955.0 μm - Charge: 116.10 pC




Transient Pulse - Sample: 5mm_23 - Position: 4960.0 μm - Charge: 120.07 pC




Transient Pulse - Sample: 5mm_23 - Position: 4965.0 μm - Charge: 118.79 pC




Transient Pulse - Sample: 5mm_23 - Position: 4970.0 μm - Charge: 118.37 pC




Transient Pulse - Sample: 5mm_23 - Position: 4975.0 μm - Charge: 121.07 pC




Transient Pulse - Sample: 5mm_23 - Position: 4980.0 μm - Charge: 117.62 pC




Transient Pulse - Sample: 5mm_23 - Position: 4985.0 μm - Charge: 115.35 pC




Transient Pulse - Sample: 5mm_23 - Position: 4990.0 μm - Charge: 118.25 pC




Transient Pulse - Sample: 5mm_23 - Position: 4995.0 μm - Charge: 114.29 pC




Transient Pulse - Sample: 5mm_23 - Position: 5000.0 μm - Charge: 116.46 pC




Transient Pulse - Sample: 5mm_23 - Position: 5005.0 μm - Charge: 112.37 pC




Transient Pulse - Sample: 5mm_23 - Position: 5010.0 μm - Charge: 112.17 pC




Transient Pulse - Sample: 5mm_23 - Position: 5015.0 μm - Charge: 108.44 pC




Transient Pulse - Sample: 5mm_23 - Position: 5020.0 μm - Charge: 104.61 pC




Transient Pulse - Sample: 5mm_23 - Position: 5025.0 μm - Charge: 101.31 pC




Transient Pulse - Sample: 5mm_23 - Position: 5030.0 μm - Charge: 93.99 pC




Transient Pulse - Sample: 5mm_23 - Position: 5035.0 μm - Charge: 85.29 pC




Transient Pulse - Sample: 5mm_23 - Position: 5040.0 μm - Charge: 80.17 pC




Transient Pulse - Sample: 5mm_23 - Position: 5045.0 μm - Charge: 80.97 pC




Transient Pulse - Sample: 5mm_23 - Position: 5050.0 μm - Charge: 68.24 pC




Transient Pulse - Sample: 5mm_23 - Position: 5055.0 μm - Charge: 61.89 pC




Transient Pulse - Sample: 5mm_23 - Position: 5060.0 μm - Charge: 57.49 pC




Transient Pulse - Sample: 5mm_23 - Position: 5065.0 μm - Charge: 48.36 pC




Transient Pulse - Sample: 5mm_23 - Position: 5070.0 μm - Charge: 42.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 5075.0 μm - Charge: 36.99 pC




Transient Pulse - Sample: 5mm_23 - Position: 5080.0 μm - Charge: 30.96 pC




Transient Pulse - Sample: 5mm_23 - Position: 5085.0 μm - Charge: 25.31 pC




Transient Pulse - Sample: 5mm_23 - Position: 5090.0 μm - Charge: 20.33 pC




Transient Pulse - Sample: 5mm_23 - Position: 5095.0 μm - Charge: 16.55 pC




Transient Pulse - Sample: 5mm_23 -Position: 5100.0 μm - Charge: 12.37 pC




Transient Pulse - Sample: 5mm_23 - Position: 5105.0 μm - Charge: 8.92 pC




Transient Pulse - Sample: 5mm_23 - Position: 5110.0 μm - Charge: 6.98 pC




Transient Pulse - Sample: 5mm_23 - Position: 5115.0 μm - Charge: 6.60 pC




Transient Pulse - Sample: 5mm_23 - Position: 5120.0 μm - Charge: 4.62 pC




Transient Pulse - Sample: 5mm_23 - Position: 5125.0 μm - Charge: 3.91 pC




Transient Pulse - Sample: 5mm_23 - Position: 5130.0 μm - Charge: 3.22 pC




Transient Pulse - Sample: 5mm_23 - Position: 5135.0 μm - Charge: 3.18 pC




Transient Pulse - Sample: 5mm_23 - Position: 5140.0 μm - Charge: 2.27 pC




Transient Pulse - Sample: 5mm_23 - Position: 5145.0 μm - Charge: 1.94 pC




Transient Pulse - Sample: 5mm_23 - Position: 5150.0 μm - Charge: 2.01 pC




Transient Pulse - Sample: 5mm_23 - Position: 5155.0 μm - Charge: 1.73 pC




Transient Pulse - Sample: 5mm_23 - Position: 5160.0 μm - Charge: 1.36 pC




Transient Pulse - Sample: 5mm_23 - Position: 5165.0 μm - Charge: 4.07 pC




Transient Pulse - Sample: 5mm_23 - Position: 5170.0 μm - Charge: 3.19 pC




Transient Pulse - Sample: 5mm_23 - Position: 5175.0 μm - Charge: 3.01 pC




Transient Pulse - Sample: 5mm_23 - Position: 5180.0 μm - Charge: 3.93 pC




Transient Pulse - Sample: 5mm_23 - Position: 5185.0 μm - Charge: 2.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 5190.0 μm - Charge: 1.94 pC




Transient Pulse - Sample: 5mm_23 - Position: 5195.0 μm - Charge: 2.67 pC




Transient Pulse - Sample: 5mm_23 - Position: 5200.0 μm - Charge: 2.65 pC




Transient Pulse - Sample: 5mm_23 - Position: 5205.0 μm - Charge: 3.20 pC




Transient Pulse - Sample: 5mm_23 - Position: 5210.0 μm - Charge: -0.28 pC




Transient Pulse - Sample: 5mm_23 - Position: 5215.0 μm - Charge: 2.14 pC




Transient Pulse - Sample: 5mm_23 - Position: 5220.0 μm - Charge: 1.66 pC




Transient Pulse - Sample: 5mm_23 - Position: 5225.0 μm - Charge: 1.96 pC




Transient Pulse - Sample: 5mm_23 - Position: 5230.0 μm - Charge: -0.75 pC




Transient Pulse - Sample: 5mm_23 - Position: 5235.0 μm - Charge: 2.68 pC




Transient Pulse - Sample: 5mm_23 - Position: 5240.0 μm - Charge: 1.30 pC




Transient Pulse - Sample: 5mm_23 - Position: 5245.0 μm - Charge: 3.93 pC




Transient Pulse - Sample: 5mm_23 - Position: 5250.0 μm - Charge: 1.67 pC




Transient Pulse - Sample: 5mm_23 - Position: 5255.0 μm - Charge: 1.92 pC




Transient Pulse - Sample: 5mm_23 - Position: 5260.0 μm - Charge: 1.39 pC




Transient Pulse - Sample: 5mm_23 - Position: 5265.0 μm - Charge: 1.17 pC




Transient Pulse - Sample: 5mm_23 - Position: 5270.0 μm - Charge: 1.84 pC




Transient Pulse - Sample: 5mm_23 - Position: 5275.0 μm - Charge: 1.89 pC




Transient Pulse - Sample: 5mm_23 - Position: 5280.0 μm - Charge: -0.26 pC




Transient Pulse - Sample: 5mm_23 - Position: 5285.0 μm - Charge: 1.47 pC



Transient Pulse - Sample: 5mm_23 - Position: 5290.0 μm - Charge: 0.70 pC



Transient Pulse - Sample: 5mm_23 - Position: 5295.0 μm - Charge: -0.20 pC



Transient Pulse - Sample: 5mm_23 - Position: 5300.0 μm - Charge: 2.76 pC

