



TCT Run 5mm_23_WB1 Summary

Parameter	Value
Run	5mm_23_WB1
Surface	x
Edge	N/A
Sample	5mm_23
Vbias (V)	163.0
DAC (%)	63.3
Bandwidth	500MHz
Path	C:/Users/APD-I/Desktop/TCT/LGAD/111425/163V_35MIP_5mm23
Irradiation (Fluence)	0.0
Notes	Correctintg Gain to 1cmm_43
Date	11/14/2025
Gain Constant	5.5


Collected Charge




Collected Charge




Gain




Transient Pulse - Sample: 5mm_23 - Position: 0.0 μm - Charge: -0.31 pC




Transient Pulse - Sample: 5mm_23 - Position: 5.0 μm - Charge: -0.52 pC




Transient Pulse - Sample: 5mm_23- Position: 10.0 μm - Charge: -0.84 pC




Transient Pulse - Sample: 5mm_23- Position: 15.0 μm - Charge: -0.22 pC




Transient Pulse - Sample: 5mm_23- Position: 20.0 μm - Charge: -0.40 pC




Transient Pulse - Sample: 5mm_23- Position: 25.0 μm - Charge: -0.17 pC




Transient Pulse - Sample: 5mm_23- Position: 30.0 μm - Charge: -0.01 pC




Transient Pulse - Sample: 5mm_23 - Position: 35.0 μm - Charge: 1.33 pC




Transient Pulse - Sample: 5mm_23- Position: 40.0 μm - Charge: -1.10 pC




Transient Pulse - Sample: 5mm_23- Position: 45.0 μm - Charge: -1.55 pC




Transient Pulse - Sample: 5mm_23- Position: 50.0 μm - Charge: -0.83 pC




Transient Pulse - Sample: 5mm_23 - Position: 55.0 μm - Charge: -0.14 pC




Transient Pulse - Sample: 5mm_23 - Position: 60.0 μm - Charge: 1.61 pC




Transient Pulse - Sample: 5mm_23 - Position: 65.0 μm - Charge: -0.11 pC




Transient Pulse - Sample: 5mm_23 - Position: 70.0 μm - Charge: -2.02 pC




Transient Pulse - Sample: 5mm_23 - Position: 75.0 μm - Charge: -1.20 pC




Transient Pulse - Sample: 5mm_23 - Position: 80.0 μm - Charge: 0.55 pC




Transient Pulse - Sample: 5mm_23 - Position: 85.0 μm - Charge: 0.77 pC




Transient Pulse - Sample: 5mm_23 - Position: 90.0 μm - Charge: 1.50 pC




Transient Pulse - Sample: 5mm_23 - Position: 95.0 μm - Charge: -0.23 pC




Transient Pulse - Sample: 5mm_23 - Position: 100.0 μm - Charge: 0.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 105.0 μm - Charge: 0.79 pC




Transient Pulse - Sample: 5mm_23 - Position: 110.0 μm - Charge: -0.07 pC




Transient Pulse - Sample: 5mm_23 - Position: 115.0 μm - Charge: 0.04 pC




Transient Pulse - Sample: 5mm_23 - Position: 120.0 μm - Charge: 0.06 pC




Transient Pulse - Sample: 5mm_23 - Position: 125.0 μm - Charge: 2.42 pC




Transient Pulse - Sample: 5mm_23 - Position: 130.0 μm - Charge: 1.51 pC




Transient Pulse - Sample: 5mm_23 - Position: 135.0 μm - Charge: -0.47 pC




Transient Pulse - Sample: 5mm_23 - Position: 140.0 μm - Charge: 0.58 pC




Transient Pulse - Sample: 5mm_23 - Position: 145.0 μm - Charge: 0.71 pC




Transient Pulse - Sample: 5mm_23 - Position: 150.0 μm - Charge: 0.08 pC




Transient Pulse - Sample: 5mm_23 - Position: 155.0 μm - Charge: -0.95 pC




Transient Pulse - Sample: 5mm_23 - Position: 160.0 μm - Charge: -0.63 pC




Transient Pulse - Sample: 5mm_23 - Position: 165.0 μm - Charge: -0.55 pC




Transient Pulse - Sample: 5mm_23 - Position: 170.0 μm - Charge: -0.18 pC




Transient Pulse - Sample: 5mm_23 - Position: 175.0 μm - Charge: -0.35 pC




Transient Pulse - Sample: 5mm_23 - Position: 180.0 μm - Charge: 1.46 pC




Transient Pulse - Sample: 5mm_23 - Position: 185.0 μm - Charge: -0.03 pC




Transient Pulse - Sample: 5mm_23 - Position: 190.0 μm - Charge: 0.13 pC




Transient Pulse - Sample: 5mm_23 - Position: 195.0 μm - Charge: 2.48 pC




Transient Pulse - Sample: 5mm_23 - Position: 200.0 μm - Charge: 0.64 pC




Transient Pulse - Sample: 5mm_23 - Position: 205.0 μm - Charge: 0.10 pC




Transient Pulse - Sample: 5mm_23 - Position: 210.0 μm - Charge: 0.70 pC




Transient Pulse - Sample: 5mm_23 - Position: 215.0 μm - Charge: 0.09 pC




Transient Pulse - Sample: 5mm_23 - Position: 220.0 μm - Charge: 0.63 pC




Transient Pulse - Sample: 5mm_23 - Position: 225.0 μm - Charge: 1.21 pC




Transient Pulse - Sample: 5mm_23 - Position: 230.0 μm - Charge: 2.01 pC




Transient Pulse - Sample: 5mm_23 - Position: 235.0 μm - Charge: 2.08 pC




Transient Pulse - Sample: 5mm_23 - Position: 240.0 μm - Charge: 3.20 pC




Transient Pulse - Sample: 5mm_23 - Position: 245.0 μm - Charge: 4.70 pC




Transient Pulse - Sample: 5mm_23 - Position: 250.0 μm - Charge: 5.58 pC




Transient Pulse - Sample: 5mm_23 - Position: 255.0 μm - Charge: 8.04 pC




Transient Pulse - Sample: 5mm_23 - Position: 260.0 μm - Charge: 8.99 pC




Transient Pulse - Sample: 5mm_23 - Position: 265.0 μm - Charge: 11.43 pC




Transient Pulse - Sample: 5mm_23 - Position: 270.0 μm - Charge: 15.27 pC




Transient Pulse - Sample: 5mm_23 - Position: 275.0 μm - Charge: 20.06 pC




Transient Pulse - Sample: 5mm_23 - Position: 280.0 μm - Charge: 25.57 pC




Transient Pulse - Sample: 5mm_23 - Position: 285.0 μm - Charge: 31.95 pC




Transient Pulse - Sample: 5mm_23 - Position: 290.0 μm - Charge: 41.41 pC




Transient Pulse - Sample: 5mm_23 - Position: 295.0 μm - Charge: 51.26 pC




Transient Pulse - Sample: 5mm_23 - Position: 300.0 μm - Charge: 60.90 pC




Transient Pulse - Sample: 5mm_23 - Position: 305.0 μm - Charge: 72.48 pC




Transient Pulse - Sample: 5mm_23 - Position: 310.0 μm - Charge: 82.91 pC




Transient Pulse - Sample: 5mm_23 - Position: 315.0 μm - Charge: 97.46 pC




Transient Pulse - Sample: 5mm_23 - Position: 320.0 μm - Charge: 108.99 pC




Transient Pulse - Sample: 5mm_23 - Position: 325.0 μm - Charge: 120.72 pC




Transient Pulse - Sample: 5mm_23 - Position: 330.0 μm - Charge: 132.97 pC




Transient Pulse - Sample: 5mm_23 - Position: 335.0 μm - Charge: 145.06 pC




Transient Pulse - Sample: 5mm_23 - Position: 340.0 μm - Charge: 156.06 pC




Transient Pulse - Sample: 5mm_23 - Position: 345.0 μm - Charge: 161.69 pC




Transient Pulse - Sample: 5mm_23 - Position: 350.0 μm - Charge: 168.88 pC




Transient Pulse - Sample: 5mm_23 - Position: 355.0 μm - Charge: 175.15 pC




Transient Pulse - Sample: 5mm_23 - Position: 360.0 μm - Charge: 180.71 pC




Transient Pulse - Sample: 5mm_23 - Position: 365.0 μm - Charge: 184.02 pC




Transient Pulse - Sample: 5mm_23 - Position: 370.0 μm - Charge: 190.30 pC




Transient Pulse - Sample: 5mm_23 - Position: 375.0 μm - Charge: 191.91 pC




Transient Pulse - Sample: 5mm_23 - Position: 380.0 μm - Charge: 197.40 pC




Transient Pulse - Sample: 5mm_23 - Position: 385.0 μm - Charge: 198.59 pC




Transient Pulse - Sample: 5mm_23 - Position: 390.0 μm - Charge: 197.59 pC




Transient Pulse - Sample: 5mm_23 - Position: 395.0 μm - Charge: 198.63 pC




Transient Pulse - Sample: 5mm_23 - Position: 400.0 μm - Charge: 199.49 pC




Transient Pulse - Sample: 5mm_23 - Position: 405.0 μm - Charge: 200.29 pC




Transient Pulse - Sample: 5mm_23 - Position: 410.0 μm - Charge: 201.81 pC




Transient Pulse - Sample: 5mm_23 - Position: 415.0 μm - Charge: 202.49 pC




Transient Pulse - Sample: 5mm_23 - Position: 420.0 μm - Charge: 203.35 pC




Transient Pulse - Sample: 5mm_23 - Position: 425.0 μm - Charge: 199.40 pC




Transient Pulse - Sample: 5mm_23 - Position: 430.0 μm - Charge: 201.27 pC




Transient Pulse - Sample: 5mm_23 - Position: 435.0 μm - Charge: 202.85 pC




Transient Pulse - Sample: 5mm_23 - Position: 440.0 μm - Charge: 197.81 pC




Transient Pulse - Sample: 5mm_23 - Position: 445.0 μm - Charge: 200.49 pC




Transient Pulse - Sample: 5mm_23 - Position: 450.0 μm - Charge: 198.34 pC




Transient Pulse - Sample: 5mm_23 - Position: 455.0 μm - Charge: 197.24 pC




Transient Pulse - Sample: 5mm_23 - Position: 460.0 μm - Charge: 195.69 pC




Transient Pulse - Sample: 5mm_23 - Position: 465.0 μm - Charge: 196.04 pC




Transient Pulse - Sample: 5mm_23 - Position: 470.0 μm - Charge: 196.60 pC




Transient Pulse - Sample: 5mm_23 - Position: 475.0 μm - Charge: 194.24 pC




Transient Pulse - Sample: 5mm_23 - Position: 480.0 μm - Charge: 197.17 pC




Transient Pulse - Sample: 5mm_23 - Position: 485.0 μm - Charge: 194.86 pC




Transient Pulse - Sample: 5mm_23 - Position: 490.0 μm - Charge: 193.90 pC




Transient Pulse - Sample: 5mm_23 - Position: 495.0 μm - Charge: 193.30 pC




Transient Pulse - Sample: 5mm_23 - Position: 500.0 μm - Charge: 190.80 pC




Transient Pulse - Sample: 5mm_23 - Position: 505.0 μm - Charge: 191.90 pC




Transient Pulse - Sample: 5mm_23 - Position: 510.0 μm - Charge: 192.73 pC




Transient Pulse - Sample: 5mm_23 - Position: 515.0 μm - Charge: 190.10 pC




Transient Pulse - Sample: 5mm_23 - Position: 520.0 μm - Charge: 192.87 pC




Transient Pulse - Sample: 5mm_23 - Position: 525.0 μm - Charge: 194.19 pC




Transient Pulse - Sample: 5mm_23 - Position: 530.0 μm - Charge: 193.65 pC




Transient Pulse - Sample: 5mm_23 - Position: 535.0 μm - Charge: 195.53 pC




Transient Pulse - Sample: 5mm_23 - Position: 540.0 μm - Charge: 196.21 pC




Transient Pulse - Sample: 5mm_23 - Position: 545.0 μm - Charge: 197.38 pC




Transient Pulse - Sample: 5mm_23 - Position: 550.0 μm - Charge: 200.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 555.0 μm - Charge: 200.88 pC




Transient Pulse - Sample: 5mm_23 - Position: 560.0 μm - Charge: 200.30 pC




Transient Pulse - Sample: 5mm_23 - Position: 565.0 μm - Charge: 205.16 pC




Transient Pulse - Sample: 5mm_23 - Position: 570.0 μm - Charge: 203.08 pC




Transient Pulse - Sample: 5mm_23 - Position: 575.0 μm - Charge: 205.19 pC




Transient Pulse - Sample: 5mm_23 - Position: 580.0 μm - Charge: 204.46 pC




Transient Pulse - Sample: 5mm_23 - Position: 585.0 μm - Charge: 208.09 pC




Transient Pulse - Sample: 5mm_23 - Position: 590.0 μm - Charge: 208.62 pC




Transient Pulse - Sample: 5mm_23 - Position: 595.0 μm - Charge: 212.79 pC




Transient Pulse - Sample: 5mm_23 - Position: 600.0 μm - Charge: 210.81 pC




Transient Pulse - Sample: 5mm_23 - Position: 605.0 μm - Charge: 210.94 pC




Transient Pulse - Sample: 5mm_23 - Position: 610.0 μm - Charge: 211.36 pC




Transient Pulse - Sample: 5mm_23 - Position: 615.0 μm - Charge: 211.07 pC




Transient Pulse - Sample: 5mm_23 - Position: 620.0 μm - Charge: 210.01 pC




Transient Pulse - Sample: 5mm_23 - Position: 625.0 μm - Charge: 207.16 pC




Transient Pulse - Sample: 5mm_23 - Position: 630.0 μm - Charge: 203.76 pC




Transient Pulse - Sample: 5mm_23 - Position: 635.0 μm - Charge: 199.62 pC




Transient Pulse - Sample: 5mm_23 - Position: 640.0 μm - Charge: 192.95 pC




Transient Pulse - Sample: 5mm_23 - Position: 645.0 μm - Charge: 182.29 pC




Transient Pulse - Sample: 5mm_23 - Position: 650.0 μm - Charge: 174.88 pC




Transient Pulse - Sample: 5mm_23 - Position: 655.0 μm - Charge: 164.91 pC




Transient Pulse - Sample: 5mm_23 - Position: 660.0 μm - Charge: 155.27 pC




Transient Pulse - Sample: 5mm_23 - Position: 665.0 μm - Charge: 143.91 pC




Transient Pulse - Sample: 5mm_23 - Position: 670.0 μm - Charge: 126.61 pC




Transient Pulse - Sample: 5mm_23 - Position: 675.0 μm - Charge: 112.41 pC




Transient Pulse - Sample: 5mm_23 - Position: 680.0 μm - Charge: 100.37 pC




Transient Pulse - Sample: 5mm_23 - Position: 685.0 μm - Charge: 88.47 pC




Transient Pulse - Sample: 5mm_23 - Position: 690.0 μm - Charge: 76.17 pC




Transient Pulse - Sample: 5mm_23 - Position: 695.0 μm - Charge: 67.36 pC




Transient Pulse - Sample: 5mm_23 - Position: 700.0 μm - Charge: 56.37 pC




Transient Pulse - Sample: 5mm_23 - Position: 705.0 μm - Charge: 50.17 pC




Transient Pulse - Sample: 5mm_23 - Position: 710.0 μm - Charge: 44.19 pC




Transient Pulse - Sample: 5mm_23 - Position: 715.0 μm - Charge: 40.28 pC




Transient Pulse - Sample: 5mm_23 - Position: 720.0 μm - Charge: 37.61 pC




Transient Pulse - Sample: 5mm_23 - Position: 725.0 μm - Charge: 38.90 pC




Transient Pulse - Sample: 5mm_23 - Position: 730.0 μm - Charge: 43.56 pC




Transient Pulse - Sample: 5mm_23 - Position: 735.0 μm - Charge: 50.08 pC




Transient Pulse - Sample: 5mm_23 - Position: 740.0 μm - Charge: 57.27 pC




Transient Pulse - Sample: 5mm_23 - Position: 745.0 μm - Charge: 69.00 pC




Transient Pulse - Sample: 5mm_23 - Position: 750.0 μm - Charge: 78.60 pC




Transient Pulse - Sample: 5mm_23 - Position: 755.0 μm - Charge: 91.40 pC




Transient Pulse - Sample: 5mm_23 - Position: 760.0 μm - Charge: 101.74 pC




Transient Pulse - Sample: 5mm_23 - Position: 765.0 μm - Charge: 118.92 pC




Transient Pulse - Sample: 5mm_23 - Position: 770.0 μm - Charge: 130.25 pC




Transient Pulse - Sample: 5mm_23 - Position: 775.0 μm - Charge: 143.86 pC




Transient Pulse - Sample: 5mm_23 - Position: 780.0 μm - Charge: 154.78 pC




Transient Pulse - Sample: 5mm_23 - Position: 785.0 μm - Charge: 164.94 pC




Transient Pulse - Sample: 5mm_23 - Position: 790.0 μm - Charge: 175.56 pC




Transient Pulse - Sample: 5mm_23 - Position: 795.0 μm - Charge: 181.95 pC




Transient Pulse - Sample: 5mm_23 - Position: 800.0 μm - Charge: 190.71 pC




Transient Pulse - Sample: 5mm_23 - Position: 805.0 μm - Charge: 196.61 pC




Transient Pulse - Sample: 5mm_23 - Position: 810.0 μm - Charge: 199.19 pC




Transient Pulse - Sample: 5mm_23 - Position: 815.0 μm - Charge: 202.34 pC




Transient Pulse - Sample: 5mm_23 - Position: 820.0 μm - Charge: 204.34 pC




Transient Pulse - Sample: 5mm_23 - Position: 825.0 μm - Charge: 204.83 pC




Transient Pulse - Sample: 5mm_23 - Position: 830.0 μm - Charge: 206.28 pC




Transient Pulse - Sample: 5mm_23 - Position: 835.0 μm - Charge: 206.70 pC




Transient Pulse - Sample: 5mm_23 - Position: 840.0 μm - Charge: 208.83 pC




Transient Pulse - Sample: 5mm_23 - Position: 845.0 μm - Charge: 207.83 pC




Transient Pulse - Sample: 5mm_23 - Position: 850.0 μm - Charge: 207.06 pC




Transient Pulse - Sample: 5mm_23 - Position: 855.0 μm - Charge: 206.23 pC




Transient Pulse - Sample: 5mm_23 - Position: 860.0 μm - Charge: 206.12 pC




Transient Pulse - Sample: 5mm_23 - Position: 865.0 μm - Charge: 204.66 pC




Transient Pulse - Sample: 5mm_23 - Position: 870.0 μm - Charge: 207.91 pC




Transient Pulse - Sample: 5mm_23 - Position: 875.0 μm - Charge: 204.37 pC




Transient Pulse - Sample: 5mm_23 - Position: 880.0 μm - Charge: 204.39 pC




Transient Pulse - Sample: 5mm_23 - Position: 885.0 μm - Charge: 205.11 pC




Transient Pulse - Sample: 5mm_23 - Position: 890.0 μm - Charge: 204.94 pC




Transient Pulse - Sample: 5mm_23 - Position: 895.0 μm - Charge: 202.92 pC




Transient Pulse - Sample: 5mm_23 - Position: 900.0 μm - Charge: 203.13 pC




Transient Pulse - Sample: 5mm_23 - Position: 905.0 μm - Charge: 201.52 pC




Transient Pulse - Sample: 5mm_23 - Position: 910.0 μm - Charge: 202.73 pC




Transient Pulse - Sample: 5mm_23 - Position: 915.0 μm - Charge: 201.70 pC




Transient Pulse - Sample: 5mm_23 - Position: 920.0 μm - Charge: 201.30 pC




Transient Pulse - Sample: 5mm_23 - Position: 925.0 μm - Charge: 201.52 pC




Transient Pulse - Sample: 5mm_23 - Position: 930.0 μm - Charge: 200.68 pC




Transient Pulse - Sample: 5mm_23 - Position: 935.0 μm - Charge: 200.94 pC




Transient Pulse - Sample: 5mm_23 - Position: 940.0 μm - Charge: 203.04 pC




Transient Pulse - Sample: 5mm_23 - Position: 945.0 μm - Charge: 201.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 950.0 μm - Charge: 200.44 pC




Transient Pulse - Sample: 5mm_23 - Position: 955.0 μm - Charge: 201.80 pC




Transient Pulse - Sample: 5mm_23 - Position: 960.0 μm - Charge: 202.72 pC




Transient Pulse - Sample: 5mm_23 - Position: 965.0 μm - Charge: 201.97 pC




Transient Pulse - Sample: 5mm_23 - Position: 970.0 μm - Charge: 201.27 pC




Transient Pulse - Sample: 5mm_23 - Position: 975.0 μm - Charge: 200.06 pC




Transient Pulse - Sample: 5mm_23 - Position: 980.0 μm - Charge: 200.99 pC




Transient Pulse - Sample: 5mm_23 - Position: 985.0 μm - Charge: 199.88 pC




Transient Pulse - Sample: 5mm_23 - Position: 990.0 μm - Charge: 201.24 pC




Transient Pulse - Sample: 5mm_23 - Position: 995.0 μm - Charge: 202.01 pC




Transient Pulse - Sample: 5mm_23 - Position: 1000.0 μm - Charge: 200.31 pC




Transient Pulse - Sample: 5mm_23 - Position: 1005.0 μm - Charge: 200.87 pC




Transient Pulse - Sample: 5mm_23 - Position: 1010.0 μm - Charge: 202.71 pC




Transient Pulse - Sample: 5mm_23 - Position: 1015.0 μm - Charge: 203.31 pC




Transient Pulse - Sample: 5mm_23 - Position: 1020.0 μm - Charge: 201.89 pC




Transient Pulse - Sample: 5mm_23 - Position: 1025.0 μm - Charge: 203.41 pC




Transient Pulse - Sample: 5mm_23 - Position: 1030.0 μm - Charge: 201.94 pC




Transient Pulse - Sample: 5mm_23 - Position: 1035.0 μm - Charge: 201.44 pC




Transient Pulse - Sample: 5mm_23 - Position: 1040.0 μm - Charge: 200.77 pC




Transient Pulse - Sample: 5mm_23 - Position: 1045.0 μm - Charge: 201.49 pC




Transient Pulse - Sample: 5mm_23 - Position: 1050.0 μm - Charge: 202.33 pC




Transient Pulse - Sample: 5mm_23 - Position: 1055.0 μm - Charge: 202.46 pC




Transient Pulse - Sample: 5mm_23 - Position: 1060.0 μm - Charge: 200.74 pC




Transient Pulse - Sample: 5mm_23 - Position: 1065.0 μm - Charge: 204.16 pC




Transient Pulse - Sample: 5mm_23 - Position: 1070.0 μm - Charge: 204.35 pC




Transient Pulse - Sample: 5mm_23 - Position: 1075.0 μm - Charge: 203.34 pC




Transient Pulse - Sample: 5mm_23 - Position: 1080.0 μm - Charge: 204.28 pC




Transient Pulse - Sample: 5mm_23 - Position: 1085.0 μm - Charge: 203.37 pC




Transient Pulse - Sample: 5mm_23 - Position: 1090.0 μm - Charge: 204.67 pC




Transient Pulse - Sample: 5mm_23 - Position: 1095.0 μm - Charge: 203.43 pC




Transient Pulse - Sample: 5mm_23 - Position: 1100.0 μm - Charge: 201.89 pC




Transient Pulse - Sample: 5mm_23 - Position: 1105.0 μm - Charge: 201.32 pC




Transient Pulse - Sample: 5mm_23 - Position: 1110.0 μm - Charge: 200.48 pC




Transient Pulse - Sample: 5mm_23 - Position: 1115.0 μm - Charge: 201.27 pC




Transient Pulse - Sample: 5mm_23 - Position: 1120.0 μm - Charge: 199.55 pC




Transient Pulse - Sample: 5mm_23 - Position: 1125.0 μm - Charge: 196.94 pC




Transient Pulse - Sample: 5mm_23 - Position: 1130.0 μm - Charge: 194.10 pC




Transient Pulse - Sample: 5mm_23 - Position: 1135.0 μm - Charge: 191.81 pC




Transient Pulse - Sample: 5mm_23 - Position: 1140.0 μm - Charge: 185.84 pC




Transient Pulse - Sample: 5mm_23 - Position: 1145.0 μm - Charge: 179.75 pC




Transient Pulse - Sample: 5mm_23 - Position: 1150.0 μm - Charge: 173.12 pC




Transient Pulse - Sample: 5mm_23 - Position: 1155.0 μm - Charge: 163.53 pC




Transient Pulse - Sample: 5mm_23 - Position: 1160.0 μm - Charge: 154.60 pC




Transient Pulse - Sample: 5mm_23 - Position: 1165.0 μm - Charge: 144.52 pC




Transient Pulse - Sample: 5mm_23 - Position: 1170.0 μm - Charge: 134.16 pC




Transient Pulse - Sample: 5mm_23 - Position: 1175.0 μm - Charge: 122.92 pC




Transient Pulse - Sample: 5mm_23 - Position: 1180.0 μm - Charge: 109.13 pC




Transient Pulse - Sample: 5mm_23 - Position: 1185.0 μm - Charge: 96.28 pC




Transient Pulse - Sample: 5mm_23 - Position: 1190.0 μm - Charge: 82.69 pC




Transient Pulse - Sample: 5mm_23 - Position: 1195.0 μm - Charge: 72.58 pC




Transient Pulse - Sample: 5mm_23 - Position: 1200.0 μm - Charge: 64.76 pC




Transient Pulse - Sample: 5mm_23 - Position: 1205.0 μm - Charge: 53.72 pC




Transient Pulse - Sample: 5mm_23 - Position: 1210.0 μm - Charge: 47.51 pC




Transient Pulse - Sample: 5mm_23 - Position: 1215.0 μm - Charge: 41.88 pC




Transient Pulse - Sample: 5mm_23 - Position: 1220.0 μm - Charge: 41.37 pC




Transient Pulse - Sample: 5mm_23 - Position: 1225.0 μm - Charge: 38.22 pC




Transient Pulse - Sample: 5mm_23 - Position: 1230.0 μm - Charge: 37.80 pC




Transient Pulse - Sample: 5mm_23 - Position: 1235.0 μm - Charge: 41.85 pC




Transient Pulse - Sample: 5mm_23 - Position: 1240.0 μm - Charge: 47.33 pC




Transient Pulse - Sample: 5mm_23 - Position: 1245.0 μm - Charge: 56.31 pC




Transient Pulse - Sample: 5mm_23 - Position: 1250.0 μm - Charge: 63.69 pC




Transient Pulse - Sample: 5mm_23 - Position: 1255.0 μm - Charge: 75.07 pC




Transient Pulse - Sample: 5mm_23 - Position: 1260.0 μm - Charge: 87.07 pC




Transient Pulse - Sample: 5mm_23 - Position: 1265.0 μm - Charge: 98.53 pC




Transient Pulse - Sample: 5mm_23 - Position: 1270.0 μm - Charge: 112.35 pC




Transient Pulse - Sample: 5mm_23 - Position: 1275.0 μm - Charge: 125.69 pC




Transient Pulse - Sample: 5mm_23 - Position: 1280.0 μm - Charge: 142.59 pC




Transient Pulse - Sample: 5mm_23 - Position: 1285.0 μm - Charge: 153.96 pC




Transient Pulse - Sample: 5mm_23 - Position: 1290.0 μm - Charge: 165.09 pC




Transient Pulse - Sample: 5mm_23 - Position: 1295.0 μm - Charge: 173.62 pC




Transient Pulse - Sample: 5mm_23 - Position: 1300.0 μm - Charge: 182.02 pC




Transient Pulse - Sample: 5mm_23 - Position: 1305.0 μm - Charge: 192.14 pC




Transient Pulse - Sample: 5mm_23 - Position: 1310.0 μm - Charge: 195.21 pC




Transient Pulse - Sample: 5mm_23 - Position: 1315.0 μm - Charge: 202.00 pC




Transient Pulse - Sample: 5mm_23 - Position: 1320.0 μm - Charge: 206.59 pC




Transient Pulse - Sample: 5mm_23 - Position: 1325.0 μm - Charge: 210.99 pC




Transient Pulse - Sample: 5mm_23 - Position: 1330.0 μm - Charge: 213.13 pC




Transient Pulse - Sample: 5mm_23 - Position: 1335.0 μm - Charge: 215.47 pC




Transient Pulse - Sample: 5mm_23 - Position: 1340.0 μm - Charge: 217.28 pC




Transient Pulse - Sample: 5mm_23 - Position: 1345.0 μm - Charge: 220.80 pC




Transient Pulse - Sample: 5mm_23 - Position: 1350.0 μm - Charge: 221.88 pC




Transient Pulse - Sample: 5mm_23 - Position: 1355.0 μm - Charge: 222.48 pC




Transient Pulse - Sample: 5mm_23 - Position: 1360.0 μm - Charge: 223.60 pC




Transient Pulse - Sample: 5mm_23 - Position: 1365.0 μm - Charge: 223.51 pC




Transient Pulse - Sample: 5mm_23 - Position: 1370.0 μm - Charge: 225.27 pC




Transient Pulse - Sample: 5mm_23 - Position: 1375.0 μm - Charge: 226.26 pC




Transient Pulse - Sample: 5mm_23 - Position: 1380.0 μm - Charge: 226.09 pC




Transient Pulse - Sample: 5mm_23 - Position: 1385.0 μm - Charge: 226.82 pC




Transient Pulse - Sample: 5mm_23 - Position: 1390.0 μm - Charge: 229.41 pC




Transient Pulse - Sample: 5mm_23 - Position: 1395.0 μm - Charge: 229.70 pC




Transient Pulse - Sample: 5mm_23 - Position: 1400.0 μm - Charge: 230.80 pC




Transient Pulse - Sample: 5mm_23 - Position: 1405.0 μm - Charge: 229.95 pC




Transient Pulse - Sample: 5mm_23 - Position: 1410.0 μm - Charge: 232.40 pC




Transient Pulse - Sample: 5mm_23 - Position: 1415.0 μm - Charge: 234.19 pC




Transient Pulse - Sample: 5mm_23 - Position: 1420.0 μm - Charge: 234.22 pC




Transient Pulse - Sample: 5mm_23 - Position: 1425.0 μm - Charge: 235.92 pC




Transient Pulse - Sample: 5mm_23 - Position: 1430.0 μm - Charge: 236.30 pC




Transient Pulse - Sample: 5mm_23 - Position: 1435.0 μm - Charge: 237.27 pC




Transient Pulse - Sample: 5mm_23 - Position: 1440.0 μm - Charge: 238.24 pC




Transient Pulse - Sample: 5mm_23 - Position: 1445.0 μm - Charge: 239.03 pC




Transient Pulse - Sample: 5mm_23 - Position: 1450.0 μm - Charge: 242.02 pC




Transient Pulse - Sample: 5mm_23 - Position: 1455.0 μm - Charge: 241.11 pC




Transient Pulse - Sample: 5mm_23 - Position: 1460.0 μm - Charge: 244.94 pC




Transient Pulse - Sample: 5mm_23 - Position: 1465.0 μm - Charge: 244.92 pC




Transient Pulse - Sample: 5mm_23 - Position: 1470.0 μm - Charge: 245.34 pC




Transient Pulse - Sample: 5mm_23 - Position: 1475.0 μm - Charge: 245.92 pC




Transient Pulse - Sample: 5mm_23 - Position: 1480.0 μm - Charge: 246.82 pC




Transient Pulse - Sample: 5mm_23 - Position: 1485.0 μm - Charge: 248.26 pC




Transient Pulse - Sample: 5mm_23 - Position: 1490.0 μm - Charge: 250.78 pC




Transient Pulse - Sample: 5mm_23 - Position: 1495.0 μm - Charge: 251.38 pC




Transient Pulse - Sample: 5mm_23 - Position: 1500.0 μm - Charge: 253.92 pC




Transient Pulse - Sample: 5mm_23 - Position: 1505.0 μm - Charge: 252.73 pC




Transient Pulse - Sample: 5mm_23 - Position: 1510.0 μm - Charge: 252.02 pC




Transient Pulse - Sample: 5mm_23 - Position: 1515.0 μm - Charge: 252.06 pC




Transient Pulse - Sample: 5mm_23 - Position: 1520.0 μm - Charge: 253.89 pC




Transient Pulse - Sample: 5mm_23 - Position: 1525.0 μm - Charge: 253.64 pC




Transient Pulse - Sample: 5mm_23 - Position: 1530.0 μm - Charge: 255.36 pC




Transient Pulse - Sample: 5mm_23 - Position: 1535.0 μm - Charge: 255.13 pC




Transient Pulse - Sample: 5mm_23 - Position: 1540.0 μm - Charge: 255.18 pC




Transient Pulse - Sample: 5mm_23 - Position: 1545.0 μm - Charge: 254.30 pC




Transient Pulse - Sample: 5mm_23 - Position: 1550.0 μm - Charge: 254.25 pC




Transient Pulse - Sample: 5mm_23 - Position: 1555.0 μm - Charge: 254.44 pC




Transient Pulse - Sample: 5mm_23 - Position: 1560.0 μm - Charge: 255.99 pC




Transient Pulse - Sample: 5mm_23 - Position: 1565.0 μm - Charge: 254.90 pC




Transient Pulse - Sample: 5mm_23 - Position: 1570.0 μm - Charge: 254.40 pC




Transient Pulse - Sample: 5mm_23 - Position: 1575.0 μm - Charge: 254.30 pC




Transient Pulse - Sample: 5mm_23 - Position: 1580.0 μm - Charge: 255.85 pC




Transient Pulse - Sample: 5mm_23 - Position: 1585.0 μm - Charge: 253.28 pC




Transient Pulse - Sample: 5mm_23 - Position: 1590.0 μm - Charge: 253.10 pC




Transient Pulse - Sample: 5mm_23 - Position: 1595.0 μm - Charge: 252.98 pC




Transient Pulse - Sample: 5mm_23 - Position: 1600.0 μm - Charge: 254.41 pC




Transient Pulse - Sample: 5mm_23 - Position: 1605.0 μm - Charge: 251.25 pC




Transient Pulse - Sample: 5mm_23 - Position: 1610.0 μm - Charge: 249.65 pC




Transient Pulse - Sample: 5mm_23 - Position: 1615.0 μm - Charge: 246.79 pC




Transient Pulse - Sample: 5mm_23 - Position: 1620.0 μm - Charge: 245.11 pC




Transient Pulse - Sample: 5mm_23 - Position: 1625.0 μm - Charge: 241.10 pC




Transient Pulse - Sample: 5mm_23 - Position: 1630.0 μm - Charge: 239.13 pC




Transient Pulse - Sample: 5mm_23 - Position: 1635.0 μm - Charge: 232.21 pC




Transient Pulse - Sample: 5mm_23 - Position: 1640.0 μm - Charge: 222.74 pC




Transient Pulse - Sample: 5mm_23 - Position: 1645.0 μm - Charge: 215.64 pC




Transient Pulse - Sample: 5mm_23 - Position: 1650.0 μm - Charge: 201.32 pC




Transient Pulse - Sample: 5mm_23 - Position: 1655.0 μm - Charge: 190.08 pC




Transient Pulse - Sample: 5mm_23 - Position: 1660.0 μm - Charge: 179.10 pC




Transient Pulse - Sample: 5mm_23 - Position: 1665.0 μm - Charge: 163.98 pC




Transient Pulse - Sample: 5mm_23 - Position: 1670.0 μm - Charge: 149.61 pC




Transient Pulse - Sample: 5mm_23 - Position: 1675.0 μm - Charge: 135.14 pC




Transient Pulse - Sample: 5mm_23 - Position: 1680.0 μm - Charge: 120.25 pC




Transient Pulse - Sample: 5mm_23 - Position: 1685.0 μm - Charge: 107.51 pC




Transient Pulse - Sample: 5mm_23 - Position: 1690.0 μm - Charge: 91.62 pC




Transient Pulse - Sample: 5mm_23 - Position: 1695.0 μm - Charge: 80.85 pC




Transient Pulse - Sample: 5mm_23 - Position: 1700.0 μm - Charge: 69.23 pC




Transient Pulse - Sample: 5mm_23 - Position: 1705.0 μm - Charge: 62.84 pC




Transient Pulse - Sample: 5mm_23 - Position: 1710.0 μm - Charge: 56.14 pC




Transient Pulse - Sample: 5mm_23 - Position: 1715.0 μm - Charge: 47.58 pC




Transient Pulse - Sample: 5mm_23 - Position: 1720.0 μm - Charge: 43.71 pC




Transient Pulse - Sample: 5mm_23 - Position: 1725.0 μm - Charge: 41.02 pC




Transient Pulse - Sample: 5mm_23 - Position: 1730.0 μm - Charge: 39.88 pC




Transient Pulse - Sample: 5mm_23 - Position: 1735.0 μm - Charge: 41.91 pC




Transient Pulse - Sample: 5mm_23 - Position: 1740.0 μm - Charge: 46.22 pC




Transient Pulse - Sample: 5mm_23 - Position: 1745.0 μm - Charge: 54.42 pC




Transient Pulse - Sample: 5mm_23 - Position: 1750.0 μm - Charge: 61.85 pC




Transient Pulse - Sample: 5mm_23 - Position: 1755.0 μm - Charge: 71.29 pC




Transient Pulse - Sample: 5mm_23 - Position: 1760.0 μm - Charge: 82.36 pC




Transient Pulse - Sample: 5mm_23 - Position: 1765.0 μm - Charge: 97.34 pC




Transient Pulse - Sample: 5mm_23 - Position: 1770.0 μm - Charge: 109.84 pC




Transient Pulse - Sample: 5mm_23 - Position: 1775.0 μm - Charge: 123.68 pC




Transient Pulse - Sample: 5mm_23 - Position: 1780.0 μm - Charge: 136.77 pC




Transient Pulse - Sample: 5mm_23 - Position: 1785.0 μm - Charge: 150.00 pC




Transient Pulse - Sample: 5mm_23 - Position: 1790.0 μm - Charge: 163.98 pC




Transient Pulse - Sample: 5mm_23 - Position: 1795.0 μm - Charge: 172.23 pC




Transient Pulse - Sample: 5mm_23 - Position: 1800.0 μm - Charge: 183.46 pC




Transient Pulse - Sample: 5mm_23 - Position: 1805.0 μm - Charge: 192.02 pC




Transient Pulse - Sample: 5mm_23 - Position: 1810.0 μm - Charge: 200.10 pC




Transient Pulse - Sample: 5mm_23 - Position: 1815.0 μm - Charge: 207.98 pC




Transient Pulse - Sample: 5mm_23 - Position: 1820.0 μm - Charge: 214.97 pC




Transient Pulse - Sample: 5mm_23 - Position: 1825.0 μm - Charge: 218.03 pC




Transient Pulse - Sample: 5mm_23 - Position: 1830.0 μm - Charge: 221.96 pC




Transient Pulse - Sample: 5mm_23 - Position: 1835.0 μm - Charge: 225.85 pC




Transient Pulse - Sample: 5mm_23 - Position: 1840.0 μm - Charge: 226.34 pC




Transient Pulse - Sample: 5mm_23 - Position: 1845.0 μm - Charge: 228.56 pC




Transient Pulse - Sample: 5mm_23 - Position: 1850.0 μm - Charge: 230.47 pC




Transient Pulse - Sample: 5mm_23 - Position: 1855.0 μm - Charge: 229.84 pC




Transient Pulse - Sample: 5mm_23 - Position: 1860.0 μm - Charge: 231.62 pC




Transient Pulse - Sample: 5mm_23 - Position: 1865.0 μm - Charge: 232.71 pC




Transient Pulse - Sample: 5mm_23 - Position: 1870.0 μm - Charge: 229.77 pC




Transient Pulse - Sample: 5mm_23 - Position: 1875.0 μm - Charge: 233.55 pC




Transient Pulse - Sample: 5mm_23 - Position: 1880.0 μm - Charge: 234.14 pC




Transient Pulse - Sample: 5mm_23 - Position: 1885.0 μm - Charge: 233.91 pC




Transient Pulse - Sample: 5mm_23 - Position: 1890.0 μm - Charge: 234.00 pC




Transient Pulse - Sample: 5mm_23 - Position: 1895.0 μm - Charge: 235.48 pC




Transient Pulse - Sample: 5mm_23 - Position: 1900.0 μm - Charge: 234.65 pC




Transient Pulse - Sample: 5mm_23 - Position: 1905.0 μm - Charge: 235.83 pC




Transient Pulse - Sample: 5mm_23 - Position: 1910.0 μm - Charge: 233.58 pC




Transient Pulse - Sample: 5mm_23 - Position: 1915.0 μm - Charge: 235.88 pC




Transient Pulse - Sample: 5mm_23 - Position: 1920.0 μm - Charge: 235.42 pC




Transient Pulse - Sample: 5mm_23 - Position: 1925.0 μm - Charge: 239.12 pC




Transient Pulse - Sample: 5mm_23 - Position: 1930.0 μm - Charge: 236.75 pC




Transient Pulse - Sample: 5mm_23 - Position: 1935.0 μm - Charge: 237.29 pC




Transient Pulse - Sample: 5mm_23 - Position: 1940.0 μm - Charge: 237.28 pC




Transient Pulse - Sample: 5mm_23 - Position: 1945.0 μm - Charge: 238.11 pC




Transient Pulse - Sample: 5mm_23 - Position: 1950.0 μm - Charge: 237.69 pC




Transient Pulse - Sample: 5mm_23 - Position: 1955.0 μm - Charge: 240.64 pC




Transient Pulse - Sample: 5mm_23 - Position: 1960.0 μm - Charge: 239.74 pC




Transient Pulse - Sample: 5mm_23 - Position: 1965.0 μm - Charge: 240.45 pC




Transient Pulse - Sample: 5mm_23 - Position: 1970.0 μm - Charge: 240.42 pC




Transient Pulse - Sample: 5mm_23 - Position: 1975.0 μm - Charge: 241.85 pC




Transient Pulse - Sample: 5mm_23 - Position: 1980.0 μm - Charge: 240.55 pC




Transient Pulse - Sample: 5mm_23 - Position: 1985.0 μm - Charge: 240.16 pC




Transient Pulse - Sample: 5mm_23 - Position: 1990.0 μm - Charge: 242.95 pC




Transient Pulse - Sample: 5mm_23 - Position: 1995.0 μm - Charge: 245.06 pC




Transient Pulse - Sample: 5mm_23 - Position: 2000.0 μm - Charge: 243.31 pC




Transient Pulse - Sample: 5mm_23 - Position: 2005.0 μm - Charge: 244.53 pC




Transient Pulse - Sample: 5mm_23 - Position: 2010.0 μm - Charge: 242.76 pC




Transient Pulse - Sample: 5mm_23 - Position: 2015.0 μm - Charge: 243.69 pC




Transient Pulse - Sample: 5mm_23 - Position: 2020.0 μm - Charge: 243.71 pC




Transient Pulse - Sample: 5mm_23 - Position: 2025.0 μm - Charge: 246.26 pC




Transient Pulse - Sample: 5mm_23 - Position: 2030.0 μm - Charge: 245.22 pC




Transient Pulse - Sample: 5mm_23 - Position: 2035.0 μm - Charge: 245.68 pC




Transient Pulse - Sample: 5mm_23 - Position: 2040.0 μm - Charge: 245.61 pC




Transient Pulse - Sample: 5mm_23 - Position: 2045.0 μm - Charge: 245.44 pC




Transient Pulse - Sample: 5mm_23 - Position: 2050.0 μm - Charge: 248.62 pC




Transient Pulse - Sample: 5mm_23 - Position: 2055.0 μm - Charge: 245.10 pC




Transient Pulse - Sample: 5mm_23 - Position: 2060.0 μm - Charge: 245.89 pC




Transient Pulse - Sample: 5mm_23 - Position: 2065.0 μm - Charge: 246.52 pC




Transient Pulse - Sample: 5mm_23 - Position: 2070.0 μm - Charge: 246.34 pC




Transient Pulse - Sample: 5mm_23 - Position: 2075.0 μm - Charge: 246.22 pC




Transient Pulse - Sample: 5mm_23 - Position: 2080.0 μm - Charge: 247.58 pC




Transient Pulse - Sample: 5mm_23 - Position: 2085.0 μm - Charge: 244.96 pC




Transient Pulse - Sample: 5mm_23 - Position: 2090.0 μm - Charge: 245.02 pC




Transient Pulse - Sample: 5mm_23 - Position: 2095.0 μm - Charge: 245.77 pC




Transient Pulse - Sample: 5mm_23 - Position: 2100.0 μm - Charge: 247.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 2105.0 μm - Charge: 243.14 pC




Transient Pulse - Sample: 5mm_23 - Position: 2110.0 μm - Charge: 243.78 pC




Transient Pulse - Sample: 5mm_23 - Position: 2115.0 μm - Charge: 243.78 pC




Transient Pulse - Sample: 5mm_23 - Position: 2120.0 μm - Charge: 241.20 pC




Transient Pulse - Sample: 5mm_23 - Position: 2125.0 μm - Charge: 239.53 pC




Transient Pulse - Sample: 5mm_23 - Position: 2130.0 μm - Charge: 237.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 2135.0 μm - Charge: 235.73 pC




Transient Pulse - Sample: 5mm_23 - Position: 2140.0 μm - Charge: 235.20 pC




Transient Pulse - Sample: 5mm_23 - Position: 2145.0 μm - Charge: 227.97 pC




Transient Pulse - Sample: 5mm_23 - Position: 2150.0 μm - Charge: 223.66 pC




Transient Pulse - Sample: 5mm_23 - Position: 2155.0 μm - Charge: 215.13 pC




Transient Pulse - Sample: 5mm_23 - Position: 2160.0 μm - Charge: 208.08 pC




Transient Pulse - Sample: 5mm_23 - Position: 2165.0 μm - Charge: 198.42 pC




Transient Pulse - Sample: 5mm_23 - Position: 2170.0 μm - Charge: 187.69 pC




Transient Pulse - Sample: 5mm_23 - Position: 2175.0 μm - Charge: 176.64 pC




Transient Pulse - Sample: 5mm_23 - Position: 2180.0 μm - Charge: 162.66 pC




Transient Pulse - Sample: 5mm_23 - Position: 2185.0 μm - Charge: 149.62 pC




Transient Pulse - Sample: 5mm_23 - Position: 2190.0 μm - Charge: 136.03 pC




Transient Pulse - Sample: 5mm_23 - Position: 2195.0 μm - Charge: 118.88 pC




Transient Pulse - Sample: 5mm_23 - Position: 2200.0 μm - Charge: 107.02 pC




Transient Pulse - Sample: 5mm_23 - Position: 2205.0 μm - Charge: 90.61 pC




Transient Pulse - Sample: 5mm_23 - Position: 2210.0 μm - Charge: 81.35 pC




Transient Pulse - Sample: 5mm_23 - Position: 2215.0 μm - Charge: 70.05 pC




Transient Pulse - Sample: 5mm_23 - Position: 2220.0 μm - Charge: 59.24 pC




Transient Pulse - Sample: 5mm_23 - Position: 2225.0 μm - Charge: 53.37 pC




Transient Pulse - Sample: 5mm_23 - Position: 2230.0 μm - Charge: 45.18 pC




Transient Pulse - Sample: 5mm_23 - Position: 2235.0 μm - Charge: 41.64 pC




Transient Pulse - Sample: 5mm_23 - Position: 2240.0 μm - Charge: 39.61 pC




Transient Pulse - Sample: 5mm_23 - Position: 2245.0 μm - Charge: 41.34 pC




Transient Pulse - Sample: 5mm_23 - Position: 2250.0 μm - Charge: 44.55 pC




Transient Pulse - Sample: 5mm_23 - Position: 2255.0 μm - Charge: 52.92 pC




Transient Pulse - Sample: 5mm_23 - Position: 2260.0 μm - Charge: 60.64 pC




Transient Pulse - Sample: 5mm_23 - Position: 2265.0 μm - Charge: 68.91 pC




Transient Pulse - Sample: 5mm_23 - Position: 2270.0 μm - Charge: 82.82 pC




Transient Pulse - Sample: 5mm_23 - Position: 2275.0 μm - Charge: 94.07 pC




Transient Pulse - Sample: 5mm_23 - Position: 2280.0 μm - Charge: 106.74 pC




Transient Pulse - Sample: 5mm_23 - Position: 2285.0 μm - Charge: 120.96 pC




Transient Pulse - Sample: 5mm_23 - Position: 2290.0 μm - Charge: 135.74 pC




Transient Pulse - Sample: 5mm_23 - Position: 2295.0 μm - Charge: 150.04 pC




Transient Pulse - Sample: 5mm_23 - Position: 2300.0 μm - Charge: 161.91 pC




Transient Pulse - Sample: 5mm_23 - Position: 2305.0 μm - Charge: 172.80 pC




Transient Pulse - Sample: 5mm_23 - Position: 2310.0 μm - Charge: 182.70 pC




Transient Pulse - Sample: 5mm_23 - Position: 2315.0 μm - Charge: 191.31 pC




Transient Pulse - Sample: 5mm_23 - Position: 2320.0 μm - Charge: 198.81 pC




Transient Pulse - Sample: 5mm_23 - Position: 2325.0 μm - Charge: 206.48 pC




Transient Pulse - Sample: 5mm_23 - Position: 2330.0 μm - Charge: 211.83 pC




Transient Pulse - Sample: 5mm_23 - Position: 2335.0 μm - Charge: 218.49 pC




Transient Pulse - Sample: 5mm_23 - Position: 2340.0 μm - Charge: 220.02 pC




Transient Pulse - Sample: 5mm_23 - Position: 2345.0 μm - Charge: 222.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 2350.0 μm - Charge: 224.66 pC




Transient Pulse - Sample: 5mm_23 - Position: 2355.0 μm - Charge: 225.05 pC




Transient Pulse - Sample: 5mm_23 - Position: 2360.0 μm - Charge: 224.22 pC




Transient Pulse - Sample: 5mm_23 - Position: 2365.0 μm - Charge: 226.11 pC




Transient Pulse - Sample: 5mm_23 - Position: 2370.0 μm - Charge: 228.47 pC




Transient Pulse - Sample: 5mm_23 - Position: 2375.0 μm - Charge: 227.66 pC




Transient Pulse - Sample: 5mm_23 - Position: 2380.0 μm - Charge: 226.52 pC




Transient Pulse - Sample: 5mm_23 - Position: 2385.0 μm - Charge: 227.40 pC




Transient Pulse - Sample: 5mm_23 - Position: 2390.0 μm - Charge: 230.63 pC




Transient Pulse - Sample: 5mm_23 - Position: 2395.0 μm - Charge: 230.51 pC




Transient Pulse - Sample: 5mm_23 - Position: 2400.0 μm - Charge: 230.40 pC




Transient Pulse - Sample: 5mm_23 - Position: 2405.0 μm - Charge: 228.48 pC




Transient Pulse - Sample: 5mm_23 - Position: 2410.0 μm - Charge: 229.41 pC




Transient Pulse - Sample: 5mm_23 - Position: 2415.0 μm - Charge: 228.18 pC




Transient Pulse - Sample: 5mm_23 - Position: 2420.0 μm - Charge: 229.10 pC




Transient Pulse - Sample: 5mm_23 - Position: 2425.0 μm - Charge: 228.27 pC




Transient Pulse - Sample: 5mm_23 - Position: 2430.0 μm - Charge: 227.23 pC




Transient Pulse - Sample: 5mm_23 - Position: 2435.0 μm - Charge: 229.76 pC




Transient Pulse - Sample: 5mm_23 - Position: 2440.0 μm - Charge: 231.99 pC




Transient Pulse - Sample: 5mm_23 - Position: 2445.0 μm - Charge: 231.89 pC




Transient Pulse - Sample: 5mm_23 - Position: 2450.0 μm - Charge: 231.26 pC




Transient Pulse - Sample: 5mm_23 - Position: 2455.0 μm - Charge: 231.85 pC




Transient Pulse - Sample: 5mm_23 - Position: 2460.0 μm - Charge: 229.72 pC




Transient Pulse - Sample: 5mm_23 - Position: 2465.0 μm - Charge: 233.06 pC




Transient Pulse - Sample: 5mm_23 - Position: 2470.0 μm - Charge: 229.95 pC




Transient Pulse - Sample: 5mm_23 - Position: 2475.0 μm - Charge: 231.62 pC




Transient Pulse - Sample: 5mm_23 - Position: 2480.0 μm - Charge: 232.20 pC




Transient Pulse - Sample: 5mm_23 - Position: 2485.0 μm - Charge: 233.22 pC




Transient Pulse - Sample: 5mm_23 - Position: 2490.0 μm - Charge: 234.62 pC




Transient Pulse - Sample: 5mm_23 - Position: 2495.0 μm - Charge: 232.40 pC




Transient Pulse - Sample: 5mm_23 - Position: 2500.0 μm - Charge: 234.15 pC




Transient Pulse - Sample: 5mm_23 - Position: 2505.0 μm - Charge: 231.94 pC




Transient Pulse - Sample: 5mm_23 - Position: 2510.0 μm - Charge: 235.23 pC




Transient Pulse - Sample: 5mm_23 - Position: 2515.0 μm - Charge: 232.94 pC




Transient Pulse - Sample: 5mm_23 - Position: 2520.0 μm - Charge: 234.87 pC




Transient Pulse - Sample: 5mm_23 - Position: 2525.0 μm - Charge: 233.00 pC




Transient Pulse - Sample: 5mm_23 - Position: 2530.0 μm - Charge: 236.27 pC




Transient Pulse - Sample: 5mm_23 - Position: 2535.0 μm - Charge: 235.42 pC




Transient Pulse - Sample: 5mm_23 - Position: 2540.0 μm - Charge: 240.49 pC




Transient Pulse - Sample: 5mm_23 - Position: 2545.0 μm - Charge: 236.58 pC




Transient Pulse - Sample: 5mm_23 - Position: 2550.0 μm - Charge: 238.25 pC




Transient Pulse - Sample: 5mm_23 - Position: 2555.0 μm - Charge: 238.84 pC




Transient Pulse - Sample: 5mm_23 - Position: 2560.0 μm - Charge: 238.30 pC




Transient Pulse - Sample: 5mm_23 - Position: 2565.0 μm - Charge: 238.02 pC




Transient Pulse - Sample: 5mm_23 - Position: 2570.0 μm - Charge: 241.87 pC




Transient Pulse - Sample: 5mm_23 - Position: 2575.0 μm - Charge: 242.81 pC




Transient Pulse - Sample: 5mm_23 - Position: 2580.0 μm - Charge: 242.37 pC




Transient Pulse - Sample: 5mm_23 - Position: 2585.0 μm - Charge: 241.38 pC




Transient Pulse - Sample: 5mm_23 - Position: 2590.0 μm - Charge: 242.43 pC




Transient Pulse - Sample: 5mm_23 - Position: 2595.0 μm - Charge: 246.21 pC




Transient Pulse - Sample: 5mm_23 - Position: 2600.0 μm - Charge: 243.86 pC




Transient Pulse - Sample: 5mm_23 - Position: 2605.0 μm - Charge: 240.95 pC




Transient Pulse - Sample: 5mm_23 - Position: 2610.0 μm - Charge: 243.53 pC




Transient Pulse - Sample: 5mm_23 - Position: 2615.0 μm - Charge: 244.26 pC




Transient Pulse - Sample: 5mm_23 - Position: 2620.0 μm - Charge: 244.51 pC




Transient Pulse - Sample: 5mm_23 - Position: 2625.0 μm - Charge: 244.27 pC




Transient Pulse - Sample: 5mm_23 - Position: 2630.0 μm - Charge: 244.61 pC




Transient Pulse - Sample: 5mm_23 - Position: 2635.0 μm - Charge: 248.66 pC




Transient Pulse - Sample: 5mm_23 - Position: 2640.0 μm - Charge: 243.26 pC




Transient Pulse - Sample: 5mm_23 - Position: 2645.0 μm - Charge: 238.75 pC




Transient Pulse - Sample: 5mm_23 - Position: 2650.0 μm - Charge: 236.46 pC




Transient Pulse - Sample: 5mm_23 - Position: 2655.0 μm - Charge: 231.74 pC




Transient Pulse - Sample: 5mm_23 - Position: 2660.0 μm - Charge: 224.11 pC




Transient Pulse - Sample: 5mm_23 - Position: 2665.0 μm - Charge: 218.11 pC




Transient Pulse - Sample: 5mm_23 - Position: 2670.0 μm - Charge: 209.24 pC




Transient Pulse - Sample: 5mm_23 - Position: 2675.0 μm - Charge: 200.41 pC




Transient Pulse - Sample: 5mm_23 - Position: 2680.0 μm - Charge: 189.29 pC




Transient Pulse - Sample: 5mm_23 - Position: 2685.0 μm - Charge: 177.06 pC




Transient Pulse - Sample: 5mm_23 - Position: 2690.0 μm - Charge: 164.14 pC




Transient Pulse - Sample: 5mm_23 - Position: 2695.0 μm - Charge: 150.37 pC




Transient Pulse - Sample: 5mm_23 - Position: 2700.0 μm - Charge: 137.45 pC




Transient Pulse - Sample: 5mm_23 - Position: 2705.0 μm - Charge: 121.33 pC




Transient Pulse - Sample: 5mm_23 - Position: 2710.0 μm - Charge: 104.50 pC




Transient Pulse - Sample: 5mm_23 - Position: 2715.0 μm - Charge: 92.30 pC




Transient Pulse - Sample: 5mm_23 - Position: 2720.0 μm - Charge: 78.78 pC




Transient Pulse - Sample: 5mm_23 - Position: 2725.0 μm - Charge: 67.05 pC




Transient Pulse - Sample: 5mm_23 - Position: 2730.0 μm - Charge: 58.93 pC




Transient Pulse - Sample: 5mm_23 - Position: 2735.0 μm - Charge: 52.50 pC




Transient Pulse - Sample: 5mm_23 -Position: 2740.0 μm - Charge: 44.20 pC




Transient Pulse - Sample: 5mm_23 - Position: 2745.0 μm - Charge: 41.35 pC




Transient Pulse - Sample: 5mm_23 - Position: 2750.0 μm - Charge: 40.86 pC




Transient Pulse - Sample: 5mm_23 - Position: 2755.0 μm - Charge: 46.47 pC




Transient Pulse - Sample: 5mm_23 - Position: 2760.0 μm - Charge: 49.12 pC




Transient Pulse - Sample: 5mm_23 - Position: 2765.0 μm - Charge: 56.77 pC




Transient Pulse - Sample: 5mm_23 - Position: 2770.0 μm - Charge: 67.49 pC




Transient Pulse - Sample: 5mm_23 - Position: 2775.0 μm - Charge: 82.51 pC




Transient Pulse - Sample: 5mm_23 - Position: 2780.0 μm - Charge: 94.31 pC




Transient Pulse - Sample: 5mm_23 - Position: 2785.0 μm - Charge: 108.60 pC




Transient Pulse - Sample: 5mm_23 - Position: 2790.0 μm - Charge: 121.46 pC




Transient Pulse - Sample: 5mm_23 - Position: 2795.0 μm - Charge: 136.16 pC




Transient Pulse - Sample: 5mm_23 - Position: 2800.0 μm - Charge: 151.80 pC




Transient Pulse - Sample: 5mm_23 - Position: 2805.0 μm - Charge: 165.51 pC




Transient Pulse - Sample: 5mm_23 - Position: 2810.0 μm - Charge: 180.00 pC




Transient Pulse - Sample: 5mm_23 - Position: 2815.0 μm - Charge: 193.41 pC




Transient Pulse - Sample: 5mm_23 - Position: 2820.0 μm - Charge: 202.17 pC




Transient Pulse - Sample: 5mm_23 - Position: 2825.0 μm - Charge: 213.28 pC




Transient Pulse - Sample: 5mm_23 - Position: 2830.0 μm - Charge: 217.74 pC




Transient Pulse - Sample: 5mm_23 - Position: 2835.0 μm - Charge: 225.38 pC




Transient Pulse - Sample: 5mm_23 - Position: 2840.0 μm - Charge: 230.82 pC




Transient Pulse - Sample: 5mm_23 - Position: 2845.0 μm - Charge: 235.65 pC




Transient Pulse - Sample: 5mm_23 - Position: 2850.0 μm - Charge: 238.35 pC




Transient Pulse - Sample: 5mm_23 - Position: 2855.0 μm - Charge: 240.58 pC




Transient Pulse - Sample: 5mm_23 - Position: 2860.0 μm - Charge: 240.10 pC




Transient Pulse - Sample: 5mm_23 - Position: 2865.0 μm - Charge: 243.19 pC




Transient Pulse - Sample: 5mm_23 - Position: 2870.0 μm - Charge: 245.75 pC




Transient Pulse - Sample: 5mm_23 - Position: 2875.0 μm - Charge: 240.33 pC




Transient Pulse - Sample: 5mm_23 - Position: 2880.0 μm - Charge: 243.46 pC




Transient Pulse - Sample: 5mm_23 - Position: 2885.0 μm - Charge: 242.10 pC




Transient Pulse - Sample: 5mm_23 - Position: 2890.0 μm - Charge: 242.98 pC




Transient Pulse - Sample: 5mm_23 - Position: 2895.0 μm - Charge: 242.59 pC




Transient Pulse - Sample: 5mm_23 - Position: 2900.0 μm - Charge: 244.14 pC




Transient Pulse - Sample: 5mm_23 - Position: 2905.0 μm - Charge: 241.43 pC




Transient Pulse - Sample: 5mm_23 - Position: 2910.0 μm - Charge: 239.72 pC




Transient Pulse - Sample: 5mm_23 - Position: 2915.0 μm - Charge: 239.94 pC




Transient Pulse - Sample: 5mm_23 - Position: 2920.0 μm - Charge: 238.92 pC




Transient Pulse - Sample: 5mm_23 - Position: 2925.0 μm - Charge: 236.79 pC




Transient Pulse - Sample: 5mm_23 - Position: 2930.0 μm - Charge: 238.36 pC




Transient Pulse - Sample: 5mm_23 - Position: 2935.0 μm - Charge: 235.70 pC




Transient Pulse - Sample: 5mm_23 - Position: 2940.0 μm - Charge: 236.23 pC




Transient Pulse - Sample: 5mm_23 - Position: 2945.0 μm - Charge: 235.46 pC




Transient Pulse - Sample: 5mm_23 - Position: 2950.0 μm - Charge: 235.91 pC




Transient Pulse - Sample: 5mm_23 - Position: 2955.0 μm - Charge: 232.84 pC




Transient Pulse - Sample: 5mm_23 - Position: 2960.0 μm - Charge: 234.12 pC




Transient Pulse - Sample: 5mm_23 - Position: 2965.0 μm - Charge: 232.39 pC




Transient Pulse - Sample: 5mm_23 - Position: 2970.0 μm - Charge: 233.34 pC




Transient Pulse - Sample: 5mm_23 - Position: 2975.0 μm - Charge: 234.07 pC




Transient Pulse - Sample: 5mm_23 - Position: 2980.0 μm - Charge: 233.22 pC




Transient Pulse - Sample: 5mm_23 - Position: 2985.0 μm - Charge: 231.79 pC




Transient Pulse - Sample: 5mm_23 - Position: 2990.0 μm - Charge: 231.78 pC




Transient Pulse - Sample: 5mm_23 - Position: 2995.0 μm - Charge: 231.28 pC




Transient Pulse - Sample: 5mm_23 - Position: 3000.0 μm - Charge: 229.87 pC




Transient Pulse - Sample: 5mm_23 - Position: 3005.0 μm - Charge: 231.74 pC




Transient Pulse - Sample: 5mm_23 - Position: 3010.0 μm - Charge: 231.07 pC




Transient Pulse - Sample: 5mm_23 - Position: 3015.0 μm - Charge: 230.29 pC




Transient Pulse - Sample: 5mm_23 - Position: 3020.0 μm - Charge: 230.45 pC




Transient Pulse - Sample: 5mm_23 - Position: 3025.0 μm - Charge: 230.33 pC




Transient Pulse - Sample: 5mm_23 - Position: 3030.0 μm - Charge: 229.15 pC




Transient Pulse - Sample: 5mm_23 - Position: 3035.0 μm - Charge: 229.17 pC




Transient Pulse - Sample: 5mm_23 - Position: 3040.0 μm - Charge: 229.11 pC




Transient Pulse - Sample: 5mm_23 - Position: 3045.0 μm - Charge: 230.36 pC




Transient Pulse - Sample: 5mm_23 - Position: 3050.0 μm - Charge: 229.61 pC




Transient Pulse - Sample: 5mm_23 - Position: 3055.0 μm - Charge: 227.12 pC




Transient Pulse - Sample: 5mm_23 - Position: 3060.0 μm - Charge: 227.95 pC




Transient Pulse - Sample: 5mm_23 - Position: 3065.0 μm - Charge: 228.32 pC




Transient Pulse - Sample: 5mm_23 - Position: 3070.0 μm - Charge: 229.51 pC




Transient Pulse - Sample: 5mm_23 - Position: 3075.0 μm - Charge: 227.43 pC




Transient Pulse - Sample: 5mm_23 - Position: 3080.0 μm - Charge: 229.48 pC




Transient Pulse - Sample: 5mm_23 - Position: 3085.0 μm - Charge: 226.68 pC




Transient Pulse - Sample: 5mm_23 - Position: 3090.0 μm - Charge: 226.00 pC




Transient Pulse - Sample: 5mm_23 - Position: 3095.0 μm - Charge: 225.04 pC




Transient Pulse - Sample: 5mm_23 - Position: 3100.0 μm - Charge: 223.82 pC




Transient Pulse - Sample: 5mm_23 - Position: 3105.0 μm - Charge: 223.29 pC




Transient Pulse - Sample: 5mm_23 - Position: 3110.0 μm - Charge: 222.44 pC




Transient Pulse - Sample: 5mm_23 - Position: 3115.0 μm - Charge: 223.37 pC




Transient Pulse - Sample: 5mm_23 - Position: 3120.0 μm - Charge: 223.64 pC




Transient Pulse - Sample: 5mm_23 - Position: 3125.0 μm - Charge: 220.73 pC




Transient Pulse - Sample: 5mm_23 - Position: 3130.0 μm - Charge: 222.53 pC




Transient Pulse - Sample: 5mm_23 - Position: 3135.0 μm - Charge: 217.24 pC




Transient Pulse - Sample: 5mm_23 - Position: 3140.0 μm - Charge: 218.11 pC




Transient Pulse - Sample: 5mm_23 - Position: 3145.0 μm - Charge: 216.07 pC




Transient Pulse - Sample: 5mm_23 - Position: 3150.0 μm - Charge: 214.44 pC




Transient Pulse - Sample: 5mm_23 - Position: 3155.0 μm - Charge: 209.19 pC




Transient Pulse - Sample: 5mm_23 - Position: 3160.0 μm - Charge: 204.70 pC




Transient Pulse - Sample: 5mm_23 - Position: 3165.0 μm - Charge: 200.25 pC




Transient Pulse - Sample: 5mm_23 - Position: 3170.0 μm - Charge: 189.69 pC




Transient Pulse - Sample: 5mm_23 - Position: 3175.0 μm - Charge: 185.16 pC




Transient Pulse - Sample: 5mm_23 - Position: 3180.0 μm - Charge: 170.47 pC




Transient Pulse - Sample: 5mm_23 - Position: 3185.0 μm - Charge: 162.35 pC




Transient Pulse - Sample: 5mm_23 - Position: 3190.0 μm - Charge: 149.20 pC




Transient Pulse - Sample: 5mm_23 - Position: 3195.0 μm - Charge: 134.13 pC




Transient Pulse - Sample: 5mm_23 - Position: 3200.0 μm - Charge: 120.64 pC




Transient Pulse - Sample: 5mm_23 - Position: 3205.0 μm - Charge: 105.27 pC




Transient Pulse - Sample: 5mm_23 - Position: 3210.0 μm - Charge: 92.03 pC




Transient Pulse - Sample: 5mm_23 - Position: 3215.0 μm - Charge: 78.55 pC




Transient Pulse - Sample: 5mm_23 - Position: 3220.0 μm - Charge: 66.96 pC




Transient Pulse - Sample: 5mm_23 - Position: 3225.0 μm - Charge: 58.67 pC




Transient Pulse - Sample: 5mm_23 - Position: 3230.0 μm - Charge: 48.94 pC




Transient Pulse - Sample: 5mm_23 - Position: 3235.0 μm - Charge: 44.17 pC




Transient Pulse - Sample: 5mm_23 - Position: 3240.0 μm - Charge: 38.87 pC




Transient Pulse - Sample: 5mm_23 - Position: 3245.0 μm - Charge: 36.41 pC




Transient Pulse - Sample: 5mm_23 - Position: 3250.0 μm - Charge: 36.43 pC




Transient Pulse - Sample: 5mm_23 - Position: 3255.0 μm - Charge: 39.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 3260.0 μm - Charge: 42.22 pC




Transient Pulse - Sample: 5mm_23 - Position: 3265.0 μm - Charge: 51.40 pC




Transient Pulse - Sample: 5mm_23 - Position: 3270.0 μm - Charge: 61.27 pC




Transient Pulse - Sample: 5mm_23 - Position: 3275.0 μm - Charge: 67.96 pC




Transient Pulse - Sample: 5mm_23 - Position: 3280.0 μm - Charge: 80.79 pC




Transient Pulse - Sample: 5mm_23 - Position: 3285.0 μm - Charge: 90.39 pC




Transient Pulse - Sample: 5mm_23 - Position: 3290.0 μm - Charge: 104.18 pC




Transient Pulse - Sample: 5mm_23 - Position: 3295.0 μm - Charge: 115.67 pC




Transient Pulse - Sample: 5mm_23 - Position: 3300.0 μm - Charge: 128.38 pC




Transient Pulse - Sample: 5mm_23 - Position: 3305.0 μm - Charge: 138.87 pC




Transient Pulse - Sample: 5mm_23 - Position: 3310.0 μm - Charge: 149.38 pC




Transient Pulse - Sample: 5mm_23 - Position: 3315.0 μm - Charge: 161.14 pC




Transient Pulse - Sample: 5mm_23 - Position: 3320.0 μm - Charge: 169.19 pC




Transient Pulse - Sample: 5mm_23 - Position: 3325.0 μm - Charge: 174.91 pC




Transient Pulse - Sample: 5mm_23 - Position: 3330.0 μm - Charge: 183.09 pC




Transient Pulse - Sample: 5mm_23 - Position: 3335.0 μm - Charge: 189.45 pC




Transient Pulse - Sample: 5mm_23 - Position: 3340.0 μm - Charge: 193.88 pC




Transient Pulse - Sample: 5mm_23 - Position: 3345.0 μm - Charge: 197.25 pC




Transient Pulse - Sample: 5mm_23 - Position: 3350.0 μm - Charge: 200.98 pC




Transient Pulse - Sample: 5mm_23 - Position: 3355.0 μm - Charge: 205.26 pC




Transient Pulse - Sample: 5mm_23 - Position: 3360.0 μm - Charge: 204.52 pC




Transient Pulse - Sample: 5mm_23 - Position: 3365.0 μm - Charge: 208.46 pC




Transient Pulse - Sample: 5mm_23 - Position: 3370.0 μm - Charge: 209.98 pC




Transient Pulse - Sample: 5mm_23 - Position: 3375.0 μm - Charge: 211.85 pC




Transient Pulse - Sample: 5mm_23 - Position: 3380.0 μm - Charge: 208.86 pC




Transient Pulse - Sample: 5mm_23 - Position: 3385.0 μm - Charge: 210.86 pC




Transient Pulse - Sample: 5mm_23 - Position: 3390.0 μm - Charge: 212.19 pC




Transient Pulse - Sample: 5mm_23 - Position: 3395.0 μm - Charge: 211.05 pC




Transient Pulse - Sample: 5mm_23 - Position: 3400.0 μm - Charge: 210.34 pC




Transient Pulse - Sample: 5mm_23 - Position: 3405.0 μm - Charge: 213.11 pC




Transient Pulse - Sample: 5mm_23 - Position: 3410.0 μm - Charge: 212.61 pC




Transient Pulse - Sample: 5mm_23 - Position: 3415.0 μm - Charge: 213.22 pC




Transient Pulse - Sample: 5mm_23 - Position: 3420.0 μm - Charge: 212.28 pC




Transient Pulse - Sample: 5mm_23 - Position: 3425.0 μm - Charge: 214.58 pC




Transient Pulse - Sample: 5mm_23 - Position: 3430.0 μm - Charge: 214.21 pC




Transient Pulse - Sample: 5mm_23 - Position: 3435.0 μm - Charge: 217.05 pC




Transient Pulse - Sample: 5mm_23 - Position: 3440.0 μm - Charge: 215.42 pC




Transient Pulse - Sample: 5mm_23 - Position: 3445.0 μm - Charge: 216.94 pC




Transient Pulse - Sample: 5mm_23 - Position: 3450.0 μm - Charge: 216.29 pC




Transient Pulse - Sample: 5mm_23 - Position: 3455.0 μm - Charge: 218.02 pC




Transient Pulse - Sample: 5mm_23 - Position: 3460.0 μm - Charge: 219.82 pC




Transient Pulse - Sample: 5mm_23 - Position: 3465.0 μm - Charge: 219.16 pC




Transient Pulse - Sample: 5mm_23 - Position: 3470.0 μm - Charge: 221.75 pC




Transient Pulse - Sample: 5mm_23 - Position: 3475.0 μm - Charge: 222.17 pC




Transient Pulse - Sample: 5mm_23 - Position: 3480.0 μm - Charge: 222.23 pC




Transient Pulse - Sample: 5mm_23 - Position: 3485.0 μm - Charge: 222.70 pC




Transient Pulse - Sample: 5mm_23 - Position: 3490.0 μm - Charge: 222.21 pC




Transient Pulse - Sample: 5mm_23 - Position: 3495.0 μm - Charge: 223.63 pC




Transient Pulse - Sample: 5mm_23 - Position: 3500.0 μm - Charge: 223.28 pC




Transient Pulse - Sample: 5mm_23 - Position: 3505.0 μm - Charge: 221.04 pC




Transient Pulse - Sample: 5mm_23 - Position: 3510.0 μm - Charge: 224.57 pC




Transient Pulse - Sample: 5mm_23 - Position: 3515.0 μm - Charge: 223.13 pC




Transient Pulse - Sample: 5mm_23 - Position: 3520.0 μm - Charge: 221.84 pC




Transient Pulse - Sample: 5mm_23 - Position: 3525.0 μm - Charge: 224.80 pC




Transient Pulse - Sample: 5mm_23 - Position: 3530.0 μm - Charge: 223.25 pC




Transient Pulse - Sample: 5mm_23 - Position: 3535.0 μm - Charge: 222.63 pC




Transient Pulse - Sample: 5mm_23 - Position: 3540.0 μm - Charge: 221.94 pC




Transient Pulse - Sample: 5mm_23 - Position: 3545.0 μm - Charge: 219.64 pC




Transient Pulse - Sample: 5mm_23 - Position: 3550.0 μm - Charge: 220.18 pC




Transient Pulse - Sample: 5mm_23 - Position: 3555.0 μm - Charge: 218.01 pC




Transient Pulse - Sample: 5mm_23 - Position: 3560.0 μm - Charge: 219.39 pC




Transient Pulse - Sample: 5mm_23 - Position: 3565.0 μm - Charge: 218.20 pC




Transient Pulse - Sample: 5mm_23 - Position: 3570.0 μm - Charge: 217.29 pC




Transient Pulse - Sample: 5mm_23 - Position: 3575.0 μm - Charge: 216.92 pC




Transient Pulse - Sample: 5mm_23 - Position: 3580.0 μm - Charge: 215.21 pC




Transient Pulse - Sample: 5mm_23 - Position: 3585.0 μm - Charge: 214.92 pC




Transient Pulse - Sample: 5mm_23 - Position: 3590.0 μm - Charge: 213.20 pC




Transient Pulse - Sample: 5mm_23 - Position: 3595.0 μm - Charge: 213.52 pC




Transient Pulse - Sample: 5mm_23 - Position: 3600.0 μm - Charge: 211.02 pC




Transient Pulse - Sample: 5mm_23 - Position: 3605.0 μm - Charge: 209.39 pC




Transient Pulse - Sample: 5mm_23 - Position: 3610.0 μm - Charge: 208.65 pC




Transient Pulse - Sample: 5mm_23 - Position: 3615.0 μm - Charge: 208.13 pC




Transient Pulse - Sample: 5mm_23 - Position: 3620.0 μm - Charge: 211.14 pC




Transient Pulse - Sample: 5mm_23 - Position: 3625.0 μm - Charge: 205.19 pC




Transient Pulse - Sample: 5mm_23 - Position: 3630.0 μm - Charge: 207.29 pC




Transient Pulse - Sample: 5mm_23 - Position: 3635.0 μm - Charge: 204.74 pC




Transient Pulse - Sample: 5mm_23 - Position: 3640.0 μm - Charge: 202.30 pC




Transient Pulse - Sample: 5mm_23 - Position: 3645.0 μm - Charge: 202.94 pC




Transient Pulse - Sample: 5mm_23 - Position: 3650.0 μm - Charge: 200.66 pC




Transient Pulse - Sample: 5mm_23 - Position: 3655.0 μm - Charge: 197.86 pC




Transient Pulse - Sample: 5mm_23 - Position: 3660.0 μm - Charge: 195.25 pC




Transient Pulse - Sample: 5mm_23 - Position: 3665.0 μm - Charge: 189.71 pC




Transient Pulse - Sample: 5mm_23 - Position: 3670.0 μm - Charge: 185.91 pC




Transient Pulse - Sample: 5mm_23 - Position: 3675.0 μm - Charge: 178.33 pC




Transient Pulse - Sample: 5mm_23 - Position: 3680.0 μm - Charge: 168.90 pC




Transient Pulse - Sample: 5mm_23 - Position: 3685.0 μm - Charge: 163.56 pC




Transient Pulse - Sample: 5mm_23 - Position: 3690.0 μm - Charge: 151.92 pC




Transient Pulse - Sample: 5mm_23 - Position: 3695.0 μm - Charge: 141.72 pC




Transient Pulse - Sample: 5mm_23 - Position: 3700.0 μm - Charge: 128.09 pC




Transient Pulse - Sample: 5mm_23 - Position: 3705.0 μm - Charge: 117.10 pC




Transient Pulse - Sample: 5mm_23 - Position: 3710.0 μm - Charge: 103.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 3715.0 μm - Charge: 92.55 pC




Transient Pulse - Sample: 5mm_23 - Position: 3720.0 μm - Charge: 77.28 pC




Transient Pulse - Sample: 5mm_23 - Position: 3725.0 μm - Charge: 67.62 pC




Transient Pulse - Sample: 5mm_23 - Position: 3730.0 μm - Charge: 60.31 pC




Transient Pulse - Sample: 5mm_23 - Position: 3735.0 μm - Charge: 50.58 pC




Transient Pulse - Sample: 5mm_23 - Position: 3740.0 μm - Charge: 43.29 pC




Transient Pulse - Sample: 5mm_23 - Position: 3745.0 μm - Charge: 39.28 pC




Transient Pulse - Sample: 5mm_23 -Position: 3750.0 μm - Charge: 35.69 pC




Transient Pulse - Sample: 5mm_23 -Position: 3755.0 μm - Charge: 35.02 pC




Transient Pulse - Sample: 5mm_23 -Position: 3760.0 μm - Charge: 35.33 pC




Transient Pulse - Sample: 5mm_23 - Position: 3765.0 μm - Charge: 38.57 pC




Transient Pulse - Sample: 5mm_23 - Position: 3770.0 μm - Charge: 42.29 pC




Transient Pulse - Sample: 5mm_23 - Position: 3775.0 μm - Charge: 49.19 pC




Transient Pulse - Sample: 5mm_23 - Position: 3780.0 μm - Charge: 58.93 pC




Transient Pulse - Sample: 5mm_23 - Position: 3785.0 μm - Charge: 67.23 pC




Transient Pulse - Sample: 5mm_23 - Position: 3790.0 μm - Charge: 77.25 pC




Transient Pulse - Sample: 5mm_23 - Position: 3795.0 μm - Charge: 90.48 pC




Transient Pulse - Sample: 5mm_23 - Position: 3800.0 μm - Charge: 103.25 pC




Transient Pulse - Sample: 5mm_23 - Position: 3805.0 μm - Charge: 115.56 pC




Transient Pulse - Sample: 5mm_23 - Position: 3810.0 μm - Charge: 129.78 pC




Transient Pulse - Sample: 5mm_23 - Position: 3815.0 μm - Charge: 138.74 pC




Transient Pulse - Sample: 5mm_23 - Position: 3820.0 μm - Charge: 146.21 pC




Transient Pulse - Sample: 5mm_23 - Position: 3825.0 μm - Charge: 156.00 pC




Transient Pulse - Sample: 5mm_23 - Position: 3830.0 μm - Charge: 163.62 pC




Transient Pulse - Sample: 5mm_23 - Position: 3835.0 μm - Charge: 173.69 pC




Transient Pulse - Sample: 5mm_23 - Position: 3840.0 μm - Charge: 177.06 pC




Transient Pulse - Sample: 5mm_23 - Position: 3845.0 μm - Charge: 182.31 pC




Transient Pulse - Sample: 5mm_23 - Position: 3850.0 μm - Charge: 186.27 pC




Transient Pulse - Sample: 5mm_23 - Position: 3855.0 μm - Charge: 190.70 pC




Transient Pulse - Sample: 5mm_23 - Position: 3860.0 μm - Charge: 192.78 pC




Transient Pulse - Sample: 5mm_23 - Position: 3865.0 μm - Charge: 191.96 pC




Transient Pulse - Sample: 5mm_23 - Position: 3870.0 μm - Charge: 193.67 pC




Transient Pulse - Sample: 5mm_23 - Position: 3875.0 μm - Charge: 196.79 pC




Transient Pulse - Sample: 5mm_23 - Position: 3880.0 μm - Charge: 197.39 pC




Transient Pulse - Sample: 5mm_23 - Position: 3885.0 μm - Charge: 196.16 pC




Transient Pulse - Sample: 5mm_23 - Position: 3890.0 μm - Charge: 196.32 pC




Transient Pulse - Sample: 5mm_23 - Position: 3895.0 μm - Charge: 194.10 pC




Transient Pulse - Sample: 5mm_23 - Position: 3900.0 μm - Charge: 198.18 pC




Transient Pulse - Sample: 5mm_23 - Position: 3905.0 μm - Charge: 197.77 pC




Transient Pulse - Sample: 5mm_23 - Position: 3910.0 μm - Charge: 196.93 pC




Transient Pulse - Sample: 5mm_23 - Position: 3915.0 μm - Charge: 196.52 pC




Transient Pulse - Sample: 5mm_23 - Position: 3920.0 μm - Charge: 200.30 pC




Transient Pulse - Sample: 5mm_23 - Position: 3925.0 μm - Charge: 196.78 pC




Transient Pulse - Sample: 5mm_23 - Position: 3930.0 μm - Charge: 199.40 pC




Transient Pulse - Sample: 5mm_23 - Position: 3935.0 μm - Charge: 196.49 pC




Transient Pulse - Sample: 5mm_23 - Position: 3940.0 μm - Charge: 199.89 pC




Transient Pulse - Sample: 5mm_23 - Position: 3945.0 μm - Charge: 196.08 pC




Transient Pulse - Sample: 5mm_23 - Position: 3950.0 μm - Charge: 197.46 pC




Transient Pulse - Sample: 5mm_23 - Position: 3955.0 μm - Charge: 198.75 pC




Transient Pulse - Sample: 5mm_23 - Position: 3960.0 μm - Charge: 197.64 pC




Transient Pulse - Sample: 5mm_23 - Position: 3965.0 μm - Charge: 197.37 pC




Transient Pulse - Sample: 5mm_23 - Position: 3970.0 μm - Charge: 197.19 pC




Transient Pulse - Sample: 5mm_23 - Position: 3975.0 μm - Charge: 198.31 pC




Transient Pulse - Sample: 5mm_23 - Position: 3980.0 μm - Charge: 202.04 pC




Transient Pulse - Sample: 5mm_23 - Position: 3985.0 μm - Charge: 198.59 pC




Transient Pulse - Sample: 5mm_23 - Position: 3990.0 μm - Charge: 199.26 pC




Transient Pulse - Sample: 5mm_23 - Position: 3995.0 μm - Charge: 197.65 pC




Transient Pulse - Sample: 5mm_23 - Position: 4000.0 μm - Charge: 200.01 pC




Transient Pulse - Sample: 5mm_23 - Position: 4005.0 μm - Charge: 196.84 pC




Transient Pulse - Sample: 5mm_23 - Position: 4010.0 μm - Charge: 200.67 pC




Transient Pulse - Sample: 5mm_23 - Position: 4015.0 μm - Charge: 197.19 pC




Transient Pulse - Sample: 5mm_23 - Position: 4020.0 μm - Charge: 199.32 pC




Transient Pulse - Sample: 5mm_23 - Position: 4025.0 μm - Charge: 199.75 pC




Transient Pulse - Sample: 5mm_23 - Position: 4030.0 μm - Charge: 199.37 pC




Transient Pulse - Sample: 5mm_23 - Position: 4035.0 μm - Charge: 198.05 pC




Transient Pulse - Sample: 5mm_23 - Position: 4040.0 μm - Charge: 199.37 pC




Transient Pulse - Sample: 5mm_23 - Position: 4045.0 μm - Charge: 198.48 pC




Transient Pulse - Sample: 5mm_23 - Position: 4050.0 μm - Charge: 199.73 pC




Transient Pulse - Sample: 5mm_23 - Position: 4055.0 μm - Charge: 197.21 pC




Transient Pulse - Sample: 5mm_23 - Position: 4060.0 μm - Charge: 198.24 pC




Transient Pulse - Sample: 5mm_23 - Position: 4065.0 μm - Charge: 200.23 pC




Transient Pulse - Sample: 5mm_23 - Position: 4070.0 μm - Charge: 198.51 pC




Transient Pulse - Sample: 5mm_23 - Position: 4075.0 μm - Charge: 199.40 pC




Transient Pulse - Sample: 5mm_23 - Position: 4080.0 μm - Charge: 197.53 pC




Transient Pulse - Sample: 5mm_23 - Position: 4085.0 μm - Charge: 199.87 pC




Transient Pulse - Sample: 5mm_23 - Position: 4090.0 μm - Charge: 199.29 pC




Transient Pulse - Sample: 5mm_23 - Position: 4095.0 μm - Charge: 197.14 pC




Transient Pulse - Sample: 5mm_23 - Position: 4100.0 μm - Charge: 199.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 4105.0 μm - Charge: 197.49 pC




Transient Pulse - Sample: 5mm_23 - Position: 4110.0 μm - Charge: 197.72 pC




Transient Pulse - Sample: 5mm_23 - Position: 4115.0 μm - Charge: 195.89 pC




Transient Pulse - Sample: 5mm_23 - Position: 4120.0 μm - Charge: 195.03 pC




Transient Pulse - Sample: 5mm_23 - Position: 4125.0 μm - Charge: 195.79 pC




Transient Pulse - Sample: 5mm_23 - Position: 4130.0 μm - Charge: 196.34 pC




Transient Pulse - Sample: 5mm_23 - Position: 4135.0 μm - Charge: 193.91 pC




Transient Pulse - Sample: 5mm_23 - Position: 4140.0 μm - Charge: 195.22 pC




Transient Pulse - Sample: 5mm_23 - Position: 4145.0 μm - Charge: 191.41 pC




Transient Pulse - Sample: 5mm_23 - Position: 4150.0 μm - Charge: 190.05 pC




Transient Pulse - Sample: 5mm_23 - Position: 4155.0 μm - Charge: 189.50 pC




Transient Pulse - Sample: 5mm_23 - Position: 4160.0 μm - Charge: 185.43 pC




Transient Pulse - Sample: 5mm_23 - Position: 4165.0 μm - Charge: 183.90 pC




Transient Pulse - Sample: 5mm_23 - Position: 4170.0 μm - Charge: 178.94 pC




Transient Pulse - Sample: 5mm_23 - Position: 4175.0 μm - Charge: 172.79 pC




Transient Pulse - Sample: 5mm_23 - Position: 4180.0 μm - Charge: 165.72 pC




Transient Pulse - Sample: 5mm_23 - Position: 4185.0 μm - Charge: 156.95 pC




Transient Pulse - Sample: 5mm_23 - Position: 4190.0 μm - Charge: 149.25 pC




Transient Pulse - Sample: 5mm_23 - Position: 4195.0 μm - Charge: 139.27 pC




Transient Pulse - Sample: 5mm_23 - Position: 4200.0 μm - Charge: 131.38 pC




Transient Pulse - Sample: 5mm_23 - Position: 4205.0 μm - Charge: 119.69 pC




Transient Pulse - Sample: 5mm_23 - Position: 4210.0 μm - Charge: 106.71 pC




Transient Pulse - Sample: 5mm_23 - Position: 4215.0 μm - Charge: 92.78 pC




Transient Pulse - Sample: 5mm_23 - Position: 4220.0 μm - Charge: 83.04 pC




Transient Pulse - Sample: 5mm_23 - Position: 4225.0 μm - Charge: 71.68 pC




Transient Pulse - Sample: 5mm_23 - Position: 4230.0 μm - Charge: 61.39 pC




Transient Pulse - Sample: 5mm_23 - Position: 4235.0 μm - Charge: 54.81 pC




Transient Pulse - Sample: 5mm_23 - Position: 4240.0 μm - Charge: 46.23 pC




Transient Pulse - Sample: 5mm_23 - Position: 4245.0 μm - Charge: 41.36 pC




Transient Pulse - Sample: 5mm_23 - Position: 4250.0 μm - Charge: 37.12 pC




Transient Pulse - Sample: 5mm_23 -Position: 4255.0 μm - Charge: 34.37 pC




Transient Pulse - Sample: 5mm_23 -Position: 4260.0 μm - Charge: 32.09 pC




Transient Pulse - Sample: 5mm_23 -Position: 4265.0 μm - Charge: 32.33 pC




Transient Pulse - Sample: 5mm_23 - Position: 4270.0 μm - Charge: 34.30 pC




Transient Pulse - Sample: 5mm_23 - Position: 4275.0 μm - Charge: 38.68 pC




Transient Pulse - Sample: 5mm_23 - Position: 4280.0 μm - Charge: 45.64 pC




Transient Pulse - Sample: 5mm_23 - Position: 4285.0 μm - Charge: 51.84 pC




Transient Pulse - Sample: 5mm_23 - Position: 4290.0 μm - Charge: 60.24 pC




Transient Pulse - Sample: 5mm_23 - Position: 4295.0 μm - Charge: 69.05 pC




Transient Pulse - Sample: 5mm_23 - Position: 4300.0 μm - Charge: 78.78 pC




Transient Pulse - Sample: 5mm_23 - Position: 4305.0 μm - Charge: 89.99 pC




Transient Pulse - Sample: 5mm_23 - Position: 4310.0 μm - Charge: 99.61 pC




Transient Pulse - Sample: 5mm_23 - Position: 4315.0 μm - Charge: 110.87 pC




Transient Pulse - Sample: 5mm_23 - Position: 4320.0 μm - Charge: 122.59 pC




Transient Pulse - Sample: 5mm_23 - Position: 4325.0 μm - Charge: 131.35 pC




Transient Pulse - Sample: 5mm_23 - Position: 4330.0 μm - Charge: 139.92 pC




Transient Pulse - Sample: 5mm_23 - Position: 4335.0 μm - Charge: 146.46 pC




Transient Pulse - Sample: 5mm_23 - Position: 4340.0 μm - Charge: 152.98 pC




Transient Pulse - Sample: 5mm_23 - Position: 4345.0 μm - Charge: 159.45 pC




Transient Pulse - Sample: 5mm_23 - Position: 4350.0 μm - Charge: 163.47 pC




Transient Pulse - Sample: 5mm_23 - Position: 4355.0 μm - Charge: 170.15 pC




Transient Pulse - Sample: 5mm_23 - Position: 4360.0 μm - Charge: 172.03 pC




Transient Pulse - Sample: 5mm_23 - Position: 4365.0 μm - Charge: 174.14 pC




Transient Pulse - Sample: 5mm_23 - Position: 4370.0 μm - Charge: 177.18 pC




Transient Pulse - Sample: 5mm_23 - Position: 4375.0 μm - Charge: 178.92 pC




Transient Pulse - Sample: 5mm_23 - Position: 4380.0 μm - Charge: 180.74 pC




Transient Pulse - Sample: 5mm_23 - Position: 4385.0 μm - Charge: 180.99 pC




Transient Pulse - Sample: 5mm_23 - Position: 4390.0 μm - Charge: 179.84 pC




Transient Pulse - Sample: 5mm_23 - Position: 4395.0 μm - Charge: 179.80 pC




Transient Pulse - Sample: 5mm_23 - Position: 4400.0 μm - Charge: 179.77 pC




Transient Pulse - Sample: 5mm_23 - Position: 4405.0 μm - Charge: 179.82 pC




Transient Pulse - Sample: 5mm_23 - Position: 4410.0 μm - Charge: 180.30 pC




Transient Pulse - Sample: 5mm_23 - Position: 4415.0 μm - Charge: 181.37 pC




Transient Pulse - Sample: 5mm_23 - Position: 4420.0 μm - Charge: 180.90 pC




Transient Pulse - Sample: 5mm_23 - Position: 4425.0 μm - Charge: 179.75 pC




Transient Pulse - Sample: 5mm_23 - Position: 4430.0 μm - Charge: 181.61 pC




Transient Pulse - Sample: 5mm_23 - Position: 4435.0 μm - Charge: 181.51 pC




Transient Pulse - Sample: 5mm_23 - Position: 4440.0 μm - Charge: 179.94 pC




Transient Pulse - Sample: 5mm_23 - Position: 4445.0 μm - Charge: 181.00 pC




Transient Pulse - Sample: 5mm_23 - Position: 4450.0 μm - Charge: 180.83 pC




Transient Pulse - Sample: 5mm_23 - Position: 4455.0 μm - Charge: 181.38 pC




Transient Pulse - Sample: 5mm_23 - Position: 4460.0 μm - Charge: 179.99 pC




Transient Pulse - Sample: 5mm_23 - Position: 4465.0 μm - Charge: 178.97 pC




Transient Pulse - Sample: 5mm_23 - Position: 4470.0 μm - Charge: 180.06 pC




Transient Pulse - Sample: 5mm_23 - Position: 4475.0 μm - Charge: 179.26 pC




Transient Pulse - Sample: 5mm_23 - Position: 4480.0 μm - Charge: 179.14 pC




Transient Pulse - Sample: 5mm_23 - Position: 4485.0 μm - Charge: 178.94 pC




Transient Pulse - Sample: 5mm_23 - Position: 4490.0 μm - Charge: 178.92 pC




Transient Pulse - Sample: 5mm_23 - Position: 4495.0 μm - Charge: 180.11 pC




Transient Pulse - Sample: 5mm_23 - Position: 4500.0 μm - Charge: 178.00 pC




Transient Pulse - Sample: 5mm_23 - Position: 4505.0 μm - Charge: 180.84 pC




Transient Pulse - Sample: 5mm_23 - Position: 4510.0 μm - Charge: 179.46 pC




Transient Pulse - Sample: 5mm_23 - Position: 4515.0 μm - Charge: 178.63 pC




Transient Pulse - Sample: 5mm_23 - Position: 4520.0 μm - Charge: 179.98 pC




Transient Pulse - Sample: 5mm_23 - Position: 4525.0 μm - Charge: 177.71 pC




Transient Pulse - Sample: 5mm_23 - Position: 4530.0 μm - Charge: 179.92 pC




Transient Pulse - Sample: 5mm_23 - Position: 4535.0 μm - Charge: 178.87 pC




Transient Pulse - Sample: 5mm_23 - Position: 4540.0 μm - Charge: 177.50 pC




Transient Pulse - Sample: 5mm_23 - Position: 4545.0 μm - Charge: 178.66 pC




Transient Pulse - Sample: 5mm_23 - Position: 4550.0 μm - Charge: 178.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 4555.0 μm - Charge: 176.91 pC




Transient Pulse - Sample: 5mm_23 - Position: 4560.0 μm - Charge: 177.25 pC




Transient Pulse - Sample: 5mm_23 - Position: 4565.0 μm - Charge: 177.66 pC




Transient Pulse - Sample: 5mm_23 - Position: 4570.0 μm - Charge: 174.48 pC




Transient Pulse - Sample: 5mm_23 - Position: 4575.0 μm - Charge: 177.06 pC




Transient Pulse - Sample: 5mm_23 - Position: 4580.0 μm - Charge: 176.36 pC




Transient Pulse - Sample: 5mm_23 - Position: 4585.0 μm - Charge: 175.80 pC




Transient Pulse - Sample: 5mm_23 - Position: 4590.0 μm - Charge: 175.09 pC




Transient Pulse - Sample: 5mm_23 - Position: 4595.0 μm - Charge: 177.42 pC




Transient Pulse - Sample: 5mm_23 - Position: 4600.0 μm - Charge: 174.00 pC




Transient Pulse - Sample: 5mm_23 - Position: 4605.0 μm - Charge: 176.10 pC




Transient Pulse - Sample: 5mm_23 - Position: 4610.0 μm - Charge: 174.60 pC




Transient Pulse - Sample: 5mm_23 - Position: 4615.0 μm - Charge: 175.27 pC




Transient Pulse - Sample: 5mm_23 - Position: 4620.0 μm - Charge: 174.28 pC




Transient Pulse - Sample: 5mm_23 - Position: 4625.0 μm - Charge: 175.70 pC




Transient Pulse - Sample: 5mm_23 - Position: 4630.0 μm - Charge: 174.23 pC




Transient Pulse - Sample: 5mm_23 - Position: 4635.0 μm - Charge: 172.32 pC




Transient Pulse - Sample: 5mm_23 - Position: 4640.0 μm - Charge: 171.29 pC




Transient Pulse - Sample: 5mm_23 - Position: 4645.0 μm - Charge: 171.11 pC




Transient Pulse - Sample: 5mm_23 - Position: 4650.0 μm - Charge: 170.60 pC




Transient Pulse - Sample: 5mm_23 - Position: 4655.0 μm - Charge: 169.29 pC




Transient Pulse - Sample: 5mm_23 - Position: 4660.0 μm - Charge: 169.94 pC




Transient Pulse - Sample: 5mm_23 - Position: 4665.0 μm - Charge: 169.27 pC




Transient Pulse - Sample: 5mm_23 - Position: 4670.0 μm - Charge: 167.80 pC




Transient Pulse - Sample: 5mm_23 - Position: 4675.0 μm - Charge: 164.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 4680.0 μm - Charge: 160.98 pC




Transient Pulse - Sample: 5mm_23 - Position: 4685.0 μm - Charge: 156.88 pC




Transient Pulse - Sample: 5mm_23 - Position: 4690.0 μm - Charge: 149.69 pC




Transient Pulse - Sample: 5mm_23 - Position: 4695.0 μm - Charge: 144.55 pC




Transient Pulse - Sample: 5mm_23 - Position: 4700.0 μm - Charge: 135.82 pC




Transient Pulse - Sample: 5mm_23 - Position: 4705.0 μm - Charge: 128.69 pC




Transient Pulse - Sample: 5mm_23 - Position: 4710.0 μm - Charge: 115.74 pC




Transient Pulse - Sample: 5mm_23 - Position: 4715.0 μm - Charge: 107.38 pC




Transient Pulse - Sample: 5mm_23 - Position: 4720.0 μm - Charge: 96.44 pC




Transient Pulse - Sample: 5mm_23 - Position: 4725.0 μm - Charge: 83.60 pC




Transient Pulse - Sample: 5mm_23 - Position: 4730.0 μm - Charge: 73.65 pC




Transient Pulse - Sample: 5mm_23 - Position: 4735.0 μm - Charge: 64.16 pC




Transient Pulse - Sample: 5mm_23 - Position: 4740.0 μm - Charge: 56.22 pC




Transient Pulse - Sample: 5mm_23 - Position: 4745.0 μm - Charge: 48.10 pC




Transient Pulse - Sample: 5mm_23 - Position: 4750.0 μm - Charge: 42.98 pC




Transient Pulse - Sample: 5mm_23 - Position: 4755.0 μm - Charge: 37.77 pC




Transient Pulse - Sample: 5mm_23 - Position: 4760.0 μm - Charge: 34.72 pC




Transient Pulse - Sample: 5mm_23 - Position: 4765.0 μm - Charge: 32.85 pC




Transient Pulse - Sample: 5mm_23 - Position: 4770.0 μm - Charge: 30.80 pC




Transient Pulse - Sample: 5mm_23 - Position: 4775.0 μm - Charge: 35.08 pC




Transient Pulse - Sample: 5mm_23 - Position: 4780.0 μm - Charge: 39.11 pC




Transient Pulse - Sample: 5mm_23 - Position: 4785.0 μm - Charge: 44.46 pC




Transient Pulse - Sample: 5mm_23 - Position: 4790.0 μm - Charge: 52.47 pC




Transient Pulse - Sample: 5mm_23 - Position: 4795.0 μm - Charge: 60.02 pC




Transient Pulse - Sample: 5mm_23 - Position: 4800.0 μm - Charge: 70.02 pC




Transient Pulse - Sample: 5mm_23 - Position: 4805.0 μm - Charge: 81.61 pC




Transient Pulse - Sample: 5mm_23 - Position: 4810.0 μm - Charge: 90.99 pC




Transient Pulse - Sample: 5mm_23 - Position: 4815.0 μm - Charge: 102.60 pC




Transient Pulse - Sample: 5mm_23 - Position: 4820.0 μm - Charge: 114.92 pC




Transient Pulse - Sample: 5mm_23 - Position: 4825.0 μm - Charge: 124.23 pC




Transient Pulse - Sample: 5mm_23 - Position: 4830.0 μm - Charge: 134.81 pC




Transient Pulse - Sample: 5mm_23 - Position: 4835.0 μm - Charge: 142.23 pC




Transient Pulse - Sample: 5mm_23 - Position: 4840.0 μm - Charge: 150.86 pC




Transient Pulse - Sample: 5mm_23 - Position: 4845.0 μm - Charge: 152.49 pC




Transient Pulse - Sample: 5mm_23 - Position: 4850.0 μm - Charge: 159.98 pC




Transient Pulse - Sample: 5mm_23 - Position: 4855.0 μm - Charge: 163.92 pC




Transient Pulse - Sample: 5mm_23 - Position: 4860.0 μm - Charge: 168.51 pC




Transient Pulse - Sample: 5mm_23 - Position: 4865.0 μm - Charge: 169.43 pC




Transient Pulse - Sample: 5mm_23 - Position: 4870.0 μm - Charge: 171.22 pC




Transient Pulse - Sample: 5mm_23 - Position: 4875.0 μm - Charge: 170.85 pC




Transient Pulse - Sample: 5mm_23 - Position: 4880.0 μm - Charge: 171.11 pC




Transient Pulse - Sample: 5mm_23 - Position: 4885.0 μm - Charge: 172.06 pC




Transient Pulse - Sample: 5mm_23 - Position: 4890.0 μm - Charge: 173.32 pC




Transient Pulse - Sample: 5mm_23 - Position: 4895.0 μm - Charge: 171.47 pC




Transient Pulse - Sample: 5mm_23 - Position: 4900.0 μm - Charge: 170.76 pC




Transient Pulse - Sample: 5mm_23 - Position: 4905.0 μm - Charge: 171.59 pC




Transient Pulse - Sample: 5mm_23 - Position: 4910.0 μm - Charge: 169.85 pC




Transient Pulse - Sample: 5mm_23 - Position: 4915.0 μm - Charge: 169.96 pC




Transient Pulse - Sample: 5mm_23 - Position: 4920.0 μm - Charge: 169.08 pC




Transient Pulse - Sample: 5mm_23 - Position: 4925.0 μm - Charge: 171.10 pC




Transient Pulse - Sample: 5mm_23 - Position: 4930.0 μm - Charge: 169.06 pC




Transient Pulse - Sample: 5mm_23 - Position: 4935.0 μm - Charge: 167.44 pC




Transient Pulse - Sample: 5mm_23 - Position: 4940.0 μm - Charge: 167.26 pC




Transient Pulse - Sample: 5mm_23 - Position: 4945.0 μm - Charge: 166.74 pC




Transient Pulse - Sample: 5mm_23 - Position: 4950.0 μm - Charge: 166.78 pC




Transient Pulse - Sample: 5mm_23 - Position: 4955.0 μm - Charge: 166.45 pC




Transient Pulse - Sample: 5mm_23 - Position: 4960.0 μm - Charge: 165.82 pC




Transient Pulse - Sample: 5mm_23 - Position: 4965.0 μm - Charge: 167.08 pC




Transient Pulse - Sample: 5mm_23 - Position: 4970.0 μm - Charge: 166.22 pC




Transient Pulse - Sample: 5mm_23 - Position: 4975.0 μm - Charge: 168.91 pC




Transient Pulse - Sample: 5mm_23 - Position: 4980.0 μm - Charge: 167.29 pC




Transient Pulse - Sample: 5mm_23 - Position: 4985.0 μm - Charge: 167.36 pC




Transient Pulse - Sample: 5mm_23 - Position: 4990.0 μm - Charge: 167.58 pC




Transient Pulse - Sample: 5mm_23 - Position: 4995.0 μm - Charge: 168.45 pC




Transient Pulse - Sample: 5mm_23 - Position: 5000.0 μm - Charge: 170.12 pC




Transient Pulse - Sample: 5mm_23 - Position: 5005.0 μm - Charge: 170.45 pC




Transient Pulse - Sample: 5mm_23 - Position: 5010.0 μm - Charge: 169.86 pC




Transient Pulse - Sample: 5mm_23 - Position: 5015.0 μm - Charge: 171.56 pC




Transient Pulse - Sample: 5mm_23 - Position: 5020.0 μm - Charge: 173.19 pC




Transient Pulse - Sample: 5mm_23 - Position: 5025.0 μm - Charge: 173.43 pC




Transient Pulse - Sample: 5mm_23 - Position: 5030.0 μm - Charge: 176.49 pC




Transient Pulse - Sample: 5mm_23 - Position: 5035.0 μm - Charge: 177.48 pC




Transient Pulse - Sample: 5mm_23 - Position: 5040.0 μm - Charge: 178.47 pC




Transient Pulse - Sample: 5mm_23 - Position: 5045.0 μm - Charge: 180.64 pC




Transient Pulse - Sample: 5mm_23 - Position: 5050.0 μm - Charge: 180.82 pC




Transient Pulse - Sample: 5mm_23 - Position: 5055.0 μm - Charge: 182.63 pC




Transient Pulse - Sample: 5mm_23 - Position: 5060.0 μm - Charge: 183.58 pC




Transient Pulse - Sample: 5mm_23 - Position: 5065.0 μm - Charge: 185.07 pC




Transient Pulse - Sample: 5mm_23 - Position: 5070.0 μm - Charge: 185.81 pC




Transient Pulse - Sample: 5mm_23 - Position: 5075.0 μm - Charge: 186.33 pC




Transient Pulse - Sample: 5mm_23 - Position: 5080.0 μm - Charge: 187.18 pC




Transient Pulse - Sample: 5mm_23 - Position: 5085.0 μm - Charge: 187.28 pC




Transient Pulse - Sample: 5mm_23 - Position: 5090.0 μm - Charge: 185.78 pC




Transient Pulse - Sample: 5mm_23 - Position: 5095.0 μm - Charge: 185.08 pC




Transient Pulse - Sample: 5mm_23 - Position: 5100.0 μm - Charge: 183.29 pC




Transient Pulse - Sample: 5mm_23 - Position: 5105.0 μm - Charge: 180.00 pC




Transient Pulse - Sample: 5mm_23 - Position: 5110.0 μm - Charge: 176.21 pC




Transient Pulse - Sample: 5mm_23 - Position: 5115.0 μm - Charge: 171.58 pC




Transient Pulse - Sample: 5mm_23 - Position: 5120.0 μm - Charge: 163.23 pC




Transient Pulse - Sample: 5mm_23 - Position: 5125.0 μm - Charge: 157.99 pC




Transient Pulse - Sample: 5mm_23 - Position: 5130.0 μm - Charge: 148.67 pC




Transient Pulse - Sample: 5mm_23 - Position: 5135.0 μm - Charge: 139.53 pC




Transient Pulse - Sample: 5mm_23 - Position: 5140.0 μm - Charge: 126.64 pC




Transient Pulse - Sample: 5mm_23 - Position: 5145.0 μm - Charge: 116.61 pC




Transient Pulse - Sample: 5mm_23 - Position: 5150.0 μm - Charge: 101.08 pC




Transient Pulse - Sample: 5mm_23 - Position: 5155.0 μm - Charge: 90.44 pC




Transient Pulse - Sample: 5mm_23 - Position: 5160.0 μm - Charge: 78.14 pC




Transient Pulse - Sample: 5mm_23 - Position: 5165.0 μm - Charge: 68.56 pC




Transient Pulse - Sample: 5mm_23 - Position: 5170.0 μm - Charge: 56.98 pC




Transient Pulse - Sample: 5mm_23 - Position: 5175.0 μm - Charge: 48.18 pC




Transient Pulse - Sample: 5mm_23 - Position: 5180.0 μm - Charge: 38.37 pC




Transient Pulse - Sample: 5mm_23 - Position: 5185.0 μm - Charge: 31.46 pC




Transient Pulse - Sample: 5mm_23 - Position: 5190.0 μm - Charge: 24.44 pC




Transient Pulse - Sample: 5mm_23 -Position: 5195.0 μm - Charge: 18.65 pC




Transient Pulse - Sample: 5mm_23 - Position: 5200.0 μm - Charge: 13.69 pC




Transient Pulse - Sample: 5mm_23 -Position: 5205.0 μm - Charge: 10.52 pC




Transient Pulse - Sample: 5mm_23 - Position: 5210.0 μm - Charge: 8.09 pC




Transient Pulse - Sample: 5mm_23 - Position: 5215.0 μm - Charge: 7.30 pC




Transient Pulse - Sample: 5mm_23 - Position: 5220.0 μm - Charge: 5.90 pC




Transient Pulse - Sample: 5mm_23 - Position: 5225.0 μm - Charge: 3.92 pC




Transient Pulse - Sample: 5mm_23 - Position: 5230.0 μm - Charge: 3.70 pC




Transient Pulse - Sample: 5mm_23 - Position: 5235.0 μm - Charge: 3.16 pC




Transient Pulse - Sample: 5mm_23 - Position: 5240.0 μm - Charge: 2.10 pC




Transient Pulse - Sample: 5mm_23 - Position: 5245.0 μm - Charge: 1.80 pC




Transient Pulse - Sample: 5mm_23 - Position: 5250.0 μm - Charge: 2.07 pC




Transient Pulse - Sample: 5mm_23 - Position: 5255.0 μm - Charge: 1.73 pC




Transient Pulse - Sample: 5mm_23 - Position: 5260.0 μm - Charge: 0.70 pC




Transient Pulse - Sample: 5mm_23 - Position: 5265.0 μm - Charge: 1.36 pC




Transient Pulse - Sample: 5mm_23 - Position: 5270.0 μm - Charge: 1.02 pC




Transient Pulse - Sample: 5mm_23 - Position: 5275.0 μm - Charge: 3.09 pC




Transient Pulse - Sample: 5mm_23 - Position: 5280.0 μm - Charge: 1.12 pC




Transient Pulse - Sample: 5mm_23 - Position: 5285.0 μm - Charge: 0.44 pC



Transient Pulse - Sample: 5mm_23 - Position: 5290.0 μm - Charge: -0.05 pC



Transient Pulse - Sample: 5mm_23 - Position: 5295.0 μm - Charge: 1.28 pC



Transient Pulse - Sample: 5mm_23 - Position: 5300.0 μm - Charge: 0.66 pC

