



TCT Run 5mm_23_WB2 Summary

Parameter	Value
Run	5mm_23_WB2
Surface	x
Edge	N/A
Sample	5mm_23
Vbias (V)	163.0
DAC (%)	63.5
Bandwidth	500MHz
Path	C:\Users\APD-I\Desktop\TCT\LGAD\5mm_23_wirebond
Irradiation (Fluence)	0.0
Notes	Testing New Wirebond
Date	12/1/2025
Gain Constant	5.5


Collected Charge




Collected Charge




Gain




Transient Pulse - Sample: 5mm_23 - Position: 0.0 μm - Charge: 2.32 pC




Transient Pulse - Sample: 5mm_23 - Position: 5.0 μm - Charge: 3.38 pC




Transient Pulse - Sample: 5mm_23 - Position: 10.0 μm - Charge: 4.01 pC




Transient Pulse - Sample: 5mm_23 - Position: 15.0 μm - Charge: 4.74 pC




Transient Pulse - Sample: 5mm_23 - Position: 20.0 μm - Charge: 5.82 pC




Transient Pulse - Sample: 5mm_23 - Position: 25.0 μm - Charge: 7.33 pC




Transient Pulse - Sample: 5mm_23 - Position: 30.0 μm - Charge: 9.26 pC




Transient Pulse - Sample: 5mm_23 - Position: 35.0 μm - Charge: 12.05 pC




Transient Pulse - Sample: 5mm_23 - Position: 40.0 μm - Charge: 15.50 pC




Transient Pulse - Sample: 5mm_23 - Position: 45.0 μm - Charge: 19.94 pC




Transient Pulse - Sample: 5mm_23 - Position: 50.0 μm - Charge: 25.26 pC




Transient Pulse - Sample: 5mm_23 - Position: 55.0 μm - Charge: 32.77 pC




Transient Pulse - Sample: 5mm_23 - Position: 60.0 μm - Charge: 40.39 pC




Transient Pulse - Sample: 5mm_23 - Position: 65.0 μm - Charge: 49.39 pC




Transient Pulse - Sample: 5mm_23 - Position: 70.0 μm - Charge: 59.93 pC




Transient Pulse - Sample: 5mm_23 - Position: 75.0 μm - Charge: 70.57 pC




Transient Pulse - Sample: 5mm_23 - Position: 80.0 μm - Charge: 82.39 pC




Transient Pulse - Sample: 5mm_23 - Position: 85.0 μm - Charge: 96.49 pC




Transient Pulse - Sample: 5mm_23 - Position: 90.0 μm - Charge: 108.28 pC




Transient Pulse - Sample: 5mm_23 - Position: 95.0 μm - Charge: 119.42 pC




Transient Pulse - Sample: 5mm_23 - Position: 100.0 μm - Charge: 131.70 pC




Transient Pulse - Sample: 5mm_23 - Position: 105.0 μm - Charge: 141.63 pC




Transient Pulse - Sample: 5mm_23 - Position: 110.0 μm - Charge: 150.46 pC




Transient Pulse - Sample: 5mm_23 - Position: 115.0 μm - Charge: 157.71 pC




Transient Pulse - Sample: 5mm_23 - Position: 120.0 μm - Charge: 164.01 pC




Transient Pulse - Sample: 5mm_23 - Position: 125.0 μm - Charge: 169.16 pC




Transient Pulse - Sample: 5mm_23 - Position: 130.0 μm - Charge: 173.34 pC




Transient Pulse - Sample: 5mm_23 - Position: 135.0 μm - Charge: 177.18 pC




Transient Pulse - Sample: 5mm_23 - Position: 140.0 μm - Charge: 180.65 pC




Transient Pulse - Sample: 5mm_23 - Position: 145.0 μm - Charge: 182.19 pC




Transient Pulse - Sample: 5mm_23 - Position: 150.0 μm - Charge: 182.95 pC




Transient Pulse - Sample: 5mm_23 - Position: 155.0 μm - Charge: 184.18 pC




Transient Pulse - Sample: 5mm_23 - Position: 160.0 μm - Charge: 184.66 pC




Transient Pulse - Sample: 5mm_23 - Position: 165.0 μm - Charge: 183.86 pC




Transient Pulse - Sample: 5mm_23 - Position: 170.0 μm - Charge: 183.85 pC




Transient Pulse - Sample: 5mm_23 - Position: 175.0 μm - Charge: 182.96 pC




Transient Pulse - Sample: 5mm_23 - Position: 180.0 μm - Charge: 182.05 pC




Transient Pulse - Sample: 5mm_23 - Position: 185.0 μm - Charge: 180.84 pC




Transient Pulse - Sample: 5mm_23 - Position: 190.0 μm - Charge: 179.82 pC




Transient Pulse - Sample: 5mm_23 - Position: 195.0 μm - Charge: 178.77 pC




Transient Pulse - Sample: 5mm_23 - Position: 200.0 μm - Charge: 176.66 pC




Transient Pulse - Sample: 5mm_23 - Position: 205.0 μm - Charge: 176.42 pC




Transient Pulse - Sample: 5mm_23 - Position: 210.0 μm - Charge: 174.39 pC




Transient Pulse - Sample: 5mm_23 - Position: 215.0 μm - Charge: 174.60 pC




Transient Pulse - Sample: 5mm_23 - Position: 220.0 μm - Charge: 173.63 pC




Transient Pulse - Sample: 5mm_23 - Position: 225.0 μm - Charge: 172.19 pC




Transient Pulse - Sample: 5mm_23 - Position: 230.0 μm - Charge: 172.22 pC




Transient Pulse - Sample: 5mm_23 - Position: 235.0 μm - Charge: 171.58 pC




Transient Pulse - Sample: 5mm_23 - Position: 240.0 μm - Charge: 171.45 pC




Transient Pulse - Sample: 5mm_23 - Position: 245.0 μm - Charge: 171.67 pC




Transient Pulse - Sample: 5mm_23 - Position: 250.0 μm - Charge: 172.32 pC




Transient Pulse - Sample: 5mm_23 - Position: 255.0 μm - Charge: 172.14 pC




Transient Pulse - Sample: 5mm_23 - Position: 260.0 μm - Charge: 172.51 pC




Transient Pulse - Sample: 5mm_23 - Position: 265.0 μm - Charge: 172.58 pC




Transient Pulse - Sample: 5mm_23 - Position: 270.0 μm - Charge: 172.55 pC




Transient Pulse - Sample: 5mm_23 - Position: 275.0 μm - Charge: 173.26 pC




Transient Pulse - Sample: 5mm_23 - Position: 280.0 μm - Charge: 173.67 pC




Transient Pulse - Sample: 5mm_23 - Position: 285.0 μm - Charge: 174.82 pC




Transient Pulse - Sample: 5mm_23 - Position: 290.0 μm - Charge: 175.86 pC




Transient Pulse - Sample: 5mm_23 - Position: 295.0 μm - Charge: 176.02 pC




Transient Pulse - Sample: 5mm_23 - Position: 300.0 μm - Charge: 176.56 pC




Transient Pulse - Sample: 5mm_23 - Position: 305.0 μm - Charge: 177.20 pC




Transient Pulse - Sample: 5mm_23 - Position: 310.0 μm - Charge: 177.85 pC




Transient Pulse - Sample: 5mm_23 - Position: 315.0 μm - Charge: 178.31 pC




Transient Pulse - Sample: 5mm_23 - Position: 320.0 μm - Charge: 178.18 pC




Transient Pulse - Sample: 5mm_23 - Position: 325.0 μm - Charge: 179.14 pC




Transient Pulse - Sample: 5mm_23 - Position: 330.0 μm - Charge: 179.97 pC




Transient Pulse - Sample: 5mm_23 - Position: 335.0 μm - Charge: 180.11 pC




Transient Pulse - Sample: 5mm_23 - Position: 340.0 μm - Charge: 180.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 345.0 μm - Charge: 180.87 pC




Transient Pulse - Sample: 5mm_23 - Position: 350.0 μm - Charge: 181.24 pC




Transient Pulse - Sample: 5mm_23 - Position: 355.0 μm - Charge: 181.34 pC




Transient Pulse - Sample: 5mm_23 - Position: 360.0 μm - Charge: 181.21 pC




Transient Pulse - Sample: 5mm_23 - Position: 365.0 μm - Charge: 181.32 pC




Transient Pulse - Sample: 5mm_23 - Position: 370.0 μm - Charge: 181.08 pC




Transient Pulse - Sample: 5mm_23 - Position: 375.0 μm - Charge: 180.92 pC




Transient Pulse - Sample: 5mm_23 - Position: 380.0 μm - Charge: 180.24 pC




Transient Pulse - Sample: 5mm_23 - Position: 385.0 μm - Charge: 179.09 pC




Transient Pulse - Sample: 5mm_23 - Position: 390.0 μm - Charge: 177.81 pC




Transient Pulse - Sample: 5mm_23 - Position: 395.0 μm - Charge: 175.13 pC




Transient Pulse - Sample: 5mm_23 - Position: 400.0 μm - Charge: 171.04 pC




Transient Pulse - Sample: 5mm_23 - Position: 405.0 μm - Charge: 166.44 pC




Transient Pulse - Sample: 5mm_23 - Position: 410.0 μm - Charge: 160.41 pC




Transient Pulse - Sample: 5mm_23 - Position: 415.0 μm - Charge: 153.60 pC




Transient Pulse - Sample: 5mm_23 - Position: 420.0 μm - Charge: 146.42 pC




Transient Pulse - Sample: 5mm_23 - Position: 425.0 μm - Charge: 136.79 pC




Transient Pulse - Sample: 5mm_23 - Position: 430.0 μm - Charge: 127.05 pC




Transient Pulse - Sample: 5mm_23 - Position: 435.0 μm - Charge: 116.58 pC




Transient Pulse - Sample: 5mm_23 - Position: 440.0 μm - Charge: 103.28 pC




Transient Pulse - Sample: 5mm_23 - Position: 445.0 μm - Charge: 91.34 pC




Transient Pulse - Sample: 5mm_23 - Position: 450.0 μm - Charge: 79.95 pC




Transient Pulse - Sample: 5mm_23 - Position: 455.0 μm - Charge: 69.71 pC




Transient Pulse - Sample: 5mm_23 - Position: 460.0 μm - Charge: 60.05 pC




Transient Pulse - Sample: 5mm_23 - Position: 465.0 μm - Charge: 51.64 pC




Transient Pulse - Sample: 5mm_23 - Position: 470.0 μm - Charge: 43.84 pC




Transient Pulse - Sample: 5mm_23 - Position: 475.0 μm - Charge: 38.46 pC




Transient Pulse - Sample: 5mm_23 - Position: 480.0 μm - Charge: 33.82 pC




Transient Pulse - Sample: 5mm_23 - Position: 485.0 μm - Charge: 31.14 pC




Transient Pulse - Sample: 5mm_23 - Position: 490.0 μm - Charge: 30.46 pC




Transient Pulse - Sample: 5mm_23 - Position: 495.0 μm - Charge: 31.58 pC




Transient Pulse - Sample: 5mm_23 - Position: 500.0 μm - Charge: 35.11 pC




Transient Pulse - Sample: 5mm_23 - Position: 505.0 μm - Charge: 41.07 pC




Transient Pulse - Sample: 5mm_23 - Position: 510.0 μm - Charge: 48.83 pC




Transient Pulse - Sample: 5mm_23 - Position: 515.0 μm - Charge: 59.06 pC




Transient Pulse - Sample: 5mm_23 - Position: 520.0 μm - Charge: 70.12 pC




Transient Pulse - Sample: 5mm_23 - Position: 525.0 μm - Charge: 81.22 pC




Transient Pulse - Sample: 5mm_23 - Position: 530.0 μm - Charge: 93.18 pC




Transient Pulse - Sample: 5mm_23 - Position: 535.0 μm - Charge: 105.10 pC




Transient Pulse - Sample: 5mm_23 - Position: 540.0 μm - Charge: 117.93 pC




Transient Pulse - Sample: 5mm_23 - Position: 545.0 μm - Charge: 130.86 pC




Transient Pulse - Sample: 5mm_23 - Position: 550.0 μm - Charge: 142.09 pC




Transient Pulse - Sample: 5mm_23 - Position: 555.0 μm - Charge: 151.36 pC




Transient Pulse - Sample: 5mm_23 - Position: 560.0 μm - Charge: 159.02 pC




Transient Pulse - Sample: 5mm_23 - Position: 565.0 μm - Charge: 166.26 pC




Transient Pulse - Sample: 5mm_23 - Position: 570.0 μm - Charge: 171.81 pC




Transient Pulse - Sample: 5mm_23 - Position: 575.0 μm - Charge: 176.61 pC




Transient Pulse - Sample: 5mm_23 - Position: 580.0 μm - Charge: 180.13 pC




Transient Pulse - Sample: 5mm_23 - Position: 585.0 μm - Charge: 182.35 pC




Transient Pulse - Sample: 5mm_23 - Position: 590.0 μm - Charge: 184.36 pC




Transient Pulse - Sample: 5mm_23 - Position: 595.0 μm - Charge: 185.46 pC




Transient Pulse - Sample: 5mm_23 - Position: 600.0 μm - Charge: 185.55 pC




Transient Pulse - Sample: 5mm_23 - Position: 605.0 μm - Charge: 184.75 pC




Transient Pulse - Sample: 5mm_23 - Position: 610.0 μm - Charge: 184.25 pC




Transient Pulse - Sample: 5mm_23 - Position: 615.0 μm - Charge: 183.52 pC




Transient Pulse - Sample: 5mm_23 - Position: 620.0 μm - Charge: 182.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 625.0 μm - Charge: 181.36 pC




Transient Pulse - Sample: 5mm_23 - Position: 630.0 μm - Charge: 180.49 pC




Transient Pulse - Sample: 5mm_23 - Position: 635.0 μm - Charge: 179.36 pC




Transient Pulse - Sample: 5mm_23 - Position: 640.0 μm - Charge: 178.43 pC




Transient Pulse - Sample: 5mm_23 - Position: 645.0 μm - Charge: 177.43 pC




Transient Pulse - Sample: 5mm_23 - Position: 650.0 μm - Charge: 176.82 pC




Transient Pulse - Sample: 5mm_23 - Position: 655.0 μm - Charge: 175.60 pC




Transient Pulse - Sample: 5mm_23 - Position: 660.0 μm - Charge: 174.84 pC




Transient Pulse - Sample: 5mm_23 - Position: 665.0 μm - Charge: 174.58 pC




Transient Pulse - Sample: 5mm_23 - Position: 670.0 μm - Charge: 173.46 pC




Transient Pulse - Sample: 5mm_23 - Position: 675.0 μm - Charge: 172.82 pC




Transient Pulse - Sample: 5mm_23 - Position: 680.0 μm - Charge: 171.98 pC




Transient Pulse - Sample: 5mm_23 - Position: 685.0 μm - Charge: 172.38 pC




Transient Pulse - Sample: 5mm_23 - Position: 690.0 μm - Charge: 172.15 pC




Transient Pulse - Sample: 5mm_23 - Position: 695.0 μm - Charge: 171.47 pC




Transient Pulse - Sample: 5mm_23 - Position: 700.0 μm - Charge: 171.30 pC




Transient Pulse - Sample: 5mm_23 - Position: 705.0 μm - Charge: 171.21 pC




Transient Pulse - Sample: 5mm_23 - Position: 710.0 μm - Charge: 171.45 pC




Transient Pulse - Sample: 5mm_23 - Position: 715.0 μm - Charge: 171.46 pC




Transient Pulse - Sample: 5mm_23 - Position: 720.0 μm - Charge: 171.75 pC




Transient Pulse - Sample: 5mm_23 - Position: 725.0 μm - Charge: 172.20 pC




Transient Pulse - Sample: 5mm_23 - Position: 730.0 μm - Charge: 172.06 pC




Transient Pulse - Sample: 5mm_23 - Position: 735.0 μm - Charge: 172.22 pC




Transient Pulse - Sample: 5mm_23 - Position: 740.0 μm - Charge: 172.38 pC




Transient Pulse - Sample: 5mm_23 - Position: 745.0 μm - Charge: 172.32 pC




Transient Pulse - Sample: 5mm_23 - Position: 750.0 μm - Charge: 173.22 pC




Transient Pulse - Sample: 5mm_23 - Position: 755.0 μm - Charge: 173.28 pC




Transient Pulse - Sample: 5mm_23 - Position: 760.0 μm - Charge: 172.96 pC




Transient Pulse - Sample: 5mm_23 - Position: 765.0 μm - Charge: 173.40 pC




Transient Pulse - Sample: 5mm_23 - Position: 770.0 μm - Charge: 173.78 pC




Transient Pulse - Sample: 5mm_23 - Position: 775.0 μm - Charge: 173.46 pC




Transient Pulse - Sample: 5mm_23 - Position: 780.0 μm - Charge: 174.10 pC




Transient Pulse - Sample: 5mm_23 - Position: 785.0 μm - Charge: 173.92 pC




Transient Pulse - Sample: 5mm_23 - Position: 790.0 μm - Charge: 174.33 pC




Transient Pulse - Sample: 5mm_23 - Position: 795.0 μm - Charge: 173.81 pC




Transient Pulse - Sample: 5mm_23 - Position: 800.0 μm - Charge: 173.78 pC




Transient Pulse - Sample: 5mm_23 - Position: 805.0 μm - Charge: 174.97 pC




Transient Pulse - Sample: 5mm_23 - Position: 810.0 μm - Charge: 174.53 pC




Transient Pulse - Sample: 5mm_23 - Position: 815.0 μm - Charge: 174.82 pC




Transient Pulse - Sample: 5mm_23 - Position: 820.0 μm - Charge: 174.83 pC




Transient Pulse - Sample: 5mm_23 - Position: 825.0 μm - Charge: 174.34 pC




Transient Pulse - Sample: 5mm_23 - Position: 830.0 μm - Charge: 174.16 pC




Transient Pulse - Sample: 5mm_23 - Position: 835.0 μm - Charge: 174.23 pC




Transient Pulse - Sample: 5mm_23 - Position: 840.0 μm - Charge: 173.96 pC




Transient Pulse - Sample: 5mm_23 - Position: 845.0 μm - Charge: 173.74 pC




Transient Pulse - Sample: 5mm_23 - Position: 850.0 μm - Charge: 173.86 pC




Transient Pulse - Sample: 5mm_23 - Position: 855.0 μm - Charge: 173.86 pC




Transient Pulse - Sample: 5mm_23 - Position: 860.0 μm - Charge: 173.12 pC




Transient Pulse - Sample: 5mm_23 - Position: 865.0 μm - Charge: 172.79 pC




Transient Pulse - Sample: 5mm_23 - Position: 870.0 μm - Charge: 172.71 pC




Transient Pulse - Sample: 5mm_23 - Position: 875.0 μm - Charge: 172.82 pC




Transient Pulse - Sample: 5mm_23 - Position: 880.0 μm - Charge: 171.34 pC




Transient Pulse - Sample: 5mm_23 - Position: 885.0 μm - Charge: 171.23 pC




Transient Pulse - Sample: 5mm_23 - Position: 890.0 μm - Charge: 170.12 pC




Transient Pulse - Sample: 5mm_23 - Position: 895.0 μm - Charge: 168.69 pC




Transient Pulse - Sample: 5mm_23 - Position: 900.0 μm - Charge: 167.14 pC




Transient Pulse - Sample: 5mm_23 - Position: 905.0 μm - Charge: 163.86 pC




Transient Pulse - Sample: 5mm_23 - Position: 910.0 μm - Charge: 159.58 pC




Transient Pulse - Sample: 5mm_23 - Position: 915.0 μm - Charge: 154.22 pC




Transient Pulse - Sample: 5mm_23 - Position: 920.0 μm - Charge: 147.53 pC




Transient Pulse - Sample: 5mm_23 - Position: 925.0 μm - Charge: 139.85 pC




Transient Pulse - Sample: 5mm_23 - Position: 930.0 μm - Charge: 131.74 pC




Transient Pulse - Sample: 5mm_23 - Position: 935.0 μm - Charge: 122.27 pC




Transient Pulse - Sample: 5mm_23 - Position: 940.0 μm - Charge: 112.22 pC




Transient Pulse - Sample: 5mm_23 - Position: 945.0 μm - Charge: 101.36 pC




Transient Pulse - Sample: 5mm_23 - Position: 950.0 μm - Charge: 89.16 pC




Transient Pulse - Sample: 5mm_23 - Position: 955.0 μm - Charge: 78.06 pC




Transient Pulse - Sample: 5mm_23 - Position: 960.0 μm - Charge: 67.66 pC




Transient Pulse - Sample: 5mm_23 - Position: 965.0 μm - Charge: 58.83 pC




Transient Pulse - Sample: 5mm_23 - Position: 970.0 μm - Charge: 50.51 pC




Transient Pulse - Sample: 5mm_23 - Position: 975.0 μm - Charge: 43.42 pC




Transient Pulse - Sample: 5mm_23 - Position: 980.0 μm - Charge: 37.99 pC




Transient Pulse - Sample: 5mm_23 - Position: 985.0 μm - Charge: 33.50 pC




Transient Pulse - Sample: 5mm_23 - Position: 990.0 μm - Charge: 31.09 pC




Transient Pulse - Sample: 5mm_23 - Position: 995.0 μm - Charge: 30.38 pC




Transient Pulse - Sample: 5mm_23 -Position: 1000.0 μm - Charge: 32.22 pC




Transient Pulse - Sample: 5mm_23 - Position: 1005.0 μm - Charge: 35.80 pC




Transient Pulse - Sample: 5mm_23 - Position: 1010.0 μm - Charge: 41.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 1015.0 μm - Charge: 48.66 pC




Transient Pulse - Sample: 5mm_23 - Position: 1020.0 μm - Charge: 58.06 pC




Transient Pulse - Sample: 5mm_23 - Position: 1025.0 μm - Charge: 67.77 pC




Transient Pulse - Sample: 5mm_23 - Position: 1030.0 μm - Charge: 78.17 pC




Transient Pulse - Sample: 5mm_23 - Position: 1035.0 μm - Charge: 89.66 pC




Transient Pulse - Sample: 5mm_23 - Position: 1040.0 μm - Charge: 101.06 pC




Transient Pulse - Sample: 5mm_23 - Position: 1045.0 μm - Charge: 112.76 pC




Transient Pulse - Sample: 5mm_23 - Position: 1050.0 μm - Charge: 125.38 pC




Transient Pulse - Sample: 5mm_23 - Position: 1055.0 μm - Charge: 134.33 pC




Transient Pulse - Sample: 5mm_23 - Position: 1060.0 μm - Charge: 143.68 pC




Transient Pulse - Sample: 5mm_23 - Position: 1065.0 μm - Charge: 150.59 pC




Transient Pulse - Sample: 5mm_23 - Position: 1070.0 μm - Charge: 157.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 1075.0 μm - Charge: 164.14 pC




Transient Pulse - Sample: 5mm_23 - Position: 1080.0 μm - Charge: 169.50 pC




Transient Pulse - Sample: 5mm_23 - Position: 1085.0 μm - Charge: 173.78 pC




Transient Pulse - Sample: 5mm_23 - Position: 1090.0 μm - Charge: 177.21 pC




Transient Pulse - Sample: 5mm_23 - Position: 1095.0 μm - Charge: 180.65 pC




Transient Pulse - Sample: 5mm_23 - Position: 1100.0 μm - Charge: 182.89 pC




Transient Pulse - Sample: 5mm_23 - Position: 1105.0 μm - Charge: 184.44 pC




Transient Pulse - Sample: 5mm_23 - Position: 1110.0 μm - Charge: 186.30 pC




Transient Pulse - Sample: 5mm_23 - Position: 1115.0 μm - Charge: 186.94 pC




Transient Pulse - Sample: 5mm_23 - Position: 1120.0 μm - Charge: 187.70 pC




Transient Pulse - Sample: 5mm_23 - Position: 1125.0 μm - Charge: 188.03 pC




Transient Pulse - Sample: 5mm_23 - Position: 1130.0 μm - Charge: 189.30 pC




Transient Pulse - Sample: 5mm_23 - Position: 1135.0 μm - Charge: 189.66 pC




Transient Pulse - Sample: 5mm_23 - Position: 1140.0 μm - Charge: 190.89 pC




Transient Pulse - Sample: 5mm_23 - Position: 1145.0 μm - Charge: 191.13 pC




Transient Pulse - Sample: 5mm_23 - Position: 1150.0 μm - Charge: 191.69 pC




Transient Pulse - Sample: 5mm_23 - Position: 1155.0 μm - Charge: 191.78 pC




Transient Pulse - Sample: 5mm_23 - Position: 1160.0 μm - Charge: 192.74 pC




Transient Pulse - Sample: 5mm_23 - Position: 1165.0 μm - Charge: 193.46 pC




Transient Pulse - Sample: 5mm_23 - Position: 1170.0 μm - Charge: 194.18 pC




Transient Pulse - Sample: 5mm_23 - Position: 1175.0 μm - Charge: 194.20 pC




Transient Pulse - Sample: 5mm_23 - Position: 1180.0 μm - Charge: 194.91 pC




Transient Pulse - Sample: 5mm_23 - Position: 1185.0 μm - Charge: 195.02 pC




Transient Pulse - Sample: 5mm_23 - Position: 1190.0 μm - Charge: 195.45 pC




Transient Pulse - Sample: 5mm_23 - Position: 1195.0 μm - Charge: 196.15 pC




Transient Pulse - Sample: 5mm_23 - Position: 1200.0 μm - Charge: 196.18 pC




Transient Pulse - Sample: 5mm_23 - Position: 1205.0 μm - Charge: 196.60 pC




Transient Pulse - Sample: 5mm_23 - Position: 1210.0 μm - Charge: 197.51 pC




Transient Pulse - Sample: 5mm_23 - Position: 1215.0 μm - Charge: 196.84 pC




Transient Pulse - Sample: 5mm_23 - Position: 1220.0 μm - Charge: 197.34 pC




Transient Pulse - Sample: 5mm_23 - Position: 1225.0 μm - Charge: 198.24 pC




Transient Pulse - Sample: 5mm_23 - Position: 1230.0 μm - Charge: 198.57 pC




Transient Pulse - Sample: 5mm_23 - Position: 1235.0 μm - Charge: 198.99 pC




Transient Pulse - Sample: 5mm_23 - Position: 1240.0 μm - Charge: 199.34 pC




Transient Pulse - Sample: 5mm_23 - Position: 1245.0 μm - Charge: 199.61 pC




Transient Pulse - Sample: 5mm_23 - Position: 1250.0 μm - Charge: 200.19 pC




Transient Pulse - Sample: 5mm_23 - Position: 1255.0 μm - Charge: 200.14 pC




Transient Pulse - Sample: 5mm_23 - Position: 1260.0 μm - Charge: 199.87 pC




Transient Pulse - Sample: 5mm_23 - Position: 1265.0 μm - Charge: 200.68 pC




Transient Pulse - Sample: 5mm_23 - Position: 1270.0 μm - Charge: 200.69 pC




Transient Pulse - Sample: 5mm_23 - Position: 1275.0 μm - Charge: 200.83 pC




Transient Pulse - Sample: 5mm_23 - Position: 1280.0 μm - Charge: 201.01 pC




Transient Pulse - Sample: 5mm_23 - Position: 1285.0 μm - Charge: 201.22 pC




Transient Pulse - Sample: 5mm_23 - Position: 1290.0 μm - Charge: 200.81 pC




Transient Pulse - Sample: 5mm_23 - Position: 1295.0 μm - Charge: 200.62 pC




Transient Pulse - Sample: 5mm_23 - Position: 1300.0 μm - Charge: 201.05 pC




Transient Pulse - Sample: 5mm_23 - Position: 1305.0 μm - Charge: 201.33 pC




Transient Pulse - Sample: 5mm_23 - Position: 1310.0 μm - Charge: 201.07 pC




Transient Pulse - Sample: 5mm_23 - Position: 1315.0 μm - Charge: 200.94 pC




Transient Pulse - Sample: 5mm_23 - Position: 1320.0 μm - Charge: 200.36 pC




Transient Pulse - Sample: 5mm_23 - Position: 1325.0 μm - Charge: 200.68 pC




Transient Pulse - Sample: 5mm_23 - Position: 1330.0 μm - Charge: 200.96 pC




Transient Pulse - Sample: 5mm_23 - Position: 1335.0 μm - Charge: 200.38 pC




Transient Pulse - Sample: 5mm_23 - Position: 1340.0 μm - Charge: 200.26 pC




Transient Pulse - Sample: 5mm_23 - Position: 1345.0 μm - Charge: 200.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 1350.0 μm - Charge: 199.62 pC




Transient Pulse - Sample: 5mm_23 - Position: 1355.0 μm - Charge: 199.52 pC




Transient Pulse - Sample: 5mm_23 - Position: 1360.0 μm - Charge: 198.73 pC




Transient Pulse - Sample: 5mm_23 - Position: 1365.0 μm - Charge: 198.07 pC




Transient Pulse - Sample: 5mm_23 - Position: 1370.0 μm - Charge: 198.61 pC




Transient Pulse - Sample: 5mm_23 - Position: 1375.0 μm - Charge: 197.22 pC




Transient Pulse - Sample: 5mm_23 - Position: 1380.0 μm - Charge: 196.83 pC




Transient Pulse - Sample: 5mm_23 - Position: 1385.0 μm - Charge: 195.91 pC




Transient Pulse - Sample: 5mm_23 - Position: 1390.0 μm - Charge: 195.14 pC




Transient Pulse - Sample: 5mm_23 - Position: 1395.0 μm - Charge: 193.37 pC




Transient Pulse - Sample: 5mm_23 - Position: 1400.0 μm - Charge: 191.08 pC




Transient Pulse - Sample: 5mm_23 - Position: 1405.0 μm - Charge: 188.26 pC




Transient Pulse - Sample: 5mm_23 - Position: 1410.0 μm - Charge: 184.70 pC




Transient Pulse - Sample: 5mm_23 - Position: 1415.0 μm - Charge: 179.14 pC




Transient Pulse - Sample: 5mm_23 - Position: 1420.0 μm - Charge: 172.10 pC




Transient Pulse - Sample: 5mm_23 - Position: 1425.0 μm - Charge: 164.08 pC




Transient Pulse - Sample: 5mm_23 - Position: 1430.0 μm - Charge: 155.27 pC




Transient Pulse - Sample: 5mm_23 - Position: 1435.0 μm - Charge: 145.65 pC




Transient Pulse - Sample: 5mm_23 - Position: 1440.0 μm - Charge: 136.49 pC




Transient Pulse - Sample: 5mm_23 - Position: 1445.0 μm - Charge: 125.16 pC




Transient Pulse - Sample: 5mm_23 - Position: 1450.0 μm - Charge: 114.62 pC




Transient Pulse - Sample: 5mm_23 - Position: 1455.0 μm - Charge: 100.22 pC




Transient Pulse - Sample: 5mm_23 - Position: 1460.0 μm - Charge: 89.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 1465.0 μm - Charge: 76.22 pC




Transient Pulse - Sample: 5mm_23 - Position: 1470.0 μm - Charge: 65.86 pC




Transient Pulse - Sample: 5mm_23 - Position: 1475.0 μm - Charge: 57.64 pC




Transient Pulse - Sample: 5mm_23 - Position: 1480.0 μm - Charge: 49.34 pC




Transient Pulse - Sample: 5mm_23 - Position: 1485.0 μm - Charge: 42.36 pC




Transient Pulse - Sample: 5mm_23 - Position: 1490.0 μm - Charge: 37.10 pC




Transient Pulse - Sample: 5mm_23 -Position: 1495.0 μm - Charge: 34.13 pC




Transient Pulse - Sample: 5mm_23 -Position: 1500.0 μm - Charge: 32.68 pC




Transient Pulse - Sample: 5mm_23 -Position: 1505.0 μm - Charge: 33.58 pC




Transient Pulse - Sample: 5mm_23 -Position: 1510.0 μm - Charge: 36.19 pC




Transient Pulse - Sample: 5mm_23 - Position: 1515.0 μm - Charge: 40.98 pC




Transient Pulse - Sample: 5mm_23 - Position: 1520.0 μm - Charge: 48.45 pC




Transient Pulse - Sample: 5mm_23 - Position: 1525.0 μm - Charge: 57.36 pC




Transient Pulse - Sample: 5mm_23 - Position: 1530.0 μm - Charge: 67.58 pC




Transient Pulse - Sample: 5mm_23 - Position: 1535.0 μm - Charge: 78.06 pC




Transient Pulse - Sample: 5mm_23 - Position: 1540.0 μm - Charge: 90.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 1545.0 μm - Charge: 102.98 pC




Transient Pulse - Sample: 5mm_23 - Position: 1550.0 μm - Charge: 114.74 pC




Transient Pulse - Sample: 5mm_23 - Position: 1555.0 μm - Charge: 126.99 pC




Transient Pulse - Sample: 5mm_23 - Position: 1560.0 μm - Charge: 137.62 pC




Transient Pulse - Sample: 5mm_23 - Position: 1565.0 μm - Charge: 147.11 pC




Transient Pulse - Sample: 5mm_23 - Position: 1570.0 μm - Charge: 156.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 1575.0 μm - Charge: 164.68 pC




Transient Pulse - Sample: 5mm_23 - Position: 1580.0 μm - Charge: 172.86 pC




Transient Pulse - Sample: 5mm_23 - Position: 1585.0 μm - Charge: 178.71 pC




Transient Pulse - Sample: 5mm_23 - Position: 1590.0 μm - Charge: 184.04 pC




Transient Pulse - Sample: 5mm_23 - Position: 1595.0 μm - Charge: 187.66 pC




Transient Pulse - Sample: 5mm_23 - Position: 1600.0 μm - Charge: 191.64 pC




Transient Pulse - Sample: 5mm_23 - Position: 1605.0 μm - Charge: 194.55 pC




Transient Pulse - Sample: 5mm_23 - Position: 1610.0 μm - Charge: 196.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 1615.0 μm - Charge: 197.39 pC




Transient Pulse - Sample: 5mm_23 - Position: 1620.0 μm - Charge: 198.05 pC




Transient Pulse - Sample: 5mm_23 - Position: 1625.0 μm - Charge: 199.39 pC




Transient Pulse - Sample: 5mm_23 - Position: 1630.0 μm - Charge: 200.05 pC




Transient Pulse - Sample: 5mm_23 - Position: 1635.0 μm - Charge: 200.89 pC




Transient Pulse - Sample: 5mm_23 - Position: 1640.0 μm - Charge: 201.02 pC




Transient Pulse - Sample: 5mm_23 - Position: 1645.0 μm - Charge: 201.63 pC




Transient Pulse - Sample: 5mm_23 - Position: 1650.0 μm - Charge: 202.60 pC




Transient Pulse - Sample: 5mm_23 - Position: 1655.0 μm - Charge: 203.03 pC




Transient Pulse - Sample: 5mm_23 - Position: 1660.0 μm - Charge: 203.22 pC




Transient Pulse - Sample: 5mm_23 - Position: 1665.0 μm - Charge: 204.46 pC




Transient Pulse - Sample: 5mm_23 - Position: 1670.0 μm - Charge: 204.50 pC




Transient Pulse - Sample: 5mm_23 - Position: 1675.0 μm - Charge: 205.26 pC




Transient Pulse - Sample: 5mm_23 - Position: 1680.0 μm - Charge: 206.14 pC




Transient Pulse - Sample: 5mm_23 - Position: 1685.0 μm - Charge: 206.15 pC




Transient Pulse - Sample: 5mm_23 - Position: 1690.0 μm - Charge: 207.02 pC




Transient Pulse - Sample: 5mm_23 - Position: 1695.0 μm - Charge: 208.38 pC




Transient Pulse - Sample: 5mm_23 - Position: 1700.0 μm - Charge: 208.31 pC




Transient Pulse - Sample: 5mm_23 - Position: 1705.0 μm - Charge: 208.72 pC




Transient Pulse - Sample: 5mm_23 - Position: 1710.0 μm - Charge: 209.74 pC




Transient Pulse - Sample: 5mm_23 - Position: 1715.0 μm - Charge: 210.20 pC




Transient Pulse - Sample: 5mm_23 - Position: 1720.0 μm - Charge: 210.58 pC




Transient Pulse - Sample: 5mm_23 - Position: 1725.0 μm - Charge: 210.88 pC




Transient Pulse - Sample: 5mm_23 - Position: 1730.0 μm - Charge: 212.06 pC




Transient Pulse - Sample: 5mm_23 - Position: 1735.0 μm - Charge: 213.06 pC




Transient Pulse - Sample: 5mm_23 - Position: 1740.0 μm - Charge: 213.45 pC




Transient Pulse - Sample: 5mm_23 - Position: 1745.0 μm - Charge: 214.02 pC




Transient Pulse - Sample: 5mm_23 - Position: 1750.0 μm - Charge: 214.78 pC




Transient Pulse - Sample: 5mm_23 - Position: 1755.0 μm - Charge: 214.96 pC




Transient Pulse - Sample: 5mm_23 - Position: 1760.0 μm - Charge: 215.38 pC




Transient Pulse - Sample: 5mm_23 - Position: 1765.0 μm - Charge: 216.16 pC




Transient Pulse - Sample: 5mm_23 - Position: 1770.0 μm - Charge: 216.70 pC




Transient Pulse - Sample: 5mm_23 - Position: 1775.0 μm - Charge: 217.05 pC




Transient Pulse - Sample: 5mm_23 - Position: 1780.0 μm - Charge: 217.22 pC




Transient Pulse - Sample: 5mm_23 - Position: 1785.0 μm - Charge: 217.86 pC




Transient Pulse - Sample: 5mm_23 - Position: 1790.0 μm - Charge: 217.16 pC




Transient Pulse - Sample: 5mm_23 - Position: 1795.0 μm - Charge: 215.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 1800.0 μm - Charge: 217.14 pC




Transient Pulse - Sample: 5mm_23 - Position: 1805.0 μm - Charge: 218.62 pC




Transient Pulse - Sample: 5mm_23 - Position: 1810.0 μm - Charge: 219.18 pC




Transient Pulse - Sample: 5mm_23 - Position: 1815.0 μm - Charge: 218.91 pC




Transient Pulse - Sample: 5mm_23 - Position: 1820.0 μm - Charge: 220.29 pC




Transient Pulse - Sample: 5mm_23 - Position: 1825.0 μm - Charge: 220.30 pC




Transient Pulse - Sample: 5mm_23 - Position: 1830.0 μm - Charge: 221.84 pC




Transient Pulse - Sample: 5mm_23 - Position: 1835.0 μm - Charge: 222.40 pC




Transient Pulse - Sample: 5mm_23 - Position: 1840.0 μm - Charge: 222.46 pC




Transient Pulse - Sample: 5mm_23 - Position: 1845.0 μm - Charge: 222.77 pC




Transient Pulse - Sample: 5mm_23 - Position: 1850.0 μm - Charge: 223.25 pC




Transient Pulse - Sample: 5mm_23 - Position: 1855.0 μm - Charge: 223.12 pC




Transient Pulse - Sample: 5mm_23 - Position: 1860.0 μm - Charge: 222.82 pC




Transient Pulse - Sample: 5mm_23 - Position: 1865.0 μm - Charge: 222.48 pC




Transient Pulse - Sample: 5mm_23 - Position: 1870.0 μm - Charge: 221.82 pC




Transient Pulse - Sample: 5mm_23 - Position: 1875.0 μm - Charge: 221.46 pC




Transient Pulse - Sample: 5mm_23 - Position: 1880.0 μm - Charge: 217.76 pC




Transient Pulse - Sample: 5mm_23 - Position: 1885.0 μm - Charge: 218.78 pC




Transient Pulse - Sample: 5mm_23 - Position: 1890.0 μm - Charge: 216.24 pC




Transient Pulse - Sample: 5mm_23 - Position: 1895.0 μm - Charge: 218.56 pC




Transient Pulse - Sample: 5mm_23 - Position: 1900.0 μm - Charge: 218.01 pC




Transient Pulse - Sample: 5mm_23 - Position: 1905.0 μm - Charge: 215.09 pC




Transient Pulse - Sample: 5mm_23 - Position: 1910.0 μm - Charge: 213.03 pC




Transient Pulse - Sample: 5mm_23 - Position: 1915.0 μm - Charge: 208.40 pC




Transient Pulse - Sample: 5mm_23 - Position: 1920.0 μm - Charge: 205.51 pC




Transient Pulse - Sample: 5mm_23 - Position: 1925.0 μm - Charge: 198.32 pC




Transient Pulse - Sample: 5mm_23 - Position: 1930.0 μm - Charge: 190.36 pC




Transient Pulse - Sample: 5mm_23 - Position: 1935.0 μm - Charge: 182.67 pC




Transient Pulse - Sample: 5mm_23 - Position: 1940.0 μm - Charge: 172.67 pC




Transient Pulse - Sample: 5mm_23 - Position: 1945.0 μm - Charge: 162.59 pC




Transient Pulse - Sample: 5mm_23 - Position: 1950.0 μm - Charge: 149.02 pC




Transient Pulse - Sample: 5mm_23 - Position: 1955.0 μm - Charge: 137.12 pC




Transient Pulse - Sample: 5mm_23 - Position: 1960.0 μm - Charge: 124.02 pC




Transient Pulse - Sample: 5mm_23 - Position: 1965.0 μm - Charge: 110.00 pC




Transient Pulse - Sample: 5mm_23 - Position: 1970.0 μm - Charge: 96.01 pC




Transient Pulse - Sample: 5mm_23 - Position: 1975.0 μm - Charge: 83.86 pC




Transient Pulse - Sample: 5mm_23 - Position: 1980.0 μm - Charge: 70.90 pC




Transient Pulse - Sample: 5mm_23 - Position: 1985.0 μm - Charge: 61.05 pC




Transient Pulse - Sample: 5mm_23 - Position: 1990.0 μm - Charge: 52.48 pC




Transient Pulse - Sample: 5mm_23 - Position: 1995.0 μm - Charge: 45.23 pC




Transient Pulse - Sample: 5mm_23 - Position: 2000.0 μm - Charge: 38.82 pC




Transient Pulse - Sample: 5mm_23 - Position: 2005.0 μm - Charge: 35.62 pC




Transient Pulse - Sample: 5mm_23 - Position: 2010.0 μm - Charge: 34.17 pC




Transient Pulse - Sample: 5mm_23 - Position: 2015.0 μm - Charge: 34.62 pC




Transient Pulse - Sample: 5mm_23 - Position: 2020.0 μm - Charge: 37.38 pC




Transient Pulse - Sample: 5mm_23 - Position: 2025.0 μm - Charge: 42.86 pC




Transient Pulse - Sample: 5mm_23 - Position: 2030.0 μm - Charge: 50.98 pC




Transient Pulse - Sample: 5mm_23 - Position: 2035.0 μm - Charge: 59.33 pC




Transient Pulse - Sample: 5mm_23 - Position: 2040.0 μm - Charge: 70.35 pC




Transient Pulse - Sample: 5mm_23 - Position: 2045.0 μm - Charge: 82.31 pC




Transient Pulse - Sample: 5mm_23 - Position: 2050.0 μm - Charge: 93.98 pC




Transient Pulse - Sample: 5mm_23 - Position: 2055.0 μm - Charge: 107.18 pC




Transient Pulse - Sample: 5mm_23 - Position: 2060.0 μm - Charge: 118.72 pC




Transient Pulse - Sample: 5mm_23 - Position: 2065.0 μm - Charge: 130.94 pC




Transient Pulse - Sample: 5mm_23 - Position: 2070.0 μm - Charge: 142.23 pC




Transient Pulse - Sample: 5mm_23 - Position: 2075.0 μm - Charge: 153.46 pC




Transient Pulse - Sample: 5mm_23 - Position: 2080.0 μm - Charge: 162.98 pC




Transient Pulse - Sample: 5mm_23 - Position: 2085.0 μm - Charge: 170.69 pC




Transient Pulse - Sample: 5mm_23 - Position: 2090.0 μm - Charge: 175.86 pC




Transient Pulse - Sample: 5mm_23 - Position: 2095.0 μm - Charge: 182.65 pC




Transient Pulse - Sample: 5mm_23 - Position: 2100.0 μm - Charge: 188.28 pC




Transient Pulse - Sample: 5mm_23 - Position: 2105.0 μm - Charge: 190.94 pC




Transient Pulse - Sample: 5mm_23 - Position: 2110.0 μm - Charge: 194.67 pC




Transient Pulse - Sample: 5mm_23 - Position: 2115.0 μm - Charge: 196.93 pC




Transient Pulse - Sample: 5mm_23 - Position: 2120.0 μm - Charge: 201.46 pC




Transient Pulse - Sample: 5mm_23 - Position: 2125.0 μm - Charge: 203.38 pC




Transient Pulse - Sample: 5mm_23 - Position: 2130.0 μm - Charge: 204.17 pC




Transient Pulse - Sample: 5mm_23 - Position: 2135.0 μm - Charge: 204.13 pC




Transient Pulse - Sample: 5mm_23 - Position: 2140.0 μm - Charge: 204.27 pC




Transient Pulse - Sample: 5mm_23 - Position: 2145.0 μm - Charge: 204.92 pC




Transient Pulse - Sample: 5mm_23 - Position: 2150.0 μm - Charge: 205.17 pC




Transient Pulse - Sample: 5mm_23 - Position: 2155.0 μm - Charge: 204.94 pC




Transient Pulse - Sample: 5mm_23 - Position: 2160.0 μm - Charge: 205.24 pC




Transient Pulse - Sample: 5mm_23 - Position: 2165.0 μm - Charge: 205.58 pC




Transient Pulse - Sample: 5mm_23 - Position: 2170.0 μm - Charge: 205.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 2175.0 μm - Charge: 205.70 pC




Transient Pulse - Sample: 5mm_23 - Position: 2180.0 μm - Charge: 205.78 pC




Transient Pulse - Sample: 5mm_23 - Position: 2185.0 μm - Charge: 205.40 pC




Transient Pulse - Sample: 5mm_23 - Position: 2190.0 μm - Charge: 205.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 2195.0 μm - Charge: 205.46 pC




Transient Pulse - Sample: 5mm_23 - Position: 2200.0 μm - Charge: 206.02 pC




Transient Pulse - Sample: 5mm_23 - Position: 2205.0 μm - Charge: 205.12 pC




Transient Pulse - Sample: 5mm_23 - Position: 2210.0 μm - Charge: 203.99 pC




Transient Pulse - Sample: 5mm_23 - Position: 2215.0 μm - Charge: 205.48 pC




Transient Pulse - Sample: 5mm_23 - Position: 2220.0 μm - Charge: 204.53 pC




Transient Pulse - Sample: 5mm_23 - Position: 2225.0 μm - Charge: 205.90 pC




Transient Pulse - Sample: 5mm_23 - Position: 2230.0 μm - Charge: 205.10 pC




Transient Pulse - Sample: 5mm_23 - Position: 2235.0 μm - Charge: 204.72 pC




Transient Pulse - Sample: 5mm_23 - Position: 2240.0 μm - Charge: 204.64 pC




Transient Pulse - Sample: 5mm_23 - Position: 2245.0 μm - Charge: 205.19 pC




Transient Pulse - Sample: 5mm_23 - Position: 2250.0 μm - Charge: 204.39 pC




Transient Pulse - Sample: 5mm_23 - Position: 2255.0 μm - Charge: 205.06 pC




Transient Pulse - Sample: 5mm_23 - Position: 2260.0 μm - Charge: 205.06 pC




Transient Pulse - Sample: 5mm_23 - Position: 2265.0 μm - Charge: 204.85 pC




Transient Pulse - Sample: 5mm_23 - Position: 2270.0 μm - Charge: 203.62 pC




Transient Pulse - Sample: 5mm_23 - Position: 2275.0 μm - Charge: 202.86 pC




Transient Pulse - Sample: 5mm_23 - Position: 2280.0 μm - Charge: 200.58 pC




Transient Pulse - Sample: 5mm_23 - Position: 2285.0 μm - Charge: 200.24 pC




Transient Pulse - Sample: 5mm_23 - Position: 2290.0 μm - Charge: 204.18 pC




Transient Pulse - Sample: 5mm_23 - Position: 2295.0 μm - Charge: 205.38 pC




Transient Pulse - Sample: 5mm_23 - Position: 2300.0 μm - Charge: 204.71 pC




Transient Pulse - Sample: 5mm_23 - Position: 2305.0 μm - Charge: 204.84 pC




Transient Pulse - Sample: 5mm_23 - Position: 2310.0 μm - Charge: 204.16 pC




Transient Pulse - Sample: 5mm_23 - Position: 2315.0 μm - Charge: 203.96 pC




Transient Pulse - Sample: 5mm_23 - Position: 2320.0 μm - Charge: 203.01 pC




Transient Pulse - Sample: 5mm_23 - Position: 2325.0 μm - Charge: 202.20 pC




Transient Pulse - Sample: 5mm_23 - Position: 2330.0 μm - Charge: 200.79 pC




Transient Pulse - Sample: 5mm_23 - Position: 2335.0 μm - Charge: 199.70 pC




Transient Pulse - Sample: 5mm_23 - Position: 2340.0 μm - Charge: 202.66 pC




Transient Pulse - Sample: 5mm_23 - Position: 2345.0 μm - Charge: 202.13 pC




Transient Pulse - Sample: 5mm_23 - Position: 2350.0 μm - Charge: 201.96 pC




Transient Pulse - Sample: 5mm_23 - Position: 2355.0 μm - Charge: 201.41 pC




Transient Pulse - Sample: 5mm_23 - Position: 2360.0 μm - Charge: 201.30 pC




Transient Pulse - Sample: 5mm_23 - Position: 2365.0 μm - Charge: 200.82 pC




Transient Pulse - Sample: 5mm_23 - Position: 2370.0 μm - Charge: 200.73 pC




Transient Pulse - Sample: 5mm_23 - Position: 2375.0 μm - Charge: 197.15 pC




Transient Pulse - Sample: 5mm_23 - Position: 2380.0 μm - Charge: 199.89 pC




Transient Pulse - Sample: 5mm_23 - Position: 2385.0 μm - Charge: 199.91 pC




Transient Pulse - Sample: 5mm_23 - Position: 2390.0 μm - Charge: 199.74 pC




Transient Pulse - Sample: 5mm_23 - Position: 2395.0 μm - Charge: 198.91 pC




Transient Pulse - Sample: 5mm_23 - Position: 2400.0 μm - Charge: 198.46 pC




Transient Pulse - Sample: 5mm_23 - Position: 2405.0 μm - Charge: 197.35 pC




Transient Pulse - Sample: 5mm_23 - Position: 2410.0 μm - Charge: 195.90 pC




Transient Pulse - Sample: 5mm_23 - Position: 2415.0 μm - Charge: 193.89 pC




Transient Pulse - Sample: 5mm_23 - Position: 2420.0 μm - Charge: 191.67 pC




Transient Pulse - Sample: 5mm_23 - Position: 2425.0 μm - Charge: 188.36 pC




Transient Pulse - Sample: 5mm_23 - Position: 2430.0 μm - Charge: 183.95 pC




Transient Pulse - Sample: 5mm_23 - Position: 2435.0 μm - Charge: 178.37 pC




Transient Pulse - Sample: 5mm_23 - Position: 2440.0 μm - Charge: 171.24 pC




Transient Pulse - Sample: 5mm_23 - Position: 2445.0 μm - Charge: 163.11 pC




Transient Pulse - Sample: 5mm_23 - Position: 2450.0 μm - Charge: 154.20 pC




Transient Pulse - Sample: 5mm_23 - Position: 2455.0 μm - Charge: 145.30 pC




Transient Pulse - Sample: 5mm_23 - Position: 2460.0 μm - Charge: 134.56 pC




Transient Pulse - Sample: 5mm_23 - Position: 2465.0 μm - Charge: 122.70 pC




Transient Pulse - Sample: 5mm_23 - Position: 2470.0 μm - Charge: 111.81 pC




Transient Pulse - Sample: 5mm_23 - Position: 2475.0 μm - Charge: 99.48 pC




Transient Pulse - Sample: 5mm_23 - Position: 2480.0 μm - Charge: 87.90 pC




Transient Pulse - Sample: 5mm_23 - Position: 2485.0 μm - Charge: 68.64 pC




Transient Pulse - Sample: 5mm_23 - Position: 2490.0 μm - Charge: 60.26 pC




Transient Pulse - Sample: 5mm_23 - Position: 2495.0 μm - Charge: 52.30 pC




Transient Pulse - Sample: 5mm_23 - Position: 2500.0 μm - Charge: 45.53 pC




Transient Pulse - Sample: 5mm_23 - Position: 2505.0 μm - Charge: 40.15 pC




Transient Pulse - Sample: 5mm_23 -Position: 2510.0 μm - Charge: 35.73 pC




Transient Pulse - Sample: 5mm_23 - Position: 2515.0 μm - Charge: 33.49 pC




Transient Pulse - Sample: 5mm_23 - Position: 2520.0 μm - Charge: 32.48 pC




Transient Pulse - Sample: 5mm_23 - Position: 2525.0 μm - Charge: 35.14 pC




Transient Pulse - Sample: 5mm_23 -Position: 2530.0 μm - Charge: 38.55 pC




Transient Pulse - Sample: 5mm_23 - Position: 2535.0 μm - Charge: 45.51 pC




Transient Pulse - Sample: 5mm_23 - Position: 2540.0 μm - Charge: 52.55 pC




Transient Pulse - Sample: 5mm_23 - Position: 2545.0 μm - Charge: 61.50 pC




Transient Pulse - Sample: 5mm_23 - Position: 2550.0 μm - Charge: 78.36 pC




Transient Pulse - Sample: 5mm_23 - Position: 2555.0 μm - Charge: 89.50 pC




Transient Pulse - Sample: 5mm_23 - Position: 2560.0 μm - Charge: 101.80 pC




Transient Pulse - Sample: 5mm_23 - Position: 2565.0 μm - Charge: 113.50 pC




Transient Pulse - Sample: 5mm_23 - Position: 2570.0 μm - Charge: 125.07 pC




Transient Pulse - Sample: 5mm_23 - Position: 2575.0 μm - Charge: 137.59 pC




Transient Pulse - Sample: 5mm_23 - Position: 2580.0 μm - Charge: 147.81 pC




Transient Pulse - Sample: 5mm_23 - Position: 2585.0 μm - Charge: 158.03 pC




Transient Pulse - Sample: 5mm_23 - Position: 2590.0 μm - Charge: 166.27 pC




Transient Pulse - Sample: 5mm_23 - Position: 2595.0 μm - Charge: 173.90 pC




Transient Pulse - Sample: 5mm_23 - Position: 2600.0 μm - Charge: 180.62 pC




Transient Pulse - Sample: 5mm_23 - Position: 2605.0 μm - Charge: 186.57 pC




Transient Pulse - Sample: 5mm_23 - Position: 2610.0 μm - Charge: 190.56 pC




Transient Pulse - Sample: 5mm_23 - Position: 2615.0 μm - Charge: 194.72 pC




Transient Pulse - Sample: 5mm_23 - Position: 2620.0 μm - Charge: 196.30 pC




Transient Pulse - Sample: 5mm_23 - Position: 2625.0 μm - Charge: 198.13 pC




Transient Pulse - Sample: 5mm_23 - Position: 2630.0 μm - Charge: 199.61 pC




Transient Pulse - Sample: 5mm_23 - Position: 2635.0 μm - Charge: 200.88 pC




Transient Pulse - Sample: 5mm_23 - Position: 2640.0 μm - Charge: 201.50 pC




Transient Pulse - Sample: 5mm_23 - Position: 2645.0 μm - Charge: 201.25 pC




Transient Pulse - Sample: 5mm_23 - Position: 2650.0 μm - Charge: 201.94 pC




Transient Pulse - Sample: 5mm_23 - Position: 2655.0 μm - Charge: 200.89 pC




Transient Pulse - Sample: 5mm_23 - Position: 2660.0 μm - Charge: 201.76 pC




Transient Pulse - Sample: 5mm_23 - Position: 2665.0 μm - Charge: 201.50 pC




Transient Pulse - Sample: 5mm_23 - Position: 2670.0 μm - Charge: 201.65 pC




Transient Pulse - Sample: 5mm_23 - Position: 2675.0 μm - Charge: 202.11 pC




Transient Pulse - Sample: 5mm_23 - Position: 2680.0 μm - Charge: 201.49 pC




Transient Pulse - Sample: 5mm_23 - Position: 2685.0 μm - Charge: 201.98 pC




Transient Pulse - Sample: 5mm_23 - Position: 2690.0 μm - Charge: 201.29 pC




Transient Pulse - Sample: 5mm_23 - Position: 2695.0 μm - Charge: 201.64 pC




Transient Pulse - Sample: 5mm_23 - Position: 2700.0 μm - Charge: 202.06 pC




Transient Pulse - Sample: 5mm_23 - Position: 2705.0 μm - Charge: 201.95 pC




Transient Pulse - Sample: 5mm_23 - Position: 2710.0 μm - Charge: 202.17 pC




Transient Pulse - Sample: 5mm_23 - Position: 2715.0 μm - Charge: 201.69 pC




Transient Pulse - Sample: 5mm_23 - Position: 2720.0 μm - Charge: 201.77 pC




Transient Pulse - Sample: 5mm_23 - Position: 2725.0 μm - Charge: 202.44 pC




Transient Pulse - Sample: 5mm_23 - Position: 2730.0 μm - Charge: 202.39 pC




Transient Pulse - Sample: 5mm_23 - Position: 2735.0 μm - Charge: 202.15 pC




Transient Pulse - Sample: 5mm_23 - Position: 2740.0 μm - Charge: 203.19 pC




Transient Pulse - Sample: 5mm_23 - Position: 2745.0 μm - Charge: 203.21 pC




Transient Pulse - Sample: 5mm_23 - Position: 2750.0 μm - Charge: 203.12 pC




Transient Pulse - Sample: 5mm_23 - Position: 2755.0 μm - Charge: 204.28 pC




Transient Pulse - Sample: 5mm_23 - Position: 2760.0 μm - Charge: 204.08 pC




Transient Pulse - Sample: 5mm_23 - Position: 2765.0 μm - Charge: 204.57 pC




Transient Pulse - Sample: 5mm_23 - Position: 2770.0 μm - Charge: 205.43 pC




Transient Pulse - Sample: 5mm_23 - Position: 2775.0 μm - Charge: 205.46 pC




Transient Pulse - Sample: 5mm_23 - Position: 2780.0 μm - Charge: 205.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 2785.0 μm - Charge: 205.29 pC




Transient Pulse - Sample: 5mm_23 - Position: 2790.0 μm - Charge: 206.21 pC




Transient Pulse - Sample: 5mm_23 - Position: 2795.0 μm - Charge: 206.06 pC




Transient Pulse - Sample: 5mm_23 - Position: 2800.0 μm - Charge: 206.82 pC




Transient Pulse - Sample: 5mm_23 - Position: 2805.0 μm - Charge: 207.42 pC




Transient Pulse - Sample: 5mm_23 - Position: 2810.0 μm - Charge: 208.28 pC




Transient Pulse - Sample: 5mm_23 - Position: 2815.0 μm - Charge: 208.26 pC




Transient Pulse - Sample: 5mm_23 - Position: 2820.0 μm - Charge: 209.18 pC




Transient Pulse - Sample: 5mm_23 - Position: 2825.0 μm - Charge: 210.12 pC




Transient Pulse - Sample: 5mm_23 - Position: 2830.0 μm - Charge: 211.04 pC




Transient Pulse - Sample: 5mm_23 - Position: 2835.0 μm - Charge: 210.94 pC




Transient Pulse - Sample: 5mm_23 - Position: 2840.0 μm - Charge: 211.58 pC




Transient Pulse - Sample: 5mm_23 - Position: 2845.0 μm - Charge: 213.13 pC




Transient Pulse - Sample: 5mm_23 - Position: 2850.0 μm - Charge: 213.44 pC




Transient Pulse - Sample: 5mm_23 - Position: 2855.0 μm - Charge: 214.09 pC




Transient Pulse - Sample: 5mm_23 - Position: 2860.0 μm - Charge: 214.56 pC




Transient Pulse - Sample: 5mm_23 - Position: 2865.0 μm - Charge: 214.88 pC




Transient Pulse - Sample: 5mm_23 - Position: 2870.0 μm - Charge: 215.52 pC




Transient Pulse - Sample: 5mm_23 - Position: 2875.0 μm - Charge: 216.60 pC




Transient Pulse - Sample: 5mm_23 - Position: 2880.0 μm - Charge: 217.18 pC




Transient Pulse - Sample: 5mm_23 - Position: 2885.0 μm - Charge: 217.80 pC




Transient Pulse - Sample: 5mm_23 - Position: 2890.0 μm - Charge: 218.52 pC




Transient Pulse - Sample: 5mm_23 - Position: 2895.0 μm - Charge: 218.90 pC




Transient Pulse - Sample: 5mm_23 - Position: 2900.0 μm - Charge: 218.62 pC




Transient Pulse - Sample: 5mm_23 - Position: 2905.0 μm - Charge: 218.86 pC




Transient Pulse - Sample: 5mm_23 - Position: 2910.0 μm - Charge: 219.36 pC




Transient Pulse - Sample: 5mm_23 - Position: 2915.0 μm - Charge: 218.26 pC




Transient Pulse - Sample: 5mm_23 - Position: 2920.0 μm - Charge: 216.08 pC




Transient Pulse - Sample: 5mm_23 - Position: 2925.0 μm - Charge: 214.14 pC




Transient Pulse - Sample: 5mm_23 - Position: 2930.0 μm - Charge: 210.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 2935.0 μm - Charge: 205.58 pC




Transient Pulse - Sample: 5mm_23 - Position: 2940.0 μm - Charge: 198.69 pC




Transient Pulse - Sample: 5mm_23 - Position: 2945.0 μm - Charge: 190.65 pC




Transient Pulse - Sample: 5mm_23 - Position: 2950.0 μm - Charge: 181.87 pC




Transient Pulse - Sample: 5mm_23 - Position: 2955.0 μm - Charge: 172.52 pC




Transient Pulse - Sample: 5mm_23 - Position: 2960.0 μm - Charge: 161.46 pC




Transient Pulse - Sample: 5mm_23 - Position: 2965.0 μm - Charge: 148.35 pC




Transient Pulse - Sample: 5mm_23 - Position: 2970.0 μm - Charge: 135.38 pC




Transient Pulse - Sample: 5mm_23 - Position: 2975.0 μm - Charge: 122.63 pC




Transient Pulse - Sample: 5mm_23 - Position: 2980.0 μm - Charge: 109.11 pC




Transient Pulse - Sample: 5mm_23 - Position: 2985.0 μm - Charge: 95.74 pC




Transient Pulse - Sample: 5mm_23 - Position: 2990.0 μm - Charge: 83.62 pC




Transient Pulse - Sample: 5mm_23 - Position: 2995.0 μm - Charge: 71.02 pC




Transient Pulse - Sample: 5mm_23 - Position: 3000.0 μm - Charge: 60.88 pC




Transient Pulse - Sample: 5mm_23 - Position: 3005.0 μm - Charge: 52.48 pC




Transient Pulse - Sample: 5mm_23 - Position: 3010.0 μm - Charge: 45.28 pC




Transient Pulse - Sample: 5mm_23 - Position: 3015.0 μm - Charge: 39.94 pC




Transient Pulse - Sample: 5mm_23 - Position: 3020.0 μm - Charge: 37.25 pC




Transient Pulse - Sample: 5mm_23 - Position: 3025.0 μm - Charge: 36.19 pC




Transient Pulse - Sample: 5mm_23 - Position: 3030.0 μm - Charge: 37.86 pC




Transient Pulse - Sample: 5mm_23 - Position: 3035.0 μm - Charge: 41.88 pC




Transient Pulse - Sample: 5mm_23 - Position: 3040.0 μm - Charge: 49.17 pC




Transient Pulse - Sample: 5mm_23 - Position: 3045.0 μm - Charge: 58.34 pC




Transient Pulse - Sample: 5mm_23 - Position: 3050.0 μm - Charge: 69.62 pC




Transient Pulse - Sample: 5mm_23 - Position: 3055.0 μm - Charge: 83.85 pC




Transient Pulse - Sample: 5mm_23 - Position: 3060.0 μm - Charge: 96.70 pC




Transient Pulse - Sample: 5mm_23 - Position: 3065.0 μm - Charge: 111.04 pC




Transient Pulse - Sample: 5mm_23 - Position: 3070.0 μm - Charge: 125.30 pC




Transient Pulse - Sample: 5mm_23 - Position: 3075.0 μm - Charge: 139.74 pC




Transient Pulse - Sample: 5mm_23 - Position: 3080.0 μm - Charge: 154.18 pC




Transient Pulse - Sample: 5mm_23 - Position: 3085.0 μm - Charge: 168.25 pC




Transient Pulse - Sample: 5mm_23 - Position: 3090.0 μm - Charge: 180.22 pC




Transient Pulse - Sample: 5mm_23 - Position: 3095.0 μm - Charge: 189.72 pC




Transient Pulse - Sample: 5mm_23 - Position: 3100.0 μm - Charge: 197.69 pC




Transient Pulse - Sample: 5mm_23 - Position: 3105.0 μm - Charge: 206.38 pC




Transient Pulse - Sample: 5mm_23 - Position: 3110.0 μm - Charge: 212.50 pC




Transient Pulse - Sample: 5mm_23 - Position: 3115.0 μm - Charge: 217.65 pC




Transient Pulse - Sample: 5mm_23 - Position: 3120.0 μm - Charge: 221.02 pC




Transient Pulse - Sample: 5mm_23 - Position: 3125.0 μm - Charge: 223.92 pC




Transient Pulse - Sample: 5mm_23 - Position: 3130.0 μm - Charge: 225.04 pC




Transient Pulse - Sample: 5mm_23 - Position: 3135.0 μm - Charge: 225.89 pC




Transient Pulse - Sample: 5mm_23 - Position: 3140.0 μm - Charge: 226.61 pC




Transient Pulse - Sample: 5mm_23 - Position: 3145.0 μm - Charge: 226.29 pC




Transient Pulse - Sample: 5mm_23 - Position: 3150.0 μm - Charge: 225.79 pC




Transient Pulse - Sample: 5mm_23 - Position: 3155.0 μm - Charge: 225.34 pC




Transient Pulse - Sample: 5mm_23 - Position: 3160.0 μm - Charge: 224.55 pC




Transient Pulse - Sample: 5mm_23 - Position: 3165.0 μm - Charge: 224.13 pC




Transient Pulse - Sample: 5mm_23 - Position: 3170.0 μm - Charge: 222.29 pC




Transient Pulse - Sample: 5mm_23 - Position: 3175.0 μm - Charge: 221.30 pC




Transient Pulse - Sample: 5mm_23 - Position: 3180.0 μm - Charge: 220.53 pC




Transient Pulse - Sample: 5mm_23 - Position: 3185.0 μm - Charge: 219.58 pC




Transient Pulse - Sample: 5mm_23 - Position: 3190.0 μm - Charge: 219.73 pC




Transient Pulse - Sample: 5mm_23 - Position: 3195.0 μm - Charge: 218.58 pC




Transient Pulse - Sample: 5mm_23 - Position: 3200.0 μm - Charge: 218.04 pC




Transient Pulse - Sample: 5mm_23 - Position: 3205.0 μm - Charge: 216.94 pC




Transient Pulse - Sample: 5mm_23 - Position: 3210.0 μm - Charge: 217.02 pC




Transient Pulse - Sample: 5mm_23 - Position: 3215.0 μm - Charge: 216.59 pC




Transient Pulse - Sample: 5mm_23 - Position: 3220.0 μm - Charge: 216.52 pC




Transient Pulse - Sample: 5mm_23 - Position: 3225.0 μm - Charge: 216.50 pC




Transient Pulse - Sample: 5mm_23 - Position: 3230.0 μm - Charge: 215.30 pC




Transient Pulse - Sample: 5mm_23 - Position: 3235.0 μm - Charge: 215.80 pC




Transient Pulse - Sample: 5mm_23 - Position: 3240.0 μm - Charge: 215.10 pC




Transient Pulse - Sample: 5mm_23 - Position: 3245.0 μm - Charge: 215.68 pC




Transient Pulse - Sample: 5mm_23 - Position: 3250.0 μm - Charge: 215.50 pC




Transient Pulse - Sample: 5mm_23 - Position: 3255.0 μm - Charge: 215.25 pC




Transient Pulse - Sample: 5mm_23 - Position: 3260.0 μm - Charge: 214.36 pC




Transient Pulse - Sample: 5mm_23 - Position: 3265.0 μm - Charge: 213.82 pC




Transient Pulse - Sample: 5mm_23 - Position: 3270.0 μm - Charge: 212.82 pC




Transient Pulse - Sample: 5mm_23 - Position: 3275.0 μm - Charge: 212.35 pC




Transient Pulse - Sample: 5mm_23 - Position: 3280.0 μm - Charge: 211.04 pC




Transient Pulse - Sample: 5mm_23 - Position: 3285.0 μm - Charge: 209.94 pC




Transient Pulse - Sample: 5mm_23 - Position: 3290.0 μm - Charge: 209.07 pC




Transient Pulse - Sample: 5mm_23 - Position: 3295.0 μm - Charge: 208.38 pC




Transient Pulse - Sample: 5mm_23 - Position: 3300.0 μm - Charge: 206.92 pC




Transient Pulse - Sample: 5mm_23 - Position: 3305.0 μm - Charge: 206.12 pC




Transient Pulse - Sample: 5mm_23 - Position: 3310.0 μm - Charge: 205.42 pC




Transient Pulse - Sample: 5mm_23 - Position: 3315.0 μm - Charge: 203.90 pC




Transient Pulse - Sample: 5mm_23 - Position: 3320.0 μm - Charge: 203.14 pC




Transient Pulse - Sample: 5mm_23 - Position: 3325.0 μm - Charge: 202.04 pC




Transient Pulse - Sample: 5mm_23 - Position: 3330.0 μm - Charge: 200.45 pC




Transient Pulse - Sample: 5mm_23 - Position: 3335.0 μm - Charge: 199.68 pC




Transient Pulse - Sample: 5mm_23 - Position: 3340.0 μm - Charge: 198.56 pC




Transient Pulse - Sample: 5mm_23 - Position: 3345.0 μm - Charge: 197.48 pC




Transient Pulse - Sample: 5mm_23 - Position: 3350.0 μm - Charge: 196.35 pC




Transient Pulse - Sample: 5mm_23 - Position: 3355.0 μm - Charge: 195.52 pC




Transient Pulse - Sample: 5mm_23 - Position: 3360.0 μm - Charge: 193.81 pC




Transient Pulse - Sample: 5mm_23 - Position: 3365.0 μm - Charge: 192.72 pC




Transient Pulse - Sample: 5mm_23 - Position: 3370.0 μm - Charge: 191.72 pC




Transient Pulse - Sample: 5mm_23 - Position: 3375.0 μm - Charge: 190.84 pC




Transient Pulse - Sample: 5mm_23 - Position: 3380.0 μm - Charge: 189.87 pC




Transient Pulse - Sample: 5mm_23 - Position: 3385.0 μm - Charge: 188.73 pC




Transient Pulse - Sample: 5mm_23 - Position: 3390.0 μm - Charge: 187.46 pC




Transient Pulse - Sample: 5mm_23 - Position: 3395.0 μm - Charge: 186.59 pC




Transient Pulse - Sample: 5mm_23 - Position: 3400.0 μm - Charge: 185.34 pC




Transient Pulse - Sample: 5mm_23 - Position: 3405.0 μm - Charge: 184.16 pC




Transient Pulse - Sample: 5mm_23 - Position: 3410.0 μm - Charge: 182.87 pC




Transient Pulse - Sample: 5mm_23 - Position: 3415.0 μm - Charge: 181.38 pC




Transient Pulse - Sample: 5mm_23 - Position: 3420.0 μm - Charge: 180.01 pC




Transient Pulse - Sample: 5mm_23 - Position: 3425.0 μm - Charge: 177.63 pC




Transient Pulse - Sample: 5mm_23 - Position: 3430.0 μm - Charge: 174.70 pC




Transient Pulse - Sample: 5mm_23 - Position: 3435.0 μm - Charge: 170.76 pC




Transient Pulse - Sample: 5mm_23 - Position: 3440.0 μm - Charge: 165.32 pC




Transient Pulse - Sample: 5mm_23 - Position: 3445.0 μm - Charge: 158.42 pC




Transient Pulse - Sample: 5mm_23 - Position: 3450.0 μm - Charge: 151.39 pC




Transient Pulse - Sample: 5mm_23 - Position: 3455.0 μm - Charge: 143.25 pC




Transient Pulse - Sample: 5mm_23 - Position: 3460.0 μm - Charge: 134.97 pC




Transient Pulse - Sample: 5mm_23 - Position: 3465.0 μm - Charge: 125.53 pC




Transient Pulse - Sample: 5mm_23 - Position: 3470.0 μm - Charge: 115.93 pC




Transient Pulse - Sample: 5mm_23 - Position: 3475.0 μm - Charge: 104.25 pC




Transient Pulse - Sample: 5mm_23 - Position: 3480.0 μm - Charge: 92.89 pC




Transient Pulse - Sample: 5mm_23 - Position: 3485.0 μm - Charge: 80.30 pC




Transient Pulse - Sample: 5mm_23 - Position: 3490.0 μm - Charge: 69.31 pC




Transient Pulse - Sample: 5mm_23 - Position: 3495.0 μm - Charge: 60.50 pC




Transient Pulse - Sample: 5mm_23 - Position: 3500.0 μm - Charge: 52.02 pC




Transient Pulse - Sample: 5mm_23 - Position: 3505.0 μm - Charge: 44.11 pC




Transient Pulse - Sample: 5mm_23 - Position: 3510.0 μm - Charge: 38.54 pC




Transient Pulse - Sample: 5mm_23 -Position: 3515.0 μm - Charge: 33.63 pC




Transient Pulse - Sample: 5mm_23 -Position: 3520.0 μm - Charge: 31.06 pC




Transient Pulse - Sample: 5mm_23 - Position: 3525.0 μm - Charge: 29.19 pC




Transient Pulse - Sample: 5mm_23 -Position: 3530.0 μm - Charge: 30.03 pC




Transient Pulse - Sample: 5mm_23 -Position: 3535.0 μm - Charge: 32.60 pC




Transient Pulse - Sample: 5mm_23 - Position: 3540.0 μm - Charge: 37.14 pC




Transient Pulse - Sample: 5mm_23 - Position: 3545.0 μm - Charge: 42.83 pC




Transient Pulse - Sample: 5mm_23 - Position: 3550.0 μm - Charge: 50.72 pC




Transient Pulse - Sample: 5mm_23 - Position: 3555.0 μm - Charge: 60.27 pC




Transient Pulse - Sample: 5mm_23 - Position: 3560.0 μm - Charge: 68.88 pC




Transient Pulse - Sample: 5mm_23 - Position: 3565.0 μm - Charge: 79.37 pC




Transient Pulse - Sample: 5mm_23 - Position: 3570.0 μm - Charge: 89.88 pC




Transient Pulse - Sample: 5mm_23 - Position: 3575.0 μm - Charge: 101.24 pC




Transient Pulse - Sample: 5mm_23 - Position: 3580.0 μm - Charge: 112.31 pC




Transient Pulse - Sample: 5mm_23 - Position: 3585.0 μm - Charge: 122.81 pC




Transient Pulse - Sample: 5mm_23 - Position: 3590.0 μm - Charge: 130.81 pC




Transient Pulse - Sample: 5mm_23 - Position: 3595.0 μm - Charge: 139.00 pC




Transient Pulse - Sample: 5mm_23 - Position: 3600.0 μm - Charge: 144.75 pC




Transient Pulse - Sample: 5mm_23 - Position: 3605.0 μm - Charge: 151.07 pC




Transient Pulse - Sample: 5mm_23 - Position: 3610.0 μm - Charge: 156.05 pC




Transient Pulse - Sample: 5mm_23 - Position: 3615.0 μm - Charge: 160.22 pC




Transient Pulse - Sample: 5mm_23 - Position: 3620.0 μm - Charge: 163.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 3625.0 μm - Charge: 166.76 pC




Transient Pulse - Sample: 5mm_23 - Position: 3630.0 μm - Charge: 168.29 pC




Transient Pulse - Sample: 5mm_23 - Position: 3635.0 μm - Charge: 169.80 pC




Transient Pulse - Sample: 5mm_23 - Position: 3640.0 μm - Charge: 170.98 pC




Transient Pulse - Sample: 5mm_23 - Position: 3645.0 μm - Charge: 171.59 pC




Transient Pulse - Sample: 5mm_23 - Position: 3650.0 μm - Charge: 171.62 pC




Transient Pulse - Sample: 5mm_23 - Position: 3655.0 μm - Charge: 172.67 pC




Transient Pulse - Sample: 5mm_23 - Position: 3660.0 μm - Charge: 172.92 pC




Transient Pulse - Sample: 5mm_23 - Position: 3665.0 μm - Charge: 172.95 pC




Transient Pulse - Sample: 5mm_23 - Position: 3670.0 μm - Charge: 173.26 pC




Transient Pulse - Sample: 5mm_23 - Position: 3675.0 μm - Charge: 173.65 pC




Transient Pulse - Sample: 5mm_23 - Position: 3680.0 μm - Charge: 174.19 pC




Transient Pulse - Sample: 5mm_23 - Position: 3685.0 μm - Charge: 174.62 pC




Transient Pulse - Sample: 5mm_23 - Position: 3690.0 μm - Charge: 174.75 pC




Transient Pulse - Sample: 5mm_23 - Position: 3695.0 μm - Charge: 174.47 pC




Transient Pulse - Sample: 5mm_23 - Position: 3700.0 μm - Charge: 174.76 pC




Transient Pulse - Sample: 5mm_23 - Position: 3705.0 μm - Charge: 175.11 pC




Transient Pulse - Sample: 5mm_23 - Position: 3710.0 μm - Charge: 175.63 pC




Transient Pulse - Sample: 5mm_23 - Position: 3715.0 μm - Charge: 175.62 pC




Transient Pulse - Sample: 5mm_23 - Position: 3720.0 μm - Charge: 175.91 pC




Transient Pulse - Sample: 5mm_23 - Position: 3725.0 μm - Charge: 176.80 pC




Transient Pulse - Sample: 5mm_23 - Position: 3730.0 μm - Charge: 177.16 pC




Transient Pulse - Sample: 5mm_23 - Position: 3735.0 μm - Charge: 177.05 pC




Transient Pulse - Sample: 5mm_23 - Position: 3740.0 μm - Charge: 176.93 pC




Transient Pulse - Sample: 5mm_23 - Position: 3745.0 μm - Charge: 177.11 pC




Transient Pulse - Sample: 5mm_23 - Position: 3750.0 μm - Charge: 176.93 pC




Transient Pulse - Sample: 5mm_23 - Position: 3755.0 μm - Charge: 177.30 pC




Transient Pulse - Sample: 5mm_23 - Position: 3760.0 μm - Charge: 177.26 pC




Transient Pulse - Sample: 5mm_23 - Position: 3765.0 μm - Charge: 176.82 pC




Transient Pulse - Sample: 5mm_23 - Position: 3770.0 μm - Charge: 176.97 pC




Transient Pulse - Sample: 5mm_23 - Position: 3775.0 μm - Charge: 177.35 pC




Transient Pulse - Sample: 5mm_23 - Position: 3780.0 μm - Charge: 177.42 pC




Transient Pulse - Sample: 5mm_23 - Position: 3785.0 μm - Charge: 177.13 pC




Transient Pulse - Sample: 5mm_23 - Position: 3790.0 μm - Charge: 177.14 pC




Transient Pulse - Sample: 5mm_23 - Position: 3795.0 μm - Charge: 176.56 pC




Transient Pulse - Sample: 5mm_23 - Position: 3800.0 μm - Charge: 176.28 pC




Transient Pulse - Sample: 5mm_23 - Position: 3805.0 μm - Charge: 176.26 pC




Transient Pulse - Sample: 5mm_23 - Position: 3810.0 μm - Charge: 176.37 pC




Transient Pulse - Sample: 5mm_23 - Position: 3815.0 μm - Charge: 176.11 pC




Transient Pulse - Sample: 5mm_23 - Position: 3820.0 μm - Charge: 176.00 pC




Transient Pulse - Sample: 5mm_23 - Position: 3825.0 μm - Charge: 175.15 pC




Transient Pulse - Sample: 5mm_23 - Position: 3830.0 μm - Charge: 175.01 pC




Transient Pulse - Sample: 5mm_23 - Position: 3835.0 μm - Charge: 174.87 pC




Transient Pulse - Sample: 5mm_23 - Position: 3840.0 μm - Charge: 174.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 3845.0 μm - Charge: 174.34 pC




Transient Pulse - Sample: 5mm_23 - Position: 3850.0 μm - Charge: 174.19 pC




Transient Pulse - Sample: 5mm_23 - Position: 3855.0 μm - Charge: 173.94 pC




Transient Pulse - Sample: 5mm_23 - Position: 3860.0 μm - Charge: 173.47 pC




Transient Pulse - Sample: 5mm_23 - Position: 3865.0 μm - Charge: 172.95 pC




Transient Pulse - Sample: 5mm_23 - Position: 3870.0 μm - Charge: 172.38 pC




Transient Pulse - Sample: 5mm_23 - Position: 3875.0 μm - Charge: 172.50 pC




Transient Pulse - Sample: 5mm_23 - Position: 3880.0 μm - Charge: 171.94 pC




Transient Pulse - Sample: 5mm_23 - Position: 3885.0 μm - Charge: 171.74 pC




Transient Pulse - Sample: 5mm_23 - Position: 3890.0 μm - Charge: 171.33 pC




Transient Pulse - Sample: 5mm_23 - Position: 3895.0 μm - Charge: 171.38 pC




Transient Pulse - Sample: 5mm_23 - Position: 3900.0 μm - Charge: 170.26 pC




Transient Pulse - Sample: 5mm_23 - Position: 3905.0 μm - Charge: 170.17 pC




Transient Pulse - Sample: 5mm_23 - Position: 3910.0 μm - Charge: 169.29 pC




Transient Pulse - Sample: 5mm_23 - Position: 3915.0 μm - Charge: 168.75 pC




Transient Pulse - Sample: 5mm_23 - Position: 3920.0 μm - Charge: 167.29 pC




Transient Pulse - Sample: 5mm_23 - Position: 3925.0 μm - Charge: 166.78 pC




Transient Pulse - Sample: 5mm_23 - Position: 3930.0 μm - Charge: 165.53 pC




Transient Pulse - Sample: 5mm_23 - Position: 3935.0 μm - Charge: 164.19 pC




Transient Pulse - Sample: 5mm_23 - Position: 3940.0 μm - Charge: 162.44 pC




Transient Pulse - Sample: 5mm_23 - Position: 3945.0 μm - Charge: 159.16 pC




Transient Pulse - Sample: 5mm_23 - Position: 3950.0 μm - Charge: 155.93 pC




Transient Pulse - Sample: 5mm_23 - Position: 3955.0 μm - Charge: 151.22 pC




Transient Pulse - Sample: 5mm_23 - Position: 3960.0 μm - Charge: 145.58 pC




Transient Pulse - Sample: 5mm_23 - Position: 3965.0 μm - Charge: 137.78 pC




Transient Pulse - Sample: 5mm_23 - Position: 3970.0 μm - Charge: 130.38 pC




Transient Pulse - Sample: 5mm_23 - Position: 3975.0 μm - Charge: 121.65 pC




Transient Pulse - Sample: 5mm_23 - Position: 3980.0 μm - Charge: 112.02 pC




Transient Pulse - Sample: 5mm_23 - Position: 3985.0 μm - Charge: 101.87 pC




Transient Pulse - Sample: 5mm_23 - Position: 3990.0 μm - Charge: 89.89 pC




Transient Pulse - Sample: 5mm_23 - Position: 3995.0 μm - Charge: 79.02 pC




Transient Pulse - Sample: 5mm_23 - Position: 4000.0 μm - Charge: 69.39 pC




Transient Pulse - Sample: 5mm_23 - Position: 4005.0 μm - Charge: 59.77 pC




Transient Pulse - Sample: 5mm_23 - Position: 4010.0 μm - Charge: 50.88 pC




Transient Pulse - Sample: 5mm_23 - Position: 4015.0 μm - Charge: 43.85 pC




Transient Pulse - Sample: 5mm_23 - Position: 4020.0 μm - Charge: 37.74 pC




Transient Pulse - Sample: 5mm_23 - Position: 4025.0 μm - Charge: 33.21 pC




Transient Pulse - Sample: 5mm_23 -Position: 4030.0 μm - Charge: 29.74 pC




Transient Pulse - Sample: 5mm_23 -Position: 4035.0 μm - Charge: 28.12 pC




Transient Pulse - Sample: 5mm_23 -Position: 4040.0 μm - Charge: 27.99 pC




Transient Pulse - Sample: 5mm_23 -Position: 4045.0 μm - Charge: 30.14 pC




Transient Pulse - Sample: 5mm_23 - Position: 4050.0 μm - Charge: 33.45 pC




Transient Pulse - Sample: 5mm_23 - Position: 4055.0 μm - Charge: 38.98 pC




Transient Pulse - Sample: 5mm_23 - Position: 4060.0 μm - Charge: 45.38 pC




Transient Pulse - Sample: 5mm_23 - Position: 4065.0 μm - Charge: 53.53 pC




Transient Pulse - Sample: 5mm_23 - Position: 4070.0 μm - Charge: 63.10 pC




Transient Pulse - Sample: 5mm_23 - Position: 4075.0 μm - Charge: 71.74 pC




Transient Pulse - Sample: 5mm_23 - Position: 4080.0 μm - Charge: 81.34 pC




Transient Pulse - Sample: 5mm_23 - Position: 4085.0 μm - Charge: 90.74 pC




Transient Pulse - Sample: 5mm_23 - Position: 4090.0 μm - Charge: 100.36 pC




Transient Pulse - Sample: 5mm_23 - Position: 4095.0 μm - Charge: 110.16 pC




Transient Pulse - Sample: 5mm_23 - Position: 4100.0 μm - Charge: 118.57 pC




Transient Pulse - Sample: 5mm_23 - Position: 4105.0 μm - Charge: 126.40 pC




Transient Pulse - Sample: 5mm_23 - Position: 4110.0 μm - Charge: 133.37 pC




Transient Pulse - Sample: 5mm_23 - Position: 4115.0 μm - Charge: 139.11 pC




Transient Pulse - Sample: 5mm_23 - Position: 4120.0 μm - Charge: 144.64 pC




Transient Pulse - Sample: 5mm_23 - Position: 4125.0 μm - Charge: 148.66 pC




Transient Pulse - Sample: 5mm_23 - Position: 4130.0 μm - Charge: 152.11 pC




Transient Pulse - Sample: 5mm_23 - Position: 4135.0 μm - Charge: 155.62 pC




Transient Pulse - Sample: 5mm_23 - Position: 4140.0 μm - Charge: 157.61 pC




Transient Pulse - Sample: 5mm_23 - Position: 4145.0 μm - Charge: 159.15 pC




Transient Pulse - Sample: 5mm_23 - Position: 4150.0 μm - Charge: 160.14 pC




Transient Pulse - Sample: 5mm_23 - Position: 4155.0 μm - Charge: 160.62 pC




Transient Pulse - Sample: 5mm_23 - Position: 4160.0 μm - Charge: 161.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 4165.0 μm - Charge: 162.07 pC




Transient Pulse - Sample: 5mm_23 - Position: 4170.0 μm - Charge: 162.78 pC




Transient Pulse - Sample: 5mm_23 - Position: 4175.0 μm - Charge: 163.02 pC




Transient Pulse - Sample: 5mm_23 - Position: 4180.0 μm - Charge: 163.28 pC




Transient Pulse - Sample: 5mm_23 - Position: 4185.0 μm - Charge: 163.22 pC




Transient Pulse - Sample: 5mm_23 - Position: 4190.0 μm - Charge: 163.25 pC




Transient Pulse - Sample: 5mm_23 - Position: 4195.0 μm - Charge: 163.40 pC




Transient Pulse - Sample: 5mm_23 - Position: 4200.0 μm - Charge: 163.44 pC




Transient Pulse - Sample: 5mm_23 - Position: 4205.0 μm - Charge: 164.05 pC




Transient Pulse - Sample: 5mm_23 - Position: 4210.0 μm - Charge: 164.30 pC




Transient Pulse - Sample: 5mm_23 - Position: 4215.0 μm - Charge: 163.60 pC




Transient Pulse - Sample: 5mm_23 - Position: 4220.0 μm - Charge: 164.12 pC




Transient Pulse - Sample: 5mm_23 - Position: 4225.0 μm - Charge: 164.34 pC




Transient Pulse - Sample: 5mm_23 - Position: 4230.0 μm - Charge: 164.14 pC




Transient Pulse - Sample: 5mm_23 - Position: 4235.0 μm - Charge: 164.02 pC




Transient Pulse - Sample: 5mm_23 - Position: 4240.0 μm - Charge: 163.77 pC




Transient Pulse - Sample: 5mm_23 - Position: 4245.0 μm - Charge: 164.14 pC




Transient Pulse - Sample: 5mm_23 - Position: 4250.0 μm - Charge: 164.19 pC




Transient Pulse - Sample: 5mm_23 - Position: 4255.0 μm - Charge: 164.07 pC




Transient Pulse - Sample: 5mm_23 - Position: 4260.0 μm - Charge: 163.99 pC




Transient Pulse - Sample: 5mm_23 - Position: 4265.0 μm - Charge: 163.81 pC




Transient Pulse - Sample: 5mm_23 - Position: 4270.0 μm - Charge: 163.70 pC




Transient Pulse - Sample: 5mm_23 - Position: 4275.0 μm - Charge: 163.18 pC




Transient Pulse - Sample: 5mm_23 - Position: 4280.0 μm - Charge: 163.30 pC




Transient Pulse - Sample: 5mm_23 - Position: 4285.0 μm - Charge: 163.02 pC




Transient Pulse - Sample: 5mm_23 - Position: 4290.0 μm - Charge: 162.60 pC




Transient Pulse - Sample: 5mm_23 - Position: 4295.0 μm - Charge: 162.75 pC




Transient Pulse - Sample: 5mm_23 - Position: 4300.0 μm - Charge: 163.05 pC




Transient Pulse - Sample: 5mm_23 - Position: 4305.0 μm - Charge: 162.32 pC




Transient Pulse - Sample: 5mm_23 - Position: 4310.0 μm - Charge: 162.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 4315.0 μm - Charge: 162.39 pC




Transient Pulse - Sample: 5mm_23 - Position: 4320.0 μm - Charge: 161.78 pC




Transient Pulse - Sample: 5mm_23 - Position: 4325.0 μm - Charge: 161.64 pC




Transient Pulse - Sample: 5mm_23 - Position: 4330.0 μm - Charge: 161.38 pC




Transient Pulse - Sample: 5mm_23 - Position: 4335.0 μm - Charge: 161.28 pC




Transient Pulse - Sample: 5mm_23 - Position: 4340.0 μm - Charge: 160.53 pC




Transient Pulse - Sample: 5mm_23 - Position: 4345.0 μm - Charge: 160.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 4350.0 μm - Charge: 161.26 pC




Transient Pulse - Sample: 5mm_23 - Position: 4355.0 μm - Charge: 160.17 pC




Transient Pulse - Sample: 5mm_23 - Position: 4360.0 μm - Charge: 159.82 pC




Transient Pulse - Sample: 5mm_23 - Position: 4365.0 μm - Charge: 159.17 pC




Transient Pulse - Sample: 5mm_23 - Position: 4370.0 μm - Charge: 158.67 pC




Transient Pulse - Sample: 5mm_23 - Position: 4375.0 μm - Charge: 158.50 pC




Transient Pulse - Sample: 5mm_23 - Position: 4380.0 μm - Charge: 157.89 pC




Transient Pulse - Sample: 5mm_23 - Position: 4385.0 μm - Charge: 157.86 pC




Transient Pulse - Sample: 5mm_23 - Position: 4390.0 μm - Charge: 157.40 pC




Transient Pulse - Sample: 5mm_23 - Position: 4395.0 μm - Charge: 157.04 pC




Transient Pulse - Sample: 5mm_23 - Position: 4400.0 μm - Charge: 156.42 pC




Transient Pulse - Sample: 5mm_23 - Position: 4405.0 μm - Charge: 156.34 pC




Transient Pulse - Sample: 5mm_23 - Position: 4410.0 μm - Charge: 155.24 pC




Transient Pulse - Sample: 5mm_23 - Position: 4415.0 μm - Charge: 154.71 pC




Transient Pulse - Sample: 5mm_23 - Position: 4420.0 μm - Charge: 154.10 pC




Transient Pulse - Sample: 5mm_23 - Position: 4425.0 μm - Charge: 153.78 pC




Transient Pulse - Sample: 5mm_23 - Position: 4430.0 μm - Charge: 152.80 pC




Transient Pulse - Sample: 5mm_23 - Position: 4435.0 μm - Charge: 151.74 pC




Transient Pulse - Sample: 5mm_23 - Position: 4440.0 μm - Charge: 150.82 pC




Transient Pulse - Sample: 5mm_23 - Position: 4445.0 μm - Charge: 148.95 pC




Transient Pulse - Sample: 5mm_23 - Position: 4450.0 μm - Charge: 145.97 pC




Transient Pulse - Sample: 5mm_23 - Position: 4455.0 μm - Charge: 141.66 pC




Transient Pulse - Sample: 5mm_23 - Position: 4460.0 μm - Charge: 135.34 pC




Transient Pulse - Sample: 5mm_23 - Position: 4465.0 μm - Charge: 129.03 pC




Transient Pulse - Sample: 5mm_23 - Position: 4470.0 μm - Charge: 122.68 pC




Transient Pulse - Sample: 5mm_23 - Position: 4475.0 μm - Charge: 114.42 pC




Transient Pulse - Sample: 5mm_23 - Position: 4480.0 μm - Charge: 106.10 pC




Transient Pulse - Sample: 5mm_23 - Position: 4485.0 μm - Charge: 97.98 pC




Transient Pulse - Sample: 5mm_23 - Position: 4490.0 μm - Charge: 87.95 pC




Transient Pulse - Sample: 5mm_23 - Position: 4495.0 μm - Charge: 78.42 pC




Transient Pulse - Sample: 5mm_23 - Position: 4500.0 μm - Charge: 68.46 pC




Transient Pulse - Sample: 5mm_23 - Position: 4505.0 μm - Charge: 58.70 pC




Transient Pulse - Sample: 5mm_23 - Position: 4510.0 μm - Charge: 51.25 pC




Transient Pulse - Sample: 5mm_23 - Position: 4515.0 μm - Charge: 44.49 pC




Transient Pulse - Sample: 5mm_23 - Position: 4520.0 μm - Charge: 38.74 pC




Transient Pulse - Sample: 5mm_23 - Position: 4525.0 μm - Charge: 33.91 pC




Transient Pulse - Sample: 5mm_23 - Position: 4530.0 μm - Charge: 30.47 pC




Transient Pulse - Sample: 5mm_23 - Position: 4535.0 μm - Charge: 28.45 pC




Transient Pulse - Sample: 5mm_23 - Position: 4540.0 μm - Charge: 27.79 pC




Transient Pulse - Sample: 5mm_23 - Position: 4545.0 μm - Charge: 30.01 pC




Transient Pulse - Sample: 5mm_23 - Position: 4550.0 μm - Charge: 33.38 pC




Transient Pulse - Sample: 5mm_23 - Position: 4555.0 μm - Charge: 38.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 4560.0 μm - Charge: 45.02 pC




Transient Pulse - Sample: 5mm_23 - Position: 4565.0 μm - Charge: 52.49 pC




Transient Pulse - Sample: 5mm_23 - Position: 4570.0 μm - Charge: 60.98 pC




Transient Pulse - Sample: 5mm_23 - Position: 4575.0 μm - Charge: 70.59 pC




Transient Pulse - Sample: 5mm_23 - Position: 4580.0 μm - Charge: 80.38 pC




Transient Pulse - Sample: 5mm_23 - Position: 4585.0 μm - Charge: 90.21 pC




Transient Pulse - Sample: 5mm_23 - Position: 4590.0 μm - Charge: 99.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 4595.0 μm - Charge: 109.73 pC




Transient Pulse - Sample: 5mm_23 - Position: 4600.0 μm - Charge: 118.10 pC




Transient Pulse - Sample: 5mm_23 - Position: 4605.0 μm - Charge: 126.94 pC




Transient Pulse - Sample: 5mm_23 - Position: 4610.0 μm - Charge: 132.66 pC




Transient Pulse - Sample: 5mm_23 - Position: 4615.0 μm - Charge: 137.92 pC




Transient Pulse - Sample: 5mm_23 - Position: 4620.0 μm - Charge: 142.73 pC




Transient Pulse - Sample: 5mm_23 - Position: 4625.0 μm - Charge: 147.55 pC




Transient Pulse - Sample: 5mm_23 - Position: 4630.0 μm - Charge: 151.70 pC




Transient Pulse - Sample: 5mm_23 - Position: 4635.0 μm - Charge: 153.39 pC




Transient Pulse - Sample: 5mm_23 - Position: 4640.0 μm - Charge: 155.42 pC




Transient Pulse - Sample: 5mm_23 - Position: 4645.0 μm - Charge: 156.44 pC




Transient Pulse - Sample: 5mm_23 - Position: 4650.0 μm - Charge: 157.10 pC




Transient Pulse - Sample: 5mm_23 - Position: 4655.0 μm - Charge: 157.68 pC




Transient Pulse - Sample: 5mm_23 - Position: 4660.0 μm - Charge: 157.31 pC




Transient Pulse - Sample: 5mm_23 - Position: 4665.0 μm - Charge: 157.11 pC




Transient Pulse - Sample: 5mm_23 - Position: 4670.0 μm - Charge: 156.71 pC




Transient Pulse - Sample: 5mm_23 - Position: 4675.0 μm - Charge: 156.66 pC




Transient Pulse - Sample: 5mm_23 - Position: 4680.0 μm - Charge: 155.98 pC




Transient Pulse - Sample: 5mm_23 - Position: 4685.0 μm - Charge: 155.59 pC




Transient Pulse - Sample: 5mm_23 - Position: 4690.0 μm - Charge: 155.14 pC




Transient Pulse - Sample: 5mm_23 - Position: 4695.0 μm - Charge: 154.66 pC




Transient Pulse - Sample: 5mm_23 - Position: 4700.0 μm - Charge: 153.92 pC




Transient Pulse - Sample: 5mm_23 - Position: 4705.0 μm - Charge: 153.59 pC




Transient Pulse - Sample: 5mm_23 - Position: 4710.0 μm - Charge: 152.86 pC




Transient Pulse - Sample: 5mm_23 - Position: 4715.0 μm - Charge: 152.70 pC




Transient Pulse - Sample: 5mm_23 - Position: 4720.0 μm - Charge: 151.98 pC




Transient Pulse - Sample: 5mm_23 - Position: 4725.0 μm - Charge: 152.19 pC




Transient Pulse - Sample: 5mm_23 - Position: 4730.0 μm - Charge: 151.36 pC




Transient Pulse - Sample: 5mm_23 - Position: 4735.0 μm - Charge: 150.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 4740.0 μm - Charge: 150.18 pC




Transient Pulse - Sample: 5mm_23 - Position: 4745.0 μm - Charge: 149.70 pC




Transient Pulse - Sample: 5mm_23 - Position: 4750.0 μm - Charge: 149.54 pC




Transient Pulse - Sample: 5mm_23 - Position: 4755.0 μm - Charge: 148.32 pC




Transient Pulse - Sample: 5mm_23 - Position: 4760.0 μm - Charge: 148.63 pC




Transient Pulse - Sample: 5mm_23 - Position: 4765.0 μm - Charge: 147.83 pC




Transient Pulse - Sample: 5mm_23 - Position: 4770.0 μm - Charge: 147.31 pC




Transient Pulse - Sample: 5mm_23 - Position: 4775.0 μm - Charge: 147.13 pC




Transient Pulse - Sample: 5mm_23 - Position: 4780.0 μm - Charge: 146.86 pC




Transient Pulse - Sample: 5mm_23 - Position: 4785.0 μm - Charge: 146.81 pC




Transient Pulse - Sample: 5mm_23 - Position: 4790.0 μm - Charge: 146.95 pC




Transient Pulse - Sample: 5mm_23 - Position: 4795.0 μm - Charge: 146.30 pC




Transient Pulse - Sample: 5mm_23 - Position: 4800.0 μm - Charge: 145.29 pC




Transient Pulse - Sample: 5mm_23 - Position: 4805.0 μm - Charge: 145.12 pC




Transient Pulse - Sample: 5mm_23 - Position: 4810.0 μm - Charge: 145.21 pC




Transient Pulse - Sample: 5mm_23 - Position: 4815.0 μm - Charge: 144.86 pC




Transient Pulse - Sample: 5mm_23 - Position: 4820.0 μm - Charge: 144.61 pC




Transient Pulse - Sample: 5mm_23 - Position: 4825.0 μm - Charge: 144.14 pC




Transient Pulse - Sample: 5mm_23 - Position: 4830.0 μm - Charge: 144.26 pC




Transient Pulse - Sample: 5mm_23 - Position: 4835.0 μm - Charge: 143.77 pC




Transient Pulse - Sample: 5mm_23 - Position: 4840.0 μm - Charge: 142.80 pC




Transient Pulse - Sample: 5mm_23 - Position: 4845.0 μm - Charge: 142.14 pC




Transient Pulse - Sample: 5mm_23 - Position: 4850.0 μm - Charge: 141.26 pC




Transient Pulse - Sample: 5mm_23 - Position: 4855.0 μm - Charge: 140.57 pC




Transient Pulse - Sample: 5mm_23 - Position: 4860.0 μm - Charge: 140.04 pC




Transient Pulse - Sample: 5mm_23 - Position: 4865.0 μm - Charge: 138.27 pC




Transient Pulse - Sample: 5mm_23 - Position: 4870.0 μm - Charge: 130.95 pC




Transient Pulse - Sample: 5mm_23 - Position: 4875.0 μm - Charge: 128.86 pC




Transient Pulse - Sample: 5mm_23 - Position: 4880.0 μm - Charge: 126.30 pC




Transient Pulse - Sample: 5mm_23 - Position: 4885.0 μm - Charge: 123.22 pC




Transient Pulse - Sample: 5mm_23 - Position: 4890.0 μm - Charge: 119.12 pC




Transient Pulse - Sample: 5mm_23 - Position: 4895.0 μm - Charge: 114.04 pC




Transient Pulse - Sample: 5mm_23 - Position: 4900.0 μm - Charge: 108.02 pC




Transient Pulse - Sample: 5mm_23 - Position: 4905.0 μm - Charge: 101.87 pC




Transient Pulse - Sample: 5mm_23 - Position: 4910.0 μm - Charge: 95.12 pC




Transient Pulse - Sample: 5mm_23 - Position: 4915.0 μm - Charge: 87.90 pC




Transient Pulse - Sample: 5mm_23 - Position: 4920.0 μm - Charge: 79.63 pC




Transient Pulse - Sample: 5mm_23 - Position: 4925.0 μm - Charge: 71.12 pC




Transient Pulse - Sample: 5mm_23 - Position: 4930.0 μm - Charge: 62.47 pC




Transient Pulse - Sample: 5mm_23 - Position: 4935.0 μm - Charge: 54.69 pC




Transient Pulse - Sample: 5mm_23 - Position: 4940.0 μm - Charge: 46.41 pC




Transient Pulse - Sample: 5mm_23 - Position: 4945.0 μm - Charge: 39.51 pC




Transient Pulse - Sample: 5mm_23 - Position: 4950.0 μm - Charge: 32.24 pC




Transient Pulse - Sample: 5mm_23 - Position: 4955.0 μm - Charge: 26.30 pC




Transient Pulse - Sample: 5mm_23 - Position: 4960.0 μm - Charge: 21.03 pC




Transient Pulse - Sample: 5mm_23 -Position: 4965.0 μm - Charge: 16.44 pC




Transient Pulse - Sample: 5mm_23 - Position: 4970.0 μm - Charge: 13.07 pC




Transient Pulse - Sample: 5mm_23 - Position: 4975.0 μm - Charge: 9.70 pC




Transient Pulse - Sample: 5mm_23 - Position: 4980.0 μm - Charge: 7.42 pC




Transient Pulse - Sample: 5mm_23 - Position: 4985.0 μm - Charge: 6.33 pC




Transient Pulse - Sample: 5mm_23 - Position: 4990.0 μm - Charge: 5.39 pC




Transient Pulse - Sample: 5mm_23 - Position: 4995.0 μm - Charge: 4.36 pC




Transient Pulse - Sample: 5mm_23 - Position: 5000.0 μm - Charge: 3.32 pC




Transient Pulse - Sample: 5mm_23 - Position: 5005.0 μm - Charge: 2.80 pC




Transient Pulse - Sample: 5mm_23 - Position: 5010.0 μm - Charge: 2.38 pC




Transient Pulse - Sample: 5mm_23 - Position: 5015.0 μm - Charge: 2.05 pC




Transient Pulse - Sample: 5mm_23 - Position: 5020.0 μm - Charge: 1.65 pC




Transient Pulse - Sample: 5mm_23 - Position: 5025.0 μm - Charge: 1.34 pC




Transient Pulse - Sample: 5mm_23 - Position: 5030.0 μm - Charge: 1.22 pC




Transient Pulse - Sample: 5mm_23 - Position: 5035.0 μm - Charge: 0.98 pC




Transient Pulse - Sample: 5mm_23 - Position: 5040.0 μm - Charge: 0.74 pC




Transient Pulse - Sample: 5mm_23 - Position: 5045.0 μm - Charge: 0.56 pC




Transient Pulse - Sample: 5mm_23 - Position: 5050.0 μm - Charge: 0.34 pC




Transient Pulse - Sample: 5mm_23 - Position: 5055.0 μm - Charge: 0.18 pC



Transient Pulse - Sample: 5mm_23 - Position: 5060.0 μm - Charge: 0.00 pC



Transient Pulse - Sample: 5mm_23 - Position: 5065.0 μm - Charge: 0.00 pC



Transient Pulse - Sample: 5mm_23 - Position: 5070.0 μm - Charge: 0.00 pC

