



TCT Run new1cm2 Summary

Parameter	Value
Run	new1cm2
Surface	x
Edge	N/A
Sample	new1cm
Vbias (V)	150.0
DAC (%)	64.4
Bandwidth	500MHz
Path	C:\Users\APD-I\Desktop\TCT\LGAD\5MIP_101525\new1cm
Irradiation (Fluence)	0.0
Notes	MIP Cal W/ 5MIP from TD
Date	10/15/2025


Collected Charge




Collected Charge




Transient Pulse - Sample: new1cm - Position: 0.0 μm




Transient Pulse - Sample: new1cm - Position: 5.0 μm




Transient Pulse - Sample:new1cm - Position: 10.0 μm




Transient Pulse - Sample: new1cm - Position: 15.0 μm




Transient Pulse - Sample:new1cm - Position: 20.0 μm




Transient Pulse - Sample: new1cm - Position: 25.0 μm




Transient Pulse - Sample: new1cm - Position: 30.0 μm




Transient Pulse - Sample: new1cm - Position: 35.0 μm




Transient Pulse - Sample: new1cm - Position: 40.0 μm




Transient Pulse - Sample:new1cm - Position: 45.0 μm




Transient Pulse - Sample: new1cm - Position: 50.0 μm




Transient Pulse - Sample: new1cm - Position: 55.0 μm




Transient Pulse - Sample: new1cm - Position: 60.0 μm




Transient Pulse - Sample: new1cm - Position: 65.0 μm




Transient Pulse - Sample: new1cm - Position: 70.0 μm




Transient Pulse - Sample: new1cm - Position: 75.0 μm




Transient Pulse - Sample: new1cm - Position: 80.0 μm




Transient Pulse - Sample: new1cm - Position: 85.0 μm




Transient Pulse - Sample: new1cm - Position: 90.0 μm




Transient Pulse - Sample: new1cm - Position: 95.0 μm




Transient Pulse - Sample: new1cm - Position: 100.0 μm




Transient Pulse - Sample: new1cm - Position: 105.0 μm




Transient Pulse - Sample: new1cm - Position: 110.0 μm




Transient Pulse - Sample: new1cm - Position: 115.0 μm




Transient Pulse - Sample: new1cm - Position: 120.0 μm




Transient Pulse - Sample: new1cm - Position: 125.0 μm




Transient Pulse - Sample: new1cm - Position: 130.0 μm




Transient Pulse - Sample: new1cm - Position: 135.0 μm




Transient Pulse - Sample: new1cm - Position: 140.0 μm




Transient Pulse - Sample: new1cm - Position: 145.0 μm




Transient Pulse - Sample: new1cm - Position: 150.0 μm




Transient Pulse - Sample: new1cm - Position: 155.0 μm




Transient Pulse - Sample: new1cm - Position: 160.0 μm




Transient Pulse - Sample: new1cm - Position: 165.0 μm




Transient Pulse - Sample: new1cm - Position: 170.0 μm




Transient Pulse - Sample: new1cm - Position: 175.0 μm




Transient Pulse - Sample: new1cm - Position: 180.0 μm




Transient Pulse - Sample: new1cm - Position: 185.0 μm




Transient Pulse - Sample: new1cm - Position: 190.0 μm




Transient Pulse - Sample: new1cm - Position: 195.0 μm




Transient Pulse - Sample: new1cm - Position: 200.0 μm




Transient Pulse - Sample: new1cm - Position: 205.0 μm




Transient Pulse - Sample: new1cm - Position: 210.0 μm




Transient Pulse - Sample: new1cm - Position: 215.0 μm




Transient Pulse - Sample: new1cm - Position: 220.0 μm




Transient Pulse - Sample: new1cm - Position: 225.0 μm




Transient Pulse - Sample: new1cm - Position: 230.0 μm




Transient Pulse - Sample: new1cm - Position: 235.0 μm




Transient Pulse - Sample: new1cm - Position: 240.0 μm




Transient Pulse - Sample: new1cm - Position: 245.0 μm




Transient Pulse - Sample: new1cm - Position: 250.0 μm




Transient Pulse - Sample: new1cm - Position: 255.0 μm




Transient Pulse - Sample: new1cm - Position: 260.0 μm




Transient Pulse - Sample: new1cm - Position: 265.0 μm




Transient Pulse - Sample: new1cm - Position: 270.0 μm




Transient Pulse - Sample: new1cm - Position: 275.0 μm




Transient Pulse - Sample: new1cm - Position: 280.0 μm




Transient Pulse - Sample: new1cm - Position: 285.0 μm




Transient Pulse - Sample: new1cm - Position: 290.0 μm




Transient Pulse - Sample: new1cm - Position: 295.0 μm




Transient Pulse - Sample: new1cm - Position: 300.0 μm




Transient Pulse - Sample: new1cm - Position: 305.0 μm




Transient Pulse - Sample: new1cm - Position: 310.0 μm




Transient Pulse - Sample: new1cm - Position: 315.0 μm




Transient Pulse - Sample: new1cm - Position: 320.0 μm




Transient Pulse - Sample: new1cm - Position: 325.0 μm




Transient Pulse - Sample: new1cm - Position: 330.0 μm




Transient Pulse - Sample: new1cm - Position: 335.0 μm




Transient Pulse - Sample: new1cm - Position: 340.0 μm




Transient Pulse - Sample: new1cm - Position: 345.0 μm




Transient Pulse - Sample: new1cm - Position: 350.0 μm




Transient Pulse - Sample: new1cm - Position: 355.0 μm




Transient Pulse - Sample: new1cm - Position: 360.0 μm




Transient Pulse - Sample: new1cm - Position: 365.0 μm




Transient Pulse - Sample: new1cm - Position: 370.0 μm




Transient Pulse - Sample: new1cm - Position: 375.0 μm




Transient Pulse - Sample: new1cm - Position: 380.0 μm




Transient Pulse - Sample: new1cm - Position: 385.0 μm




Transient Pulse - Sample: new1cm - Position: 390.0 μm




Transient Pulse - Sample: new1cm - Position: 395.0 μm




Transient Pulse - Sample: new1cm - Position: 400.0 μm




Transient Pulse - Sample: new1cm - Position: 405.0 μm




Transient Pulse - Sample: new1cm - Position: 410.0 μm




Transient Pulse - Sample: new1cm - Position: 415.0 μm




Transient Pulse - Sample: new1cm - Position: 420.0 μm




Transient Pulse - Sample: new1cm - Position: 425.0 μm




Transient Pulse - Sample: new1cm - Position: 430.0 μm




Transient Pulse - Sample: new1cm - Position: 435.0 μm




Transient Pulse - Sample: new1cm - Position: 440.0 μm




Transient Pulse - Sample: new1cm - Position: 445.0 μm




Transient Pulse - Sample: new1cm - Position: 450.0 μm




Transient Pulse - Sample: new1cm - Position: 455.0 μm




Transient Pulse - Sample: new1cm - Position: 460.0 μm




Transient Pulse - Sample: new1cm - Position: 465.0 μm




Transient Pulse - Sample: new1cm - Position: 470.0 μm




Transient Pulse - Sample: new1cm - Position: 475.0 μm




Transient Pulse - Sample: new1cm - Position: 480.0 μm




Transient Pulse - Sample: new1cm - Position: 485.0 μm




Transient Pulse - Sample: new1cm - Position: 490.0 μm




Transient Pulse - Sample: new1cm - Position: 495.0 μm




Transient Pulse - Sample: new1cm - Position: 500.0 μm




Transient Pulse - Sample: new1cm - Position: 505.0 μm




Transient Pulse - Sample: new1cm - Position: 510.0 μm




Transient Pulse - Sample: new1cm - Position: 515.0 μm




Transient Pulse - Sample: new1cm - Position: 520.0 μm




Transient Pulse - Sample: new1cm - Position: 525.0 μm




Transient Pulse - Sample: new1cm - Position: 530.0 μm




Transient Pulse - Sample: new1cm - Position: 535.0 μm




Transient Pulse - Sample: new1cm - Position: 540.0 μm




Transient Pulse - Sample: new1cm - Position: 545.0 μm




Transient Pulse - Sample: new1cm - Position: 550.0 μm




Transient Pulse - Sample: new1cm - Position: 555.0 μm




Transient Pulse - Sample: new1cm - Position: 560.0 μm




Transient Pulse - Sample: new1cm - Position: 565.0 μm




Transient Pulse - Sample: new1cm - Position: 570.0 μm




Transient Pulse - Sample: new1cm - Position: 575.0 μm




Transient Pulse - Sample: new1cm - Position: 580.0 μm




Transient Pulse - Sample: new1cm - Position: 585.0 μm




Transient Pulse - Sample: new1cm - Position: 590.0 μm




Transient Pulse - Sample: new1cm - Position: 595.0 μm




Transient Pulse - Sample: new1cm - Position: 600.0 μm




Transient Pulse - Sample: new1cm - Position: 605.0 μm




Transient Pulse - Sample: new1cm - Position: 610.0 μm




Transient Pulse - Sample: new1cm - Position: 615.0 μm




Transient Pulse - Sample: new1cm - Position: 620.0 μm




Transient Pulse - Sample: new1cm - Position: 625.0 μm




Transient Pulse - Sample: new1cm - Position: 630.0 μm




Transient Pulse - Sample: new1cm - Position: 635.0 μm




Transient Pulse - Sample: new1cm - Position: 640.0 μm




Transient Pulse - Sample: new1cm - Position: 645.0 μm




Transient Pulse - Sample: new1cm - Position: 650.0 μm




Transient Pulse - Sample: new1cm - Position: 655.0 μm




Transient Pulse - Sample: new1cm - Position: 660.0 μm




Transient Pulse - Sample: new1cm - Position: 665.0 μm




Transient Pulse - Sample: new1cm - Position: 670.0 μm




Transient Pulse - Sample: new1cm - Position: 675.0 μm




Transient Pulse - Sample: new1cm - Position: 680.0 μm




Transient Pulse - Sample: new1cm - Position: 685.0 μm




Transient Pulse - Sample: new1cm - Position: 690.0 μm




Transient Pulse - Sample: new1cm - Position: 695.0 μm




Transient Pulse - Sample: new1cm - Position: 700.0 μm




Transient Pulse - Sample: new1cm - Position: 705.0 μm




Transient Pulse - Sample: new1cm - Position: 710.0 μm




Transient Pulse - Sample: new1cm - Position: 715.0 μm




Transient Pulse - Sample: new1cm - Position: 720.0 μm




Transient Pulse - Sample: new1cm - Position: 725.0 μm




Transient Pulse - Sample: new1cm - Position: 730.0 μm




Transient Pulse - Sample: new1cm - Position: 735.0 μm




Transient Pulse - Sample: new1cm - Position: 740.0 μm




Transient Pulse - Sample: new1cm - Position: 745.0 μm




Transient Pulse - Sample: new1cm - Position: 750.0 μm




Transient Pulse - Sample: new1cm - Position: 755.0 μm




Transient Pulse - Sample: new1cm - Position: 760.0 μm




Transient Pulse - Sample: new1cm - Position: 765.0 μm




Transient Pulse - Sample: new1cm - Position: 770.0 μm




Transient Pulse - Sample: new1cm - Position: 775.0 μm




Transient Pulse - Sample: new1cm - Position: 780.0 μm




Transient Pulse - Sample: new1cm - Position: 785.0 μm




Transient Pulse - Sample: new1cm - Position: 790.0 μm




Transient Pulse - Sample: new1cm - Position: 795.0 μm




Transient Pulse - Sample: new1cm - Position: 800.0 μm




Transient Pulse - Sample: new1cm - Position: 805.0 μm




Transient Pulse - Sample: new1cm - Position: 810.0 μm




Transient Pulse - Sample: new1cm - Position: 815.0 μm




Transient Pulse - Sample: new1cm - Position: 820.0 μm




Transient Pulse - Sample: new1cm - Position: 825.0 μm




Transient Pulse - Sample: new1cm - Position: 830.0 μm




Transient Pulse - Sample: new1cm - Position: 835.0 μm




Transient Pulse - Sample: new1cm - Position: 840.0 μm




Transient Pulse - Sample: new1cm - Position: 845.0 μm




Transient Pulse - Sample: new1cm - Position: 850.0 μm




Transient Pulse - Sample: new1cm - Position: 855.0 μm




Transient Pulse - Sample: new1cm - Position: 860.0 μm




Transient Pulse - Sample: new1cm - Position: 865.0 μm




Transient Pulse - Sample: new1cm - Position: 870.0 μm




Transient Pulse - Sample: new1cm - Position: 875.0 μm




Transient Pulse - Sample: new1cm - Position: 880.0 μm




Transient Pulse - Sample: new1cm - Position: 885.0 μm




Transient Pulse - Sample: new1cm - Position: 890.0 μm




Transient Pulse - Sample: new1cm - Position: 895.0 μm




Transient Pulse - Sample: new1cm - Position: 900.0 μm




Transient Pulse - Sample: new1cm - Position: 905.0 μm




Transient Pulse - Sample: new1cm - Position: 910.0 μm




Transient Pulse - Sample: new1cm - Position: 915.0 μm




Transient Pulse - Sample: new1cm - Position: 920.0 μm




Transient Pulse - Sample: new1cm - Position: 925.0 μm




Transient Pulse - Sample: new1cm - Position: 930.0 μm




Transient Pulse - Sample: new1cm - Position: 935.0 μm




Transient Pulse - Sample: new1cm - Position: 940.0 μm




Transient Pulse - Sample: new1cm - Position: 945.0 μm




Transient Pulse - Sample: new1cm - Position: 950.0 μm




Transient Pulse - Sample: new1cm - Position: 955.0 μm




Transient Pulse - Sample: new1cm - Position: 960.0 μm




Transient Pulse - Sample: new1cm - Position: 965.0 μm




Transient Pulse - Sample: new1cm - Position: 970.0 μm




Transient Pulse - Sample: new1cm - Position: 975.0 μm




Transient Pulse - Sample: new1cm - Position: 980.0 μm




Transient Pulse - Sample: new1cm - Position: 985.0 μm




Transient Pulse - Sample: new1cm - Position: 990.0 μm




Transient Pulse - Sample: new1cm - Position: 995.0 μm




Transient Pulse - Sample: new1cm - Position: 1000.0 μm




Transient Pulse - Sample: new1cm - Position: 1005.0 μm




Transient Pulse - Sample: new1cm - Position: 1010.0 μm




Transient Pulse - Sample: new1cm - Position: 1015.0 μm




Transient Pulse - Sample: new1cm - Position: 1020.0 μm




Transient Pulse - Sample: new1cm - Position: 1025.0 μm




Transient Pulse - Sample: new1cm - Position: 1030.0 μm




Transient Pulse - Sample: new1cm - Position: 1035.0 μm




Transient Pulse - Sample: new1cm - Position: 1040.0 μm




Transient Pulse - Sample: new1cm - Position: 1045.0 μm




Transient Pulse - Sample: new1cm - Position: 1050.0 μm




Transient Pulse - Sample: new1cm - Position: 1055.0 μm




Transient Pulse - Sample: new1cm - Position: 1060.0 μm




Transient Pulse - Sample: new1cm - Position: 1065.0 μm




Transient Pulse - Sample: new1cm - Position: 1070.0 μm




Transient Pulse - Sample: new1cm - Position: 1075.0 μm




Transient Pulse - Sample: new1cm - Position: 1080.0 μm




Transient Pulse - Sample: new1cm - Position: 1085.0 μm




Transient Pulse - Sample: new1cm - Position: 1090.0 μm




Transient Pulse - Sample: new1cm - Position: 1095.0 μm




Transient Pulse - Sample: new1cm - Position: 1100.0 μm




Transient Pulse - Sample: new1cm - Position: 1105.0 μm




Transient Pulse - Sample: new1cm - Position: 1110.0 μm




Transient Pulse - Sample: new1cm - Position: 1115.0 μm




Transient Pulse - Sample: new1cm - Position: 1120.0 μm




Transient Pulse - Sample: new1cm - Position: 1125.0 μm




Transient Pulse - Sample: new1cm - Position: 1130.0 μm




Transient Pulse - Sample: new1cm - Position: 1135.0 μm




Transient Pulse - Sample: new1cm - Position: 1140.0 μm




Transient Pulse - Sample: new1cm - Position: 1145.0 μm




Transient Pulse - Sample: new1cm - Position: 1150.0 μm




Transient Pulse - Sample: new1cm - Position: 1155.0 μm




Transient Pulse - Sample: new1cm - Position: 1160.0 μm




Transient Pulse - Sample: new1cm - Position: 1165.0 μm




Transient Pulse - Sample: new1cm - Position: 1170.0 μm




Transient Pulse - Sample: new1cm - Position: 1175.0 μm




Transient Pulse - Sample: new1cm - Position: 1180.0 μm




Transient Pulse - Sample: new1cm - Position: 1185.0 μm




Transient Pulse - Sample: new1cm - Position: 1190.0 μm




Transient Pulse - Sample: new1cm - Position: 1195.0 μm




Transient Pulse - Sample: new1cm - Position: 1200.0 μm




Transient Pulse - Sample: new1cm - Position: 1205.0 μm




Transient Pulse - Sample: new1cm - Position: 1210.0 μm




Transient Pulse - Sample: new1cm - Position: 1215.0 μm




Transient Pulse - Sample: new1cm - Position: 1220.0 μm




Transient Pulse - Sample: new1cm - Position: 1225.0 μm




Transient Pulse - Sample: new1cm - Position: 1230.0 μm




Transient Pulse - Sample: new1cm - Position: 1235.0 μm




Transient Pulse - Sample: new1cm - Position: 1240.0 μm




Transient Pulse - Sample: new1cm - Position: 1245.0 μm




Transient Pulse - Sample: new1cm - Position: 1250.0 μm




Transient Pulse - Sample: new1cm - Position: 1255.0 μm




Transient Pulse - Sample: new1cm - Position: 1260.0 μm




Transient Pulse - Sample: new1cm - Position: 1265.0 μm




Transient Pulse - Sample: new1cm - Position: 1270.0 μm




Transient Pulse - Sample: new1cm - Position: 1275.0 μm




Transient Pulse - Sample: new1cm - Position: 1280.0 μm




Transient Pulse - Sample: new1cm - Position: 1285.0 μm




Transient Pulse - Sample: new1cm - Position: 1290.0 μm




Transient Pulse - Sample: new1cm - Position: 1295.0 μm




Transient Pulse - Sample: new1cm - Position: 1300.0 μm




Transient Pulse - Sample: new1cm - Position: 1305.0 μm




Transient Pulse - Sample: new1cm - Position: 1310.0 μm




Transient Pulse - Sample: new1cm - Position: 1315.0 μm




Transient Pulse - Sample: new1cm - Position: 1320.0 μm




Transient Pulse - Sample: new1cm - Position: 1325.0 μm




Transient Pulse - Sample: new1cm - Position: 1330.0 μm




Transient Pulse - Sample: new1cm - Position: 1335.0 μm




Transient Pulse - Sample: new1cm - Position: 1340.0 μm




Transient Pulse - Sample: new1cm - Position: 1345.0 μm




Transient Pulse - Sample: new1cm - Position: 1350.0 μm




Transient Pulse - Sample: new1cm - Position: 1355.0 μm




Transient Pulse - Sample: new1cm - Position: 1360.0 μm




Transient Pulse - Sample: new1cm - Position: 1365.0 μm




Transient Pulse - Sample: new1cm - Position: 1370.0 μm




Transient Pulse - Sample: new1cm - Position: 1375.0 μm




Transient Pulse - Sample: new1cm - Position: 1380.0 μm




Transient Pulse - Sample: new1cm - Position: 1385.0 μm




Transient Pulse - Sample: new1cm - Position: 1390.0 μm




Transient Pulse - Sample: new1cm - Position: 1395.0 μm




Transient Pulse - Sample: new1cm - Position: 1400.0 μm




Transient Pulse - Sample: new1cm - Position: 1405.0 μm




Transient Pulse - Sample: new1cm - Position: 1410.0 μm




Transient Pulse - Sample: new1cm - Position: 1415.0 μm




Transient Pulse - Sample: new1cm - Position: 1420.0 μm




Transient Pulse - Sample: new1cm - Position: 1425.0 μm




Transient Pulse - Sample: new1cm - Position: 1430.0 μm




Transient Pulse - Sample: new1cm - Position: 1435.0 μm




Transient Pulse - Sample: new1cm - Position: 1440.0 μm




Transient Pulse - Sample: new1cm - Position: 1445.0 μm




Transient Pulse - Sample: new1cm - Position: 1450.0 μm




Transient Pulse - Sample: new1cm - Position: 1455.0 μm




Transient Pulse - Sample: new1cm - Position: 1460.0 μm




Transient Pulse - Sample: new1cm - Position: 1465.0 μm




Transient Pulse - Sample: new1cm - Position: 1470.0 μm




Transient Pulse - Sample: new1cm - Position: 1475.0 μm




Transient Pulse - Sample: new1cm - Position: 1480.0 μm




Transient Pulse - Sample: new1cm - Position: 1485.0 μm




Transient Pulse - Sample: new1cm - Position: 1490.0 μm




Transient Pulse - Sample: new1cm - Position: 1495.0 μm




Transient Pulse - Sample: new1cm - Position: 1500.0 μm




Transient Pulse - Sample: new1cm - Position: 1505.0 μm




Transient Pulse - Sample: new1cm - Position: 1510.0 μm




Transient Pulse - Sample: new1cm - Position: 1515.0 μm




Transient Pulse - Sample: new1cm - Position: 1520.0 μm




Transient Pulse - Sample: new1cm - Position: 1525.0 μm




Transient Pulse - Sample: new1cm - Position: 1530.0 μm




Transient Pulse - Sample: new1cm - Position: 1535.0 μm




Transient Pulse - Sample: new1cm - Position: 1540.0 μm




Transient Pulse - Sample: new1cm - Position: 1545.0 μm




Transient Pulse - Sample: new1cm - Position: 1550.0 μm




Transient Pulse - Sample: new1cm - Position: 1555.0 μm




Transient Pulse - Sample: new1cm - Position: 1560.0 μm




Transient Pulse - Sample: new1cm - Position: 1565.0 μm




Transient Pulse - Sample: new1cm - Position: 1570.0 μm




Transient Pulse - Sample: new1cm - Position: 1575.0 μm




Transient Pulse - Sample: new1cm - Position: 1580.0 μm




Transient Pulse - Sample: new1cm - Position: 1585.0 μm




Transient Pulse - Sample: new1cm - Position: 1590.0 μm




Transient Pulse - Sample: new1cm - Position: 1595.0 μm




Transient Pulse - Sample: new1cm - Position: 1600.0 μm




Transient Pulse - Sample: new1cm - Position: 1605.0 μm




Transient Pulse - Sample: new1cm - Position: 1610.0 μm




Transient Pulse - Sample: new1cm - Position: 1615.0 μm




Transient Pulse - Sample: new1cm - Position: 1620.0 μm




Transient Pulse - Sample: new1cm - Position: 1625.0 μm




Transient Pulse - Sample: new1cm - Position: 1630.0 μm




Transient Pulse - Sample: new1cm - Position: 1635.0 μm




Transient Pulse - Sample: new1cm - Position: 1640.0 μm




Transient Pulse - Sample: new1cm - Position: 1645.0 μm




Transient Pulse - Sample: new1cm - Position: 1650.0 μm




Transient Pulse - Sample: new1cm - Position: 1655.0 μm




Transient Pulse - Sample: new1cm - Position: 1660.0 μm




Transient Pulse - Sample: new1cm - Position: 1665.0 μm




Transient Pulse - Sample: new1cm - Position: 1670.0 μm




Transient Pulse - Sample: new1cm - Position: 1675.0 μm




Transient Pulse - Sample: new1cm - Position: 1680.0 μm




Transient Pulse - Sample: new1cm - Position: 1685.0 μm




Transient Pulse - Sample: new1cm - Position: 1690.0 μm




Transient Pulse - Sample: new1cm - Position: 1695.0 μm




Transient Pulse - Sample: new1cm - Position: 1700.0 μm




Transient Pulse - Sample: new1cm - Position: 1705.0 μm




Transient Pulse - Sample: new1cm - Position: 1710.0 μm




Transient Pulse - Sample: new1cm - Position: 1715.0 μm




Transient Pulse - Sample: new1cm - Position: 1720.0 μm




Transient Pulse - Sample: new1cm - Position: 1725.0 μm




Transient Pulse - Sample: new1cm - Position: 1730.0 μm




Transient Pulse - Sample: new1cm - Position: 1735.0 μm




Transient Pulse - Sample: new1cm - Position: 1740.0 μm




Transient Pulse - Sample: new1cm - Position: 1745.0 μm




Transient Pulse - Sample: new1cm - Position: 1750.0 μm




Transient Pulse - Sample: new1cm - Position: 1755.0 μm




Transient Pulse - Sample: new1cm - Position: 1760.0 μm




Transient Pulse - Sample: new1cm - Position: 1765.0 μm




Transient Pulse - Sample: new1cm - Position: 1770.0 μm




Transient Pulse - Sample: new1cm - Position: 1775.0 μm




Transient Pulse - Sample: new1cm - Position: 1780.0 μm




Transient Pulse - Sample: new1cm - Position: 1785.0 μm




Transient Pulse - Sample: new1cm - Position: 1790.0 μm




Transient Pulse - Sample: new1cm - Position: 1795.0 μm




Transient Pulse - Sample: new1cm - Position: 1800.0 μm




Transient Pulse - Sample: new1cm - Position: 1805.0 μm




Transient Pulse - Sample: new1cm - Position: 1810.0 μm




Transient Pulse - Sample: new1cm - Position: 1815.0 μm




Transient Pulse - Sample: new1cm - Position: 1820.0 μm




Transient Pulse - Sample: new1cm - Position: 1825.0 μm




Transient Pulse - Sample: new1cm - Position: 1830.0 μm




Transient Pulse - Sample: new1cm - Position: 1835.0 μm




Transient Pulse - Sample: new1cm - Position: 1840.0 μm




Transient Pulse - Sample: new1cm - Position: 1845.0 μm




Transient Pulse - Sample: new1cm - Position: 1850.0 μm




Transient Pulse - Sample: new1cm - Position: 1855.0 μm




Transient Pulse - Sample: new1cm - Position: 1860.0 μm




Transient Pulse - Sample: new1cm - Position: 1865.0 μm




Transient Pulse - Sample: new1cm - Position: 1870.0 μm




Transient Pulse - Sample: new1cm - Position: 1875.0 μm




Transient Pulse - Sample: new1cm - Position: 1880.0 μm




Transient Pulse - Sample: new1cm - Position: 1885.0 μm




Transient Pulse - Sample: new1cm - Position: 1890.0 μm




Transient Pulse - Sample: new1cm - Position: 1895.0 μm




Transient Pulse - Sample: new1cm - Position: 1900.0 μm




Transient Pulse - Sample: new1cm - Position: 1905.0 μm




Transient Pulse - Sample: new1cm - Position: 1910.0 μm




Transient Pulse - Sample: new1cm - Position: 1915.0 μm




Transient Pulse - Sample: new1cm - Position: 1920.0 μm




Transient Pulse - Sample: new1cm - Position: 1925.0 μm




Transient Pulse - Sample: new1cm - Position: 1930.0 μm




Transient Pulse - Sample: new1cm - Position: 1935.0 μm




Transient Pulse - Sample: new1cm - Position: 1940.0 μm




Transient Pulse - Sample: new1cm - Position: 1945.0 μm




Transient Pulse - Sample: new1cm - Position: 1950.0 μm




Transient Pulse - Sample: new1cm - Position: 1955.0 μm




Transient Pulse - Sample: new1cm - Position: 1960.0 μm




Transient Pulse - Sample: new1cm - Position: 1965.0 μm




Transient Pulse - Sample: new1cm - Position: 1970.0 μm




Transient Pulse - Sample: new1cm - Position: 1975.0 μm




Transient Pulse - Sample: new1cm - Position: 1980.0 μm




Transient Pulse - Sample: new1cm - Position: 1985.0 μm




Transient Pulse - Sample: new1cm - Position: 1990.0 μm




Transient Pulse - Sample: new1cm - Position: 1995.0 μm




Transient Pulse - Sample: new1cm - Position: 2000.0 μm




Transient Pulse - Sample: new1cm - Position: 2005.0 μm




Transient Pulse - Sample: new1cm - Position: 2010.0 μm




Transient Pulse - Sample: new1cm - Position: 2015.0 μm




Transient Pulse - Sample: new1cm - Position: 2020.0 μm




Transient Pulse - Sample: new1cm - Position: 2025.0 μm




Transient Pulse - Sample: new1cm - Position: 2030.0 μm




Transient Pulse - Sample: new1cm - Position: 2035.0 μm




Transient Pulse - Sample: new1cm - Position: 2040.0 μm




Transient Pulse - Sample: new1cm - Position: 2045.0 μm




Transient Pulse - Sample: new1cm - Position: 2050.0 μm




Transient Pulse - Sample: new1cm - Position: 2055.0 μm




Transient Pulse - Sample: new1cm - Position: 2060.0 μm




Transient Pulse - Sample: new1cm - Position: 2065.0 μm




Transient Pulse - Sample: new1cm - Position: 2070.0 μm




Transient Pulse - Sample: new1cm - Position: 2075.0 μm




Transient Pulse - Sample: new1cm - Position: 2080.0 μm




Transient Pulse - Sample: new1cm - Position: 2085.0 μm




Transient Pulse - Sample: new1cm - Position: 2090.0 μm




Transient Pulse - Sample: new1cm - Position: 2095.0 μm




Transient Pulse - Sample: new1cm - Position: 2100.0 μm




Transient Pulse - Sample: new1cm - Position: 2105.0 μm




Transient Pulse - Sample: new1cm - Position: 2110.0 μm




Transient Pulse - Sample: new1cm - Position: 2115.0 μm




Transient Pulse - Sample: new1cm - Position: 2120.0 μm




Transient Pulse - Sample: new1cm - Position: 2125.0 μm




Transient Pulse - Sample: new1cm - Position: 2130.0 μm




Transient Pulse - Sample: new1cm - Position: 2135.0 μm




Transient Pulse - Sample: new1cm - Position: 2140.0 μm




Transient Pulse - Sample: new1cm - Position: 2145.0 μm




Transient Pulse - Sample: new1cm - Position: 2150.0 μm




Transient Pulse - Sample: new1cm - Position: 2155.0 μm




Transient Pulse - Sample: new1cm - Position: 2160.0 μm




Transient Pulse - Sample: new1cm - Position: 2165.0 μm




Transient Pulse - Sample: new1cm - Position: 2170.0 μm




Transient Pulse - Sample: new1cm - Position: 2175.0 μm




Transient Pulse - Sample: new1cm - Position: 2180.0 μm




Transient Pulse - Sample: new1cm - Position: 2185.0 μm




Transient Pulse - Sample: new1cm - Position: 2190.0 μm




Transient Pulse - Sample: new1cm - Position: 2195.0 μm




Transient Pulse - Sample: new1cm - Position: 2200.0 μm




Transient Pulse - Sample: new1cm - Position: 2205.0 μm




Transient Pulse - Sample: new1cm - Position: 2210.0 μm




Transient Pulse - Sample: new1cm - Position: 2215.0 μm




Transient Pulse - Sample: new1cm - Position: 2220.0 μm




Transient Pulse - Sample: new1cm - Position: 2225.0 μm




Transient Pulse - Sample: new1cm - Position: 2230.0 μm




Transient Pulse - Sample: new1cm - Position: 2235.0 μm




Transient Pulse - Sample: new1cm - Position: 2240.0 μm




Transient Pulse - Sample: new1cm - Position: 2245.0 μm




Transient Pulse - Sample: new1cm - Position: 2250.0 μm




Transient Pulse - Sample: new1cm - Position: 2255.0 μm




Transient Pulse - Sample: new1cm - Position: 2260.0 μm




Transient Pulse - Sample: new1cm - Position: 2265.0 μm




Transient Pulse - Sample: new1cm - Position: 2270.0 μm




Transient Pulse - Sample: new1cm - Position: 2275.0 μm




Transient Pulse - Sample: new1cm - Position: 2280.0 μm




Transient Pulse - Sample: new1cm - Position: 2285.0 μm




Transient Pulse - Sample: new1cm - Position: 2290.0 μm




Transient Pulse - Sample: new1cm - Position: 2295.0 μm




Transient Pulse - Sample: new1cm - Position: 2300.0 μm




Transient Pulse - Sample: new1cm - Position: 2305.0 μm




Transient Pulse - Sample: new1cm - Position: 2310.0 μm




Transient Pulse - Sample: new1cm - Position: 2315.0 μm




Transient Pulse - Sample: new1cm - Position: 2320.0 μm




Transient Pulse - Sample: new1cm - Position: 2325.0 μm




Transient Pulse - Sample: new1cm - Position: 2330.0 μm




Transient Pulse - Sample: new1cm - Position: 2335.0 μm




Transient Pulse - Sample: new1cm - Position: 2340.0 μm




Transient Pulse - Sample: new1cm - Position: 2345.0 μm




Transient Pulse - Sample: new1cm - Position: 2350.0 μm




Transient Pulse - Sample: new1cm - Position: 2355.0 μm




Transient Pulse - Sample: new1cm - Position: 2360.0 μm




Transient Pulse - Sample: new1cm - Position: 2365.0 μm




Transient Pulse - Sample: new1cm - Position: 2370.0 μm




Transient Pulse - Sample: new1cm - Position: 2375.0 μm




Transient Pulse - Sample: new1cm - Position: 2380.0 μm




Transient Pulse - Sample: new1cm - Position: 2385.0 μm




Transient Pulse - Sample: new1cm - Position: 2390.0 μm




Transient Pulse - Sample: new1cm - Position: 2395.0 μm




Transient Pulse - Sample: new1cm - Position: 2400.0 μm




Transient Pulse - Sample: new1cm - Position: 2405.0 μm




Transient Pulse - Sample: new1cm - Position: 2410.0 μm




Transient Pulse - Sample: new1cm - Position: 2415.0 μm




Transient Pulse - Sample: new1cm - Position: 2420.0 μm




Transient Pulse - Sample: new1cm - Position: 2425.0 μm




Transient Pulse - Sample: new1cm - Position: 2430.0 μm




Transient Pulse - Sample: new1cm - Position: 2435.0 μm




Transient Pulse - Sample: new1cm - Position: 2440.0 μm




Transient Pulse - Sample: new1cm - Position: 2445.0 μm




Transient Pulse - Sample: new1cm - Position: 2450.0 μm




Transient Pulse - Sample: new1cm - Position: 2455.0 μm




Transient Pulse - Sample: new1cm - Position: 2460.0 μm




Transient Pulse - Sample: new1cm - Position: 2465.0 μm




Transient Pulse - Sample: new1cm - Position: 2470.0 μm




Transient Pulse - Sample: new1cm - Position: 2475.0 μm




Transient Pulse - Sample: new1cm - Position: 2480.0 μm




Transient Pulse - Sample: new1cm - Position: 2485.0 μm




Transient Pulse - Sample: new1cm - Position: 2490.0 μm




Transient Pulse - Sample: new1cm - Position: 2495.0 μm




Transient Pulse - Sample: new1cm - Position: 2500.0 μm




Transient Pulse - Sample: new1cm - Position: 2505.0 μm




Transient Pulse - Sample: new1cm - Position: 2510.0 μm




Transient Pulse - Sample: new1cm - Position: 2515.0 μm




Transient Pulse - Sample: new1cm - Position: 2520.0 μm




Transient Pulse - Sample: new1cm - Position: 2525.0 μm




Transient Pulse - Sample: new1cm - Position: 2530.0 μm




Transient Pulse - Sample: new1cm - Position: 2535.0 μm




Transient Pulse - Sample: new1cm - Position: 2540.0 μm




Transient Pulse - Sample: new1cm - Position: 2545.0 μm




Transient Pulse - Sample: new1cm - Position: 2550.0 μm




Transient Pulse - Sample: new1cm - Position: 2555.0 μm




Transient Pulse - Sample: new1cm - Position: 2560.0 μm




Transient Pulse - Sample: new1cm - Position: 2565.0 μm



Transient Pulse - Sample: new1cm - Position: 2570.0 μm




Transient Pulse - Sample: new1cm - Position: 2575.0 μm




Transient Pulse - Runnew1cm2 - Vbias = 150.0V


Transient Pulse - Sample: new1cm - Position: 2580.0 μm




Transient Pulse - Sample: new1cm - Position: 2585.0 μm




Transient Pulse - Sample: new1cm - Position: 2590.0 μm




Transient Pulse - Sample: new1cm - Position: 2595.0 μm




Transient Pulse - Sample: new1cm - Position: 2600.0 μm




Transient Pulse - Sample: new1cm - Position: 2605.0 μm




Transient Pulse - Sample: new1cm - Position: 2610.0 μm




Transient Pulse - Sample: new1cm - Position: 2615.0 μm




Transient Pulse - Sample: new1cm - Position: 2620.0 μm




Transient Pulse - Sample: new1cm - Position: 2625.0 μm




Transient Pulse - Sample: new1cm - Position: 2630.0 μm




Transient Pulse - Sample: new1cm - Position: 2635.0 μm




Transient Pulse - Sample: new1cm - Position: 2640.0 μm




Transient Pulse - Sample: new1cm - Position: 2645.0 μm




Transient Pulse - Sample: new1cm - Position: 2650.0 μm




Transient Pulse - Sample: new1cm - Position: 2655.0 μm




Transient Pulse - Sample: new1cm - Position: 2660.0 μm




Transient Pulse - Sample: new1cm - Position: 2665.0 μm




Transient Pulse - Sample: new1cm - Position: 2670.0 μm




Transient Pulse - Sample: new1cm - Position: 2675.0 μm




Transient Pulse - Sample: new1cm - Position: 2680.0 μm




Transient Pulse - Sample: new1cm - Position: 2685.0 μm




Transient Pulse - Sample: new1cm - Position: 2690.0 μm




Transient Pulse - Sample: new1cm - Position: 2695.0 μm




Transient Pulse - Sample: new1cm - Position: 2700.0 μm




Transient Pulse - Sample: new1cm - Position: 2705.0 μm




Transient Pulse - Sample: new1cm - Position: 2710.0 μm




Transient Pulse - Sample: new1cm - Position: 2715.0 μm




Transient Pulse - Sample: new1cm - Position: 2720.0 μm




Transient Pulse - Sample: new1cm - Position: 2725.0 μm




Transient Pulse - Sample: new1cm - Position: 2730.0 μm




Transient Pulse - Sample: new1cm - Position: 2735.0 μm




Transient Pulse - Sample: new1cm - Position: 2740.0 μm




Transient Pulse - Sample: new1cm - Position: 2745.0 μm




Transient Pulse - Sample: new1cm - Position: 2750.0 μm




Transient Pulse - Sample: new1cm - Position: 2755.0 μm




Transient Pulse - Sample: new1cm - Position: 2760.0 μm




Transient Pulse - Sample: new1cm - Position: 2765.0 μm




Transient Pulse - Sample: new1cm - Position: 2770.0 μm




Transient Pulse - Sample: new1cm - Position: 2775.0 μm




Transient Pulse - Sample: new1cm - Position: 2780.0 μm




Transient Pulse - Sample: new1cm - Position: 2785.0 μm




Transient Pulse - Sample: new1cm - Position: 2790.0 μm




Transient Pulse - Sample: new1cm - Position: 2795.0 μm




Transient Pulse - Sample: new1cm - Position: 2800.0 μm




Transient Pulse - Sample: new1cm - Position: 2805.0 μm




Transient Pulse - Sample: new1cm - Position: 2810.0 μm




Transient Pulse - Sample: new1cm - Position: 2815.0 μm




Transient Pulse - Sample: new1cm - Position: 2820.0 μm




Transient Pulse - Sample: new1cm - Position: 2825.0 μm




Transient Pulse - Sample: new1cm - Position: 2830.0 μm




Transient Pulse - Sample: new1cm - Position: 2835.0 μm




Transient Pulse - Sample: new1cm - Position: 2840.0 μm




Transient Pulse - Sample: new1cm - Position: 2845.0 μm




Transient Pulse - Sample: new1cm - Position: 2850.0 μm




Transient Pulse - Sample: new1cm - Position: 2855.0 μm




Transient Pulse - Sample: new1cm - Position: 2860.0 μm




Transient Pulse - Sample: new1cm - Position: 2865.0 μm




Transient Pulse - Sample: new1cm - Position: 2870.0 μm




Transient Pulse - Sample: new1cm - Position: 2875.0 μm




Transient Pulse - Sample: new1cm - Position: 2880.0 μm




Transient Pulse - Sample: new1cm - Position: 2885.0 μm




Transient Pulse - Sample: new1cm - Position: 2890.0 μm




Transient Pulse - Sample: new1cm - Position: 2895.0 μm




Transient Pulse - Sample: new1cm - Position: 2900.0 μm




Transient Pulse - Sample: new1cm - Position: 2905.0 μm




Transient Pulse - Sample: new1cm - Position: 2910.0 μm




Transient Pulse - Sample: new1cm - Position: 2915.0 μm




Transient Pulse - Sample: new1cm - Position: 2920.0 μm




Transient Pulse - Sample: new1cm - Position: 2925.0 μm




Transient Pulse - Sample: new1cm - Position: 2930.0 μm




Transient Pulse - Sample: new1cm - Position: 2935.0 μm




Transient Pulse - Sample: new1cm - Position: 2940.0 μm




Transient Pulse - Sample: new1cm - Position: 2945.0 μm




Transient Pulse - Sample: new1cm - Position: 2950.0 μm




Transient Pulse - Sample: new1cm - Position: 2955.0 μm




Transient Pulse - Sample: new1cm - Position: 2960.0 μm




Transient Pulse - Sample: new1cm - Position: 2965.0 μm




Transient Pulse - Sample: new1cm - Position: 2970.0 μm




Transient Pulse - Sample: new1cm - Position: 2975.0 μm




Transient Pulse - Sample: new1cm - Position: 2980.0 μm




Transient Pulse - Sample: new1cm - Position: 2985.0 μm




Transient Pulse - Sample: new1cm - Position: 2990.0 μm




Transient Pulse - Sample: new1cm - Position: 2995.0 μm




Transient Pulse - Sample: new1cm - Position: 3000.0 μm




Transient Pulse - Sample: new1cm - Position: 3005.0 μm




Transient Pulse - Sample: new1cm - Position: 3010.0 μm




Transient Pulse - Sample: new1cm - Position: 3015.0 μm




Transient Pulse - Sample: new1cm - Position: 3020.0 μm




Transient Pulse - Sample: new1cm - Position: 3025.0 μm




Transient Pulse - Sample: new1cm - Position: 3030.0 μm




Transient Pulse - Sample: new1cm - Position: 3035.0 μm




Transient Pulse - Sample: new1cm - Position: 3040.0 μm




Transient Pulse - Sample: new1cm - Position: 3045.0 μm




Transient Pulse - Sample: new1cm - Position: 3050.0 μm




Transient Pulse - Sample: new1cm - Position: 3055.0 μm




Transient Pulse - Sample: new1cm - Position: 3060.0 μm




Transient Pulse - Sample: new1cm - Position: 3065.0 μm




Transient Pulse - Sample: new1cm - Position: 3070.0 μm




Transient Pulse - Sample: new1cm - Position: 3075.0 μm




Transient Pulse - Sample: new1cm - Position: 3080.0 μm




Transient Pulse - Sample: new1cm - Position: 3085.0 μm




Transient Pulse - Sample: new1cm - Position: 3090.0 μm




Transient Pulse - Sample: new1cm - Position: 3095.0 μm




Transient Pulse - Sample: new1cm - Position: 3100.0 μm




Transient Pulse - Sample: new1cm - Position: 3105.0 μm




Transient Pulse - Sample: new1cm - Position: 3110.0 μm




Transient Pulse - Sample: new1cm - Position: 3115.0 μm




Transient Pulse - Sample: new1cm - Position: 3120.0 μm




Transient Pulse - Sample: new1cm - Position: 3125.0 μm




Transient Pulse - Sample: new1cm - Position: 3130.0 μm




Transient Pulse - Sample: new1cm - Position: 3135.0 μm




Transient Pulse - Sample: new1cm - Position: 3140.0 μm




Transient Pulse - Sample: new1cm - Position: 3145.0 μm




Transient Pulse - Sample: new1cm - Position: 3150.0 μm




Transient Pulse - Sample: new1cm - Position: 3155.0 μm




Transient Pulse - Sample: new1cm - Position: 3160.0 μm




Transient Pulse - Sample: new1cm - Position: 3165.0 μm




Transient Pulse - Sample: new1cm - Position: 3170.0 μm




Transient Pulse - Sample: new1cm - Position: 3175.0 μm




Transient Pulse - Sample: new1cm - Position: 3180.0 μm




Transient Pulse - Sample: new1cm - Position: 3185.0 μm




Transient Pulse - Sample: new1cm - Position: 3190.0 μm




Transient Pulse - Sample: new1cm - Position: 3195.0 μm




Transient Pulse - Sample: new1cm - Position: 3200.0 μm




Transient Pulse - Sample: new1cm - Position: 3205.0 μm




Transient Pulse - Sample: new1cm - Position: 3210.0 μm




Transient Pulse - Sample: new1cm - Position: 3215.0 μm




Transient Pulse - Sample: new1cm - Position: 3220.0 μm




Transient Pulse - Sample: new1cm - Position: 3225.0 μm




Transient Pulse - Sample: new1cm - Position: 3230.0 μm




Transient Pulse - Sample: new1cm - Position: 3235.0 μm




Transient Pulse - Sample: new1cm - Position: 3240.0 μm




Transient Pulse - Sample: new1cm - Position: 3245.0 μm




Transient Pulse - Sample: new1cm - Position: 3250.0 μm




Transient Pulse - Sample: new1cm - Position: 3255.0 μm




Transient Pulse - Sample: new1cm - Position: 3260.0 μm




Transient Pulse - Sample: new1cm - Position: 3265.0 μm




Transient Pulse - Sample: new1cm - Position: 3270.0 μm




Transient Pulse - Sample: new1cm - Position: 3275.0 μm




Transient Pulse - Sample: new1cm - Position: 3280.0 μm




Transient Pulse - Sample: new1cm - Position: 3285.0 μm




Transient Pulse - Sample: new1cm - Position: 3290.0 μm




Transient Pulse - Sample: new1cm - Position: 3295.0 μm




Transient Pulse - Sample: new1cm - Position: 3300.0 μm




Transient Pulse - Sample: new1cm - Position: 3305.0 μm




Transient Pulse - Sample: new1cm - Position: 3310.0 μm




Transient Pulse - Sample: new1cm - Position: 3315.0 μm




Transient Pulse - Sample: new1cm - Position: 3320.0 μm




Transient Pulse - Sample: new1cm - Position: 3325.0 μm




Transient Pulse - Sample: new1cm - Position: 3330.0 μm




Transient Pulse - Sample: new1cm - Position: 3335.0 μm




Transient Pulse - Sample: new1cm - Position: 3340.0 μm




Transient Pulse - Sample: new1cm - Position: 3345.0 μm




Transient Pulse - Sample: new1cm - Position: 3350.0 μm




Transient Pulse - Sample: new1cm - Position: 3355.0 μm




Transient Pulse - Sample: new1cm - Position: 3360.0 μm




Transient Pulse - Sample: new1cm - Position: 3365.0 μm




Transient Pulse - Sample: new1cm - Position: 3370.0 μm




Transient Pulse - Sample: new1cm - Position: 3375.0 μm




Transient Pulse - Sample: new1cm - Position: 3380.0 μm




Transient Pulse - Sample: new1cm - Position: 3385.0 μm




Transient Pulse - Sample: new1cm - Position: 3390.0 μm




Transient Pulse - Sample: new1cm - Position: 3395.0 μm




Transient Pulse - Sample: new1cm - Position: 3400.0 μm




Transient Pulse - Sample: new1cm - Position: 3405.0 μm




Transient Pulse - Sample: new1cm - Position: 3410.0 μm




Transient Pulse - Sample: new1cm - Position: 3415.0 μm




Transient Pulse - Sample: new1cm - Position: 3420.0 μm




Transient Pulse - Sample: new1cm - Position: 3425.0 μm




Transient Pulse - Sample: new1cm - Position: 3430.0 μm




Transient Pulse - Sample: new1cm - Position: 3435.0 μm




Transient Pulse - Sample: new1cm - Position: 3440.0 μm




Transient Pulse - Sample: new1cm - Position: 3445.0 μm




Transient Pulse - Sample: new1cm - Position: 3450.0 μm




Transient Pulse - Sample: new1cm - Position: 3455.0 μm




Transient Pulse - Sample: new1cm - Position: 3460.0 μm




Transient Pulse - Sample: new1cm - Position: 3465.0 μm




Transient Pulse - Sample: new1cm - Position: 3470.0 μm




Transient Pulse - Sample: new1cm - Position: 3475.0 μm




Transient Pulse - Sample: new1cm - Position: 3480.0 μm




Transient Pulse - Sample: new1cm - Position: 3485.0 μm




Transient Pulse - Sample: new1cm - Position: 3490.0 μm




Transient Pulse - Sample: new1cm - Position: 3495.0 μm




Transient Pulse - Sample: new1cm - Position: 3500.0 μm




Transient Pulse - Sample: new1cm - Position: 3505.0 μm




Transient Pulse - Sample: new1cm - Position: 3510.0 μm




Transient Pulse - Sample: new1cm - Position: 3515.0 μm




Transient Pulse - Sample: new1cm - Position: 3520.0 μm




Transient Pulse - Sample: new1cm - Position: 3525.0 μm




Transient Pulse - Sample: new1cm - Position: 3530.0 μm




Transient Pulse - Sample: new1cm - Position: 3535.0 μm




Transient Pulse - Sample: new1cm - Position: 3540.0 μm




Transient Pulse - Sample: new1cm - Position: 3545.0 μm




Transient Pulse - Sample: new1cm - Position: 3550.0 μm




Transient Pulse - Sample: new1cm - Position: 3555.0 μm




Transient Pulse - Sample: new1cm - Position: 3560.0 μm




Transient Pulse - Sample: new1cm - Position: 3565.0 μm




Transient Pulse - Sample: new1cm - Position: 3570.0 μm




Transient Pulse - Sample: new1cm - Position: 3575.0 μm




Transient Pulse - Sample: new1cm - Position: 3580.0 μm




Transient Pulse - Sample: new1cm - Position: 3585.0 μm




Transient Pulse - Sample: new1cm - Position: 3590.0 μm




Transient Pulse - Sample: new1cm - Position: 3595.0 μm




Transient Pulse - Sample: new1cm - Position: 3600.0 μm




Transient Pulse - Sample: new1cm - Position: 3605.0 μm




Transient Pulse - Sample: new1cm - Position: 3610.0 μm




Transient Pulse - Sample: new1cm - Position: 3615.0 μm




Transient Pulse - Sample: new1cm - Position: 3620.0 μm




Transient Pulse - Sample: new1cm - Position: 3625.0 μm




Transient Pulse - Sample: new1cm - Position: 3630.0 μm




Transient Pulse - Sample: new1cm - Position: 3635.0 μm




Transient Pulse - Sample: new1cm - Position: 3640.0 μm




Transient Pulse - Sample: new1cm - Position: 3645.0 μm




Transient Pulse - Sample: new1cm - Position: 3650.0 μm




Transient Pulse - Sample: new1cm - Position: 3655.0 μm




Transient Pulse - Sample: new1cm - Position: 3660.0 μm




Transient Pulse - Sample: new1cm - Position: 3665.0 μm




Transient Pulse - Sample: new1cm - Position: 3670.0 μm




Transient Pulse - Sample: new1cm - Position: 3675.0 μm




Transient Pulse - Sample: new1cm - Position: 3680.0 μm




Transient Pulse - Sample: new1cm - Position: 3685.0 μm




Transient Pulse - Sample: new1cm - Position: 3690.0 μm




Transient Pulse - Sample: new1cm - Position: 3695.0 μm




Transient Pulse - Sample: new1cm - Position: 3700.0 μm




Transient Pulse - Sample: new1cm - Position: 3705.0 μm




Transient Pulse - Sample: new1cm - Position: 3710.0 μm




Transient Pulse - Sample: new1cm - Position: 3715.0 μm




Transient Pulse - Sample: new1cm - Position: 3720.0 μm




Transient Pulse - Sample: new1cm - Position: 3725.0 μm




Transient Pulse - Sample: new1cm - Position: 3730.0 μm




Transient Pulse - Sample: new1cm - Position: 3735.0 μm




Transient Pulse - Sample: new1cm - Position: 3740.0 μm




Transient Pulse - Sample: new1cm - Position: 3745.0 μm




Transient Pulse - Sample: new1cm - Position: 3750.0 μm




Transient Pulse - Sample: new1cm - Position: 3755.0 μm




Transient Pulse - Sample: new1cm - Position: 3760.0 μm




Transient Pulse - Sample: new1cm - Position: 3765.0 μm




Transient Pulse - Sample: new1cm - Position: 3770.0 μm




Transient Pulse - Sample: new1cm - Position: 3775.0 μm




Transient Pulse - Sample: new1cm - Position: 3780.0 μm




Transient Pulse - Sample: new1cm - Position: 3785.0 μm




Transient Pulse - Sample: new1cm - Position: 3790.0 μm




Transient Pulse - Sample: new1cm - Position: 3795.0 μm




Transient Pulse - Sample: new1cm - Position: 3800.0 μm




Transient Pulse - Sample: new1cm - Position: 3805.0 μm




Transient Pulse - Sample: new1cm - Position: 3810.0 μm




Transient Pulse - Sample: new1cm - Position: 3815.0 μm




Transient Pulse - Sample: new1cm - Position: 3820.0 μm




Transient Pulse - Sample: new1cm - Position: 3825.0 μm




Transient Pulse - Sample: new1cm - Position: 3830.0 μm




Transient Pulse - Sample: new1cm - Position: 3835.0 μm




Transient Pulse - Sample: new1cm - Position: 3840.0 μm




Transient Pulse - Sample: new1cm - Position: 3845.0 μm




Transient Pulse - Sample: new1cm - Position: 3850.0 μm




Transient Pulse - Sample: new1cm - Position: 3855.0 μm




Transient Pulse - Sample: new1cm - Position: 3860.0 μm




Transient Pulse - Sample: new1cm - Position: 3865.0 μm




Transient Pulse - Sample: new1cm - Position: 3870.0 μm




Transient Pulse - Sample: new1cm - Position: 3875.0 μm




Transient Pulse - Sample: new1cm - Position: 3880.0 μm




Transient Pulse - Sample: new1cm - Position: 3885.0 μm




Transient Pulse - Sample: new1cm - Position: 3890.0 μm




Transient Pulse - Sample: new1cm - Position: 3895.0 μm




Transient Pulse - Sample: new1cm - Position: 3900.0 μm




Transient Pulse - Sample: new1cm - Position: 3905.0 μm




Transient Pulse - Sample: new1cm - Position: 3910.0 μm




Transient Pulse - Sample: new1cm - Position: 3915.0 μm




Transient Pulse - Sample: new1cm - Position: 3920.0 μm




Transient Pulse - Sample: new1cm - Position: 3925.0 μm




Transient Pulse - Sample: new1cm - Position: 3930.0 μm




Transient Pulse - Sample: new1cm - Position: 3935.0 μm




Transient Pulse - Sample: new1cm - Position: 3940.0 μm




Transient Pulse - Sample: new1cm - Position: 3945.0 μm




Transient Pulse - Sample: new1cm - Position: 3950.0 μm




Transient Pulse - Sample: new1cm - Position: 3955.0 μm




Transient Pulse - Sample: new1cm - Position: 3960.0 μm




Transient Pulse - Sample: new1cm - Position: 3965.0 μm




Transient Pulse - Sample: new1cm - Position: 3970.0 μm




Transient Pulse - Sample: new1cm - Position: 3975.0 μm




Transient Pulse - Sample: new1cm - Position: 3980.0 μm




Transient Pulse - Sample: new1cm - Position: 3985.0 μm




Transient Pulse - Sample: new1cm - Position: 3990.0 μm




Transient Pulse - Sample: new1cm - Position: 3995.0 μm




Transient Pulse - Sample: new1cm - Position: 4000.0 μm




Transient Pulse - Sample: new1cm - Position: 4005.0 μm




Transient Pulse - Sample: new1cm - Position: 4010.0 μm




Transient Pulse - Sample: new1cm - Position: 4015.0 μm




Transient Pulse - Sample: new1cm - Position: 4020.0 μm




Transient Pulse - Sample: new1cm - Position: 4025.0 μm




Transient Pulse - Sample: new1cm - Position: 4030.0 μm




Transient Pulse - Sample: new1cm - Position: 4035.0 μm




Transient Pulse - Sample: new1cm - Position: 4040.0 μm




Transient Pulse - Sample: new1cm - Position: 4045.0 μm




Transient Pulse - Sample: new1cm - Position: 4050.0 μm




Transient Pulse - Sample: new1cm - Position: 4055.0 μm




Transient Pulse - Sample: new1cm - Position: 4060.0 μm




Transient Pulse - Sample: new1cm - Position: 4065.0 μm




Transient Pulse - Sample: new1cm - Position: 4070.0 μm




Transient Pulse - Sample: new1cm - Position: 4075.0 μm




Transient Pulse - Sample: new1cm - Position: 4080.0 μm




Transient Pulse - Sample: new1cm - Position: 4085.0 μm




Transient Pulse - Sample: new1cm - Position: 4090.0 μm




Transient Pulse - Sample: new1cm - Position: 4095.0 μm




Transient Pulse - Sample: new1cm - Position: 4100.0 μm




Transient Pulse - Sample: new1cm - Position: 4105.0 μm




Transient Pulse - Sample: new1cm - Position: 4110.0 μm




Transient Pulse - Sample: new1cm - Position: 4115.0 μm




Transient Pulse - Sample: new1cm - Position: 4120.0 μm




Transient Pulse - Sample: new1cm - Position: 4125.0 μm




Transient Pulse - Sample: new1cm - Position: 4130.0 μm




Transient Pulse - Sample: new1cm - Position: 4135.0 μm




Transient Pulse - Sample: new1cm - Position: 4140.0 μm




Transient Pulse - Sample: new1cm - Position: 4145.0 μm




Transient Pulse - Sample: new1cm - Position: 4150.0 μm




Transient Pulse - Sample: new1cm - Position: 4155.0 μm




Transient Pulse - Sample: new1cm - Position: 4160.0 μm




Transient Pulse - Sample: new1cm - Position: 4165.0 μm




Transient Pulse - Sample: new1cm - Position: 4170.0 μm



Transient Pulse - Sample: new1cm - Position: 4175.0 μm



Transient Pulse - Sample: new1cm - Position: 4180.0 μm



Transient Pulse - Sample: new1cm - Position: 4185.0 μm

