



TCT Run new1cm4 Summary

Parameter	Value
Run	new1cm4
Surface	x
Edge	N/A
Sample	new1cm
Vbias (V)	150.0
DAC (%)	63.3
Bandwidth	500MHz
Path	C:\Users\APD-I\Desktop\TCT\LGAD\35MIP_101725\1cm
Irradiation (Fluence)	0.0
Notes	MIP Cal w/ 35 MIP 63.3 DAC only DC coupled wirebond
Date	10/17/2025
Gain Constant	5.5


Collected Charge




Collected Charge




Gain




Transient Pulse - Sample: new1cm - Position: 0.0 μm - Charge: 0.26 pC




Transient Pulse - Sample: new1cm - Position: 5.0 μm - Charge: 0.34 pC




Transient Pulse - Sample: new1cm - Position: 10.0 μm - Charge: -0.28 pC




Transient Pulse - Sample: new1cm - Position: 15.0 μm - Charge: 2.29 pC




Transient Pulse - Sample: new1cm - Position: 20.0 μm - Charge: 0.69 pC




Transient Pulse - Sample: new1cm - Position: 25.0 μm - Charge: -1.07 pC




Transient Pulse - Sample: new1cm - Position: 30.0 μm - Charge: 1.14 pC




Transient Pulse - Sample: new1cm - Position: 35.0 μm - Charge: 1.90 pC




Transient Pulse - Sample: new1cm - Position: 40.0 μm - Charge: 2.98 pC




Transient Pulse - Sample: new1cm - Position: 45.0 μm - Charge: 1.18 pC




Transient Pulse - Sample: new1cm - Position: 50.0 μm - Charge: 3.04 pC




Transient Pulse - Sample: new1cm - Position: 55.0 μm - Charge: 1.48 pC




Transient Pulse - Sample: new1cm - Position: 60.0 μm - Charge: 6.13 pC




Transient Pulse - Sample: new1cm - Position: 65.0 μm - Charge: 0.73 pC




Transient Pulse - Sample: new1cm - Position: 70.0 μm - Charge: -1.01 pC




Transient Pulse - Sample: new1cm - Position: 75.0 μm - Charge: 5.08 pC




Transient Pulse - Sample: new1cm - Position: 80.0 μm - Charge: 2.13 pC




Transient Pulse - Sample: new1cm - Position: 85.0 μm - Charge: 2.22 pC




Transient Pulse - Sample: new1cm - Position: 90.0 μm - Charge: 1.82 pC




Transient Pulse - Sample: new1cm - Position: 95.0 μm - Charge: 1.70 pC




Transient Pulse - Sample: new1cm - Position: 100.0 μm - Charge: 3.60 pC




Transient Pulse - Sample: new1cm - Position: 105.0 μm - Charge: 3.84 pC




Transient Pulse - Sample: new1cm - Position: 110.0 μm - Charge: 0.15 pC




Transient Pulse - Sample: new1cm - Position: 115.0 μm - Charge: 0.67 pC




Transient Pulse - Sample: new1cm - Position: 120.0 μm - Charge: 3.60 pC




Transient Pulse - Sample: new1cm - Position: 125.0 μm - Charge: 1.32 pC




Transient Pulse - Sample: new1cm - Position: 130.0 μm - Charge: 1.41 pC




Transient Pulse - Sample: new1cm - Position: 135.0 μm - Charge: 2.12 pC




Transient Pulse - Sample: new1cm - Position: 140.0 μm - Charge: 1.60 pC




Transient Pulse - Sample: new1cm - Position: 145.0 μm - Charge: 1.87 pC




Transient Pulse - Sample: new1cm - Position: 150.0 μm - Charge: 1.86 pC




Transient Pulse - Sample: new1cm - Position: 155.0 μm - Charge: 2.94 pC




Transient Pulse - Sample: new1cm - Position: 160.0 μm - Charge: 3.64 pC




Transient Pulse - Sample: new1cm - Position: 165.0 μm - Charge: 4.90 pC




Transient Pulse - Sample: new1cm - Position: 170.0 μm - Charge: 5.00 pC




Transient Pulse - Sample: new1cm - Position: 175.0 μm - Charge: 6.52 pC




Transient Pulse - Sample: new1cm - Position: 180.0 μm - Charge: 8.76 pC




Transient Pulse - Sample: new1cm - Position: 185.0 μm - Charge: 9.83 pC




Transient Pulse - Sample: new1cm - Position: 190.0 μm - Charge: 12.79 pC




Transient Pulse - Sample: new1cm - Position: 195.0 μm - Charge: 15.36 pC




Transient Pulse - Sample: new1cm - Position: 200.0 μm - Charge: 22.16 pC




Transient Pulse - Sample: new1cm - Position: 205.0 μm - Charge: 24.82 pC




Transient Pulse - Sample: new1cm - Position: 210.0 μm - Charge: 31.45 pC




Transient Pulse - Sample: new1cm - Position: 215.0 μm - Charge: 40.53 pC




Transient Pulse - Sample: new1cm - Position: 220.0 μm - Charge: 50.53 pC




Transient Pulse - Sample: new1cm - Position: 225.0 μm - Charge: 58.71 pC




Transient Pulse - Sample: new1cm - Position: 230.0 μm - Charge: 67.26 pC




Transient Pulse - Sample: new1cm - Position: 235.0 μm - Charge: 76.56 pC




Transient Pulse - Sample: new1cm - Position: 240.0 μm - Charge: 89.18 pC




Transient Pulse - Sample: new1cm - Position: 245.0 μm - Charge: 98.58 pC




Transient Pulse - Sample: new1cm - Position: 250.0 μm - Charge: 109.63 pC




Transient Pulse - Sample: new1cm - Position: 255.0 μm - Charge: 119.10 pC




Transient Pulse - Sample: new1cm - Position: 260.0 μm - Charge: 128.38 pC




Transient Pulse - Sample: new1cm - Position: 265.0 μm - Charge: 135.02 pC




Transient Pulse - Sample: new1cm - Position: 270.0 μm - Charge: 145.54 pC




Transient Pulse - Sample: new1cm - Position: 275.0 μm - Charge: 149.43 pC




Transient Pulse - Sample: new1cm - Position: 280.0 μm - Charge: 157.01 pC




Transient Pulse - Sample: new1cm - Position: 285.0 μm - Charge: 160.20 pC




Transient Pulse - Sample: new1cm - Position: 290.0 μm - Charge: 169.21 pC




Transient Pulse - Sample: new1cm - Position: 295.0 μm - Charge: 171.23 pC




Transient Pulse - Sample: new1cm - Position: 300.0 μm - Charge: 174.47 pC




Transient Pulse - Sample: new1cm - Position: 305.0 μm - Charge: 175.26 pC




Transient Pulse - Sample: new1cm - Position: 310.0 μm - Charge: 177.52 pC




Transient Pulse - Sample: new1cm - Position: 315.0 μm - Charge: 180.94 pC




Transient Pulse - Sample: new1cm - Position: 320.0 μm - Charge: 188.45 pC




Transient Pulse - Sample: new1cm - Position: 325.0 μm - Charge: 187.78 pC




Transient Pulse - Sample: new1cm - Position: 330.0 μm - Charge: 191.80 pC




Transient Pulse - Sample: new1cm - Position: 335.0 μm - Charge: 187.41 pC




Transient Pulse - Sample: new1cm - Position: 340.0 μm - Charge: 190.35 pC




Transient Pulse - Sample: new1cm - Position: 345.0 μm - Charge: 190.20 pC




Transient Pulse - Sample: new1cm - Position: 350.0 μm - Charge: 191.30 pC




Transient Pulse - Sample: new1cm - Position: 355.0 μm - Charge: 193.39 pC




Transient Pulse - Sample: new1cm - Position: 360.0 μm - Charge: 194.71 pC




Transient Pulse - Sample: new1cm - Position: 365.0 μm - Charge: 194.38 pC




Transient Pulse - Sample: new1cm - Position: 370.0 μm - Charge: 194.29 pC




Transient Pulse - Sample: new1cm - Position: 375.0 μm - Charge: 194.89 pC




Transient Pulse - Sample: new1cm - Position: 380.0 μm - Charge: 197.08 pC




Transient Pulse - Sample: new1cm - Position: 385.0 μm - Charge: 195.79 pC




Transient Pulse - Sample: new1cm - Position: 390.0 μm - Charge: 199.43 pC




Transient Pulse - Sample: new1cm - Position: 395.0 μm - Charge: 199.05 pC




Transient Pulse - Sample: new1cm - Position: 400.0 μm - Charge: 196.36 pC




Transient Pulse - Sample: new1cm - Position: 405.0 μm - Charge: 199.73 pC




Transient Pulse - Sample: new1cm - Position: 410.0 μm - Charge: 198.36 pC




Transient Pulse - Sample: new1cm - Position: 415.0 μm - Charge: 197.66 pC




Transient Pulse - Sample: new1cm - Position: 420.0 μm - Charge: 198.92 pC




Transient Pulse - Sample: new1cm - Position: 425.0 μm - Charge: 198.33 pC




Transient Pulse - Sample: new1cm - Position: 430.0 μm - Charge: 202.51 pC




Transient Pulse - Sample: new1cm - Position: 435.0 μm - Charge: 199.79 pC




Transient Pulse - Sample: new1cm - Position: 440.0 μm - Charge: 201.37 pC




Transient Pulse - Sample: new1cm - Position: 445.0 μm - Charge: 200.69 pC




Transient Pulse - Sample: new1cm - Position: 450.0 μm - Charge: 197.66 pC




Transient Pulse - Sample: new1cm - Position: 455.0 μm - Charge: 201.59 pC




Transient Pulse - Sample: new1cm - Position: 460.0 μm - Charge: 198.74 pC




Transient Pulse - Sample: new1cm - Position: 465.0 μm - Charge: 198.41 pC




Transient Pulse - Sample: new1cm - Position: 470.0 μm - Charge: 199.44 pC




Transient Pulse - Sample: new1cm - Position: 475.0 μm - Charge: 199.68 pC




Transient Pulse - Sample: new1cm - Position: 480.0 μm - Charge: 200.49 pC




Transient Pulse - Sample: new1cm - Position: 485.0 μm - Charge: 199.20 pC




Transient Pulse - Sample: new1cm - Position: 490.0 μm - Charge: 201.71 pC




Transient Pulse - Sample: new1cm - Position: 495.0 μm - Charge: 200.40 pC




Transient Pulse - Sample: new1cm - Position: 500.0 μm - Charge: 202.42 pC




Transient Pulse - Sample: new1cm - Position: 505.0 μm - Charge: 200.29 pC




Transient Pulse - Sample: new1cm - Position: 510.0 μm - Charge: 200.25 pC




Transient Pulse - Sample: new1cm - Position: 515.0 μm - Charge: 197.24 pC




Transient Pulse - Sample: new1cm - Position: 520.0 μm - Charge: 202.00 pC




Transient Pulse - Sample: new1cm - Position: 525.0 μm - Charge: 204.00 pC




Transient Pulse - Sample: new1cm - Position: 530.0 μm - Charge: 199.39 pC




Transient Pulse - Sample: new1cm - Position: 535.0 μm - Charge: 202.81 pC




Transient Pulse - Sample: new1cm - Position: 540.0 μm - Charge: 199.03 pC




Transient Pulse - Sample: new1cm - Position: 545.0 μm - Charge: 198.40 pC




Transient Pulse - Sample: new1cm - Position: 550.0 μm - Charge: 200.92 pC




Transient Pulse - Sample: new1cm - Position: 555.0 μm - Charge: 197.66 pC




Transient Pulse - Sample: new1cm - Position: 560.0 μm - Charge: 201.60 pC




Transient Pulse - Sample: new1cm - Position: 565.0 μm - Charge: 197.93 pC




Transient Pulse - Sample: new1cm - Position: 570.0 μm - Charge: 195.37 pC




Transient Pulse - Sample: new1cm - Position: 575.0 μm - Charge: 194.18 pC




Transient Pulse - Sample: new1cm - Position: 580.0 μm - Charge: 195.45 pC




Transient Pulse - Sample: new1cm - Position: 585.0 μm - Charge: 188.04 pC




Transient Pulse - Sample: new1cm - Position: 590.0 μm - Charge: 185.34 pC




Transient Pulse - Sample: new1cm - Position: 595.0 μm - Charge: 182.59 pC




Transient Pulse - Sample: new1cm - Position: 600.0 μm - Charge: 179.81 pC




Transient Pulse - Sample: new1cm - Position: 605.0 μm - Charge: 177.27 pC




Transient Pulse - Sample: new1cm - Position: 610.0 μm - Charge: 166.91 pC




Transient Pulse - Sample: new1cm - Position: 615.0 μm - Charge: 158.09 pC




Transient Pulse - Sample: new1cm - Position: 620.0 μm - Charge: 148.40 pC




Transient Pulse - Sample: new1cm - Position: 625.0 μm - Charge: 137.79 pC




Transient Pulse - Sample: new1cm - Position: 630.0 μm - Charge: 129.14 pC




Transient Pulse - Sample: new1cm - Position: 635.0 μm - Charge: 115.97 pC




Transient Pulse - Sample: new1cm - Position: 640.0 μm - Charge: 102.08 pC




Transient Pulse - Sample: new1cm - Position: 645.0 μm - Charge: 92.84 pC




Transient Pulse - Sample: new1cm - Position: 650.0 μm - Charge: 79.47 pC




Transient Pulse - Sample: new1cm - Position: 655.0 μm - Charge: 72.16 pC




Transient Pulse - Sample: new1cm - Position: 660.0 μm - Charge: 59.63 pC




Transient Pulse - Sample: new1cm - Position: 665.0 μm - Charge: 53.33 pC




Transient Pulse - Sample: new1cm - Position: 670.0 μm - Charge: 43.80 pC




Transient Pulse - Sample: new1cm - Position: 675.0 μm - Charge: 38.77 pC




Transient Pulse - Sample: new1cm - Position: 680.0 μm - Charge: 30.46 pC




Transient Pulse - Sample: new1cm - Position: 685.0 μm - Charge: 25.77 pC




Transient Pulse - Sample: new1cm - Position: 690.0 μm - Charge: 25.53 pC




Transient Pulse - Sample: new1cm - Position: 695.0 μm - Charge: 25.67 pC




Transient Pulse - Sample: new1cm - Position: 700.0 μm - Charge: 28.03 pC




Transient Pulse - Sample: new1cm - Position: 705.0 μm - Charge: 33.36 pC




Transient Pulse - Sample: new1cm - Position: 710.0 μm - Charge: 38.84 pC




Transient Pulse - Sample: new1cm - Position: 715.0 μm - Charge: 45.00 pC




Transient Pulse - Sample: new1cm - Position: 720.0 μm - Charge: 55.21 pC




Transient Pulse - Sample: new1cm - Position: 725.0 μm - Charge: 62.62 pC




Transient Pulse - Sample: new1cm - Position: 730.0 μm - Charge: 71.00 pC




Transient Pulse - Sample: new1cm - Position: 735.0 μm - Charge: 79.39 pC




Transient Pulse - Sample: new1cm - Position: 740.0 μm - Charge: 95.68 pC




Transient Pulse - Sample: new1cm - Position: 745.0 μm - Charge: 105.07 pC




Transient Pulse - Sample: new1cm - Position: 750.0 μm - Charge: 118.30 pC




Transient Pulse - Sample: new1cm - Position: 755.0 μm - Charge: 126.56 pC




Transient Pulse - Sample: new1cm - Position: 760.0 μm - Charge: 138.87 pC




Transient Pulse - Sample: new1cm - Position: 765.0 μm - Charge: 151.69 pC




Transient Pulse - Sample: new1cm - Position: 770.0 μm - Charge: 158.35 pC




Transient Pulse - Sample: new1cm - Position: 775.0 μm - Charge: 163.87 pC




Transient Pulse - Sample: new1cm - Position: 780.0 μm - Charge: 174.73 pC




Transient Pulse - Sample: new1cm - Position: 785.0 μm - Charge: 175.98 pC




Transient Pulse - Sample: new1cm - Position: 790.0 μm - Charge: 180.31 pC




Transient Pulse - Sample: new1cm - Position: 795.0 μm - Charge: 185.18 pC




Transient Pulse - Sample: new1cm - Position: 800.0 μm - Charge: 188.48 pC




Transient Pulse - Sample: new1cm - Position: 805.0 μm - Charge: 194.21 pC




Transient Pulse - Sample: new1cm - Position: 810.0 μm - Charge: 195.92 pC




Transient Pulse - Sample: new1cm - Position: 815.0 μm - Charge: 192.75 pC




Transient Pulse - Sample: new1cm - Position: 820.0 μm - Charge: 198.31 pC




Transient Pulse - Sample: new1cm - Position: 825.0 μm - Charge: 199.23 pC




Transient Pulse - Sample: new1cm - Position: 830.0 μm - Charge: 201.68 pC




Transient Pulse - Sample: new1cm - Position: 835.0 μm - Charge: 197.69 pC




Transient Pulse - Sample: new1cm - Position: 840.0 μm - Charge: 197.81 pC




Transient Pulse - Sample: new1cm - Position: 845.0 μm - Charge: 204.09 pC




Transient Pulse - Sample: new1cm - Position: 850.0 μm - Charge: 201.51 pC




Transient Pulse - Sample: new1cm - Position: 855.0 μm - Charge: 199.75 pC




Transient Pulse - Sample: new1cm - Position: 860.0 μm - Charge: 206.19 pC




Transient Pulse - Sample: new1cm - Position: 865.0 μm - Charge: 198.23 pC




Transient Pulse - Sample: new1cm - Position: 870.0 μm - Charge: 202.37 pC




Transient Pulse - Sample: new1cm - Position: 875.0 μm - Charge: 203.03 pC




Transient Pulse - Sample: new1cm - Position: 880.0 μm - Charge: 200.05 pC




Transient Pulse - Sample: new1cm - Position: 885.0 μm - Charge: 200.36 pC




Transient Pulse - Sample: new1cm - Position: 890.0 μm - Charge: 197.89 pC




Transient Pulse - Sample: new1cm - Position: 895.0 μm - Charge: 196.85 pC




Transient Pulse - Sample: new1cm - Position: 900.0 μm - Charge: 198.46 pC




Transient Pulse - Sample: new1cm - Position: 905.0 μm - Charge: 196.23 pC




Transient Pulse - Sample: new1cm - Position: 910.0 μm - Charge: 200.10 pC




Transient Pulse - Sample: new1cm - Position: 915.0 μm - Charge: 201.61 pC




Transient Pulse - Sample: new1cm - Position: 920.0 μm - Charge: 199.27 pC




Transient Pulse - Sample: new1cm - Position: 925.0 μm - Charge: 201.02 pC




Transient Pulse - Sample: new1cm - Position: 930.0 μm - Charge: 197.50 pC




Transient Pulse - Sample: new1cm - Position: 935.0 μm - Charge: 196.08 pC




Transient Pulse - Sample: new1cm - Position: 940.0 μm - Charge: 201.24 pC




Transient Pulse - Sample: new1cm - Position: 945.0 μm - Charge: 196.62 pC




Transient Pulse - Sample: new1cm - Position: 950.0 μm - Charge: 199.18 pC




Transient Pulse - Sample: new1cm - Position: 955.0 μm - Charge: 195.24 pC




Transient Pulse - Sample: new1cm - Position: 960.0 μm - Charge: 199.07 pC




Transient Pulse - Sample: new1cm - Position: 965.0 μm - Charge: 195.32 pC




Transient Pulse - Sample: new1cm - Position: 970.0 μm - Charge: 196.50 pC




Transient Pulse - Sample: new1cm - Position: 975.0 μm - Charge: 198.00 pC




Transient Pulse - Sample: new1cm - Position: 980.0 μm - Charge: 195.04 pC




Transient Pulse - Sample: new1cm - Position: 985.0 μm - Charge: 197.83 pC




Transient Pulse - Sample: new1cm - Position: 990.0 μm - Charge: 194.81 pC




Transient Pulse - Sample: new1cm - Position: 995.0 μm - Charge: 198.12 pC




Transient Pulse - Sample: new1cm - Position: 1000.0 μm - Charge: 192.35 pC




Transient Pulse - Sample: new1cm - Position: 1005.0 μm - Charge: 196.13 pC




Transient Pulse - Sample: new1cm - Position: 1010.0 μm - Charge: 193.03 pC




Transient Pulse - Sample: new1cm - Position: 1015.0 μm - Charge: 198.29 pC




Transient Pulse - Sample: new1cm - Position: 1020.0 μm - Charge: 199.38 pC




Transient Pulse - Sample: new1cm - Position: 1025.0 μm - Charge: 200.52 pC




Transient Pulse - Sample: new1cm - Position: 1030.0 μm - Charge: 199.69 pC




Transient Pulse - Sample: new1cm - Position: 1035.0 μm - Charge: 199.45 pC




Transient Pulse - Sample: new1cm - Position: 1040.0 μm - Charge: 199.82 pC




Transient Pulse - Sample: new1cm - Position: 1045.0 μm - Charge: 201.74 pC




Transient Pulse - Sample: new1cm - Position: 1050.0 μm - Charge: 198.45 pC




Transient Pulse - Sample: new1cm - Position: 1055.0 μm - Charge: 204.41 pC




Transient Pulse - Sample: new1cm - Position: 1060.0 μm - Charge: 198.85 pC




Transient Pulse - Sample: new1cm - Position: 1065.0 μm - Charge: 199.59 pC




Transient Pulse - Sample: new1cm - Position: 1070.0 μm - Charge: 210.72 pC




Transient Pulse - Sample: new1cm - Position: 1075.0 μm - Charge: 201.33 pC




Transient Pulse - Sample: new1cm - Position: 1080.0 μm - Charge: 200.74 pC




Transient Pulse - Sample: new1cm - Position: 1085.0 μm - Charge: 200.43 pC




Transient Pulse - Sample: new1cm - Position: 1090.0 μm - Charge: 198.07 pC




Transient Pulse - Sample: new1cm - Position: 1095.0 μm - Charge: 197.90 pC




Transient Pulse - Sample: new1cm - Position: 1100.0 μm - Charge: 195.71 pC




Transient Pulse - Sample: new1cm - Position: 1105.0 μm - Charge: 188.57 pC




Transient Pulse - Sample: new1cm - Position: 1110.0 μm - Charge: 185.11 pC




Transient Pulse - Sample: new1cm - Position: 1115.0 μm - Charge: 180.17 pC




Transient Pulse - Sample: new1cm - Position: 1120.0 μm - Charge: 167.96 pC




Transient Pulse - Sample: new1cm - Position: 1125.0 μm - Charge: 162.64 pC




Transient Pulse - Sample: new1cm - Position: 1130.0 μm - Charge: 153.35 pC




Transient Pulse - Sample: new1cm - Position: 1135.0 μm - Charge: 139.63 pC




Transient Pulse - Sample: new1cm - Position: 1140.0 μm - Charge: 124.90 pC




Transient Pulse - Sample: new1cm - Position: 1145.0 μm - Charge: 112.47 pC




Transient Pulse - Sample: new1cm - Position: 1150.0 μm - Charge: 99.12 pC




Transient Pulse - Sample: new1cm - Position: 1155.0 μm - Charge: 86.87 pC




Transient Pulse - Sample: new1cm - Position: 1160.0 μm - Charge: 75.97 pC




Transient Pulse - Sample: new1cm - Position: 1165.0 μm - Charge: 67.16 pC




Transient Pulse - Sample: new1cm - Position: 1170.0 μm - Charge: 53.38 pC




Transient Pulse - Sample: new1cm - Position: 1175.0 μm - Charge: 48.16 pC




Transient Pulse - Sample: new1cm - Position: 1180.0 μm - Charge: 40.48 pC




Transient Pulse - Sample: new1cm - Position: 1185.0 μm - Charge: 34.22 pC




Transient Pulse - Sample: new1cm - Position: 1190.0 μm - Charge: 27.29 pC




Transient Pulse - Sample: new1cm - Position: 1195.0 μm - Charge: 28.12 pC




Transient Pulse - Sample: new1cm - Position: 1200.0 μm - Charge: 26.35 pC




Transient Pulse - Sample: new1cm - Position: 1205.0 μm - Charge: 27.59 pC




Transient Pulse - Sample: new1cm - Position: 1210.0 μm - Charge: 31.80 pC




Transient Pulse - Sample: new1cm - Position: 1215.0 μm - Charge: 38.41 pC




Transient Pulse - Sample: new1cm - Position: 1220.0 μm - Charge: 43.38 pC




Transient Pulse - Sample: new1cm - Position: 1225.0 μm - Charge: 50.75 pC




Transient Pulse - Sample: new1cm - Position: 1230.0 μm - Charge: 60.10 pC




Transient Pulse - Sample: new1cm - Position: 1235.0 μm - Charge: 70.19 pC




Transient Pulse - Sample: new1cm - Position: 1240.0 μm - Charge: 83.15 pC




Transient Pulse - Sample: new1cm - Position: 1245.0 μm - Charge: 92.03 pC




Transient Pulse - Sample: new1cm - Position: 1250.0 μm - Charge: 106.37 pC




Transient Pulse - Sample: new1cm - Position: 1255.0 μm - Charge: 122.33 pC




Transient Pulse - Sample: new1cm - Position: 1260.0 μm - Charge: 129.59 pC




Transient Pulse - Sample: new1cm - Position: 1265.0 μm - Charge: 137.76 pC




Transient Pulse - Sample: new1cm - Position: 1270.0 μm - Charge: 151.98 pC




Transient Pulse - Sample: new1cm - Position: 1275.0 μm - Charge: 160.67 pC




Transient Pulse - Sample: new1cm - Position: 1280.0 μm - Charge: 170.40 pC




Transient Pulse - Sample: new1cm - Position: 1285.0 μm - Charge: 174.19 pC




Transient Pulse - Sample: new1cm - Position: 1290.0 μm - Charge: 185.01 pC




Transient Pulse - Sample: new1cm - Position: 1295.0 μm - Charge: 188.83 pC




Transient Pulse - Sample: new1cm - Position: 1300.0 μm - Charge: 190.65 pC




Transient Pulse - Sample: new1cm - Position: 1305.0 μm - Charge: 193.82 pC




Transient Pulse - Sample: new1cm - Position: 1310.0 μm - Charge: 195.69 pC




Transient Pulse - Sample: new1cm - Position: 1315.0 μm - Charge: 201.90 pC




Transient Pulse - Sample: new1cm - Position: 1320.0 μm - Charge: 205.16 pC




Transient Pulse - Sample: new1cm - Position: 1325.0 μm - Charge: 202.23 pC




Transient Pulse - Sample: new1cm - Position: 1330.0 μm - Charge: 207.50 pC




Transient Pulse - Sample: new1cm - Position: 1335.0 μm - Charge: 208.40 pC




Transient Pulse - Sample: new1cm - Position: 1340.0 μm - Charge: 205.33 pC




Transient Pulse - Sample: new1cm - Position: 1345.0 μm - Charge: 204.79 pC




Transient Pulse - Sample: new1cm - Position: 1350.0 μm - Charge: 212.33 pC




Transient Pulse - Sample: new1cm - Position: 1355.0 μm - Charge: 212.00 pC




Transient Pulse - Sample: new1cm - Position: 1360.0 μm - Charge: 205.10 pC




Transient Pulse - Sample: new1cm - Position: 1365.0 μm - Charge: 209.98 pC




Transient Pulse - Sample: new1cm - Position: 1370.0 μm - Charge: 208.43 pC




Transient Pulse - Sample: new1cm - Position: 1375.0 μm - Charge: 208.46 pC




Transient Pulse - Sample: new1cm - Position: 1380.0 μm - Charge: 207.64 pC




Transient Pulse - Sample: new1cm - Position: 1385.0 μm - Charge: 209.26 pC




Transient Pulse - Sample: new1cm - Position: 1390.0 μm - Charge: 205.77 pC




Transient Pulse - Sample: new1cm - Position: 1395.0 μm - Charge: 206.50 pC




Transient Pulse - Sample: new1cm - Position: 1400.0 μm - Charge: 207.08 pC




Transient Pulse - Sample: new1cm - Position: 1405.0 μm - Charge: 207.52 pC




Transient Pulse - Sample: new1cm - Position: 1410.0 μm - Charge: 205.47 pC




Transient Pulse - Sample: new1cm - Position: 1415.0 μm - Charge: 207.03 pC




Transient Pulse - Sample: new1cm - Position: 1420.0 μm - Charge: 205.28 pC




Transient Pulse - Sample: new1cm - Position: 1425.0 μm - Charge: 205.33 pC




Transient Pulse - Sample: new1cm - Position: 1430.0 μm - Charge: 207.50 pC




Transient Pulse - Sample: new1cm - Position: 1435.0 μm - Charge: 203.62 pC




Transient Pulse - Sample: new1cm - Position: 1440.0 μm - Charge: 207.94 pC




Transient Pulse - Sample: new1cm - Position: 1445.0 μm - Charge: 205.00 pC




Transient Pulse - Sample: new1cm - Position: 1450.0 μm - Charge: 205.46 pC




Transient Pulse - Sample: new1cm - Position: 1455.0 μm - Charge: 209.92 pC




Transient Pulse - Sample: new1cm - Position: 1460.0 μm - Charge: 205.35 pC




Transient Pulse - Sample: new1cm - Position: 1465.0 μm - Charge: 206.22 pC




Transient Pulse - Sample: new1cm - Position: 1470.0 μm - Charge: 204.89 pC




Transient Pulse - Sample: new1cm - Position: 1475.0 μm - Charge: 207.23 pC




Transient Pulse - Sample: new1cm - Position: 1480.0 μm - Charge: 204.93 pC




Transient Pulse - Sample: new1cm - Position: 1485.0 μm - Charge: 205.90 pC




Transient Pulse - Sample: new1cm - Position: 1490.0 μm - Charge: 207.73 pC




Transient Pulse - Sample: new1cm - Position: 1495.0 μm - Charge: 208.07 pC




Transient Pulse - Sample: new1cm - Position: 1500.0 μm - Charge: 209.73 pC




Transient Pulse - Sample: new1cm - Position: 1505.0 μm - Charge: 206.15 pC




Transient Pulse - Sample: new1cm - Position: 1510.0 μm - Charge: 206.64 pC




Transient Pulse - Sample: new1cm - Position: 1515.0 μm - Charge: 205.98 pC




Transient Pulse - Sample: new1cm - Position: 1520.0 μm - Charge: 209.38 pC




Transient Pulse - Sample: new1cm - Position: 1525.0 μm - Charge: 205.96 pC




Transient Pulse - Sample: new1cm - Position: 1530.0 μm - Charge: 209.23 pC




Transient Pulse - Sample: new1cm - Position: 1535.0 μm - Charge: 212.23 pC




Transient Pulse - Sample: new1cm - Position: 1540.0 μm - Charge: 206.15 pC




Transient Pulse - Sample: new1cm - Position: 1545.0 μm - Charge: 212.42 pC




Transient Pulse - Sample: new1cm - Position: 1550.0 μm - Charge: 210.22 pC




Transient Pulse - Sample: new1cm - Position: 1555.0 μm - Charge: 213.18 pC




Transient Pulse - Sample: new1cm - Position: 1560.0 μm - Charge: 210.94 pC




Transient Pulse - Sample: new1cm - Position: 1565.0 μm - Charge: 207.99 pC




Transient Pulse - Sample: new1cm - Position: 1570.0 μm - Charge: 211.45 pC




Transient Pulse - Sample: new1cm - Position: 1575.0 μm - Charge: 213.75 pC




Transient Pulse - Sample: new1cm - Position: 1580.0 μm - Charge: 207.41 pC




Transient Pulse - Sample: new1cm - Position: 1585.0 μm - Charge: 214.51 pC




Transient Pulse - Sample: new1cm - Position: 1590.0 μm - Charge: 207.93 pC




Transient Pulse - Sample: new1cm - Position: 1595.0 μm - Charge: 207.38 pC




Transient Pulse - Sample: new1cm - Position: 1600.0 μm - Charge: 207.95 pC




Transient Pulse - Sample: new1cm - Position: 1605.0 μm - Charge: 200.44 pC




Transient Pulse - Sample: new1cm - Position: 1610.0 μm - Charge: 206.29 pC




Transient Pulse - Sample: new1cm - Position: 1615.0 μm - Charge: 194.16 pC




Transient Pulse - Sample: new1cm - Position: 1620.0 μm - Charge: 187.10 pC




Transient Pulse - Sample: new1cm - Position: 1625.0 μm - Charge: 174.07 pC




Transient Pulse - Sample: new1cm - Position: 1630.0 μm - Charge: 167.04 pC




Transient Pulse - Sample: new1cm - Position: 1635.0 μm - Charge: 156.44 pC




Transient Pulse - Sample: new1cm - Position: 1640.0 μm - Charge: 143.65 pC




Transient Pulse - Sample: new1cm - Position: 1645.0 μm - Charge: 130.88 pC




Transient Pulse - Sample: new1cm - Position: 1650.0 μm - Charge: 115.79 pC




Transient Pulse - Sample: new1cm - Position: 1655.0 μm - Charge: 103.95 pC




Transient Pulse - Sample: new1cm - Position: 1660.0 μm - Charge: 93.23 pC




Transient Pulse - Sample: new1cm - Position: 1665.0 μm - Charge: 83.70 pC




Transient Pulse - Sample: new1cm - Position: 1670.0 μm - Charge: 68.25 pC




Transient Pulse - Sample: new1cm - Position: 1675.0 μm - Charge: 58.44 pC




Transient Pulse - Sample: new1cm - Position: 1680.0 μm - Charge: 51.80 pC




Transient Pulse - Sample: new1cm - Position: 1685.0 μm - Charge: 42.56 pC




Transient Pulse - Sample: new1cm - Position: 1690.0 μm - Charge: 34.19 pC




Transient Pulse - Sample: new1cm - Position: 1695.0 μm - Charge: 30.74 pC




Transient Pulse - Sample: new1cm - Position: 1700.0 μm - Charge: 28.16 pC




Transient Pulse - Sample: new1cm - Position: 1705.0 μm - Charge: 27.50 pC




Transient Pulse - Sample: new1cm - Position: 1710.0 μm - Charge: 26.57 pC




Transient Pulse - Sample: new1cm - Position: 1715.0 μm - Charge: 32.93 pC




Transient Pulse - Sample: new1cm - Position: 1720.0 μm - Charge: 38.41 pC




Transient Pulse - Sample: new1cm - Position: 1725.0 μm - Charge: 44.71 pC




Transient Pulse - Sample: new1cm - Position: 1730.0 μm - Charge: 53.34 pC




Transient Pulse - Sample: new1cm - Position: 1735.0 μm - Charge: 64.95 pC




Transient Pulse - Sample: new1cm - Position: 1740.0 μm - Charge: 75.34 pC




Transient Pulse - Sample: new1cm - Position: 1745.0 μm - Charge: 83.08 pC




Transient Pulse - Sample: new1cm - Position: 1750.0 μm - Charge: 95.28 pC




Transient Pulse - Sample: new1cm - Position: 1755.0 μm - Charge: 109.11 pC




Transient Pulse - Sample: new1cm - Position: 1760.0 μm - Charge: 123.20 pC




Transient Pulse - Sample: new1cm - Position: 1765.0 μm - Charge: 135.69 pC




Transient Pulse - Sample: new1cm - Position: 1770.0 μm - Charge: 146.76 pC




Transient Pulse - Sample: new1cm - Position: 1775.0 μm - Charge: 155.09 pC




Transient Pulse - Sample: new1cm - Position: 1780.0 μm - Charge: 169.62 pC




Transient Pulse - Sample: new1cm - Position: 1785.0 μm - Charge: 175.06 pC




Transient Pulse - Sample: new1cm - Position: 1790.0 μm - Charge: 185.45 pC




Transient Pulse - Sample: new1cm - Position: 1795.0 μm - Charge: 190.42 pC




Transient Pulse - Sample: new1cm - Position: 1800.0 μm - Charge: 201.97 pC




Transient Pulse - Sample: new1cm - Position: 1805.0 μm - Charge: 203.31 pC




Transient Pulse - Sample: new1cm - Position: 1810.0 μm - Charge: 209.51 pC




Transient Pulse - Sample: new1cm - Position: 1815.0 μm - Charge: 206.65 pC




Transient Pulse - Sample: new1cm - Position: 1820.0 μm - Charge: 208.47 pC




Transient Pulse - Sample: new1cm - Position: 1825.0 μm - Charge: 211.61 pC




Transient Pulse - Sample: new1cm - Position: 1830.0 μm - Charge: 212.62 pC




Transient Pulse - Sample: new1cm - Position: 1835.0 μm - Charge: 208.73 pC




Transient Pulse - Sample: new1cm - Position: 1840.0 μm - Charge: 216.14 pC




Transient Pulse - Sample: new1cm - Position: 1845.0 μm - Charge: 213.61 pC




Transient Pulse - Sample: new1cm - Position: 1850.0 μm - Charge: 210.92 pC




Transient Pulse - Sample: new1cm - Position: 1855.0 μm - Charge: 212.90 pC




Transient Pulse - Sample: new1cm - Position: 1860.0 μm - Charge: 213.33 pC




Transient Pulse - Sample: new1cm - Position: 1865.0 μm - Charge: 217.80 pC




Transient Pulse - Sample: new1cm - Position: 1870.0 μm - Charge: 219.05 pC




Transient Pulse - Sample: new1cm - Position: 1875.0 μm - Charge: 216.41 pC




Transient Pulse - Sample: new1cm - Position: 1880.0 μm - Charge: 217.11 pC




Transient Pulse - Sample: new1cm - Position: 1885.0 μm - Charge: 214.31 pC




Transient Pulse - Sample: new1cm - Position: 1890.0 μm - Charge: 216.21 pC




Transient Pulse - Sample: new1cm - Position: 1895.0 μm - Charge: 212.47 pC




Transient Pulse - Sample: new1cm - Position: 1900.0 μm - Charge: 211.83 pC




Transient Pulse - Sample: new1cm - Position: 1905.0 μm - Charge: 212.78 pC




Transient Pulse - Sample: new1cm - Position: 1910.0 μm - Charge: 213.16 pC




Transient Pulse - Sample: new1cm - Position: 1915.0 μm - Charge: 212.02 pC




Transient Pulse - Sample: new1cm - Position: 1920.0 μm - Charge: 211.85 pC




Transient Pulse - Sample: new1cm - Position: 1925.0 μm - Charge: 212.73 pC




Transient Pulse - Sample: new1cm - Position: 1930.0 μm - Charge: 211.94 pC




Transient Pulse - Sample: new1cm - Position: 1935.0 μm - Charge: 215.58 pC




Transient Pulse - Sample: new1cm - Position: 1940.0 μm - Charge: 214.25 pC




Transient Pulse - Sample: new1cm - Position: 1945.0 μm - Charge: 217.15 pC




Transient Pulse - Sample: new1cm - Position: 1950.0 μm - Charge: 213.25 pC




Transient Pulse - Sample: new1cm - Position: 1955.0 μm - Charge: 211.39 pC




Transient Pulse - Sample: new1cm - Position: 1960.0 μm - Charge: 210.10 pC




Transient Pulse - Sample: new1cm - Position: 1965.0 μm - Charge: 211.19 pC




Transient Pulse - Sample: new1cm - Position: 1970.0 μm - Charge: 211.55 pC




Transient Pulse - Sample: new1cm - Position: 1975.0 μm - Charge: 215.65 pC




Transient Pulse - Sample: new1cm - Position: 1980.0 μm - Charge: 210.89 pC




Transient Pulse - Sample: new1cm - Position: 1985.0 μm - Charge: 213.06 pC




Transient Pulse - Sample: new1cm - Position: 1990.0 μm - Charge: 209.78 pC




Transient Pulse - Sample: new1cm - Position: 1995.0 μm - Charge: 210.29 pC




Transient Pulse - Sample: new1cm - Position: 2000.0 μm - Charge: 213.87 pC




Transient Pulse - Sample: new1cm - Position: 2005.0 μm - Charge: 211.58 pC




Transient Pulse - Sample: new1cm - Position: 2010.0 μm - Charge: 215.66 pC




Transient Pulse - Sample: new1cm - Position: 2015.0 μm - Charge: 211.39 pC




Transient Pulse - Sample: new1cm - Position: 2020.0 μm - Charge: 213.52 pC




Transient Pulse - Sample: new1cm - Position: 2025.0 μm - Charge: 214.22 pC




Transient Pulse - Sample: new1cm - Position: 2030.0 μm - Charge: 211.76 pC




Transient Pulse - Sample: new1cm - Position: 2035.0 μm - Charge: 215.94 pC




Transient Pulse - Sample: new1cm - Position: 2040.0 μm - Charge: 216.29 pC




Transient Pulse - Sample: new1cm - Position: 2045.0 μm - Charge: 215.76 pC




Transient Pulse - Sample: new1cm - Position: 2050.0 μm - Charge: 219.50 pC




Transient Pulse - Sample: new1cm - Position: 2055.0 μm - Charge: 216.85 pC




Transient Pulse - Sample: new1cm - Position: 2060.0 μm - Charge: 217.24 pC




Transient Pulse - Sample: new1cm - Position: 2065.0 μm - Charge: 216.72 pC




Transient Pulse - Sample: new1cm - Position: 2070.0 μm - Charge: 218.07 pC




Transient Pulse - Sample: new1cm - Position: 2075.0 μm - Charge: 218.09 pC




Transient Pulse - Sample: new1cm - Position: 2080.0 μm - Charge: 220.06 pC




Transient Pulse - Sample: new1cm - Position: 2085.0 μm - Charge: 215.28 pC




Transient Pulse - Sample: new1cm - Position: 2090.0 μm - Charge: 218.99 pC




Transient Pulse - Sample: new1cm - Position: 2095.0 μm - Charge: 217.88 pC




Transient Pulse - Sample: new1cm - Position: 2100.0 μm - Charge: 218.93 pC




Transient Pulse - Sample: new1cm - Position: 2105.0 μm - Charge: 211.51 pC




Transient Pulse - Sample: new1cm - Position: 2110.0 μm - Charge: 207.47 pC




Transient Pulse - Sample: new1cm - Position: 2115.0 μm - Charge: 204.18 pC




Transient Pulse - Sample: new1cm - Position: 2120.0 μm - Charge: 197.21 pC




Transient Pulse - Sample: new1cm - Position: 2125.0 μm - Charge: 189.30 pC




Transient Pulse - Sample: new1cm - Position: 2130.0 μm - Charge: 180.72 pC




Transient Pulse - Sample: new1cm - Position: 2135.0 μm - Charge: 169.26 pC




Transient Pulse - Sample: new1cm - Position: 2140.0 μm - Charge: 157.97 pC




Transient Pulse - Sample: new1cm - Position: 2145.0 μm - Charge: 144.87 pC




Transient Pulse - Sample: new1cm - Position: 2150.0 μm - Charge: 129.91 pC




Transient Pulse - Sample: new1cm - Position: 2155.0 μm - Charge: 114.34 pC




Transient Pulse - Sample: new1cm - Position: 2160.0 μm - Charge: 99.04 pC




Transient Pulse - Sample: new1cm - Position: 2165.0 μm - Charge: 88.89 pC




Transient Pulse - Sample: new1cm - Position: 2170.0 μm - Charge: 72.65 pC




Transient Pulse - Sample: new1cm - Position: 2175.0 μm - Charge: 61.07 pC




Transient Pulse - Sample: new1cm - Position: 2180.0 μm - Charge: 52.40 pC




Transient Pulse - Sample: new1cm - Position: 2185.0 μm - Charge: 42.75 pC




Transient Pulse - Sample: new1cm - Position: 2190.0 μm - Charge: 36.07 pC




Transient Pulse - Sample: new1cm - Position: 2195.0 μm - Charge: 31.96 pC




Transient Pulse - Sample: new1cm - Position: 2200.0 μm - Charge: 29.51 pC




Transient Pulse - Sample: new1cm - Position: 2205.0 μm - Charge: 29.72 pC




Transient Pulse - Sample: new1cm - Position: 2210.0 μm - Charge: 31.90 pC




Transient Pulse - Sample: new1cm - Position: 2215.0 μm - Charge: 36.76 pC




Transient Pulse - Sample: new1cm - Position: 2220.0 μm - Charge: 43.35 pC




Transient Pulse - Sample: new1cm - Position: 2225.0 μm - Charge: 53.70 pC




Transient Pulse - Sample: new1cm - Position: 2230.0 μm - Charge: 65.01 pC




Transient Pulse - Sample: new1cm - Position: 2235.0 μm - Charge: 72.25 pC




Transient Pulse - Sample: new1cm - Position: 2240.0 μm - Charge: 86.92 pC




Transient Pulse - Sample: new1cm - Position: 2245.0 μm - Charge: 98.38 pC




Transient Pulse - Sample: new1cm - Position: 2250.0 μm - Charge: 110.50 pC




Transient Pulse - Sample: new1cm - Position: 2255.0 μm - Charge: 126.06 pC




Transient Pulse - Sample: new1cm - Position: 2260.0 μm - Charge: 138.79 pC




Transient Pulse - Sample: new1cm - Position: 2265.0 μm - Charge: 151.21 pC




Transient Pulse - Sample: new1cm - Position: 2270.0 μm - Charge: 160.80 pC




Transient Pulse - Sample: new1cm - Position: 2275.0 μm - Charge: 171.75 pC




Transient Pulse - Sample: new1cm - Position: 2280.0 μm - Charge: 182.12 pC




Transient Pulse - Sample: new1cm - Position: 2285.0 μm - Charge: 189.17 pC




Transient Pulse - Sample: new1cm - Position: 2290.0 μm - Charge: 198.07 pC




Transient Pulse - Sample: new1cm - Position: 2295.0 μm - Charge: 197.87 pC




Transient Pulse - Sample: new1cm - Position: 2300.0 μm - Charge: 207.97 pC




Transient Pulse - Sample: new1cm - Position: 2305.0 μm - Charge: 214.46 pC




Transient Pulse - Sample: new1cm - Position: 2310.0 μm - Charge: 216.04 pC




Transient Pulse - Sample: new1cm - Position: 2315.0 μm - Charge: 224.80 pC




Transient Pulse - Sample: new1cm - Position: 2320.0 μm - Charge: 220.10 pC




Transient Pulse - Sample: new1cm - Position: 2325.0 μm - Charge: 220.03 pC




Transient Pulse - Sample: new1cm - Position: 2330.0 μm - Charge: 224.59 pC




Transient Pulse - Sample: new1cm - Position: 2335.0 μm - Charge: 223.84 pC




Transient Pulse - Sample: new1cm - Position: 2340.0 μm - Charge: 226.43 pC




Transient Pulse - Sample: new1cm - Position: 2345.0 μm - Charge: 227.52 pC




Transient Pulse - Sample: new1cm - Position: 2350.0 μm - Charge: 223.87 pC




Transient Pulse - Sample: new1cm - Position: 2355.0 μm - Charge: 224.65 pC




Transient Pulse - Sample: new1cm - Position: 2360.0 μm - Charge: 226.05 pC




Transient Pulse - Sample: new1cm - Position: 2365.0 μm - Charge: 224.05 pC




Transient Pulse - Sample: new1cm - Position: 2370.0 μm - Charge: 231.07 pC




Transient Pulse - Sample: new1cm - Position: 2375.0 μm - Charge: 226.15 pC




Transient Pulse - Sample: new1cm - Position: 2380.0 μm - Charge: 229.54 pC




Transient Pulse - Sample: new1cm - Position: 2385.0 μm - Charge: 226.85 pC




Transient Pulse - Sample: new1cm - Position: 2390.0 μm - Charge: 223.00 pC




Transient Pulse - Sample: new1cm - Position: 2395.0 μm - Charge: 223.34 pC




Transient Pulse - Sample: new1cm - Position: 2400.0 μm - Charge: 222.99 pC




Transient Pulse - Sample: new1cm - Position: 2405.0 μm - Charge: 224.54 pC




Transient Pulse - Sample: new1cm - Position: 2410.0 μm - Charge: 224.57 pC




Transient Pulse - Sample: new1cm - Position: 2415.0 μm - Charge: 221.66 pC




Transient Pulse - Sample: new1cm - Position: 2420.0 μm - Charge: 224.50 pC




Transient Pulse - Sample: new1cm - Position: 2425.0 μm - Charge: 224.45 pC




Transient Pulse - Sample: new1cm - Position: 2430.0 μm - Charge: 226.13 pC




Transient Pulse - Sample: new1cm - Position: 2435.0 μm - Charge: 228.80 pC




Transient Pulse - Sample: new1cm - Position: 2440.0 μm - Charge: 222.29 pC




Transient Pulse - Sample: new1cm - Position: 2445.0 μm - Charge: 230.97 pC




Transient Pulse - Sample: new1cm - Position: 2450.0 μm - Charge: 222.19 pC




Transient Pulse - Sample: new1cm - Position: 2455.0 μm - Charge: 226.80 pC




Transient Pulse - Sample: new1cm - Position: 2460.0 μm - Charge: 228.28 pC




Transient Pulse - Sample: new1cm - Position: 2465.0 μm - Charge: 225.60 pC




Transient Pulse - Sample: new1cm - Position: 2470.0 μm - Charge: 226.49 pC




Transient Pulse - Sample: new1cm - Position: 2475.0 μm - Charge: 224.00 pC




Transient Pulse - Sample: new1cm - Position: 2480.0 μm - Charge: 222.73 pC




Transient Pulse - Sample: new1cm - Position: 2485.0 μm - Charge: 223.35 pC




Transient Pulse - Sample: new1cm - Position: 2490.0 μm - Charge: 214.75 pC




Transient Pulse - Sample: new1cm - Position: 2495.0 μm - Charge: 218.90 pC




Transient Pulse - Sample: new1cm - Position: 2500.0 μm - Charge: 217.98 pC




Transient Pulse - Sample: new1cm - Position: 2505.0 μm - Charge: 220.48 pC




Transient Pulse - Sample: new1cm - Position: 2510.0 μm - Charge: 223.63 pC




Transient Pulse - Sample: new1cm - Position: 2515.0 μm - Charge: 223.59 pC




Transient Pulse - Sample: new1cm - Position: 2520.0 μm - Charge: 226.71 pC




Transient Pulse - Sample: new1cm - Position: 2525.0 μm - Charge: 228.86 pC




Transient Pulse - Sample: new1cm - Position: 2530.0 μm - Charge: 226.72 pC




Transient Pulse - Sample: new1cm - Position: 2535.0 μm - Charge: 226.89 pC




Transient Pulse - Sample: new1cm - Position: 2540.0 μm - Charge: 228.59 pC




Transient Pulse - Sample: new1cm - Position: 2545.0 μm - Charge: 224.02 pC




Transient Pulse - Sample: new1cm - Position: 2550.0 μm - Charge: 221.40 pC




Transient Pulse - Sample: new1cm - Position: 2555.0 μm - Charge: 216.50 pC




Transient Pulse - Sample: new1cm - Position: 2560.0 μm - Charge: 216.06 pC




Transient Pulse - Sample: new1cm - Position: 2565.0 μm - Charge: 219.87 pC




Transient Pulse - Sample: new1cm - Position: 2570.0 μm - Charge: 222.26 pC




Transient Pulse - Sample: new1cm - Position: 2575.0 μm - Charge: 223.10 pC




Transient Pulse - Sample: new1cm - Position: 2580.0 μm - Charge: 227.26 pC




Transient Pulse - Sample: new1cm - Position: 2585.0 μm - Charge: 224.88 pC




Transient Pulse - Sample: new1cm - Position: 2590.0 μm - Charge: 222.83 pC




Transient Pulse - Sample: new1cm - Position: 2595.0 μm - Charge: 224.16 pC




Transient Pulse - Sample: new1cm - Position: 2600.0 μm - Charge: 223.97 pC




Transient Pulse - Sample: new1cm - Position: 2605.0 μm - Charge: 222.13 pC




Transient Pulse - Sample: new1cm - Position: 2610.0 μm - Charge: 221.44 pC




Transient Pulse - Sample: new1cm - Position: 2615.0 μm - Charge: 217.15 pC




Transient Pulse - Sample: new1cm - Position: 2620.0 μm - Charge: 215.80 pC




Transient Pulse - Sample: new1cm - Position: 2625.0 μm - Charge: 211.27 pC




Transient Pulse - Sample: new1cm - Position: 2630.0 μm - Charge: 197.50 pC




Transient Pulse - Sample: new1cm - Position: 2635.0 μm - Charge: 188.35 pC




Transient Pulse - Sample: new1cm - Position: 2640.0 μm - Charge: 183.73 pC




Transient Pulse - Sample: new1cm - Position: 2645.0 μm - Charge: 166.13 pC




Transient Pulse - Sample: new1cm - Position: 2650.0 μm - Charge: 154.82 pC




Transient Pulse - Sample: new1cm - Position: 2655.0 μm - Charge: 143.78 pC




Transient Pulse - Sample: new1cm - Position: 2660.0 μm - Charge: 126.86 pC




Transient Pulse - Sample: new1cm - Position: 2665.0 μm - Charge: 118.27 pC




Transient Pulse - Sample: new1cm - Position: 2670.0 μm - Charge: 103.24 pC




Transient Pulse - Sample: new1cm - Position: 2675.0 μm - Charge: 88.97 pC




Transient Pulse - Sample: new1cm - Position: 2680.0 μm - Charge: 78.13 pC




Transient Pulse - Sample: new1cm - Position: 2685.0 μm - Charge: 65.61 pC




Transient Pulse - Sample: new1cm - Position: 2690.0 μm - Charge: 55.07 pC




Transient Pulse - Sample: new1cm - Position: 2695.0 μm - Charge: 45.79 pC




Transient Pulse - Sample: new1cm - Position: 2700.0 μm - Charge: 39.10 pC




Transient Pulse - Sample: new1cm - Position: 2705.0 μm - Charge: 37.69 pC




Transient Pulse - Sample: new1cm - Position: 2710.0 μm - Charge: 31.71 pC




Transient Pulse - Sample: new1cm - Position: 2715.0 μm - Charge: 28.82 pC




Transient Pulse - Sample: new1cm - Position: 2720.0 μm - Charge: 29.54 pC




Transient Pulse - Sample: new1cm - Position: 2725.0 μm - Charge: 32.55 pC




Transient Pulse - Sample: new1cm - Position: 2730.0 μm - Charge: 38.54 pC




Transient Pulse - Sample: new1cm - Position: 2735.0 μm - Charge: 45.96 pC




Transient Pulse - Sample: new1cm - Position: 2740.0 μm - Charge: 54.87 pC




Transient Pulse - Sample: new1cm - Position: 2745.0 μm - Charge: 62.25 pC




Transient Pulse - Sample: new1cm - Position: 2750.0 μm - Charge: 75.02 pC




Transient Pulse - Sample: new1cm - Position: 2755.0 μm - Charge: 88.22 pC




Transient Pulse - Sample: new1cm - Position: 2760.0 μm - Charge: 98.97 pC




Transient Pulse - Sample: new1cm - Position: 2765.0 μm - Charge: 114.79 pC




Transient Pulse - Sample: new1cm - Position: 2770.0 μm - Charge: 133.54 pC




Transient Pulse - Sample: new1cm - Position: 2775.0 μm - Charge: 144.23 pC




Transient Pulse - Sample: new1cm - Position: 2780.0 μm - Charge: 155.14 pC




Transient Pulse - Sample: new1cm - Position: 2785.0 μm - Charge: 165.17 pC




Transient Pulse - Sample: new1cm - Position: 2790.0 μm - Charge: 173.48 pC




Transient Pulse - Sample: new1cm - Position: 2795.0 μm - Charge: 185.87 pC




Transient Pulse - Sample: new1cm - Position: 2800.0 μm - Charge: 193.63 pC




Transient Pulse - Sample: new1cm - Position: 2805.0 μm - Charge: 199.22 pC




Transient Pulse - Sample: new1cm - Position: 2810.0 μm - Charge: 205.32 pC




Transient Pulse - Sample: new1cm - Position: 2815.0 μm - Charge: 210.47 pC




Transient Pulse - Sample: new1cm - Position: 2820.0 μm - Charge: 215.13 pC




Transient Pulse - Sample: new1cm - Position: 2825.0 μm - Charge: 215.08 pC




Transient Pulse - Sample: new1cm - Position: 2830.0 μm - Charge: 227.99 pC




Transient Pulse - Sample: new1cm - Position: 2835.0 μm - Charge: 219.72 pC




Transient Pulse - Sample: new1cm - Position: 2840.0 μm - Charge: 224.80 pC




Transient Pulse - Sample: new1cm - Position: 2845.0 μm - Charge: 225.45 pC




Transient Pulse - Sample: new1cm - Position: 2850.0 μm - Charge: 225.33 pC




Transient Pulse - Sample: new1cm - Position: 2855.0 μm - Charge: 233.87 pC




Transient Pulse - Sample: new1cm - Position: 2860.0 μm - Charge: 232.43 pC




Transient Pulse - Sample: new1cm - Position: 2865.0 μm - Charge: 223.06 pC




Transient Pulse - Sample: new1cm - Position: 2870.0 μm - Charge: 226.63 pC




Transient Pulse - Sample: new1cm - Position: 2875.0 μm - Charge: 228.27 pC




Transient Pulse - Sample: new1cm - Position: 2880.0 μm - Charge: 229.54 pC




Transient Pulse - Sample: new1cm - Position: 2885.0 μm - Charge: 226.63 pC




Transient Pulse - Sample: new1cm - Position: 2890.0 μm - Charge: 222.27 pC




Transient Pulse - Sample: new1cm - Position: 2895.0 μm - Charge: 227.73 pC




Transient Pulse - Sample: new1cm - Position: 2900.0 μm - Charge: 224.94 pC




Transient Pulse - Sample: new1cm - Position: 2905.0 μm - Charge: 220.55 pC




Transient Pulse - Sample: new1cm - Position: 2910.0 μm - Charge: 230.55 pC




Transient Pulse - Sample: new1cm - Position: 2915.0 μm - Charge: 228.75 pC




Transient Pulse - Sample: new1cm - Position: 2920.0 μm - Charge: 228.20 pC




Transient Pulse - Sample: new1cm - Position: 2925.0 μm - Charge: 232.04 pC




Transient Pulse - Sample: new1cm - Position: 2930.0 μm - Charge: 228.57 pC




Transient Pulse - Sample: new1cm - Position: 2935.0 μm - Charge: 230.17 pC




Transient Pulse - Sample: new1cm - Position: 2940.0 μm - Charge: 231.26 pC




Transient Pulse - Sample: new1cm - Position: 2945.0 μm - Charge: 227.47 pC




Transient Pulse - Sample: new1cm - Position: 2950.0 μm - Charge: 232.34 pC




Transient Pulse - Sample: new1cm - Position: 2955.0 μm - Charge: 224.27 pC




Transient Pulse - Sample: new1cm - Position: 2960.0 μm - Charge: 224.06 pC




Transient Pulse - Sample: new1cm - Position: 2965.0 μm - Charge: 230.44 pC




Transient Pulse - Sample: new1cm - Position: 2970.0 μm - Charge: 231.52 pC




Transient Pulse - Sample: new1cm - Position: 2975.0 μm - Charge: 242.00 pC




Transient Pulse - Sample: new1cm - Position: 2980.0 μm - Charge: 236.40 pC




Transient Pulse - Sample: new1cm - Position: 2985.0 μm - Charge: 228.77 pC




Transient Pulse - Sample: new1cm - Position: 2990.0 μm - Charge: 228.96 pC




Transient Pulse - Sample: new1cm - Position: 2995.0 μm - Charge: 229.97 pC




Transient Pulse - Sample: new1cm - Position: 3000.0 μm - Charge: 231.32 pC




Transient Pulse - Sample: new1cm - Position: 3005.0 μm - Charge: 229.02 pC




Transient Pulse - Sample: new1cm - Position: 3010.0 μm - Charge: 230.34 pC




Transient Pulse - Sample: new1cm - Position: 3015.0 μm - Charge: 230.44 pC




Transient Pulse - Sample: new1cm - Position: 3020.0 μm - Charge: 229.17 pC




Transient Pulse - Sample: new1cm - Position: 3025.0 μm - Charge: 227.34 pC




Transient Pulse - Sample: new1cm - Position: 3030.0 μm - Charge: 223.16 pC




Transient Pulse - Sample: new1cm - Position: 3035.0 μm - Charge: 227.78 pC




Transient Pulse - Sample: new1cm - Position: 3040.0 μm - Charge: 232.96 pC




Transient Pulse - Sample: new1cm - Position: 3045.0 μm - Charge: 229.21 pC




Transient Pulse - Sample: new1cm - Position: 3050.0 μm - Charge: 231.70 pC




Transient Pulse - Sample: new1cm - Position: 3055.0 μm - Charge: 231.31 pC




Transient Pulse - Sample: new1cm - Position: 3060.0 μm - Charge: 231.62 pC




Transient Pulse - Sample: new1cm - Position: 3065.0 μm - Charge: 234.15 pC




Transient Pulse - Sample: new1cm - Position: 3070.0 μm - Charge: 238.88 pC




Transient Pulse - Sample: new1cm - Position: 3075.0 μm - Charge: 236.52 pC




Transient Pulse - Sample: new1cm - Position: 3080.0 μm - Charge: 239.14 pC




Transient Pulse - Sample: new1cm - Position: 3085.0 μm - Charge: 239.36 pC




Transient Pulse - Sample: new1cm - Position: 3090.0 μm - Charge: 242.24 pC




Transient Pulse - Sample: new1cm - Position: 3095.0 μm - Charge: 239.29 pC




Transient Pulse - Sample: new1cm - Position: 3100.0 μm - Charge: 237.12 pC




Transient Pulse - Sample: new1cm - Position: 3105.0 μm - Charge: 243.55 pC




Transient Pulse - Sample: new1cm - Position: 3110.0 μm - Charge: 238.50 pC




Transient Pulse - Sample: new1cm - Position: 3115.0 μm - Charge: 233.08 pC




Transient Pulse - Sample: new1cm - Position: 3120.0 μm - Charge: 234.93 pC




Transient Pulse - Sample: new1cm - Position: 3125.0 μm - Charge: 230.17 pC




Transient Pulse - Sample: new1cm - Position: 3130.0 μm - Charge: 224.56 pC




Transient Pulse - Sample: new1cm - Position: 3135.0 μm - Charge: 218.07 pC




Transient Pulse - Sample: new1cm - Position: 3140.0 μm - Charge: 215.90 pC




Transient Pulse - Sample: new1cm - Position: 3145.0 μm - Charge: 197.80 pC




Transient Pulse - Sample: new1cm - Position: 3150.0 μm - Charge: 187.24 pC




Transient Pulse - Sample: new1cm - Position: 3155.0 μm - Charge: 182.48 pC




Transient Pulse - Sample: new1cm - Position: 3160.0 μm - Charge: 161.07 pC




Transient Pulse - Sample: new1cm - Position: 3165.0 μm - Charge: 149.78 pC




Transient Pulse - Sample: new1cm - Position: 3170.0 μm - Charge: 135.68 pC




Transient Pulse - Sample: new1cm - Position: 3175.0 μm - Charge: 119.46 pC




Transient Pulse - Sample: new1cm - Position: 3180.0 μm - Charge: 109.71 pC




Transient Pulse - Sample: new1cm - Position: 3185.0 μm - Charge: 96.05 pC




Transient Pulse - Sample: new1cm - Position: 3190.0 μm - Charge: 80.55 pC




Transient Pulse - Sample: new1cm - Position: 3195.0 μm - Charge: 70.79 pC




Transient Pulse - Sample: new1cm - Position: 3200.0 μm - Charge: 59.40 pC




Transient Pulse - Sample: new1cm - Position: 3205.0 μm - Charge: 46.20 pC




Transient Pulse - Sample: new1cm - Position: 3210.0 μm - Charge: 43.26 pC




Transient Pulse - Sample: new1cm - Position: 3215.0 μm - Charge: 37.15 pC




Transient Pulse - Sample: new1cm - Position: 3220.0 μm - Charge: 33.46 pC




Transient Pulse - Sample: new1cm - Position: 3225.0 μm - Charge: 32.00 pC




Transient Pulse - Sample: new1cm - Position: 3230.0 μm - Charge: 35.28 pC




Transient Pulse - Sample: new1cm - Position: 3235.0 μm - Charge: 38.44 pC




Transient Pulse - Sample: new1cm - Position: 3240.0 μm - Charge: 43.11 pC




Transient Pulse - Sample: new1cm - Position: 3245.0 μm - Charge: 49.07 pC




Transient Pulse - Sample: new1cm - Position: 3250.0 μm - Charge: 62.65 pC




Transient Pulse - Sample: new1cm - Position: 3255.0 μm - Charge: 73.64 pC




Transient Pulse - Sample: new1cm - Position: 3260.0 μm - Charge: 83.61 pC




Transient Pulse - Sample: new1cm - Position: 3265.0 μm - Charge: 99.03 pC




Transient Pulse - Sample: new1cm - Position: 3270.0 μm - Charge: 111.51 pC




Transient Pulse - Sample: new1cm - Position: 3275.0 μm - Charge: 124.56 pC




Transient Pulse - Sample: new1cm - Position: 3280.0 μm - Charge: 141.89 pC




Transient Pulse - Sample: new1cm - Position: 3285.0 μm - Charge: 154.32 pC




Transient Pulse - Sample: new1cm - Position: 3290.0 μm - Charge: 166.21 pC




Transient Pulse - Sample: new1cm - Position: 3295.0 μm - Charge: 178.80 pC




Transient Pulse - Sample: new1cm - Position: 3300.0 μm - Charge: 193.91 pC




Transient Pulse - Sample: new1cm - Position: 3305.0 μm - Charge: 200.61 pC




Transient Pulse - Sample: new1cm - Position: 3310.0 μm - Charge: 213.28 pC




Transient Pulse - Sample: new1cm - Position: 3315.0 μm - Charge: 220.72 pC




Transient Pulse - Sample: new1cm - Position: 3320.0 μm - Charge: 221.11 pC




Transient Pulse - Sample: new1cm - Position: 3325.0 μm - Charge: 228.73 pC




Transient Pulse - Sample: new1cm - Position: 3330.0 μm - Charge: 233.70 pC




Transient Pulse - Sample: new1cm - Position: 3335.0 μm - Charge: 235.57 pC




Transient Pulse - Sample: new1cm - Position: 3340.0 μm - Charge: 238.86 pC




Transient Pulse - Sample: new1cm - Position: 3345.0 μm - Charge: 243.93 pC




Transient Pulse - Sample: new1cm - Position: 3350.0 μm - Charge: 244.39 pC




Transient Pulse - Sample: new1cm - Position: 3355.0 μm - Charge: 244.20 pC




Transient Pulse - Sample: new1cm - Position: 3360.0 μm - Charge: 243.65 pC




Transient Pulse - Sample: new1cm - Position: 3365.0 μm - Charge: 244.79 pC




Transient Pulse - Sample: new1cm - Position: 3370.0 μm - Charge: 249.72 pC




Transient Pulse - Sample: new1cm - Position: 3375.0 μm - Charge: 242.90 pC




Transient Pulse - Sample: new1cm - Position: 3380.0 μm - Charge: 244.00 pC




Transient Pulse - Sample: new1cm - Position: 3385.0 μm - Charge: 244.93 pC




Transient Pulse - Sample: new1cm - Position: 3390.0 μm - Charge: 245.80 pC




Transient Pulse - Sample: new1cm - Position: 3395.0 μm - Charge: 248.66 pC




Transient Pulse - Sample: new1cm - Position: 3400.0 μm - Charge: 242.60 pC




Transient Pulse - Sample: new1cm - Position: 3405.0 μm - Charge: 245.38 pC




Transient Pulse - Sample: new1cm - Position: 3410.0 μm - Charge: 245.18 pC




Transient Pulse - Sample: new1cm - Position: 3415.0 μm - Charge: 242.26 pC




Transient Pulse - Sample: new1cm - Position: 3420.0 μm - Charge: 238.95 pC




Transient Pulse - Sample: new1cm - Position: 3425.0 μm - Charge: 238.24 pC




Transient Pulse - Sample: new1cm - Position: 3430.0 μm - Charge: 240.64 pC




Transient Pulse - Sample: new1cm - Position: 3435.0 μm - Charge: 241.30 pC




Transient Pulse - Sample: new1cm - Position: 3440.0 μm - Charge: 240.99 pC




Transient Pulse - Sample: new1cm - Position: 3445.0 μm - Charge: 238.87 pC




Transient Pulse - Sample: new1cm - Position: 3450.0 μm - Charge: 236.86 pC




Transient Pulse - Sample: new1cm - Position: 3455.0 μm - Charge: 239.89 pC




Transient Pulse - Sample: new1cm - Position: 3460.0 μm - Charge: 242.62 pC




Transient Pulse - Sample: new1cm - Position: 3465.0 μm - Charge: 245.24 pC




Transient Pulse - Sample: new1cm - Position: 3470.0 μm - Charge: 238.93 pC




Transient Pulse - Sample: new1cm - Position: 3475.0 μm - Charge: 241.91 pC




Transient Pulse - Sample: new1cm - Position: 3480.0 μm - Charge: 239.53 pC




Transient Pulse - Sample: new1cm - Position: 3485.0 μm - Charge: 236.62 pC




Transient Pulse - Sample: new1cm - Position: 3490.0 μm - Charge: 244.05 pC




Transient Pulse - Sample: new1cm - Position: 3495.0 μm - Charge: 237.95 pC




Transient Pulse - Sample: new1cm - Position: 3500.0 μm - Charge: 239.98 pC




Transient Pulse - Sample: new1cm - Position: 3505.0 μm - Charge: 245.09 pC




Transient Pulse - Sample: new1cm - Position: 3510.0 μm - Charge: 237.41 pC




Transient Pulse - Sample: new1cm - Position: 3515.0 μm - Charge: 243.55 pC




Transient Pulse - Sample: new1cm - Position: 3520.0 μm - Charge: 241.10 pC




Transient Pulse - Sample: new1cm - Position: 3525.0 μm - Charge: 241.73 pC




Transient Pulse - Sample: new1cm - Position: 3530.0 μm - Charge: 237.82 pC




Transient Pulse - Sample: new1cm - Position: 3535.0 μm - Charge: 240.11 pC




Transient Pulse - Sample: new1cm - Position: 3540.0 μm - Charge: 243.30 pC




Transient Pulse - Sample: new1cm - Position: 3545.0 μm - Charge: 243.40 pC




Transient Pulse - Sample: new1cm - Position: 3550.0 μm - Charge: 240.49 pC




Transient Pulse - Sample: new1cm - Position: 3555.0 μm - Charge: 243.56 pC




Transient Pulse - Sample: new1cm - Position: 3560.0 μm - Charge: 245.89 pC




Transient Pulse - Sample: new1cm - Position: 3565.0 μm - Charge: 245.31 pC




Transient Pulse - Sample: new1cm - Position: 3570.0 μm - Charge: 248.77 pC




Transient Pulse - Sample: new1cm - Position: 3575.0 μm - Charge: 246.25 pC




Transient Pulse - Sample: new1cm - Position: 3580.0 μm - Charge: 246.05 pC




Transient Pulse - Sample: new1cm - Position: 3585.0 μm - Charge: 242.77 pC




Transient Pulse - Sample: new1cm - Position: 3590.0 μm - Charge: 241.19 pC




Transient Pulse - Sample: new1cm - Position: 3595.0 μm - Charge: 245.65 pC




Transient Pulse - Sample: new1cm - Position: 3600.0 μm - Charge: 249.43 pC




Transient Pulse - Sample: new1cm - Position: 3605.0 μm - Charge: 246.77 pC




Transient Pulse - Sample: new1cm - Position: 3610.0 μm - Charge: 243.12 pC




Transient Pulse - Sample: new1cm - Position: 3615.0 μm - Charge: 245.50 pC




Transient Pulse - Sample: new1cm - Position: 3620.0 μm - Charge: 236.59 pC




Transient Pulse - Sample: new1cm - Position: 3625.0 μm - Charge: 241.67 pC




Transient Pulse - Sample: new1cm - Position: 3630.0 μm - Charge: 239.72 pC




Transient Pulse - Sample: new1cm - Position: 3635.0 μm - Charge: 228.27 pC




Transient Pulse - Sample: new1cm - Position: 3640.0 μm - Charge: 226.57 pC




Transient Pulse - Sample: new1cm - Position: 3645.0 μm - Charge: 220.07 pC




Transient Pulse - Sample: new1cm - Position: 3650.0 μm - Charge: 201.12 pC




Transient Pulse - Sample: new1cm - Position: 3655.0 μm - Charge: 190.28 pC




Transient Pulse - Sample: new1cm - Position: 3660.0 μm - Charge: 188.49 pC




Transient Pulse - Sample: new1cm - Position: 3665.0 μm - Charge: 166.25 pC




Transient Pulse - Sample: new1cm - Position: 3670.0 μm - Charge: 153.20 pC




Transient Pulse - Sample: new1cm - Position: 3675.0 μm - Charge: 135.79 pC




Transient Pulse - Sample: new1cm - Position: 3680.0 μm - Charge: 120.68 pC




Transient Pulse - Sample: new1cm - Position: 3685.0 μm - Charge: 111.49 pC




Transient Pulse - Sample: new1cm - Position: 3690.0 μm - Charge: 96.98 pC




Transient Pulse - Sample: new1cm - Position: 3695.0 μm - Charge: 81.28 pC




Transient Pulse - Sample: new1cm - Position: 3700.0 μm - Charge: 66.35 pC




Transient Pulse - Sample: new1cm - Position: 3705.0 μm - Charge: 54.93 pC




Transient Pulse - Sample: new1cm - Position: 3710.0 μm - Charge: 50.27 pC




Transient Pulse - Sample: new1cm - Position: 3715.0 μm - Charge: 39.63 pC




Transient Pulse - Sample: new1cm - Position: 3720.0 μm - Charge: 36.51 pC




Transient Pulse - Sample: new1cm - Position: 3725.0 μm - Charge: 35.48 pC




Transient Pulse - Sample: new1cm - Position: 3730.0 μm - Charge: 31.88 pC




Transient Pulse - Sample: new1cm - Position: 3735.0 μm - Charge: 35.72 pC




Transient Pulse - Sample: new1cm - Position: 3740.0 μm - Charge: 41.10 pC




Transient Pulse - Sample: new1cm - Position: 3745.0 μm - Charge: 51.08 pC




Transient Pulse - Sample: new1cm - Position: 3750.0 μm - Charge: 54.62 pC




Transient Pulse - Sample: new1cm - Position: 3755.0 μm - Charge: 66.60 pC




Transient Pulse - Sample: new1cm - Position: 3760.0 μm - Charge: 76.75 pC




Transient Pulse - Sample: new1cm - Position: 3765.0 μm - Charge: 91.09 pC




Transient Pulse - Sample: new1cm - Position: 3770.0 μm - Charge: 104.09 pC




Transient Pulse - Sample: new1cm - Position: 3775.0 μm - Charge: 122.46 pC




Transient Pulse - Sample: new1cm - Position: 3780.0 μm - Charge: 135.35 pC




Transient Pulse - Sample: new1cm - Position: 3785.0 μm - Charge: 147.77 pC




Transient Pulse - Sample: new1cm - Position: 3790.0 μm - Charge: 164.87 pC




Transient Pulse - Sample: new1cm - Position: 3795.0 μm - Charge: 177.19 pC




Transient Pulse - Sample: new1cm - Position: 3800.0 μm - Charge: 193.42 pC




Transient Pulse - Sample: new1cm - Position: 3805.0 μm - Charge: 201.38 pC




Transient Pulse - Sample: new1cm - Position: 3810.0 μm - Charge: 208.99 pC




Transient Pulse - Sample: new1cm - Position: 3815.0 μm - Charge: 215.98 pC




Transient Pulse - Sample: new1cm - Position: 3820.0 μm - Charge: 227.50 pC




Transient Pulse - Sample: new1cm - Position: 3825.0 μm - Charge: 229.52 pC




Transient Pulse - Sample: new1cm - Position: 3830.0 μm - Charge: 238.73 pC




Transient Pulse - Sample: new1cm - Position: 3835.0 μm - Charge: 243.28 pC




Transient Pulse - Sample: new1cm - Position: 3840.0 μm - Charge: 244.89 pC




Transient Pulse - Sample: new1cm - Position: 3845.0 μm - Charge: 247.04 pC




Transient Pulse - Sample: new1cm - Position: 3850.0 μm - Charge: 244.85 pC




Transient Pulse - Sample: new1cm - Position: 3855.0 μm - Charge: 254.42 pC




Transient Pulse - Sample: new1cm - Position: 3860.0 μm - Charge: 247.50 pC




Transient Pulse - Sample: new1cm - Position: 3865.0 μm - Charge: 252.82 pC




Transient Pulse - Sample: new1cm - Position: 3870.0 μm - Charge: 249.16 pC




Transient Pulse - Sample: new1cm - Position: 3875.0 μm - Charge: 253.93 pC




Transient Pulse - Sample: new1cm - Position: 3880.0 μm - Charge: 254.40 pC




Transient Pulse - Sample: new1cm - Position: 3885.0 μm - Charge: 248.75 pC




Transient Pulse - Sample: new1cm - Position: 3890.0 μm - Charge: 257.61 pC




Transient Pulse - Sample: new1cm - Position: 3895.0 μm - Charge: 250.14 pC




Transient Pulse - Sample: new1cm - Position: 3900.0 μm - Charge: 250.93 pC




Transient Pulse - Sample: new1cm - Position: 3905.0 μm - Charge: 256.66 pC




Transient Pulse - Sample: new1cm - Position: 3910.0 μm - Charge: 251.73 pC




Transient Pulse - Sample: new1cm - Position: 3915.0 μm - Charge: 252.29 pC




Transient Pulse - Sample: new1cm - Position: 3920.0 μm - Charge: 246.76 pC




Transient Pulse - Sample: new1cm - Position: 3925.0 μm - Charge: 246.98 pC




Transient Pulse - Sample: new1cm - Position: 3930.0 μm - Charge: 250.86 pC




Transient Pulse - Sample: new1cm - Position: 3935.0 μm - Charge: 247.21 pC




Transient Pulse - Sample: new1cm - Position: 3940.0 μm - Charge: 248.57 pC




Transient Pulse - Sample: new1cm - Position: 3945.0 μm - Charge: 245.94 pC




Transient Pulse - Sample: new1cm - Position: 3950.0 μm - Charge: 247.33 pC




Transient Pulse - Sample: new1cm - Position: 3955.0 μm - Charge: 249.01 pC




Transient Pulse - Sample: new1cm - Position: 3960.0 μm - Charge: 242.83 pC




Transient Pulse - Sample: new1cm - Position: 3965.0 μm - Charge: 248.78 pC




Transient Pulse - Sample: new1cm - Position: 3970.0 μm - Charge: 245.22 pC




Transient Pulse - Sample: new1cm - Position: 3975.0 μm - Charge: 245.22 pC




Transient Pulse - Sample: new1cm - Position: 3980.0 μm - Charge: 244.71 pC




Transient Pulse - Sample: new1cm - Position: 3985.0 μm - Charge: 248.63 pC




Transient Pulse - Sample: new1cm - Position: 3990.0 μm - Charge: 251.68 pC




Transient Pulse - Sample: new1cm - Position: 3995.0 μm - Charge: 242.78 pC




Transient Pulse - Sample: new1cm - Position: 4000.0 μm - Charge: 247.05 pC




Transient Pulse - Sample: new1cm - Position: 4005.0 μm - Charge: 251.36 pC




Transient Pulse - Sample: new1cm - Position: 4010.0 μm - Charge: 255.86 pC




Transient Pulse - Sample: new1cm - Position: 4015.0 μm - Charge: 248.22 pC




Transient Pulse - Sample: new1cm - Position: 4020.0 μm - Charge: 249.37 pC




Transient Pulse - Sample: new1cm - Position: 4025.0 μm - Charge: 248.50 pC




Transient Pulse - Sample: new1cm - Position: 4030.0 μm - Charge: 250.34 pC




Transient Pulse - Sample: new1cm - Position: 4035.0 μm - Charge: 248.12 pC




Transient Pulse - Sample: new1cm - Position: 4040.0 μm - Charge: 256.56 pC




Transient Pulse - Sample: new1cm - Position: 4045.0 μm - Charge: 251.75 pC




Transient Pulse - Sample: new1cm - Position: 4050.0 μm - Charge: 250.78 pC




Transient Pulse - Sample: new1cm - Position: 4055.0 μm - Charge: 247.21 pC




Transient Pulse - Sample: new1cm - Position: 4060.0 μm - Charge: 254.29 pC




Transient Pulse - Sample: new1cm - Position: 4065.0 μm - Charge: 254.23 pC




Transient Pulse - Sample: new1cm - Position: 4070.0 μm - Charge: 253.14 pC




Transient Pulse - Sample: new1cm - Position: 4075.0 μm - Charge: 251.06 pC




Transient Pulse - Sample: new1cm - Position: 4080.0 μm - Charge: 246.97 pC




Transient Pulse - Sample: new1cm - Position: 4085.0 μm - Charge: 251.13 pC




Transient Pulse - Sample: new1cm - Position: 4090.0 μm - Charge: 247.99 pC




Transient Pulse - Sample: new1cm - Position: 4095.0 μm - Charge: 253.26 pC




Transient Pulse - Sample: new1cm - Position: 4100.0 μm - Charge: 246.47 pC




Transient Pulse - Sample: new1cm - Position: 4105.0 μm - Charge: 251.35 pC




Transient Pulse - Sample: new1cm - Position: 4110.0 μm - Charge: 252.11 pC




Transient Pulse - Sample: new1cm - Position: 4115.0 μm - Charge: 250.77 pC




Transient Pulse - Sample: new1cm - Position: 4120.0 μm - Charge: 246.90 pC




Transient Pulse - Sample: new1cm - Position: 4125.0 μm - Charge: 245.66 pC




Transient Pulse - Sample: new1cm - Position: 4130.0 μm - Charge: 243.06 pC




Transient Pulse - Sample: new1cm - Position: 4135.0 μm - Charge: 236.26 pC




Transient Pulse - Sample: new1cm - Position: 4140.0 μm - Charge: 234.29 pC




Transient Pulse - Sample: new1cm - Position: 4145.0 μm - Charge: 232.05 pC




Transient Pulse - Sample: new1cm - Position: 4150.0 μm - Charge: 219.14 pC




Transient Pulse - Sample: new1cm - Position: 4155.0 μm - Charge: 207.89 pC




Transient Pulse - Sample: new1cm - Position: 4160.0 μm - Charge: 195.27 pC




Transient Pulse - Sample: new1cm - Position: 4165.0 μm - Charge: 185.56 pC




Transient Pulse - Sample: new1cm - Position: 4170.0 μm - Charge: 170.41 pC




Transient Pulse - Sample: new1cm - Position: 4175.0 μm - Charge: 156.52 pC




Transient Pulse - Sample: new1cm - Position: 4180.0 μm - Charge: 143.56 pC




Transient Pulse - Sample: new1cm - Position: 4185.0 μm - Charge: 130.31 pC




Transient Pulse - Sample: new1cm - Position: 4190.0 μm - Charge: 111.89 pC




Transient Pulse - Sample: new1cm - Position: 4195.0 μm - Charge: 98.64 pC




Transient Pulse - Sample: new1cm - Position: 4200.0 μm - Charge: 82.86 pC




Transient Pulse - Sample: new1cm - Position: 4205.0 μm - Charge: 72.69 pC




Transient Pulse - Sample: new1cm - Position: 4210.0 μm - Charge: 58.50 pC




Transient Pulse - Sample: new1cm - Position: 4215.0 μm - Charge: 51.15 pC




Transient Pulse - Sample: new1cm - Position: 4220.0 μm - Charge: 42.42 pC




Transient Pulse - Sample: new1cm - Position: 4225.0 μm - Charge: 35.67 pC




Transient Pulse - Sample: new1cm - Position: 4230.0 μm - Charge: 34.81 pC




Transient Pulse - Sample: new1cm - Position: 4235.0 μm - Charge: 34.30 pC




Transient Pulse - Sample: new1cm - Position: 4240.0 μm - Charge: 37.40 pC




Transient Pulse - Sample: new1cm - Position: 4245.0 μm - Charge: 37.87 pC




Transient Pulse - Sample: new1cm - Position: 4250.0 μm - Charge: 45.56 pC




Transient Pulse - Sample: new1cm - Position: 4255.0 μm - Charge: 53.82 pC




Transient Pulse - Sample: new1cm - Position: 4260.0 μm - Charge: 65.16 pC




Transient Pulse - Sample: new1cm - Position: 4265.0 μm - Charge: 75.25 pC




Transient Pulse - Sample: new1cm - Position: 4270.0 μm - Charge: 86.82 pC




Transient Pulse - Sample: new1cm - Position: 4275.0 μm - Charge: 100.02 pC




Transient Pulse - Sample: new1cm - Position: 4280.0 μm - Charge: 117.51 pC




Transient Pulse - Sample: new1cm - Position: 4285.0 μm - Charge: 130.76 pC




Transient Pulse - Sample: new1cm - Position: 4290.0 μm - Charge: 145.03 pC




Transient Pulse - Sample: new1cm - Position: 4295.0 μm - Charge: 155.06 pC




Transient Pulse - Sample: new1cm - Position: 4300.0 μm - Charge: 172.69 pC




Transient Pulse - Sample: new1cm - Position: 4305.0 μm - Charge: 182.98 pC




Transient Pulse - Sample: new1cm - Position: 4310.0 μm - Charge: 192.28 pC




Transient Pulse - Sample: new1cm - Position: 4315.0 μm - Charge: 204.73 pC




Transient Pulse - Sample: new1cm - Position: 4320.0 μm - Charge: 213.68 pC




Transient Pulse - Sample: new1cm - Position: 4325.0 μm - Charge: 217.26 pC




Transient Pulse - Sample: new1cm - Position: 4330.0 μm - Charge: 223.40 pC




Transient Pulse - Sample: new1cm - Position: 4335.0 μm - Charge: 229.04 pC




Transient Pulse - Sample: new1cm - Position: 4340.0 μm - Charge: 233.16 pC




Transient Pulse - Sample: new1cm - Position: 4345.0 μm - Charge: 233.20 pC




Transient Pulse - Sample: new1cm - Position: 4350.0 μm - Charge: 234.27 pC




Transient Pulse - Sample: new1cm - Position: 4355.0 μm - Charge: 242.40 pC




Transient Pulse - Sample: new1cm - Position: 4360.0 μm - Charge: 241.20 pC




Transient Pulse - Sample: new1cm - Position: 4365.0 μm - Charge: 242.57 pC




Transient Pulse - Sample: new1cm - Position: 4370.0 μm - Charge: 239.71 pC




Transient Pulse - Sample: new1cm - Position: 4375.0 μm - Charge: 242.98 pC




Transient Pulse - Sample: new1cm - Position: 4380.0 μm - Charge: 243.50 pC




Transient Pulse - Sample: new1cm - Position: 4385.0 μm - Charge: 243.69 pC




Transient Pulse - Sample: new1cm - Position: 4390.0 μm - Charge: 239.91 pC




Transient Pulse - Sample: new1cm - Position: 4395.0 μm - Charge: 243.76 pC




Transient Pulse - Sample: new1cm - Position: 4400.0 μm - Charge: 242.97 pC




Transient Pulse - Sample: new1cm - Position: 4405.0 μm - Charge: 242.27 pC




Transient Pulse - Sample: new1cm - Position: 4410.0 μm - Charge: 248.02 pC




Transient Pulse - Sample: new1cm - Position: 4415.0 μm - Charge: 245.76 pC




Transient Pulse - Sample: new1cm - Position: 4420.0 μm - Charge: 243.07 pC




Transient Pulse - Sample: new1cm - Position: 4425.0 μm - Charge: 238.99 pC




Transient Pulse - Sample: new1cm - Position: 4430.0 μm - Charge: 244.70 pC




Transient Pulse - Sample: new1cm - Position: 4435.0 μm - Charge: 241.61 pC




Transient Pulse - Sample: new1cm - Position: 4440.0 μm - Charge: 245.16 pC




Transient Pulse - Sample: new1cm - Position: 4445.0 μm - Charge: 243.10 pC




Transient Pulse - Sample: new1cm - Position: 4450.0 μm - Charge: 241.62 pC




Transient Pulse - Sample: new1cm - Position: 4455.0 μm - Charge: 241.88 pC




Transient Pulse - Sample: new1cm - Position: 4460.0 μm - Charge: 240.51 pC




Transient Pulse - Sample: new1cm - Position: 4465.0 μm - Charge: 243.65 pC




Transient Pulse - Sample: new1cm - Position: 4470.0 μm - Charge: 240.25 pC




Transient Pulse - Sample: new1cm - Position: 4475.0 μm - Charge: 241.51 pC




Transient Pulse - Sample: new1cm - Position: 4480.0 μm - Charge: 239.61 pC




Transient Pulse - Sample: new1cm - Position: 4485.0 μm - Charge: 236.15 pC




Transient Pulse - Sample: new1cm - Position: 4490.0 μm - Charge: 238.90 pC




Transient Pulse - Sample: new1cm - Position: 4495.0 μm - Charge: 236.39 pC




Transient Pulse - Sample: new1cm - Position: 4500.0 μm - Charge: 233.57 pC




Transient Pulse - Sample: new1cm - Position: 4505.0 μm - Charge: 237.07 pC




Transient Pulse - Sample: new1cm - Position: 4510.0 μm - Charge: 237.64 pC




Transient Pulse - Sample: new1cm - Position: 4515.0 μm - Charge: 232.54 pC




Transient Pulse - Sample: new1cm - Position: 4520.0 μm - Charge: 234.15 pC




Transient Pulse - Sample: new1cm - Position: 4525.0 μm - Charge: 240.63 pC




Transient Pulse - Sample: new1cm - Position: 4530.0 μm - Charge: 234.85 pC




Transient Pulse - Sample: new1cm - Position: 4535.0 μm - Charge: 231.50 pC




Transient Pulse - Sample: new1cm - Position: 4540.0 μm - Charge: 230.73 pC




Transient Pulse - Sample: new1cm - Position: 4545.0 μm - Charge: 234.61 pC




Transient Pulse - Sample: new1cm - Position: 4550.0 μm - Charge: 238.96 pC




Transient Pulse - Sample: new1cm - Position: 4555.0 μm - Charge: 236.05 pC




Transient Pulse - Sample: new1cm - Position: 4560.0 μm - Charge: 234.84 pC




Transient Pulse - Sample: new1cm - Position: 4565.0 μm - Charge: 237.03 pC




Transient Pulse - Sample: new1cm - Position: 4570.0 μm - Charge: 233.12 pC




Transient Pulse - Sample: new1cm - Position: 4575.0 μm - Charge: 236.02 pC




Transient Pulse - Sample: new1cm - Position: 4580.0 μm - Charge: 235.37 pC




Transient Pulse - Sample: new1cm - Position: 4585.0 μm - Charge: 226.82 pC




Transient Pulse - Sample: new1cm - Position: 4590.0 μm - Charge: 231.27 pC




Transient Pulse - Sample: new1cm - Position: 4595.0 μm - Charge: 226.37 pC




Transient Pulse - Sample: new1cm - Position: 4600.0 μm - Charge: 228.28 pC




Transient Pulse - Sample: new1cm - Position: 4605.0 μm - Charge: 228.78 pC




Transient Pulse - Sample: new1cm - Position: 4610.0 μm - Charge: 228.06 pC




Transient Pulse - Sample: new1cm - Position: 4615.0 μm - Charge: 225.91 pC




Transient Pulse - Sample: new1cm - Position: 4620.0 μm - Charge: 225.59 pC




Transient Pulse - Sample: new1cm - Position: 4625.0 μm - Charge: 219.74 pC




Transient Pulse - Sample: new1cm - Position: 4630.0 μm - Charge: 217.03 pC




Transient Pulse - Sample: new1cm - Position: 4635.0 μm - Charge: 214.70 pC




Transient Pulse - Sample: new1cm - Position: 4640.0 μm - Charge: 205.84 pC




Transient Pulse - Sample: new1cm - Position: 4645.0 μm - Charge: 200.90 pC




Transient Pulse - Sample: new1cm - Position: 4650.0 μm - Charge: 197.47 pC




Transient Pulse - Sample: new1cm - Position: 4655.0 μm - Charge: 185.58 pC




Transient Pulse - Sample: new1cm - Position: 4660.0 μm - Charge: 174.61 pC




Transient Pulse - Sample: new1cm - Position: 4665.0 μm - Charge: 156.83 pC




Transient Pulse - Sample: new1cm - Position: 4670.0 μm - Charge: 150.07 pC




Transient Pulse - Sample: new1cm - Position: 4675.0 μm - Charge: 141.13 pC




Transient Pulse - Sample: new1cm - Position: 4680.0 μm - Charge: 129.47 pC




Transient Pulse - Sample: new1cm - Position: 4685.0 μm - Charge: 114.13 pC




Transient Pulse - Sample: new1cm - Position: 4690.0 μm - Charge: 101.30 pC




Transient Pulse - Sample: new1cm - Position: 4695.0 μm - Charge: 86.77 pC




Transient Pulse - Sample: new1cm - Position: 4700.0 μm - Charge: 73.21 pC




Transient Pulse - Sample: new1cm - Position: 4705.0 μm - Charge: 66.72 pC




Transient Pulse - Sample: new1cm - Position: 4710.0 μm - Charge: 55.51 pC




Transient Pulse - Sample: new1cm - Position: 4715.0 μm - Charge: 44.86 pC




Transient Pulse - Sample: new1cm - Position: 4720.0 μm - Charge: 38.08 pC




Transient Pulse - Sample: new1cm - Position: 4725.0 μm - Charge: 34.44 pC




Transient Pulse - Sample: new1cm - Position: 4730.0 μm - Charge: 30.42 pC




Transient Pulse - Sample: new1cm - Position: 4735.0 μm - Charge: 29.58 pC




Transient Pulse - Sample: new1cm - Position: 4740.0 μm - Charge: 29.36 pC




Transient Pulse - Sample: new1cm - Position: 4745.0 μm - Charge: 33.16 pC




Transient Pulse - Sample: new1cm - Position: 4750.0 μm - Charge: 37.29 pC




Transient Pulse - Sample: new1cm - Position: 4755.0 μm - Charge: 45.13 pC




Transient Pulse - Sample: new1cm - Position: 4760.0 μm - Charge: 54.90 pC




Transient Pulse - Sample: new1cm - Position: 4765.0 μm - Charge: 64.64 pC




Transient Pulse - Sample: new1cm - Position: 4770.0 μm - Charge: 71.35 pC




Transient Pulse - Sample: new1cm - Position: 4775.0 μm - Charge: 84.35 pC




Transient Pulse - Sample: new1cm - Position: 4780.0 μm - Charge: 96.09 pC




Transient Pulse - Sample: new1cm - Position: 4785.0 μm - Charge: 108.99 pC




Transient Pulse - Sample: new1cm - Position: 4790.0 μm - Charge: 118.98 pC




Transient Pulse - Sample: new1cm - Position: 4795.0 μm - Charge: 127.90 pC




Transient Pulse - Sample: new1cm - Position: 4800.0 μm - Charge: 140.54 pC




Transient Pulse - Sample: new1cm - Position: 4805.0 μm - Charge: 150.09 pC




Transient Pulse - Sample: new1cm - Position: 4810.0 μm - Charge: 158.91 pC




Transient Pulse - Sample: new1cm - Position: 4815.0 μm - Charge: 166.11 pC




Transient Pulse - Sample: new1cm - Position: 4820.0 μm - Charge: 168.79 pC




Transient Pulse - Sample: new1cm - Position: 4825.0 μm - Charge: 175.03 pC




Transient Pulse - Sample: new1cm - Position: 4830.0 μm - Charge: 176.33 pC




Transient Pulse - Sample: new1cm - Position: 4835.0 μm - Charge: 181.60 pC




Transient Pulse - Sample: new1cm - Position: 4840.0 μm - Charge: 186.23 pC




Transient Pulse - Sample: new1cm - Position: 4845.0 μm - Charge: 183.92 pC




Transient Pulse - Sample: new1cm - Position: 4850.0 μm - Charge: 188.33 pC




Transient Pulse - Sample: new1cm - Position: 4855.0 μm - Charge: 185.29 pC




Transient Pulse - Sample: new1cm - Position: 4860.0 μm - Charge: 186.54 pC




Transient Pulse - Sample: new1cm - Position: 4865.0 μm - Charge: 189.39 pC




Transient Pulse - Sample: new1cm - Position: 4870.0 μm - Charge: 192.81 pC




Transient Pulse - Sample: new1cm - Position: 4875.0 μm - Charge: 189.19 pC




Transient Pulse - Sample: new1cm - Position: 4880.0 μm - Charge: 193.93 pC




Transient Pulse - Sample: new1cm - Position: 4885.0 μm - Charge: 190.62 pC




Transient Pulse - Sample: new1cm - Position: 4890.0 μm - Charge: 187.76 pC




Transient Pulse - Sample: new1cm - Position: 4895.0 μm - Charge: 186.87 pC




Transient Pulse - Sample: new1cm - Position: 4900.0 μm - Charge: 189.87 pC




Transient Pulse - Sample: new1cm - Position: 4905.0 μm - Charge: 187.17 pC




Transient Pulse - Sample: new1cm - Position: 4910.0 μm - Charge: 182.65 pC




Transient Pulse - Sample: new1cm - Position: 4915.0 μm - Charge: 183.79 pC




Transient Pulse - Sample: new1cm - Position: 4920.0 μm - Charge: 182.94 pC




Transient Pulse - Sample: new1cm - Position: 4925.0 μm - Charge: 182.11 pC




Transient Pulse - Sample: new1cm - Position: 4930.0 μm - Charge: 183.88 pC




Transient Pulse - Sample: new1cm - Position: 4935.0 μm - Charge: 180.12 pC




Transient Pulse - Sample: new1cm - Position: 4940.0 μm - Charge: 181.91 pC




Transient Pulse - Sample: new1cm - Position: 4945.0 μm - Charge: 177.23 pC




Transient Pulse - Sample: new1cm - Position: 4950.0 μm - Charge: 184.14 pC




Transient Pulse - Sample: new1cm - Position: 4955.0 μm - Charge: 178.53 pC




Transient Pulse - Sample: new1cm - Position: 4960.0 μm - Charge: 174.64 pC




Transient Pulse - Sample: new1cm - Position: 4965.0 μm - Charge: 171.34 pC




Transient Pulse - Sample: new1cm - Position: 4970.0 μm - Charge: 171.49 pC




Transient Pulse - Sample: new1cm - Position: 4975.0 μm - Charge: 165.32 pC




Transient Pulse - Sample: new1cm - Position: 4980.0 μm - Charge: 162.59 pC




Transient Pulse - Sample: new1cm - Position: 4985.0 μm - Charge: 162.07 pC




Transient Pulse - Sample: new1cm - Position: 4990.0 μm - Charge: 147.99 pC




Transient Pulse - Sample: new1cm - Position: 4995.0 μm - Charge: 143.81 pC




Transient Pulse - Sample: new1cm - Position: 5000.0 μm - Charge: 135.33 pC




Transient Pulse - Sample: new1cm - Position: 5005.0 μm - Charge: 126.10 pC




Transient Pulse - Sample: new1cm - Position: 5010.0 μm - Charge: 122.01 pC




Transient Pulse - Sample: new1cm - Position: 5015.0 μm - Charge: 110.72 pC




Transient Pulse - Sample: new1cm - Position: 5020.0 μm - Charge: 99.76 pC




Transient Pulse - Sample: new1cm - Position: 5025.0 μm - Charge: 86.13 pC




Transient Pulse - Sample: new1cm - Position: 5030.0 μm - Charge: 75.85 pC




Transient Pulse - Sample: new1cm - Position: 5035.0 μm - Charge: 66.03 pC




Transient Pulse - Sample: new1cm - Position: 5040.0 μm - Charge: 54.08 pC




Transient Pulse - Sample: new1cm - Position: 5045.0 μm - Charge: 44.62 pC




Transient Pulse - Sample: new1cm - Position: 5050.0 μm - Charge: 37.22 pC




Transient Pulse - Sample: new1cm - Position: 5055.0 μm - Charge: 26.98 pC




Transient Pulse - Sample: new1cm - Position: 5060.0 μm - Charge: 21.54 pC




Transient Pulse - Sample: new1cm - Position: 5065.0 μm - Charge: 14.74 pC




Transient Pulse - Sample: new1cm - Position: 5070.0 μm - Charge: 11.06 pC




Transient Pulse - Sample: new1cm -Position: 5075.0 μm - Charge: 6.54 pC




Transient Pulse - Sample: new1cm -Position: 5080.0 μm - Charge: 4.89 pC




Transient Pulse - Sample: new1cm -Position: 5085.0 μm - Charge: 4.36 pC




Transient Pulse - Sample: new1cm -Position: 5090.0 μm - Charge: 2.23 pC




Transient Pulse - Sample: new1cm -Position: 5095.0 μm - Charge: 1.62 pC




Transient Pulse - Sample: new1cm - Position: 5100.0 μm - Charge: 1.35 pC




Transient Pulse - Sample: new1cm - Position: 5105.0 μm - Charge: 0.67 pC




Transient Pulse - Sample: new1cm - Position: 5110.0 μm - Charge: 1.93 pC




Transient Pulse - Sample: new1cm - Position: 5115.0 μm - Charge: 3.34 pC




Transient Pulse - Sample: new1cm - Position: 5120.0 μm - Charge: 5.11 pC




Transient Pulse - Sample: new1cm -Position: 5125.0 μm - Charge: 8.11 pC




Transient Pulse - Sample: new1cm - Position: 5130.0 μm - Charge: 6.49 pC




Transient Pulse - Sample: new1cm - Position: 5135.0 μm - Charge: 1.65 pC




Transient Pulse - Sample: new1cm - Position: 5140.0 μm - Charge: 1.55 pC




Transient Pulse - Sample: new1cm - Position: 5145.0 μm - Charge: 3.87 pC




Transient Pulse - Sample: new1cm - Position: 5150.0 μm - Charge: 2.11 pC




Transient Pulse - Sample: new1cm - Position: 5155.0 μm - Charge: 3.02 pC




Transient Pulse - Sample: new1cm - Position: 5160.0 μm - Charge: 1.94 pC




Transient Pulse - Sample: new1cm - Position: 5165.0 μm - Charge: 0.23 pC




Transient Pulse - Sample: new1cm - Position: 5170.0 μm - Charge: 2.71 pC




Transient Pulse - Sample: new1cm - Position: 5175.0 μm - Charge: 5.03 pC




Transient Pulse - Sample: new1cm - Position: 5180.0 μm - Charge: 4.98 pC




Transient Pulse - Sample: new1cm - Position: 5185.0 μm - Charge: 5.17 pC



Transient Pulse - Sample: new1cm - Position: 5190.0 μm - Charge: 2.52 pC



Transient Pulse - Sample: new1cm - Position: 5195.0 μm - Charge: -1.38 pC



Transient Pulse - Sample: new1cm - Position: 5200.0 μm - Charge: -0.14 pC

