



TCT Run TD_E_TCT_polished_3 Summary

Parameter	Value
Run	TD_E_TCT_polished_3
Surface	N/A
Edge	x
Sample	4003
Vbias (V)	50.0
DAC (%)	63.0
Bandwidth	500MHz
Path	C:\Users\APD-I\Desktop\TCT\EdgeTCT\073126\50V
Irradiation (Fluence)	N/A
Notes	N/A
Date	7/31/2026
Gain Constant	N/A


Collected Charge




Collected Charge




Rise Time




Amplitude




FWHM




Transient Pulse - Sample: 4003 - Position: 0.0 μm - Charge: 0.29 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 5.0 μm - Charge: 0.22 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 10.0 μm - Charge: 0.22 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 15.0 μm - Charge: 0.23 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 20.0 μm - Charge: 0.37 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 25.0 μm - Charge: 0.93 pC - Rise Time: 0.00 ns (N/A)



Transient Pulse - Sample: 4003 - Position: 30.0 μm - Charge: 0.07 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 35.0 μm - Charge: 1.69 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 40.0 μm - Charge: 1.23 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 45.0 μm - Charge: 1.20 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 50.0 μm - Charge: 0.69 pC - Rise Time: 0.02 ns




Transient Pulse - Sample: 4003 - Position: 55.0 μm - Charge: 1.31 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 60.0 μm - Charge: 1.26 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 65.0 μm - Charge: 1.33 pC - Rise Time: 0.00 ns (N/A)



Transient Pulse - Sample: 4003 - Position: 70.0 μm - Charge: 1.54 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 75.0 μm - Charge: 2.50 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 80.0 μm - Charge: 2.41 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 85.0 μm - Charge: 1.07 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 90.0 μm - Charge: 2.09 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 95.0 μm - Charge: 0.22 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 100.0 μm - Charge: 0.15 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 105.0 μm - Charge: 3.69 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 110.0 μm - Charge: 1.50 pC - Rise Time: 0.98 ns




Transient Pulse - Sample: 4003 - Position: 115.0 μm - Charge: 1.83 pC - Rise Time: 1.10 ns




Transient Pulse - Sample: 4003 - Position: 120.0 μm - Charge: 3.43 pC - Rise Time: 0.85 ns




Transient Pulse - Sample: 4003 - Position: 125.0 μm - Charge: 0.36 pC - Rise Time: 0.73 ns




Transient Pulse - Sample: 4003 - Position: 130.0 μm - Charge: 1.57 pC - Rise Time: 2.01 ns




Transient Pulse - Sample: 4003 - Position: 135.0 μm - Charge: 5.08 pC - Rise Time: 1.17 ns




Transient Pulse - Sample: 4003 - Position: 140.0 μm - Charge: 7.83 pC - Rise Time: 1.19 ns




Transient Pulse - Sample: 4003 - Position: 145.0 μm - Charge: 8.34 pC - Rise Time: 1.13 ns




Transient Pulse - Sample: 4003 - Position: 150.0 μm - Charge: 7.29 pC - Rise Time: 1.09 ns




Transient Pulse - Sample: 4003 - Position: 155.0 μm - Charge: 8.81 pC - Rise Time: 1.50 ns




Transient Pulse - Sample: 4003 - Position: 160.0 μm - Charge: 10.22 pC - Rise Time: 1.33 ns




Transient Pulse - Sample: 4003 - Position: 165.0 μm - Charge: 10.47 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: 4003 - Position: 170.0 μm - Charge: 13.39 pC - Rise Time: 1.38 ns




Transient Pulse - Sample: 4003 - Position: 175.0 μm - Charge: 15.16 pC - Rise Time: 1.00 ns




Transient Pulse - Sample: 4003 - Position: 180.0 μm - Charge: 16.39 pC - Rise Time: 1.18 ns




Transient Pulse - Sample: 4003 - Position: 185.0 μm - Charge: 18.28 pC - Rise Time: 1.09 ns




Transient Pulse - Sample: 4003 - Position: 190.0 μm - Charge: 18.37 pC - Rise Time: 1.09 ns




Transient Pulse - Sample: 4003 - Position: 195.0 μm - Charge: 20.55 pC - Rise Time: 1.11 ns




Transient Pulse - Sample: 4003 - Position: 200.0 μm - Charge: 21.53 pC - Rise Time: 1.17 ns




Transient Pulse - Sample: 4003 - Position: 205.0 μm - Charge: 22.08 pC - Rise Time: 1.23 ns




Transient Pulse - Sample: 4003 - Position: 210.0 μm - Charge: 22.82 pC - Rise Time: 1.17 ns




Transient Pulse - Sample: 4003 - Position: 215.0 μm - Charge: 23.99 pC - Rise Time: 1.21 ns




Transient Pulse - Sample: 4003 - Position: 220.0 μm - Charge: 25.25 pC - Rise Time: 1.21 ns




Transient Pulse - Sample: 4003 - Position: 225.0 μm - Charge: 24.72 pC - Rise Time: 1.09 ns




Transient Pulse - Sample: 4003 - Position: 230.0 μm - Charge: 25.13 pC - Rise Time: 1.24 ns




Transient Pulse - Sample: 4003 - Position: 235.0 μm - Charge: 26.55 pC - Rise Time: 1.13 ns




Transient Pulse - Sample: 4003 - Position: 240.0 μm - Charge: 26.06 pC - Rise Time: 1.35 ns




Transient Pulse - Sample: 4003 - Position: 245.0 μm - Charge: 27.19 pC - Rise Time: 1.09 ns




Transient Pulse - Sample: 4003 - Position: 250.0 μm - Charge: 25.73 pC - Rise Time: 1.27 ns




Transient Pulse - Sample: 4003 - Position: 255.0 μm - Charge: 25.65 pC - Rise Time: 1.11 ns




Transient Pulse - Sample: 4003 - Position: 260.0 μm - Charge: 26.32 pC - Rise Time: 1.11 ns




Transient Pulse - Sample: 4003 - Position: 265.0 μm - Charge: 23.35 pC - Rise Time: 1.11 ns




Transient Pulse - Sample: 4003 - Position: 270.0 μm - Charge: 25.03 pC - Rise Time: 1.05 ns




Transient Pulse - Sample: 4003 - Position: 275.0 μm - Charge: 24.89 pC - Rise Time: 1.45 ns




Transient Pulse - Sample: 4003 - Position: 280.0 μm - Charge: 25.58 pC - Rise Time: 1.09 ns




Transient Pulse - Sample: 4003 - Position: 285.0 μm - Charge: 25.46 pC - Rise Time: 1.08 ns




Transient Pulse - Sample: 4003 - Position: 290.0 μm - Charge: 21.88 pC - Rise Time: 1.39 ns




Transient Pulse - Sample: 4003 - Position: 295.0 μm - Charge: 22.74 pC - Rise Time: 1.29 ns




Transient Pulse - Sample: 4003 - Position: 300.0 μm - Charge: 21.22 pC - Rise Time: 1.04 ns




Transient Pulse - Sample: 4003 - Position: 305.0 μm - Charge: 20.96 pC - Rise Time: 1.09 ns




Transient Pulse - Sample: 4003 - Position: 310.0 μm - Charge: 19.52 pC - Rise Time: 1.12 ns




Transient Pulse - Sample: 4003 - Position: 315.0 μm - Charge: 18.53 pC - Rise Time: 1.18 ns




Transient Pulse - Sample: 4003 - Position: 320.0 μm - Charge: 16.63 pC - Rise Time: 0.96 ns




Transient Pulse - Sample: 4003 - Position: 325.0 μm - Charge: 16.24 pC - Rise Time: 1.29 ns




Transient Pulse - Sample: 4003 - Position: 330.0 μm - Charge: 15.35 pC - Rise Time: 1.02 ns




Transient Pulse - Sample: 4003 - Position: 335.0 μm - Charge: 15.90 pC - Rise Time: 1.02 ns




Transient Pulse - Sample: 4003 - Position: 340.0 μm - Charge: 13.23 pC - Rise Time: 1.13 ns




Transient Pulse - Sample: 4003 - Position: 345.0 μm - Charge: 12.65 pC - Rise Time: 1.36 ns




Transient Pulse - Sample: 4003 - Position: 350.0 μm - Charge: 11.14 pC - Rise Time: 1.61 ns




Transient Pulse - Sample: 4003 - Position: 355.0 μm - Charge: 9.88 pC - Rise Time: 1.35 ns




Transient Pulse - Sample: 4003 - Position: 360.0 μm - Charge: 9.26 pC - Rise Time: 1.33 ns




Transient Pulse - Sample: 4003 - Position: 365.0 μm - Charge: 8.33 pC - Rise Time: 1.51 ns




Transient Pulse - Sample: 4003 - Position: 370.0 μm - Charge: 7.84 pC - Rise Time: 1.17 ns




Transient Pulse - Sample: 4003 - Position: 375.0 μm - Charge: 7.49 pC - Rise Time: 1.31 ns




Transient Pulse - Sample: 4003 - Position: 380.0 μm - Charge: 5.58 pC - Rise Time: 1.25 ns




Transient Pulse - Sample: 4003 - Position: 385.0 μm - Charge: 4.92 pC - Rise Time: 1.19 ns




Transient Pulse - Sample: 4003 - Position: 390.0 μm - Charge: 5.20 pC - Rise Time: 1.15 ns




Transient Pulse - Sample: 4003 - Position: 395.0 μm - Charge: 4.19 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 400.0 μm - Charge: 3.48 pC - Rise Time: 1.02 ns




Transient Pulse - Sample: 4003 - Position: 405.0 μm - Charge: 2.10 pC - Rise Time: 0.64 ns




Transient Pulse - Sample: 4003 - Position: 410.0 μm - Charge: 3.64 pC - Rise Time: 0.82 ns




Transient Pulse - Sample: 4003 - Position: 415.0 μm - Charge: 1.52 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: 4003 - Position: 420.0 μm - Charge: 1.67 pC - Rise Time: 1.02 ns




Transient Pulse - Sample: 4003 - Position: 425.0 μm - Charge: 3.00 pC - Rise Time: 0.54 ns




Transient Pulse - Sample: 4003 - Position: 430.0 μm - Charge: 2.23 pC - Rise Time: 0.48 ns




Transient Pulse - Sample: 4003 - Position: 435.0 μm - Charge: 1.73 pC - Rise Time: 0.38 ns




Transient Pulse - Sample: 4003 - Position: 440.0 μm - Charge: 3.05 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 445.0 μm - Charge: 2.18 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 450.0 μm - Charge: 2.26 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 455.0 μm - Charge: 1.90 pC - Rise Time: 0.46 ns




Transient Pulse - Sample: 4003 - Position: 460.0 μm - Charge: 1.70 pC - Rise Time: 0.38 ns




Transient Pulse - Sample: 4003 - Position: 465.0 μm - Charge: 2.71 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 470.0 μm - Charge: 1.59 pC - Rise Time: 0.48 ns




Transient Pulse - Sample: 4003 - Position: 475.0 μm - Charge: 1.56 pC - Rise Time: 0.54 ns




Transient Pulse - Sample: 4003 - Position: 480.0 μm - Charge: 3.27 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 485.0 μm - Charge: 1.32 pC - Rise Time: 0.50 ns




Transient Pulse - Sample: 4003 - Position: 490.0 μm - Charge: 0.94 pC - Rise Time: 0.44 ns



Transient Pulse - Sample: 4003 - Position: 495.0 μm - Charge: 1.94 pC - Rise Time: 0.56 ns




Transient Pulse - Sample: 4003 - Position: 500.0 μm - Charge: 1.35 pC - Rise Time: 0.52 ns




Transient Pulse - Sample: 4003 - Position: 505.0 μm - Charge: 2.13 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 510.0 μm - Charge: 2.19 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 515.0 μm - Charge: 1.85 pC - Rise Time: 0.48 ns




Transient Pulse - Sample: 4003 - Position: 520.0 μm - Charge: 2.89 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 525.0 μm - Charge: 2.33 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 530.0 μm - Charge: 2.57 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 535.0 μm - Charge: 2.81 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 540.0 μm - Charge: 2.11 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 545.0 μm - Charge: 3.57 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 550.0 μm - Charge: 2.86 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 555.0 μm - Charge: 2.31 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 560.0 μm - Charge: 2.39 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 565.0 μm - Charge: 2.50 pC - Rise Time: 0.00 ns (N/A)



Transient Pulse - Sample: 4003 - Position: 570.0 μm - Charge: 2.13 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 575.0 μm - Charge: 1.08 pC - Rise Time: 0.56 ns




Transient Pulse - Sample: 4003 - Position: 580.0 μm - Charge: 1.17 pC - Rise Time: 0.54 ns




Transient Pulse - Sample: 4003 - Position: 585.0 μm - Charge: 1.31 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 590.0 μm - Charge: 0.41 pC - Rise Time: 0.00 ns (N/A)



Transient Pulse - Sample: 4003 - Position: 595.0 μm - Charge: 0.45 pC - Rise Time: 0.82 ns




Transient Pulse - Sample: 4003 - Position: 600.0 μm - Charge: 1.75 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 605.0 μm - Charge: 1.70 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 610.0 μm - Charge: 2.85 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 615.0 μm - Charge: 1.66 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 620.0 μm - Charge: 0.66 pC - Rise Time: 0.96 ns




Transient Pulse - Sample: 4003 - Position: 625.0 μm - Charge: 1.60 pC - Rise Time: 0.64 ns




Transient Pulse - Sample: 4003 - Position: 630.0 μm - Charge: 2.41 pC - Rise Time: 0.44 ns




Transient Pulse - Sample: 4003 - Position: 635.0 μm - Charge: 1.03 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 640.0 μm - Charge: 1.72 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 645.0 μm - Charge: 2.95 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 650.0 μm - Charge: 1.39 pC - Rise Time: 0.50 ns




Transient Pulse - Sample: 4003 - Position: 655.0 μm - Charge: 1.99 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 660.0 μm - Charge: 0.61 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 665.0 μm - Charge: 0.32 pC - Rise Time: 0.58 ns




Transient Pulse - Sample: 4003 - Position: 670.0 μm - Charge: 1.72 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 675.0 μm - Charge: 2.58 pC - Rise Time: 0.65 ns




Transient Pulse - Sample: 4003 - Position: 680.0 μm - Charge: 1.99 pC - Rise Time: 0.62 ns




Transient Pulse - Sample: 4003 - Position: 685.0 μm - Charge: 2.09 pC - Rise Time: 0.72 ns




Transient Pulse - Sample: 4003 - Position: 690.0 μm - Charge: 1.61 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 695.0 μm - Charge: 1.57 pC - Rise Time: 0.38 ns




Transient Pulse - Sample: 4003 - Position: 700.0 μm - Charge: 0.67 pC - Rise Time: 0.78 ns




Transient Pulse - Sample: 4003 - Position: 705.0 μm - Charge: 1.54 pC - Rise Time: 0.52 ns




Transient Pulse - Sample: 4003 - Position: 710.0 μm - Charge: 0.95 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 715.0 μm - Charge: 0.83 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 720.0 μm - Charge: 0.86 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 725.0 μm - Charge: 1.35 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 730.0 μm - Charge: 0.58 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 735.0 μm - Charge: 0.53 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 740.0 μm - Charge: 2.31 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 745.0 μm - Charge: 0.56 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 750.0 μm - Charge: 0.93 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 755.0 μm - Charge: 1.47 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 760.0 μm - Charge: 0.17 pC - Rise Time: 0.02 ns




Transient Pulse - Sample: 4003 - Position: 765.0 μm - Charge: 1.05 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 770.0 μm - Charge: 0.20 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 775.0 μm - Charge: 0.06 pC - Rise Time: 0.02 ns




Transient Pulse - Sample: 4003 - Position: 780.0 μm - Charge: 1.07 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 785.0 μm - Charge: 0.41 pC - Rise Time: 0.02 ns



Transient Pulse - Sample: 4003 - Position: 790.0 μm - Charge: 0.08 pC - Rise Time: 0.52 ns



Transient Pulse - Sample: 4003 - Position: 795.0 μm - Charge: 0.02 pC - Rise Time: 0.00 ns (N/A)



Transient Pulse - Sample: 4003 - Position: 800.0 μm - Charge: 0.11 pC - Rise Time: 0.00 ns (N/A)

