


TCT Run 033 Summary

Parameter	Value
Run	Run033
Surface	N/A
Edge	x
Sample	TD_4004
Vbias (V)	175.0
DAC (%)	56.0
Bandwidth	500MHz
Path	C:\Users\APD-I\Desktop\TCT\EdgeTCT\Run033
Irradiation (Fluence)	N/A
Notes	N/A
Date	N/A
Gain Constant	N/A

Collected Charge



Collected Charge

033 - Vbias = 175.0V

Collected Charge [a.u.]

1.0

0.8

0.6

0.4

0.2

0.0

0


100

200


300

400


Distance (μm)




Rise Time




Amplitude




FWHM




Transient Pulse - Sample: TD_4004 - Position: 0.0 μm - Charge: 1.24 pC - Rise Time: 0.46 ns




Transient Pulse - Sample: TD_4004 - Position: 5.0 μm - Charge: 0.62 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: TD_4004 - Position: 10.0 μm - Charge: 1.35 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: TD_4004 - Position: 15.0 μm - Charge: 1.31 pC - Rise Time: 0.46 ns




Transient Pulse - Sample: TD_4004 - Position: 20.0 μm - Charge: 0.61 pC - Rise Time: 0.58 ns




Transient Pulse - Sample: TD_4004 - Position: 25.0 μm - Charge: 2.18 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: TD_4004 - Position: 30.0 μm - Charge: 1.08 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: TD_4004 - Position: 35.0 μm - Charge: 1.32 pC - Rise Time: 0.94 ns




Transient Pulse - Sample: TD_4004 - Position: 40.0 μm - Charge: 2.06 pC - Rise Time: 0.82 ns




Transient Pulse - Sample: TD_4004 - Position: 45.0 μm - Charge: 3.19 pC - Rise Time: 1.07 ns




Transient Pulse - Sample: TD_4004 - Position: 50.0 μm - Charge: 4.82 pC - Rise Time: 1.04 ns




Transient Pulse - Sample: TD_4004 - Position: 55.0 μm - Charge: 7.80 pC - Rise Time: 1.04 ns




Transient Pulse - Sample: TD_4004 - Position: 60.0 μm - Charge: 13.17 pC - Rise Time: 0.97 ns




Transient Pulse - Sample: TD_4004 - Position: 65.0 μm - Charge: 19.78 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: TD_4004 - Position: 70.0 μm - Charge: 26.03 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: TD_4004 - Position: 75.0 μm - Charge: 31.37 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: TD_4004 - Position: 80.0 μm - Charge: 36.09 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: TD_4004 - Position: 85.0 μm - Charge: 39.23 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: TD_4004 - Position: 90.0 μm - Charge: 42.91 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: TD_4004 - Position: 95.0 μm - Charge: 45.73 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: TD_4004 - Position: 100.0 μm - Charge: 49.53 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: TD_4004 - Position: 105.0 μm - Charge: 51.01 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: TD_4004 - Position: 110.0 μm - Charge: 52.21 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: TD_4004 - Position: 115.0 μm - Charge: 51.08 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: TD_4004 - Position: 120.0 μm - Charge: 50.43 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: TD_4004 - Position: 125.0 μm - Charge: 49.18 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: TD_4004 - Position: 130.0 μm - Charge: 47.45 pC - Rise Time: 0.96 ns




Transient Pulse - Sample: TD_4004 - Position: 135.0 μm - Charge: 46.37 pC - Rise Time: 0.98 ns




Transient Pulse - Sample: TD_4004 - Position: 140.0 μm - Charge: 45.97 pC - Rise Time: 0.98 ns




Transient Pulse - Sample: TD_4004 - Position: 145.0 μm - Charge: 45.25 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: TD_4004 - Position: 150.0 μm - Charge: 45.69 pC - Rise Time: 0.97 ns




Transient Pulse - Sample: TD_4004 - Position: 155.0 μm - Charge: 45.99 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: TD_4004 - Position: 160.0 μm - Charge: 48.07 pC - Rise Time: 0.97 ns




Transient Pulse - Sample: TD_4004 - Position: 165.0 μm - Charge: 49.18 pC - Rise Time: 0.97 ns




Transient Pulse - Sample: TD_4004 - Position: 170.0 μm - Charge: 51.14 pC - Rise Time: 0.94 ns




Transient Pulse - Sample: TD_4004 - Position: 175.0 μm - Charge: 52.80 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: TD_4004 - Position: 180.0 μm - Charge: 53.70 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: TD_4004 - Position: 185.0 μm - Charge: 53.55 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: TD_4004 - Position: 190.0 μm - Charge: 53.31 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: TD_4004 - Position: 195.0 μm - Charge: 52.75 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: TD_4004 - Position: 200.0 μm - Charge: 51.88 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: TD_4004 - Position: 205.0 μm - Charge: 51.26 pC - Rise Time: 0.94 ns




Transient Pulse - Sample: TD_4004 - Position: 210.0 μm - Charge: 49.66 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: TD_4004 - Position: 215.0 μm - Charge: 49.20 pC - Rise Time: 0.94 ns




Transient Pulse - Sample: TD_4004 - Position: 220.0 μm - Charge: 49.57 pC - Rise Time: 0.94 ns




Transient Pulse - Sample: TD_4004 - Position: 225.0 μm - Charge: 48.13 pC - Rise Time: 0.96 ns




Transient Pulse - Sample: TD_4004 - Position: 230.0 μm - Charge: 46.52 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: TD_4004 - Position: 235.0 μm - Charge: 43.87 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: TD_4004 - Position: 240.0 μm - Charge: 42.67 pC - Rise Time: 1.01 ns




Transient Pulse - Sample: TD_4004 - Position: 245.0 μm - Charge: 43.02 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: TD_4004 - Position: 250.0 μm - Charge: 42.99 pC - Rise Time: 0.98 ns




Transient Pulse - Sample: TD_4004 - Position: 255.0 μm - Charge: 42.32 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: TD_4004 - Position: 260.0 μm - Charge: 41.28 pC - Rise Time: 1.01 ns




Transient Pulse - Sample: TD_4004 - Position: 265.0 μm - Charge: 41.02 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: TD_4004 - Position: 270.0 μm - Charge: 42.13 pC - Rise Time: 1.01 ns




Transient Pulse - Sample: TD_4004 - Position: 275.0 μm - Charge: 43.04 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: TD_4004 - Position: 280.0 μm - Charge: 43.08 pC - Rise Time: 1.00 ns




Transient Pulse - Sample: TD_4004 - Position: 285.0 μm - Charge: 42.95 pC - Rise Time: 1.01 ns




Transient Pulse - Sample: TD_4004 - Position: 290.0 μm - Charge: 41.71 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: TD_4004 - Position: 295.0 μm - Charge: 40.24 pC - Rise Time: 1.05 ns




Transient Pulse - Sample: TD_4004 - Position: 300.0 μm - Charge: 39.89 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: TD_4004 - Position: 305.0 μm - Charge: 38.71 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: TD_4004 - Position: 310.0 μm - Charge: 36.43 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: TD_4004 - Position: 315.0 μm - Charge: 33.98 pC - Rise Time: 1.05 ns




Transient Pulse - Sample: TD_4004 - Position: 320.0 μm - Charge: 32.83 pC - Rise Time: 1.05 ns




Transient Pulse - Sample: TD_4004 - Position: 325.0 μm - Charge: 31.90 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: TD_4004 - Position: 330.0 μm - Charge: 29.15 pC - Rise Time: 1.04 ns




Transient Pulse - Sample: TD_4004 - Position: 335.0 μm - Charge: 25.98 pC - Rise Time: 1.04 ns




Transient Pulse - Sample: TD_4004 - Position: 340.0 μm - Charge: 25.35 pC - Rise Time: 1.02 ns




Transient Pulse - Sample: TD_4004 - Position: 345.0 μm - Charge: 25.05 pC - Rise Time: 1.04 ns




Transient Pulse - Sample: TD_4004 - Position: 350.0 μm - Charge: 24.87 pC - Rise Time: 1.02 ns




Transient Pulse - Sample: TD_4004 - Position: 355.0 μm - Charge: 23.97 pC - Rise Time: 1.00 ns




Transient Pulse - Sample: TD_4004 - Position: 360.0 μm - Charge: 23.19 pC - Rise Time: 1.06 ns




Transient Pulse - Sample: TD_4004 - Position: 365.0 μm - Charge: 22.68 pC - Rise Time: 1.04 ns




Transient Pulse - Sample: TD_4004 - Position: 370.0 μm - Charge: 21.68 pC - Rise Time: 1.02 ns




Transient Pulse - Sample: TD_4004 - Position: 375.0 μm - Charge: 21.73 pC - Rise Time: 1.01 ns




Transient Pulse - Sample: TD_4004 - Position: 380.0 μm - Charge: 21.81 pC - Rise Time: 1.05 ns




Transient Pulse - Sample: TD_4004 - Position: 385.0 μm - Charge: 20.11 pC - Rise Time: 1.00 ns




Transient Pulse - Sample: TD_4004 - Position: 390.0 μm - Charge: 17.15 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: TD_4004 - Position: 395.0 μm - Charge: 14.60 pC - Rise Time: 1.05 ns




Transient Pulse - Sample: TD_4004 - Position: 400.0 μm - Charge: 11.56 pC - Rise Time: 1.07 ns




Transient Pulse - Sample: TD_4004 - Position: 405.0 μm - Charge: 9.40 pC - Rise Time: 1.06 ns




Transient Pulse - Sample: TD_4004 - Position: 410.0 μm - Charge: 7.80 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: TD_4004 - Position: 415.0 μm - Charge: 5.87 pC - Rise Time: 0.98 ns




Transient Pulse - Sample: TD_4004 - Position: 420.0 μm - Charge: 3.67 pC - Rise Time: 0.95 ns



Transient Pulse - Sample: TD_4004 - Position: 425.0 μm - Charge: 2.55 pC - Rise Time: 0.99 ns



Transient Pulse - Sample: TD_4004 - Position: 430.0 μm - Charge: 2.59 pC - Rise Time: 1.25 ns



Transient Pulse - Sample: TD_4004 - Position: 435.0 μm - Charge: 2.56 pC - Rise Time: 1.13 ns

