



TCT Run Run014 Summary

Parameter	Value
Run	Run014
Surface	N/A
Edge	x
Sample	4003
Vbias (V)	210.0
DAC (%)	63.0
Bandwidth	500MHz
Path	C:\Users\APD-I\Desktop\TCT\EdgeTCT\080526\210V_63DAC
Irradiation (Fluence)	N/A
Notes	N/A
Date	N/A
Gain Constant	N/A


Collected Charge




Collected Charge




Rise Time




Amplitude




FWHM




Transient Pulse - Sample: 4003 - Position: 0.0 μm - Charge: 0.93 pC - Rise Time: 0.60 ns




Transient Pulse - Sample: 4003 - Position: 5.0 μm - Charge: 0.54 pC - Rise Time: 0.54 ns




Transient Pulse - Sample: 4003 - Position: 10.0 μm - Charge: 0.79 pC - Rise Time: 0.48 ns




Transient Pulse - Sample: 4003 - Position: 15.0 μm - Charge: 2.00 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 20.0 μm - Charge: 1.07 pC - Rise Time: 0.84 ns




Transient Pulse - Sample: 4003 - Position: 25.0 μm - Charge: 1.65 pC - Rise Time: 0.71 ns




Transient Pulse - Sample: 4003 - Position: 30.0 μm - Charge: 1.41 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: 4003 - Position: 35.0 μm - Charge: 2.03 pC - Rise Time: 0.72 ns




Transient Pulse - Sample: 4003 - Position: 40.0 μm - Charge: 1.72 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 45.0 μm - Charge: 3.30 pC - Rise Time: 0.87 ns




Transient Pulse - Sample: 4003 - Position: 50.0 μm - Charge: 5.38 pC - Rise Time: 1.09 ns




Transient Pulse - Sample: 4003 - Position: 55.0 μm - Charge: 5.23 pC - Rise Time: 1.09 ns



Transient Pulse - Sample: 4003 - Position: 60.0 μm - Charge: 3.88 pC - Rise Time: 1.61 ns




Transient Pulse - Sample: 4003 - Position: 65.0 μm - Charge: 3.32 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 70.0 μm - Charge: 1.11 pC - Rise Time: 0.46 ns




Transient Pulse - Sample: 4003 - Position: 75.0 μm - Charge: 0.61 pC - Rise Time: 0.82 ns




Transient Pulse - Sample: 4003 - Position: 80.0 μm - Charge: 1.89 pC - Rise Time: 0.62 ns




Transient Pulse - Sample: 4003 - Position: 85.0 μm - Charge: 4.57 pC - Rise Time: 1.18 ns




Transient Pulse - Sample: 4003 - Position: 90.0 μm - Charge: 9.87 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 4003 - Position: 95.0 μm - Charge: 15.97 pC - Rise Time: 0.84 ns




Transient Pulse - Sample: 4003 - Position: 100.0 μm - Charge: 22.02 pC - Rise Time: 0.84 ns




Transient Pulse - Sample: 4003 - Position: 105.0 μm - Charge: 27.86 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: 4003 - Position: 110.0 μm - Charge: 34.35 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: 4003 - Position: 115.0 μm - Charge: 39.43 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 4003 - Position: 120.0 μm - Charge: 41.02 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 4003 - Position: 125.0 μm - Charge: 43.08 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: 4003 - Position: 130.0 μm - Charge: 43.00 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 135.0 μm - Charge: 44.07 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 4003 - Position: 140.0 μm - Charge: 44.17 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: 4003 - Position: 145.0 μm - Charge: 42.50 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: 4003 - Position: 150.0 μm - Charge: 44.07 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 4003 - Position: 155.0 μm - Charge: 42.01 pC - Rise Time: 0.94 ns




Transient Pulse - Sample: 4003 - Position: 160.0 μm - Charge: 41.99 pC - Rise Time: 0.96 ns




Transient Pulse - Sample: 4003 - Position: 165.0 μm - Charge: 42.78 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: 4003 - Position: 170.0 μm - Charge: 43.40 pC - Rise Time: 1.00 ns




Transient Pulse - Sample: 4003 - Position: 175.0 μm - Charge: 42.52 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: 4003 - Position: 180.0 μm - Charge: 42.53 pC - Rise Time: 1.01 ns




Transient Pulse - Sample: 4003 - Position: 185.0 μm - Charge: 42.61 pC - Rise Time: 1.02 ns




Transient Pulse - Sample: 4003 - Position: 190.0 μm - Charge: 42.34 pC - Rise Time: 1.06 ns




Transient Pulse - Sample: 4003 - Position: 195.0 μm - Charge: 41.85 pC - Rise Time: 1.08 ns




Transient Pulse - Sample: 4003 - Position: 200.0 μm - Charge: 42.99 pC - Rise Time: 1.10 ns




Transient Pulse - Sample: 4003 - Position: 205.0 μm - Charge: 41.55 pC - Rise Time: 1.08 ns




Transient Pulse - Sample: 4003 - Position: 210.0 μm - Charge: 40.87 pC - Rise Time: 1.10 ns




Transient Pulse - Sample: 4003 - Position: 215.0 μm - Charge: 41.98 pC - Rise Time: 1.14 ns




Transient Pulse - Sample: 4003 - Position: 220.0 μm - Charge: 41.91 pC - Rise Time: 1.15 ns




Transient Pulse - Sample: 4003 - Position: 225.0 μm - Charge: 40.58 pC - Rise Time: 1.15 ns




Transient Pulse - Sample: 4003 - Position: 230.0 μm - Charge: 40.90 pC - Rise Time: 1.12 ns




Transient Pulse - Sample: 4003 - Position: 235.0 μm - Charge: 40.89 pC - Rise Time: 1.16 ns




Transient Pulse - Sample: 4003 - Position: 240.0 μm - Charge: 40.36 pC - Rise Time: 1.18 ns




Transient Pulse - Sample: 4003 - Position: 245.0 μm - Charge: 40.16 pC - Rise Time: 1.17 ns




Transient Pulse - Sample: 4003 - Position: 250.0 μm - Charge: 39.35 pC - Rise Time: 1.15 ns




Transient Pulse - Sample: 4003 - Position: 255.0 μm - Charge: 38.45 pC - Rise Time: 1.11 ns




Transient Pulse - Sample: 4003 - Position: 260.0 μm - Charge: 39.91 pC - Rise Time: 1.16 ns




Transient Pulse - Sample: 4003 - Position: 265.0 μm - Charge: 37.97 pC - Rise Time: 1.12 ns




Transient Pulse - Sample: 4003 - Position: 270.0 μm - Charge: 38.21 pC - Rise Time: 1.18 ns




Transient Pulse - Sample: 4003 - Position: 275.0 μm - Charge: 37.88 pC - Rise Time: 1.15 ns




Transient Pulse - Sample: 4003 - Position: 280.0 μm - Charge: 36.39 pC - Rise Time: 1.25 ns




Transient Pulse - Sample: 4003 - Position: 285.0 μm - Charge: 36.18 pC - Rise Time: 1.37 ns




Transient Pulse - Sample: 4003 - Position: 290.0 μm - Charge: 36.11 pC - Rise Time: 1.33 ns




Transient Pulse - Sample: 4003 - Position: 295.0 μm - Charge: 35.22 pC - Rise Time: 1.54 ns




Transient Pulse - Sample: 4003 - Position: 300.0 μm - Charge: 35.28 pC - Rise Time: 2.30 ns




Transient Pulse - Sample: 4003 - Position: 305.0 μm - Charge: 35.17 pC - Rise Time: 2.65 ns




Transient Pulse - Sample: 4003 - Position: 310.0 μm - Charge: 35.13 pC - Rise Time: 2.82 ns




Transient Pulse - Sample: 4003 - Position: 315.0 μm - Charge: 33.97 pC - Rise Time: 2.90 ns




Transient Pulse - Sample: 4003 - Position: 320.0 μm - Charge: 33.81 pC - Rise Time: 3.10 ns




Transient Pulse - Sample: 4003 - Position: 325.0 μm - Charge: 33.30 pC - Rise Time: 3.29 ns




Transient Pulse - Sample: 4003 - Position: 330.0 μm - Charge: 32.97 pC - Rise Time: 3.59 ns




Transient Pulse - Sample: 4003 - Position: 335.0 μm - Charge: 30.02 pC - Rise Time: 3.56 ns




Transient Pulse - Sample: 4003 - Position: 340.0 μm - Charge: 31.67 pC - Rise Time: 3.84 ns




Transient Pulse - Sample: 4003 - Position: 345.0 μm - Charge: 30.54 pC - Rise Time: 4.11 ns




Transient Pulse - Sample: 4003 - Position: 350.0 μm - Charge: 26.34 pC - Rise Time: 3.31 ns




Transient Pulse - Sample: 4003 - Position: 355.0 μm - Charge: 22.36 pC - Rise Time: 0.87 ns




Transient Pulse - Sample: 4003 - Position: 360.0 μm - Charge: 18.94 pC - Rise Time: 1.17 ns




Transient Pulse - Sample: 4003 - Position: 365.0 μm - Charge: 8.51 pC - Rise Time: 1.01 ns




Transient Pulse - Sample: 4003 - Position: 370.0 μm - Charge: 4.72 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: 4003 - Position: 375.0 μm - Charge: 4.83 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 4003 - Position: 380.0 μm - Charge: 6.25 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 4003 - Position: 385.0 μm - Charge: 6.07 pC - Rise Time: 1.15 ns




Transient Pulse - Sample: 4003 - Position: 390.0 μm - Charge: 6.28 pC - Rise Time: 1.13 ns




Transient Pulse - Sample: 4003 - Position: 395.0 μm - Charge: 5.67 pC - Rise Time: 1.22 ns




Transient Pulse - Sample: 4003 - Position: 400.0 μm - Charge: 4.85 pC - Rise Time: 1.25 ns




Transient Pulse - Sample: 4003 - Position: 405.0 μm - Charge: 4.02 pC - Rise Time: 0.79 ns




Transient Pulse - Sample: 4003 - Position: 410.0 μm - Charge: 2.59 pC - Rise Time: 0.66 ns



Transient Pulse - Sample: 4003 - Position: 415.0 μm - Charge: 1.23 pC - Rise Time: 0.58 ns



Transient Pulse - Sample: 4003 - Position: 420.0 μm - Charge: 1.22 pC - Rise Time: 0.00 ns (N/A)



Transient Pulse - Sample: 4003 - Position: 425.0 μm - Charge: 1.07 pC - Rise Time: 0.00 ns (N/A)

