



TCT Run Run021 Summary

Parameter	Value
Run	Run021
Surface	N/A
Edge	x
Sample	4003
Vbias (V)	110.0
DAC (%)	63.0
Bandwidth	500MHz
Path	C:\Users\APD-I\Desktop\TCT\EdgeTCT\080526\110V_63DAC
Irradiation (Fluence)	N/A
Notes	N/A
Date	N/A
Gain Constant	N/A


Collected Charge




Collected Charge




Rise Time




Amplitude




FWHM




Transient Pulse - Sample: 4003 - Position: 0.0 μm - Charge: 3.83 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 5.0 μm - Charge: 3.54 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 10.0 μm - Charge: 2.71 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 15.0 μm - Charge: 2.69 pC - Rise Time: 0.66 ns




Transient Pulse - Sample: 4003 - Position: 20.0 μm - Charge: 3.11 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 25.0 μm - Charge: 2.27 pC - Rise Time: 1.02 ns



Transient Pulse - Sample: 4003 - Position: 30.0 μm - Charge: 1.32 pC - Rise Time: 1.00 ns




Transient Pulse - Sample: 4003 - Position: 35.0 μm - Charge: 1.47 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 40.0 μm - Charge: 1.11 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 45.0 μm - Charge: 2.82 pC - Rise Time: 1.17 ns




Transient Pulse - Sample: 4003 - Position: 50.0 μm - Charge: 2.41 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: 4003 - Position: 55.0 μm - Charge: 3.39 pC - Rise Time: 1.35 ns




Transient Pulse - Sample: 4003 - Position: 60.0 μm - Charge: 3.56 pC - Rise Time: 1.24 ns




Transient Pulse - Sample: 4003 - Position: 65.0 μm - Charge: 2.73 pC - Rise Time: 0.76 ns




Transient Pulse - Sample: 4003 - Position: 70.0 μm - Charge: 2.69 pC - Rise Time: 0.66 ns




Transient Pulse - Sample: 4003 - Position: 75.0 μm - Charge: 4.07 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 80.0 μm - Charge: 1.39 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 85.0 μm - Charge: 1.71 pC - Rise Time: 1.21 ns




Transient Pulse - Sample: 4003 - Position: 90.0 μm - Charge: 3.39 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: 4003 - Position: 95.0 μm - Charge: 5.85 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 100.0 μm - Charge: 9.66 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 4003 - Position: 105.0 μm - Charge: 11.81 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: 4003 - Position: 110.0 μm - Charge: 14.90 pC - Rise Time: 0.94 ns




Transient Pulse - Sample: 4003 - Position: 115.0 μm - Charge: 16.33 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: 4003 - Position: 120.0 μm - Charge: 18.19 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 125.0 μm - Charge: 19.41 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 130.0 μm - Charge: 19.11 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: 4003 - Position: 135.0 μm - Charge: 19.63 pC - Rise Time: 0.94 ns




Transient Pulse - Sample: 4003 - Position: 140.0 μm - Charge: 19.97 pC - Rise Time: 0.96 ns




Transient Pulse - Sample: 4003 - Position: 145.0 μm - Charge: 19.75 pC - Rise Time: 0.96 ns




Transient Pulse - Sample: 4003 - Position: 150.0 μm - Charge: 19.48 pC - Rise Time: 0.98 ns




Transient Pulse - Sample: 4003 - Position: 155.0 μm - Charge: 18.98 pC - Rise Time: 0.97 ns




Transient Pulse - Sample: 4003 - Position: 160.0 μm - Charge: 18.81 pC - Rise Time: 0.98 ns




Transient Pulse - Sample: 4003 - Position: 165.0 μm - Charge: 19.57 pC - Rise Time: 1.01 ns




Transient Pulse - Sample: 4003 - Position: 170.0 μm - Charge: 19.65 pC - Rise Time: 1.04 ns




Transient Pulse - Sample: 4003 - Position: 175.0 μm - Charge: 19.37 pC - Rise Time: 1.08 ns




Transient Pulse - Sample: 4003 - Position: 180.0 μm - Charge: 18.96 pC - Rise Time: 1.10 ns




Transient Pulse - Sample: 4003 - Position: 185.0 μm - Charge: 19.09 pC - Rise Time: 1.09 ns




Transient Pulse - Sample: 4003 - Position: 190.0 μm - Charge: 19.18 pC - Rise Time: 1.14 ns




Transient Pulse - Sample: 4003 - Position: 195.0 μm - Charge: 19.41 pC - Rise Time: 1.18 ns




Transient Pulse - Sample: 4003 - Position: 200.0 μm - Charge: 19.00 pC - Rise Time: 1.20 ns




Transient Pulse - Sample: 4003 - Position: 205.0 μm - Charge: 18.44 pC - Rise Time: 1.17 ns




Transient Pulse - Sample: 4003 - Position: 210.0 μm - Charge: 18.56 pC - Rise Time: 1.18 ns




Transient Pulse - Sample: 4003 - Position: 215.0 μm - Charge: 18.63 pC - Rise Time: 1.20 ns




Transient Pulse - Sample: 4003 - Position: 220.0 μm - Charge: 17.84 pC - Rise Time: 1.37 ns




Transient Pulse - Sample: 4003 - Position: 225.0 μm - Charge: 18.12 pC - Rise Time: 1.28 ns




Transient Pulse - Sample: 4003 - Position: 230.0 μm - Charge: 17.33 pC - Rise Time: 1.32 ns




Transient Pulse - Sample: 4003 - Position: 235.0 μm - Charge: 17.35 pC - Rise Time: 1.58 ns




Transient Pulse - Sample: 4003 - Position: 240.0 μm - Charge: 17.47 pC - Rise Time: 1.72 ns




Transient Pulse - Sample: 4003 - Position: 245.0 μm - Charge: 15.95 pC - Rise Time: 2.62 ns




Transient Pulse - Sample: 4003 - Position: 250.0 μm - Charge: 15.85 pC - Rise Time: 2.77 ns




Transient Pulse - Sample: 4003 - Position: 255.0 μm - Charge: 14.72 pC - Rise Time: 3.00 ns




Transient Pulse - Sample: 4003 - Position: 260.0 μm - Charge: 13.69 pC - Rise Time: 3.27 ns




Transient Pulse - Sample: 4003 - Position: 265.0 μm - Charge: 47.14 pC - Rise Time: 3.53 ns




Transient Pulse - Sample: 4003 - Position: 270.0 μm - Charge: 11.16 pC - Rise Time: 4.29 ns




Transient Pulse - Sample: 4003 - Position: 275.0 μm - Charge: 20.08 pC - Rise Time: 1.00 ns




Transient Pulse - Sample: 4003 - Position: 280.0 μm - Charge: 20.36 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: 4003 - Position: 285.0 μm - Charge: 18.30 pC - Rise Time: 1.47 ns




Transient Pulse - Sample: 4003 - Position: 290.0 μm - Charge: 2.70 pC - Rise Time: 1.01 ns




Transient Pulse - Sample: 4003 - Position: 295.0 μm - Charge: 2.76 pC - Rise Time: 0.96 ns




Transient Pulse - Sample: 4003 - Position: 300.0 μm - Charge: 2.62 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 4003 - Position: 305.0 μm - Charge: 2.28 pC - Rise Time: 1.01 ns




Transient Pulse - Sample: 4003 - Position: 310.0 μm - Charge: 2.50 pC - Rise Time: 8.54 ns




Transient Pulse - Sample: 4003 - Position: 315.0 μm - Charge: 2.48 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: 4003 - Position: 320.0 μm - Charge: 2.49 pC - Rise Time: 1.21 ns




Transient Pulse - Sample: 4003 - Position: 325.0 μm - Charge: 2.01 pC - Rise Time: 2.72 ns




Transient Pulse - Sample: 4003 - Position: 330.0 μm - Charge: 2.14 pC - Rise Time: 0.97 ns




Transient Pulse - Sample: 4003 - Position: 335.0 μm - Charge: 1.71 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 340.0 μm - Charge: 1.93 pC - Rise Time: 1.41 ns




Transient Pulse - Sample: 4003 - Position: 345.0 μm - Charge: 1.26 pC - Rise Time: 1.20 ns




Transient Pulse - Sample: 4003 - Position: 350.0 μm - Charge: 1.74 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 355.0 μm - Charge: 1.71 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 4003 - Position: 360.0 μm - Charge: 1.74 pC - Rise Time: 4.06 ns




Transient Pulse - Sample: 4003 - Position: 365.0 μm - Charge: 1.88 pC - Rise Time: 1.20 ns




Transient Pulse - Sample: 4003 - Position: 370.0 μm - Charge: 1.54 pC - Rise Time: 0.58 ns




Transient Pulse - Sample: 4003 - Position: 375.0 μm - Charge: 1.28 pC - Rise Time: 1.04 ns




Transient Pulse - Sample: 4003 - Position: 380.0 μm - Charge: 2.46 pC - Rise Time: 0.97 ns




Transient Pulse - Sample: 4003 - Position: 385.0 μm - Charge: 2.50 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: 4003 - Position: 390.0 μm - Charge: 2.60 pC - Rise Time: 1.32 ns




Transient Pulse - Sample: 4003 - Position: 395.0 μm - Charge: 2.37 pC - Rise Time: 0.80 ns




Transient Pulse - Sample: 4003 - Position: 400.0 μm - Charge: 2.26 pC - Rise Time: 1.02 ns




Transient Pulse - Sample: 4003 - Position: 405.0 μm - Charge: 1.94 pC - Rise Time: 1.10 ns




Transient Pulse - Sample: 4003 - Position: 410.0 μm - Charge: 1.67 pC - Rise Time: 2.70 ns



Transient Pulse - Sample: 4003 - Position: 415.0 μm - Charge: 1.21 pC - Rise Time: 0.98 ns



Transient Pulse - Sample: 4003 - Position: 420.0 μm - Charge: 5.50 pC - Rise Time: 8.22 ns



Transient Pulse - Sample: 4003 - Position: 425.0 μm - Charge: 3.91 pC - Rise Time: 0.00 ns (N/A)

