



TCT Run 1cm_42_multichannel_DC_3 Summary

Parameter	Value
Run	1cm_42_multichannel_DC_3
Surface	N/A
Edge	N/A
Sample	1cm_42_multichannel
Vbias (V)	-150.0
DAC (%)	63.3
Bandwidth	500MHz
Path	C:\Users\APD-I\Desktop\TCT\LGAD\072726\1cm_42_multichannel_2ndrun\150V_63.3DAC\DC_ring
Irradiation (Fluence)	N/A
Notes	Same positiobn scan as AC test above, now with DC as inpout to scope
Date	7/27/2026
Gain Constant	N/A


Collected Charge




Collected Charge




Rise Time




Amplitude




FWHM




Transient Pulse - Sample: 1cm_42_multichannel - Position: 0.0 μm - Charge: 3.45 pC - Rise Time: 0.02 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 5.0 μm - Charge: 2.03 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 1cm_42_multichannel - Position: 10.0 μm - Charge: 2.82 pC - Rise Time: 0.02 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 15.0 μm - Charge: 3.55 pC - Rise Time: 0.02 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 20.0 μm - Charge: 3.73 pC - Rise Time: 0.02 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 25.0 μm - Charge: 5.22 pC - Rise Time: 0.02 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 30.0 μm - Charge: 5.55 pC - Rise Time: 1.02 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 35.0 μm - Charge: 6.09 pC - Rise Time: 0.72 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 40.0 μm - Charge: 5.67 pC - Rise Time: 0.60 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 45.0 μm - Charge: 6.69 pC - Rise Time: 0.79 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 50.0 μm - Charge: 4.85 pC - Rise Time: 0.85 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 55.0 μm - Charge: 7.73 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 60.0 μm - Charge: 10.82 pC - Rise Time: 1.04 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 65.0 μm - Charge: 14.00 pC - Rise Time: 0.79 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 70.0 μm - Charge: 11.98 pC - Rise Time: 0.79 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 75.0 μm - Charge: 17.48 pC - Rise Time: 0.77 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 80.0 μm - Charge: 21.27 pC - Rise Time: 0.79 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 85.0 μm - Charge: 29.25 pC - Rise Time: 0.76 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 90.0 μm - Charge: 32.54 pC - Rise Time: 0.79 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 95.0 μm - Charge: 35.12 pC - Rise Time: 0.80 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 100.0 μm - Charge: 30.76 pC - Rise Time: 0.80 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 105.0 μm - Charge: 32.82 pC - Rise Time: 0.79 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 110.0 μm - Charge: 34.40 pC - Rise Time: 0.77 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 115.0 μm - Charge: 35.12 pC - Rise Time: 0.79 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 120.0 μm - Charge: 36.14 pC - Rise Time: 0.81 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 125.0 μm - Charge: 36.30 pC - Rise Time: 0.80 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 130.0 μm - Charge: 36.53 pC - Rise Time: 0.79 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 135.0 μm - Charge: 36.68 pC - Rise Time: 0.79 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 140.0 μm - Charge: 42.21 pC - Rise Time: 0.81 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 145.0 μm - Charge: 42.17 pC - Rise Time: 0.78 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 150.0 μm - Charge: 38.14 pC - Rise Time: 0.82 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 155.0 μm - Charge: 43.09 pC - Rise Time: 0.82 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 160.0 μm - Charge: 43.02 pC - Rise Time: 0.79 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 165.0 μm - Charge: 43.18 pC - Rise Time: 0.83 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 170.0 μm - Charge: 43.91 pC - Rise Time: 0.78 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 175.0 μm - Charge: 43.51 pC - Rise Time: 0.79 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 180.0 μm - Charge: 44.16 pC - Rise Time: 0.79 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 185.0 μm - Charge: 43.53 pC - Rise Time: 0.81 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 190.0 μm - Charge: 44.09 pC - Rise Time: 0.81 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 195.0 μm - Charge: 44.50 pC - Rise Time: 0.82 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 200.0 μm - Charge: 44.79 pC - Rise Time: 0.79 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 205.0 μm - Charge: 44.54 pC - Rise Time: 0.79 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 210.0 μm - Charge: 43.81 pC - Rise Time: 0.82 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 215.0 μm - Charge: 44.53 pC - Rise Time: 0.79 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 220.0 μm - Charge: 43.37 pC - Rise Time: 0.81 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 225.0 μm - Charge: 43.54 pC - Rise Time: 0.81 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 230.0 μm - Charge: 43.66 pC - Rise Time: 0.80 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 235.0 μm - Charge: 43.80 pC - Rise Time: 0.82 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 240.0 μm - Charge: 42.89 pC - Rise Time: 0.80 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 245.0 μm - Charge: 42.45 pC - Rise Time: 0.82 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 250.0 μm - Charge: 41.63 pC - Rise Time: 0.84 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 255.0 μm - Charge: 42.09 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 260.0 μm - Charge: 40.60 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 265.0 μm - Charge: 42.86 pC - Rise Time: 0.84 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 270.0 μm - Charge: 41.30 pC - Rise Time: 0.84 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 275.0 μm - Charge: 39.22 pC - Rise Time: 0.83 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 280.0 μm - Charge: 37.18 pC - Rise Time: 0.83 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 285.0 μm - Charge: 35.30 pC - Rise Time: 0.80 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 290.0 μm - Charge: 32.26 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 295.0 μm - Charge: 29.48 pC - Rise Time: 0.87 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 300.0 μm - Charge: 23.84 pC - Rise Time: 0.82 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 305.0 μm - Charge: 24.64 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 310.0 μm - Charge: 10.89 pC - Rise Time: 0.77 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 315.0 μm - Charge: 7.50 pC - Rise Time: 1.00 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 320.0 μm - Charge: 11.23 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 325.0 μm - Charge: 8.02 pC - Rise Time: 0.75 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 330.0 μm - Charge: 7.91 pC - Rise Time: 0.67 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 335.0 μm - Charge: 6.06 pC - Rise Time: 1.04 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 340.0 μm - Charge: 6.48 pC - Rise Time: 0.56 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 345.0 μm - Charge: 6.13 pC - Rise Time: 0.72 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 350.0 μm - Charge: 6.85 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 355.0 μm - Charge: 7.30 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 360.0 μm - Charge: 6.58 pC - Rise Time: 0.78 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 365.0 μm - Charge: 7.40 pC - Rise Time: 0.70 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 370.0 μm - Charge: 7.79 pC - Rise Time: 1.01 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 375.0 μm - Charge: 8.30 pC - Rise Time: 1.29 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 380.0 μm - Charge: 10.12 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 385.0 μm - Charge: 13.37 pC - Rise Time: 1.01 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 390.0 μm - Charge: 14.95 pC - Rise Time: 1.06 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 395.0 μm - Charge: 24.83 pC - Rise Time: 0.85 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 400.0 μm - Charge: 29.32 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 405.0 μm - Charge: 28.14 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 410.0 μm - Charge: 32.00 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 415.0 μm - Charge: 36.80 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 420.0 μm - Charge: 40.13 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 425.0 μm - Charge: 44.17 pC - Rise Time: 0.87 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 430.0 μm - Charge: 46.65 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 435.0 μm - Charge: 47.70 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 440.0 μm - Charge: 48.49 pC - Rise Time: 0.87 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 445.0 μm - Charge: 47.45 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 450.0 μm - Charge: 49.82 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 455.0 μm - Charge: 50.31 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 460.0 μm - Charge: 50.01 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 465.0 μm - Charge: 49.28 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 470.0 μm - Charge: 49.04 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 475.0 μm - Charge: 49.40 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 480.0 μm - Charge: 49.34 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 485.0 μm - Charge: 49.00 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 490.0 μm - Charge: 49.55 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 495.0 μm - Charge: 49.61 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 500.0 μm - Charge: 48.88 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 505.0 μm - Charge: 48.40 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 510.0 μm - Charge: 49.46 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 515.0 μm - Charge: 49.31 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 520.0 μm - Charge: 48.83 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 525.0 μm - Charge: 48.60 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 530.0 μm - Charge: 48.55 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 535.0 μm - Charge: 47.95 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 540.0 μm - Charge: 48.57 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 545.0 μm - Charge: 48.48 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 550.0 μm - Charge: 48.12 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 555.0 μm - Charge: 48.59 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 560.0 μm - Charge: 48.34 pC - Rise Time: 0.94 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 565.0 μm - Charge: 47.09 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 570.0 μm - Charge: 47.62 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 575.0 μm - Charge: 48.74 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 580.0 μm - Charge: 48.89 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 585.0 μm - Charge: 47.97 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 590.0 μm - Charge: 48.49 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 595.0 μm - Charge: 48.81 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 600.0 μm - Charge: 47.84 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 605.0 μm - Charge: 48.17 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 610.0 μm - Charge: 48.22 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 615.0 μm - Charge: 47.46 pC - Rise Time: 0.96 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 620.0 μm - Charge: 48.17 pC - Rise Time: 0.96 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 625.0 μm - Charge: 48.05 pC - Rise Time: 0.98 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 630.0 μm - Charge: 48.54 pC - Rise Time: 0.98 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 635.0 μm - Charge: 47.24 pC - Rise Time: 0.98 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 640.0 μm - Charge: 47.97 pC - Rise Time: 1.00 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 645.0 μm - Charge: 47.99 pC - Rise Time: 0.98 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 650.0 μm - Charge: 47.96 pC - Rise Time: 1.02 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 655.0 μm - Charge: 47.56 pC - Rise Time: 1.00 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 660.0 μm - Charge: 47.24 pC - Rise Time: 1.02 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 665.0 μm - Charge: 47.79 pC - Rise Time: 1.00 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 670.0 μm - Charge: 47.79 pC - Rise Time: 1.02 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 675.0 μm - Charge: 46.32 pC - Rise Time: 1.00 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 680.0 μm - Charge: 47.82 pC - Rise Time: 1.04 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 685.0 μm - Charge: 47.89 pC - Rise Time: 0.98 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 690.0 μm - Charge: 47.08 pC - Rise Time: 0.98 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 695.0 μm - Charge: 47.13 pC - Rise Time: 1.00 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 700.0 μm - Charge: 46.75 pC - Rise Time: 1.02 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 705.0 μm - Charge: 47.21 pC - Rise Time: 1.00 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 710.0 μm - Charge: 47.26 pC - Rise Time: 1.04 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 715.0 μm - Charge: 47.03 pC - Rise Time: 1.06 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 720.0 μm - Charge: 46.66 pC - Rise Time: 0.98 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 725.0 μm - Charge: 46.19 pC - Rise Time: 1.00 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 730.0 μm - Charge: 46.60 pC - Rise Time: 1.01 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 735.0 μm - Charge: 47.45 pC - Rise Time: 1.02 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 740.0 μm - Charge: 47.78 pC - Rise Time: 1.05 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 745.0 μm - Charge: 45.95 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 750.0 μm - Charge: 46.79 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 755.0 μm - Charge: 46.40 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 760.0 μm - Charge: 45.07 pC - Rise Time: 1.07 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 765.0 μm - Charge: 43.55 pC - Rise Time: 1.01 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 770.0 μm - Charge: 43.85 pC - Rise Time: 1.05 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 775.0 μm - Charge: 42.01 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 780.0 μm - Charge: 41.54 pC - Rise Time: 0.97 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 785.0 μm - Charge: 40.66 pC - Rise Time: 0.98 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 790.0 μm - Charge: 36.39 pC - Rise Time: 1.00 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 795.0 μm - Charge: 43.72 pC - Rise Time: 1.12 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 800.0 μm - Charge: 39.43 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 805.0 μm - Charge: 34.36 pC - Rise Time: 1.05 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 810.0 μm - Charge: 24.92 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 815.0 μm - Charge: 19.93 pC - Rise Time: 1.40 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 820.0 μm - Charge: 7.83 pC - Rise Time: 1.09 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 825.0 μm - Charge: 11.63 pC - Rise Time: 1.25 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 830.0 μm - Charge: 11.19 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 835.0 μm - Charge: 9.40 pC - Rise Time: 1.23 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 840.0 μm - Charge: 8.22 pC - Rise Time: 0.80 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 845.0 μm - Charge: 7.26 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 850.0 μm - Charge: 8.97 pC - Rise Time: 0.98 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 855.0 μm - Charge: 6.89 pC - Rise Time: 1.16 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 860.0 μm - Charge: 7.73 pC - Rise Time: 1.16 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 865.0 μm - Charge: 6.76 pC - Rise Time: 1.22 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 870.0 μm - Charge: 8.59 pC - Rise Time: 1.00 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 875.0 μm - Charge: 11.05 pC - Rise Time: 0.82 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 880.0 μm - Charge: 8.28 pC - Rise Time: 1.28 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 885.0 μm - Charge: 12.98 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 890.0 μm - Charge: 10.42 pC - Rise Time: 1.51 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 895.0 μm - Charge: 16.40 pC - Rise Time: 1.19 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 900.0 μm - Charge: 24.02 pC - Rise Time: 1.24 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 905.0 μm - Charge: 20.63 pC - Rise Time: 0.98 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 910.0 μm - Charge: 39.22 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 915.0 μm - Charge: 42.01 pC - Rise Time: 1.22 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 920.0 μm - Charge: 46.55 pC - Rise Time: 1.14 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 925.0 μm - Charge: 40.84 pC - Rise Time: 1.08 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 930.0 μm - Charge: 42.95 pC - Rise Time: 1.08 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 935.0 μm - Charge: 43.46 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 940.0 μm - Charge: 44.07 pC - Rise Time: 1.09 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 945.0 μm - Charge: 45.43 pC - Rise Time: 1.07 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 950.0 μm - Charge: 47.15 pC - Rise Time: 1.05 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 955.0 μm - Charge: 49.25 pC - Rise Time: 1.05 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 960.0 μm - Charge: 46.77 pC - Rise Time: 1.05 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 965.0 μm - Charge: 47.28 pC - Rise Time: 1.07 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 970.0 μm - Charge: 47.78 pC - Rise Time: 1.07 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 975.0 μm - Charge: 48.82 pC - Rise Time: 1.09 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 980.0 μm - Charge: 48.44 pC - Rise Time: 1.09 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 985.0 μm - Charge: 45.94 pC - Rise Time: 1.11 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 990.0 μm - Charge: 45.64 pC - Rise Time: 1.11 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 995.0 μm - Charge: 45.88 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1000.0 μm - Charge: 46.57 pC - Rise Time: 1.05 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1005.0 μm - Charge: 46.84 pC - Rise Time: 1.08 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1010.0 μm - Charge: 45.45 pC - Rise Time: 1.05 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1015.0 μm - Charge: 46.43 pC - Rise Time: 1.10 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1020.0 μm - Charge: 45.95 pC - Rise Time: 1.10 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1025.0 μm - Charge: 45.15 pC - Rise Time: 1.09 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1030.0 μm - Charge: 45.80 pC - Rise Time: 1.06 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1035.0 μm - Charge: 46.22 pC - Rise Time: 1.02 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1040.0 μm - Charge: 45.09 pC - Rise Time: 1.04 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1045.0 μm - Charge: 45.97 pC - Rise Time: 1.04 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1050.0 μm - Charge: 44.65 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1055.0 μm - Charge: 45.51 pC - Rise Time: 1.04 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1060.0 μm - Charge: 47.27 pC - Rise Time: 1.08 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1065.0 μm - Charge: 46.69 pC - Rise Time: 1.08 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1070.0 μm - Charge: 47.67 pC - Rise Time: 1.08 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1075.0 μm - Charge: 44.42 pC - Rise Time: 1.12 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1080.0 μm - Charge: 46.14 pC - Rise Time: 1.14 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1085.0 μm - Charge: 47.13 pC - Rise Time: 1.14 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1090.0 μm - Charge: 46.11 pC - Rise Time: 1.14 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1095.0 μm - Charge: 43.59 pC - Rise Time: 1.18 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1100.0 μm - Charge: 45.87 pC - Rise Time: 1.20 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1105.0 μm - Charge: 46.08 pC - Rise Time: 1.18 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1110.0 μm - Charge: 44.53 pC - Rise Time: 1.20 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1115.0 μm - Charge: 43.59 pC - Rise Time: 1.18 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1120.0 μm - Charge: 44.27 pC - Rise Time: 1.22 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1125.0 μm - Charge: 46.68 pC - Rise Time: 1.18 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1130.0 μm - Charge: 46.94 pC - Rise Time: 1.22 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1135.0 μm - Charge: 44.04 pC - Rise Time: 1.24 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1140.0 μm - Charge: 46.45 pC - Rise Time: 1.24 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1145.0 μm - Charge: 48.79 pC - Rise Time: 1.22 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1150.0 μm - Charge: 46.70 pC - Rise Time: 1.26 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1155.0 μm - Charge: 48.09 pC - Rise Time: 1.26 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1160.0 μm - Charge: 45.89 pC - Rise Time: 1.30 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1165.0 μm - Charge: 47.71 pC - Rise Time: 1.28 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1170.0 μm - Charge: 47.97 pC - Rise Time: 1.30 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1175.0 μm - Charge: 46.30 pC - Rise Time: 1.30 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1180.0 μm - Charge: 45.02 pC - Rise Time: 1.34 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1185.0 μm - Charge: 47.66 pC - Rise Time: 1.28 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1190.0 μm - Charge: 48.46 pC - Rise Time: 1.30 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1195.0 μm - Charge: 48.36 pC - Rise Time: 1.30 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1200.0 μm - Charge: 47.76 pC - Rise Time: 1.30 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1205.0 μm - Charge: 49.05 pC - Rise Time: 1.30 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1210.0 μm - Charge: 49.91 pC - Rise Time: 1.36 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1215.0 μm - Charge: 47.51 pC - Rise Time: 1.32 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1220.0 μm - Charge: 45.99 pC - Rise Time: 1.30 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1225.0 μm - Charge: 48.12 pC - Rise Time: 1.32 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1230.0 μm - Charge: 50.19 pC - Rise Time: 1.36 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1235.0 μm - Charge: 49.35 pC - Rise Time: 1.36 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1240.0 μm - Charge: 46.49 pC - Rise Time: 1.36 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1245.0 μm - Charge: 49.23 pC - Rise Time: 1.34 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1250.0 μm - Charge: 49.74 pC - Rise Time: 1.34 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1255.0 μm - Charge: 47.28 pC - Rise Time: 1.26 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1260.0 μm - Charge: 48.45 pC - Rise Time: 1.40 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1265.0 μm - Charge: 48.30 pC - Rise Time: 1.44 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1270.0 μm - Charge: 47.83 pC - Rise Time: 1.48 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1275.0 μm - Charge: 60.40 pC - Rise Time: 1.36 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1280.0 μm - Charge: 43.18 pC - Rise Time: 1.26 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1285.0 μm - Charge: 53.79 pC - Rise Time: 1.32 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1290.0 μm - Charge: 37.73 pC - Rise Time: 1.28 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1295.0 μm - Charge: 50.84 pC - Rise Time: 1.25 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1300.0 μm - Charge: 47.21 pC - Rise Time: 1.25 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1305.0 μm - Charge: 41.75 pC - Rise Time: 1.16 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1310.0 μm - Charge: 37.53 pC - Rise Time: 1.26 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1315.0 μm - Charge: 25.66 pC - Rise Time: 2.18 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1320.0 μm - Charge: 21.47 pC - Rise Time: 1.85 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1325.0 μm - Charge: 18.94 pC - Rise Time: 1.49 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1330.0 μm - Charge: 5.09 pC - Rise Time: 1.37 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1335.0 μm - Charge: 12.08 pC - Rise Time: 1.42 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1340.0 μm - Charge: 11.10 pC - Rise Time: 0.82 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1345.0 μm - Charge: 7.46 pC - Rise Time: 1.10 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1350.0 μm - Charge: 6.12 pC - Rise Time: 1.64 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1355.0 μm - Charge: 7.29 pC - Rise Time: 0.02 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1360.0 μm - Charge: 6.84 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1365.0 μm - Charge: 6.17 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1370.0 μm - Charge: 5.44 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1375.0 μm - Charge: 8.59 pC - Rise Time: 1.46 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1380.0 μm - Charge: 8.43 pC - Rise Time: 1.48 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1385.0 μm - Charge: 9.81 pC - Rise Time: 1.08 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1390.0 μm - Charge: 11.97 pC - Rise Time: 1.94 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1395.0 μm - Charge: 15.22 pC - Rise Time: 1.29 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1400.0 μm - Charge: 13.59 pC - Rise Time: 1.31 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1405.0 μm - Charge: 10.30 pC - Rise Time: 1.77 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1410.0 μm - Charge: 32.81 pC - Rise Time: 1.92 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1415.0 μm - Charge: 37.85 pC - Rise Time: 1.86 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1420.0 μm - Charge: 28.54 pC - Rise Time: 1.18 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1425.0 μm - Charge: 32.09 pC - Rise Time: 1.31 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1430.0 μm - Charge: 35.11 pC - Rise Time: 1.35 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1435.0 μm - Charge: 37.23 pC - Rise Time: 1.37 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1440.0 μm - Charge: 41.46 pC - Rise Time: 1.47 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1445.0 μm - Charge: 42.70 pC - Rise Time: 1.38 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1450.0 μm - Charge: 45.87 pC - Rise Time: 1.39 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1455.0 μm - Charge: 46.17 pC - Rise Time: 1.54 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1460.0 μm - Charge: 49.29 pC - Rise Time: 1.50 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1465.0 μm - Charge: 62.83 pC - Rise Time: 1.53 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1470.0 μm - Charge: 47.27 pC - Rise Time: 1.50 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1475.0 μm - Charge: 48.35 pC - Rise Time: 1.54 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1480.0 μm - Charge: 61.14 pC - Rise Time: 1.53 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1485.0 μm - Charge: 62.98 pC - Rise Time: 1.55 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1490.0 μm - Charge: 62.09 pC - Rise Time: 1.58 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1495.0 μm - Charge: 47.49 pC - Rise Time: 1.58 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1500.0 μm - Charge: 48.58 pC - Rise Time: 1.56 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1505.0 μm - Charge: 47.81 pC - Rise Time: 1.56 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1510.0 μm - Charge: 61.66 pC - Rise Time: 1.58 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1515.0 μm - Charge: 61.83 pC - Rise Time: 1.41 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1520.0 μm - Charge: 62.35 pC - Rise Time: 1.39 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1525.0 μm - Charge: 61.96 pC - Rise Time: 1.43 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1530.0 μm - Charge: 47.79 pC - Rise Time: 1.43 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1535.0 μm - Charge: 46.18 pC - Rise Time: 1.46 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1540.0 μm - Charge: 49.00 pC - Rise Time: 1.49 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1545.0 μm - Charge: 61.02 pC - Rise Time: 1.51 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1550.0 μm - Charge: 59.75 pC - Rise Time: 1.51 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1555.0 μm - Charge: 61.43 pC - Rise Time: 1.53 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1560.0 μm - Charge: 46.02 pC - Rise Time: 1.53 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1565.0 μm - Charge: 45.60 pC - Rise Time: 1.56 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1570.0 μm - Charge: 59.40 pC - Rise Time: 1.59 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1575.0 μm - Charge: 59.24 pC - Rise Time: 1.65 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1580.0 μm - Charge: 46.66 pC - Rise Time: 1.59 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1585.0 μm - Charge: 46.71 pC - Rise Time: 1.41 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1590.0 μm - Charge: 58.43 pC - Rise Time: 1.69 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1595.0 μm - Charge: 47.32 pC - Rise Time: 1.43 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1600.0 μm - Charge: 61.35 pC - Rise Time: 1.43 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1605.0 μm - Charge: 61.33 pC - Rise Time: 1.41 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1610.0 μm - Charge: 46.09 pC - Rise Time: 1.41 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1615.0 μm - Charge: 46.27 pC - Rise Time: 1.45 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1620.0 μm - Charge: 46.84 pC - Rise Time: 1.47 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1625.0 μm - Charge: 60.33 pC - Rise Time: 1.45 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1630.0 μm - Charge: 60.12 pC - Rise Time: 1.51 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1635.0 μm - Charge: 45.94 pC - Rise Time: 1.47 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1640.0 μm - Charge: 45.47 pC - Rise Time: 1.49 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1645.0 μm - Charge: 60.26 pC - Rise Time: 1.57 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1650.0 μm - Charge: 58.79 pC - Rise Time: 1.53 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1655.0 μm - Charge: 47.75 pC - Rise Time: 1.53 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1660.0 μm - Charge: 46.60 pC - Rise Time: 1.53 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1665.0 μm - Charge: 46.58 pC - Rise Time: 1.57 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1670.0 μm - Charge: 61.90 pC - Rise Time: 1.55 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1675.0 μm - Charge: 47.57 pC - Rise Time: 1.59 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1680.0 μm - Charge: 46.60 pC - Rise Time: 1.61 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1685.0 μm - Charge: 62.92 pC - Rise Time: 1.59 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1690.0 μm - Charge: 62.14 pC - Rise Time: 1.61 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1695.0 μm - Charge: 48.11 pC - Rise Time: 1.57 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1700.0 μm - Charge: 62.07 pC - Rise Time: 1.67 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1705.0 μm - Charge: 46.76 pC - Rise Time: 1.63 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1710.0 μm - Charge: 45.62 pC - Rise Time: 1.69 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1715.0 μm - Charge: 61.33 pC - Rise Time: 1.69 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1720.0 μm - Charge: 46.68 pC - Rise Time: 1.67 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1725.0 μm - Charge: 48.02 pC - Rise Time: 1.71 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1730.0 μm - Charge: 59.94 pC - Rise Time: 1.77 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1735.0 μm - Charge: 61.16 pC - Rise Time: 1.85 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1740.0 μm - Charge: 61.31 pC - Rise Time: 1.47 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1745.0 μm - Charge: 60.36 pC - Rise Time: 1.47 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1750.0 μm - Charge: 61.40 pC - Rise Time: 1.57 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1755.0 μm - Charge: 45.96 pC - Rise Time: 1.55 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1760.0 μm - Charge: 45.00 pC - Rise Time: 1.55 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1765.0 μm - Charge: 60.19 pC - Rise Time: 1.63 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1770.0 μm - Charge: 59.44 pC - Rise Time: 1.67 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1775.0 μm - Charge: 58.13 pC - Rise Time: 1.67 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1780.0 μm - Charge: 57.57 pC - Rise Time: 1.43 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1785.0 μm - Charge: 41.10 pC - Rise Time: 1.57 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1790.0 μm - Charge: 40.53 pC - Rise Time: 1.73 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1795.0 μm - Charge: 38.66 pC - Rise Time: 1.55 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1800.0 μm - Charge: 51.48 pC - Rise Time: 1.46 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1805.0 μm - Charge: 29.78 pC - Rise Time: 1.67 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1810.0 μm - Charge: 25.70 pC - Rise Time: 1.68 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1815.0 μm - Charge: 21.86 pC - Rise Time: 2.66 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1820.0 μm - Charge: 34.53 pC - Rise Time: 2.27 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1825.0 μm - Charge: 10.05 pC - Rise Time: 1.75 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1830.0 μm - Charge: 6.13 pC - Rise Time: 1.51 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1835.0 μm - Charge: 16.15 pC - Rise Time: 1.57 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1840.0 μm - Charge: 13.81 pC - Rise Time: 1.16 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1845.0 μm - Charge: 10.23 pC - Rise Time: 1.06 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1850.0 μm - Charge: 8.79 pC - Rise Time: 1.68 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1855.0 μm - Charge: 8.86 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1860.0 μm - Charge: 8.36 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1865.0 μm - Charge: 7.16 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1870.0 μm - Charge: 5.59 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1875.0 μm - Charge: 8.60 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1880.0 μm - Charge: 7.65 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1885.0 μm - Charge: 10.11 pC - Rise Time: 0.02 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1890.0 μm - Charge: 10.56 pC - Rise Time: 1.34 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1895.0 μm - Charge: 12.22 pC - Rise Time: 1.22 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1900.0 μm - Charge: 14.20 pC - Rise Time: 2.38 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1905.0 μm - Charge: 16.45 pC - Rise Time: 1.26 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1910.0 μm - Charge: 8.18 pC - Rise Time: 1.41 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1915.0 μm - Charge: 26.87 pC - Rise Time: 2.69 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1920.0 μm - Charge: 38.54 pC - Rise Time: 2.27 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1925.0 μm - Charge: 24.13 pC - Rise Time: 2.20 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1930.0 μm - Charge: 47.01 pC - Rise Time: 2.00 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1935.0 μm - Charge: 50.44 pC - Rise Time: 1.86 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1940.0 μm - Charge: 52.57 pC - Rise Time: 1.54 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1945.0 μm - Charge: 38.76 pC - Rise Time: 1.40 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1950.0 μm - Charge: 56.43 pC - Rise Time: 1.68 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1955.0 μm - Charge: 57.56 pC - Rise Time: 1.60 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1960.0 μm - Charge: 43.22 pC - Rise Time: 1.59 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1965.0 μm - Charge: 57.61 pC - Rise Time: 1.55 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1970.0 μm - Charge: 56.97 pC - Rise Time: 1.57 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1975.0 μm - Charge: 56.74 pC - Rise Time: 1.49 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1980.0 μm - Charge: 44.73 pC - Rise Time: 1.45 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1985.0 μm - Charge: 44.32 pC - Rise Time: 1.43 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1990.0 μm - Charge: 60.05 pC - Rise Time: 1.48 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 1995.0 μm - Charge: 58.91 pC - Rise Time: 1.45 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2000.0 μm - Charge: 60.64 pC - Rise Time: 1.87 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2005.0 μm - Charge: 45.59 pC - Rise Time: 1.43 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2010.0 μm - Charge: 45.56 pC - Rise Time: 1.43 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2015.0 μm - Charge: 45.66 pC - Rise Time: 1.53 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2020.0 μm - Charge: 45.22 pC - Rise Time: 1.47 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2025.0 μm - Charge: 57.46 pC - Rise Time: 1.53 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2030.0 μm - Charge: 57.30 pC - Rise Time: 1.47 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2035.0 μm - Charge: 42.36 pC - Rise Time: 1.61 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2040.0 μm - Charge: 58.13 pC - Rise Time: 1.57 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2045.0 μm - Charge: 44.53 pC - Rise Time: 1.59 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2050.0 μm - Charge: 58.40 pC - Rise Time: 1.64 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2055.0 μm - Charge: 57.37 pC - Rise Time: 1.65 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2060.0 μm - Charge: 58.50 pC - Rise Time: 1.74 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2065.0 μm - Charge: 42.81 pC - Rise Time: 1.69 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2070.0 μm - Charge: 58.97 pC - Rise Time: 1.76 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2075.0 μm - Charge: 58.87 pC - Rise Time: 1.78 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2080.0 μm - Charge: 58.74 pC - Rise Time: 1.44 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2085.0 μm - Charge: 57.60 pC - Rise Time: 1.44 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2090.0 μm - Charge: 42.54 pC - Rise Time: 1.39 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2095.0 μm - Charge: 56.61 pC - Rise Time: 1.42 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2100.0 μm - Charge: 58.45 pC - Rise Time: 1.40 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2105.0 μm - Charge: 58.29 pC - Rise Time: 1.36 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2110.0 μm - Charge: 59.08 pC - Rise Time: 1.42 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2115.0 μm - Charge: 57.78 pC - Rise Time: 1.42 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2120.0 μm - Charge: 43.54 pC - Rise Time: 1.44 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2125.0 μm - Charge: 44.02 pC - Rise Time: 1.46 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2130.0 μm - Charge: 58.26 pC - Rise Time: 1.48 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2135.0 μm - Charge: 43.13 pC - Rise Time: 1.46 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2140.0 μm - Charge: 57.30 pC - Rise Time: 1.52 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2145.0 μm - Charge: 42.92 pC - Rise Time: 1.54 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2150.0 μm - Charge: 41.63 pC - Rise Time: 1.53 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2155.0 μm - Charge: 57.87 pC - Rise Time: 1.62 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2160.0 μm - Charge: 57.61 pC - Rise Time: 1.58 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2165.0 μm - Charge: 58.65 pC - Rise Time: 1.50 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2170.0 μm - Charge: 56.98 pC - Rise Time: 1.58 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2175.0 μm - Charge: 57.12 pC - Rise Time: 1.54 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2180.0 μm - Charge: 58.40 pC - Rise Time: 1.58 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2185.0 μm - Charge: 59.21 pC - Rise Time: 1.46 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2190.0 μm - Charge: 56.53 pC - Rise Time: 1.50 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2195.0 μm - Charge: 58.88 pC - Rise Time: 1.56 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2200.0 μm - Charge: 56.92 pC - Rise Time: 1.52 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2205.0 μm - Charge: 58.02 pC - Rise Time: 1.62 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2210.0 μm - Charge: 59.17 pC - Rise Time: 1.56 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2215.0 μm - Charge: 43.31 pC - Rise Time: 1.56 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2220.0 μm - Charge: 43.66 pC - Rise Time: 1.56 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2225.0 μm - Charge: 57.45 pC - Rise Time: 1.66 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2230.0 μm - Charge: 57.28 pC - Rise Time: 1.64 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2235.0 μm - Charge: 58.73 pC - Rise Time: 1.62 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2240.0 μm - Charge: 58.63 pC - Rise Time: 1.58 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2245.0 μm - Charge: 57.86 pC - Rise Time: 1.72 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2250.0 μm - Charge: 58.82 pC - Rise Time: 1.64 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2255.0 μm - Charge: 58.47 pC - Rise Time: 1.64 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2260.0 μm - Charge: 58.88 pC - Rise Time: 1.64 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2265.0 μm - Charge: 43.25 pC - Rise Time: 1.70 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2270.0 μm - Charge: 43.39 pC - Rise Time: 1.66 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2275.0 μm - Charge: 57.00 pC - Rise Time: 1.82 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2280.0 μm - Charge: 56.89 pC - Rise Time: 2.00 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2285.0 μm - Charge: 40.98 pC - Rise Time: 1.98 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2290.0 μm - Charge: 40.49 pC - Rise Time: 2.34 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2295.0 μm - Charge: 53.65 pC - Rise Time: 2.50 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2300.0 μm - Charge: 53.66 pC - Rise Time: 2.04 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2305.0 μm - Charge: 35.08 pC - Rise Time: 2.48 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2310.0 μm - Charge: 28.28 pC - Rise Time: 2.16 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2315.0 μm - Charge: 45.08 pC - Rise Time: 1.81 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2320.0 μm - Charge: 21.06 pC - Rise Time: 1.83 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2325.0 μm - Charge: 30.69 pC - Rise Time: 1.59 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2330.0 μm - Charge: 30.86 pC - Rise Time: 1.35 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2335.0 μm - Charge: 18.68 pC - Rise Time: 1.35 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2340.0 μm - Charge: 16.23 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2345.0 μm - Charge: 13.11 pC - Rise Time: 0.96 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2350.0 μm - Charge: 10.47 pC - Rise Time: 2.40 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2355.0 μm - Charge: 9.96 pC - Rise Time: 0.02 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2360.0 μm - Charge: 6.75 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2365.0 μm - Charge: 7.08 pC - Rise Time: 0.02 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2370.0 μm - Charge: 6.61 pC - Rise Time: 0.02 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2375.0 μm - Charge: 7.08 pC - Rise Time: 0.02 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2380.0 μm - Charge: 8.58 pC - Rise Time: 0.02 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2385.0 μm - Charge: 6.76 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2390.0 μm - Charge: 9.09 pC - Rise Time: 0.02 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2395.0 μm - Charge: 9.94 pC - Rise Time: 0.02 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2400.0 μm - Charge: 11.37 pC - Rise Time: 1.74 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2405.0 μm - Charge: 12.39 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2410.0 μm - Charge: 15.80 pC - Rise Time: 1.96 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2415.0 μm - Charge: 23.14 pC - Rise Time: 2.63 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2420.0 μm - Charge: 29.95 pC - Rise Time: 2.75 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2425.0 μm - Charge: 30.59 pC - Rise Time: 2.99 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2430.0 μm - Charge: 22.48 pC - Rise Time: 3.01 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2435.0 μm - Charge: 46.07 pC - Rise Time: 2.70 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2440.0 μm - Charge: 49.88 pC - Rise Time: 1.94 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2445.0 μm - Charge: 35.78 pC - Rise Time: 2.14 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2450.0 μm - Charge: 38.61 pC - Rise Time: 3.08 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2455.0 μm - Charge: 55.02 pC - Rise Time: 2.54 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2460.0 μm - Charge: 41.80 pC - Rise Time: 2.36 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2465.0 μm - Charge: 40.75 pC - Rise Time: 2.28 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2470.0 μm - Charge: 41.38 pC - Rise Time: 2.02 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2475.0 μm - Charge: 57.24 pC - Rise Time: 2.06 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2480.0 μm - Charge: 56.58 pC - Rise Time: 2.10 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2485.0 μm - Charge: 57.59 pC - Rise Time: 2.00 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2490.0 μm - Charge: 40.96 pC - Rise Time: 2.06 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2495.0 μm - Charge: 56.91 pC - Rise Time: 1.92 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2500.0 μm - Charge: 55.77 pC - Rise Time: 2.04 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2505.0 μm - Charge: 56.45 pC - Rise Time: 2.06 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2510.0 μm - Charge: 55.15 pC - Rise Time: 1.98 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2515.0 μm - Charge: 54.79 pC - Rise Time: 2.06 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2520.0 μm - Charge: 40.93 pC - Rise Time: 2.08 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2525.0 μm - Charge: 55.34 pC - Rise Time: 2.32 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2530.0 μm - Charge: 39.77 pC - Rise Time: 2.22 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2535.0 μm - Charge: 53.83 pC - Rise Time: 2.24 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2540.0 μm - Charge: 54.47 pC - Rise Time: 2.24 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2545.0 μm - Charge: 54.01 pC - Rise Time: 2.26 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2550.0 μm - Charge: 40.03 pC - Rise Time: 2.26 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2555.0 μm - Charge: 37.44 pC - Rise Time: 2.28 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2560.0 μm - Charge: 39.20 pC - Rise Time: 2.10 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2565.0 μm - Charge: 51.34 pC - Rise Time: 2.24 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2570.0 μm - Charge: 39.91 pC - Rise Time: 2.16 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2575.0 μm - Charge: 54.02 pC - Rise Time: 2.22 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2580.0 μm - Charge: 39.74 pC - Rise Time: 2.06 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2585.0 μm - Charge: 54.39 pC - Rise Time: 1.96 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2590.0 μm - Charge: 54.98 pC - Rise Time: 2.00 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2595.0 μm - Charge: 38.00 pC - Rise Time: 1.92 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2600.0 μm - Charge: 38.54 pC - Rise Time: 2.02 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2605.0 μm - Charge: 54.32 pC - Rise Time: 1.88 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2610.0 μm - Charge: 39.00 pC - Rise Time: 1.96 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2615.0 μm - Charge: 54.20 pC - Rise Time: 1.84 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2620.0 μm - Charge: 54.43 pC - Rise Time: 1.76 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2625.0 μm - Charge: 54.03 pC - Rise Time: 1.76 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2630.0 μm - Charge: 52.41 pC - Rise Time: 1.80 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2635.0 μm - Charge: 56.00 pC - Rise Time: 1.76 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2640.0 μm - Charge: 55.81 pC - Rise Time: 1.78 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2645.0 μm - Charge: 39.18 pC - Rise Time: 1.71 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2650.0 μm - Charge: 54.36 pC - Rise Time: 1.74 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2655.0 μm - Charge: 40.59 pC - Rise Time: 1.76 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2660.0 μm - Charge: 54.78 pC - Rise Time: 1.74 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2665.0 μm - Charge: 55.12 pC - Rise Time: 1.74 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2670.0 μm - Charge: 54.59 pC - Rise Time: 1.74 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2675.0 μm - Charge: 53.28 pC - Rise Time: 1.70 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2680.0 μm - Charge: 54.57 pC - Rise Time: 1.66 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2685.0 μm - Charge: 41.28 pC - Rise Time: 1.68 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2690.0 μm - Charge: 39.53 pC - Rise Time: 1.65 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2695.0 μm - Charge: 42.21 pC - Rise Time: 1.62 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2700.0 μm - Charge: 41.71 pC - Rise Time: 1.66 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2705.0 μm - Charge: 56.12 pC - Rise Time: 1.89 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2710.0 μm - Charge: 41.09 pC - Rise Time: 1.93 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2715.0 μm - Charge: 57.17 pC - Rise Time: 1.92 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2720.0 μm - Charge: 54.84 pC - Rise Time: 1.89 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2725.0 μm - Charge: 57.28 pC - Rise Time: 1.92 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2730.0 μm - Charge: 55.77 pC - Rise Time: 1.85 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2735.0 μm - Charge: 56.56 pC - Rise Time: 1.52 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2740.0 μm - Charge: 42.66 pC - Rise Time: 1.87 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2745.0 μm - Charge: 57.73 pC - Rise Time: 1.94 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2750.0 μm - Charge: 56.28 pC - Rise Time: 1.85 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2755.0 μm - Charge: 57.65 pC - Rise Time: 1.92 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2760.0 μm - Charge: 42.57 pC - Rise Time: 1.87 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2765.0 μm - Charge: 54.16 pC - Rise Time: 1.89 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2770.0 μm - Charge: 55.29 pC - Rise Time: 1.93 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2775.0 μm - Charge: 55.94 pC - Rise Time: 1.92 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2780.0 μm - Charge: 39.34 pC - Rise Time: 1.95 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2785.0 μm - Charge: 56.52 pC - Rise Time: 1.92 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2790.0 μm - Charge: 54.12 pC - Rise Time: 1.60 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2795.0 μm - Charge: 51.05 pC - Rise Time: 1.68 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2800.0 μm - Charge: 53.21 pC - Rise Time: 1.76 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2805.0 μm - Charge: 34.28 pC - Rise Time: 1.94 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2810.0 μm - Charge: 43.63 pC - Rise Time: 2.36 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2815.0 μm - Charge: 40.57 pC - Rise Time: 2.26 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2820.0 μm - Charge: 43.87 pC - Rise Time: 2.14 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2825.0 μm - Charge: 37.45 pC - Rise Time: 2.13 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2830.0 μm - Charge: 17.12 pC - Rise Time: 2.39 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2835.0 μm - Charge: 14.39 pC - Rise Time: 2.05 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2840.0 μm - Charge: 6.35 pC - Rise Time: 2.27 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2845.0 μm - Charge: 15.47 pC - Rise Time: 1.96 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2850.0 μm - Charge: 11.96 pC - Rise Time: 0.98 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2855.0 μm - Charge: 10.57 pC - Rise Time: 1.54 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2860.0 μm - Charge: 7.98 pC - Rise Time: 3.88 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2865.0 μm - Charge: 8.03 pC - Rise Time: 0.02 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2870.0 μm - Charge: 5.51 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2875.0 μm - Charge: 6.95 pC - Rise Time: 0.02 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2880.0 μm - Charge: 7.62 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2885.0 μm - Charge: 6.24 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2890.0 μm - Charge: 6.75 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2895.0 μm - Charge: 7.69 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2900.0 μm - Charge: 10.97 pC - Rise Time: 2.94 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2905.0 μm - Charge: 11.31 pC - Rise Time: 1.32 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2910.0 μm - Charge: 13.21 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2915.0 μm - Charge: 14.49 pC - Rise Time: 1.82 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2920.0 μm - Charge: 16.05 pC - Rise Time: 1.87 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2925.0 μm - Charge: 24.95 pC - Rise Time: 1.83 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2930.0 μm - Charge: 25.77 pC - Rise Time: 1.83 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2935.0 μm - Charge: 40.20 pC - Rise Time: 2.64 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2940.0 μm - Charge: 41.31 pC - Rise Time: 2.26 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2945.0 μm - Charge: 29.67 pC - Rise Time: 1.96 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2950.0 μm - Charge: 44.85 pC - Rise Time: 1.72 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2955.0 μm - Charge: 53.67 pC - Rise Time: 1.90 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2960.0 μm - Charge: 54.83 pC - Rise Time: 1.74 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2965.0 μm - Charge: 54.59 pC - Rise Time: 1.66 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2970.0 μm - Charge: 53.87 pC - Rise Time: 1.61 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2975.0 μm - Charge: 52.76 pC - Rise Time: 1.95 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2980.0 μm - Charge: 56.23 pC - Rise Time: 1.89 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2985.0 μm - Charge: 56.87 pC - Rise Time: 1.93 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2990.0 μm - Charge: 40.49 pC - Rise Time: 1.83 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 2995.0 μm - Charge: 56.70 pC - Rise Time: 1.87 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3000.0 μm - Charge: 55.79 pC - Rise Time: 1.85 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3005.0 μm - Charge: 56.62 pC - Rise Time: 1.81 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3010.0 μm - Charge: 56.56 pC - Rise Time: 1.81 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3015.0 μm - Charge: 56.97 pC - Rise Time: 1.81 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3020.0 μm - Charge: 49.71 pC - Rise Time: 1.81 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3025.0 μm - Charge: 54.61 pC - Rise Time: 1.87 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3030.0 μm - Charge: 36.59 pC - Rise Time: 1.79 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3035.0 μm - Charge: 54.95 pC - Rise Time: 1.83 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3040.0 μm - Charge: 39.07 pC - Rise Time: 1.87 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3045.0 μm - Charge: 54.73 pC - Rise Time: 1.81 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3050.0 μm - Charge: 34.91 pC - Rise Time: 1.81 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3055.0 μm - Charge: 38.73 pC - Rise Time: 1.85 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3060.0 μm - Charge: 53.80 pC - Rise Time: 1.81 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3065.0 μm - Charge: 51.06 pC - Rise Time: 1.79 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3070.0 μm - Charge: 51.86 pC - Rise Time: 1.83 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3075.0 μm - Charge: 34.29 pC - Rise Time: 1.85 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3080.0 μm - Charge: 54.03 pC - Rise Time: 1.83 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3085.0 μm - Charge: 53.10 pC - Rise Time: 1.83 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3090.0 μm - Charge: 52.71 pC - Rise Time: 1.79 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3095.0 μm - Charge: 50.22 pC - Rise Time: 1.79 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3100.0 μm - Charge: 54.53 pC - Rise Time: 1.85 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3105.0 μm - Charge: 36.03 pC - Rise Time: 1.77 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3110.0 μm - Charge: 52.52 pC - Rise Time: 1.77 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3115.0 μm - Charge: 37.73 pC - Rise Time: 1.67 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3120.0 μm - Charge: 51.55 pC - Rise Time: 1.71 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3125.0 μm - Charge: 35.22 pC - Rise Time: 1.71 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3130.0 μm - Charge: 54.07 pC - Rise Time: 1.71 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3135.0 μm - Charge: 53.23 pC - Rise Time: 1.69 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3140.0 μm - Charge: 55.00 pC - Rise Time: 1.73 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3145.0 μm - Charge: 35.43 pC - Rise Time: 1.63 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3150.0 μm - Charge: 53.53 pC - Rise Time: 1.73 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3155.0 μm - Charge: 37.03 pC - Rise Time: 1.65 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3160.0 μm - Charge: 54.25 pC - Rise Time: 1.65 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3165.0 μm - Charge: 54.12 pC - Rise Time: 1.63 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3170.0 μm - Charge: 35.93 pC - Rise Time: 1.61 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3175.0 μm - Charge: 55.87 pC - Rise Time: 1.51 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3180.0 μm - Charge: 36.42 pC - Rise Time: 1.51 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3185.0 μm - Charge: 53.86 pC - Rise Time: 1.51 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3190.0 μm - Charge: 53.53 pC - Rise Time: 1.79 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3195.0 μm - Charge: 54.68 pC - Rise Time: 1.77 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3200.0 μm - Charge: 55.73 pC - Rise Time: 1.69 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3205.0 μm - Charge: 57.36 pC - Rise Time: 1.67 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3210.0 μm - Charge: 55.88 pC - Rise Time: 1.69 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3215.0 μm - Charge: 54.27 pC - Rise Time: 1.65 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3220.0 μm - Charge: 56.55 pC - Rise Time: 1.63 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3225.0 μm - Charge: 40.99 pC - Rise Time: 1.59 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3230.0 μm - Charge: 37.27 pC - Rise Time: 1.63 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3235.0 μm - Charge: 52.87 pC - Rise Time: 1.61 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3240.0 μm - Charge: 53.10 pC - Rise Time: 1.63 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3245.0 μm - Charge: 38.93 pC - Rise Time: 1.55 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3250.0 μm - Charge: 38.73 pC - Rise Time: 1.55 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3255.0 μm - Charge: 37.09 pC - Rise Time: 1.57 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3260.0 μm - Charge: 36.70 pC - Rise Time: 1.59 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3265.0 μm - Charge: 36.73 pC - Rise Time: 1.51 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3270.0 μm - Charge: 56.49 pC - Rise Time: 1.53 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3275.0 μm - Charge: 55.97 pC - Rise Time: 1.51 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3280.0 μm - Charge: 55.52 pC - Rise Time: 1.51 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3285.0 μm - Charge: 39.07 pC - Rise Time: 1.49 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3290.0 μm - Charge: 37.20 pC - Rise Time: 1.47 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3295.0 μm - Charge: 54.32 pC - Rise Time: 1.59 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3300.0 μm - Charge: 52.68 pC - Rise Time: 1.59 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3305.0 μm - Charge: 53.85 pC - Rise Time: 1.71 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3310.0 μm - Charge: 52.02 pC - Rise Time: 1.51 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3315.0 μm - Charge: 31.45 pC - Rise Time: 1.41 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3320.0 μm - Charge: 28.67 pC - Rise Time: 1.63 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3325.0 μm - Charge: 25.67 pC - Rise Time: 1.56 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3330.0 μm - Charge: 21.73 pC - Rise Time: 1.60 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3335.0 μm - Charge: 19.28 pC - Rise Time: 2.44 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3340.0 μm - Charge: 25.48 pC - Rise Time: 1.69 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3345.0 μm - Charge: 13.04 pC - Rise Time: 1.87 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3350.0 μm - Charge: 10.26 pC - Rise Time: 2.51 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3355.0 μm - Charge: 13.95 pC - Rise Time: 1.62 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3360.0 μm - Charge: 11.11 pC - Rise Time: 1.18 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3365.0 μm - Charge: 9.31 pC - Rise Time: 1.46 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3370.0 μm - Charge: 8.17 pC - Rise Time: 2.44 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3375.0 μm - Charge: 5.72 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3380.0 μm - Charge: 7.07 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3385.0 μm - Charge: 6.21 pC - Rise Time: 0.02 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3390.0 μm - Charge: 6.68 pC - Rise Time: 0.02 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3395.0 μm - Charge: 5.66 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3400.0 μm - Charge: 7.86 pC - Rise Time: 4.42 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3405.0 μm - Charge: 5.92 pC - Rise Time: 2.86 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3410.0 μm - Charge: 8.55 pC - Rise Time: 1.10 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3415.0 μm - Charge: 10.36 pC - Rise Time: 0.80 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3420.0 μm - Charge: 15.80 pC - Rise Time: 1.13 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3425.0 μm - Charge: 15.40 pC - Rise Time: 1.37 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3430.0 μm - Charge: 9.88 pC - Rise Time: 1.87 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3435.0 μm - Charge: 34.25 pC - Rise Time: 2.38 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3440.0 μm - Charge: 20.35 pC - Rise Time: 1.50 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3445.0 μm - Charge: 25.17 pC - Rise Time: 1.36 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3450.0 μm - Charge: 46.08 pC - Rise Time: 1.53 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3455.0 μm - Charge: 49.50 pC - Rise Time: 1.39 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3460.0 μm - Charge: 44.64 pC - Rise Time: 1.43 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3465.0 μm - Charge: 50.82 pC - Rise Time: 1.61 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3470.0 μm - Charge: 54.18 pC - Rise Time: 1.49 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3475.0 μm - Charge: 53.37 pC - Rise Time: 1.45 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3480.0 μm - Charge: 54.28 pC - Rise Time: 1.43 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3485.0 μm - Charge: 50.84 pC - Rise Time: 1.37 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3490.0 μm - Charge: 56.15 pC - Rise Time: 1.61 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3495.0 μm - Charge: 51.90 pC - Rise Time: 1.55 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3500.0 μm - Charge: 52.86 pC - Rise Time: 1.39 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3505.0 μm - Charge: 37.23 pC - Rise Time: 1.57 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3510.0 μm - Charge: 37.32 pC - Rise Time: 1.57 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3515.0 μm - Charge: 38.15 pC - Rise Time: 1.55 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3520.0 μm - Charge: 37.02 pC - Rise Time: 1.51 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3525.0 μm - Charge: 37.20 pC - Rise Time: 1.33 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3530.0 μm - Charge: 36.58 pC - Rise Time: 1.54 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3535.0 μm - Charge: 51.89 pC - Rise Time: 1.31 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3540.0 μm - Charge: 36.68 pC - Rise Time: 1.53 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3545.0 μm - Charge: 53.54 pC - Rise Time: 1.29 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3550.0 μm - Charge: 50.83 pC - Rise Time: 1.53 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3555.0 μm - Charge: 51.26 pC - Rise Time: 1.47 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3560.0 μm - Charge: 52.50 pC - Rise Time: 1.49 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3565.0 μm - Charge: 53.67 pC - Rise Time: 1.31 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3570.0 μm - Charge: 54.72 pC - Rise Time: 1.45 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3575.0 μm - Charge: 35.10 pC - Rise Time: 1.44 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3580.0 μm - Charge: 53.03 pC - Rise Time: 1.41 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3585.0 μm - Charge: 36.06 pC - Rise Time: 1.40 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3590.0 μm - Charge: 54.45 pC - Rise Time: 1.41 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3595.0 μm - Charge: 54.61 pC - Rise Time: 1.39 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3600.0 μm - Charge: 36.79 pC - Rise Time: 1.41 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3605.0 μm - Charge: 36.41 pC - Rise Time: 1.41 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3610.0 μm - Charge: 51.68 pC - Rise Time: 1.39 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3615.0 μm - Charge: 35.79 pC - Rise Time: 1.42 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3620.0 μm - Charge: 54.65 pC - Rise Time: 1.37 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3625.0 μm - Charge: 37.36 pC - Rise Time: 1.35 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3630.0 μm - Charge: 50.97 pC - Rise Time: 1.33 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3635.0 μm - Charge: 35.98 pC - Rise Time: 1.35 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3640.0 μm - Charge: 36.98 pC - Rise Time: 1.33 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3645.0 μm - Charge: 51.56 pC - Rise Time: 1.31 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3650.0 μm - Charge: 54.06 pC - Rise Time: 1.27 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3655.0 μm - Charge: 37.12 pC - Rise Time: 1.27 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3660.0 μm - Charge: 51.50 pC - Rise Time: 1.21 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3665.0 μm - Charge: 38.12 pC - Rise Time: 1.38 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3670.0 μm - Charge: 50.06 pC - Rise Time: 1.39 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3675.0 μm - Charge: 53.40 pC - Rise Time: 1.36 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3680.0 μm - Charge: 52.94 pC - Rise Time: 1.39 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3685.0 μm - Charge: 52.93 pC - Rise Time: 1.38 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3690.0 μm - Charge: 50.40 pC - Rise Time: 1.33 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3695.0 μm - Charge: 54.83 pC - Rise Time: 1.33 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3700.0 μm - Charge: 52.21 pC - Rise Time: 1.35 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3705.0 μm - Charge: 50.60 pC - Rise Time: 1.29 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3710.0 μm - Charge: 48.14 pC - Rise Time: 1.28 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3715.0 μm - Charge: 38.79 pC - Rise Time: 1.26 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3720.0 μm - Charge: 52.57 pC - Rise Time: 1.40 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3725.0 μm - Charge: 37.56 pC - Rise Time: 1.26 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3730.0 μm - Charge: 38.04 pC - Rise Time: 1.34 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3735.0 μm - Charge: 50.26 pC - Rise Time: 1.30 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3740.0 μm - Charge: 55.36 pC - Rise Time: 1.30 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3745.0 μm - Charge: 51.74 pC - Rise Time: 1.30 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3750.0 μm - Charge: 55.26 pC - Rise Time: 1.30 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3755.0 μm - Charge: 52.04 pC - Rise Time: 1.26 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3760.0 μm - Charge: 52.44 pC - Rise Time: 1.28 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3765.0 μm - Charge: 51.47 pC - Rise Time: 1.22 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3770.0 μm - Charge: 53.13 pC - Rise Time: 1.26 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3775.0 μm - Charge: 55.30 pC - Rise Time: 1.26 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3780.0 μm - Charge: 39.96 pC - Rise Time: 1.40 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3785.0 μm - Charge: 39.06 pC - Rise Time: 1.22 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3790.0 μm - Charge: 38.89 pC - Rise Time: 1.24 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3795.0 μm - Charge: 52.23 pC - Rise Time: 1.26 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3800.0 μm - Charge: 50.73 pC - Rise Time: 1.22 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3805.0 μm - Charge: 37.36 pC - Rise Time: 1.26 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3810.0 μm - Charge: 51.52 pC - Rise Time: 1.21 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3815.0 μm - Charge: 46.77 pC - Rise Time: 1.28 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3820.0 μm - Charge: 31.49 pC - Rise Time: 1.20 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3825.0 μm - Charge: 41.25 pC - Rise Time: 1.21 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3830.0 μm - Charge: 38.21 pC - Rise Time: 1.21 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3835.0 μm - Charge: 34.30 pC - Rise Time: 1.15 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3840.0 μm - Charge: 30.38 pC - Rise Time: 1.60 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3845.0 μm - Charge: 21.69 pC - Rise Time: 1.68 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3850.0 μm - Charge: 16.20 pC - Rise Time: 1.65 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3855.0 μm - Charge: 13.00 pC - Rise Time: 1.29 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3860.0 μm - Charge: 13.12 pC - Rise Time: 1.27 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3865.0 μm - Charge: 9.63 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3870.0 μm - Charge: 9.06 pC - Rise Time: 1.02 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3875.0 μm - Charge: 7.01 pC - Rise Time: 1.30 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3880.0 μm - Charge: 5.75 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3885.0 μm - Charge: 6.40 pC - Rise Time: 0.02 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3890.0 μm - Charge: 4.41 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3895.0 μm - Charge: 6.45 pC - Rise Time: 0.02 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3900.0 μm - Charge: 5.40 pC - Rise Time: 3.16 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3905.0 μm - Charge: 3.36 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3910.0 μm - Charge: 7.70 pC - Rise Time: 0.96 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3915.0 μm - Charge: 7.99 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3920.0 μm - Charge: 10.24 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3925.0 μm - Charge: 10.94 pC - Rise Time: 1.15 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3930.0 μm - Charge: 7.44 pC - Rise Time: 1.61 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3935.0 μm - Charge: 17.84 pC - Rise Time: 1.50 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3940.0 μm - Charge: 15.32 pC - Rise Time: 1.12 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3945.0 μm - Charge: 32.97 pC - Rise Time: 1.11 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3950.0 μm - Charge: 39.22 pC - Rise Time: 1.11 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3955.0 μm - Charge: 41.57 pC - Rise Time: 1.14 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3960.0 μm - Charge: 34.50 pC - Rise Time: 1.16 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3965.0 μm - Charge: 37.12 pC - Rise Time: 1.16 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3970.0 μm - Charge: 39.00 pC - Rise Time: 1.12 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3975.0 μm - Charge: 40.27 pC - Rise Time: 1.04 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3980.0 μm - Charge: 39.40 pC - Rise Time: 1.04 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3985.0 μm - Charge: 40.96 pC - Rise Time: 0.98 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3990.0 μm - Charge: 40.20 pC - Rise Time: 1.07 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 3995.0 μm - Charge: 39.59 pC - Rise Time: 1.07 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4000.0 μm - Charge: 41.07 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4005.0 μm - Charge: 41.21 pC - Rise Time: 1.06 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4010.0 μm - Charge: 41.15 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4015.0 μm - Charge: 40.92 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4020.0 μm - Charge: 40.15 pC - Rise Time: 1.01 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4025.0 μm - Charge: 40.18 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4030.0 μm - Charge: 40.42 pC - Rise Time: 1.01 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4035.0 μm - Charge: 39.10 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4040.0 μm - Charge: 39.82 pC - Rise Time: 1.01 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4045.0 μm - Charge: 40.88 pC - Rise Time: 1.00 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4050.0 μm - Charge: 39.87 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4055.0 μm - Charge: 39.29 pC - Rise Time: 0.97 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4060.0 μm - Charge: 39.98 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4065.0 μm - Charge: 40.76 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4070.0 μm - Charge: 40.84 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4075.0 μm - Charge: 39.26 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4080.0 μm - Charge: 39.74 pC - Rise Time: 0.97 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4085.0 μm - Charge: 39.78 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4090.0 μm - Charge: 38.79 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4095.0 μm - Charge: 39.45 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4100.0 μm - Charge: 37.88 pC - Rise Time: 1.01 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4105.0 μm - Charge: 38.78 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4110.0 μm - Charge: 40.23 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4115.0 μm - Charge: 39.42 pC - Rise Time: 1.01 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4120.0 μm - Charge: 40.50 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4125.0 μm - Charge: 38.92 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4130.0 μm - Charge: 39.48 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4135.0 μm - Charge: 40.29 pC - Rise Time: 1.05 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4140.0 μm - Charge: 40.30 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4145.0 μm - Charge: 41.22 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4150.0 μm - Charge: 41.17 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4155.0 μm - Charge: 40.98 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4160.0 μm - Charge: 41.35 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4165.0 μm - Charge: 41.33 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4170.0 μm - Charge: 41.19 pC - Rise Time: 1.01 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4175.0 μm - Charge: 40.52 pC - Rise Time: 1.01 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4180.0 μm - Charge: 40.77 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4185.0 μm - Charge: 40.64 pC - Rise Time: 0.97 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4190.0 μm - Charge: 40.88 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4195.0 μm - Charge: 41.15 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4200.0 μm - Charge: 40.78 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4205.0 μm - Charge: 41.40 pC - Rise Time: 1.01 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4210.0 μm - Charge: 41.33 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4215.0 μm - Charge: 41.84 pC - Rise Time: 0.97 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4220.0 μm - Charge: 41.76 pC - Rise Time: 0.97 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4225.0 μm - Charge: 42.61 pC - Rise Time: 1.02 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4230.0 μm - Charge: 41.79 pC - Rise Time: 1.02 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4235.0 μm - Charge: 41.76 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4240.0 μm - Charge: 40.87 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4245.0 μm - Charge: 39.87 pC - Rise Time: 0.97 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4250.0 μm - Charge: 39.91 pC - Rise Time: 0.97 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4255.0 μm - Charge: 39.63 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4260.0 μm - Charge: 38.47 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4265.0 μm - Charge: 38.33 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4270.0 μm - Charge: 37.64 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4275.0 μm - Charge: 37.73 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4280.0 μm - Charge: 37.67 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4285.0 μm - Charge: 37.23 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4290.0 μm - Charge: 36.63 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4295.0 μm - Charge: 36.43 pC - Rise Time: 0.97 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4300.0 μm - Charge: 35.56 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4305.0 μm - Charge: 34.50 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4310.0 μm - Charge: 32.99 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4315.0 μm - Charge: 32.11 pC - Rise Time: 0.87 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4320.0 μm - Charge: 30.66 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4325.0 μm - Charge: 27.41 pC - Rise Time: 0.96 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4330.0 μm - Charge: 31.20 pC - Rise Time: 1.02 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4335.0 μm - Charge: 30.75 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4340.0 μm - Charge: 24.81 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4345.0 μm - Charge: 15.73 pC - Rise Time: 0.98 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4350.0 μm - Charge: 13.92 pC - Rise Time: 1.09 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4355.0 μm - Charge: 11.29 pC - Rise Time: 1.09 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4360.0 μm - Charge: 3.30 pC - Rise Time: 0.97 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4365.0 μm - Charge: 10.17 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4370.0 μm - Charge: 6.85 pC - Rise Time: 0.62 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4375.0 μm - Charge: 7.06 pC - Rise Time: 0.60 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4380.0 μm - Charge: 5.51 pC - Rise Time: 0.76 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4385.0 μm - Charge: 4.98 pC - Rise Time: 1.04 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4390.0 μm - Charge: 5.20 pC - Rise Time: 1.02 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4395.0 μm - Charge: 4.27 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4400.0 μm - Charge: 6.43 pC - Rise Time: 0.80 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4405.0 μm - Charge: 6.47 pC - Rise Time: 0.76 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4410.0 μm - Charge: 6.76 pC - Rise Time: 0.66 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4415.0 μm - Charge: 8.70 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4420.0 μm - Charge: 7.43 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4425.0 μm - Charge: 9.72 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4430.0 μm - Charge: 6.53 pC - Rise Time: 0.98 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4435.0 μm - Charge: 9.30 pC - Rise Time: 0.94 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4440.0 μm - Charge: 18.98 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4445.0 μm - Charge: 17.28 pC - Rise Time: 0.94 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4450.0 μm - Charge: 25.73 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4455.0 μm - Charge: 28.83 pC - Rise Time: 0.87 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4460.0 μm - Charge: 32.14 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4465.0 μm - Charge: 34.37 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4470.0 μm - Charge: 35.46 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4475.0 μm - Charge: 36.00 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4480.0 μm - Charge: 37.04 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4485.0 μm - Charge: 37.86 pC - Rise Time: 0.84 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4490.0 μm - Charge: 35.87 pC - Rise Time: 0.87 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4495.0 μm - Charge: 38.68 pC - Rise Time: 0.83 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4500.0 μm - Charge: 39.66 pC - Rise Time: 0.87 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4505.0 μm - Charge: 39.49 pC - Rise Time: 0.87 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4510.0 μm - Charge: 39.44 pC - Rise Time: 0.87 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4515.0 μm - Charge: 38.72 pC - Rise Time: 0.83 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4520.0 μm - Charge: 40.07 pC - Rise Time: 0.87 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4525.0 μm - Charge: 40.92 pC - Rise Time: 0.85 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4530.0 μm - Charge: 40.50 pC - Rise Time: 0.85 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4535.0 μm - Charge: 41.19 pC - Rise Time: 0.87 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4540.0 μm - Charge: 40.83 pC - Rise Time: 0.87 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4545.0 μm - Charge: 40.62 pC - Rise Time: 0.85 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4550.0 μm - Charge: 41.43 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4555.0 μm - Charge: 40.53 pC - Rise Time: 0.87 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4560.0 μm - Charge: 41.36 pC - Rise Time: 0.87 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4565.0 μm - Charge: 40.23 pC - Rise Time: 0.84 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4570.0 μm - Charge: 40.66 pC - Rise Time: 0.85 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4575.0 μm - Charge: 40.34 pC - Rise Time: 0.85 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4580.0 μm - Charge: 40.80 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4585.0 μm - Charge: 41.26 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4590.0 μm - Charge: 40.98 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4595.0 μm - Charge: 41.62 pC - Rise Time: 0.85 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4600.0 μm - Charge: 33.54 pC - Rise Time: 0.84 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4605.0 μm - Charge: 41.32 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4610.0 μm - Charge: 41.33 pC - Rise Time: 0.84 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4615.0 μm - Charge: 34.60 pC - Rise Time: 0.84 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4620.0 μm - Charge: 42.08 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4625.0 μm - Charge: 41.45 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4630.0 μm - Charge: 41.39 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4635.0 μm - Charge: 41.60 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4640.0 μm - Charge: 34.18 pC - Rise Time: 0.84 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4645.0 μm - Charge: 35.39 pC - Rise Time: 0.84 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4650.0 μm - Charge: 34.73 pC - Rise Time: 0.82 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4655.0 μm - Charge: 34.99 pC - Rise Time: 0.82 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4660.0 μm - Charge: 36.20 pC - Rise Time: 0.82 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4665.0 μm - Charge: 36.50 pC - Rise Time: 0.80 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4670.0 μm - Charge: 35.37 pC - Rise Time: 0.81 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4675.0 μm - Charge: 35.12 pC - Rise Time: 0.81 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4680.0 μm - Charge: 35.51 pC - Rise Time: 0.79 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4685.0 μm - Charge: 36.46 pC - Rise Time: 0.79 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4690.0 μm - Charge: 35.73 pC - Rise Time: 0.81 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4695.0 μm - Charge: 34.73 pC - Rise Time: 0.80 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4700.0 μm - Charge: 35.61 pC - Rise Time: 0.79 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4705.0 μm - Charge: 36.31 pC - Rise Time: 0.80 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4710.0 μm - Charge: 35.91 pC - Rise Time: 0.79 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4715.0 μm - Charge: 35.26 pC - Rise Time: 0.81 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4720.0 μm - Charge: 36.02 pC - Rise Time: 0.79 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4725.0 μm - Charge: 35.65 pC - Rise Time: 0.82 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4730.0 μm - Charge: 35.72 pC - Rise Time: 0.80 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4735.0 μm - Charge: 35.06 pC - Rise Time: 0.77 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4740.0 μm - Charge: 34.77 pC - Rise Time: 0.80 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4745.0 μm - Charge: 34.32 pC - Rise Time: 0.79 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4750.0 μm - Charge: 35.11 pC - Rise Time: 0.81 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4755.0 μm - Charge: 34.87 pC - Rise Time: 0.79 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4760.0 μm - Charge: 34.56 pC - Rise Time: 0.78 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4765.0 μm - Charge: 34.31 pC - Rise Time: 0.79 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4770.0 μm - Charge: 34.66 pC - Rise Time: 0.80 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4775.0 μm - Charge: 34.07 pC - Rise Time: 0.78 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4780.0 μm - Charge: 34.02 pC - Rise Time: 0.79 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4785.0 μm - Charge: 34.00 pC - Rise Time: 0.78 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4790.0 μm - Charge: 33.69 pC - Rise Time: 0.78 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4795.0 μm - Charge: 32.72 pC - Rise Time: 0.78 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4800.0 μm - Charge: 32.82 pC - Rise Time: 0.79 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4805.0 μm - Charge: 32.41 pC - Rise Time: 0.77 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4810.0 μm - Charge: 31.69 pC - Rise Time: 0.77 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4815.0 μm - Charge: 31.62 pC - Rise Time: 0.77 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4820.0 μm - Charge: 30.21 pC - Rise Time: 0.77 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4825.0 μm - Charge: 29.48 pC - Rise Time: 0.78 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4830.0 μm - Charge: 27.64 pC - Rise Time: 0.80 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4835.0 μm - Charge: 31.18 pC - Rise Time: 0.79 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4840.0 μm - Charge: 28.23 pC - Rise Time: 0.77 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4845.0 μm - Charge: 21.48 pC - Rise Time: 0.78 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4850.0 μm - Charge: 17.79 pC - Rise Time: 0.77 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4855.0 μm - Charge: 14.26 pC - Rise Time: 0.82 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4860.0 μm - Charge: 14.90 pC - Rise Time: 0.81 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4865.0 μm - Charge: 12.03 pC - Rise Time: 0.76 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4870.0 μm - Charge: 10.27 pC - Rise Time: 1.06 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4875.0 μm - Charge: 3.40 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4880.0 μm - Charge: 4.68 pC - Rise Time: 0.81 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4885.0 μm - Charge: 6.76 pC - Rise Time: 0.85 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4890.0 μm - Charge: 4.28 pC - Rise Time: 0.56 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4895.0 μm - Charge: 4.36 pC - Rise Time: 0.72 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4900.0 μm - Charge: 2.06 pC - Rise Time: 0.94 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4905.0 μm - Charge: 2.92 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: 1cm_42_multichannel - Position: 4910.0 μm - Charge: 2.45 pC - Rise Time: 1.14 ns



Transient Pulse - Sample: 1cm_42_multichannel - Position: 4915.0 μm - Charge: 1.13 pC - Rise Time: 0.90 ns



Transient Pulse - Sample: 1cm_42_multichannel - Position: 4920.0 μm - Charge: 2.93 pC - Rise Time: 0.86 ns



Transient Pulse - Sample: 1cm_42_multichannel - Position: 4925.0 μm - Charge: 4.77 pC - Rise Time: 0.94 ns

