


TCT Run 026 Summary

Parameter	Value
Run	Run026
Surface	N/A
Edge	x
Sample	TD_4004
Vbias (V)	350.0
DAC (%)	56.0
Bandwidth	500MHz
Path	C:\Users\APD-I\Desktop\TCT\EdgeTCT\Run026
Irradiation (Fluence)	N/A
Notes	N/A
Date	N/A
Gain Constant	N/A

Collected Charge



Collected Charge

026 - Vbias = 350.0V

Collected Charge [a.u.]

1.0
0.8
0.6
0.4
0.2
0.0

0


100

200


300

400


Distance (μm)




Rise Time




Amplitude




FWHM




Transient Pulse - Sample: TD_4004 - Position: 0.0 μm - Charge: 0.13 pC - Rise Time: 0.72 ns



Transient Pulse - Sample: TD_4004 - Position: 5.0 μm - Charge: 2.34 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: TD_4004 - Position: 10.0 μm - Charge: 2.34 pC - Rise Time: 4.04 ns




Transient Pulse - Sample: TD_4004 - Position: 15.0 μm - Charge: 0.70 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: TD_4004 - Position: 20.0 μm - Charge: 1.12 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: TD_4004 - Position: 25.0 μm - Charge: 1.43 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: TD_4004 - Position: 30.0 μm - Charge: 1.70 pC - Rise Time: 1.22 ns




Transient Pulse - Sample: TD_4004 - Position: 35.0 μm - Charge: 2.14 pC - Rise Time: 5.82 ns




Transient Pulse - Sample: TD_4004 - Position: 40.0 μm - Charge: 3.11 pC - Rise Time: 1.25 ns




Transient Pulse - Sample: TD_4004 - Position: 45.0 μm - Charge: 5.13 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: TD_4004 - Position: 50.0 μm - Charge: 8.01 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: TD_4004 - Position: 55.0 μm - Charge: 12.13 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: TD_4004 - Position: 60.0 μm - Charge: 17.30 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: TD_4004 - Position: 65.0 μm - Charge: 24.29 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: TD_4004 - Position: 70.0 μm - Charge: 30.55 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: TD_4004 - Position: 75.0 μm - Charge: 35.48 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: TD_4004 - Position: 80.0 μm - Charge: 39.90 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: TD_4004 - Position: 85.0 μm - Charge: 41.95 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: TD_4004 - Position: 90.0 μm - Charge: 45.12 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: TD_4004 - Position: 95.0 μm - Charge: 47.84 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: TD_4004 - Position: 100.0 μm - Charge: 49.96 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: TD_4004 - Position: 105.0 μm - Charge: 52.49 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: TD_4004 - Position: 110.0 μm - Charge: 53.45 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: TD_4004 - Position: 115.0 μm - Charge: 53.27 pC - Rise Time: 0.86 ns




Transient Pulse - Sample: TD_4004 - Position: 120.0 μm - Charge: 52.90 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: TD_4004 - Position: 125.0 μm - Charge: 52.61 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: TD_4004 - Position: 130.0 μm - Charge: 52.48 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: TD_4004 - Position: 135.0 μm - Charge: 52.15 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: TD_4004 - Position: 140.0 μm - Charge: 51.80 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: TD_4004 - Position: 145.0 μm - Charge: 51.71 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: TD_4004 - Position: 150.0 μm - Charge: 51.68 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: TD_4004 - Position: 155.0 μm - Charge: 51.65 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: TD_4004 - Position: 160.0 μm - Charge: 52.14 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: TD_4004 - Position: 165.0 μm - Charge: 53.08 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: TD_4004 - Position: 170.0 μm - Charge: 53.40 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: TD_4004 - Position: 175.0 μm - Charge: 53.60 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: TD_4004 - Position: 180.0 μm - Charge: 53.58 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: TD_4004 - Position: 185.0 μm - Charge: 53.95 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: TD_4004 - Position: 190.0 μm - Charge: 54.07 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: TD_4004 - Position: 195.0 μm - Charge: 54.10 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: TD_4004 - Position: 200.0 μm - Charge: 53.19 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: TD_4004 - Position: 205.0 μm - Charge: 52.88 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: TD_4004 - Position: 210.0 μm - Charge: 52.68 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: TD_4004 - Position: 215.0 μm - Charge: 52.87 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: TD_4004 - Position: 220.0 μm - Charge: 53.01 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: TD_4004 - Position: 225.0 μm - Charge: 52.30 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: TD_4004 - Position: 230.0 μm - Charge: 52.20 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: TD_4004 - Position: 235.0 μm - Charge: 51.04 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: TD_4004 - Position: 240.0 μm - Charge: 50.90 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: TD_4004 - Position: 245.0 μm - Charge: 50.91 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: TD_4004 - Position: 250.0 μm - Charge: 50.42 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: TD_4004 - Position: 255.0 μm - Charge: 50.48 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: TD_4004 - Position: 260.0 μm - Charge: 50.45 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: TD_4004 - Position: 265.0 μm - Charge: 51.25 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: TD_4004 - Position: 270.0 μm - Charge: 51.51 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: TD_4004 - Position: 275.0 μm - Charge: 51.38 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: TD_4004 - Position: 280.0 μm - Charge: 51.76 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: TD_4004 - Position: 285.0 μm - Charge: 51.62 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: TD_4004 - Position: 290.0 μm - Charge: 51.15 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: TD_4004 - Position: 295.0 μm - Charge: 50.73 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: TD_4004 - Position: 300.0 μm - Charge: 50.51 pC - Rise Time: 0.94 ns




Transient Pulse - Sample: TD_4004 - Position: 305.0 μm - Charge: 49.68 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: TD_4004 - Position: 310.0 μm - Charge: 48.61 pC - Rise Time: 0.94 ns




Transient Pulse - Sample: TD_4004 - Position: 315.0 μm - Charge: 48.73 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: TD_4004 - Position: 320.0 μm - Charge: 49.44 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: TD_4004 - Position: 325.0 μm - Charge: 49.55 pC - Rise Time: 0.94 ns




Transient Pulse - Sample: TD_4004 - Position: 330.0 μm - Charge: 34.14 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: TD_4004 - Position: 335.0 μm - Charge: 33.51 pC - Rise Time: 0.94 ns




Transient Pulse - Sample: TD_4004 - Position: 340.0 μm - Charge: 34.83 pC - Rise Time: 0.96 ns




Transient Pulse - Sample: TD_4004 - Position: 345.0 μm - Charge: 34.20 pC - Rise Time: 0.96 ns




Transient Pulse - Sample: TD_4004 - Position: 350.0 μm - Charge: 33.95 pC - Rise Time: 0.96 ns




Transient Pulse - Sample: TD_4004 - Position: 355.0 μm - Charge: 34.22 pC - Rise Time: 0.96 ns




Transient Pulse - Sample: TD_4004 - Position: 360.0 μm - Charge: 35.28 pC - Rise Time: 0.98 ns




Transient Pulse - Sample: TD_4004 - Position: 365.0 μm - Charge: 33.42 pC - Rise Time: 0.96 ns




Transient Pulse - Sample: TD_4004 - Position: 370.0 μm - Charge: 33.43 pC - Rise Time: 1.00 ns




Transient Pulse - Sample: TD_4004 - Position: 375.0 μm - Charge: 32.83 pC - Rise Time: 1.01 ns




Transient Pulse - Sample: TD_4004 - Position: 380.0 μm - Charge: 31.10 pC - Rise Time: 0.97 ns




Transient Pulse - Sample: TD_4004 - Position: 385.0 μm - Charge: 40.35 pC - Rise Time: 1.00 ns




Transient Pulse - Sample: TD_4004 - Position: 390.0 μm - Charge: 35.66 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: TD_4004 - Position: 395.0 μm - Charge: 30.45 pC - Rise Time: 1.04 ns




Transient Pulse - Sample: TD_4004 - Position: 400.0 μm - Charge: 24.57 pC - Rise Time: 1.04 ns




Transient Pulse - Sample: TD_4004 - Position: 405.0 μm - Charge: 19.05 pC - Rise Time: 1.10 ns




Transient Pulse - Sample: TD_4004 - Position: 410.0 μm - Charge: 13.74 pC - Rise Time: 1.05 ns




Transient Pulse - Sample: TD_4004 - Position: 415.0 μm - Charge: 8.97 pC - Rise Time: 1.04 ns




Transient Pulse - Sample: TD_4004 - Position: 420.0 μm - Charge: 5.70 pC - Rise Time: 0.99 ns



Transient Pulse - Sample: TD_4004 - Position: 425.0 μm - Charge: 4.61 pC - Rise Time: 0.92 ns



Transient Pulse - Sample: TD_4004 - Position: 430.0 μm - Charge: 4.46 pC - Rise Time: 1.05 ns



Transient Pulse - Sample: TD_4004 - Position: 435.0 μm - Charge: 4.42 pC - Rise Time: 0.84 ns

