


TCT Run 032 Summary

Parameter	Value
Run	Run032
Surface	N/A
Edge	x
Sample	TD_4004
Vbias (V)	200.0
DAC (%)	56.0
Bandwidth	500MHz
Path	C:\Users\APD-I\Desktop\TCT\EdgeTCT\Run032
Irradiation (Fluence)	N/A
Notes	N/A
Date	N/A
Gain Constant	N/A

Collected Charge



Collected Charge

032 - Vbias = 200.0V

Collected Charge [a.u.]

1.0
0.8
0.6
0.4
0.2
0.0

0


100

200


300

400


Distance (μm)




Rise Time




Amplitude




FWHM




Transient Pulse - Sample: TD_4004 - Position: 0.0 μ m - Charge: 2.31 pC - Rise Time: 0.00 ns (N/A)




Transient Pulse - Sample: TD_4004 - Position: 5.0 μm - Charge: 0.99 pC - Rise Time: 0.02 ns




Transient Pulse - Sample: TD_4004 - Position: 10.0 μm - Charge: 1.47 pC - Rise Time: 0.62 ns




Transient Pulse - Sample: TD_4004 - Position: 15.0 μm - Charge: 1.21 pC - Rise Time: 0.44 ns




Transient Pulse - Sample: TD_4004 - Position: 20.0 μm - Charge: 0.95 pC - Rise Time: 0.56 ns




Transient Pulse - Sample: TD_4004 - Position: 25.0 μm - Charge: 2.54 pC - Rise Time: 2.27 ns




Transient Pulse - Sample: TD_4004 - Position: 30.0 μm - Charge: 0.94 pC - Rise Time: 0.62 ns




Transient Pulse - Sample: TD_4004 - Position: 35.0 μm - Charge: 1.36 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: TD_4004 - Position: 40.0 μm - Charge: 1.88 pC - Rise Time: 0.85 ns




Transient Pulse - Sample: TD_4004 - Position: 45.0 μm - Charge: 3.26 pC - Rise Time: 1.13 ns




Transient Pulse - Sample: TD_4004 - Position: 50.0 μm - Charge: 5.15 pC - Rise Time: 1.02 ns




Transient Pulse - Sample: TD_4004 - Position: 55.0 μm - Charge: 7.78 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: TD_4004 - Position: 60.0 μm - Charge: 12.24 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: TD_4004 - Position: 65.0 μm - Charge: 19.04 pC - Rise Time: 0.94 ns




Transient Pulse - Sample: TD_4004 - Position: 70.0 μm - Charge: 24.12 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: TD_4004 - Position: 75.0 μm - Charge: 29.42 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: TD_4004 - Position: 80.0 μm - Charge: 33.50 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: TD_4004 - Position: 85.0 μm - Charge: 36.83 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: TD_4004 - Position: 90.0 μm - Charge: 39.58 pC - Rise Time: 0.89 ns




Transient Pulse - Sample: TD_4004 - Position: 95.0 μm - Charge: 42.57 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: TD_4004 - Position: 100.0 μm - Charge: 45.25 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: TD_4004 - Position: 105.0 μm - Charge: 47.11 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: TD_4004 - Position: 110.0 μm - Charge: 48.09 pC - Rise Time: 0.88 ns




Transient Pulse - Sample: TD_4004 - Position: 115.0 μm - Charge: 47.70 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: TD_4004 - Position: 120.0 μm - Charge: 47.49 pC - Rise Time: 0.90 ns




Transient Pulse - Sample: TD_4004 - Position: 125.0 μm - Charge: 46.73 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: TD_4004 - Position: 130.0 μm - Charge: 45.67 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: TD_4004 - Position: 135.0 μm - Charge: 45.25 pC - Rise Time: 0.96 ns




Transient Pulse - Sample: TD_4004 - Position: 140.0 μm - Charge: 44.42 pC - Rise Time: 0.97 ns




Transient Pulse - Sample: TD_4004 - Position: 145.0 μm - Charge: 44.23 pC - Rise Time: 0.96 ns




Transient Pulse - Sample: TD_4004 - Position: 150.0 μm - Charge: 44.31 pC - Rise Time: 0.96 ns




Transient Pulse - Sample: TD_4004 - Position: 155.0 μm - Charge: 45.11 pC - Rise Time: 0.96 ns




Transient Pulse - Sample: TD_4004 - Position: 160.0 μm - Charge: 46.35 pC - Rise Time: 0.96 ns




Transient Pulse - Sample: TD_4004 - Position: 165.0 μm - Charge: 47.26 pC - Rise Time: 0.93 ns




Transient Pulse - Sample: TD_4004 - Position: 170.0 μm - Charge: 48.53 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: TD_4004 - Position: 175.0 μm - Charge: 49.57 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: TD_4004 - Position: 180.0 μm - Charge: 50.49 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: TD_4004 - Position: 185.0 μm - Charge: 50.39 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: TD_4004 - Position: 190.0 μm - Charge: 50.24 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: TD_4004 - Position: 195.0 μm - Charge: 49.76 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: TD_4004 - Position: 200.0 μm - Charge: 49.41 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: TD_4004 - Position: 205.0 μm - Charge: 48.65 pC - Rise Time: 0.91 ns




Transient Pulse - Sample: TD_4004 - Position: 210.0 μm - Charge: 48.17 pC - Rise Time: 0.92 ns




Transient Pulse - Sample: TD_4004 - Position: 215.0 μm - Charge: 47.90 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: TD_4004 - Position: 220.0 μm - Charge: 48.11 pC - Rise Time: 0.94 ns




Transient Pulse - Sample: TD_4004 - Position: 225.0 μm - Charge: 46.98 pC - Rise Time: 0.95 ns




Transient Pulse - Sample: TD_4004 - Position: 230.0 μm - Charge: 45.38 pC - Rise Time: 0.96 ns




Transient Pulse - Sample: TD_4004 - Position: 235.0 μm - Charge: 43.56 pC - Rise Time: 0.96 ns




Transient Pulse - Sample: TD_4004 - Position: 240.0 μm - Charge: 42.81 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: TD_4004 - Position: 245.0 μm - Charge: 43.03 pC - Rise Time: 0.97 ns




Transient Pulse - Sample: TD_4004 - Position: 250.0 μm - Charge: 43.36 pC - Rise Time: 0.98 ns




Transient Pulse - Sample: TD_4004 - Position: 255.0 μm - Charge: 42.79 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: TD_4004 - Position: 260.0 μm - Charge: 41.72 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: TD_4004 - Position: 265.0 μm - Charge: 41.66 pC - Rise Time: 1.00 ns




Transient Pulse - Sample: TD_4004 - Position: 270.0 μm - Charge: 42.28 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: TD_4004 - Position: 275.0 μm - Charge: 43.91 pC - Rise Time: 0.98 ns




Transient Pulse - Sample: TD_4004 - Position: 280.0 μm - Charge: 43.77 pC - Rise Time: 0.99 ns




Transient Pulse - Sample: TD_4004 - Position: 285.0 μm - Charge: 44.19 pC - Rise Time: 1.00 ns




Transient Pulse - Sample: TD_4004 - Position: 290.0 μm - Charge: 43.03 pC - Rise Time: 1.00 ns




Transient Pulse - Sample: TD_4004 - Position: 295.0 μm - Charge: 42.13 pC - Rise Time: 1.02 ns




Transient Pulse - Sample: TD_4004 - Position: 300.0 μm - Charge: 41.64 pC - Rise Time: 1.00 ns




Transient Pulse - Sample: TD_4004 - Position: 305.0 μm - Charge: 40.37 pC - Rise Time: 1.00 ns




Transient Pulse - Sample: TD_4004 - Position: 310.0 μm - Charge: 38.66 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: TD_4004 - Position: 315.0 μm - Charge: 36.44 pC - Rise Time: 1.02 ns




Transient Pulse - Sample: TD_4004 - Position: 320.0 μm - Charge: 35.37 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: TD_4004 - Position: 325.0 μm - Charge: 34.46 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: TD_4004 - Position: 330.0 μm - Charge: 31.65 pC - Rise Time: 1.04 ns




Transient Pulse - Sample: TD_4004 - Position: 335.0 μm - Charge: 28.44 pC - Rise Time: 1.04 ns




Transient Pulse - Sample: TD_4004 - Position: 340.0 μm - Charge: 28.15 pC - Rise Time: 1.02 ns




Transient Pulse - Sample: TD_4004 - Position: 345.0 μm - Charge: 27.94 pC - Rise Time: 1.04 ns




Transient Pulse - Sample: TD_4004 - Position: 350.0 μm - Charge: 27.31 pC - Rise Time: 1.05 ns




Transient Pulse - Sample: TD_4004 - Position: 355.0 μm - Charge: 26.97 pC - Rise Time: 1.02 ns




Transient Pulse - Sample: TD_4004 - Position: 360.0 μm - Charge: 26.53 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: TD_4004 - Position: 365.0 μm - Charge: 25.74 pC - Rise Time: 1.06 ns




Transient Pulse - Sample: TD_4004 - Position: 370.0 μm - Charge: 24.91 pC - Rise Time: 1.07 ns




Transient Pulse - Sample: TD_4004 - Position: 375.0 μm - Charge: 24.42 pC - Rise Time: 1.04 ns




Transient Pulse - Sample: TD_4004 - Position: 380.0 μm - Charge: 24.22 pC - Rise Time: 1.04 ns




Transient Pulse - Sample: TD_4004 - Position: 385.0 μm - Charge: 22.70 pC - Rise Time: 1.08 ns




Transient Pulse - Sample: TD_4004 - Position: 390.0 μm - Charge: 19.18 pC - Rise Time: 1.02 ns




Transient Pulse - Sample: TD_4004 - Position: 395.0 μm - Charge: 15.71 pC - Rise Time: 1.03 ns




Transient Pulse - Sample: TD_4004 - Position: 400.0 μm - Charge: 12.78 pC - Rise Time: 1.09 ns




Transient Pulse - Sample: TD_4004 - Position: 405.0 μm - Charge: 10.69 pC - Rise Time: 1.02 ns




Transient Pulse - Sample: TD_4004 - Position: 410.0 μm - Charge: 8.48 pC - Rise Time: 1.04 ns




Transient Pulse - Sample: TD_4004 - Position: 415.0 μm - Charge: 6.17 pC - Rise Time: 0.96 ns




Transient Pulse - Sample: TD_4004 - Position: 420.0 μm - Charge: 3.91 pC - Rise Time: 1.08 ns



Transient Pulse - Sample: TD_4004 - Position: 425.0 μm - Charge: 3.07 pC - Rise Time: 1.23 ns



Transient Pulse - Sample: TD_4004 - Position: 430.0 μm - Charge: 2.75 pC - Rise Time: 0.89 ns



Transient Pulse - Sample: TD_4004 - Position: 435.0 μm - Charge: 3.13 pC - Rise Time: 1.20 ns

