Definition For b an integer greater than 1, w a positive integer, w' a positive integer, and x a real number the base b fixed-width expansion of x with integer part width w and fractional part width w' is $(a_{w-1} \cdots a_1 a_0.c_1 \cdots c_{w'})_{b,w,w'}$ where $a_0, a_1, \ldots, a_{w-1}, c_1, \ldots, c_{w'}$ are nonnegative integers less than b and

$$x \ge \sum_{i=0}^{w-1} a_i b^i + \sum_{j=1}^{w'} c_j b^{-j}$$
 and $x < \sum_{i=0}^{w-1} a_i b^i + \sum_{j=1}^{w'} c_j b^{-j} + b^{-w'}$

```
3.75 in fixed-width binary, integer part width 2, fractional part width 8

0.1 in fixed-width binary, integer part width 2, fractional part width 8
```

```
welcome $jshell
| Welcome to JShell -- Version 10.0.1
| For an introduction type: /help intro
| ijshell> 0.1
| $1 ==>
| ijshell> 0.2
| $2 ==>
| ijshell> 0.1 + 0.2
| $3 ==>
| ijshell> Math.sqrt(2)
| $4 ==>
| ijshell> Math.sqrt(2)*Math.sqrt(2)
```

Note: Java uses floating point, not fixed width representation, but similar rounding errors appear in both.