Table of Contents:

Lab #1: Acid/Base Rocket

Background: The year was 1232. The Chinese and Mongols were at war. During the battle Kai-Feng, the Chinese repelled the Mongol invaders by "arrows of flying fire." The simple arrows were solid-propellant rockets. Later, during the latter part of the 17^{th} century, Sir Isaac Newton devised the laws of motion, ultimately trajectory, and Dutch professor Willem Gravensande the steam car. Today, the United States and Russia share experimental programs with astronauts in space. Why? Acid and base reactions.

$$CH_3COOH\ (\text{Acid}) + NaHCO_3(\text{Base}) \rightarrow CH_3COONa + CO_2 + H_2O \qquad \textbf{Eqn 1}$$

$$C_6H_8O_7\ (\text{Acid}) + NaHCO_3(\text{Base}) \rightarrow C_6H_7O_7Na + CO_2 + H_2O \qquad \textbf{Eqn 2}$$

Null Hypothesis: Reaction ratios cannot theoretically approximate the maximal height of launch.

Alternative Hypothesis: Reaction ratios theoretically approximate the maximal height of launch.

Goal: An experiment with estimated reaction masses prior to the initial launch.

Learning Outcomes:

1. A material list accurately prepared for an experimental launch.
2. Precise chemical reaction ratios calculated before experiment.
3. Masses of vinegar (CH_3COOH), sodium bicarbonate ($NaHCO_3$), and citric acid ($C_6H_8O_7$) recorded.
4. A rocket volume from measured dimensions.
5. Final evidence results about mass ratios.

Experimental:

1. In a lab notebook, experimentally record the mass of the solid rocket propellants.
2. With a scale or graduated cylinder, quantitatively record the liquid rocket propellant's volume.
3. A rocket launch.
4. The rocket design, reactants, and model for increased height
5. Steps two through five repeated, three times.



Data:

Evaluation:

Note: Please practice on paper before submission.

1. What were the materials?
2. What was the initial chemical mass: sodium bicarbonate?
3. How much mass (or volume) of acid was in the initial launch?
4. The rocket weighed how much?
5. What height was the initial test?
6. What were the trial numbers?
7. What changed after the first test?
8. Final launch changed how? Masses changed in sodium bicarbonate?
9. How much acid (g or mL) measured in the final launch?
10. What was the final mass in the rocket?
11. What height was the final launch?
12. What confirms the alternative hypothesis?

Lab #2: Gibbs Free Energy, Enthalpy, and Entropy

Background: Surroundings are everything around a system. We define systems with different parameters, such as temperature, pressure, and volume. With parameters, scientists model simple ideas. Macroscopic criteria are rate; time-duration from reactants to products; work; the differences between volume or pressure; and heat; the energy transfer. Chemist characterize a reaction by enthalpy (ΔH), entropy (ΔS), and Gibbs free energy (ΔG). Enthalpy is the heat absorbed or emitted from a reaction under constant pressure. Entropy is the number of microscopic arrangements in the system. While, Gibbs free energy is the relationship between enthalpy (ΔH) and entropy (ΔS) at a specific temperature. Negative Gibb's free energy indicates a spontaneous reaction. Else, a positive Gibbs, and the reaction is non-spontaneous.

Compound	ΔH = Enthalpy (kJ)	ΔS = Entropy (J/K)
Acetic Acid [CH_3COOH]	-874.5	86.6
Ammonium Chloride [NH_4Cl]	-314.4	94.6
Ammonium Ion [NH_4^+]	-132.5	113.4
Carbon Dioxide [CO_2]	-167.2	213.6
Chlorine Ion [Cl^-]	0.0	56.5
Copper [Cu^{2+}]	-142.6	33.2
Copper (I) Nitrate [$CuNO_3$]	-277.7	46.8
Ethanol [CH_3CH_2OH]	-174.1	160.7
Nitric Acid [HNO_3]	33.2	155.6
Nitrogen Dioxide [NO_2]	0.0	240.0
Oxygen [O_2]	0.0	205.0
Sodium Bicarbonate [$NaHCO_3$]	-947.7	102.1
Water (l) [H_2O]	-285.8	69.9
Water (g) [H_2O]	-242.0	188.7
Hydrochloric Acid (g) [HCl]	-167.1	-131.2
Sulfuric Acid (g) [H_2SO_4]	-909.3	20.1
Sodium carbonate [Na_2CO_3]	-1130.7	135.0

Equation #1: Gibbs Free Energy

$$\Delta G = \Delta H - T\Delta S$$

Null Hypothesis: The thermodynamic table never predicts the spontaneity of a reaction.

Alternative Hypothesis: The thermodynamic table predicts the spontaneity of a reaction.

Goal: From experimental measurements, student devise experimental proof and evidence by a thermodynamic table.

Learning Outcomes:

1. Identify exothermic and endothermic processes
2. Predict spontaneity using a thermodynamic data
3. Understand the difference between enthalpy (ΔH), entropy (ΔS), and Gibbs free energy (ΔG).
4. Demonstrate relationships between enthalpy (ΔH), entropy (ΔS), and Gibbs free energy (ΔG).

Experimental:

1. Prepare [1 M] NaOH and dissolve in 100 mL of H_2O
2. Add 25 mL of 1M M NaOH into four test tubes
3. Measure the room's temperature within each vial
4. Add 25 mL of [1 M] HCl to a test tube
5. Measure the maximum reaction temperature
6. Repeat steps #1-6 for HNO_3, H_2SO_4, and Na_2CO_3

Data:

	HCl	**HNO_3**	**H_2SO_4**	**Na_2CO_3**
Initial Temperature	24.0 °C	24.0 °C	24.0 °C	24.0 °C
Final Temperature	28.5 °C	29.0 °C	27.0 °C	24.0 °C

Evaluation:

Note: Please practice on paper before submission.

1. What is positive or negative heat?
2. The **HCl** reaction was exothermic or endothermic?
3. An **HNO_3** reaction was exothermic or endothermic?
4. The **H_2SO_4** reaction was exothermic or endothermic?
5. An **Na_2CO_3** reaction was exothermic or endothermic?
6. What is (ΔG) for all compounds in the table at a temperature, 298 K?
7. Spontaneity and definitions.
8. What was Gibbs Free Energy (ΔG) for **HCl, HNO_3**, **H_2SO_4**, and **Na_2CO_3**?
9. The hypothesis or null hypothesis was correct?

Lab #3: Physical Quantities, Units, and Measurements

Background: Physical quantities, units, and measurements are essential to chemistry. Physical quantities describe a fundamental expression. The base description is a unit, such as mass, length, and time. While, tools or instruments measure the unit for scientists. Terminology from scientist is both intensive and extensive units. Today three pieces of glassware demonstrate error in a unit measurement by density.

Null Hypothesis: Analytical glassware has no quantifiable unit and error from a measurement.

Alternative Hypothesis: Analytical glassware has a quantifiable unit and error from a measurement.

Goal: Chemical glassware experiences through liquid water. Also, experimentally review lab glassware by average and standard deviation.

Learning Outcomes:

1. Exposure using a thermometer, digital scale, beaker, Erlenmeyer flask, and volumetric flask.
2. A correlation between density and temperature inside glassware.
3. An average, percent error, and standard deviation from the equations below.
4. A lab summary about scientific laboratory data.

Equation #1: Density:

$$Density = \frac{mass\ (g)}{volume\ (mL)}$$

Equation #2: Temperature:

$$°C = \frac{9}{5}°\mathrm{F} + 32$$

Equation #3: Average:

$$\bar{x} = \frac{\sum_{i=1}^{N} x_i}{N}$$

Equation #4: Standard Deviation:

$$\sigma = \sqrt{\frac{\sum_{i=1}^{N} |x_i - \bar{x}\,|^2}{N}}$$

Equation #5: Percent Error:

$$Percent\ Error\ (\%) = \frac{|Measured\ value - Actual\ value|}{|Actual\ value|} * 100\%$$

Experimental Steps:

1. The experiment began with a beaker, Erlenmeyer flask, and volumetric flask on a top loading scale. What were the masses on the scale?
2. Incrementally, 20mL of water poured into each glassware.
3. A thermometer recorded temperature in liquid water.
4. Soon after, glassware mass from the scale.
5. Steps #1-3 for five measurements and fill in the table below.

Tabular Data: **Atmospheric Pressure (atm): _______ Water Temperature (°F): __________**

Beaker (100 mL)	
Measurement	**Mass (g)**
1	
2	
3	
4	
5	
Erlenmeyer Flask (100 mL)	
Measurement	**Mass (g)**
1	
2	
3	
4	
5	
Volumetric Flask (100 mL)	
Measurement	**Mass (g)**
1	
2	
3	
4	
5	

Evaluation:

Note: Please practice answers on paper before submission.

1. What were the average masses?
2. What glassware was most near actual volume?
3. What is density?
4. Why is temperature important to the experiment?
5. Why is pressure important to today's experiment?
6. What is percentage error?
7. Why care about standard deviation?
8. What photographs or drawings describe accuracy and precision?

Lab #4: Soaps and Detergents

Background: Soap has history before the 16th century. Figurative information dates to salve, resin, tallow, suet, and grease. Romans referenced soap to Romance, Germans to 'flattery' of loan, while today's vocabulary of Saponification to the jocular Latin root of sapon. Saponification converts oils, fats, and glycerides into glycerin with "salt." For proof-of-concept, students process raw material in a strong base to produce household soap.

Hypothesis: A strong base reacts with fats or oils into glycerin.

Null Hypothesis: A strong base never reacts with fats or oils into glycerin.

Goal: Trial chemical reactants for practice and the production of soap via saponification.

Learning Outcomes:

1. Understand soap production includes raw ingredients, oils, fats, and glycerides
2. Assess the chemical safety about sodium hydroxide in laboratory setting
3. Create good soaps from crude chemical instruction and procedure

Chemical Safety:



Sodium Hydroxide (Safety Data Sheet):

Health: _________________________

Fire: ___________________________

Reactivity: ______________________

Personal Protection: _____________

Experimental:

1. A graduated cylinder measures 50 mL of deionized water.
2. A scale weighs 10 grams of **NaOH** flakes.
3. Mixtures begin with **NaOH** into deionized water.
4. A hot plate raises the temperature of **NaOH** + $\mathbf{H_2O}$ solution to boiling
5. Thermometers record temperature of hot **NaOH** + $\mathbf{H_2O}$ solution (solution A)
6. Separately, a scale weighs 100 grams of solid-phase fats or oil.
7. A solid-phase fat melts above room temperature.
8. Thermometers record temperature of boiling liquid and fat solutions (solution B)
9. Solution A mixes with solution B.
10. The mold is for the liquid mixture. The soap hardens within 24 hours.

Data:

Record Temperatures:

Solution A (K): ______________________________

Solution B (K): _______________________________

Evaluation:

Note: Please practice answers on paper before submission.

1. What fat or oil was a reactant in the experiment?
2. The null or alternative hypothesis was correct? Why?
3. The chemical sodium hydroxide (**NaOH**) was innocuous?
4. What temperature melted the fat and/or oil?

Lab #5: Mineral Decomposition Rate

Background: Decay order describes rate in liquid or gas phase. Mineral decomposition occurs from a reaction, additional pressure, radioactive decay, and friction. In the environment, calcium carbonate decomposes by acidic rains. Decay order follows acidic aliquots onto calcium carbonate for masses loss.

Null Hypothesis: Acidic solutions onto a mineral never quantify decay order in aqueous medium.

Alternative Hypothesis: Acidic solutions onto a mineral quantify decay order in aqueous medium.

Goal: Reaction order of a controlled experiment between calcium carbonate and sulfuric acid.

Learning Outcomes:

1. The rate of decomposition from, a substitute, calcite mineral known as chalk
2. Arithmetically average aliquots of H_2SO_4 for standard drop-mass
3. Mass vs. time data as incremental amounts of acidic solutions add to chalk

Chemical Safety: Sulfuric Acid (Safety Data Sheet)

Health: _________________________

Fire: ___________________________

Reactivity: ______________________

Personal Protection: _____________

Reaction: $H_2SO_4(aq) + CaCO_3(s) \rightarrow H_2O(l) + \ Ca^{2+}(aq) + SO_4^{2-}(aq) + CO_2(g)$

Experimental:

1. A watch glass needs a mass before the drop averages.
2. Drop-by-drop aliquot sulfuric acid onto a watch glass on top a scale with record.
3. Chalk mass on a scale needs an initial mass
4. Repeatedly, drops react with the chalk into aqueous components into product, carbon dioxide (CO_2).



Tabular Data: Watch glass (g): ___________

Drop	Total Mass (g)
1	
2	
3	
4	
5	
6	
7	

Average (g): ____________________________________

Standard Error (g): ______________________________

Mass of Chalk (g): ________________

Drop	Remaining Chalk Mass (g)	Time (s)
1		
2		
3		
4		
5		
6		
7		

Reaction Kinetics: Rate = k $[Ca^{2+}]^m[CO_3^{2-}]^n$

Order of Reaction: m = __________ n = ___________

Evaluation:

Note: Please practice answers on paper before submission.

1. Why was chalk a substitute to calcium carbonate ($CaCO_3$)?
2. Why an average drop mass?
3. What units describe rate?
4. What were rate constants, m and n?
5. What was the experimental rate?

Lab #6: Biological Catalysis

Background: Danish chemist, Christian Hansen's rennet specimens started a revolution in biochemistry. Enzymes digested lactose inside saline solutions, eventually a foundational concept for researchers and industry. Although, historically practicianors fermented foods centuries before the comprehensive material. Today, biochemists in industry ferment food, digest textiles, bate leather, and wash detergents with enzymes. Enzymatic digestion is the topic today with solid enzymes tablets.

Null Hypothesis: Enzymes decompose cabbage into a dissimilar textures, colors, and smells.

Alternative Hypothesis: Enzymes decompose cabbage into a similar textures, colors, and smells.

Goal: Experiment in enzymatic digestion with an enzyme discovered in 1874 called β-amylase enzyme.

Learning Outcomes:

1. A laboratory procedure containing biological components from a blank sheet.
2. Cabbage fermentation with an enzyme catalyst, such as general β-amylase tablet
3. Qualitative, along with quantitative information for experimental fermenting

Reaction: $Cabbage + Enzyme \xrightarrow{Fermentation} Decomposition$

Materials:

1. A glass jar [Two holes]
2. Painter's tape [A cover for holes]
3. Black marker [Date]
4. Cabbage [Digestant]
5. Enzyme tablet [Enzyme]
6. Scale [Cabbage mass]
7. Water [As appropriate]



Laboratory Procedure:

Note: A personally prepared fermentation lab

1.
2.
3.
4.
5.
6.

<u>Evaluation:</u>

Note: Please practice answers on paper before submission.

1. What is an enzyme?
2. Enzymes derive from what in the environment?
3. How was the personal procedure?
4. Tape had what purpose?
5. Any necessary changes in personal procedure?
6. After two weeks, what was the outcome for the null hypothesis?

Lab #7: Lewis Acid Concentration

Background: The American physicist Gilbert Newton Lewis won a Nobel Prize by a new model for chemical acids and bases. The Lewis acid accepts pairs of electrons. While a Lewis base donates electrons in the acid-base conjugate pair. After electronic bond produces an adduct, the product after the reaction. For metal chemistry examination, student interaction entails colorimetric analysis toward a Lewis acid concentration.

Null Hypothesis: Copper ions (Cu^{2+}) never react with sodium hydroxide (NaOH) as a Lewis acid.

Alternative Hypothesis: Copper ions (Cu^{2+}) never cause a reaction with sodium hydroxide (NaOH) as a Lewis acid.

Goal: The intense blue color indicates copper ion concentration, especially through measurement.

Learning Outcomes:

1. Information about standard solution concentration.
2. A serial dilution with sets of test tubes, graduated cylinders, and mathematical ratios.
3. Aliquots of base in order to decrease the Lewis acid concentration.
4. With colorimetric analysis, an equation describing concentration.

Reaction: $CuSO_4 + 2NaOH \rightarrow Cu(OH)_2 + Na_2SO_4$

Experimental:

1. Five test tubes each with a label "10 M", "5 M", "1 M", "0.5 M" and "0.1 M" $CuSO_4$ for experimental analysis of linear series
2. NaOH drops decrease the concentration of $CuSO_4$
3. A linear model for the instruction of colorimetric testing conclusions and results
4. Linear Equation:



Evaluation:

Note: Please practice answers on paper before submission.

1. What color is copper sulfate ($CuSO_4$)?
2. What are the independent variables in the linear equation?
3. What are the dependent variables in the linear equation?
4. What is the purpose for a linear equation?
5. What was a necessary alteration in the steps?
6. Concentration is both qualitative and quantitative. A qualitative analysis involves inspection of color. A paragraph length of 4-5 sentences about quantitative concentration analysis.



Lab #8: Molarity measuring

Background: Concentration is ubiquitous. In a tea leaf mixture or simple Sweet Black Tea, concentration is visible by both color and taste. In other words, chemists comprehend concentration (molarity). Specifically, how substance mass relates to volume. The Periodic Table of Elements aids with the determination by elemental mass. This day, students embark on a definition about concentration, molarity.

Null Hypothesis: Additional mass never increases molarity and not possibly visible by eye.

Alternative Hypothesis: Additional mass never increases molarity and not possibly visible by eye.

Goal: The Periodic Table of Elements applied to chemical calculations in molarity.

Learning Outcomes:

1. With an analytical scale, concentration from a Erlenmeyer flask with blue solution.
2. Molarity calculating in a solution at a constant volume in a volumetric flask.
3. The percent error of original molarity measurements by a top loading scale.

Equation #1: Molar Mass:

$$\boldsymbol{Molar\ Mass} = \frac{\boldsymbol{Mass\ (g)}}{\boldsymbol{Amount\ (mol)}}$$

Equation #2: Molarity:

$$\boldsymbol{Molarity} = \frac{\boldsymbol{Amount\ (mol)}}{\boldsymbol{Volume\ (L)}}$$

Equation #3: Percent Error:

$$\boldsymbol{Percent\ Error} = \frac{|\boldsymbol{Measured - Actual}|}{\boldsymbol{Actual}} * \boldsymbol{100\%}$$

Tabular Data: **Temperature (°F): ______________________ Density of H_2O (g/cm^3): __________________**

Compound	Chemical Formula	Molarity Label [M]	Substance Mass (g)	Volume (mL)	Solution Mass (g)	Liquid Mass (g)	Actual Molarity [M]
Sodium Iodide	NaI						
Sodium Iodide	NaI						
Sodium Iodide	NaI						
Iron (II) Chloride	$FeCl_2$						
Iron (II) Chloride	$FeCl_2$						
Iron (II) Chloride	$FeCl_2$						
Copper (II) Carbonate	$CuCO_3$						
Copper (II) Carbonate	$CuCO_3$						
Copper (II) Carbonate	$CuCO_3$						

Evaluation:

Note: Please practice answers on paper before submission.

1. Why is concentration apparent from additional mass?
2. What color was sodium iodide (NaI)?
3. What color was iron (III) chloride ($FeCl_3$)?
4. Whas was copper (II) carbonate color ($CuCO_3$) in solution?
5. Temperature and water density were critical?

Lab #9: Molar Mass: Carbon Dioxide

Background: The Periodic Table of Elements contains elemental masses for scientific aid. Across majors, scientists depend on accurate atomic masses for references in experiment. Molar mass, the typical mass unit derives a ratio between compounds, such as water or carbon dioxide. The lab determines masses in a gas, carbon dioxide at room temperature.

Goal: Density using a scale and container about a gaseous phase substance, carbon dioxide.

Null Hypothesis: Carbon dioxide density at 1 mole quantity is not the molecular molar mass.

Alternative Hypothesis: Carbon dioxide density at 1 mole quantity is the molecular molar mass.

Learning Outcomes:

1. Conservation of mass from dry ice [carbon dioxide (g)] subliming on a scale.
2. Substance density involves measurements about mass and volume.
3. A relationship between density and molar mass by mole units.

Equation #1: Density:

$$Density = \frac{Mass\ (g)}{Volume\ (cm^3)}$$

Equation #2: Avogadro's value:

$$Avogadro's\ Value = \frac{6.022x10^{23}}{1\ mol}$$

Equation #3: Percent Error:

$$Percent\ Error = \frac{|Measured - Actual|}{Actual} * 100\%$$



Tabular Data: **Temperature (°F):** ________________ **Container mass (g):** ________________

Trial	Mass (g)	Volume (cm^3)	Density (g/cm^3)	Moles (n)	Molar Mass (g/mol)	Percent Error (%)
1				1		
2				1		
3				1		
4				1		
5				1		

<u>Evaluation:</u>

Note: Please practice answers on paper before submission.

1. Temperature was helpful in references to density. Why?
2. Dry ice is solid carbon dioxide (CO_2). Solid and gaseous carbon dioxide had equal mass?
3. What is the mole unit?
4. Percent error helps a scientist. Why?
5. A paragraph about John Dalton (5-7 sentences).

Lab #10: Molar Mass: Water

Background: 'Atomism' was a perspective from John Dalton, and a natural philosophy about fundamental particles. The developments about molecular gases led to the law of multiple proportions, then eventually molar mass. An explanation about elemental ratios; electrolysis examples John Dalton's 'atomism' with hydrogen and oxygen. This lab separates water into components for determination of molar mass.

Goal: Pure water's molar mass from molecular ratios and differences inside a volumetric container.

Null Hypothesis: An electrolysis device never separates water into molecular ratios.

Alternative Hypothesis: An electrolysis device separates water into molecular ratios.

Learning Outcomes:

1. Conservation of mass using an electrolysis apparatus with water inside the vessel.
2. Substance density through discernable molecular ratios.
3. A substance's molar mass at standard temperature and pressure, 1 mole equals 22.4 liters.



Equation #1: Density:

$$Density = \frac{Mass\ (g)}{Volume\ (cm^3)}$$

Equation #2: Molar Mass:

$$Molar\ Mass = \frac{Mass\ (grams)}{Amount\ (mol)}$$

Equation #3: Percent Error:

$$Percent\ Error = \frac{|Measured - Actual|}{Actual} * 100\%$$

Tabular Data: **Temperature (°F):** ________________

Trial	Ratio of Oxygen	Ratio of Hydrogen	Volume Oxygen (mL)	Volume Hydrogen (mL)	Moles Oxygen (mols)	Moles Hydrogen (mols)	Molar Mass (g/mol)	Molar Mass Error
1								
2								
3								
4								
5								

Evaluation:

Note: Please practice answers on paper before submission.

1. What were hydrogen and oxygen ratios?
2. What dangerous activity proves different gases in the left and right columns?
3. The true water (H_2O) molar mass is 18 g/mol. How accurate an answer in the experiment?
4. The electrolysis apparatus separated water into molecular gases. What about other liquids? What is the outcome with juice, tea, or coffee?
5. Why was Dalton's conjecture correct?
6. The 1 mole equals 22.4 L was in the experiment. Why?

Lab #11: Temperatures effect on Equilibria

Background: Le Châtlier's principal models chemical shift in reactants and products from current environmental parameters. Ambient temperature shifts an equilibrium away or toward heat production. Pressure and volume also shift an equilibrium. Other conditions change's reaction potential, state-parameters, and reaction outcomes. For classes' lab, students examine thermodynamic effects of equilibria through temperature.

Goal: An observable equilibrium by a simple pressure and temperature vessel.

Hypothesis: Temperature never perturbs an equilibrium throughout repeatable experiments.

Null Hypothesis: Temperature perturbs an equilibrium throughout repeatable experiments.

Learning Outcomes:

1. A table about Le Châtlier's principles before laboratory testing
2. The temperature inside a water bath before fluid displacement
3. Temperature's effect on equilibria by evaluating a model system



Le Chatlie'rs Principle:

Equilibrium Reaction: $N_2(g) + 3H_2(g) \leftrightarrow 2NH_3(g)$

	Parameter Increase	Parameter Decrease
Temperature		
Pressure		
Volume		
Concentration		

Procedure:

1. A beaker with 50 mL water for demonstration of Le Châtlier's principles.
2. A thermometer measures the temperature of a lukewarm water bath.
3. The final temperature records below.
4. An equilibrium apparatus goes into a water bath for conditional equilibrium change.
5. Steps #2-#3 repeat for apparatus demonstration.

Temperature (°C):_________________________

Evaluation:

Note: Please practice answers on paper before submission.

1. What are Le Châtlier's principles?
2. What happened in the equilibrium device?
3. What average temperature shifted the apparatus' liquid?
4. Why was the above table important?
5. How many predictions in the table were correct?

Lab #12: Emission Spectra

Background: A flame test is a mechanism to element type. Color in the fire is unique to a large set of elements. The light derives from two processes; one, the metal solid vaporizing into a gaseous elemental state; while the second, the metal solid reacting with oxygen into a gaseous oxide fume. The simple description about a flame test being a phase transition and final light emission. For our experiment vaporization of a salt solid generates emission upon transition.

Goal: An elemental type via the emission spectra of a gaseous salt.

Hypothesis: The element has assignable colors when a phase transition occurs from heat.

Null Hypothesis: The element has no assignable colors when a phase transition occurs from heat.

Learning Outcomes:

1. An unknown salt vaporizing from solid to gaseous phase with a Bunsen burner, wand, and flame.
2. A spectrometer to quantitatively measure emission spectra of gaseous salts in darkness.
3. A data table of atomic spectra for determining an unknown metal.
4. Accuracy and precision measuring.



Equation #1: Accuracy (Average):

$$\boldsymbol{Average = \frac{\sum_{i=1}^{n} x_i}{n}}$$

Equation #2: Precision (Standard Deviation):

$$\boldsymbol{Precision = \sqrt{\frac{\sum_{i=1}^{n} (x_i - \overline{x})^2}{n}}}$$

Chemical Process: $\boldsymbol{Unknown\ (s) \rightarrow Unknown\ (g) + Light}$

Data table: Instrument Model (No): ____________________

Gas	Trial #1: $\lambda_{Low \leftrightarrow High}(nm)$	Trial #2: $\lambda_{Low \leftrightarrow High}(nm)$	Trial #3: $\lambda_{Low \leftrightarrow High}(nm)$	Average (nm)	Salt	Standard Deviation (nm)
Unknown A						
Unknown B						
Unknown C						
Unknown D						

Evaluation:

Note: Please practice answers on paper before submission.

1. Why was the flame test helpful?
2. What was the standard deviation from flame experiments?
3. What was dangerous about the experiment?
4. The elements each had unique colors. Why did each element produce different colors?
5. A sketch exampling the experimental setup.

Lab #13: Second Law of Thermodynamics

Background: Law is congressional agreement. A committee (or chamber of representatives) enact a formal resolution of theory through experimental legislation. If their experiment fails, then new-found resolution is assented (or ordained). The second law of thermodynamics classifies natural law and order. Heat's relationship to temperature, or division, thereof, jointly, typifies measurable outcomes of local motion. By creating a boat from convection, students are account for gaseous molecules temperature-dependence. With a majority resolution, members for both in-house, and constitutional signature.

Goal: A steam-powered boat certifying natural laws of entropy and thermodynamics.

Learning Outcomes:

1. A convection vessel, ship, or barque validating entropic quantities of nature.
2. Motion of gas molecules by the heating of a glass test tube via candle stick
3. Entropy through recording temperature and heat change of an open system

Equation #1: Second Law of Thermodynamics

$$Entropy = \frac{\Delta q}{T} = \frac{q_{Final} - q_{Initial}}{T} = \frac{mC\Delta T}{T}$$

Equation #2: Celsius to Kelvin:

$$K = {}^{\circ}C + 273$$

Tabular Data:

Determination of Second Law of Thermodynamics - Entropy					
Air Volume (cm^3)	**Air Density (g/cm^3)**	**Specific Heat of AIr (J/g °C)**	**Initial Temperature (°C)**	**Final Temperature (°C)**	**Entropy (J/K)**



Evaluation:

Note: Please practice answers on paper before submission.

1. What are laws of thermodynamics?
2. What is a photo about the barque or vessel?
3. What is entropy??
4. The second law of thermodynamics was specific to the experiment. Why?
5. A sketch exampling the experimental setup.

Lab #14: Freezing-point Depression

Background: Colligative properties are physical changes in solution from the addition of a solute to solvent, also an industrial mechanism. From purifying seawater to separating enzymes, colligative properties are proportional to linear concentrations of solutes. The physical properties chemists speak, 'freezing temperature, boiling temperature, vapor pressure, and osmotic pressure.' Our solvent, water's freezing point depresses with the addition of sodium salt.

Goal: The freezing point depression of solution while determining the freezing constant (K).

Null Hypothesis: Water's freezing point never changes from additional solutes.

Alternative Hypothesis: Water's freezing point changes from additional solutes.

Learning Outcomes:

1. An accurate temperature change of a frozen solution, such as water vs saltwater.
2. A freezing point constant (K) from sodium chloride (NaCl) adding to water.
3. The experimental error from standard deviating.
4. A freezing point constant compared to literature values.



Equation #1: Accuracy (Average):

$$Average = \frac{\sum_{i=1}^{n} x_i}{n}$$

Equation #2: Precision (Standard Deviation):

$$Precision = \sqrt{\frac{\sum_{i=1}^{n}(x_i - \overline{x})^2}{n}}$$

Equation #3: Freezing Point Depression

$$\Delta T = imK_f$$

Tabular Data: NaCl Molar Mass (g/mol): ____________ Mass of Water (g): _____________

	Initial Solution Temperature (°F):	Mass of Salt (g)	Final Solution Temperature (°F):	Mols of Salt (mol)	Solution Molality (mol/kg)	Van't Hoff Factor (i)	Molal Freezing Point Constant (°F/m)
Trial #1							
Trial #2							
Trial #3							
Trial #4							

Evaluation:

Note: Please practice answers on paper before submission.

1. How much difference was water's freezing point?
2. What was the standard deviation in water's freezing point?
3. The amount of salt is relevant to freezing point. What was the experimental amount of salt?
4. What happens with a different salt type?
5. Why is Styrofoam helpful to the experiment? Even though, styrofoam is not necessary.

Lab #15: Battery Voltage

Background: Electricity developed as both a technological and social process. The United States of America statuettes electricity as broad resource with policy throughout energy standards, sequestration technologies, and renewable source developments. Initially in the 1870's, electricity was in popular entertainment, playscripts, playbills, and motion pictures. While Early Motion Pictures promoted inventors, such as the Thomas Alva Edison - "Wizard of Menlo Park." In the lab, student's measure voltage.

Goal: With a voltmeter, quantitatively and accurately measure battery voltage across samples.

Null Hypothesis: The standard on a battery label never states appropriate voltage.

Alternative Hypothesis: The engineer's standard on the battery label correctly states appropriate voltage.



Learning Outcomes:

1. A theory for potential energy within different batteries
2. Voltage measurements of battery cells.
3. The standard error from engineers by applying a voltmeter

Equation #1: Voltage:

$$Voltage = \frac{Joules}{Coulombs}$$

Data Table:

Battery Voltage	Experiment				
	Trial #1	**Trial #2**	**Trial #3**	**Average**	**Standard Error**
1.5 V					
6.0 V					
9.0 V					
12.0 V					

Evaluation:

Note: Please practice answers on paper before submission.

1. What batteries had the most error?
2. Why is an average voltage important?
3. What is the relationship between battery voltage and error? What relationship exist at all between voltage and error?
4. For energy storage, batteries transfer energy. What other objects store energy?
5. Why was a voltmeter useful?

Lab #16: Filtering and Osmosis

Background: A filter separates fluids from solids. Equipment filters by mechanical, gravity, and osmosis methods. A mechanical filter uses a pump (or vacuum). While the gravity filter contains a semi-permeable membrane for fluid separation. Osmosis, also, diffusive filtration translates low concentration water to high concentration solutes. This lab provides three filter apparatus as observation and expository examples.

Goal: A deep examination about three types of filtration equipment categorized by mechanism.

Null Hypothesis: A filter cannot separate liquids from solids by mechanical, gravitational, and osmosis.

Alternative Hypothesis: A filter separates liquids from solids by mechanical, gravitational, and osmosis.

Learning Outcomes:

1. Two expository paragraphs about previously displayed filtration apparatus
2. An expository paragraph explaining a mechanically driven filter
3. A gravity-fed filtration systems for analyzing.
4. A compare or contrast about an osmosis separating technique

A Mechanical Filter sketch:

Notes about a Mechanical Filter:

1.
2.
3.
4.
5.

A Gravity-Fed Filter sketch:

Notes about a Gravity-Fed Filter:

1.
2.
3.
4.
5.

An Osmosis Filter sketch:

Notes about an Osmosis Filter:

1.
2.
3.
4.
5.

Evaluation:

Note: Please practice answers on paper before submission.

1. What is filtering?
2. What is osmosis?
3. What is a mechanical filter?
4. What is a gravity-fed filter?
5. What is an osmosis filter?

Lab #17: Ideal Gases

Background: The ideal gas constant derived from experiments by Boyle, Avogadro, Charles, and Gay-Lussac. In reversible systems, the ideal gas constant (R) approximates a relationship between Standard Temperature and Pressure (STP). An ideal gas constant formulates from carbon dioxide reactions. Students weigh carbon dioxide solid, then quantify a reaction by a balloon's volume at room temperature and pressure.

Goal: A gaseous apparatus measuring ideal gas constant.

Null Hypothesis: A gas constant is not possible from an experimental setup about volume.

Alternative Hypothesis: A gas constant is possible from an experimental setup about volume.

Learning Outcomes:

1. The volume using geometry.
2. With stoichiometry, total moles of carbon dioxide produced from a reaction.
3. Room temperature and pressure by a thermometer, along with barometer.
4. An internal pressure calculation from previously recorded results during the experiment.

Equation #1: Gas Constant:

R = 8.135 J/(mol·K)

= 0.08206 L·atm/(mol·K)



Equation #2: Ideal Gas Law:

$$P \propto m\ (slope) * \frac{nT}{V}$$

Equation #3: Reaction of sodium bicarbonate ($NaHCO_3$) and acetic acid (CH_3COOH):

$$\mathrm{NaHCO_3}(s) + \mathrm{CH_3COOH}(aq) \rightarrow \mathrm{Na^+}(aq) + CH_3COO^-(aq) + CO_2(g) + H_2O(l)$$

Tabular Data: Temperature (°C): ____________ Pressure (atm): ______________

Experiment	Balloon Mass (g)	$NaHCO_3$ Mass (g)	$NaHCO_3$ Mass (g)	Radius (cm)	Volume (L)	$NaHCO_3$ (mols)	CH_3COOH (mols)	CO_2 (mols)	Internal Pressure (atm)	Gas Constant (L·atm/ mol·K)
Trial #1										
Trial #2										
Trial #3										

Evaluation:

Note: Please practice answers on paper before submission.

1. What is the math toward an average gas constant (R)?
2. What happened in the reaction between sodium bicarbonate ($NaHCO_3$) and acetic acid (CH_3COOH)?
3. How accurate was Equation #1 to results from the experiment?
4. How precise was Equation #1 to results from the experiment?
5. Volume required math. What is the volume in a sphere?

Lab #18: Methane and Hydrogen production

Background: Industry generates vast gas. Research continues in coal gasification, hydrocarbons, steam reform, distillation, pyrolysis, and other alternatives. In 1899, Mathews et. al prepared pure methane from sodium hydroxide and acetate. His methodology heated homes by the 20th century. Also gases, such as, hydrogen propelled rockets into the atmosphere, and beyond. In lab, we prepare both gaseous methane and hydrogen by classical methods.

Goal: The percent uncertainty of reaction when producing methane and hydrogen gas.

Null Hypothesis: Hydrogen and methane are not flammable gases.

Alternative Hypothesis: Hydrogen and methane are flammable gases.

Learning Outcomes:

1. An inorganic experiment with special glassware for measuring the yield from a reaction.
2. Aqueous sulfuric acid with solid zinc rendering molecular hydrogen gas.
3. Inside of a chemical hood, Mathews et. al 1899 production of methane.
4. The percent uncertainty from a reaction through measuring both input and output.

Reaction #1 – Sulfuric Acid and Zinc:

$$H_2SO_4(aq) + Zn(s) \rightarrow ZnSO_4(aq) + H_2(g)$$

Laboratory Data:

Test Tube Mass (g): ________________________________
Sulfuric Acid (H_2SO_4) Molarity [M]: ____________________
Sulfuric Acid (H_2SO_4) Volume [mL]: ____________________
Zinc (Zn) Mass [g]: ___________________________________
Final Test Tube Mass [g]: ______________________________
Predicted Hydrogen (H_2) Mass [g]: _____________________
Actual Hydrogen (H_2) Mass [g]: _______________________
Percent Uncertainty (%): ______________________________



Reaction #2 – Sodium Acetate and Soda Lime:

$$NaCH_3COO(aq) + NaOH(s) \xrightarrow{\Delta,\ CaO} CH_4(g) + Na_2CO_3(s)$$

Laboratory Data:

Test Tube Mass (g): ________________________________
Sodium Acetate ($NaCH_3COO$) Molarity [M]: _______________
Sodium Acetate ($NaCH_3COO$) Volume [mL]: _______________
Soda Lime Mass [g]: __________________________________
Final Test Tube Mass [g]: ______________________________
Predicted Hydrogen (CH_4) Mass [g]: ____________________
Actual Hydrogen (CH_4) Mass [g]: ______________________
Percent Uncertainty (%): ______________________________



Evaluation:

Note: Please practice answers on paper before submission.

1. What is methane gas?
2. What is gaseous hydrogen?
3. The gases were or were not flammable? How many trials certify the hypothesis?
4. What reaction was more dangerous?
5. Which reaction generated more gas? Why?

Lab #19: Distillation of Mint

Background: Essential oils are volatile compounds. The oils embody plants and soaps, flavors, perfumes, incenses, and cosmetics. Popular oils are eucalyptus, peppermint, tea tree oil, citrus, and lavender. A simple separation for oil is vaporization and consecutive condensation. Individual groups boil mint leaves near a temperature toward the spearmint, and peppermint constituents. Analytical analysis confirms yield and purity, thereof.

Goal: A mixture of high-purity essential oils distilled from native mint leaves.

Null Hypothesis: Oils never resided inside mint leaves with specific properties and smell.

Alternative Hypothesis: Oils reside inside mint leaves with specific properties and smell.

Learning Outcomes:

1. An exposure to liquid and gas phase separation techniques; process chemistry.
2. A simple organic glassware preparation for vaporization and condensation.
3. The percent yield of plant through measuring experimental input and output.
4. Purity of an essential oil mixture extracted from mint leaf (genus: mentha).

Chemical	Molecular Structure	Boiling Temperature
Carvone (Spearmint)		231 °C / 448 °F
Menthol (Peppermint)		214.6 °C / 418.3 °F
Menthone (Peppermint)		207 °C / 405 °F

Tabular Setup:

Mint [g]: ____

Essential Oil [g]:____

Evaluation:

Note: Please practice answers on paper before submission.

1. What is mint?
2. What is vaporization?
3. Why was condensation a necessary step in essential oil extraction?
4. What other plants possibly have essential oils?
5. What is a reasonable percent yield of extraction? The percent yield has a standard threshold or not?

Lab #20: Copper (I) Oxide Melting

Background: From Greeks to Romans, astringents, or mordant dyes; copper is foundational to history. From metallurgy, copper was a feasible product before many civilizations. The primary role was mirrors, blades, coins, and statues. During the Industrial Revolution, copper became a major industry in Great Britain. Later, conductive properties in metals led locals toward silver, gold, and copper. As a pure reddish-brown metal, and malleable, Copper (^{29}Al) remains an important element. For experimental analysis, contiguous metal melting into a singular piece.

Goal: A solid or liquid copper metal from a reaction with Copper (II) oxide and carbon.

Null Hypothesis: The reaction between Copper (II) oxide and carbon never produces copper.

Alternative Hypothesis: The reaction between Copper (II) oxide and carbon produces copper.

Learning Outcomes:

1. A crucible containing metals and carbon above a flame from a Bunsen burner.
2. Copper (II) oxide reaction with carbon as a second reactant.
3. A description of the active developments toward copper metal.
4. Reactant calculations from measuring the mass of solid.

Reaction #1 – Copper (II) Oxide:

$$2CuO(s) + C(s) \xrightarrow{\Delta} 2Cu(s) + CO_2(g)$$

Stoichiometry:

Have:

Want:



Mass of Copper (I) Oxide [g]: _______________

Mass of Pure Carbon [g]: __________________

Process Description:

Mass of Copper Metal [g]: _________________

Evaluation:

Note: Please practice answers on paper before submission.

1. What was the color of copper metal?
2. A sketch with labels about tools characterizes the reaction for another scientist.
3. Why is mass important to percent yield?
4. Carbon was necessary? Why?
5. What was the percent yield?

Lab #21: Plastics and Polymers

Background: Plastics and polymers are both synthetic, and non-synthetic. Originally a disposable product, plastics are viable and available for sale. Alone, plastics account for a large dollar industry in packages, automotive, and electronics. Plastics, e.g. polymers derive from hydrocarbons. The polymer describes multiple materials; wool, silk, proteins, deoxyribose nucleic acid (DNA), cellulose, and chitin. Modern techniques produce nylon, acrylic, neoprene, polyethene, polyvinyl chloride, and "Teflon." With purpose, material properties are a requirement before commercial production. For laboratory practice, students prepare nylon and measure wet vs. dry tensile strength.

Goal: The tensile strength of wet and dry nylon threads having a diameter of one millimeter.

Null Hypothesis: Tensile strength is never larger in dry nylon than wet nylon averages.

Alternative Hypothesis: Tensile strength is larger in dry nylon than wet nylon averages.

Learning Outcomes:

1. A polymer of nylon from adipoyl chloride in cyclohexane solution.
2. A mixture of 1,6-hexanediamine into an organic solution of reactants.
3. Dry portions of nylon of given diameters for tensile strength.

Equation #1 – Nylon Reaction:

$$nC_6O_2Cl_2 + nC_6N_2H_4 \xrightarrow{-HCl} H[C_{12}O_2N_2H_2]_nCl$$

Data Collection:

Dry Trial	Trial #1	Trial #2	Trial #3	Average	Standard Deviation
Nylon Diameter (mm)					
Tensile Strength (mN)					

Wet Trial	Trial #1	Trial #2	Trial #3	Average	Standard Deviation
Nylon Diameter (mm)					
Tensile Strength (mN)					



Evaluation:

Note: Please practice answers on paper before submission.

1. What was the color of wet and dry nylon?
2. Dry nylon had a larger or smaller stress-testing average than wet?
3. The hypothesis was correct or incorrect?
4. What are example polymers?
5. What is the purpose of the photograph on the laboratory page?

Lab #22: Cloud Chamber

Background: Particle physicists' study atomic structure evolution. Primary methodology derives from nuclear phenomena, including, fission, fusion, ionization, and decay. In 1903, Marie Curie received a Nobel prize for radioactivity. Then, a 20th-century physicist, Enrico Fermi discovered fermions, an entire class of subatomic particles. With a multitude of others, Wolfgang Pauli, Paul Dirac, and later, in 1935 Hideki Yukawa. The carrier particles from radiation were the soon the foundation in both strong and weak forces. The nuclear forces bound Murray Gell-Mann to hadron collider experiments, and the quark model. For this afternoon's lab, a classroom produces a cloud chamber, radiation, and microscopic photography thereof.

Goal: A cloud chamber for measurements of radioactive decay emission angles.

Null Hypothesis: Radioactive decay never scatters at specific angles from incident source.

Alternative Hypothesis: Radioactive decay scatters at specific angles from incident source.

Learning Outcomes:

1. From a microscopic camera, radioactive particle images in gaseous condensate.
2. A trigonometric function applied to high-resolution snapshots of particle decay.
3. Radiation values through the counting of particles during emissions.

Image Collection:

Tabular Data:

Particle Number	Emission Angle (°)
1	
2	
3	
4	
5	

Emission Flux:

Particle Count (n): ________________________

Duration of Count (s): _____________________

Emission Density (n/s): ____________________



Evaluation:

Note: Please practice answers on paper before submission.

1. What was fun about the experiment?
2. What angles appeared from the experiment?
3. What is a particle? Nuclear particle?
4. Why is angle important?
5. How often is radiation?

Glossary:

6-HEXANEDIAMINE (noun) – a chemical with two amines, six carbons, and another twelve hydrogens. An ingredient in producing nylon.
ABSORB (adjective, verb) – a process about an effect, specifically input.
ACCOUNT (noun, verb) – a financial receipt or notation. Also, an arrangement based in importance.
ACCURACY (noun) – a mathematical average or exactness
ACCURATE (adjective) – a correct value
ACETATE (noun) – a chemical in biological systems, then later a mass produced commercial solvent.
ACID (noun) – various liquid substances with pH < 7, corrosive and sour when safe. Commonly, not safe.
ACID-BASE (noun) – chemist linked acids and bases by a hyphen.
ACIDIC (adjective) – a description about a solution when pH < 7.
ACRYLIC (noun) – a chemical, readily a plastic purposes in emulsion, resin, and water-resistance.
ACTUAL (adjective) - fact
ADD (verb) – symbol (+), additional, together, and sum. 1+1=2
ADDITIONAL (adjective) - more
ADDUCT (verb) – encompass
ADIPOYL (verb) – a toxic chemical in the rection to nylon, the molecule contains a radical.
AFTERNOON (noun) – military time beyond 12:00, twelve o'clock, but before 6:00, six o'clock.
AGREEMENT (noun) – similar opinion
ALIQUOT (noun) – a small amount, in chemistry, 'a little liquid'
ALTER (verb) – a change
ALTERNATIVE (adjective) – a second plan
AMBIENT (adjective) – surrounding environment
AMERICA (noun) – a northern, also a southern continent. United States of America is a smaller nation.
AMERICAN (adjective) – an informal term related to South and North America or United States of America.
AMMONIUM (noun) – an ion from ammonia.
AMOUNT (noun) – a quantity
ANALYSIS (noun) – a judgment about order, state, or timeline.
ANALYTICAL (noun, adjective) – in chemistry a technique, method, instrument, scale, or tool.
ANALYZING (verb) – a study
ANGLE (noun) – measurement in radians related to perpendicular, obtuse, and oblique, also a corner or vertex.
ANOTHER (determiner, pronoun) – a modifer to plural nousn or in a group, a reference.
ANSWER (noun, verb) – a conclusion, action, or outcome
APPARATUS (noun) – a tool, method, or machine
APPARENT (adjective) – noticable, clear, and understood
APPEAR (verb) – visible or becoming visible
APPLY (verb) – a request or statement
APPROXIMATE (adjective) – not accurate
AQUEOUS (adjective) – a mixture with ions in solution.
ARITHMETICALLY (adverb) – adding, subtracting, multplying, or dividing numbers
AROUND (preposition, adverb) – a position, behind, or in direction
ARRANGEMENTS (noun) – a location, plan, or opinion
ARROW (noun) – a long and sharp weapon requiring a bow
ASSENT (noun, verb) – a request, agreement, or approval
ASSESS (verb) – a judgement about a situation or importance
ASSIGN (verb) – a goal
ASTRINGENT (adjective) – a vague category in chemicals about drying tissue
ASTRONAUT (noun) – a role in space
ATMOSPHERE (noun) – the gaseous environment around a planet
ATOMIC (adjective) – an undivisible component
ATOMISM (noun) – a theory
AUTOMOTIVE (adjective) – car, truck, or other
AVAILABLE (adjective) – open, accessible, an optional choice or purchase
AVERAGE (noun, verb) – a representation about a group
AVOGADRO (noun) – a number ($6.022x10^{23}$/mol) or person from the early 1800's
AWAY (adverb) – somewhere, not here
BACKGROUND (noun) – an ambient condition, behind
BALLOON (noun) – a gas container and toy
BAROMETER (noun) – an instrument, the measurement is pressure
BARQUE (noun) – a wide boat
BASE (noun) – various liquid substances with pH > 7, caustic and bitter when safe. Commonly, not safe.
BASIC (adjective) – a description about a liquid
BATE (verb) – an action involving leather and enzymes, such as a protease
BATH (noun) – a vessel containing water
BATTERY (noun) – an electrical device
BATTLE (noun, verb) – conflict, argument, challenge
BEAKER (noun) – chemical glassware accurate to 10%
BECOME (verb) – grew, start, initial
BEGIN (verb) - start
BEYOND (preposition, adverb) – farther
BICARBONATE (noun) – a chemical, both an acid and base, so a buffer. An item cooked in small dosages.
BIOCHEMISTRY (noun) – a scientific field about chemicals in organisms
BIOCHEMIST (noun) – a role studying biochemistry
BIOLOGICAL (adjective) – a relationship to biology
BLACK (adjective) – a colorful object like the night sky
BLADE (noun) – a tool or weapon
BLANK (adjective) – empty or clear
BLUE (adjective) – a colorful item looking as the ocean or sky
BOAT (noun, verb) -
BOIL (verb) – when a liquid raises temperature above a critical value
BOND (noun, verb) – a relationship between citiziens, family, or society
BOUND (adjective) – a duty, obligation, or likely situation, also physically locked by rope
BRITAIN (noun) – a former great nation in Europe on a island chain northwest. Presently, the United Kingdoms; England, Scotland, and Wales.
BROAD (adjective) – varied, wide, separate
BUNSEN (noun) – a person and burner in scientific laboratories. The device requires gaseous methane up to 2700 Fahrenheit.
BURNER (noun) – equipment burns or sterilizes in biology, biochemistry, chemistry, geology, and other.
$C_6H_8O_7$ (noun) – citric acid, a metabolite in breathing organisms
CABBAGE (noun) – a plant; a vegetable; an ingredient in international fermentation
$CaCO_3$ (noun) – calcium carbonate is a mineral in seashells, chalk, and The White Cliffs of Dover
CALCITE (noun) – a specific calcium carbonate formed in low pressures
CALCIUM (noun) – element no. 20, twenty protons and twenty neutrons, white or opaque
CALCULATE (verb) – judgement about an amount
CALL (verb) – an address in formal speech

CAMERA (noun) – a gadget to photographs
CANDLE (noun) – light by a wax cylinder with wick
CARBON (noun) – element no. 6, six protons and six neutrons, black or coal-like
CARBONATE (noun) – an anion in multiple materials
CARE (noun) – protection by a person
CARRIER (noun) – a vehicle
CARVONE (noun) – a volatile oil inside plants. Commerce distills the chemical from herbs, such as spearmint, caraway, and dill.
CATALYSIS (noun) – a chemical reaction sped by an intermediary
CATALYST (noun) – a substance, enzymes, metal, or molecule lowering time during a reaction
CATEGORY (noun) – a group
CAUSE (noun) – an implicature
CELLS (noun) – a basic unit within biological kingdoms: plants, bacteria, fungus, protists, or animals
CELLULOSE (noun) – a carbohydrate; a wall in cells located in plants. Also, a chemical synthesized for food, plastics, cloth, thread, and paper.
CELSIUS (noun) – a temperature unit measured from frozen ice and vapor.
CENTURY (noun) – a timeline counted in a 100 years
CERTIFY (verb) – an official receipt about truth
CH_3CH_2OH (noun) – ethanol, the chemical steralizes organisms.
CH_3COOH (noun) – an acid from fermented sugars. Acetic acid is the chemical name. Industry applies the chemical to plastics, rubbers, adhesives, pharmaceuticals, and vitamins.
CH_4 (noun) – a molecule known as methane. The gas heats homes in the United States of America.
CHALK (noun) – a soft white rock, limestone, or mineral used as a utensil on blackboards
CHARACTERIZE (verb) – a typical group or quality
CHATLIER (noun) – Le Chatelier's principle describes an equilibrium at specific conditions.
CHEMICAL (noun) – a basic substance like a medicine, in chemistry.
CHEMISTRY (noun) – a scientific study about reactions from two or more substances or qualities in a chemical
CHEMISTS (noun) – a major working on chemicals
CHINESE (noun) – a settlement in 221 BC united into a modern nation. His excellency's include Mao Zedong and Xi Jinping
CHITIN (noun) – a carbohydrate in animals, and fungi
CHLORIDE (noun) – an anion charged by an electron and chlorine
CHLORINE (noun) – element 17. A halogen with high electronegativity.
CITRIC (adjective) – a description about acidic and sharp flavored fruit
CITRUS (noun) – trees with acidic fruit composed of citric acid
CIVILIZATIONS (noun) – a society, organization, culture, or heritage by people living on earth.
CLASS (noun) – a room full for learning
CLASSICAL (adjective) – traditional form with lasting value to history
CLASSIFIES (verb) – a division into groups having similarities
CLASSROOM (noun) – a space taught by a teacher with students
CLOUD (noun) – gas condensing to liquid in the sky. Clouds stratify into cumulus, stratus, and cirrus by incliment conditions.
CO_2 (noun) – a chemical, other names include carbon dioxide when gaseous or dry ice in solid.
COAL (noun) – a sedimentary rock from a metamorphic stage starting with peat; lignite, bituminous, and anthracite.
COFFEE (noun) – the liquid soup from roasting a brown or black bean
COIN (noun) – metal in currency
COLLECTION (noun) – objects gathered into a pile, lot, cluster, heap, mass, or agglomeration
COLLIDER (noun) – the tool accelerates atomic particles
COLLIGATIVE (noun) – three (or four) properties in liquid and salt mixtures, such as freezing point depression, boiling point elevation, osmosis, and vapor pressure.
COLOR (noun, verb) – the visible electromagnetic spectrum displaying red, orange, yellow, green, blue, indigo, and violet
COLORIMETRIC (noun) – the instrument measures colors
COLUMN (noun) – a vertical cylinder
COMMERCIAL (noun) – a sector divided goods and services for profit
COMMITTEE (noun) – a small group delagating larger organizations
COMPARE (verb) – the observation about differing properties
COMPONENT (noun) – a piece in the total operating device
COMPOUND (noun) – a chemical or molecule
COMPREHEND (verb) – completely understand
COMPREHENSIVE (adjective) – an idea detailed into a guide
CONCENTRATION (noun) – a solute measured inside a liquid by molar mass
CONCEPT (noun) – an idea incepted into a principle
CONCLUSION (noun) – the outcome
CONDENSATE (noun) – a liquid from gas near the boiling temperature
CONDENSATION (noun) – drops from gas becoming liquid
CONDITIONAL (adjective, noun) – a dependent clause
CONDITION (noun, verb) – a state or arrangement
CONDUCTIVE (adjective) – a property in a material transferring energy, heat, or electricity
CONGRESSIONAL (adjective) – a relationship to bureaucracy, government, or committees.
CONJECTURE (noun) – a statement without visible fact, an assumption, approximation, or bet
CONJUGATE (verb, noun) – a different form or chemical pair
CONSECUTIVE (adjective) - sequential
CONSERVATION (noun) – protection, limiting, minimal
CONSTANT (noun) – stable
CONSTITUENT (noun) – components
CONSTITUTIONAL (noun) – an action allowed by a document from government, the constitution
CONTAINER (noun) – a hollow object holding objects
CONTAIN (noun) - within
CONTENTS (noun) – an item or part
CONTIGUOUS (adjective) – beside, along, whole, or continuous
CONTINUE (verb) – further events, action, or direction
CONTRAST (noun) – a comparison between two or more things
CONTROL (verb, noun) – an action limited by a person or an individual imposing control
CONVECTION (noun) – hot phases displaced by density in a gradient
CONVERT (verb) – a change
COPPER (noun) – element 29, the substance is a colorful mineral and useful in electronics
CORRECTLY (adverb) – a proper action
CORRELATION (noun) – a relationship between two or more objects
COSMETIC (noun) – a product or process about appearance, usually on false hope
COULOMB (noun) – a unit about electric charge
COUNT (verb, noun) – an abstract action about numbers or a leader in Europe, countess
COVER (verb) - drape
CREATE (verb) – cause, manifest, guide
CRITERIA (noun) – a conditional arbitration, standard judgement, or decision
CRITICAL (adjective) – important, essential, or necessary at dangerous propensity

CRUCIBLE (noun) – a container durable in high temperatures for melting solid substances or chemical elements
CRUDE (adjective, noun) – rough, simple, raw
Cu (noun) – element 28, copper metal defined the copper age
$CuCO_3$ (noun) – copper (II) carbonate; a green mineral known as malachite inside pigments, glazes, and pottery
$CuNO_3$ (noun) – copper (II) nitrate; a blue mineral used in ceramics and pyrotechnics
CURIE (noun) – a unit about radioactivity, a Polish, then French physicist, Marie Curie won a Nobel Prize
CURRENT (noun, adjective) – common word for amperage or present time
$CuSO_4$ (noun) – copper (II) sulfate; a blue chemical used in agriculture for fungus, fertilizer or medicine as an antidote
CYCLOHEXANE (noun) – a chemical, a hydrocarbon with six carbons and twelve hydrogens in a ring.
CYLINDER (noun) – a shape with a circle as the cross section
DANGEROUS (adjective) – an activity with possible harm
DANISH (adjective) – a relationship to Denmark, a Nordic country with capital called Copenhagen and current King Frederic X.
DARKNESS (adjective) – no light
DATA (noun) – the numerical value from a measurement
DATE (noun) – a calendar day
DAY (noun) – a 24 hour period counted by hours in the military or by two 12 hours with label ante meridiem (AM) and post meridiem (PM).
DECAY (verb) – radioactivity by electrons, protons, neutrons, or particles.
DECOMPOSE (verb) – a degraded item usually organic
DEEP (adjective) – a large distance
DEFINE (verb) – a meaning, or collection
DEFINITION (noun) – a statement about a word
DEIONIZED (noun) – water without ions, neutral liquid purified to pH=7.0
DEMONSTRATION (noun) – an act or presentation
DENSITY (noun) – the ratio between mass and volume, heavy at size
DEOXYRIBOSE (noun) – deoxyribose is a five-membered sugar, deoxyribose nucleic acid is a molecule in organisms.
DEPEND (verb) – rely, need, necessary
DEPRESS (verb) – press dowward or lower
DERIVE (verb) - source
DESCRIBE (verb) – a statement about someone or something
DESIGN (verb) – prepare or draw plans about buildings, ships, planes, and clothes
DETERGENT (noun) – a surfactant or soluble chemical for removing soil from clothes
DETERMINE (verb) – a choice
DEVELOP (verb) – the cause progressing an item into existence; maturity
DEVIATE (verb) – a separate path or direction
DEVICE (noun) – gadget, gizmo, or widget
DEVISE (verb) – a solution from imagination
DIFFUSIVE (adjective) – particles moved by a gas without internal force; diffusion constant
DIGEST (verb) – biological processing into small chemicals; process from the stomach through intestines in humans
DILUTE (verb) – additional liquid mixed toward lower concentration
DIMENSION (noun) – an axis, direction, or measurement about height, length, or width
DIOXIDE (noun) – a chemical known as oxygen respirated by animals and plants.
DISCERNABLE (adjective) - separable
DISCOVER (verb) – find, first time
DISPLACE (verb) – a movement from original position or place
DISPLAY (verb) – an arrangement to the public
DISPOSE (verb) – throw-away, trashed, material left away from the scene, influence, and feeling toward another
DISSIMILAR (adjective) – different and not relatable
DISSOLVE (verb) – a solid absorbed in a liquid; aqueous form.
DISTILL (verb) – a chemical technique separating liquid mixtures by temperature through boiling and vaporization
DIVISION (noun) – a mathematical operation separating into groups, numbers, or parts;
DNA (noun) – an acronym for deoxyribosenucleaic acid; genetic coding for an organism
DOLLAR (noun) – a currency in The United States, Canada, Australia, New Zealand and other nations
DONATE (verb) – a gift
DRAW (verb) – a sketch
DRIVE (verb) – operate a motor vehicle
DROP (verb) – fallen from a fixed position
DRY (verb) – no liquid on an object or inside a substance
DURATION (noun) - time
DUTCH (adjective) – people's longing to the Netherlands
DYE (noun, verb) – color changed by a mordant; pigment; glaze
EARLY (adjective, adverb) – the beginning on a timeline
EFFECT (noun) – a particular cause
ELECTRICITY (noun) – electrons transported through medium; spark; power; voltage; current; energy; potential
ELECTROLYSIS (noun) – a chemical change by electricity; a chemical technique separating water into oxygen and hydrogen
ELECTRONIC (adjective) – a device controlled by voltage or current
ELECTRON (noun) – a negatively charged atomic particle
ELEMENT (noun) – a pure substance indivisible by properties; part of; periodic table of elements
ELSE (adverb) – other, next in a list, another
EMBARK (verb) – boarding a ship
EMBODY (verb) – a theme or idea
EMISSION (noun) – output energy via heat or light
EMIT (verb) – output sound, residue, or wave
ENACT (verb) – action in law till agreement between individuals, parties, and organizations
ENDOTHERMIC (adjective) – energy from heat absorbed into a system; thermodynamics
ENERGY (noun) – ability; potential from radiation, nuclei, locations, movements, or chemistry
ENGINEER (noun, verb) – a job designing infrastructure, machines, or plants; build
ENTERTAIN (verb) – a group producing agreeable thought; comedy; interest; joke; art, literature, and music.
ENTHALPY (noun) – heat at constant pressure; thermodynamics; chemical reactions generate heat and to a chemist, enthalpy (ΔH).
ENTIRE (adjective) – not without a part or piece; complete
ENTROPY (noun) – arrangements involving order; microscopic arrangements measured by energy; thermodynamics; chemist (ΔS).
ENVIRONMENT (noun) – natural state with humans, animals, plants, fungus, and bacteria
ENZYMATIC (adjective) – by an enzyme
ENZYME (noun) – a large substance (chemical) in cells; protease; lipase; kinase; amylase
EQUAL (verb, adjective) – exact amount in units; the same; a symbol in mathematics expressed as (=).
EQUATION (noun) – an expression about amount

EQUILIBRIUM (noun) – a balance between chemicals in solid-, liquid-, or gas-phase; equilibria
EQUIPMENT (noun) – a tool important to a job or particular activity
ERLENMEYER (noun) – a flask named after Emil Erlenmeyer. Mr. Emil was a german chemist in pharmaceuticals.
ERROR (noun) – a margin from average; accident; systematic, experimental, or human mistake
ESPECIALLY (adverb) – much, a great deal, indeed, great, and considerably.
ESSENTIAL (adjective) – crucial, root, or basic
ESTIMATE (verb) – calculate, assess, guess, average
ETHANOL (noun) – a chemical used for sterilization, ethyl alcohol derives from fermentation with grains or sugars
EUCALYPTUS (noun) – a tree in Australia classified into Angiosperm:Eudicot:Rosid clades with Koalas in native habitat
EVALUATE (verb) – a judgement about importance or qualities; not superfluous decision; at greatest importance a rubric, but not necessary
EVEN (adverb) – comparison; unusual; a multiple of two
EVENTUALLY (adverb) – will end; finally; after a long time
EVERYTHING (pronoun) – all; total; entire; whole
EVIDENCE (noun) – an exact piece to an argument by an object, fact, timeline, document, or truth
EVOLUTION (noun) – a biological change or development
EXAMINE (verb) – investigate, inspect, study, check a skill or subject
EXAMPLE (noun) – an obvious or particular item to another
EXIST (verb) – a present or living thing without extraneous circumstances
EXOTHERMIC (adjective) – heat released from the system-to-system, system-to-environment, or system-to-surroundings; thermodynamics
EXPERIENCE (noun, verb) – an activity or knowledge about an activity
EXPERIMENT (noun, verb) – a measurement or examination conducted for a discovery
EXPLAIN (verb) – an argument with clarity and composition
EXPOSITORY (adjective) – an explanation; in English courses a formal description by writing contrast, sequence, cause or effect, and classification
EXPRESS (verb) – a gesture about an emotion, thought, or opinion
EXTENSIVE (adjective) – large range, region, or area
EXTRACT (verb) – remove or take
EYE (noun, verb) – an organ for vision in animals; see
FACTOR (noun, verb) – a piece to a situation whether physical or abstract; a whole number from dividing a number
FAIL (verb) – not successful to expectations; no success
FAT (noun, adjective) – a lipid in biology; high-energy substance stored beneath skin, also for warmth during cold nights or entire winters.
FEASIBLE (adjective) – possible circumstances; achievable by safety constraints
$FeCL_2$ (noun) – a chemical, iron (II) chloride, an ionic substance used as a flocculant or coagulent
$FeCL_3$ (noun) – an inorganic chemical, iron (III) chloride is a Lewis Acid for treatments in water or sewage
FERMENT (verb) – chemical change by organisms in anaerobic or aerobic environments; kimchi, sauerkraut, soy sauce, mustard, ketchup, mayonaise, yogurt, and cheese.
FERMION (noun) – a subatomic particle with half-integer spin (m_s= ±1/2, 3/2, 5/2, …)
FIGURATIVE (adjective) – an imaginative meaning by metaphor, simile, personification, hyperbole, idiom, onomotapoeia, alliteration; play
FILL (verb) – full and without empty space
FILTER (noun, verb) – an apparatus for removing matter; separate
FIRE (noun) – heat and light from combustion, flame
FIRST (determiner) – the intiial amount, time, quality, or importance
FISSION (noun) – a nucleas from an atom dividing into particles
FLAKE (noun, verb) – a flat and brittle particle; knap; shatter, debitage
FLAME (noun) – the hottest part in a fire colored red, yellow, orange, green, blue, indigo, or violet and gaseous
FLAMMABLE (adjective) – capable to ignite by heat or work
FLASK (noun) – a container for liquids made from plastic, glass, ceramics, or metal
FLATTERY (noun) – insincere judgement toward personal interest
FLAVOR (noun, verb) – taste when consuming food; sense from tongue
FLUID (noun) –a liquid or gas shaped to container; viscous
FLUX (noun) – a stage changed by different energy
FLY (verb) – an action lifting an object above the ground up till etcetera
FOLLOW (verb) – movement next to a thing sustaining observation
FOOD (noun) – an edible item necessary for digestion and life
FORCE (noun, verb) – pressure; momentum; move;
FORMAL (adjective) – a proper formatting; acceptable in etiquette courses
FORMULA (noun) – a relationship between numbers, letters, standards, or physical quantities
FOUNDATION (noun) – infrastructure; organization; government; first
FREEZE (verb) – liquid changing phase into a solid; phase change
FREEZING-POINT (noun) – the temperature, which a phase changed
FRICTION (noun) – rubbing action between two objects;
FUME (verb) – angry; gases emitting from a chemical
FUN (noun, adjective) – pleasure; emotion; favorite but not serious
FUNCTION (noun) – an expression about natural evidence
FUNDAMENTAL (adjective) – basal; root; the beginning to else
FUSION (noun) – nucleus combining into larger particles; nuclear
GAS (noun, verb) – a chemical phase; no shape and infinite volume; particle transfering within similar phase
GENERAL (adjective) – a unit or common to most in group
GENUS (noun) – taxonomic rank by between famil and species
GEOMETRY (noun) – principles between lines, curves, and surface
GERMAN (noun) – Hallo, Guten Morgan; a language in central Europe
GIVE (verb) – offering, produce or cause
GLASS (noun) – silicon dioxide; a transparent material in windows
GLASSWARE (noun) – a chemist uses glass and ware in science
GLOSSARY (noun) – a dictionary near last pages in a book
GLYCERIDE (noun) – a chemical, an ester dervived from glycerol
GLYCERIN (noun) – chemical; viscous liquid; in foods and explosives
GO (verb) – travel; vacate a particular location or direction
GOAL (noun) – abstract thought about step or aim; objective
GOLD (noun) – element 79; inert; lustrios; 79 protons and 118 neutrons
GOOD (adjective) – philosophy among variety; opposite is bad
GRADUATED (adjective) – glassware measuring exact quantity
GRAM (noun) – a unit; mass; weight in pure water at a hundredth cubic part per meter near melting temperature in ice; pound; ounce; troy;
GRAVITY (noun) – a force around mass; between objects; falling
GREASE (noun, verb) – lubricant by fat or oil; animal fat; happen more
GREAT (adjective) – a majority amount, size, or degree
GREEK (noun) – language, nation, and mythology; special characters;
GROUP (noun) – a transient unit; a number of people, companies, etc.
H_2 (noun) – hydrogen; diatomic molecule; flammable; gas on earth
H_2O (noun) – water; solid, liquid, and gas phase are on earth at S.T.P.
H_2SO_4 (noun) – sulfuric acid; strong acid; diprotic molecule;
HADRON (noun) – a location colliding particles among many;
HAPPEN (noun) – a situation or event; an effect in the future
HARD (adjective) – not easy; difficult; a challenging effort;
HCl (noun) – hydchloric acid; a strong acid; gastric acids in gut
HEALTH (noun) – a state; physical and mental well-being

HEAT (noun, verb) – energy transfer; warmth; thermodynamics
HEIGHT (noun) – vertical length in
HELP (verb) – assistance during danger; cooperation
HIGH (adjective) – large distance from ground
HISTORY (noun) – a subject about past events
HNO_3 (noun) – nitric acid; strong acid; ingredient to aqua regia
HOLE (noun) – an empty space; absent by matter
HOME (noun) – residence; apartment; house; cabin; boat
HOOD (noun) – a container built for chemicals
HOT (adjective) – high temperature above ambient conditions
HOUR (noun) – unit about time; 24 hours in a day; 60 minutes per hour
HOUSEHOLD (noun) – family' a group living at the same location
HYDROCARBON (noun) – a chemical with hydrogen and carbon atoms; alkane; alkene; alkyne; saturated and unsaturated ; cyclic structure
HYDROCHLORIC (noun) – a chemical with hydrogen and chlorine
HYDROGEN (noun) – element no 1; diatomic molecule
HYDROXIDE (noun) – an anion with oxygen and hydrogen; hydroxyl
HYPOTHESIS (noun) – an idea or explanation about evidence and fact
ICE (noun) – solid water; snow; frost; frozen; glacier; iceberg; icecube
IDEAL (adjective) – perfect or best possible
IDEA (noun) – plan, thought, opinion, action, or situation
IDENTIFY (verb) – observe; recognize; characterize
IMAGE (noun, verb) – photograph; portrait; picture; illustrate
IMPORTANT (adjective) – essential; influence; great outcomes
INCENSE (noun) – smell by burning; a substance producing smell
INCIDENT (noun, adjective) – unusual event; next to a surface
INCLUDE (verb) – part; piece; component; ingredient; element
INCORRECT (adjective) – not true; wrong; false; against rules
INCREASE (verb) – more; further amount; additional quantity
INCREMENT (noun) – multiple increases; the minimal step
INDEPENDENT (adjective) – not dependent; alone; an adult
INDIVIDUAL (noun) – a single separate object and not in a group
INDUSTRY (noun) – companies or activities for business
INFORMATION (noun) – evidence, fact, detail, direction
INGREDIENT (noun) – a specific component in a meal or mixture
IN-HOUSE (adjecive, adverb) – local organization, on-site
INITIAL (adjective) – the start, beginning, or first
INNOCUOUS (adjective) – not harmful to physical or mental health
INORGANIC (adjective) – chemical with little or no carbon
INPUT (noun, verb) – entry; amounts entering
INSPECT (verb) – observe, discover, investigate in detail
INSTRUCT (verb) – a formal explanation; discourse;
INSTRUMENT (noun) – a tool or device for a particular job
INTENSE (adjective) – powerful event or an extreme experience
INTERACT (verb) – communicate in-person or remotely
INTERNAL (adjective) – inside the body; within an organization
INVADE (verb) – attack by soldiers; an assault; a forceful entering
INVENT (verb) – a new idea from imagination by an individual or group
INVOLVE (verb) – an activity with a person, place, or thing
IODIDE (noun) – an anion from chemicals with iodine; I^-;
ION (noun) – atoms or molecules charged with more or less electrons
IONIZE (verb) – electronics removed from an atom or molules
IRON (noun) – element no. 26. Commonly in red clays and soils.
JAR (noun) – a glass or container with a lid for storing food
JOCULAR (adjective) – funny; laughter about a joke; amusing
JOINT (adjective) – belonging or shared between individuals
JOULE (noun) – a unit about energy, heat, and work
JUICE (noun) – liquid squeezed or blended from fruit or vegetables
KELVIN (noun) – a unit; absolute temperature measured from the lowest temperature; thermodynamics; Lord Kelvin was a Brit
Kg (noun) – a unit about mass; an abbreviation for kilogram
KINETIC (noun) – forces assigned to movement; scientific study in physics about objects in a dynamic state;
Kj (noun) – a unit; an acronym for kilojoule; one thousand joules
KNOW (verb) – conciously aware; certain; knowledge;
LABEL (noun) – a characteristic, quality, or category written on an item
LABORATORY (noun) – a room for science, medicine, or equipment
LACTOSE (noun) – a sugar with a five-membered cyclic ring; milk sugar
LARGE (adjective) – a huge quantity; great; sizeable; massive
LATIN (noun) – a language stemmed from Rome; Italy, Spain, and England; A formal language by educated individuals for communication
LATTER (adjective) – the last thing, group, or previously mentioned
LAVENDER (noun) – a plant commonly used in soap, lotion, and salve
LAW (noun) – a rule enacted or legislated from government; authority
LEAD (noun, verb) – a controller, absent minded; cause, especially by bad events or influence; the first in a funny competition
LEAF (noun) – an appendange on a plant for photosynthesis; foliage
LEARN (verb) – study; remember; know; skill; practice
LEATHER (noun) – skin for furniture, clothes, equipment, or bedding
LEAVE (verb) – a short time away from a position or location
LEFT (adjective, adverb) – toward the western side; away;
LEGISLATE (verb) – documents about rule, law, decision by government
LENGTH (noun) – a measurement for sides, edges, or distance
LIGHT (noun) – a ray by the sun or fire; the event from a lamp or bulb
LIME (noun) – calcum oxide or calcium hydroxide; Also a fruit; citrus
LINEAR (adjective) – a line; sequential events; in mathematics, y=mx+b
LIQUID (noun) – a chemical phase; constant volume and variable shape
LIST (noun) – arrangement; record; set containing similar states, actions, events or timelines; a courtesty in context to whom
LITERATURE (noun) – history; culture; heritage; law; comedy
LITER (noun) – a unit; volume in the metric system; 1000 milliliters
LOAN (noun, verb) – agreement borrowing money or an object for extra
LOCAL (adjective) – nearby regions encompassing neighbors or streets
LOSS (noun) – amount gone; no longer in presence; a disadvantage
LOW (adjective, adverb, verb) – not important; less than usual; bottom
LUKEWARM (adjective) – slightly above ambient temperature
MACROSCOPIC (adjective) – visible to humans without a microscope
MAJOR (adjective) – most; most in a group; rank in the military
MALLEABLE (adjective) – ductile; a substance influenced by pressure
MARKER (noun) – utensils using ink for communication by paper
MASS (noun) – unit measured by a scale; pounds, grams, ouncez
MATERIAL (noun) – pieces; partciles; items necessary in manufacturing
MATH (noun) – language about abstract thought not typically physical
MAX (adjective) – apogee; climax; extreme; limit; capacity;
MEASURE (verb) – quantifying; clarifying; exactly knowing; exactly
MECHANICAL (adjective) – motion; translating, or rotating machine
MECHANISM (noun) – part; way; a piece in a system
MEDIUM (adjective) – substance or means; a method to expression
MELT (verb) – a phase transitioning from solid to liquid;
MEMBER (noun) – individual in a group; parts selected from a group
MEMBRANE (noun) – skin connecting animal tissue; soft layer
MENTHOL (noun) – chemical with formula $C_{10}H_{20}O$; an aromatic
MENTHONE (noun) – a chemical and essential oil with formula $C_{10}H_{18}O$
METAL (noun) – conductive element or mixture when solid
METALLURGY (noun) – a field purposing metal; raw materials
METHANE (noun) – the chemical CH_4, a flammable gas at S.T.P.
METHOD (noun) – practice; systematic process from evaluation
MICROSCOPIC (adjective) – not visible unless by a microscope
MILLILITER (noun) – a unit; mL; thousandths of a liter; a volume
MILLIMETER (noun) – a unit; mm; a thousanths meteter; a length
MINERAL (noun) – natural formation with crystal patterning
MINT (noun) – a plant; herb; Businesses use mint in toothpaste

MIRROR
MIX
MODEL
MODERN
MOL
MOLAL
MOLAR
MOLD
MOLECULAR
MOLECULES
MONGOL
MORDANT
MOTION
MULTIPLE
MULTITUDE
Na_2CO_3
$NaCH_3COO$
NaCl
$NaHCO_3$
NaOH
NATIVE
NATURE
NEED
NEGATIVE
NEOPRENE
NEW
NEW-FOUND
NEWTON
NH_4
NH_4Cl
NITRATE
NITRIC
NITROGEN
NM
NO_2
NOBEL
NON-SPONTANEOUS
NON-SYNTHETIC
NOTEBOOK
NUCLEAR
NUCLEIC
NULL
NUMBER
NYLON
O_2
OBJECTS
OBSERVE
OFTEN
OH
OIL
ONE
OPEN
ORDAINE
ORDER
ORGANIC
ORIGINAL
OSMOSIS
OSMOTIC
OTHER
OUTCOME
OUTPUT
OXIDE
OXYGEN
PACKAGES
PAGE
PAINTER
PAIR
PAPER
PARAGRAPH
PARAMETER
PARK
PART
PARTICLE
PEPPERMINT
PERCENT
PERCENTAGE
PERFUME
PERIODIC
PERSONALLY
PERSPECTIVE
PERTURB
PHASE
PHENOMENA
PHILOSOPHY
PHOTO
PHYSICAL
PHYSICIST
PICTURE
PIECE
PLANT
PLASTIC
PLATE
PLAYBILL
PLAYSCRIPT
PLEASE
POINT
POLICY
POLYETHENE
POLYMER
POLYVINYL
POPULAR
PORTION
POSITIVE
POSSIBLE
POTENTIAL
POUR
PRACTICIONER
PRECISE
PREDICT
PREPARATION
PREPARE
PRESSURE
PREVIOUSLY
PRIMARY
PRINCIPAL
PRINCIPLE
PRIOR
PRIZE
PROCEDURE
PROCESS
PRODUCE
PRODUCT

PRODUCTION
PROFESSOR
PROGRAM
PROMOTE
PROOF
PROOF-OF-CONCEPT
PROPELLANT
PROPORTION
PROTECTION
PROTEIN
PROVE
PROVIDE
PUMP
PURE
PURITY
PYROLYSIS
QUANTITATIVE
QUANTITY
QUARK
RADIATION
RADIOACTIVE
RADIUS
RAIN
RAISE
RATE
RATIO
RAW
REACT
REACTANT
REACTION
REASONABLE
RECEIVE
RECORD
REDDISH-BROWN
REFERENCE
REFORM
RELATE
RELATIONSHIP
RELEVANT
REMAIN
RENDER
RENEWABLE
RENNET
REPEAT
REPELLED
REPRESENTATIVE
REQUIRE
RESEARCH
RESIDE
RESIN
RESOLUTION
RESOURCE
RESULT
REVERSIBLE
REVIEW
REVOLUTION
RIGHT
ROCKET
ROLE
ROMANCE
ROMAN
ROOT
RUSSIA
SAFETY
SALINE
SALT
SALTWATER
SALVE
SAMPLE
SAPON
SAPONIFICATION
SCALE
SCATTER
SCIENTIST
SEAWATER
SEMI-PERMEABLE
SENTENCE
SEPARATE
SEQUEST
SERIAL
SET
SETTING
SHARE
SHEET
SHIFT
SHIP
SIGNATURE
SILK
SILVER
SIMILAR
SIMPLE
SINGULAR
SIR
SLOPE
SMALLER
SMELL
SNAPSHOT
SOAP
SOCIAL
SODA
SODIUM
SOLID
SOLID-PHASE
SOLUTE
SOLUTION
SOLVENT
SOURCE
SPACE
SPEAK
SPEARMINT
SPECIAL
SPECIFIC
SPECIMEN
SPECTRA
SPECTROMETER
SPHERE
SPONTANEITY
SPONTANEOUS
STANDARD
START
STATE
STATE-PARAMETERS

STATUE
STATUETTE
STEAM
STEAM-POWERED
STEP
STICK
STOICHIOMETRY
STORAGE
STORE
S.T.P
STRENGTH
STRESS-TESTING
STRUCTURE
STUDENT
STUDY
STYROFOAM
SUBATOMIC
SUBLIME
SUBMISSION
SUBSTANCE
SUBSTITUTE
SUET
SULFATE
SULFURIC
SUMMARY
SURROUNDING
SWEET
SYNTHETIC
SYSTEM
TABLE
TABLET
TALLOW
TAPE
TASTE
TEA
TECHNIQUE
TECHNOLOGY
TEFLON
TEMPERATURE
TEMPERATURE-DEPENDENCE
TENSILE
TERMINOLOGY
TEST
TEXTILES
TEXTURES
THEORETICALLY
THEORY
THEREOF
THERMODYNAMIC
THERMOMETER
THOUGH
THREAD
THRESHOLD
THROUGHOUT
TIME
TOPIC
TOTAL
TRAJECTORY
TRANSITION
TRANSLATE
TREE
TRIAL
TRIGONOMETRIC
TRUE
TUBE
TYPES
TYPICAL
TYPIFIE
UBIQUITOUS
ULTIMATELY
UNCERTAINTY
UNIQUE
UNIT
UNITE
UNKNOWN
UPON
USEFUL
USE
VACUUM
VALIDATE
VALUE
VAN
VAPOR
VARIABLE
VAST
VESSEL
VIABLE
VIAL
VINEGAR
VOCABULARY
VOLATILE
VOLTAGE
VOLTMETER
VOLUME
V.S.
WAND
WANT
WAR
WASH
WATCH
WATER
WEAK
WEEK
WEIGH
WET
WIZARD
WOOL
WORD
WORK
YEAR
YIELD
ZINC
Zn
$ZnSO_4$
β -AMYLASE