POLITECNICO DI MILANO



RASD

Jovanovic Milica 835953
Vidanovic Pavle 854472

myTaxiService software application

- Application similar to Uber, which makes the process of assigning an available taxi vehicle to possible passengers



Structure of RASD

- Introduction
  - Describe the structure of the document
  - Give a basic overview about the system to be developed
  - Glossary
- Overall description
  - Give a list of stakeholders
  - Describe the user characteristics
  - Lists the actors in the system
  - List of goals, assumptions and constraints
  - Describes the domain of the problem
- Specific Requirements
  - Mockups
  - Scenarios
  - Use cases and sequence diagrams
  - Class diagram and State Chart diagrams
  - Non functional requirements
- Alloy
  - Worlds generated by Alloy Analyzer
  - Prove the model's consistency

Overall description

- Stakeholders:
  - Company
    - provided project specification
    - expect it to be delivered in a way that satisfies given specification
    - respecting the set deadlines and budget
  - Developer group
  - Taxi driver
    - person working for the company that ordered the software product
  - Passenger
    - person who need a ride to specific location



- Actors:
  - Guest - person accessing a system that has either never registered of hasn't logged in yet
  - User - person already registered and logged into the system
  - Taxi driver - same as User, but can access to all features offered by the driver application
  - Admin - person responsible for handling reports, can ban users or driver from system

Overall description

- Goals:
  - [G1] registering new user
  - [G2] login to existing user’s account
  - [G3] managing user's profile
  - [G4] requesting a taxi
  - [G5] reserving a taxi
  - [G6] canceling a ride
  - [G7] checking taxi availability around user
  - [G8] reporting a problem caused by passenger or taxi driver
  - [G9] confirming/declining a ride(taxi driver)

Overall description

- Domain properties - these conditions hold in the analyzed world:
  - the passenger needs a ride to specific location
  - the details of the ride provided by the passenger are accurate
  - money exchange between the passenger and the taxi driver is made independently from the myTaxiService system
  - distinction between the zones are clearly defined

Overall description

- Constraints
  - **Regulatory policies** - will not take advantage of users personal information and will respect the *privacy policy*
  - **Hardware limitation** - access to *Internet* and own a device with a web browser and *GPS service*
  - **Interfaces to other applications** - Google Maps API, Google Places API and email service in order to make authentication
  - **Parallel operation** - support parallel access to the applications database in a *transparent way*
- Assumptions
  - user have only *one account*
  - user provides *accurate information*
  - if users location is not available, the application will show a screen with an option of *typing your current address*
  - we assume that Google Maps service will *calculate location accurately*
  - taxi driver will *respect the ETA*, otherwise they could be banned from the system
  - if a taxi driver has an unexpected issue, the user will be automatically notified by the system and a new vehicle will be assigned to him with new ETA

Specific requirements - Mockups



Initial page

Sign Up



Sign In

Specific requirements - Mockups

Passenger Home page



Driver Home page

Pop up message

Specific requirements - Mockups

User specifies address by clicking on the map



Passenger Request page



Passenger Reservation page

User specify location either by typing address or by choosing it on the map

Specific requirements - Mockups

User rides with an option of canceling active ones



Notification page

Reservation details

Reservation Details page with data

Specific requirements - Mockups



Show details action brings Admin to Report details page

Admin home page

Specific requirements - Mockups

Information about the user that made the repot



Bans reported user from the system

Admin report details page

Specific requirements - Use cases



Specific requirements - Use cases



Manage profile use case

Specific requirements - Use cases



Specific requirements - Use cases



Cancel ride use case (passenger)



Confirm/Decline a ride use case

Specific requirements - Use cases





Sign Up sequence diagram



Request a taxi sequence diagram

Reserve a taxi sequence diagram



Specific requirements – Class diagram



Specific requirements – State Chart diagrams



Specific requirements – Non functional requirements

- Availability

  -Application should be available to handle user's request at all times using any device with an installed web browser

- Maintainability

  - The software system provide specific API for enabling future developers with option to add more services or fix bugs in the system

- Portability

  - Application could be run on device with any OS that has access to Internet and has a web browser

- User Interface

  - Web application should be intuitive so even the nontechnical users can use the system as simply and efficiently as possible

Alloy- World generated by Alloy analyzer



Alloy- Prove the model's consistency

```
module language/myTaxiService
//SIGNATURES
sig Guest{}

sig User extends Guest{
   request: lone Request,
   reservations: set Reservation
}

sig Driver extends User{
   car: one TaxiVehicle
}

sig TaxiVehicle{
   currentDriver: lone Driver
}

sig Report{}

sig SystemListOfParticipants{
   participants: set User,
   reports: set Report
}

sig Request{
   passenger: one User,
   driver: one Driver
}

sig Reservation extends Request{}

sig Admin extends Guest{
   list: one SystemListOfParticipants
}

sig Zone{
   drivers: set Driver
}
```

```
//FACTS
fact differetDriversPerVehicle{
   no d:Driver | some t1,t2: TaxiVehicle |
   t1!=t2 and d in t1.currentDriver and d in t2.currentDriver
}
fact carDriverRelation{
   all t:TaxiVehicle | all d:Driver| t in d.car => t.currentDriver=d
}
fact noSameCarTwoDrivers{
   no t:TaxiVehicle| some d1,d2: Driver | d1!=d2 and d1.car=t and d2.car=t
}
fact noSameCarTwoDrivers1{
   all d:Driver| all t:TaxiVehicle|  d in t.currentDriver => t in d.car
}

fact DriverCantBePassenger{
   no u:Driver| some r:Request| u in r.passenger
}

fact singleSystemListOfParticipants{
   no disj l1,l2: SystemListOfParticipants| l1!=l2
}
fact allParticipantsMustBeInList{
   all p: User | one l1:SystemListOfParticipants | p in l1.participants
}
fact reportsAreInSystemList{
   all r:Report| one l:SystemListOfParticipants| r in l.reports
}
```

Future possible implementation

- Online payment
- Option of rating the drivers
- Facebook authentication
- Taxi sharing options

Questions?

Thank you for your attention