

The mines-thesis class *

Ming Li[†] Jian Lin

January 10, 2020

Abstract

This package provides a class for graduate students at Colorado School of Mines to prepare their theses and dissertations.

Contents

1	User's guide	2
1.1	Installation	2
1.2	Invocation and options	2
1.3	Preprogrammed Formats	2
2	Implementation	4
2.1	Declaration of Options	4
2.2	Execution of Options	4
2.3	Package Loading	4
2.4	Main Code	4
2.4.1	Commands to define parameters for the front matter	4
2.4.2	Front Matter	5

*This document corresponds to mines-thesis v1.0, dated 2020/01/10.

[†]mili@mymail.mines.edu

1 User's guide

1.1 Installation

1.2 Invocation and options

`\documentclass` The mines-thesis class is invoked in the standard fashion.

```
\documentclass[\langle options \rangle]{mines-thesis}
```

There are several options corresponding to the type of the document and its general appearance. They are described below. Generally speaking, the options have `key=value` forms, for example,

```
\documentclass[screen=true, review=false]{mines-thesis}
```

The default options are `letterpaper,12pt. TODO review? oneseide? onecol-umn,draft,openany`

1.3 Preprogrammed Formats

```
\title
\author
\year
\degree
\advisor
\coadvisor
\department
\departmenthead
abstract
```

The environment `abstract` must *precede* the `\makefrontmatter` command. Again, this is different from the standard L^AT_EX. Putting `abstract` after `\makefrontmatter` will trigger an error.

```
\begin{abstract}
Here goes the abstract...
\end{abstract}
```

`\makefrontmatter` The front matter of a thesis includes:

1. Title page (Required)
2. Copyright page
3. Submittal page (Required)
4. Abstract (Required)
5. Table of Contents (Required)
6. Lists (Required if included in thesis)
 - (a) List of Figures

- (b) List of Tables
- (c) List of Equations (optional)
- (d) List of Plates
- (e) List of Symbols

7. Acknowledgments

8. Dedication

Invoking

`\makefrontmatter`

will generate all components listed above. It can be commented out until you need the front matter generated.

`\chapter`
`\section`
`\subsection`
`\subsubsection`
`\paragraph`

===== Set-up
===== `\OnehalfSpacing`
`\OnehalfSpacing* \DoubleSpacing \DoubleSpacing*` Text will be double spaced
or 1.5 spaced. Sometimes it is also required to make page notes and floats (including captions) in ‘double’ spacing. The starred version of the two macros above takes care of this.

2 Implementation

```
1 \RequirePackage{ifthen}
```

The `\collect@body` macro in `amsmath` is defined using `\def`. We load `environ` to access the `\long` version of this command

```
2 \RequirePackage{environ}
```

The `review` boolean is defined here for use with the class options.

```
3 \newboolean{review}
```

2.1 Declaration of Options

```
4 \DeclareOption{draft}{\setboolean{review}{true}}
```

```
5 \DeclareOption{final}{\setboolean{review}{false}}
```

```
6 \PassOptionsToClass{final,12pt,onecolumn,openany}{memoir}}
```

```
7 \DeclareOption*{
```

```
8 \PassOptionsToClass{\CurrentOption}{memoir}
```

```
9 }
```

```
10 \ExecuteOptions{final}
```

2.2 Execution of Options

```
11 \ProcessOptions\relax
```

2.3 Package Loading

```
12 \LoadClass[oneside,letterpaper]{memoir}
```

2.4 Main Code

Prevent LaTeX from hyphenating the entire document

```
\if@afterindent
```

LaTeX uses the switch `\if@afterindent` to decide whether to indent after a section heading. We just need to make sure that this is always true.

```
13 %
```

```
14 \< *class>
```

```
15 \let\@afterindentfalse\@afterindenttrue
```

```
16 \@afterindenttrue
```

```
17 \< /class>
```

```
18 %
```

2.4.1 Commands to define parameters for the front matter

```
19 \newboolean{auto} % for auto pyramid
```

```
20 \setboolean{auto}{false}
```

```
21 \def\year#1{\gdef\@year{#1}}
```

```
22 \newcommand{\degree}[2]{\gdef\@degree{#1}\gdef\@degree{#2}}
```

```
23 \def\advisor#1{\gdef\@advisor{#1}}
```

```
24 \def\coadvisor#1{\gdef\@coadvisor{#1}}
```

```
25 \def\department#1{\gdef\@department{#1}}
```

```
26 \def\departmenthead#1{\gdef\@departmenthead{#1}}
```

The following are the initial values for some macros that provide info.

```

27 \gdef\@author{Your Name}
28 \gdef\@title{This is the first line of a medium length title,
29 this is the second line}
30 \gdef\@year{2020}
31 \gdef\@degreeelv{Doctor of Philosophy}
32 \gdef\@degreeenname{Computer Science}
33 \gdef\@advisor{Dr. Main Advisor}
34 % ^^A \gdef\@coadvisor{Dr. Co Advisor}
35 \gdef\@department{Department of Some Name}
36 \gdef\@departmenthead{Dr. Department Head}

Set margins
37 % ^^A automatically set by the class option letterpaper
38 % ^^A \setstocksize{11in}{8.5in}
39 % ^^A set paper size equal to stock size
40 % ^^A \settrimmedsize{\stockheight}{\stockwidth}{*}
41 % ^^A set equal trim at the top and bottom
42 % ^^A \setlength{\trimtop}{\stockheight} % \trimtop = \stockheight
43 % ^^A \addtolength{\trimtop}{-\paperheight} % - \paperheight
44 % ^^A \setlength{\trimes}{\stockwidth} % \trimes = \stockwidth
45 % ^^A \addtolength{\trimes}{-\paperwidth} % - \paperwidth
46 % ^^A \settrims{0.5\trimtop}{\trimes}
47 \setpagecc{11in}{8.5in}{*}
48 % ^^A \settypeblocksize{\paperheight}{\paperwidth}{*}
49 \setlrmarginsandblock{1in}{*}{*}
50 \setulmarginsandblock{1in}{*}{*}
51 \setheadfoot{\onelineskip}{2\onelineskip}
52 \setheaderspaces{*}{2\onelineskip}{*}
53 \DoubleSpacing
54 \checkandfixthelayout
55

```

2.4.2 Front Matter

\makefrontmatter

```

56 \newcommand{\makefrontmatter}{
57 \pagenumbering{roman}
58 \pagestyle{empty}
59 \maketitlepage
60 \makecopyrightpage
61 \pagestyle{plain}
62 \setcounter{page}{2}
63 \makesubmittalpage
64 \makeabstractpage
65 \maketoc
66 \makeacknowledgementpage
67 \makededicationpage
68 \pagenumbering{arabic}
69 \setcounter{page}{1}
70 }

```

`\maketitlepage` The thesis title must be in all upper case letters, be centered on the page both horizontally and vertically, be in an inverted pyramid shape and the font size needs to be the same size as all other font in the main text (i.e. do not make the font size larger).

```

71 \DeclareRobustCommand{\invpyr}[1]{
72 \vbox{
73 \vspace{10pt}
74 \hsize=\textwidth
75     \parindent=\z@
76     \emergencystretch=1in
77     \parshape 6
78     0.01\textwidth .98\textwidth
79     0.1\textwidth .8\textwidth
80     0.15\textwidth .7\textwidth
81     0.2\textwidth .6\textwidth
82     0.25\textwidth .5\textwidth
83     0.3\textwidth .4\textwidth
84     \leftskip=\z@ plus 1fil
85     \rightskip=\z@ plus -1fil
86     \parfillskip=\z@ plus 2fil
87     #1\par
88 }
89 }
90 \newcommand{\autotitle}{\setboolean{auto}{true}}
91 \newcommand{\maketitlepage}{
92 \clearpage
93 \begin{vplace}
94 \centering
95 \ifthenelse{\boolean{auto}}{
96 {\invpyr{\MakeUppercase{\@title}}}
97 {\@title}
98 \end{vplace}
99 \begin{center}
100 by\\
101 \author
102 \end{center}
103 \clearpage
104 }

```

`\makecopyrightpage` Copyright Page. This is an optional page that follows the title page. No displayed page number, centered upper and lower case text.

```

105 \newcommand{\makecopyrightpage}{
106 \clearpage
107 \begin{vplace}[0.8]
108 \centering
109 Copyright~by~\author~\year\\
110 All~Rights~Reserved
111 \end{vplace}
112 \clearpage

```

113 }

`\makesubmittalpage` Submittal Page. This is a required page that displays the Roman numeral ii page number. Beginning with this page, front matter Roman numeral page numbers are centered 1/2 inch from the bottom edge of page. All signatures are required before the final thesis format review.

```
114 \newcommand{\makesubmittalpage}{
115 \clearpage
116 A thesis submitted to the Faculty and the Board of
117 Trustees of the Colorado School of Mines in partial
118 fulfillment of the requirements for the degree of
119 {\@degreeelv} ({\@degreename}).
```

120

```
121 \vspace{2em}
```

```
122 \begin{flushleft}
```

```
123 Golden, Colorado\\[.5em]
```

```
124 Date \underline{\hspace{2in}}
```

```
125 \end{flushleft}
```

126

```
127 \vspace{.5em}
```

```
128 \begin{flushright}
```

```
129 Signed: \underline{\hspace{2in}}\\
```

```
130 {\@author}\\[2em]
```

131

```
132 Signed: \underline{\hspace{2in}}\\
```

```
133 \begin{SingleSpace}
```

```
134 {\@advisor}\\
```

```
135 Thesis Advisor\\[2em]
```

```
136 \end{SingleSpace}
```

137

138

```
139 \ifundefined{@coadvisor}
```

```
140 {
```

```
141 \vspace{2.5em}
```

```
142 }
```

```
143 {
```

```
144 Signed: \underline{\hspace{2in}}\\
```

```
145 \begin{SingleSpace}
```

```
146 {\@coadvisor}\\
```

```
147 Thesis Advisor
```

```
148 \end{SingleSpace}
```

```
149 }
```

150

```
151 \end{flushright}
```

152

```
153 \begin{flushleft}
```

```
154 Golden, Colorado\\[.5em]
```

```
155 Date \underline{\hspace{2in}}
```

```
156 \end{flushleft}
```

```

157
158 \vspace{.5em}
159 \begin{flushright}
160 Signed: \underline{\hspace{2in}}\\
161
162 \begin{SingleSpace}
163 {\@departmenthead}\\
164 Professor and Head\\
165 {\@department}
166 \end{SingleSpace}
167
168 \end{flushright}
169
170 \clearpage
171 }

```

abstract We redefine the **abstract** environment. First, we need to save the text

```
172 \renewenvironment{abstract}{\Collect@Body\@saveabstract}{}
```

\@saveabstract And saving the abstract

```

173 \newcommand{\@saveabstract}[1]{
174 \long\gdef\@abstract{#1}
175 }

```

\makeabstractpage ABSTRACT (title) is centered horizontally, 1 keyboard return below 1 inch top margin and in ALL UPPER CASE LETTERS. Each paragraph should be indented.

```

176 \newcommand{\makeabstractpage}{
177 \clearpage
178 \chapter*{Abstract}
179 \@abstract
180 \addcontentsline{toc}{chapter}{\abstractname}
181 \clearpage
182 }

```

acknowledgment We define the **acknowledgment** environment. First, we need to save the text

```
183 \newenvironment{acknowledgment}{\Collect@Body\@saveacknowledgments}{}
```

\@saveacknowledgments And saving the acknowledgments

```

184 \newcommand{\@saveacknowledgments}[1]{
185 \long\gdef\@acknowledgments{#1}
186 }

```

\makeacknowledgepage ACKNOWLEDGMENTS (Title) is centered horizontally, 1 keyboard return below 1 inch top margin and in ALL UPPER CASE LETTERS

```

187 \newcommand{\makeacknowledgepage}{
188 \@ifundefined{@acknowledgments}{}{
189 \clearpage

```



```

190 \chapter*{Acknowledgments}
191 \@acknowledgments
192 \addcontentsline{toc}{chapter}{ACKNOWLEDGMENTS}
193 \clearpage
194 }
195 }

dedication We define the dedication environment. First, we need to save the text
196 \newenvironment{dedication}{\Collect@Body\@savededication}{\}

\@savededication And saving the dedication
197 \newcommand{\@savededication}[1]{
198 \long\gdef\@dedication{#1}
199 }

\makededicationpage ACKNOWLEDGMENTS (Title) is centered horizontally, 1 keyboard return
below 1 inch top margin and in ALL UPPER CASE LETTERS. Dedication
Page: A dedication page is optional and not frequently included in a thesis.
However, occasionally the thesis writer wants to dedicate the document to a
professional colleague, friend, or relative. A dedication typically expresses
gratitude for someone's support. If a dedication page is included, it is placed at
the end of the front matter section, following the acknowledgments. Typically, a
dedication page has no title, it simply states, e.g., "For my father." Roman
numeral page numbering continues on the dedication page.

200 \newcommand{\makededicationpage}{
201 \ifundefined{@dedication}{\}{
202 \clearpage
203 \@dedication
204 \clearpage
205 }
206 }

We rename the headings for the toc, lof, and the references.

207 \renewcommand{\abstractname}{ABSTRACT}
208 \renewcommand{\chaptername}{CHAPTER}
209 \renewcommand{\appendixname}{APPENDIX}
210 \renewcommand{\contentsname}{Table of Contents}
211 \renewcommand{\listfigurename}{List of Figures}
212 \renewcommand{\listtablename}{List of Tables}

\@dottedtocline@sec Redefine \@dottedtocline from the original ltsect.dtx
\@dottedtocline{\langle level \rangle}{\langle indent \rangle}{\langle numwidth \rangle}{\langle title \rangle}{\langle page \rangle}
213 \newcommand{\@dottedtocline@sec}[5]{%
214 \ifnum #1>\c@tocdepth \else
215 \begin{SingleSpace}
216 \vskip \z@ \@plus.2\p@
217 {\leftskip #2\relax \rightskip \@tocrmarg \parfillskip -\rightskip
218 \parindent #2\relax\@afterindenttrue

```

```

219      \interlinepenalty\@M
220      \leavevmode
221      \@tempdima #3\relax
222 \advance\leftskip \@tempdima \null\nobreak\hskip -\leftskip
223 {#4}\nobreak
224      \leaders\hbox{$\m@th
225          \mkern \@dotsep mu\hbox{.}\mkern \@dotsep
226          mu$}\hfill
227      \nobreak
228      \hb@xt@\@pnumwidth{\hfil\normalfont \normalcolor #5}%
229 \par}
230 \end{SingleSpace}%
231 \fi}

\l@section \l@section{<title>}{<page>} typesets the ToC entry for a \section heading.
232 \renewcommand{\@dotsep}{1}
233 \renewcommand{\l@section}{
234 \@dottedtocline@sec{1}{1.5em}{2.3em}
235 }

\l@chapapp Redefine the generic chapter/appendix ToC entry typesetting.
236 \renewcommand{\l@chapapp}[3]{%
237 \ifnum \c@tocdepth >\m@ne
238 \begin{SingleSpace}
239 \cftchapterbreak
240 \vskip \cftbeforechapterskip
241 {
242 \leftskip \cftchapterindent\relax
243 %%%      \memRTLleftskip \cftchapterindent\relax
244 \rightskip \@tocrmarg
245 %%%      \memRTLrightskip \@tocrmarg
246 \parfillskip -\rightskip
247 %%%      \parfillskip -\memRTLrightskip
248 \parindent \cftchapterindent\relax
249 \@afterindenttrue
250 \interlinepenalty\@M
251 \leavevmode
252 \let\@cftbsnum \cftchapterpresnum
253 \let\@cftasnum \cftchapteraftersnum
254 \let\@cftasnumb \cftchapteraftersnumb
255 \def\@chapapp@head{#3}%
256 \settowidth{\@tempdima}{\cftchapterfont\@chapapp@head}%
257 \addtolength{\@tempdima}{\cftchapternumwidth}%
258 \advance\leftskip \@tempdima \null\nobreak\hskip -\leftskip
259 %%%      \advance\memRTLleftskip \@tempdima \null\nobreak\hskip -\memRTLleftskip
260 {\cftchapterfont {#1}}\nobreak
261 \cftchapterfillnum{#2}}
262 \end{SingleSpace}
263 \fi}
264

```

```

265 \renewcommand{\cftchapterdotsep}{\cftdotsep}
266 \renewcommand{\cftchapterfont}{\normalfont\MakeUppercase}
267 \renewcommand{\cftchapterpagefont}{\normalfont}
268 \renewcommand{\cftchapterleader}{\cftdotfill{\cftchapterdotsep}}
269 \renewcommand{\cftchaptername}{\chaptername\space}
270 \renewcommand{\cftappendixname}{\appendixname\space}
271 \renewcommand{\cftdotsep}{1}
272 % ^^A no extra space before the entry, or in the LoF/LoT
273 \setlength{\cftbeforechapterskip}{\z@ plus \z@}
274 \renewcommand{\insertchapterspace}{}

\maketoc TABLE OF CONTENTS (Title) is centered horizontally, 1 keyboard return below
1 inch top margin and in ALL UPPER CASE LETTERS

275 \AtBeginDocument{
276 \@ifpackageloaded{hyperref}{
277 \settocpreprocessor{chapter}{%
278 \let\tempf@rtoc\f@rtoc%
279 \def\f@rtoc{%When hyperref is used,
280 \texorpdfstring{\MakeTextUppercase{\tempf@rtoc}}{\tempf@rtoc}}%
281 }
282 \renewcommand{\cftchapterfont}{\normalfont}
283 }{}
284 \setlength{\footmarkwidth}{\z@}
285 \setlength{\footmarksep}{-\footmarkwidth}
286 \setlength{\footparindent}{\footmarkwidth}
287 \renewcommand{\footnoterule}{%
288 \kern .5\baselineskip%
289 \hrule width \columnwidth \kern .5\baselineskip}
290 }
291 \newcommand{\maketoc}{
292 \tableofcontents*
293 \clearpage
294 }

295 \makechapterstyle{mineschapter}{%
296 \setlength{\midchapskip}{.2\baselineskip}
297 \setlength{\afterchapskip}{.2\baselineskip}
298 \renewcommand{\chapnumfont}{\normalfont}
299 \renewcommand{\chaptitlefont}{\normalfont}
300 \renewcommand{\chapterheadstart}{}
301 \renewcommand{\printchapternum}{}
302 \renewcommand{\printchapternonum}{}
303 \renewcommand{\printchaptername}{%
304 \centerline{\chapnumfont\MakeUppercase{\@chapapp\ thechapter}}}
305 \renewcommand{\printchaptertitle}[1]{%
306 \centering \vbox{\chaptitlefont\invpyr{\MakeUppercase{##1}}}
307 }
308 }
309 \chapterstyle{mineschapter}
310 \newcommand{\reproduceinfo}[1]{

```

```

311 \begin{center}
312 #1\par
313 \end{center}
314 }
315 \newcommand{\reproduceabstract}{
316 {\noindent Abstract\par}
317 }
318 \newcommand{\symbolfootnote}[2]{
319 \renewcommand{\thefootnote}{\fnsymbol{footnote}}
320 \footnote[#1]{#2}
321 \renewcommand{\thefootnote}{\arabic{footnote}}
322 }

```

\section This section of code re-defines some standard stuff for sanity.

```

323 \renewcommand{\section}{\@startsection{section}
324 {1} % level
325 {\z@} % indent from left margin
326 {.1ex} % skip above heading
327 {.1ex} % heading between title and text
328 {\normalfont\normalsize\bfseries}}
329 \renewcommand{\subsection}{\@startsection{subsection}
330 {1} % level
331 {\z@} % indent from left margin
332 {.1ex} % skip above heading
333 {.1ex} % heading between title and text
334 {\normalfont\normalsize\bfseries}}
335 \renewcommand{\subsubsection}{\@startsection{subsubsection}
336 {1} % level
337 {\z@} % indent from left margin
338 {.1ex} % skip above heading
339 {.1ex} % heading between title and text
340 {\normalfont\normalsize\bfseries}}

```