

Web sajt

MechaBoards

<https://milinkovicmilos.github.io/MechaBoards/>



Web Programiranje 2

Autor : Miloš Milinković
Indeks : 11/22

Sadržaj

Table of Contents

Sadržaj.....	2
Uvod.....	3
Korišćeni programski jezici.....	3
Funkcionalnosti.....	3
Template.....	4
Organizacija.....	5
Organizaciona šema.....	5
Mapa sajta.....	5
Slike i opis funkcionalnosti.....	6
Kodovi.....	12
HTML.....	12
index.html.....	12
accessories.html.....	15
cart.html.....	20
mechanical.html.....	23
membrane.html.....	27
product.html.....	30
products.html.....	32
CSS.....	36
style.css.....	36
responsive.css.....	42
JavaScript.....	44
main.js.....	44

Uvod

Korišćeni programski jezici

- Za izradu sajta korišćeni su jezici : HTML, CSS, XML, JavaScript, jQuery(JS biblioteka)

Funkcionalnosti


- Animacija koja se prikazuje korisniku sve dok se sa servera ne dohvate sve neophodne datoteke za iscrtavanje interfejsa
- Dinamički ispis navigacionog menija u Headeru (zaglavlju stranice)
- Dinamički ispis najnovijih proizvoda na početnoj (index) stranici
- Dinamički ispis proizvoda na svakoj od stranica od njihovih kategorija (mechanical.html, membrane.html, accessories.html) kao i dinamički ispis svih proizvoda na stranici products.html
- Dinamički ispis dodatnih kategorija kojem proizvod može da pripada (switch types)
- Dinamički ispis stranice za prikaz pojedinog proizvoda (product.html)
- Sortiranje i filtriranje proizvoda po više kriterijuma (stranice products.html, mechanical.html, membrane.html, accessories.html)
- Menjanje količine i dodavanje odabranog proizvoda u „korpu“
- Dinamički ispis stranice „korpe“ sa formom o poručivanju i potvrdi podudžbine
- Ispis broja stavki u korpi u nav meniju pored ikonice za korpu
- Validacija elemenata forme na stranici „korpe“

Template

- Za izradu sajta prepravljen je template sa stranice <https://milinkovicmilos.github.io/WebCamp/>

Organizacija

Organizaciona šema



Mapa sajta

```
<?xml version="1.0"?>
<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9">
  <url>
    <loc>https://milinkovicmilos.github.io/MechaBoards/index.html</loc>
    <lastmod>2024-03-04</lastmod>
    <changefreq>daily</changefreq>
    <priority>1</priority>
  </url>
  <url>
    <loc>https://milinkovicmilos.github.io/MechaBoards/accessories.html</loc>
    <lastmod>2024-03-04</lastmod>
    <changefreq>daily</changefreq>
    <priority>1</priority>
  </url>
  <url>
    <loc>https://milinkovicmilos.github.io/MechaBoards/cart.html</loc>
    <lastmod>2024-03-04</lastmod>
    <changefreq>monthly</changefreq>
    <priority>1</priority>
  </url>
  <url>
    <loc>https://milinkovicmilos.github.io/MechaBoards/mechanical.html</loc>
```


```

        <lastmod>2024-03-04</lastmod>
        <changefreq>daily</changefreq>
        <priority>0.9</priority>
    </url>
    <url>
        <loc>https://milinkovicmilos.github.io/MechaBoards/membrane.html</loc>
        <lastmod>2024-03-04</lastmod>
        <changefreq>daily</changefreq>
        <priority>0.9</priority>
    </url>
    <url>
        <loc>https://milinkovicmilos.github.io/MechaBoards/produts.html</loc>
        <lastmod>2024-03-04</lastmod>
        <changefreq>daily</changefreq>
        <priority>0.9</priority>
    </url>
    <url>
        <loc>https://milinkovicmilos.github.io/MechaBoards/product.html</loc>
        <lastmod>2024-03-04</lastmod>
        <changefreq>monthly</changefreq>
        <priority>0.7</priority>
    </url>
    <url>
        <loc>https://milinkovicmilos.github.io/BizConsulting/author.html</loc>
        <lastmod>2024-03-04</lastmod>
        <changefreq>yearly</changefreq>
        <priority>0.5</priority>
    </url>
</urlset>

```

Slike i opis funkcionalnosti


- Dinamički ispis navigacionog menija. Sadržaj navigacionog meni se asinhrono dohvata sa servera iz datoteke navigation.json




- Animacija za učitavanje se korisniku prikazuje dok se čeka da se sa servera dohvate svi neophodni fajlovi za iscrtavanje stranice. Prilikom i iscrtavanja svih neophodnih elemenata animacija se uklanja




- Dinamički ispis najnovijih proizvoda na stranici index.htm




- Ukoliko je proizvod dostupan u više varijanti (različiti switchevi) to se korisniku prikazuje ispod naziva i cene proizvoda i klikom korisnika vodi da poruči željeni proizvod u željenoj varijanti




- Dinamički ispis stranice sa svim proizvodima (products.html) sa mogućnostima sortiranja i filtriranja po više kriterijuma




- Dinamički ispis stranice sa mehaničkim tastaturama (mechanical.html) sa mogućnostima sortiranja i filtriranja po više kriterijuma




- Dinamički ispis stranice sa membranskim tastaturama (membrane.html) sa mogućnostima sortiranja i filtriranja po više kriterijuma




- Dinamički ispis stranice za pribor (accessories.html) sa mogućnostima sortiranja i filtriranja po više kriterijuma




- Dinamički ispis stranice o pojedinačnom proizvodu



- Po odabiru proizvoda i količine korisniku se prikazuje mogućnost da ostane na stranici ili da se preusmeri na „korpu“



- Nakon dodavanja proizvoda u korpu korisniku se u navigacionom meniju pored ikonice za korpu prikazuje i ukupan broj proizvoda u korpi



- Dinamički ispis „korpe“ (cart.html) sa mogućnostima pregleda porudžbine, korekcije željene količine svakog proizvoda kao i ukljanjanje pojedinačnog ili svih proizvoda iz korpe

Order details		Your items					
Name *	Last Name *	Product Image	Product Name	Switch type	Quantity	Total	Remove
<input type="text" value="John"/>	<input type="text" value="Doe"/>		K10	Red switch	- 2 +	\$169.98	Remove
E-mail *			Pro Type Ultra	Brown switch	- 1 +	\$199.99	Remove
<input type="text" value="email@address.com"/>			K10	Red switch	- 1 +	\$84.99	Remove
Phone number *			Q3	Brown switch	- 1 +	\$149.99	Remove
<input type="text" value="Contact Number"/>			K10	Brown switch	- 1 +	\$84.99	Remove
<input checked="" type="radio"/> Express delivery <input type="radio"/> Standard delivery <input type="checkbox"/> I agree to the Privacy Policy *		<div style="text-align: right;">\$689.94 Clear cart</div>					
Check out							

- Da bi korisnik poručio proizvode mora popuniti formu sa svojim podacima. Validacija unetih podataka je izvršena primenom regularnih izraza

Shipping info

Name *

This field is required, please enter your name

Last Name *

This field is required, please enter your last name

E-mail *

This field is required, please enter your e-mail address

Phone number *

This field is required, please enter contact phone number

☒ Express delivery
☐ Standard delivery

I agree to the Privacy Policy *

☐

Please accept our Privacy Policy to continue

[Check out](#)

- Za ime i prezime svako prvo slovo imena ili prezimena mora počinjati velikim slovom.
- Broj telefona je potrebno uneti u internacionalnom formatu : „+(Kod države) (Kod grada) (broj telefona od 6 do 9 cifara)“
- Ukoliko je korpa prazna korisnik neće moći da popuni formu

Shipping info

Name *

Last Name *

E-mail *

Phone number *

☒ Express delivery
☐ Standard delivery

I agree to the Privacy Policy *

☐

Check out

Kodovi

HTML

index.html

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta name="description" content="MechaBoards - Your go to place for keyboards" />
  <meta name="keywords" content="keyboard, mechanical, membrane" />
  <meta name="author" content="Miloš Milinković" />
  <title>MechaBoards</title>
  <!-- FavIcon -->
  <link rel="icon" href="assets/img/favicon.ico" type="image/x-icon" />
  <!-- Google Fonts -->
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  <link href="https://fonts.googleapis.com/css2?family=Roboto&display=swap" rel="stylesheet">

```

```

    <!-- Font Awesome -->
    <script src="https://kit.fontawesome.com/98bb0aa457.js"
crossorigin="anonymous"></script>
    <!-- Bootstrap css -->
    <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
QWTKZyjpPEjISv5WaRU90FeRpok6YctnYmDr5pNlyT2bRjXh0JMhJY6hW+ALEwIH"
crossorigin="anonymous">
    <link rel="stylesheet" href="assets/css/style.css" type="text/css" />
    <link rel="stylesheet" href="assets/css/responsive.css" type="text/css" />
</head>
<body>
    <div id="loading">
        <img src="" alt="loading-gif">
    </div>
    <header>
        <nav class="navbar navbar-expand-lg">
            <div class="container-fluid" id="nav-menu-container">
                <a class="navbar-brand" href="./index.html"><h1 class="fs-
3">MechaBoards</h1></a>
                <button class="navbar-toggler" type="button" data-bs-
toggle="collapse" data-bs-target="#nav-menu" aria-controls="nav-menu" aria-
expanded="false" aria-label="Toggle navigation">
                    <span class="navbar-toggler-icon"></span>
                </button>
                <div class="collapse navbar-collapse" id="nav-menu">
                    <ul class="navbar-nav me-auto mb-2 mb-lg-0"></ul>
                </div>
            </div>
        </nav>
    </header>
    <main>
        <section class="py-4" id="welcome">
            <div>
                <h2 class="fw-bold text-center text-decoration-underline">Unleash
Your Typing Potential!</h2>
                <p>
                    Whether you're a gaming enthusiast, a coding maestro,
                    or a professional in need of the perfect typing tool,
                    MechaBoards has the ideal keyboard for you. Upgrade your
                    typing experience at MechaBoards.
                </p>
            </div>
        </section>
        <section class="py-4">
            <h2 class="fs-3 text-center pb-3">Check out our newest products</h2>
            <div id="products" class="cointainer-fluid row justify-content-
evenly"></div>
        </section>
        <div class="text-black mm-hr"><hr/></div>
        <section id="promo" class="d-flex flex-column justify-content-center">
            <div>
                <p>
                    Welcome to the world of mechanical keyboards, where every
                    keystroke is a symphony of precision and satisfaction.
                    If you're still tethered to the world of membrane
                    keyboards, it's time to discover the unparalleled
                    advantages of mechanical keyboards.
                </p>
            </div>
        </section>
    </main>

```

```

        <a href="./mechanical.html" class="text-reset text-decoration-
none">
            <button class="btn btn-light text-decoration-none">See
more</button>
        </a>
    </div>
</section>
<div class="text-black mm-hr"><hr/></div>
</main>
<div id="to-top-btn">
    <a href="#" class="fs-1"><i class="fa-solid fa-circle-arrow-up"></i></a>
</div>
<footer>
    <div class="cointainer-fluid">
        <div id="footer-content">
            <div class="row align-items-center align-content-center h-100">
                <div class="d-none d-xl-block col-4">
                    <nav class="navbar w-100 h-100">
                        <ul class="navbar-nav w-100 flex-row justify-content-
evenly align-items-center text-center"></ul>
                    </nav>
                </div>
                <div class="col-12 col-md-6 col-xl-4 order-1 order-md-0 d-flex
flex-column justify-content-evenly align-items-center" id="footer-info">
                    <a class="nav-link" href="index.html">
                        <p class="text-center fs-3 m-0">MechaBoards</p>
                    </a>
                    <p class="text-center m-0" id="copyright-text">Copyright
&#169; 2024 Miloš Milinković. All Rights Reserved.</p>
                </div>
                <div class="col-12 col-md-6 col-xl-4 order-0 order-md-1 d-flex
flex-column">
                    <nav class="d-xl-none navbar w-100">
                        <ul class="navbar-nav w-100 flex-wrap flex-row
justify-content-evenly gap-2 gap-sm-0"></ul>
                    </nav>
                    <div class="d-flex justify-content-evenly align-items-
center" id="socials-container">
                        <a class="text-dark-emphasis fs-2"
href="https://www.instagram.com" target="_blank"><i class="fa-brands fa-
instagram"></i></a>
                        <a class="text-dark-emphasis fs-2"
href="https://www.facebook.com" target="_blank"><i class="fa-brands fa-
facebook"></i></a>
                        <a class="text-dark-emphasis fs-2"
href="https://www.twitter.com" target="_blank"><i class="fa-brands fa-
twitter"></i></a>
                    </div>
                    <details>
                        <summary>Files used</summary>
                        <a href="assets/css/style.css">style.css</a>
                        <a
href="assets/css/responsive.css">responsive.css</a>
                        <a href="sitemap.xml">sitemap.xml</a>
                        <a href="robots.txt">robots.txt</a>
                    </details>
                </div>
            </div>
        </div>
    </div>
</div>
</div>
</div>

```

```

</footer>
<!-- Bootstrap js -->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"
integrity="sha384-
YvpcrYf0tY3lHB60NNkmXc5s9fDVZLESaAA55NDz0xhy9GkcIdslK1eN7N6jIeHz"
crossorigin="anonymous"></script>
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.7.1/jquery.min.js"></script>
<script src="./assets/js/main.js"></script>
</body>
</html>

```

accessories.html

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta name="description" content="MechaBoards - Your go to place for
keyboards" />
  <meta name="keywords" content="keyboard, mechanical, membrane" />
  <meta name="author" content="Miloš Milinković" />
  <title>MechaBoards</title>
  <!-- FavIcon -->
  <link rel="icon" href="assets/img/favicon.ico" type="image/x-icon" />
  <!-- Google Fonts -->
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  <link href="https://fonts.googleapis.com/css2?family=Roboto&display=swap"
rel="stylesheet">
  <!-- Font Awesome -->
  <script src="https://kit.fontawesome.com/98bb0aa457.js"
crossorigin="anonymous"></script>
  <!-- Bootstrap css -->
  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
QWTKZyjpPEjISv5WaRU90FeRpok6YctnYmDr5pNlyT2bRjXh0JMhJY6hW+ALEwIH"
crossorigin="anonymous">
  <link rel="stylesheet" href="assets/css/style.css" type="text/css" />
  <link rel="stylesheet" href="assets/css/responsive.css" type="text/css" />
</head>
<body>
  <div id="loading">
    <img src="" alt="loading-gif">
  </div>
  <header>
    <nav class="navbar navbar-expand-lg bg-body-secondary">
      <div class="container-fluid" id="nav-menu-container">
        <a class="navbar-brand" href="./index.html"><h1 class="fs-
3">MechaBoards</h1></a>
        <button class="navbar-toggler" type="button" data-bs-
toggle="collapse" data-bs-target="#nav-menu" aria-controls="nav-menu" aria-
expanded="false" aria-label="Toggle navigation">
          <span class="navbar-toggler-icon"></span>
        </button>
        <div class="collapse navbar-collapse" id="nav-menu">
          <ul class="navbar-nav me-auto mb-2 mb-lg-0"></ul>

```

```

        </div>
    </div>
</nav>
</header>
<main>
    <section class="py-4">
        <div class="container-fluid mx-auto row justify-content-between">
            <div class="accordion col-12 col-xl-3 mb-3" id="filters-
accordion">
                <div class="accordion-item">
                    <h2 class="accordion-header">
                        <button class="accordion-button" type="button" data-
bs-toggle="collapse" data-bs-target="#sort-accordion" aria-expanded="true" aria-
controls="#sort-accordion">
                            Sort
                        </button>
                    </h2>
                    <div id="sort-accordion" class="accordion-collapse
collapse show">
                        <div class="accordion-body">
                            <select name="sort" class="form-select"
id="sort"></select>
                        </div>
                    </div>
                </div>
                <div class="accordion-item">
                    <h2 class="accordion-header">
                        <button class="accordion-button" type="button" data-
bs-toggle="collapse" data-bs-target="#brand-filter" aria-expanded="true" aria-
controls="#brand-filter">
                            Brand
                        </button>
                    </h2>
                    <div id="brand-filter" class="accordion-collapse collapse
show">
                        <div class="accordion-body">
                            <ul id="brand" class="list-group"></ul>
                        </div>
                    </div>
                </div>
            </div>
            <div class="col-12 col-xl-9 mx-auto row align-content-start"
id="products"></div>
        </div>
    </section>
    <div class="text-black mm-hr"><hr/></div>
    <div id="to-top-btn">
        <a href="#" class="fs-1"><i class="fa-solid fa-circle-arrow-
up"></i></a>
    </div>
</main>
<footer>
    <div class="cointainer-fluid bg-body-secondary">
        <div id="footer-content">
            <div class="row align-items-center align-content-center h-100">
                <div class="d-none d-xl-block col-4">
                    <nav class="navbar w-100 h-100">
                        <ul class="navbar-nav w-100 flex-row justify-content-
evenly align-items-center text-center"></ul>
                    </nav>

```



```

author.html
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta name="description" content="MechaBoards - Your go to place for
keyboards" />
  <meta name="keywords" content="keyboard, mechanical, membrane" />
  <meta name="author" content="Miloš Milinković" />
  <title>MechaBoards</title>
  <!-- FavIcon -->
  <link rel="icon" href="assets/img/favicon.ico" type="image/x-icon" />
  <!-- Google Fonts -->
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  <link href="https://fonts.googleapis.com/css2?family=Roboto&display=swap"
rel="stylesheet">
  <!-- Font Awesome -->
  <script src="https://kit.fontawesome.com/98bb0aa457.js"
crossorigin="anonymous"></script>
  <!-- Bootstrap css -->
  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
QWTKZyjpPEjISv5WaRU90FeRpok6YctnYmDr5pNlyT2bRjXh0JMHjY6hW+ALEwIH"
crossorigin="anonymous">
  <link rel="stylesheet" href="assets/css/style.css" type="text/css" />
  <link rel="stylesheet" href="assets/css/responsive.css" type="text/css" />
</head>
<body>
  <div id="loading">
    <img src="" alt="loading-gif">
  </div>
  <header>
    <nav class="navbar navbar-expand-lg bg-body-secondary">
      <div class="container-fluid" id="nav-menu-container">
        <a class="navbar-brand" href="./index.html"><h1 class="fs-
3">MechaBoards</h1></a>
        <button class="navbar-toggler" type="button" data-bs-
toggle="collapse" data-bs-target="#nav-menu" aria-controls="nav-menu" aria-
expanded="false" aria-label="Toggle navigation">
          <span class="navbar-toggler-icon"></span>
        </button>
        <div class="collapse navbar-collapse" id="nav-menu">
          <ul class="navbar-nav me-auto mb-2 mb-lg-0"></ul>
        </div>
      </div>
    </nav>
  </header>
  <main>
    <div class="container-fluid" id="author-container">
      <div class="row justify-content-center m-auto py-5 bg-dark-subtle
rounded-3">
        <div class="col-12 col-md-6 col-xl-5">
          <div id="author-picture-container">
            
          </div>
        </div>
      </div>
    </div>
  </main>
</body>
</html>

```

```

        <div class="col-12 col-md-6 col-xl-5">
            <p class="text-center fs-3">Miloš Milinković</p>
            <p class="text-center fs-3">Index : 11/22</p>
            <p class="fs-5 mt-5" id="author-text">
                Hello I'm Miloš Milinković. I am currently studying on ICT
College in
                Belgrade, Serbia. I like programming and challenging
myself in order to
                improve my skills.
            </p>
        </div>
    </div>
</div>
<div id="to-top-btn">
    <a href="#" class="fs-1"><i class="fa-solid fa-circle-arrow-
up"></i></a>
</div>
</main>
<footer>
    <div class="cointainer-fluid bg-body-secondary">
        <div id="footer-content">
            <div class="row align-items-center align-content-center h-100">
                <div class="d-none d-xl-block col-4">
                    <nav class="navbar w-100 h-100">
                        <ul class="navbar-nav w-100 flex-row justify-content-
evenly align-items-center text-center"></ul>
                    </nav>
                </div>
                <div class="col-12 col-md-6 col-xl-4 order-1 order-md-0 d-flex
flex-column justify-content-evenly align-items-center" id="footer-info">
                    <a class="nav-link" href="index.html">
                        <p class="text-center fs-3 m-0">MechaBoards</p>
                    </a>
                    <p class="text-center m-0" id="copyright-text">Copyright
&#169; 2024 Miloš Milinković. All Rights Reserved.</p>
                </div>
                <div class="col-12 col-md-6 col-xl-4 order-0 order-md-1 d-flex
flex-column">
                    <nav class="d-xl-none navbar w-100">
                        <ul class="navbar-nav w-100 flex-wrap flex-row
justify-content-evenly gap-2 gap-sm-0"></ul>
                    </nav>
                    <div class="d-flex justify-content-evenly align-items-
center" id="socials-container">
                        <a class="text-dark-emphasis fs-2"
href="https://www.instagram.com" target="_blank"><i class="fa-brands fa-
instagram"></i></a>
                        <a class="text-dark-emphasis fs-2"
href="https://www.facebook.com" target="_blank"><i class="fa-brands fa-
facebook"></i></a>
                        <a class="text-dark-emphasis fs-2"
href="https://www.twitter.com" target="_blank"><i class="fa-brands fa-
twitter"></i></a>
                    </div>
                    <details>
                        <summary>Files used</summary>
                        <a href="assets/css/style.css">style.css</a>
                        <a
href="assets/css/responsive.css">responsive.css</a>
                        <a href="sitemap.xml">sitemap.xml</a>
                        <a href="robots.txt">robots.txt</a>
                    </details>
                </div>
            </div>
        </div>
    </div>
</footer>

```

```

        </details>
      </div>
    </div>
  </div>
</div>
</footer>
<!-- Bootstrap js -->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"
integrity="sha384-
YvpcrYf0tY3lHB60NNkmXc5s9fDVZLESaAA55NDz0xhy9GkcIdslK1eN7N6jIeHz"
crossorigin="anonymous"></script>
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.7.1/jquery.min.js"></script>
<script src="./assets/js/main.js"></script>
</body>
</html>

```

cart.html

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta name="description" content="MechaBoards - Your go to place for
keyboards" />
  <meta name="keywords" content="keyboard, mechanical, membrane" />
  <meta name="author" content="Miloš Milinković" />
  <title>MechaBoards</title>
  <!-- FavIcon -->
  <link rel="icon" href="assets/img/favicon.ico" type="image/x-icon" />
  <!-- Google Fonts -->
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  <link href="https://fonts.googleapis.com/css2?family=Roboto&display=swap"
rel="stylesheet">
  <!-- Font Awesome -->
  <script src="https://kit.fontawesome.com/98bb0aa457.js"
crossorigin="anonymous"></script>
  <!-- Bootstrap css -->
  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
QwTKZyjpPEjISv5WaRU90FeRpok6YctnYmDr5pNlyT2bRjXh0JMhY6hW+ALEwIH"
crossorigin="anonymous">
  <link rel="stylesheet" href="assets/css/style.css" type="text/css" />
  <link rel="stylesheet" href="assets/css/responsive.css" type="text/css" />
</head>
<body>
  <div id="loading">
    <img src="" alt="loading-gif">
  </div>
  <header>
    <nav class="navbar navbar-expand-lg bg-body-secondary">
      <div class="container-fluid" id="nav-menu-container">
        <a class="navbar-brand" href="./index.html"><h1 class="fs-
3">MechaBoards</h1></a>

```

```

        <button class="navbar-toggler" type="button" data-bs-
toggle="collapse" data-bs-target="#nav-menu" aria-controls="nav-menu" aria-
expanded="false" aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="nav-menu">
        <ul class="navbar-nav me-auto mb-2 mb-lg-0"></ul>
    </div>
</div>
</nav>
</header>
<main>
    <section id="cart">
        <div class="row">
            <div id="cart-form" class="col-12 col-lg-4 order-1 order-lg-0">
                <h2 class="text-center">Shipping info</h2>
                <form action="index.html" method="POST">
                    <div id="form-wrapper" class="row">
                        <div class="mb-4 col-6 position-relative">
                            <label for="input-first-name">Name<span
class="red"> *</span></label>
                            <input type="text" name="input-first-name"
class="form-control" id="input-first-name" placeholder="John"/>
                        </div>
                        <div class="mb-4 col-6 position-relative">
                            <label for="input-last-name">Last Name<span
class="red"> *</span></label>
                            <input type="text" name="input-last-name"
class="form-control" id="input-last-name" placeholder="Doe"/>
                        </div>
                        <div class="mb-4 col-12 position-relative">
                            <label for="input-email">E-mail<span class="red">
*</span></label>
                            <input type="text" name="input-email" class="form-
control" id="input-email" placeholder="email@address.com"/>
                        </div>
                        <div class="mb-4 col-12 position-relative">
                            <label for="input-phone-number">Phone number<span
class="red"> *</span></label>
                            <input type="text" name="input-phone-number"
class="form-control" id="input-phone-number" placeholder="Contact Number"/>
                        </div>
                        <div class="mb-4 col-12 position-relative">
                            <div class="radio-holder">
                                <input type="radio" name="delivery-type"
class="form-check-input" id="delivery-type-express" value="0" checked="checked"/>
                                <label for="delivery-type-express"
class="form-check-label">Express delivery</label>
                            </div>
                            <div class="radio-holder">
                                <input type="radio" name="delivery-type"
class="form-check-input" id="delivery-type-standard" value="1"/>
                                <label for="delivery-type-standard"
class="form-check-label">Standard delivery</label>
                            </div>
                        </div>
                        <div class="mb-4 col-12 position-relative">
                            <label for="check-pp">I agree to the <span
id="privacy-policy">Privacy Policy</span><span class="red"> *</span></label>

```

```

        <input type="checkbox" name="privacy-policy"
id="check-pp"/>
    </div>
    <div class="mb-4 col-12">
        <input type="submit" class="btn btn-primary d-
block w-50 mx-auto" value="Check out"/>
    </div>
</div>
</form>
</div>
<div class="col-12 col-lg-8">
    <h2 class="text-center">Your items</h2>
    <div id="cart-items"></div>
</div>
</div>
</section>
</main>
<footer>
    <div class="cointainer-fluid bg-body-secondary">
        <div id="footer-content">
            <div class="row align-items-center align-content-center h-100">
                <div class="d-none d-xl-block col-4">
                    <nav class="navbar w-100 h-100">
                        <ul class="navbar-nav w-100 flex-row justify-content-
evenly align-items-center text-center"></ul>
                    </nav>
                </div>
                <div class="col-12 col-md-6 col-xl-4 order-1 order-md-0 d-flex
flex-column justify-content-evenly align-items-center" id="footer-info">
                    <a class="nav-link" href="index.html">
                        <p class="text-center fs-3 m-0">MechaBoards</p>
                    </a>
                    <p class="text-center m-0" id="copyright-text">Copyright
&#169; 2024 Miloš Milinković. All Rights Reserved.</p>
                </div>
                <div class="col-12 col-md-6 col-xl-4 order-0 order-md-1 d-flex
flex-column">
                    <nav class="d-xl-none navbar w-100">
                        <ul class="navbar-nav w-100 flex-wrap flex-row
justify-content-evenly gap-2 gap-sm-0"></ul>
                    </nav>
                    <div class="d-flex justify-content-evenly align-items-
center" id="socials-container">
                        <a class="text-dark-emphasis fs-2"
href="https://www.instagram.com" target="_blank"><i class="fa-brands fa-
instagram"></i></a>
                        <a class="text-dark-emphasis fs-2"
href="https://www.facebook.com" target="_blank"><i class="fa-brands fa-
facebook"></i></a>
                        <a class="text-dark-emphasis fs-2"
href="https://www.twitter.com" target="_blank"><i class="fa-brands fa-
twitter"></i></a>
                    </div>
                    <details>
                        <summary>Files used</summary>
                        <a href="assets/css/style.css">style.css</a>
                        <a
href="assets/css/responsive.css">responsive.css</a>
                        <a href="sitemap.xml">sitemap.xml</a>
                        <a href="robots.txt">robots.txt</a>
                    </details>
                </div>
            </div>
        </div>
    </div>

```

mechanical.html

23


```

        <button class="navbar-toggler" type="button" data-bs-
toggle="collapse" data-bs-target="#nav-menu" aria-controls="nav-menu" aria-
expanded="false" aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
    </button>
    <div class="collapse navbar-collapse" id="nav-menu">
        <ul class="navbar-nav me-auto mb-2 mb-lg-0"></ul>
    </div>
</nav>
</header>
<main>
    <section class="py-4">
        <div class="container-fluid mx-auto row justify-content-between">
            <div class="accordion col-12 col-xl-3 mb-3" id="filters-
accordion">
                <div class="accordion-item">
                    <h2 class="accordion-header">
                        <button class="accordion-button" type="button" data-
bs-toggle="collapse" data-bs-target="#sort-accordion" aria-expanded="true" aria-
controls="#sort-accordion">
                            Sort
                        </button>
                    </h2>
                    <div id="sort-accordion" class="accordion-collapse
collapse show">
                        <div class="accordion-body">
                            <select name="sort" class="form-select"
id="sort"></select>
                        </div>
                    </div>
                </div>
                <div class="accordion-item">
                    <h2 class="accordion-header">
                        <button class="accordion-button" type="button" data-
bs-toggle="collapse" data-bs-target="#brand-filter" aria-expanded="true" aria-
controls="#brand-filter">
                            Brand
                        </button>
                    </h2>
                    <div id="brand-filter" class="accordion-collapse collapse
show">
                        <div class="accordion-body">
                            <ul id="brand" class="list-group"></ul>
                        </div>
                    </div>
                </div>
                <div class="accordion-item">
                    <h2 class="accordion-header">
                        <button class="accordion-button" type="button" data-
bs-toggle="collapse" data-bs-target="#conn-filter" aria-expanded="true" aria-
controls="#conn-filter">
                            Connectivity
                        </button>
                    </h2>
                    <div id="conn-filter" class="accordion-collapse collapse
show">
                        <div class="accordion-body">
                            <ul id="connectivity" class="list-group"></ul>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </section>
</main>

```



```

        </div>
    </div>
    <div class="accordion-item">
        <h2 class="accordion-header">
            <button class="accordion-button" type="button" data-
bs-toggle="collapse" data-bs-target="#spec-filter" aria-expanded="true" aria-
controls="#spec-filter">
                Specifications
            </button>
        </h2>
        <div id="spec-filter" class="accordion-collapse collapse
show">
            <div class="accordion-body">
                <ul id="specification" class="list-group"></ul>
            </div>
        </div>
    </div>
    <div class="accordion-item">
        <h2 class="accordion-header">
            <button class="accordion-button" type="button" data-
bs-toggle="collapse" data-bs-target="#size-filter" aria-expanded="true" aria-
controls="#size-filter">
                Size
            </button>
        </h2>
        <div id="size-filter" class="accordion-collapse collapse
show">
            <div class="accordion-body">
                <ul id="size" class="list-group"></ul>
            </div>
        </div>
    </div>
    <div class="col-12 col-xl-9 mx-auto row align-content-start"
id="products"></div>
</div>
</section>
<div class="text-black mm-hr"><hr/></div>
<div id="to-top-btn">
    <a href="#" class="fs-1"><i class="fa-solid fa-circle-arrow-
up"></i></a>
</div>
</main>
<footer>
    <div class="cointainer-fluid bg-body-secondary">
        <div id="footer-content">
            <div class="row align-items-center align-content-center h-100">
                <div class="d-none d-xl-block col-4">
                    <nav class="navbar w-100 h-100">
                        <ul class="navbar-nav w-100 flex-row justify-content-
evenly align-items-center text-center"></ul>
                    </nav>
                </div>
                <div class="col-12 col-md-6 col-xl-4 order-1 order-md-0 d-flex
flex-column justify-content-evenly align-items-center" id="footer-info">
                    <a class="nav-link" href="index.html">
                        <p class="text-center fs-3 m-0">MechaBoards</p>
                    </a>
                    <p class="text-center m-0" id="copyright-text">Copyright
&#169; 2024 Miloš Milinković. All Rights Reserved.</p>

```


membrane.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta name="description" content="MechaBoards - Your go to place for
keyboards" />
  <meta name="keywords" content="keyboard, mechanical, membrane" />
  <meta name="author" content="Miloš Milinković" />
  <title>MechaBoards</title>
  <!-- FavIcon -->
  <link rel="icon" href="assets/img/favicon.ico" type="image/x-icon" />
  <!-- Google Fonts -->
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  <link href="https://fonts.googleapis.com/css2?family=Roboto&display=swap"
rel="stylesheet">
  <!-- Font Awesome -->
  <script src="https://kit.fontawesome.com/98bb0aa457.js"
crossorigin="anonymous"></script>
  <!-- Bootstrap css -->
  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
QWTKZyjpPEjISv5WaRU90FeRpok6YctnYmDr5pNlyT2bRjXh0JMhY6hW+ALEwIH"
crossorigin="anonymous">
  <link rel="stylesheet" href="assets/css/style.css" type="text/css" />
  <link rel="stylesheet" href="assets/css/responsive.css" type="text/css" />
</head>
<body>
  <div id="loading">
    <img src="" alt="loading-gif">
  </div>
  <header>
    <nav class="navbar navbar-expand-lg bg-body-secondary">
      <div class="container-fluid" id="nav-menu-container">
        <a class="navbar-brand" href="./index.html"><h1 class="fs-
3">MechaBoards</h1></a>
        <button class="navbar-toggler" type="button" data-bs-
toggle="collapse" data-bs-target="#nav-menu" aria-controls="nav-menu" aria-
expanded="false" aria-label="Toggle navigation">
          <span class="navbar-toggler-icon"></span>
        </button>
        <div class="collapse navbar-collapse" id="nav-menu">
          <ul class="navbar-nav me-auto mb-2 mb-lg-0"></ul>
        </div>
      </div>
    </nav>
  </header>
  <main>
    <section class="py-4">
      <div class="container-fluid mx-auto row justify-content-between">
        <div class="accordion col-12 col-xl-3 mb-3" id="filters-
accordion">
          <div class="accordion-item">
            <h2 class="accordion-header">
```

```

        <button class="accordion-button" type="button" data-
bs-toggle="collapse" data-bs-target="#sort-accordion" aria-expanded="true" aria-
controls="#sort-accordion">
            Sort
        </button>
    </h2>
    <div id="sort-accordion" class="accordion-collapse
collapse show">
        <div class="accordion-body">
            <select name="sort" class="form-select"
id="sort"></select>
        </div>
    </div>
</div>
<div class="accordion-item">
    <h2 class="accordion-header">
        <button class="accordion-button" type="button" data-
bs-toggle="collapse" data-bs-target="#brand-filter" aria-expanded="true" aria-
controls="#brand-filter">
            Brand
        </button>
    </h2>
    <div id="brand-filter" class="accordion-collapse collapse
show">
        <div class="accordion-body">
            <ul id="brand" class="list-group"></ul>
        </div>
    </div>
</div>
<div class="accordion-item">
    <h2 class="accordion-header">
        <button class="accordion-button" type="button" data-
bs-toggle="collapse" data-bs-target="#conn-filter" aria-expanded="true" aria-
controls="#conn-filter">
            Connectivity
        </button>
    </h2>
    <div id="conn-filter" class="accordion-collapse collapse
show">
        <div class="accordion-body">
            <ul id="connectivity" class="list-group"></ul>
        </div>
    </div>
</div>
<div class="accordion-item">
    <h2 class="accordion-header">
        <button class="accordion-button" type="button" data-
bs-toggle="collapse" data-bs-target="#spec-filter" aria-expanded="true" aria-
controls="#spec-filter">
            Specifications
        </button>
    </h2>
    <div id="spec-filter" class="accordion-collapse collapse
show">
        <div class="accordion-body">
            <ul id="specification" class="list-group"></ul>
        </div>
    </div>
</div>
<div class="accordion-item">

```

```

        <h2 class="accordion-header">
            <button class="accordion-button" type="button" data-
bs-toggle="collapse" data-bs-target="#size-filter" aria-expanded="true" aria-
controls="#size-filter">
                Size
            </button>
        </h2>
        <div id="size-filter" class="accordion-collapse collapse
show">
            <div class="accordion-body">
                <ul id="size" class="list-group"></ul>
            </div>
        </div>
    </div>
    <div class="col-12 col-xl-9 mx-auto row align-content-start"
id="products"></div>
</div>
</section>
<div class="text-black mm-hr"><hr/></div>
<div id="to-top-btn">
    <a href="#" class="fs-1"><i class="fa-solid fa-circle-arrow-
up"></i></a>
</div>
</main>
<footer>
    <div class="cointainer-fluid bg-body-secondary">
        <div id="footer-content">
            <div class="row align-items-center align-content-center h-100">
                <div class="d-none d-xl-block col-4">
                    <nav class="navbar w-100 h-100">
                        <ul class="navbar-nav w-100 flex-row justify-content-
evenly align-items-center text-center"></ul>
                    </nav>
                </div>
                <div class="col-12 col-md-6 col-xl-4 order-1 order-md-0 d-flex
flex-column justify-content-evenly align-items-center" id="footer-info">
                    <a class="nav-link" href="index.html">
                        <p class="text-center fs-3 m-0">MechaBoards</p>
                    </a>
                    <p class="text-center m-0" id="copyright-text">Copyright
&#169; 2024 Miloš Milinković. All Rights Reserved.</p>
                </div>
                <div class="col-12 col-md-6 col-xl-4 order-0 order-md-1 d-flex
flex-column">
                    <nav class="d-xl-none navbar w-100">
                        <ul class="navbar-nav w-100 flex-wrap flex-row
justify-content-evenly gap-2 gap-sm-0"></ul>
                    </nav>
                    <div class="d-flex justify-content-evenly align-items-
center" id="socials-container">
                        <a class="text-dark-emphasis fs-2"
href="https://www.instagram.com" target="_blank"><i class="fa-brands fa-
instagram"></i></a>
                        <a class="text-dark-emphasis fs-2"
href="https://www.facebook.com" target="_blank"><i class="fa-brands fa-
facebook"></i></a>
                        <a class="text-dark-emphasis fs-2"
href="https://www.twitter.com" target="_blank"><i class="fa-brands fa-
twitter"></i></a>
                    </div>
                </div>
            </div>
        </div>
    </div>

```

```
<details>  
    <summary>Files used</summary>  
    <a href="assets/css/style.css">style.css</a>  
    <a  
href="assets/css/responsive.css">responsive.css</a>  
    <a href="sitemap.xml">sitemap.xml</a>  
    <a href="robots.txt">robots.txt</a>  
</details>  
</div>  
</div>  
</div>  
</div>  
</footer>  
<!-- Bootstrap js -->  
<script  
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"  
integrity="sha384-  
YvpcrYf0tY3lHB60NNkmXc5s9fDVZLESaAA55NDzOxhy9GkcIdslK1eN7N6jIeHz"  
crossorigin="anonymous"></script>  
    <script  
src="https://ajax.googleapis.com/ajax/libs/jquery/3.7.1/jquery.min.js"></script>  
    <script src="./assets/js/main.js"></script>  
</body>  
</html>
```

product.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta name="description" content="MechaBoards - Your go to place for keyboards" />
  <meta name="keywords" content="keyboard, mechanical, membrane" />
  <meta name="author" content="Miloš Milinković" />
  <title>MechaBoards</title>
  <!-- FavIcon -->
  <link rel="icon" href="assets/img/favicon.ico" type="image/x-icon" />
  <!-- Google Fonts -->
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  <link href="https://fonts.googleapis.com/css2?family=Roboto&display=swap"
rel="stylesheet">
  <!-- Font Awesome -->
  <script src="https://kit.fontawesome.com/98bb0aa457.js"
crossorigin="anonymous"></script>
  <!-- Bootstrap css -->
  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
QWTKZyjpPEjISv5WaRU90FeRpok6YctnYmDr5pNlyT2bRjXh0JMhJY6hW+ALEwIH"
crossorigin="anonymous">
  <link rel="stylesheet" href="assets/css/style.css" type="text/css" />
  <link rel="stylesheet" href="assets/css/responsive.css" type="text/css" />
</head>
<body>
  <div id="loading">
    <img src="" alt="loading-gif">
```

```

</div>
<header>
  <nav class="navbar navbar-expand-lg">
    <div class="container-fluid" id="nav-menu-container">
      <a class="navbar-brand" href="./index.html"><h1 class="fs-
3">MechaBoards</h1></a>
      <button class="navbar-toggler" type="button" data-bs-
toggle="collapse" data-bs-target="#nav-menu" aria-controls="nav-menu" aria-
expanded="false" aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
      </button>
      <div class="collapse navbar-collapse" id="nav-menu">
        <ul class="navbar-nav me-auto mb-2 mb-lg-0"></ul>
      </div>
    </div>
  </nav>
</header>
<main>
  <div class="container-xl row mx-auto py-4">
    <div id="img-desc" class="col-12 col-md-8 px-4"></div>
    <div id="heading-options" class="col-12 col-md-4 px-4 d-md-
block"></div>
  </div>
</main>
<footer>
  <div class="cointainer-fluid bg-body-secondary">
    <div id="footer-content">
      <div class="row align-items-center align-content-center h-100">
        <div class="d-none d-xl-block col-4">
          <nav class="navbar w-100 h-100">
            <ul class="navbar-nav w-100 flex-row justify-content-
evenly align-items-center text-center"></ul>
          </nav>
        </div>
        <div class="col-12 col-md-6 col-xl-4 order-1 order-md-0 d-flex
flex-column justify-content-evenly align-items-center" id="footer-info">
          <a class="nav-link" href="index.html">
            <p class="text-center fs-3 m-0">MechaBoards</p>
          </a>
          <p class="text-center m-0" id="copyright-text">Copyright
&#169; 2024 Miloš Milinković. All Rights Reserved.</p>
        </div>
        <div class="col-12 col-md-6 col-xl-4 order-0 order-md-1 d-flex
flex-column">
          <nav class="d-xl-none navbar w-100">
            <ul class="navbar-nav w-100 flex-wrap flex-row
justify-content-evenly gap-2 gap-sm-0"></ul>
          </nav>
          <div class="d-flex justify-content-evenly align-items-
center" id="socials-container">
            <a class="text-dark-emphasis fs-2"
href="https://www.instagram.com" target="_blank"><i class="fa-brands fa-
instagram"></i></a>
            <a class="text-dark-emphasis fs-2"
href="https://www.facebook.com" target="_blank"><i class="fa-brands fa-
facebook"></i></a>
            <a class="text-dark-emphasis fs-2"
href="https://www.twitter.com" target="_blank"><i class="fa-brands fa-
twitter"></i></a>
          </div>
        </div>
      </div>
    </div>
  </div>
</footer>
</div>
</html>

```

[illegible]

products.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <meta name="description" content="MechaBoards - Your go to place for
keyboards" />
  <meta name="keywords" content="keyboard, mechanical, membrane" />
  <meta name="author" content="Miloš Milinković" />
  <title>MechaBoards</title>
  <!-- FavIcon -->
  <link rel="icon" href="assets/img/favicon.ico" type="image/x-icon" />
  <!-- Google Fonts -->
  <link rel="preconnect" href="https://fonts.googleapis.com">
  <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
  <link href="https://fonts.googleapis.com/css2?family=Roboto&display=swap"
rel="stylesheet">
  <!-- Font Awesome -->
  <script src="https://kit.fontawesome.com/98bb0aa457.js"
crossorigin="anonymous"></script>
  <!-- Bootstrap css -->
  <link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-
QWTKZyjpPEjISv5WaRU90FeRpok6YctnYmDr5pNlyT2bRjXh0JMhJY6hW+ALEwIH"
crossorigin="anonymous">
  <link rel="stylesheet" href="assets/css/style.css" type="text/css" />
  <link rel="stylesheet" href="assets/css/responsive.css" type="text/css" />
</head>
<body>
  <div id="loading">
    <img src="" alt="loading-gif">
  </div>
```



```

<header>
  <nav class="navbar navbar-expand-lg bg-body-secondary">
    <div class="container-fluid" id="nav-menu-container">
      <a class="navbar-brand" href="/index.html"><h1 class="fs-
3">MechaBoards</h1></a>
      <button class="navbar-toggler" type="button" data-bs-
toggle="collapse" data-bs-target="#nav-menu" aria-controls="nav-menu" aria-
expanded="false" aria-label="Toggle navigation">
        <span class="navbar-toggler-icon"></span>
      </button>
      <div class="collapse navbar-collapse" id="nav-menu">
        <ul class="navbar-nav me-auto mb-2 mb-lg-0"></ul>
      </div>
    </div>
  </nav>
</header>
<main>
  <section class="py-4">
    <div class="container-fluid mx-auto row justify-content-between">
      <div class="accordion col-12 col-xl-3 mb-3" id="filters-
accordion">
        <div class="accordion-item">
          <h2 class="accordion-header">
            <button class="accordion-button" type="button" data-
bs-toggle="collapse" data-bs-target="#sort-accordion" aria-expanded="true" aria-
controls="#sort-accordion">
              Sort
            </button>
          </h2>
          <div id="sort-accordion" class="accordion-collapse
collapse show">
            <div class="accordion-body">
              <select name="sort" class="form-select"
id="sort"></select>
            </div>
          </div>
        </div>
        <div class="accordion-item">
          <h2 class="accordion-header">
            <button class="accordion-button" type="button" data-
bs-toggle="collapse" data-bs-target="#producttype-accordion" aria-expanded="true"
aria-controls="#producttype-accordion">
              Category
            </button>
          </h2>
          <div id="producttype-accordion" class="accordion-collapse
collapse show">
            <div class="accordion-body">
              <ul id="producttype" class="list-group"></ul>
            </div>
          </div>
        </div>
        <div class="accordion-item">
          <h2 class="accordion-header">
            <button class="accordion-button" type="button" data-
bs-toggle="collapse" data-bs-target="#brand-filter" aria-expanded="true" aria-
controls="#brand-filter">
              Brand
            </button>
          </h2>

```

```

        <div id="brand-filter" class="accordion-collapse collapse
show">
            <div class="accordion-body">
                <ul id="brand" class="list-group"></ul>
            </div>
        </div>
    </div>
    <div class="accordion-item">
        <h2 class="accordion-header">
            <button class="accordion-button" type="button" data-
bs-toggle="collapse" data-bs-target="#switch-filter" aria-expanded="true" aria-
controls="#switch-filter">
                Switch types
            </button>
        </h2>
        <div id="switch-filter" class="accordion-collapse collapse
show">
            <div class="accordion-body">
                <ul id="switch" class="list-group"></ul>
            </div>
        </div>
    </div>
    <div class="accordion-item">
        <h2 class="accordion-header">
            <button class="accordion-button" type="button" data-
bs-toggle="collapse" data-bs-target="#conn-filter" aria-expanded="true" aria-
controls="#conn-filter">
                Connectivity
            </button>
        </h2>
        <div id="conn-filter" class="accordion-collapse collapse
show">
            <div class="accordion-body">
                <ul id="connectivity" class="list-group"></ul>
            </div>
        </div>
    </div>
    <div class="accordion-item">
        <h2 class="accordion-header">
            <button class="accordion-button" type="button" data-
bs-toggle="collapse" data-bs-target="#spec-filter" aria-expanded="true" aria-
controls="#spec-filter">
                Specifications
            </button>
        </h2>
        <div id="spec-filter" class="accordion-collapse collapse
show">
            <div class="accordion-body">
                <ul id="specification" class="list-group"></ul>
            </div>
        </div>
    </div>
    <div class="accordion-item">
        <h2 class="accordion-header">
            <button class="accordion-button" type="button" data-
bs-toggle="collapse" data-bs-target="#size-filter" aria-expanded="true" aria-
controls="#size-filter">
                Size
            </button>
        </h2>
    </div>

```

```

        <div id="size-filter" class="accordion-collapse collapse
show">
            <div class="accordion-body">
                <ul id="size" class="list-group"></ul>
            </div>
        </div>
    </div>
    <div class="col-12 col-xl-9 mx-auto row align-content-start"
id="products"></div>
</div>
</section>
<div id="to-top-btn">
    <a href="#" class="fs-1"><i class="fa-solid fa-circle-arrow-
up"></i></a>
</div>
</main>
<footer>
    <div class="cointainer-fluid bg-body-secondary">
        <div id="footer-content">
            <div class="row align-items-center align-content-center h-100">
                <div class="d-none d-xl-block col-4">
                    <nav class="navbar w-100 h-100">
                        <ul class="navbar-nav w-100 flex-row justify-content-
evenly align-items-center text-center"></ul>
                    </nav>
                </div>
                <div class="col-12 col-md-6 col-xl-4 order-1 order-md-0 d-flex
flex-column justify-content-evenly align-items-center" id="footer-info">
                    <a class="nav-link" href="index.html">
                        <p class="text-center fs-3 m-0">MechaBoards</p>
                    </a>
                    <p class="text-center m-0" id="copyright-text">Copyright
&#169; 2024 Miloš Milinković. All Rights Reserved.</p>
                </div>
                <div class="col-12 col-md-6 col-xl-4 order-0 order-md-1 d-flex
flex-column">
                    <nav class="d-xl-none navbar w-100">
                        <ul class="navbar-nav w-100 flex-wrap flex-row
justify-content-evenly gap-2 gap-sm-0"></ul>
                    </nav>
                    <div class="d-flex justify-content-evenly align-items-
center" id="socials-container">
                        <a class="text-dark-emphasis fs-2"
href="https://www.instagram.com" target="_blank"><i class="fa-brands fa-
instagram"></i></a>
                        <a class="text-dark-emphasis fs-2"
href="https://www.facebook.com" target="_blank"><i class="fa-brands fa-
facebook"></i></a>
                        <a class="text-dark-emphasis fs-2"
href="https://www.twitter.com" target="_blank"><i class="fa-brands fa-
twitter"></i></a>
                    </div>
                    <details>
                        <summary>Files used</summary>
                        <a href="assets/css/style.css">style.css</a>
                        <a
href="assets/css/responsive.css">responsive.css</a>
                        <a href="sitemap.xml">sitemap.xml</a>
                        <a href="robots.txt">robots.txt</a>
                    </details>
                </div>
            </div>
        </div>
    </div>

```

```
</div>
</div>
</div>
</div>
</footer>
<!-- Bootstrap js -->
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js"
integrity="sha384-
YvpcrYf0tY3lHB60NNkmXc5s9fDVZLESaAA55NDzOxhy9GkcIdslK1eN7N6jIeHz"
crossorigin="anonymous"></script>
<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.7.1/jquery.min.js"></script>
<script src="./assets/js/main.js"></script>
</body>
</html>
```

CSS

style.css

```
* {
  margin: 0px;
  padding: 0px;
}
:root {
  --link-color: var(--secondary);
  --link-hover-color: rgba(0, 0, 0, 0.8);
  --input-color: #808080;
  --focus-color: rgb(56, 56, 56);
  --primary: #333333;
  --secondary: #0099FF;
  --accent: #CCCCCC;
  --background: #F5F5F5;
  --headerfooter: #e2e3e5;
}

body {
  position: relative;
  min-height: 100vh;
  padding-bottom: 290px; /* Footer height */
  font-family: 'Roboto', sans-serif;
  font-size: 0.9em;
  background-color: var(--background);
  color: var(--primary);
}

h1 {
  color: var(--accent);
  transition: color 0.15s;
}

h1:hover {
  color: var(--accent);
}

h2, h3, h4 {
  color: var(--primary);
}

p {
  color: var(--primary);
}
```

```

.mm-product img {
  transition: transform 0.2s;
}
.mm-product img:hover {
  transform: scale(1.1);
}
.mm-product p {
  color: var(--secondary);
}
.mm-product s {
  color: var(--primary);
}
a {
  color: var(--primary);
  transition: color 0.15s;
}
a:hover {
  color: var(--accent);
}

header, footer {
  background-color: var(--headerfooter);
}
header {
  border-bottom: 1px solid var(--secondary);
}
footer {
  border-top: 1px solid var(--secondary);
}
#footer-info .nav-link p {
  color: var(--secondary);
  transition: color 0.15s;
}
#footer-info .nav-link p:hover {
  color: var(--accent);
}

.accordion-button {
  background-color: var(--accent) !important;
  color: var(--primary) !important;
}

#price {
  color: var(--secondary);
}

#heading-options button {
  background-color: var(--headerfooter);
  transition: background-color 0.15s;
}

#heading-options .btn-outline-primary {
  border: 1px solid var(--secondary) !important;
}

#post-add button, #post-add a {
  background-color: var(--headerfooter);
  transition: background-color 0.15s;
  border-radius: 5px;
  text-align: center;
}

```

```

    border: 1px solid var(--accent);
    padding: 5px 0px;
}

#post-add button:hover, #post-add a:hover {
    background-color: var(--accent);
}

#heading-options button:hover {
    background-color: var(--accent);
}

.mm-switch {
    background-color: var(--primary);
    color: var(--accent);
    text-decoration: none;
    padding: 5px;
    border-radius: 5px;
    transition: background-color 0.15s;
}

.mm-switch:hover {
    background-color: var(--input-color);
}

h1 {
    color: var(--secondary);
}

body tbody, .form-control, #cart-items button {
    font-size: 0.9rem !important;
}

.nav-link {
    color: var(--primary) !important;
}

.nav-link:hover {
    color: var(--accent) !important;
}

i {
    color: var(--primary);
    transition: color 0.15s;
}

i:hover {
    color: var(--accent);
}

i.fa-cart-shopping {
    position: relative;
    padding: 0px 5px;
    font-size: 1.25rem;
}

.cart-item-number {
    position: absolute;
    padding: 5px;
    top: -10px;
    right: -10px;
    width: 18px;
    height: 18px;
    background-color: var(--primary);
    border-radius: 50%;
    color: var(--accent);
    text-align: center;
    font-size: 0.8rem !important;
    font-weight: normal;
}

```

```

    font-family: 'Roboto', sans-serif;
    display: flex;
    justify-content: center;
    align-items: center;
    outline: 1px solid var(--secondary);
}

#loading {
    position: fixed;
    width: 100%;
    height: 100%;
    z-index: 1;
    background-color: white;
}

#loading img {
    position: fixed;
    z-index: 2;
    left: 50%;
    top: 50%;
    transform: translate(-50%, -50%);
}

.mm-dark {
    background-color: rgba(0, 0, 0, 0.65);
}

section {
    width: 90%;
    margin: 0px auto;
}

.mm-hr, #welcome, #footer-content, #offer, #reviews, #course-offers, #contact-
reviews-slider, #contact-section {
    width: 90%;
    margin: 0px auto;
}

.mm-vertical-line {
    position: absolute;
    height: 75%;
    top: 12.5%;
    right: 0px;
    outline: 1px solid rgba(128, 128, 128, 0.5);
}

.mm-product {
    width: 90%;
}

.mm-product > div {
    border-radius: 5px;
    border-bottom: 1px solid lightgray;
}

.mm-switches {
    font-size: 0.9rem;
    padding-top: 25px;
}

#heading-options {

```

```

    display: flex;
    flex-wrap: wrap;
}

.mm-quantity {
    width: 80px;
}

.mm-quantity button {
    padding: 0px;
    border: 1px solid lightgray;
    width: 35%;
}

.mm-quantity :first-child {
    border-radius: 25px 0px 0px 25px;
}

.mm-quantity :last-child {
    border-radius: 0px 25px 25px 0px;
}

.red {
    color: red;
}

.error-text {
    font-size: 0.7rem;
    line-height: 15px;
    color: darkred;
    position: absolute;
}

button, input {
    font-size: 0.9rem;
}

tr td img {
    max-height: 50px;
    max-width: 100%;
}

/* Header */
#nav-menu-container {
    width: 90%;
}
#nav-menu-container .collapse {
    flex-grow: 0;
}
#nav-menu-container .collapse ul {
    width: 100%;
    justify-content: space-between;
}

#cart {
    margin-top: 20px;
}

/* footer */
footer {

```



```

    /* Keeps footer at the bottom of the screen */
    position: absolute;
    bottom: 0px;
    width: 100%;
}
#footer-content {
    height: 290px; /* Default (mobile) footer height */
}
#footer-info {
    height: 45%;
}
#to-top-btn {
    position: fixed;
    z-index: 1;
    bottom: 20px;
    right: 30px;
}
#author-container {
    margin-top: 50px;
}
#author-picture-container img {
    max-height: 400px;
}

#add-to-cart {
    border-radius: 20px;
    border: 1px solid lightgray;
    padding: 10px;
    width: 100%;
}

#welcome {
    width: 100%;
    height: clamp(250px, 50vw, 800px);
    background-image: url("../img/Banner.jpg");
    background-position-x: center;
    background-size: cover;
    position: relative;
    border-bottom: 1px solid var(--secondary);
}

#welcome h2 {
    font-size: 1.3rem;
    margin-bottom: 10px;
    color: var(--accent);
}

#welcome div {
    width: 80%;
    padding: 10px;
    border-radius: 25px;
    margin: 0px auto;
    background-color: rgba(0, 0, 0, 0.45);
}

#welcome div p {
    text-align: justify;
    font-size: 0.9rem;
    color: var(--background);
}

```

```

#promo {
  width: 100%;
  height: clamp(150px, 50vw, 350px);
  background-image: url("../img/Promo.jpg");
  background-size: cover;
  align-items: center;
  border-top: 1px solid var(--secondary);
  border-bottom: 1px solid var(--secondary);
}

#promo div {
  background-color: var(--background);
  border: 1px solid var(--accent);
  width: 80%;
  border-radius: 25px;
  padding: 25px;
}

#promo div button {
  display: block;
  margin: 0px auto;
  text-align: center;
  background-color: var(--primary);
  color: var(--accent);
  transition: background-color 0.15s;
}

#promo div button:hover {
  background-color: var(--input-color);
}

#promo div p {
  font-size: 0.9rem;
  text-align: justify;
  color: var(--primary);
}

```

responsive.css

```

@media screen and (min-width: 350px) {
  #welcome h2 {
    font-size: 1.8rem;
  }
}

@media screen and (min-width: 425px) {
  /* Courses page */
  #carousel-reviews .carousel-inner {
    height: 475px;
  }
}

@media screen and (min-width: 576px) {
  body {
    padding-bottom: 220px;
  }
  .mm-product {
    width: 40%;
  }
  #footer-content {
    height: 220px;
  }
}

```

```

/* Courses page */
.modal-dialog {
    max-width: 550px!important;
    width: 550px!important;
}
.modal-dialog td {
    font-size: 1rem;
}

#cart-items table {
    font-size: 1rem;
}
.error-text {
    font-size: 0.8rem;
}
#welcome div {
    position: absolute;
    left: 20px;
    bottom: 20px;
}
}

@media screen and (min-width: 768px) {
    body {
        padding-bottom: 140px;
        font-size: 1rem;
    }
    #footer-content {
        height: 140px;
    }
    #footer-info {
        height: 100%;
    }
    .mm-info {
        height: 60%;
    }
    body tbody, .form-control, #cart-items button {
        font-size: 1rem !important;
    }
    .mm-quantity {
        width: 130px;
    }
    .mm-quantity button {
        width: 30%;
    }
    #welcome div {
        width: 45%;
        padding: 25px;
    }
    #welcome div p {
        font-size: 1rem;
    }
    #promo {
        align-items: flex-end;
    }
    #promo div {
        margin-right: 25px;
        width: 50%;
    }
    #promo div p {

```

```

        font-size: 1rem;
    }
}

@media screen and (min-width: 1200px) {
    body {
        padding-bottom: 115px;
    }
    .mm-product {
        width: 24.5%;
    }
    #footer-content {
        height: 115px;
    }
    #author-container .row {
        width: 70%;
    }
    #welcome div {
        left: 60px;
        bottom: 60px;
    }
    #welcome div p {
        font-size: 1.1rem;
    }
    #promo {
        background-position-y: 20%;
    }
    #promo div p {
        font-size: 1.1rem;
    }
}

@media screen and (min-width: 1400px) {
    #promo {
        background-position-y: 25%;
    }
    #promo div {
        width: 35%;
        margin-right: 5%;
    }
}

```

JavaScript

main.js

```

let pathName = window.location.pathname.split("/");
const PATH = pathName[pathName.length - 1];
const NAVURL = "./assets/data/navigation.json";
const RECOMMENDEDURL = "./assets/data/recommended.json";
const BRANDSURL = "./assets/data/brands.json";
const SWITCHTYPESURL = "./assets/data/switchtypes.json";
const PRODUCTSURL = "./assets/data/products.json";
const SORTVALUESURL = "./assets/data/sorttypes.json";
const CONNECTIVITYURL = "./assets/data/connectivity.json";
const SPECIFICATIONSURL = "./assets/data/specifications.json";
const SIZESURL = "./assets/data/sizes.json";
const PRODUCTTYPESURL = "./assets/data/producttypes.json";

const PRODUCTS = [];

```

```

const BRANDS = [];
const SWITCHTYPES = [];
const SORTVALUES = [];
const CONNECTIVITY = [];
const SPECIFICATIONS = [];
const SIZES = [];
const PRODUCTTYPES = [];

const PRODUCTSBLOCK = "#products";
const IMGDESCBLOCK = "#img-desc";
const HEADINGOPTIONSBLOCK = "#heading-options";

const FILTER = {
  "brand" : [],
  "switch" : [],
  "connectivity" : [],
  "specification" : [],
  "size" : [],
  "producttype" : []
}

//#region Form error handling

const formErrors = [
  {
    "formElementID" : "input-first-name",
    "errorText" : "This field is required, please enter your name",
    "regex" : ".+",
    "isVisible" : false
  },
  {
    "formElementID" : "input-first-name",
    "errorText" : "Please enter valid name starting with capital letter",
    "regex" : "[A-Z][a-z]{2,}([A-Z][a-z]{2,})*",
    "isVisible" : false
  },
  {
    "formElementID" : "input-last-name",
    "errorText" : "This field is required, please enter your last name",
    "regex" : ".+",
    "isVisible" : false
  },
  {
    "formElementID" : "input-last-name",
    "errorText" : "Please enter valid last name starting with capital letter",
    "regex" : "[A-Z][a-z]{2,}([A-Z][a-z]{2,})*",
    "isVisible" : false
  },
  {
    "formElementID" : "input-email",
    "errorText" : "This field is required, please enter your e-mail address",
    "regex" : ".+",
    "isVisible" : false
  },
  {
    "formElementID" : "input-email",
    "errorText" : "Please enter correct e-mail address (e.g. johndoe@gmail.com)",
    "regex" : "^[a-z]+\\.?(?)+@[a-z]{2,}\\.[a-z]{2,}$",
    "isVisible" : false
  }
]

```

```

    },
    {
      "formElementID" : "input-phone-number",
      "errorText" : "This field is required, please enter contact phone number",
      "regex" : "^.+",
      "isVisible" : false
    },
    {
      "formElementID" : "input-phone-number",
      "errorText" : "Please enter correct contact number (e.g. +381 12
3456789)",
      "regex" : "^\+\+[0-9]{1,3} [0-9]{1,3} [0-9]{6,9}$",
      "isVisible" : false
    },
    {
      "formElementID" : "check-pp",
      "errorText" : "Please accept our Privacy Policy to continue",
      "regex" : "",
      "isVisible" : false
    }
  ];

function getFormErrorObjs(formID) {
  let objs = [];
  for (const element of formErrors) {
    if (element.formElementID == formID) objs.push(element);
  }
  return objs;
}

function showError(formErrorObj) {
  if (!formErrorObj.isVisible) {
    $(`#${formErrorObj.formElementID}`).css("outline", "1px solid darkred");
    let errorMessage = `

${formErrorObj.errorText}</p>`;
    $(errorMessage).insertAfter($(`#${formErrorObj.formElementID}`));
    formErrorObj.isVisible = true;
  }
}

function hideError(formErrorObj) {
  if (formErrorObj.isVisible) {
    $(`#${formErrorObj.formElementID}`).css("outline", "none");
    $(`#${formErrorObj.formElementID} ~ p`).remove();
    formErrorObj.isVisible = false;
  }
}

function checkFormElement() {
  let formErrorObjs = getFormErrorObjs(this.id);
  for (const element of formErrorObjs) {
    let regex = new RegExp(element.regex);
    // Check in case that form element is checkbox
    if ($(this).attr("type") == "checkbox") {
      if ($(this).is(':checked')) {
        hideError(element);
      } else {
        showError(element);
      }
      return;
    }
  }
}


```

```

        if (regex.test(this.value)) {
            hideError(element);
        } else {
            showError(element);
            return;
        }
    }
}

//#endregion

// Used to fetch a single json file
async function fetchData(url) {
    try {
        const fetchPromise = await fetch(url);
        return await fetchPromise.json(SWITCHTYPESURL);
    }
    catch (exception) {
        console.log(exception);
    }
}

// Used to initialize all page elements that are to be loaded async.
async function initializePage() {
    let navigation = await fetchData(NAVURL);
    displayNavigation(navigation);
    displayTotalCartItems();

    let brands = await fetchData(BRANDSURL);
    brands.forEach(b => BRANDS.push(b));

    let switchTypes = await fetchData(SWITCHTYPESURL);
    switchTypes.forEach(sw => SWITCHTYPES.push(sw));

    if (PATH == "index.html" || PATH == "") {
        let recommended = await fetchData(RECOMMENDEDURL);
        displayProducts(recommended);
    }

    if (PATH == "products.html") {
        let products = await fetchData(PRODUCTSURL);
        products.forEach(p => PRODUCTS.push(p));
        displayProducts(products);

        let sortValues = await fetchData(SORTVALUESURL);
        sortValues.forEach(s => SORTVALUES.push(s));
        let sortBlock = $("#sort");
        showSortTypes(sortBlock, SORTVALUES);

        let brandFilterBlock = $("#brand");
        showFilter(brandFilterBlock, BRANDS);

        let switchFilterBlock = $("#switch");
        showFilter(switchFilterBlock, SWITCHTYPES);

        await generateFilter(PRODUCTTYPESURL, PRODUCTTYPES, "producttype");
        await generateFilter(CONNECTIVITYURL, CONNECTIVITY, "connectivity");
        await generateFilter(SPECIFICATIONSURL, SPECIFICATIONS, "specification");
        await generateFilter(SIZESURL, SIZES, "size");
    }
}

```

```

if (PATH == "mechanical.html") {
  let products = await fetchData(PRODUCTSURL);
  products = products.filter(x => x["product_type"] == 1);
  products.forEach(p => PRODUCTS.push(p));
  displayProducts(products);

  let sortValues = await fetchData(SORTVALUESURL);
  sortValues.forEach(s => SORTVALUES.push(s));
  let sortBlock = $("#sort");
  showSortTypes(sortBlock, SORTVALUES);

  let brandFilterBlock = $("#brand");
  showFilter(brandFilterBlock, BRANDS);

  await generateFilter(CONNECTIVITYURL, CONNECTIVITY, "connectivity");
  await generateFilter(SPECIFICATIONSURL, SPECIFICATIONS, "specification");
  await generateFilter(SIZESURL, SIZES, "size");
}

if (PATH == "membrane.html") {
  let products = await fetchData(PRODUCTSURL);
  products = products.filter(x => x["product_type"] == 2);
  products.forEach(p => PRODUCTS.push(p));
  displayProducts(products);

  let sortValues = await fetchData(SORTVALUESURL);
  sortValues.forEach(s => SORTVALUES.push(s));
  let sortBlock = $("#sort");
  showSortTypes(sortBlock, SORTVALUES);

  let brandFilterBlock = $("#brand");
  showFilter(brandFilterBlock, BRANDS);

  await generateFilter(CONNECTIVITYURL, CONNECTIVITY, "connectivity");
  await generateFilter(SPECIFICATIONSURL, SPECIFICATIONS, "specification");
  await generateFilter(SIZESURL, SIZES, "size");
}

if (PATH == "accessories.html") {
  let products = await fetchData(PRODUCTSURL);
  products = products.filter(x => x["product_type"] == 3);
  products.forEach(p => PRODUCTS.push(p));
  displayProducts(products);

  let sortValues = await fetchData(SORTVALUESURL);
  sortValues.forEach(s => SORTVALUES.push(s));
  let sortBlock = $("#sort");
  showSortTypes(sortBlock, SORTVALUES);

  let brandFilterBlock = $("#brand");
  showFilter(brandFilterBlock, BRANDS);
}

if (PATH == "product.html") {
  let params = new URLSearchParams(document.location.search);
  let productId = params.get("id");
  let products = await fetchData(PRODUCTSURL);
  let product = products.filter(x => x.id == productId)[0];

```



```

    let connectivityValues = await fetchData(CONNECTIVITYURL);
    connectivityValues.forEach(c => CONNECTIVITY.push(c));

    let sizesValues = await fetchData(SIZESURL);
    sizesValues.forEach(s => SIZES.push(s));

    let specificationValues = await fetchData(SPECIFICATIONSURL);
    specificationValues.forEach(s => SPECIFICATIONS.push(s));

    displaySingleProduct(product);
}

if (PATH == "cart.html") {
    let products = await fetchData(PRODUCTSURL);
    products.forEach(p => PRODUCTS.push(p));

    displayCart();
}

// Remove loading animaton
$("#loading").fadeOut(500);
}

// Displays navigation bars on the page provided the array of nav objects
function displayNavigation(navArray) {
    let navMenus = $(".navbar-nav");
    let html = "";
    for (const navMenu of navMenus) {
        for (const navItem of navArray) {
            html += `
                <li class="nav-item mx-2">
                    <a class="nav-link ${navItem.href == PATH ? "active" : ""}"
                        href="${navItem.href}">${navItem.name}</a>
                </li>
            `;
        }
        $(navMenu).html(html);
        html = "";
    }
}

function displayProducts(productsArray) {
    // Filtering products to display
    let arr = productsArray;
    if (!isFilterEmpty()) {
        console.log("FIL")
        for (const f in FILTER) {
            if (FILTER[f].length != 0) {
                let filterName = "";
                switch (f) {
                    case "brand" : filterName = "brand_id"; break;
                    case "switch" : filterName = "switch_types"; break;
                    case "connectivity" : filterName = "connectivity"; break;
                    case "specification" : filterName = "specifications"; break;
                    case "size" : filterName = "size"; break;
                    case "producttype" : filterName = "product_type"; break;
                }
                console.log(FILTER[f])
                arr = applyFilter(FILTER[f], arr, filterName);
            }
        }
    }
}

```

```

    }
}

// Calculating rows and adding product placeholders
let html = "";
console.log(arr);
let rowCount = Math.ceil(arr.length / 4);
for (let i = 0; i < rowCount * 4; i++) {
    html += '<div class="mm-product mb-5 mx-auto"></div>';
}
$(PRODUCTSBLOCK).html(html);
console.log($(PRODUCTSBLOCK))

// Putting products in placeholders
let i = 0;
let productHolders = $(".mm-product");
for (const product of arr) {
    $(productHolders[i++]).html(`
        <div class="p-3 position-relative h-100">
            <a href="/product.html?id=${product.id}"></a>
            <div class="position-relative pb-3">
                <a href="/product.html?id=${product.id}" class="text-reset
text-decoration-none">
                    <div>
                        <h3>${getSingleName(BRANDS, product.brand_id)}</h3>
                        <h4>${product.name}</h4>
                    </div>
                    </a>
                    <p>${product.price.current}</p>
                    ${product.price.hasOwnProperty("previous") ? `<s>${
{product.price.previous}</s><br>` : ""}
                    ${product.hasOwnProperty("switch_types") ?
showSwitchTypes(product.id, product.switch_types) : ""}
                    </div>
                    <a href="/product.html?id=${product.id}" class="d-inline-block
text-decoration-none position-absolute" style="bottom: 0px; right: 0px;">See
more</a>
                </div>
            `);
    }
}

function displaySingleProduct(product) {
    // First block
    let html = `
        
        <table class="table table-striped">
            <tbody>
                <tr>
                    <td class="w-25">Manufacturer: </td>
                    <td>${getSingleName(BRANDS, product.brand_id)}</td>
                </tr>
                <tr>
                    <td class="w-25">Model: </td>
                    <td>${product.name}</td>
                </tr>
                ${product.hasOwnProperty("connectivity") ? `
                <tr>

```

```

        <td class="w-25">Connectivity:</td>
        <td>${getSingleName(CONNECTIVITY,
product.connectivity)}</td>
    </tr>
    ` : ""`
    ${product.hasOwnProperty("size") ? `
        <tr>
            <td class="w-25">Size:</td>
            <td>${getSingleName(SIZES, product.size)}</td>
        </tr>
    ` : ""`
    ${product.hasOwnProperty("specifications") ? `
        <tr>
            <td class="w-25">Specifications:</td>
            <td>${getMultipleNames(SPECIFICATIONS,
product.specifications)}</td>
        </tr>
    ` : ""`
    </tbody>
</table>
`;
$(IMGDESCBLOCK).html(html);

// Second block
let secondHtml = `
    <div class="w-50">
        <h2>${getSingleName(BRANDS, product.brand_id)}</h2>
        <h3>${product.name}</h3>
        <p id="price">Price : ${product.price.current}</p>
        ${product.price.hasOwnProperty("previous") ? `<s class="py-1">$$
{product.price.previous}</s>` : ""`
        ${product.hasOwnProperty("switch_types") ? `
            <br>
            <div class="btn-group py-2" role="group">
                ${generateSwitchButtons(product.switch_types)}
            </div>
        ` : ""`
    </div>
    <div class="w-50">
        <p class="pt-md-3 mb-1">Quantity:</p>
        <div class="mm-quantity row mx-0 justify-content-between">
            <button class="w-25 text-center"
onClick="decreaseQuantity()">&minus;</button>
            <input type="text" readonly class="w-25 text-center form-control-
plaintext d-block" id="quantity" value="1">
            <button class="w-25 text-center d-block"
onClick="increaseQuantity()">&plus;</button>
        </div>
        <button id="add-to-cart" class="my-3 px-3">Add to Cart</button>
    </div>
    <div id="post-add" class="w-100" style="display: none">
        <div class="alert alert-success">You have successfully added item to
cart.</div>
        <div class="row justify-content-between w-100 mx-auto">
            <button id="hide" onClick="$(this).parent().parent().slideUp();"
style="width: 40%;">
                Stay
            </button>
            <a href="./cart.html" class="text-reset text-decoration-none d-
inline-block" style="width: 40%;">Go to cart</a>

```

```

        </div>
    </div>
    `;
    $(HEADINGOPTIONSBLOCK).html(secondHtml);
    $("#add-to-cart").click(() => {
        if (product.hasOwnProperty("switch_types")) {
            addToCart(product.id, $("#quantity").val(), $
("input[type='radio']:checked").val());
        } else {
            addToCart(product.id, $("#quantity").val());
        }
    });
}

function applyFilter(validValues, arrayToFilter, propertyToFilter) {
    // Filtering out all products that dont have the right property
    let arr = [];
    for (const element of arrayToFilter) {
        if (element.hasOwnProperty(propertyToFilter)) {
            arr.push(element);
        }
    }

    if (Array.isArray(arr[0][propertyToFilter])) {
        return arr.filter(x => {
            console.log(x);
            for (const value of x[propertyToFilter]) {
                if (validValues.includes(value)) return true;
            }
            return false;
        });
    }
    return arr.filter(x => validValues.includes(x[propertyToFilter]));
}

function showSortTypes(displayBlock, sortArray) {
    let html = "";
    for (const sortOption of sortArray) {
        html += `
        <option value="${sortOption.id}">${sortOption.name}</option>
        `;
    }
    $(displayBlock).html(html);
    $(displayBlock).change((e) => {
        // Get sort type and provide it
        sortProducts(e.currentTarget.value);
        console.log("change sort " + e.currentTarget.value)
    });
}

async function generateFilter(filterURL, filterARR, displayBlockId) {
    let filterVals = await fetchData(filterURL);
    filterVals.forEach(f => filterARR.push(f));
    let filterDisplayBlock = `#${displayBlockId}`;
    showFilter(filterDisplayBlock, filterARR);
}

function showFilter(displayBlock, filterArray) {
    let filterName = $(displayBlock).attr("id");
    let html = "";

```

```

    for (const filterOption of filterArray) {
        html += `
            <li class="list-group-item">
                <input class="form-check-input me-1" type="checkbox"
onChange="updateFilters('${filterName}', ${filterOption.id})" id="${filterName}-${filterOption.id}">
                <label class="form-check-label" for="${filterName}-${filterOption.id}">${filterOption.name}</label>
            </li>
        `;
    }
    $(displayBlock).html(html);
}

function updateFilters(filterName, filterValue) {
    console.log(filterName);
    console.log(filterValue);
    if (FILTER[filterName].includes(filterValue)) {
        let i = FILTER[filterName].indexOf(filterValue);
        FILTER[filterName] = FILTER[filterName].filter(x => x !== filterValue)
    } else {
        FILTER[filterName].push(filterValue);
    }
    displayProducts(PRODUCTS);
}

function isFilterEmpty() {
    console.log(FILTER)
    console.log(Object.keys(FILTER))
    for (const f of Object.keys(FILTER)) {
        if (FILTER[f].length !== 0) return false;
    }
    return true;
}

function sortProducts(sortType) {
    sortType = parseInt(sortType);
    switch(sortType) {
        case 1:
            PRODUCTS.sort((a, b) => a.id > b.id);
            break;
        case 2:
            console.log("Name asc");
            console.log(PRODUCTS)
            PRODUCTS.sort((a, b) => a.name > b.name);
            break;
        case 3:
            PRODUCTS.sort((a, b) => a.name < b.name);
            break;
        case 4:
            PRODUCTS.sort((a, b) => a.price.current > b.price.current);
            break;
        case 5:
            PRODUCTS.sort((a, b) => a.price.current < b.price.current);
            break;
        default:
            PRODUCTS.sort((a, b) => a.id > b.id);
            break;
    }
    displayProducts(PRODUCTS);
}

```

```

}

function getSingleObject(objArray, id) {
    return objArray.filter(x => x.id == id)[0];
}

function getSingleName(objArray, id) {
    try {
        return objArray.filter(x => x.id == id)[0].name;
    }
    catch (exception) {
        console.log(exception);
        return "/";
    }
}

function getMultipleNames(objArray, idArray) {
    try {
        let names = "";
        console.log(idArray)
        console.log(objArray)
        for (const obj of objArray) {
            if (idArray.includes(obj.id)) names += `${obj.name}; `;
        }
        if (names == undefined) return "/";
        return names;
    }
    catch (exception) {
        console.log(exception);
        return "/";
    }
}

function showSwitchTypes(productId, ids) {
    let switches = SWITCHTYPES.filter(sw => ids.includes(sw.id));
    let html = '';
    for (const sw of switches) {
        html += `
        <a href="/product.html?id=${productId}&switch=${sw.id}" class="mm-switch d-inline-block mb-2 flex-end">${sw.name}</a>
        `;
    }
    return html;
}

function generateSwitchButtons(switchIds) {
    let params = new URLSearchParams(document.location.search);
    let selected = parseInt(params.get("switch"));

    if (selected == null || !switchIds.includes(selected)) selected = switchIds[0];
    let html = '';
    for (const sw of switchIds) {
        html += `
        <input type="radio" class="btn-check" name="switchradio" value="${sw}" id="switch-${sw}" autocomplete="off" ${selected == sw ? "checked" : ""}>
        <label class="btn btn-outline-primary" for="switch-${sw}">${getSingleName(SWITCHTYPES, sw)}</label>
        `;
    }
}

```

```

    return html;
}

function decreaseQuantity(cartItemId = null) {
    let cartRow = $('#cart-item-${cartItemId}')
    let quantityBlock;
    if (cartItemId !== null) {
        quantityBlock = cartRow.find("#quantity");
    } else {
        quantityBlock = $("#quantity");
    }
    let quantity = parseInt($(quantityBlock).val());
    if (quantity > 1) {
        $(quantityBlock).val(--quantity);
    }

    if (cartItemId !== null) {
        let cart = getLocalStorage("cart");
        cart.filter(x => x.cartId == cartItemId)[0].quantity = quantity;
        addToLocalStorage("cart", cart);

        $(cartRow).find(".item-total")[0].textContent = `$$
{calculateTotal(cartItemId)}`;
        $("#cart-total").text(calculateCartTotal());
    }
}

function increaseQuantity(cartItemId = null) {
    let cartRow = $('#cart-item-${cartItemId}')
    let quantityBlock;
    if (cartItemId !== null) {
        quantityBlock = cartRow.find("#quantity");
    } else {
        quantityBlock = $("#quantity");
    }
    let quantity = parseInt($(quantityBlock).val());
    if (quantity < 10) {
        $(quantityBlock).val(++quantity)
    }

    if (cartItemId !== null) {
        let cart = getLocalStorage("cart");
        cart.filter(x => x.cartId == cartItemId)[0].quantity = quantity;
        addToLocalStorage("cart", cart);

        $(cartRow).find(".item-total")[0].textContent = `$$
{calculateTotal(cartItemId)}`;
        $("#cart-total").text(calculateCartTotal());
    }
}

function removeItem(cartItemId) {
    let newCart = getLocalStorage("cart").filter(x => x.cartId !== cartItemId);
    addToLocalStorage("cart", newCart);
    if (newCart.length == 0) {
        displayCart();
        addToLocalStorage("cart", []);
        addToLocalStorage("nextCartId", 1);
    } else {
        $('#cart-item-${cartItemId}').remove();
    }
}

```

```

        $("#cart-total").text(calculateCartTotal());
    }

    displayTotalCartItems();
}

function clearCart() {
    resetCart();
    displayCart();
    displayTotalCartItems();
}

function lockForm() {
    let formElements = $("input");
    $(formElements).attr("disabled", "disabled");
}

function addToCart(itemId, quantity, switchType = 0) {
    let nextCartId = getLocalStorage("nextCartId");
    const cartObj = {
        "cartId" : nextCartId,
        "id" : itemId,
        "quantity" : parseInt(quantity),
        "switch_type" : parseInt(switchType)
    }
    let cart = getLocalStorage("cart");
    cart.push(cartObj);
    addToLocalStorage("cart", cart);
    $("#post-add").slideDown();

    addToLocalStorage("nextCartId", nextCartId + 1);
    displayTotalCartItems();
    console.log("Added to cart " + itemId + " Quantity : " + quantity);
}

function displayCart() {
    let cartBlock = $("#cart-items");
    let cartItems = getLocalStorage("cart");

    if (cartItems.length == 0) {
        let html = '<h3 class="text-center">No items in cart...</h3>';
        cartBlock.html(html);
        lockForm();
    } else {
        let html = `
            <table class="table">
                <thead>
                    <tr>
                        <th class="d-sm-none">Product</th>
                        <th class="d-none d-lg-table-cell">Product Image</th>
                        <th class="d-none d-sm-table-cell">Product Name</th>
                        <th class="d-none d-sm-table-cell">Switch type</th>
                        <th>Quantity</th>
                        <th>Total</th>
                        <th>Remove</th>
                    </tr>
                </thead>
                <tbody>
                    `;
        for (const el of cartItems) {

```



```

        let productObj = getSingleObject(PRODUCTS, el.id);
        html += `
            <tr id="cart-item-${el.cartId}">
                <td class="d-sm-none">
                    <a class="text-reset"
                        href="/product.html?id=${el.id}${el.switch_type != 0 ?
`&switch=${el.switch_type}` : ""}">
                        ${getSingleName(PRODUCTS, el.id) + (el.switch_type != 0 ?
` ${getSingleName(SWITCHTYPES, el.switch_type)}` : "")}
                    </a>
                </td>
                <td class="d-none d-lg-table-cell">
                    <a href="/product.html?id=${el.id}${el.switch_type != 0 ?
`&switch=${el.switch_type}` : ""}">
                        
                    </a>
                </td>
                <td class="d-none d-sm-table-cell">
                    <a class="text-reset"
                        href="/product.html?id=${el.id}${el.switch_type != 0 ?
`&switch=${el.switch_type}` : ""}">
                        ${getSingleName(PRODUCTS, el.id)}
                    </a>
                </td>
                <td class="d-none d-sm-table-cell">
                    ${el.switch_type != 0 ? getSingleName(SWITCHTYPES,
el.switch_type) : "/" }
                </td>
                <td>
                    <div class="mm-quantity row mx-0 justify-content-between">
                        <button class="text-center"
                            onClick="decreaseQuantity(${el.cartId})">&minus;</button>
                        <input type="text" readonly class="w-25 text-center
form-control-plaintext d-block" id="quantity" value="${el.quantity}">
                        <button class="text-center d-block"
                            onClick="increaseQuantity(${el.cartId})">&plus;</button>
                    </div>
                </td>
                <td class="item-total">${calculateTotal(el.cartId)}</td>
                <td>
                    <button class="btn btn-light" onClick="removeItem($
{el.cartId})">Remove</button>
                </td>
            </tr>
        `;
    }
    html += `
        <tr>
            <td class="d-none d-lg-table-cell" colspan="4" class="text-
end"></td>
            <td class="d-none d-sm-table-cell d-lg-none" colspan="3"
class="text-end"></td>
            <td class="d-sm-none" colspan="2"></td>
            <td id="cart-total"></td>
            <td><button class="btn btn-light" onClick="clearCart()">Clear
cart</button></td>
        </tr>
    </tbody>
</table>

```

```

        `;
        $(cartBlock).html(html);
        $("#cart-total").text(calculateCartTotal());
    }
}

function addToLocalStorage(key, value) {
    localStorage.setItem(key, JSON.stringify(value));
}

function getLocalStorage(key) {
    return JSON.parse(localStorage.getItem(key));
}

function calculateTotal(cartId) {
    let cartItem = getLocalStorage("cart").filter(x => x.cartId == cartId)[0];
    let product = PRODUCTS.filter(x => x.id == cartItem.id)[0];
    let total = product.price.current * cartItem.quantity;
    total = total.toFixed(2);
    return total;
}

function calculateCartTotal() {
    let cartItems = $("[id^=cart-item-");
    let str = "$";
    let total = 0;
    for (const cartItem of cartItems) {
        let quantityText = cartItem.querySelector(".item-total").textContent;
        total += parseFloat(quantityText.substr(1));
    }
    total = total.toFixed(2);
    return str += total;
}

function displayTotalCartItems() {
    let numberOfCartItems = getLocalStorage("cart").length;
    if (numberOfCartItems != 0) {
        let html = `
            <div class="cart-item-number">
                ${numberOfCartItems > 9 ? "9+" : numberOfCartItems}
            </div>
        `;
        $(".fa-cart-shopping").append(html);
    } else {
        // Remove all numbers if all items from cart have been removed
        let blocks = $(".cart-item-number");
        if (blocks != 0) {
            $(blocks).remove();
        }
    }
}

function resetCart() {
    addToLocalStorage("cart", []);
    addToLocalStorage("nextCartId", 1);
}

initializePage();

if (getLocalStorage("cart") == null) {

```

```

    resetCart();
}

window.addEventListener("load", () => {
    // Select all form elements
    let formElements = document.querySelectorAll('input[type="text"], #check-pp');

    // Add appropriate event listeners to them
    for (const element of formElements) {
        let jQueryEl = $(element);
        if (jQueryEl.attr("type") == "checkbox") {
            $(element).change(checkFormElement);
            continue;
        }
        jQueryEl.blur(checkFormElement);
    }

    // Make sure form is valid before submission
    let form = document.querySelector("form");
    if (form != null) {
        // Add opening privacy policy menu
        form.addEventListener("submit", function (event) {
            event.preventDefault();

            // Fires blur or change event on every form element so
            // that we can check if all form elements values are valid
            for (const element of formElements) {
                let jQueryEl = $(element);
                if (jQueryEl.attr("type") == "checkbox") {
                    jQueryEl.change();
                    continue;
                }
                jQueryEl.blur();
            }

            // After running checkFormElement for every form
            // element if no errors are present we can submit the form
            for (const element of formErrors) {
                if (element.isVisible) return;
            }

            // Submit form and reset cart
            resetCart();
            form.submit();
        });
    }
});

```