
Arya-0555/milinddd
WINSEM2025-26_VL_ISWE406P
WINSEM2025-26_VL_ISWE406P
Jenkins CI Pipeline using Git an
simple-maven-pipeline Config
github.com/Arya-0555/milinddd/blob/main/pom.xml
Arya-0555 / milinddd
Code
Issues
Pull requests
Actions
Projects
Wiki
Security
Insights
Settings
Files
main
Go to file
src
target
pom.xml
milinddd / pom.xml
Batch1 and Batch1 Initial Maven project with JUnit test
Code
Blame
17 lines (17 loc) · 467 Bytes
<project xmlns="http://maven.apache.org"
xmlns:xsi="http://www.w3.org"
xsi:schemaLocation="http://maven.apache.org
http://maven.apache.org">
<modelVersion>4.0.0</modelVersion>
<groupId>com.example</groupId>
<artifactId>simple-maven-app</artifactId>
<version>1.0-SNAPSHOT</version>
<dependencies>
<dependency>
<groupId>junit</groupId>
<artifactId>junit</artifactId>
<version>4.13.2</version>
<scope>test</scope>
</dependency>
</dependencies>
</project>

G


Arya-0555/milinddd
WINSEM2025-26_VL_ISWE406P
WINSEM2025-26_VL_ISWE406P
Jenkins CI Pipeline using Git an
simple-maven-pipeline Config
github.com/Arya-0555/milinddd
Arya-0555 / milinddd
Code
Issues
Pull requests
Actions
Projects
Wiki
Security
Insights
Settings
milinddd Public
Pin
Watch 0
main
1 Branch
0 Tags
Go to file
Add file
Code
Batch1 and Batch1 Initial Maven project with JUnit test
d7396b9 · 29 minutes ago
2 Commits
src
Initial Maven project with JUnit test
29 minutes ago
target
Initial Maven project with JUnit test
29 minutes ago
pom.xml
Initial Maven project with JUnit test
51 minutes ago
README
Add a README
Help people interested in this repository understand your project.
Add a README

j

```
PS C:\Users\batch1.VITUNIVERSITY\simple-maven-app>
PS C:\Users\batch1.VITUNIVERSITY\simple-maven-app> mvn clean test
[INFO] Scanning for projects...
[INFO]
[INFO] --------------------< com.example:simple-maven-app >--------------------
[INFO] Building simple-maven-app 1.0-SNAPSHOT
[INFO]   from pom.xml
[INFO] --------------------------------[ jar ]---------------------------------
[INFO]
[INFO] --- clean:3.2.0:clean (default-clean) @ simple-maven-app ---
[INFO] Deleting C:\Users\batch1.VITUNIVERSITY\simple-maven-app\target
[INFO]
[INFO] --- resources:3.3.1:resources (default-resources) @ simple-maven-app ---
[WARNING] Using platform encoding (UTF-8 actually) to copy filtered resources, i.e. build is platform dependent!
[INFO] skip non existing resourceDirectory C:\Users\batch1.VITUNIVERSITY\simple-maven-app\src\main\resources
[INFO]
[INFO] --- compiler:3.13.0:compile (default-compile) @ simple-maven-app ---
[INFO] Recompiling the module because of changed source code.
[WARNING] File encoding has not been set, using platform encoding UTF-8, i.e. build is platform dependent!
[INFO] Compiling 1 source file with javac [debug target 1.8] to target\classes
[WARNING] bootstrap class path not set in conjunction with -source 8
[WARNING] source value 8 is obsolete and will be removed in a future release
[WARNING] target value 8 is obsolete and will be removed in a future release
[WARNING] To suppress warnings about obsolete options, use -Xlint:-options.
[INFO]
[INFO] --- resources:3.3.1:testResources (default-testResources) @ simple-maven-app ---
[WARNING] Using platform encoding (UTF-8 actually) to copy filtered resources, i.e. build is platform dependent!
[INFO] skip non existing resourceDirectory C:\Users\batch1.VITUNIVERSITY\simple-maven-app\src\test\resources
[INFO]
[INFO] --- compiler:3.13.0:testCompile (default-testCompile) @ simple-maven-app ---
[INFO] Recompiling the module because of changed dependency.
[WARNING] File encoding has not been set, using platform encoding UTF-8, i.e. build is platform dependent!
[INFO] Compiling 1 source file with javac [debug target 1.8] to target\test-classes
[WARNING] bootstrap class path not set in conjunction with -source 8
[WARNING] source value 8 is obsolete and will be removed in a future release
[WARNING] target value 8 is obsolete and will be removed in a future release
[WARNING] To suppress warnings about obsolete options, use -Xlint:-options.
[INFO]
[INFO] --- surefire:3.2.5:test (default-test) @ simple-maven-app ---
Downloading from central: https://repo.maven.apache.org/maven2/org/apache/maven/surefire/maven-surefire-common/3.2.5/maven-surefire-common-3.2.5.pom
Downloaded from central: https://repo.maven.apache.org/maven2/org/apache/maven/surefire/maven-surefire-common/3.2.5/maven-surefire-common-3.2.5.pom (6.2 kB at 31 kB/s)
Downloading from central: https://repo.maven.apache.org/maven2/org/apache/maven/surefire/surefire-api/3.2.5/surefire-api-3.2.5.pom
```

g

g




localhost:8085/job/simple-maven-pipeline/configure
Jenkins
simple-maven-pipeline
Configuration
Configure
General
Triggers
Pipeline
Advanced
Poll SCM
Trigger builds remotely (e.g., from scripts)
Pipeline
Define your Pipeline using Groovy directly or pull it from source control.
Definition
Pipeline script
Script
pipeline {
agent any
tools {
maven 'M3'
}
stages {
stage('Checkout Git') {
steps {
git branch: 'main',
url: 'https://github.com/Arya-0555/milinddd.git'
}
}
stage('Build and Test') {
steps {
bat 'mvn clean test'
Use Groovy Sandbox

k


File Edit Selection View Go Run Terminal Help
pom.xml - simple-maven-app - Visual Studio Code
EXPLORER
SIMPLE-MAVEN-APP
src
main
test\java\com\exa...
AppTest.java
target
pom.xml
pom.xml
App.java ...\simple-maven-app\...
App.java src\main\java\com\example
App.java C:\...\batch1.VITUNIVERSITY\...
pom.xml
<project xmlns="http://maven.apache.org"
xmlns:xsi="http://www.w3.org"
xsi:schemaLocation="http://maven.apache.org
http://maven.apache.org">
<modelVersion>4.0.0</modelVersion>
<groupId>com.example</groupId>
<artifactId>simple-maven-app</artifactId>
<version>1.0-SNAPSHOT</version>
<dependencies>
<dependency>
<groupId>junit</groupId>
<artifactId>junit</artifactId>
<version>4.13.2</version>
<scope>test</scope>
</dependency>
</dependencies>
</project>

j

k

\

g

Maven installations

Maven installations ^ Edited

+ Add Maven

Maven

Name

m3

MAVEN_HOME

C:\Program Files\Java\apache-maven-3.9.12

Install automatically ?

+ Add Maven

Save Apply

```
Downloaded from central: https://repo.maven.apache.org/maven2/org/apache/maven/surefire/sure
Downloading from central: https://repo.maven.apache.org/maven2/org/apache/maven/surefire/sur
Downloaded from central: https://repo.maven.apache.org/maven2/org/apache/maven/surefire/sure
Downloading from central: https://repo.maven.apache.org/maven2/org/apache/maven/surefire/com
Downloaded from central: https://repo.maven.apache.org/maven2/org/apache/maven/surefire/comm
Downloading from central: https://repo.maven.apache.org/maven2/org/apache/maven/surefire/com
Downloaded from central: https://repo.maven.apache.org/maven2/org/apache/maven/surefire/comm
Downloading from central: https://repo.maven.apache.org/maven2/org/apache/maven/surefire/com
Downloaded from central: https://repo.maven.apache.org/maven2/org/apache/maven/surefire/comm
Downloading from central: https://repo.maven.apache.org/maven2/org/apache/maven/surefire/sur
Downloading from central: https://repo.maven.apache.org/maven2/org/apache/maven/surefire/com
Downloading from central: https://repo.maven.apache.org/maven2/org/apache/maven/surefire/com
Downloading from central: https://repo.maven.apache.org/maven2/org/apache/maven/surefire/com
Downloaded from central: https://repo.maven.apache.org/maven2/org/apache/maven/surefire/comm
Downloaded from central: https://repo.maven.apache.org/maven2/org/apache/maven/surefire/comm
Downloaded from central: https://repo.maven.apache.org/maven2/org/apache/maven/surefire/sure
Downloaded from central: https://repo.maven.apache.org/maven2/org/apache/maven/surefire/comm
[INFO]
[INFO] -------------------------------------------------------
[INFO]  T E S T S
[INFO] -------------------------------------------------------
[INFO] Running com.example.AppTest
[INFO] Tests run: 1, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 0.037 s -- in com.exa
[INFO]
[INFO] Results:
[INFO]
[INFO] Tests run: 1, Failures: 0, Errors: 0, Skipped: 0
[INFO]
[INFO] ------------------------------------------------------------------------
[INFO] BUILD SUCCESS
[INFO] ------------------------------------------------------------------------
[INFO] Total time:  4.595 s
[INFO] Finished at: 2026-02-14T12:43:35+05:30
[INFO] ------------------------------------------------------------------------
PS C:\Users\batch1_VITUNIVERSITY\simple-maven-app> git init
```

Maven installations

Maven installations

Edited

+ Add Maven

Maven

Name

m3

MAVEN_HOME

C:\Program Files\Java\apache-maven-3.9.12

Install automatically ?

+ Add Maven

Save

Apply

h


localhost:8085/job/simple-maven-pipeline/configure
Jenkins / simple-maven-pipeline / Configuration
Configure
General
Triggers
Pipeline
Advanced
Poll SCM
Trigger builds remotely (e.g., from scripts)
Pipeline
Define your Pipeline using Groovy directly or pull it from source control.
Definition
Pipeline script
Script
pipeline {
agent any
tools {
maven 'M3'
}
stages {
stage('Checkout Git') {
steps {
git branch: 'main',
url: 'https://github.com/Arya-0555/milindd.git'
}
}
stage('Build and Test') {
steps {
bat 'mvn clean test'
Use Groovy Sandbox

h


localhost:8085/job/simple-maven-pipeline/configure
Jenkins / simple-maven-pipeline / Configuration
Configure
General
Triggers
Pipeline
Advanced
Poll SCM
Trigger builds remotely (e.g., from scripts)
Pipeline
Define your Pipeline using Groovy directly or pull it from source control.
Definition
Pipeline script
Script
pipeline {
agent any
tools {
maven 'M3'
}
stages {
stage('Checkout Git') {
steps {
git branch: 'main',
url: 'https://github.com/Arya-0555/milindd.git'
}
}
stage('Build and Test') {
steps {
bat 'mvn clean test'
Use Groovy Sandbox

g


Arya-0555/milinddd
WINSEM2025-26_VL_ISWE406P
Jenkins CI Pipeline using Git an
simple-maven-pipeline Config
localhost:8085/job/simple-maven-pipeline/configure
Jenkins
simple-maven-pipeline
Configuration
Configure
General
Triggers
Pipeline
Advanced
Poll SCM
Trigger builds remotely (e.g., from scripts)
Pipeline
Define your Pipeline using Groovy directly or pull it from source control.
Definition
Pipeline script
Script
pipeline {
agent any
tools {
maven 'M3'
}
stages {
stage('Checkout Git') {
steps {
git branch: 'main',
url: 'https://github.com/Arya-0555/milinddd.git'
}
}
stage('Build and Test') {
steps {
bat 'mvn clean test'
Use Groovy Sandbox
Pipeline Syntax
Save
Apply
Search
ENG
IN
13:12
14-02-2026

k


Arya-0555/milinddd
WINSEM2025-26_VL_ISWE406P
WINSEM2025-26_VL_ISWE406P
Jenkins CI Pipeline using Git an
simple-maven-pipeline - Jenkin
localhost:8085/job/simple-maven-pipeline/
Jenkins
simple-maven-pipeline
Status
Changes
Build Now
Configure
Delete Pipeline
Rename
Pipeline Syntax
simple-maven-pipeline
Permalinks
Last build (#2), 1 min 23 sec ago
Last stable build (#2), 1 min 23 sec ago
Last successful build (#2), 1 min 23 sec ago
Last completed build (#2), 1 min 23 sec ago
Builds
Filter
Today
#2 1:10 PM
#1 1:08 PM

h

localhost:8085/view/all/newJob

Jenkins / All / New Item

New Item

Enter an item name

simple-maven-pipeline

Select an item type

Freestyle project

Classic, general-purpose job type that checks out from up to one SCM, executes build steps serially, followed by post-build steps like archiving artifacts and sending email notifications.

Folder

Creates a container that stores nested items in it. Useful for grouping things together. Unlike view, which is just a filter, a folder creates a separate namespace, so you can have multiple things of the same name as long as they are in different folders.

Organization Folder

Creates a set of multibranch project subfolders by scanning for repositories.

OK

Arya-0555/milin

Jenkins

- Status
- Changes
- Console Output
- Edit Build Inforn
- Delete build '#2
- Timings
- Replay
- Pipeline Steps
- Workspaces
- Previous Build