

**АКАДЕМИЈА ТЕХНИЧКО-УМЕТНИЧКИХ СТРУКОВНИХ  
СТУДИЈА БЕОГРАД**

**ОДСЕК ВИСОКА ШКОЛА СТРУКОВНИХ СТУДИЈА ЗА  
ИНФОРМАЦИОНЕ И КОМУНИКАЦИОНЕ ТЕХНОЛОГИЈЕ**

**СТУДИЈСКИ ПРОГРАМ  
ИНТЕРНЕТ ТЕХНОЛОГИЈЕ**

**Web продавница  
“iTech”**

**ЗАВРШНИ РАД**

**Ментор:**

Др Ненад Којић, дипл. инж.

**Студент:**

Марко Миливојевић 167/17

Београд, 2021.

АКАДЕМИЈА ТЕХНИЧКО-УМЕТНИЧКИХ СТРУКОВНИХ  
СТУДИЈА БЕОГРАД

ОДСЕК ВИСОКА ШКОЛА СТРУКОВНИХ СТУДИЈА ЗА  
ИНФОРМАЦИОНЕ И КОМУНИКАЦИОНЕ ТЕХНОЛОГИЈЕ

СТУДИЈСКИ ПРОГРАМ  
ИНТЕРНЕТ ТЕХНОЛОГИЈЕ

Предмет: Web програмирање PHP 1

Тема: Web продавница “iTech”

Оцена: \_\_\_\_(\_\_\_\_\_)

Чланови комисије:

---

---

---

## САДРЖАЈ

1	Увод.....	8
2	Радно окружење.....	9
3	Организациона шема.....	10
4	Шема базе података.....	11
5	Организација сајта.....	12
5.1.	Home.....	12
5.2.	Iphone(Products).....	16
5.3.	OneProduct.....	17
5.4.	News.....	18
5.5.	OneNews.....	19
5.6.	Login.....	20
5.7.	PesetPasswordEmail.....	20
5.8.	Registration.....	21
5.9.	Contact.....	22
5.10.	Cart.....	22
5.11.	BuyCartPage.....	23
5.12.	Author.....	23
5.13.	Admin.....	24
5.13.1.	UserEdit.....	27
5.14.	Moderator.....	28
5.14.1.	EditProduct.....	38
5.14.2.	EditPrice.....	39
5.14.3.	EditNews.....	39
5.14.4.	OrderDetails.....	40
5.14.5.	EditNewsletter.....	40
5.14.6.	EditPoll.....	41
5.15.	User.....	42
6	Кодови.....	43
6.1.	Index.php.....	43
6.2.	Stemap.xml.....	46
6.3.	Rss.xml.....	47
6.4.	Robots.txt.....	48
6.5.	.htaccess.....	48
6.5.	Views.....	48
6.5.1.	User.php.....	49
6.5.2.	SuccessBuy.php.....	56
6.5.3.	ResetPasswordEmail.php.....	55
6.5.4.	Registration.php.....	56
6.5.5.	Products.php.....	58
6.5.6.	OneProduct.php.....	62
6.5.7.	OneNews.php.....	69
6.5.8.	News.php.....	73

6.5.9.	Moderator.php.....	74
6.5.10.	Login.php.....	99
6.5.11.	Home.php.....	100
6.5.12.	ForgotPassword.php.....	103
6.5.13.	Contact.php.....	104
6.5.14.	Cart.php.....	106
6.5.15.	BuyCartPage.php.....	108
6.5.16.	Author.php.....	109
6.5.17.	Admin.php.....	110
6.5.18.	404.php.....	121
6.5.19.	403.php.....	121
6.5.20.	301.php.....	121
6.5.21.	Moderator.....	122
6.5.21.1.	News/editNews.php.....	122
6.5.21.2.	Newsletter/editNewsletter.php.....	124
6.5.21.3.	Order/orderDetails.php.....	126
6.5.21.4.	Poll/editPoll.php.....	127
6.5.21.5.	Products/editPrice.php.....	129
6.5.21.6.	Products/editProduct.php.....	131
6.5.22.	Admin.....	137
6.5.22.1.	User/userEdit.php.....	137
6.5.23.	Fixed.....	141
6.5.23.1.	Footer.php.....	141
6.5.23.2.	Header.php.....	146
6.5.23.3.	Head.php.....	147
6.6	Models.....	149
6.6.1.	Functions.php.....	149
6.6.2.	User.....	157
6.6.2.1.	Functions.php.....	153
6.6.2.2.	Pagination.php.....	155
6.6.2.3.	PagNumber.php.....	156
6.6.2.4.	UpdatePassword.php.....	156
6.6.2.5.	UpdateUserInformation.php.....	157
6.6.2.6.	UserOrder.php.....	159
6.6.2.7.	UserOrderProduct.php.....	160
6.6.3.	Stripe.....	160
6.6.3.1.	Functions.php.....	160
6.6.3.2.	Stripe.php.....	161
6.6.4.	Products.....	162
6.6.4.1.	BuyProducts.php.....	162
6.6.4.2.	DeleteComment.php.....	163
6.6.4.3.	FindPagination.php.....	164
6.6.4.4.	Functions.php.....	165
6.6.4.5.	GetAllProducts.php.....	169

6.6.4.6. GetProductQuantity.php.....	170
6.6.4.7. Pagination.php.....	171
6.6.4.8. PagNumber.php.....	172
6.6.4.9. RatingOneProduct.php.....	173
6.6.4.10. RatingSystem.php.....	173
6.6.4.11. SearchFilter.php.....	174
6.6.4.12. SendProductComments.php.....	175
6.6.4.13. SendRepliesComments.php.....	176
6.6.5. Poll.....	176
6.6.5.1. AnswerStatistic.php.....	176
6.6.5.2. Functions.php.....	176
6.6.5.3. SendPollUserAnswer.php.....	178
6.6.6. Newsletter.....	178
6.6.6.1. UserEmail.php.....	178
6.6.6.2. Functions.php.....	180
6.6.7. News.....	180
6.6.7.1. Pagination.php.....	180
6.6.7.2. PagNumber.php.....	181
6.6.7.3. Functions.php.....	182
6.6.8. Home.....	184
6.6.8.1. Functions.php.....	184
6.6.9. Contact.....	184
6.6.9.1. Functions.php.....	184
6.6.9.2 Contact.php.....	185
6.6.10. Cart.....	186
6.6.10.1. Functions.php.....	186
6.6.11. Author.....	187
6.6.11.1. Functions.php.....	187
6.6.12. Authentication.....	187
6.6.12.1. Registration.php.....	187
6.6.12.2. Logout.php.....	190
6.6.12.3. Login.php.....	190
6.6.12.4. Functions.php.....	192
6.6.12.5. ResetPassword.php.....	194
6.6.12.6. SendEmailforgotPassword.php.....	195
6.6.13. Admin.....	196
6.6.13.1. Functions.php.....	196
6.6.13.2. Author.....	198
6.6.13.2.1. Functions.php.....	198
6.6.13.2.2. EditAuthor.php.....	198
6.6.13.3. Contact.....	199
6.6.13.3.1. Functions.php.....	199
6.6.13.3.2. DeleteContact.php.....	200
6.6.13.3.3. GetContact.php.....	201

6.6.13.3.4. GetContactNumber.php.....	201
6.6.13.3.5. SendMessage.php.....	202
6.6.13.4. Pagination.....	204
6.6.13.4.1. Functions.php.....	204
6.6.13.4.2. Pagination.php.....	205
6.6.13.4.3. PagNumber.php.....	206
6.6.13.5. User.....	207
6.6.13.5.1. Functions.php.....	207
6.6.13.5.2. Pagination.php.....	208
6.6.13.5.3. PagNumber.php.....	209
6.6.13.5.4. AddUser.php.....	209
6.6.13.5.5. DeleteUser.php.....	211
6.6.13.5.6. GetUsers.php.....	212
6.6.13.5.7. UserEdit.php.....	212
6.6.14. Moderator.....	214
6.6.14.1. Functions.php.....	214
6.6.14.2. Category.....	218
6.6.14.2.1. Functions.php.....	218
6.6.14.2.2. AddCategory.php.....	218
6.6.14.2.3. DeleteCategory.php.....	219
6.6.14.2.4. EditCategory.php.....	219
6.6.14.2.5. GetCategoryInfo.php.....	220
6.6.14.3. Country.....	221
6.6.14.3.1. Functions.php.....	221
6.6.14.3.2. AddCountry.php.....	221
6.6.14.3.3. DeleteCountry.php.....	222
6.6.14.3.4. EditCountry.php.....	222
6.6.14.3.5. GetCountryInfo.php.....	223
6.6.14.4. News.....	223
6.6.14.4.1. Functions.php.....	223
6.6.14.4.2. AddNews.php.....	225
6.6.14.4.3. CkeditorImage.php.....	227
6.6.14.4.4. DeleteNews.php.....	228
6.6.14.4.5. Functions.php.....	229
6.6.14.4.6. GetNews.php.....	230
6.6.14.5. Newsletter.....	231
6.6.14.5.1. DeleteNewsletter.php.....	231
6.6.14.5.2. EditNewsletter.php.....	231
6.6.14.5.3. Functions.php.....	232
6.6.14.5.4. GetNewsletter.php.....	233
6.6.14.5.5. SendNewsletter.php.....	234
6.6.14.6. Order.....	236
6.6.14.6.1. GetStatus.php.....	236
6.6.14.6.2. OrderStatus.php.....	236

6.6.14.6.3. Functions.php.....	237
6.6.14.6.4. StatusChange.php.....	240
6.6.14.7. Pagination.....	240
6.6.14.7.1. CountOrderPagination.php.....	240
6.6.14.7.2. FilterOrder.php.....	242
6.6.14.7.3. Functions.php.....	243
6.6.14.7.4. Pagination.php.....	246
6.6.14.7.5. PagNumber.php.....	248
6.6.14.7.6. SearchFilterOrder.php.....	249
6.6.14.8. Poll.....	250
6.6.14.8.1. ChangePollStatus.php.....	250
6.6.14.8.2. DeletePoll.php.....	251
6.6.14.8.3. Functions.php.....	252
6.6.14.8.4. DeletePollAnswer.php.....	255
6.6.14.8.5. GetPoll.php.....	255
6.6.14.8.6. GetPollAnswers.php.....	256
6.6.14.8.7. InsertAnswer.php.....	256
6.6.14.8.8. PollStatistic.php.....	257
6.6.14.8.9. UpdatePoll.php.....	257
6.6.14.9. Products.....	258
6.6.14.9.1. AddProduct.php.....	258
6.6.14.9.2. DeleteProduct.php.....	264
6.6.14.9.3. DeleteProductMultilImage.php.....	264
6.6.14.9.4. DohvatiProizvode.php.....	265
6.6.14.9.5. EditPrice.php.....	265
6.6.14.9.6. EditProduct.php.....	266
6.6.14.9.7. Functions.php.....	272
6.6.14.9.8. GetProductImage.php.....	275
6.6.14.9.9. GetProducts.php.....	276
6.7. Config.....	276
6.7.1. .env.....	276
6.7.2. Config.php.....	276
6.7.3. Connection.php.....	277
6.8 Assets.....	280
6.8.1. Css.....	280
6.8.1.1. Style.css.....	280
6.8.2. Js.....	395
6.8.2.1. Admin.js.....	395
6.8.2.2. Brisanje.js.....	395
6.8.2.3. BrisanjeKontakt.js.....	411
6.8.2.4. Cart.js.....	412
6.8.2.5. Cekiran.js.....	422
6.8.2.6. Contact.js.....	425
6.8.2.7. EditNews.js.....	227

6.8.2.8.	EditPrice.js.....	429
6.8.2.9.	EditProduct.js.....	431
6.8.2.10.	Main.js.....	239
6.8.2.11.	Menu.js.....	441
6.8.2.12.	Moderator.js.....	442
6.8.2.13.	News.js.....	478
6.8.2.14.	Newsletter.js.....	481
6.8.2.15.	OneNews.js.....	486
6.8.2.16.	OrderUpdate.js.....	487
6.8.2.17.	Poll.js.....	489
6.8.2.18.	Products.js.....	495
6.8.2.19.	Registration.js.....	506
6.8.2.20.	ResetPassword.js.....	512
6.8.2.21.	Stripe.js.....	514
6.8.2.22.	User.js.....	516
6.8.2.23.	UserEdit.js.....	525
6.8.2.24.	Home.js.....	530
6.8.2.25.	OneProduct.js.....	531
7	Закључак.....	543
8	Литература.....	544

## **1. Увод**

Web продавница “iTech” се бави online продајом ствари. На првој страни се налазе истакнути производи као и њихов промотивни материјал.

Могуће је наручијање производа, плаћање је картицом или поуздећем. Производи могу да се сортирају и филтрирају по више параметара. Омогућено је и оцењивање производа као и анкета. Када се корисник региструје он добија могућност да наручује производе, пише коментаре и има увид у своју историју наручијања.

На сајту још постоје вести, страница о аутору где се приказују информације о њему, контакт страна преко које се контактира админ, ресетовање лозинке уколико је заборављена...

Када се корисник улогује у зависности од његове улоге буде редиректован на модератор или админ страну. Админ додаје кориснике и управља њима, има увид у статистику као и у кретање корисника по сајту.

Модератор управља већим делом сајта, као што су управљање корисницима, вестима, категоријама, анкетама, поруџбинама, newsletter-ом. За све ове ставке постоји додатно филтрирање и сортирање као и статистика за поруџбине.

Све кључне ставке на сајту су урађене преко ajax-а. Сајт је повезан са Google Analytics. За додатну безбедност на сајту се користи reCAPTCHA.

## **2. Радно окружење**

Сајт је развијан уз помоћ више програмских језика и више различитих додатака, оптимизован је за све уређаје и рађена је seo оптимизација за што боље позиционирање у резличитим претраживачима.

Програмско окружење у коме је рађен сајт:

- Visual Studio Code

Програмски језици који су коришћени за израду сајта:


- HTML
- CSS
- PHP
- JavaScript
- jQuery

Додаци који су коришћени у изради сајта:

- Stripe
- Php Mailer
- Google Fonts
- W3 Font Awesome
- Slick Slider
- Google Analytics
- reCAPTCHA v3
- Media queries

### 3. Организациона шема


На организационој шеми се могу видети везе између страница, која страница води до које странице као и одређене функционалности.




Слика 3.1. графички приказ организационе шеме

## 4. Шема базе података

База података има укупно 24 табеле, рађена је преко phpMyAdmin-а у програмском језику који се зове MySQL.



Слика 4.1.а Приказ шеме базе података.




Слика 4.1.б Приказ шеме базе података.




## 5. Организација сајта

### 5.1. Home

На почетној страни се налази линк са именом и презименом корисника, исписују се динамички одабрани производи преко Slick slider-a, налазе се још многи статички детаљи.



Слика 5.1.1. Приказ главног слајдера и MacBook-а.




**Слика 5.1.2.** Приказ истакнутых производа, iWatch-a, iPad-a.

У заглављу се налази име и презиме корисника и линкови за одјављивање са сајта и линк ка корисничкој страни који се мења у зависности од његове улоге.




Слика 5.1.3. Приказ имена корисника и додатних линкова.

У менију се налазе линкови до осталих страна. Позадина линкова се разликује у односу на стандардне. У зависности од корисникове улоге линкови се могу мењати.




Слика 5.1.4. Приказ менија са линковима.

У менију се налази и дугме за Dark Mode. Кликом на то дугме сајт постаје тамнији. Свака страна постаје тамна док корисник не искључи Dark Mode.



Слика 5.1.5. Приказ dark mode-а.


У подножју сајта се налази Newsletter. Корисник уноси своју email адресу и пријављује се. Кориснику ће стизати поруке са акцијама на мејл.



Слика 5.1.6. Приказ newsletter-а.

## 5.2. IPhone(Products)

Стране iPad, iWatch, MacBook су потпуно исте као iPhone само је разлика у другим производима. На овој страни се налазе производи. У зависности од њихове цене приказује се колико су снижени и боја се мења у зависности од процента. Са леве стране се налази претрага, филтрирање према цени као и сортирање од најмање до највеће цене. Могуће је и гласац у анкети. Корисник може само једном да гласа са једног уређаја, могу да гласају и не ауторизовани корисници.



Слика 5.2.1. Приказ производа.

### 5.3. OneProduct

Када корисник кликне на дугме BUY појавиће му се страна са детаљима о том производу. Производи могу да имају више слика, корисник може да оцени као и да коментарише производе. Корисник додаје производе у корпу и одређује количину. У колико производ није на стању неће бити омогућено да се дода у корпу.

The screenshot shows a product detail page for an iPhone 12 Pro Max. At the top, there is a header with a user profile icon, the text "Developer Developer", and a shopping cart icon with a red notification badge showing "0". Below the header, there is a large image of the iPhone 12 Pro Max in silver, with a smaller image of the phone's back camera module below it. To the left of the main image are left and right arrows for navigating through more images. Below the main image are four smaller thumbnail images of the phone from different angles. To the right of the images is a detailed product card. The card has the title "iPhone 12 Pro Max" at the top. Below the title, it says "iPhone 12 Pro Max, 128GB, Silver". It features a rating of "★★★★★ (5.0)" with a green "In stock" status. The original price is "\$1200.00" and the discounted price is "\$600.00". Below the price are social sharing icons for Facebook, Twitter, Email, and Print. A "Free next-day delivery" badge is present. At the bottom of the card is an "Add to cart" button with a shopping cart icon and quantity controls (-, 0, +).

2 Comments

Add a public comment...

Marko Urosevic  
Great phone!  
View reply ▾

iTech  
Thank you!

**Слика 5.3.1.** Приказ једног производа.

## 5.4. News

На овој страница се приказују најновије вести. Када се кликне на неку вест појављује се страна са опширним текстом. Приказ вести је урађен преко ајах-а.

The screenshot shows a news website layout with four news cards:

- Use the Touch Bar on Mac**  
News | 2021-03-23  
The Control Strip, located at the right end of the Touch Bar, lets you ask Siri or easily adjust common settings—just tap the buttons or, for settings like brightness and...
- Camera features on your iPhone**  
News | 2021-03-23  
You can use QuickTake to record videos without switching out of photo mode. QuickTake is available on iPhone XS, iPhone XR, and later.  
Hold the shutter to take a video  
When you...
- Use widgets on your iPhone and iPod touch**  
News | 2021-03-23  
With widgets, you get timely information from your favorite apps at a glance.  
With iOS 14, you can use widgets on your Home Screen to keep your favorite information at your...
- Use 5G with your iPhone**  
News | 2021-03-23  
iPhone 12, iPhone 12 mini, iPhone 12 Pro, and iPhone 12 Pro Max work with the 5G cellular networks of certain carriers. Learn how to use 5G cellular service.  
**What you need**  
An...

At the bottom, there are page navigation buttons: 1 and 2.

**Слика 5.4.1.** Приказ више вести.

## 5.5. oneNews

Када се кликне на неку вест појави се ова страна. Овде се налази садржај везан за ту вест, истакнути производи који су исписани преко Slick slider-a, 4 последње вести као и анкета.

The screenshot shows the oneNews website interface. At the top, there is a header with a logo, user information (Developer), and a shopping cart icon. Below the header, a news article is displayed:

**Be aware of gift card scams**  
2021-03-23

Be aware of scams involving Apple Gift Cards, App Store & iTunes Gift Cards, and Apple Store Gift Cards. If you believe you're the victim of a scam involving Apple Gift Cards, App Store & iTunes Gift Cards, or Apple Store Gift Cards, you can call Apple at 800-275-2273 (U.S.) and say "gift cards" when prompted.

A string of scams are taking place asking people to make payments over the phone for things such as taxes, hospital bills, bail money, debt collection, and utility bills. The scams are committed using many methods, including gift cards. As the fraudsters are sometimes requesting codes from Apple Gift Cards, App Store & iTunes Gift Cards, or Apple Store Gift Cards, we want to make sure our customers are aware of these scams.

Regardless of the reason for payment, the scam follows a certain formula: The victim receives a call instilling panic and urgency to make a payment by purchasing Apple Gift Cards, App Store & iTunes Gift Cards, or Apple Store Gift Cards from the nearest retailer (convenience store, electronics retailer, etc.). After the cards have been purchased, the victim is asked to pay by sharing the code(s) on the back of the card with the caller over the phone.

It's important to know that Apple Gift Cards and App Store & iTunes Gift Cards can be used only to purchase goods and services from Apple – including from Apple Retail Stores, [apple.com](http://apple.com), the App Store, iTunes Store, Apple Books, for subscriptions to Apple services like Apple Music, Apple News+, and Apple Arcade, or for iCloud storage. Apple Store Gift Cards can be redeemed only on the Apple Online Store and at Apple Retail Stores. If you're approached to use the cards for any other payment, you could very likely be the target of a scam and should immediately report it to your local police department as well as the Federal Trade Commission (FTC) at [reportfraud.ftc.gov](http://reportfraud.ftc.gov).

Never provide the numbers on the back of a Gift Card to someone you do not know. Once those numbers are provided to the scammers, the funds on the card will likely be spent before you are able to contact Apple or law enforcement.

**Tips to avoid becoming the victim of a scam**

If you are NOT purchasing an item from Apple – such as from the Apple Store, iTunes Store, App Store, Apple Books, or for an Apple Music subscription or iCloud storage – do NOT make a payment with an Apple Gift Card, App Store & iTunes Gift Card, or Apple Store Gift Card. There's no other instance in which you'll be asked to make a payment with either of these gift cards.

Do not provide the numbers on the back of the gift card to anyone that you don't know. Immediately report potential scams to your local police department as well as the FTC ([reportfraud.ftc.gov](http://reportfraud.ftc.gov)).

**Contact Apple**

If you have additional questions, or if you've been a victim of a scam involving Apple Gift Cards, App Store & iTunes Gift Cards or Apple Store Gift Cards, you can call Apple at 800-275-2273 (U.S.) and say "gift cards" when prompted, or [contact Apple Support](#) online.

To the right of the news article, there is a product slider featuring an iPhone 12 Mini with a 5% discount, followed by a grid of four news cards and a poll section.

**iPhone 12 Mini**  
\$570.00  
\$699.00  
BUY

**Be aware of gift card scams**  
2021-03-23

**Use 5G with your iPhone**  
2021-03-23

**Use widgets on your iPhone and iPod touch**  
2021-03-23

**Camera features on your iPhone**  
2021-03-23

Which is the best phone?

Apple iPhone 12

Samsung S20

OnePlus 8 PRO

Xiaomi Mi 10

Vivo X50 PRO


Submit

Results

Слика 5.5.1. Приказ једне вести.

## 5.6. Login


Овде се корисник пријављује и у зависности од његове улоге појављује му се страна админ, модератор или корисник. Корисник може да буде и developer, у том случају појавиће му се админ страна и све остале стране ће му бити откључане да би могао да развија апликацију.



Слика 5.6.1. Приказ стране за логовање.

## 5.7. resetPasswordEmail


Када корисник заборави лозинку, постоји могућност да добије нову. Пошаље своју мејл адресу и порука са кодом за обнављање лозинке му се шаље на мејл.



Слика 5.7.1. Приказ стране за обнављање лозинке.

## 5.8. Registration

На страници за регистрацију корисник прави свој налог и аутоматски добија улогу корисник, касније у колико за то буде потребе модератор може да промени корисникову улогу. Страница је заштићена са reCAPTCHA V3. Регистрација је урађена преко ајах-а.



The screenshot shows a registration form on a website. At the top right, there are icons for a shopping cart with a red notification dot (0) and a menu. The form itself has a light gray background and consists of several input fields:

- Name**: An input field with placeholder text "Enter Name".
- Last name**: An input field with placeholder text "Enter Last Name".
- Email**: An input field with placeholder text "Enter Email".
- Address**: An input field with placeholder text "Enter Address".
- City**: An input field with placeholder text "Enter City".
- Zip code**: An input field containing the value "11420".
- Country**: A dropdown menu set to "Serbia".
- Password**: An input field with placeholder text "Enter Password".
- Repeat Password**: An input field with placeholder text "Enter repeat Password".


On the right side of the form, there are two small images: one of a person and another of a document, likely related to terms or privacy.

A large red button at the bottom center contains the text "Register". Below the form, a black footer bar contains the text "Already have an account? [Sign in](#)".


Слика 5.8.1. Приказ стране за регистрацију.

## 5.9. Contact

Корисник може да контактира админа преко ове стране, он оставља своје име, презиме, контакт телефон, мејл, и поруку. Контак је урађен преко ајах-а.




**Слика 5.9.1.** Приказ форме на контакт страни.



**Слика 5.9.2.** Приказ мапе на контакт страни.

## 5.10. Cart


Овде се приказују додати производи у корпу. Корисник бира да ли ће платити производ поuzeћем или картицом, али мора бити ауторизован.



### **Слика 5.10.1. Приказ корпе.**

## 5.11. BuyCartPage

Када корисник изабере да плати картицом онда му се појављује ова страна, где му се исписују сви производи као и цена. Ова функционалност је одрађена преко Stripe Payment система.



**Слика 5.11.1.** Приказ стране на којој се плаћа преко Stripe-a.

## 5.12. Author

На аутор страни се налазе основне информације о аутору.



**Слика 5.12.1.** Приказ аутор стране.

## 5.13. Admin

Већина функционалности на админ страни је урађена преко ајах-а.

У овом делу админ стране се налазе поруке корисника. Поруке се могу сортирати по статусу, админ може да одговара на поруке(следећа слика) и аутоматски се мења статус.

The screenshot shows the Admin messaging interface. On the left is a sidebar with links: INBOX (8), PAGE STATISTIC, LOG, USER, and AUTHOR. The main area has a header 'SORTED BY STATUS' with buttons for 'SEND' (green checkmark), 'WAIT' (red X), and 'CLEAR'. Below is a table with columns: Name, Email, Phone, Text, Status, Send Message (blue arrow), and Delete (red X). The data includes:


Name	Email	Phone	Text	Status	Send Message	Delete
Mirko Mirkovic	mirko@gmail.com	06554647	Extra	✓		
Korisnik Korisnik	marko.milivojevic.167.17@ict.edu.rs	0651344222	Super!!!	✓		
Marko Milivojevic	marko.milivojevic.167.17@ict.edu.rs	0651344222	Usloga je odlicna.	✗		
Uros Predic	markoczv314@gmail.com	0651344222	Pozdrav	✗		
Uros Predic	markoczv314@gmail.com	0651344222	Sve je super	✓		
Milos Milosevic	markoczv314@gmail.com	0651344222	Proizvodi su odlicni!	✗		

Слика 5.13.1. Приказ дела админ стране за поруке.

The screenshot shows the Admin messaging interface with a modal window titled 'SEND MESSAGE'. The modal has a 'Message' input field and a large red 'SEND' button. The background shows the same list of messages as in the previous screenshot. The data is identical to the previous table.

Слика 5.13.2. Приказ дела админ стране за слање порука.

Овде се налази статистика страница, приказује се која је најпосећенија страница у том дану.



Слика 5.13.3. Приказ статистике активне анкете.

У овом делу се прати које странице корисници посећују и у које време. У текстуалном фајлу се записује њихова ip адреса, url адреса којој су приступили, датум и којој страни су приступили.

Url adresa	Ip adresa	Datum	Strana
/index.php	62.240.28.41	2021/03/31	home
/index.php	62.240.28.41	2021/03/31	login
/models/authentication/login.php	62.240.28.41	2021/03/31	home
/index.php	62.240.28.41	2021/03/31	login
/models/authentication/login.php	62.240.28.41	2021/03/31	home
/index.php	62.240.28.41	2021/03/31	login
/models/authentication/login.php	62.240.28.41	2021/03/31	home
/index.php	62.240.28.41	2021/03/31	admin
/models/admin/pagination/pagNumber.php	62.240.28.41	2021/03/31	home
/models/admin/pagination/pagNumber.php	62.240.28.41	2021/03/31	home
/index.php	62.240.28.41	2021/03/31	admin

Слика 5.13.4. Приказ дела админ стране за праћење корисника.

Овде се приказују сви корисници који су сортирани по улогама. Могућа је измена(страна 5.13.1.) и брисање корисника.

ID User	First Name	Last Name	Email	Role	Edit	Delete
1	Marko	Milivojevic	marko.milivojevic.167.17@ict.edu.rs	Admin		
107	Admin	Admin	admin@gmail.com	Admin		
105	User	User	user@gmail.com	User		
108	Milos	Milosevic	milos@gmail.com	User		
109	Marko	Urosevic	markourosevic@gmail.com	User		
115	Darko	Vulicevic	darko.vulicevic@enreach.com	User		

Слика 5.13.5. Приказ дела админ стране за управљање корисницима.

У овом делу се додају корисници, бира се њихова улога, име, презиме, мејл, адреса, град, држава, zip код, лозинка.

First Name: First Name..

Last Name: Last Name..

Email: Email..

Address: Address..

City: City..

Zip: Zip..

Password: Password..

Repeat Password: Repeat Password..

Country: Choose..

Role: Choose..

**ADD USER**


Name: first letter uppercase

Last Name: first letter uppercase

Password: min 8 characters, min at least 1 number,min at least 1 lowercase character,min at least 1 uppercase character.

Слика 5.13.6. Приказ дела админ стране за додавање корисника.

На овој страни се мења име и биографија аутора.



Слика 5.13.7. Приказ дела админ стране за измену података о аутору.

### 5.13.1. UserEdit

На страни UserEdit се мења корисникови име, презиме, мејл, град, адреса, zip код, држава и улога.

A screenshot of the 'UserEdit' form. It contains fields for 'First Name' (Marko), 'Last Name' (Milivojevic), 'Email' (marko.milivojevic.167.17@ict.edu.rs), 'City' (Smederevska Palanka), 'Address' (Rudnicka 14), 'Zip' (11420), 'Country' (Serbia), and 'Uloga' (Admin). Each field has its current value displayed next to it. A large red 'EDIT' button is at the bottom of the form.

Слика 5.13.1.1. Приказ стране за измену корисника.

## 5.14. Moderator

У овом делу модератор стране се налазе производи. Могуће је сортирати производе по категоријама и по доступности и претраживати их по називу. Производи се могу мењати(страна 5.14.1.), брисати, као и мењати њихову цену(страна 5.14.2.) преко ајах-а.

The screenshot shows a user interface for managing products. On the left, there is a sidebar with various menu items: PRODUCT, NEWS, ORDERS (10), CATEGORY, NEWSLETTER, POLL, and COUNTRY. The main area is titled "SORTED BY STATUS" and contains filters for "IN STOCK" (green dot) and "OUT OF STOCK" (orange dot), along with a "CLEAR" button. Below this is a "PRODUCTS CATEGORY" section with buttons for IPHONE, IPAD, IWATCH, MACBOOK, and another "CLEAR" button. A search bar labeled "SEARCH PRODUCT" is present. The main content area displays a table of four Apple Watch products:

	Description	New price	Categories	Availability	Edit	Edit price	Delete
	Apple Watch Space Gray Aluminum Case with Solo Loop	\$299.00	iWatch	In stock ●			
	Apple Watch Silver Aluminum Case with Solo Loop	\$179.00	iWatch	In stock ●			
	Apple Watch Gold Stainless Steel Case with Leather Loop	\$400.00	iWatch	In stock ●			
	Apple Watch Space Gray Aluminum Case with Sport Loop	\$399.00	iWatch	In stock ●			

Слика 5.14.1. Пrikaz dela moderator strane za upravljanje proizvodima.


У овом делу се додају производи. Додаје се насловна слика, а могуће је додати и још слика. Остали параметри који се уносе су: алт, име производа, опис, стара цена, нова цена, број производа који су на стању, категорија производа, као и да ли је производ истакнут или не. Додавање је преко ајах-а.

**Слика 5.14.2.** Приказ дела модератор стране за додавање производа.

У овом делу се налазе новости. Њих је могуће мењати(страна 5.14.3.) и брисати преко ајах-а.


**Слика 5.14.3.** Приказ дела модератор стране за управљање вестима.

Овде се додају вести. Могуће је додати насловну фотографију, наслов као и текст. За додавање текста коришћен је CKEditor.




Слика 5.14.4. Приказ дела модератор стране за додавање вести.

На врху дела за наруџбине се налази статистика за пет најпродаванијих производа током године и током месеца.



Слика 5.14.5. Приказ дела модератор стране за статистику поруџбина.


Наруџбине се могу сортирати по начину плаћања и статусу као и сортирати по id-ју и датуму.



Orders Id	Price	Date	User name	Payment Method	Status	Info
265	720	2021-03-28 03:58:28	Developer Developer	Payment card	Delivered ●	<a href="#">DETAILS</a>
264	570	2021-03-25 13:30:36	Developer Developer	Payment card	Canceled ●	<a href="#">DETAILS</a>
263	600	2021-03-24 10:44:01	Developer Developer	Payment card	Processing in progress ●	<a href="#">DETAILS</a>
262	570	2021-03-24 10:39:42	Developer Developer	Payment card	Processing in progress ●	<a href="#">DETAILS</a>
261	1140	2021-03-24 10:35:08	Developer Developer	Payment card	Processing in progress ●	<a href="#">DETAILS</a>
260	570	2021-03-24 10:34:08	Developer Developer	Payment card	Processing in progress ●	<a href="#">DETAILS</a>

Слика 5.14.6. Приказ дела модератор стране за управљање поруџбинама.


Овде се налазе категорије производа које се могу брисати и мењати(Слика 5.14.8.) преко ајах-а.



Category Id	Name	Edit	Delete
1	iPhone		
2	iPad		
3	iWatch		
4	MacBook		


Слика 5.14.7. Приказ дела модератор стране за управљање категоријама.

У овом делу се додају мењају категорије производа.



Слика 5.14.8. Приказ дела модератор стране за измену категорија.

Овде се додају категорије производа. Довољно је унети назив категорије. Додавање категорија је урађено преко ајах-а.



Слика 5.14.9. Приказ дела модератор стране за додавање категорија.

Овде се налазе сви NEWSLETTER-И, као и укупан број пријављених и нових корисника. Могућа је измена(страна 5.14.5.) као и брисање преко ајах-а.

Newsletter Id	Title	Date	Edit	Delete
2	Newsletter	2021-01-12 03:45:57		

Слика 5.14.10. Приказ дела модератор стране за управљање newsletter-ом.

У овом делу се додаје newsletter преко ајах-а. Уноси се назив и код. Када се newsletter дода аутоматски се шаље пријављеним корисницима.

Newsletter title  
Newsletter code

SEND

Слика 5.14.11. Приказ дела модератор стране за добављање newsletter-а.

Овде се налазе све анкете. Омогућено је да само једна или ниједна анкета буде активна. Приказује се статистика(Слика 5.14.13.) за сваку анкету, могуће је брисање и измена преко ајах-а.

The screenshot shows a sidebar with navigation links: PRODUCT, NEWS, ORDERS (10), CATEGORY, NEWSLETTER, POLL, All Polls (selected), Statistic, and Add Poll. The main area displays a table of polls:

ID	Question	Active	Statistic	Edit	Delete
72	Which is the No 1 IT company in world?				
71	Which is the best phone?				


Слика 5.14.12. Приказ дела модератор стране за управљање анкете.

The sidebar and poll list are identical to the previous screenshot. A modal window titled "WHICH IS THE BEST PHONE?" is displayed, showing the results of poll ID 71:

Phone Model	Percentage
Apple iPhone 12	50%
Samsung S20	33%
OnePlus 8 PRO	0%
Xiaomi MI 10	17%
Vivo X50 PRO	0%

Слика 5.14.13. Приказ дела модератор стране за статистику селектоване анкете.

Овде се приказује статистика за активну анкету. Ако не постоји активна анкета овде се неће ништа приказати.



Слика 5.14.14. Приказ дела модератор стране за приказ активне анкете.

У овом делу се додаје анкета преко ајах-а. Уноси се питање анкете, као и одговори, али пре уноса одговора бира се број одговора.

The sidebar includes the same menu items as before. The main area contains a form for creating a new poll. It has fields for "Question" (empty), "Answers number" (set to 2), and an "Error!" message in a red box below the "INSERT" button. The "Add Poll" button at the bottom of the sidebar is also highlighted in black.

Слика 5.14.15. Приказ дела модератор стране за додавање анкете.

Овде се приказују све доступне државе за испоруку производа преко ајах-а. Могућа је њихова измена и брисање.

The screenshot shows a sidebar menu on the left with options: PRODUCT, NEWS, ORDERS (10), CATEGORY, NEWSLETTER, POLL, COUNTRY, All Countries (selected), and Add Country. The main area displays a table with three rows of country data:

Country Id	Name	Edit	Delete
1	Serbia	<input type="button" value="edit"/>	<input type="button" value="delete"/>
2	United States	<input type="button" value="edit"/>	<input type="button" value="delete"/>
3	Germany	<input type="button" value="edit"/>	<input type="button" value="delete"/>

Слика 5.14.16. Приказ дела модератор стране за управљање државама.

У овом делу модератор стране се додају државе преко ајах-а. Потребно је унети назив државе.

The screenshot shows a sidebar menu on the left with options: PRODUCT, NEWS, ORDERS (10), CATEGORY, NEWSLETTER, POLL, COUNTRY, All Countries, and Add Country. The main area displays a form with a single input field labeled "Name" and a red "INSERT" button below it.

Слика 5.14.17. Приказ дела модератор стране за додавање државе.

Овде се може видети Stripe sajt на коме се налазе све наруџбине које су плаћене картицом и реализоване преко овог сајта.

The screenshot shows the Stripe 'Payments' section. On the left is a sidebar with links like Home, Activate your account, Payments (selected), and others. The main area has a search bar and a 'TEST DATA' button. Below is a table with columns: AMOUNT, DESCRIPTION, CUSTOMER, and DATE. The table lists several transactions, all marked as 'Succeeded'. The first transaction is for \$720.00 USD, customer idOrders: 265, dated Mar 26, 8:58 AM. Other transactions range from \$11.00 to \$1,200.00 USD, with dates from Mar 22 to Mar 26.

AMOUNT	DESCRIPTION	CUSTOMER	DATE
\$720.00 USD	Succeeded ✓ idOrders: 265		Mar 26, 8:58 AM
\$570.00 USD	Succeeded ✓ idOrders: 264		Mar 25, 6:30 PM
\$600.00 USD	Succeeded ✓ idOrders: 263		Mar 24, 3:43 PM
\$600.00 USD	Succeeded ✓ idOrders: 259		Mar 23, 11:22 PM
\$9,407.00 USD	Succeeded ✓ idOrders: 258		Mar 23, 3:43 PM
\$570.00 USD	Succeeded ✓ idOrders: 256		Mar 23, 3:40 PM
\$1,200.00 USD	Succeeded ✓ idOrders: 254		Mar 23, 3:37 PM
\$11.00 USD	Succeeded ✓ idOrders: 252		Mar 22, 10:23 PM
\$126.00 USD	Succeeded ✓ idOrders: 251		Mar 22, 9:45 PM

**Слика 5.14.18.** Приказ Stripe стране са свим поруџбинама. (извор <https://stripe.com/>)

Када се уђе у неку поруџбину, могу се видети детаљи те поруџбине ко што су id и цена те поруџбине.


The screenshot shows the Stripe 'Payment' details page for a \$720.00 USD transaction. The sidebar is identical to the previous screenshot. The main area shows the payment method (Visa ending in 4242) and risk evaluation (Normal). Below is a 'Timeline' section with a single entry: 'Payment succeeded' on Mar 26, 2021, 8:58 AM. The 'Payment details' section lists the statement descriptor (Stripe), amount (\$720.00), fee (\$21.18), net (\$698.82), status (Succeeded), and description (idOrders: 265).

Date	Customer	Payment method	Risk evaluation
Mar 26, 8:58 AM	None	Visa .... 4242	Normal

**Слика 5.14.19.** Приказ Stripe стране са једном поруџбином. (извор <https://stripe.com/>)

### 5.14.1. EditProduct


У овом делу се мењају производи. Могућа је измена сваке ставке као и свих слика преко ајах-а, као њихово брисање.



Слика 5.14.1.1. Пrikaz странице за измену производа.

## 5.14.2. EditPrice

Овде се мења цена производа. Могуће је изабрати за колико процената желимо да снизимо цену и нова цена се аутоматски мења. Могуће је променити нову цену и проценат са аутоматски мења преко ајах-а.




The screenshot shows a user interface for editing product prices. It has three input fields: 'Old Price' containing '299', 'New Price' containing '299', and 'Calculate Percent' containing '0'. Below these is a large red button labeled 'CHANGE'.

Слика 5.14.2.1. Приказ стране за измену цене.

## 5.14.3. EditNews

У овом делу сајта се мења главна слика као и текст вести преко CKEditor-a.



The screenshot shows a news editing page. At the top is a photo of a MacBook Pro with a hand pointing at the Touch Bar. Below the photo is a CKEditor toolbar with various icons. The main area contains a title 'Use the Touch Bar on Mac' and a text editor with a rich text toolbar. A note about the Control Strip is visible, followed by a diagram of the Touch Bar with labels: 'Expand the Control Strip.', 'Increase or', 'Mute or unmute.', and 'Ask Siri.' Below the editor is a red 'SUBMIT' button.

Слика 5.14.3.1. Приказ стране за измену вести.

#### 5.14.4. OrderDetails

На овој страници се налазе детаљи поруџбине. Могуће је изменити статус поруџбине преко ајах-а.

Name: Developer Developer  
Payment method: Payment card  
Email: Developer@gmail.com  
Date: 1616745496  
Address: Developer 123  
Zip: 11111  
Country: Serbia  
Name: iPhone 12 Pro Max Price: 720 Quantity: 1  
Total Price: 720

Слика 5.14.4.1. Приказ стране са детаљима поруџбине.

#### 5.14.5. EditNewsletter

На овој страници је могуће изменити NEWSLETTER перко ајах-а, могуће је и послати га. У доњем делу стране се налази preview у коме се аутоматски промени приказ.

Title: Newsletter  
Code: newsletter


UPDATE  
SEND

Preview: newsletter

Слика 5.14.5.1. Приказ стране за измену и слање newsletter-а.

## 5.14.6. EditPoll

На овој страни је могућа измена питања анкете и одговора, као и додавање нових одговора преко ајах-а.



Слика 5.14.6.1. Приказ стране за измену анкете.

## 5.15. User


На страни за корисника се налазе све поруџбине тих корисника са њиховим статусом и детаљима(слика 5.15.2).

The screenshot shows a user profile page with a sidebar on the left containing 'ORDERS', 'EDIT INFO', and 'CHANGE PASSWORD' buttons. The main area displays a table of orders:

Order Id	Price	Date	User name	Status	Info
265	720	2021-03-26 03:58:28	Developer Developer	Sell ●	<a href="#">DETAILS</a>
264	570	2021-03-25 13:30:36	Developer Developer	Error ●	<a href="#">DETAILS</a>
263	600	2021-03-24 10:44:01	Developer Developer	Wait ●	<a href="#">DETAILS</a>
262	570	2021-03-24 10:39:42	Developer Developer	Wait ●	<a href="#">DETAILS</a>
261	1140	2021-03-24 10:35:08	Developer Developer	Wait ●	<a href="#">DETAILS</a>
260	570	2021-03-24 10:34:08	Developer Developer	Wait ●	<a href="#">DETAILS</a>

At the bottom right, there are page navigation buttons '1' and '2'.

Слика 5.15.1. Приказ корисникова стране.



**Слика 5.15.2.** Приказ корисникова стране са детаљима изабране поруџбине.

Овде је омогућена измена свих корисниковых података осим лозинке.

The screenshot shows the 'Edit Info' form. The fields are:

First Name	Developer
Last Name	Developer
Email	Developer@gmail.com
Address	Developer I23
City	Developer
Zip code	11111
Country	Serbia

A red 'SUBMIT' button is at the bottom right.

**Слика 5.15.3.** Приказ дела корисникова стране за измену корисниковых параметара.

У овом делу корисникова стране се мења лозинка.

The screenshot shows the 'Change Password' form. It has two input fields: 'Password' and 'Repeat Password'. A red 'SUBMIT' button is at the bottom right.

**Слика 5.15.4.** Приказ дела корисникова стране за измену лозинке.

## 6. КОДОВИ

### 6.1. Index.php

```
<?php
session_start();
ob_start();
require_once "config/connection.php";
include "views/fixed/head.php";
include "views/fixed/heder.php";
include_once "models/home/functions.php";

if(!isset($_GET['page'])) {
    include "views/home.php";
}
else {
    if(checkCategory($_GET['page'])) {
        include "views/products.php";
    }else{
        switch($_GET['page']){
            case 'home':
                include "views/home.php";
                break;
            case 'author':
                include "views/author.php";
                break;
            case 'contact':
                include "views/contact.php";
                break;
            case 'userEdit':
                include "views/admin/user/userEdit.php";
                break;
            case 'user':
                include "views/user.php";
                break;
            case 'login':
                include "views/login.php";
                break;
            case 'logout':
                include "models/authentication/logout.php";
                break;
            case 'moderator':
                include "views/moderator.php";
                break;
        }
    }
}
```

```
case 'admin':
    include "views/admin.php";
    break;
case 'news':
    include "views/news.php";
    break;
case 'oneProduct':
    include "views/oneProduct.php";
    break;
case 'editProduct':
    include "views/moderator/products/editProduct.php";
    break;
case 'registration':
    include "views/registration.php";
    break;
case 'editNews':
    include "views/moderator/news/editNews.php";
    break;
case 'oneNews':
    include "views/oneNews.php";
    break;
case 'cart':
    include "views/cart.php";
    break;
case 'buyCartPage':
    include "views/buyCartPage.php";
    break;
case 'orderDetails':
    include "views/moderator/order/orderDetails.php";
    break;
case 'resetPasswordEmail':
    include "views/resetPasswordEmail.php";
    break;
case 'resetPassword':
    include "views/forgotPassword.php";
    break;
case 'editPrice':
    include "views/moderator/products/editPrice.php";
    break;
case 'editPoll':
    include "views/moderator/poll/editPoll.php";
    break;
case 'editNewsletter':
```

```

        include
"views/moderator/newsletter/editNewsletter.php";
        break;
    case 'successBuy':
        include "views/successBuy.php";
        break;
    case '404':
        include "views/404.php";
        break;
    case '403':
        include "views/403.php";
        break;
    case '301':
        include "views/301.php";
        break;
    default:
        include "views/404.php";
        break;
    }
}

}

if(isset($_GET['page'])) {
    if($_GET['page']!="admin" &&
    $_GET['page']!="moderator" &&
    $_GET['page']!="userEdit" &&
    $_GET['page']!="editProduct" &&
    $_GET['page']!="editNews" &&
    $_GET['page']!="orderDetails" &&
    $_GET['page']!="editPrice" &&
    $_GET['page']!="editPoll" &&
    $_GET['page']!="editNewsletter" ) {
        include "views/fixed/footer.php";
    }
} else{
    include "views/fixed/footer.php";
}

```

## 6.2. Sitemap.xml

```
<urlset xmlns="http://www.sitemaps.org/schemas/sitemap/0.9"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://www.sitemaps.org/schemas/sitemap/0.9
    http://www.sitemaps.org/schemas/sitemap/0.9/sitemap.xsd">
  <url>
    <loc>http://itechstore.epizy.com/</loc>
    <lastmod>2021-03-24T00:49:57+00:00</lastmod>
    <priority>1.00</priority>
  </url>
  <url>
    <loc>http://itechstore.epizy.com/index.php</loc>
    <lastmod>2021-03-24T00:49:57+00:00</lastmod>
    <priority>0.80</priority>
  </url>
  <url>
    <loc>http://itechstore.epizy.com/index.php?page=iPhone</loc>
    <lastmod>2021-03-24T00:49:57+00:00</lastmod>
    <priority>0.80</priority>
  </url>
  <url>
    <loc>http://itechstore.epizy.com/index.php?page=ipad</loc>
    <lastmod>2021-03-24T00:49:57+00:00</lastmod>
    <priority>0.80</priority>
  </url>
  <url>
    <loc>http://itechstore.epizy.com/index.php?page=iwatch</loc>
    <lastmod>2021-03-24T00:49:57+00:00</lastmod>
    <priority>0.80</priority>
  </url>
  <url>
    <loc>http://itechstore.epizy.com/index.php?page=macbook</loc>
    <lastmod>2021-03-24T00:49:57+00:00</lastmod>
    <priority>0.80</priority>
  </url>
  <url>
    <loc>http://itechstore.epizy.com/index.php?page=news</loc>
    <lastmod>2021-03-24T00:49:57+00:00</lastmod>
    <priority>0.80</priority>
  </url>
  <url>
    <loc>http://itechstore.epizy.com/index.php?page=contact</loc>
    <lastmod>2021-03-24T00:49:57+00:00</lastmod>
    <priority>0.80</priority>
  </url>
</urlset>
```

```

</url>
<url>
<loc>http://itechstore.epizy.com/index.php?page=author</loc>
<lastmod>2021-03-24T00:49:57+00:00</lastmod>
<priority>0.80</priority>
</url>
</urlset>

```

### 6.3. Rss.xml

```

<?xml version="1.0" encoding="UTF-8"?>
<rss version="2.0">
    <channel>
        <item>
            <title>iPhone</title>
            <description>Izašli su novi mobilni telefoni</description>
            <link>http://itechstore.epizy.com/index.php?
page=iphone</link>
        </item>
        <item>
            <title>O autoru</title>
            <description>Možete pročitati stvari vezane za autora
sajta</description>
            <link>http://itechstore.epizy.com/index.php?
page=author</link>
        </item>
        <item>
            <title>MacBook</title>
            <description>Izašli su novi MacBook model</description>
            <link>http://itechstore.epizy.com/index.php?
page=macbook</link>
        </item>
        <item>
            <title>iPad</title>
            <description>Izašli su novi tableti</description>
            <link>http://itechstore.epizy.com/index.php?
page=ipad</link>
        </item>
        <item>
            <title>iWatch</title>
            <description>Izašli su novi pametni satovi</description>

```

```
        <link>http://itechstore.epizy.com/index.php?  
page=iwatch</link>  
    </item>  
  </channel>  
</rss>
```

## 6.4. Robots.txt

```
User-agent: *  
Allow: /  
Disallow: assets/images/  
Sitemap: http://itechstore.epizy.com/sitemap.xml
```

## 6.5. .Htaccess

```
ErrorDocument 404 http://localhost/sajt_praktikum/index.php?page=404  
ErrorDocument 403 http://localhost/sajt_praktikum/index.php?page=403  
ErrorDocument 301 http://localhost/sajt_praktikum/index.php?page=301
```

```
RewriteEngine On  
RewriteRule ^Core/([^\"]*)$ /Core/?page=$1 [L]
```

## 6.5. views

### 6.5.1. User.php

```
<?php
include "models/user/functions.php";
accessAllowUser();
if(isset($_SESSION['korisnik'])) {
    $id=$_SESSION['korisnik'];
    $user=userInfo($id->idUser);
}
?>
<div id="hiddenNavContainer" class="darkEmptyLightBackground" >
    <div id="adminModeratorHiddenNav" class="adminModeratorButtonColor
darkEmptyBackground">Navigations</div>
</div>
<div class="relative darkEmptyLightBackground" id="adminPanel">

    <div id="sidebar" class="darkEmptyBackground">
        <ul class="toggle-tabs ">
            <li>
                <div onclick="selectTab(event,
'orderUser')" class="adminButtonTab tablinks darkEmptyLightBackground
darkEmptyTextWhite" >Orders </div>

                </li>
            <li>
                <div onclick="selectTab(event,
'changePasswordUser')" class="adminButtonTab tablinks
darkEmptyLightBackground darkEmptyTextWhite" >Edit Info</div>
                </li>
            <li>
                <div onclick="selectTab(event,
'editInfoUser')" class="adminButtonTab tablinks
darkEmptyLightBackground darkEmptyTextWhite" >Change Password</div>
                </li>
            </ul>
        </div>

        <div id="proizvodiDesno" class="tabbed-content-wrap">
            <div id="orderUser" class="tabcontent defaultOpen">
```

```





```

```

onclick="document.getElementById('userOrderModal').style.display='block'
' ">Details</button></td>
                </tr>
            <?php endforeach;?>
        </tbody>
    </table>

    <input type="hidden" id="idUser" value="<?php if(isset($id))
{echo$id->idUser;} ?>"/>
    <input type="hidden" id="pagUser" value="1" />
    <div id="userOrderPagination" class="pagination
paginationAdminMod">

    </div>

    <div id="userOrderModal" class="modal " >
        <div class="modalAdminModerator darkEmptyBackground
container5">
            <div class="row">
                <span
onclick="document.getElementById('userOrderModal').style.display='none'
" class="close " title="Close Modal"><i class="fa fa-close
darkEmptyTextWhite"></i></span>
            </div>
            <div class="row" >
                <ul class="darkEmptyTextWhite" id="userOrderD">
                    </ul>

            </div>
        </div>

    </div>
</div>

<div id="changePasswordUser" class="tabcontent">
    <div class="container5 darkEmptyBackground">
        <div class="row">
            <div class="col-25">
                <label class="darkEmptyTextWhite" for="fname">First
Name</label>
            </div>
            <div class="col-75">

```

```

        <input type="text" class="darkEmptyLightBackground
darkEmptyTextWhite userValidation" id="fname" name="name" value="<?=
$user->name; ?>" />
    </div>
</div>
<div class="row">
    <div class="col-25">
        <label class="darkEmptyTextWhite" for="lname">Last
Name</label>
    </div>
    <div class="col-75">
        <input type="text" id="lname"
class="darkEmptyLightBackground darkEmptyTextWhite userValidation"
name="lastname" value="<?= $user->lastName ?>" />
    </div>
</div>
<div class="row">
    <div class="col-25">
        <label class="darkEmptyTextWhite"
for="city">Email</label>
    </div>
    <div class="col-75">
        <input type="text" id="emailUpdateUser"
class="darkEmptyLightBackground darkEmptyTextWhite userValidation"
placeholder="Email..." name="email" value="<?= $user->email ?>" />
    </div>
</div>
<div class="row">
    <div class="col-25">
        <label class="darkEmptyTextWhite"
for="address">Address</label>
    </div>
    <div class="col-75">
        <input type="text" id="addressUpdateUser"
class="darkEmptyLightBackground darkEmptyTextWhite userValidation"
name="address" value="<?= $user->address ?>" />
    </div>
</div>
<div class="row">
    <div class="col-25">
        <label class="darkEmptyTextWhite"
for="city">City</label>
    </div>
    <div class="col-75">

```

```

        <input type="text" id="cityUpdateUser"
class="darkEmptyLightBackground darkEmptyTextWhite userValidation"
placeholder="Enter City" name="city" value="<?= $user->city ?>" />
    </div>
</div>
<div class="row">
    <div class="col-25">
        <label class="darkEmptyTextWhite" for="city">Zip
code</label>
    </div>
    <div class="col-75">
        <input type="text" id="zipCodeUpdateUser"
class="darkEmptyLightBackground darkEmptyTextWhite userValidation"
placeholder="11420" value="<?= $user->zip ?>" name="zip">
    </div>
</div>
<div class="row">
    <div class="col-25">
        <label class="darkEmptyTextWhite"
for="countryReg">Country</label>
    </div>
    <div class="col-75">
        <select id="countryUpdateUser"
class="darkEmptyLightBackground darkEmptyTextWhite " name="country">
            <?php $contry=contry();>
            <?php foreach($contry as $items):>
                <?php if($items->idCountry == $user->idCountry) :>
?>

                <option selected value="<?= $items->idCountry ?><?= $items->name ?>"></option>
                <?php else:>
?>
                <option value="<?= $items->idCountry ?><?= $items->name ?>"></option>
                <?php endif;
?>

            <?php endforeach; ?>
        </select>
    </div>
</div>
<div class="row">

```

```

        <div class="col-25">
        </div>
        <div class="col-75">
            <div id="userStatus"></div>
            <button type="button" id="updateUserInfoButton"
class="adminModeratorButtonColor" name="submitInfo"
value="Submit">Submit</button>
        </div>
    </div>

    </div>
</div>

<div id="editInfoUser" class="tabcontent">
    <div class="container5 darkEmptyBackground">
        <div class="row">
            <div class="col-25">
                <label class="darkEmptyTextWhite "
for="fname">Password</label>
            </div>
            <div class="col-75">
                <input type="password" id="userPassword"
class="darkEmptyLightBackground darkEmptyTextWhite " name="password" >
            </div>
        </div>

        <div class="row">
            <div class="col-25">
                <label class="darkEmptyTextWhite" for="fname">Repeat
Password</label>
            </div>
            <div class="col-75">
                <input type="password" id="userRepeatPassword"
class="darkEmptyLightBackground darkEmptyTextWhite "
name="rePassword"/>
            </div>
        </div>

        <div class="row">
            <div class="col-25">
            </div>
            <div class="col-75">
                <div id="userPasswordStatus"></div>
            </div>
        </div>
    </div>

```

```
        <button type="button" disabled
id="updatePasswordUserButton" class="adminModeratorButtonColor
buttonDisable" name="submitPassword">Submit</button>
    </div>
</div>
</div>
</div>

<div class="cistac"></div>
</div>
<div class="cistac"></div>
</div>

<script type="text/javascript" src="assets/js/cekiran.js"></script>
<script type="text/javascript" src="assets/js/main.js"></script>
<script type="text/javascript" src="assets/js/user.js"></script>
```

### 6.5.2. SuccessBuy.php

```
<?php
    include "models/cart/functions.php";
    accessAllowCartSuccessPage();
?>
<div id="successBuyContainer">
    <div class="omotac">
        <div id="successBuy" class="darkEmptyLightBackground">
            <h2 class="darkEmptyTextWhite">Thank you!</h2>
            <p class="darkEmptyTextWhite">Your order has been
received.</p>
            <a href="index.php?page=user">Go to User page </a>
        </div>
    </div>
</div>

<script type="text/javascript" src="assets/js/cekiran.js"></script>
<script type="text/javascript" src="assets/js/main.js"></script>
```

### 6.5.3. resetPasswordEmail.php

```
<?php
    include "models/authentication/functions.php";
    checkLoginUser();
?>

<div id="login" class="darkEmptyLightBackground">
    <div id="loginContainer">
        <h2 class="darkEmptyTextWhite">RESET PASSWORD</h2>
        <form method="POST"
action="models/authentication/sendEmailforgotPassword.php">
            <input type="email" name="email" class="input
darkEmptyBackround" placeholder="Email" required>
            <button type="submit" class="input"
name="sendEmail">sendEmail</button>
        </form>
    </div>
    <div id="loginLinks">
        <a href="index.php?page=registration" class="btn1">Sign up</a>
        <a href="index.php?page=login" class="btn1">Sign in</a>
    </div>
</div>
```

```

        </div>

    </div>

<script type="text/javascript" src="assets/js/cekiran.js"></script>
<script type="text/javascript" src="assets/js/main.js"></script>

```

#### 6.5.4. registration.php

```

<?php
    include "models/authentication/functions.php";
    checkLoginUser();
?>
<div id="registration" class="darkEmptyLightBackground">
    <div id="registrationContainer">
        <label for="name"
class="darkEmptyTextWhite"><b>Name</b></label>
        <input type="text" class="darkEmptyBackround
darkEmptyTextWhite" id="fname" placeholder="Enter Name" name="imeReg">

        <label for="lastname" class="darkEmptyTextWhite"><b>Last
name</b></label>
        <input type="text" class="darkEmptyBackround
darkEmptyTextWhite" id="lname" placeholder="Enter Last Name"
name="prezimeReg">

        <label for="email"
class="darkEmptyTextWhite"><b>Email</b></label>
        <input type="text" class="darkEmptyBackround
darkEmptyTextWhite" id="regEmail" placeholder="Enter Email"
name="emailReg">

        <label for="address"
class="darkEmptyTextWhite"><b>Address</b></label>
        <input type="text" class="darkEmptyBackround
darkEmptyTextWhite" id="regAddress" placeholder="Enter Address"
name="addressReg">

        <label for="city"
class="darkEmptyTextWhite"><b>City</b></label>

```

```

        <input type="text" class="darkEmptyBackground
darkEmptyTextWhite" id="regCity" placeholder="Enter City"
name="cityReg">

        <label for="city" class="darkEmptyTextWhite"><b>Zip
code</b></label>
        <input type="text" class="darkEmptyBackground
darkEmptyTextWhite" id="regZipCode" placeholder="11420" name="cityReg">

        <label for="countryReg"
class="darkEmptyTextWhite"><b>Country</b></label>
        <select id="regCountry" class="darkEmptyBackground
darkEmptyTextWhite" name="countryReg">
            <?php $country=registrationCountry();
foreach($country as $item):?>
            <option value=<?=$item->idCountry?> ><?=$item->name?>
        </option>
            <?php endforeach;?>
        </select>

        <label for="psw"
class="darkEmptyTextWhite"><b>Password</b></label>
        <input type="password" class="darkEmptyBackground
darkEmptyTextWhite" id="regPassword" placeholder="Enter Password"
name="passwordReg">
        <div id="feedback"></div>

        <label for="psw" class="darkEmptyTextWhite"><b>Repeat
Password</b></label>
        <input type="password" class="darkEmptyBackground
darkEmptyTextWhite" id="regRepeatPassword" placeholder="Enter repeat
Password" name="passwordReg">
        <div id="feedback"></div>
        <input type="hidden" id="recaptcha"/>
        <button type="button" class="registerbtn"
id="registrationButton" name="submitReg">Register</button>
    </div>
    <div id="registrationLinks">
        <p>Already have an account? <a href="index.php?page=login"
class="btn1">Sign in</a></p>
    </div>
</div>

```

```

<script src="https://www.google.com/recaptcha/api.js?
render=6Lf_0NAUAAAAAOSzKHPSp2ijQCxCkHef7T7LNCu"></script>
<script>
    grecaptcha.ready(function() {
        grecaptcha.execute('6Lf_0NAUAAAAAOSzKHPSp2ijQCxCkHef7T7LNCu',
{action: 'homepage'}).then(function(token) {
            document.querySelector("#recaptcha").value=token
        });
    });
</script>
<script type="text/javascript" src="assets/js/cekiran.js"></script>
<script type="text/javascript" src="assets/js/main.js"></script>
<script type="text/javascript"
src="assets/js/registration.js"></script>

```

## 6.5.5. products.php

```

<?php include "models/products/functions.php";
include "models/poll/functions.php";

if(isset($_GET['page'])){
    $product=$_GET['page'];
} else{
    $product="iphone";
}

?>
<div class="dropbtn blokiraj"></div>

<div class="omotac">
    <div id="productsFilter" class="danger">Filter</div>
</div>

<div class="omotac">
    <div id="proizvodi">
        <div id="filteri">

```

```

<div id="meniLevo" class="darkEmptyLightBackground">
    <div id="linija">
        <div id="lista">
            <ul>
                <li>
                    <form id="pretraga">
                        <input type="text" id="search"
placeholder="Search..">
                    </form>
                </li>
                <li>
                    <div class="slidecontainer">
                        <input type="range" min="1" max="<?=
getMaxPrice($product) ->maxPrice;?>" value="<?= getMaxPrice($product) -
>maxPrice;?>" class="slider" id="myRange">
                            <p class="darkEmptyTextWhite" >prices range
from 0 to $<span id="demo"></span></p>
                    </div>
                </li>
                <li>
                    <div id="cena">
                        <label class="darkEmptyTextWhite">Sort
Price:</label>
                        <p class="btn danger asc
darkEmptyBackground">ASC <i class="fa fa-caret-down"></i></p>
                        <p class="btn danger desc
darkEmptyBackground">DESC<i class="fa fa-caret-up"></i></p>
                    </div>
                </li>
            </ul>
        </div>
    </div>
<?php $question=getQuestion(); if($question) :?>

<div id="poll" class="darkEmptyLightBackground">

    <div id="anketa_form" <?php
if(checkIpAddress($_SERVER['REMOTE_ADDR'])->number>=1)
{echo"class='none'"; }?>>
        <ul>
            <li>

```

```

        <p class="pollHead darkEmptyTextWhite"><?=$question-
>question?></p>
        </li>
        <?php $pollAnswer=getPollAnswer();
foreach($pollAnswer as $item):
?>
<li>
    <div class="inputGroup darkEmptyBackground">
        <input name="anketa_vrednsot" value="<?=$item-
>idPollAnswer?>" id="<?=$item->idPollAnswer?>" class="poll_option"
type="radio"/>
        <label class="darkEmptyTextWhite" for="<?=$item-
>idPollAnswer?>"><?=$item->answer?></label>
    </div>
</li>
<?php endforeach; ?>
<li>
    <button name="anketa_dugme" class="anketa_vrednost
darkEmptyBackground" id="sendPoll" >Submit</button>
</li>
</ul>
</div>

<button id="showResult" class="darkEmptyTextWhite
darkEmptyBackground <?php if(checkIpAddress($_SERVER['REMOTE_ADDR'])-
>number>=1){echo"none";}?>">Results</button>

<div class="odgovori <?php
if(checkIpAddress($_SERVER['REMOTE_ADDR'])->number>=1){echo'block';}?>">
    <p class="pollHead darkEmptyTextWhite">Poll Result</p>
    <div id="pollStatistic">
        <?=$pollResult();?>
    </div>
</div>
    <button id="returnPoll" class="anketa_vrednost
darkEmptyBackground">Return</button>

</div>
<?php endif; ?>

</div>
<div id="proizvodiDesno">
    <div id="p">

```

```

<?php
$productInfo = get_products($product);

foreach($productInfo as $item):?>
<div class="card">
    <?=calculatePercent($item->oldPrice,$item->newPrice)?>
    <img src=<?=$item->path?> alt=<?=$item->alt?>/>
    <h2 class="naziv"><?=$item->name?></h2>

    <div class="ratingProduct<?=$item->idProduct?>">
        <?php for($i=1;$i<round(retingForProductAvg($item->idProduct)-avg+1);$i++) :?>
            <span class="fa fa-star checked"></span>

        <?php endfor; ?>
        <?php
        if( round(retingForProductAvg($item->idProduct)-
>avg+1)==0 ) {
            $i=1;
        } else{
            $i=round(retingForProductAvg($item->idProduct)-
>avg+1);
        }
        for($i;$i<=5;$i++) :?>
            <span class="fa fa-star nochecked" ></span>
        <?php endfor; ?>

    </div>
    <?=salePriceCheck($item->oldPrice,$item->newPrice);?>
    <a href="index.php?page=oneProduct&idProduct=<?=$item->idProduct?>" class="kupiProizvod">buy</a>
</div>
<?php endforeach;?>

<div class="cistac">
</div>
</div>
<div class="center">
    <input type="hidden" id="pagFilter" value="1" />
    <input type="hidden" id="sortAscDesc" value="" />
    <input type="hidden" id="page" value=<?=$product?>" />
    <div id="pagination"></div>

```

```

        </div>
    </div>
    <div class="cistac"></div>
</div>
</div>

<script type="text/javascript" src="assets/js/main.js"></script>
<script type='text/javascript' src='assets/js/products.js'></script>
<script type="text/javascript" src="assets/js/cekiran.js"></script>
<script type="text/javascript" src='assets/js/poll.js'></script>

```

### 6.5.6. oneProduct.php

```

<?php
include "models/functions.php";
if(isset($_GET['idProduct'])) {

    $id = $_GET['idProduct'];
    checkProductId($id);
    $productImage = getProductImage($id);
    $rez=getProductInfo($id);
    if($rez==null){
        header("Location: index.php?page=home");
    }
    $comment=getComment($id);
    $commnetNumber=getCommentNumber($id);
    $allCommentNumber=getAllCommentNumber($id);

    $rating=retингForProduct($id,$_SERVER['REMOTE_ADDR']);
    if($rating){
        $ratingProductsNumber=$rating->rating;
    }else{
        $ratingProductsNumber=0;

    }
}else{

```

```

        header("Location: index.php?page=home");
    }

?>
<div class="omotac2">
    <div class="product">
        <div id="productImage">

            <div class="containerImageProduct">
                <?php foreach($productImage as $item) :?>
                <div class="mySlides">
                    alt?>"/>
                </div>
                <?php endforeach; ?>

                <button id="prev" ></button>
                <button id="next" >></button>

            </div>
        <div id="rowPicture">
            <?php foreach($productImage as $item) :?>
                <div class="column">
                    alt?>"/>
                </div>
            <?php endforeach; ?>

        </div>
    </div>

</div>

<div id="productInfo" class="darkEmptyLightBackground">
    <ul>
        <li class="productName darkEmptyTextWhite"><p><?=$rez->name?></p></li>
        <li class="productDesc darkEmptyTextWhite"><?=$rez->description?></li>
        <li id="starsContainer">
            <div id="stars">

```

```

<?php
for($i=1;$i<round(retingForProductAvg($id)->avg);$i++) :?>
    <span class="fa fa-star checked" data-
index=<?= $i ?>></span>
    <?php endfor; ?>
    <?php
        if( round(retingForProductAvg($id)->avg)==0 ) {
            $i=1;
        } else{
            $i=round(retingForProductAvg($id)->avg) ;
        }
        for($i;$i<=5;$i++) :?>
            <span class="fa fa-star nochecked" data-
index=<?= $i ?>></span>
        <?php endfor; ?>

        <input type="hidden" id="productIdrating" value=<?
=$_GET['idProduct'];?>>
        <input type="hidden" id="productRatingNumber"
value="<?= $ratingProductsNumber;?>"/>
        <input type="hidden" id="initialRating" value="<?=
retingForProductAvg($id)->avg?>"/>

    </div>
    <span id="ratingSpan"
class="darkEmptyTextWhite">(<?php if( retingForProductAvg($id)->avg
== "") {echo "No Votes"; }else{echo retingForProductAvg($id)->avg; } ?
>)</span>
    </li>
    <li><span> <?php if($rez->Quantity>=1) :?><span
class='sell darkEmptyTextWhite'><i class='fa fa-circle'></i>In stock
</span> <?php else: ?><span class='wait darkEmptyTextWhite'><i
class='fa fa-circle'></i>Out of stock </span><?php endif;?>
</span></li>
    <?=$salePriceCheckOneProduct($rez->oldPrice,$rez-
>newPrice) ;?>
    <li id="print"><a
href="https://www.facebook.com/sharer/sharer.php?u=https://markoitech.0
00webhostapp.com/index.php" class="podeliProizvodF"><i class="fa fa-
facebook"></i></a><a class="podeliProizvodT"
href="https://twitter.com/share?url=https://markoitech.000webhostapp.co
m/index.php"><i class="fa fa-twitter"></i></a><a href="mailto:?
subject=KD Best products
&body=https://markoitech.000webhostapp.com/index.php"

```

```

class="podeliProizvodM darkEmptyBackround">><i class="fa fa-
envelope"></i></a><a href=javascript:window.print()
class="podeliProizvodM darkEmptyBackround">><i class="fa fa-
print"></i></a><li>
    <li>
        <div id="shippingFree" class="darkEmptyBackround">
            <i class="fa fa-rocket darkEmptyTextWhite"></i>
            <p class="darkEmptyTextWhite">Free next-day
delivery</p>
        </div>
    </li>
    <input type="hidden" id="addProductToCartNumber"
value="0" />
    <?php if($rez->Quantity>=1) :?>
        <li>
            <button type="button" data-id=<?=$id?>">
class="minus-one buttonProducts" >-</button>
            <span class="productQuantity
darkEmptyTextWhite">0</span>
            <button type="button" data-id=<?=$id?>">
class="plus-one buttonProducts" >+</button>
            <button data-idcart=<?=$id?>
class="oneProductBuyButton buttonProducts">Add to cart <i class='fa fa-
shopping-cart'></i></button>
        </li>
    <?php endif;?>

    </ul>
</div>
</div>

<div id="commentContainer">
    <div class="omotac2">
        <div id="productComments">
            <span class="darkEmptyTextWhite"><?php if($allCommentNumber-
>total==1) {echo "1 Comment"; } else{echo $allCommentNumber->total . "
Comments"; } ?></span>
            <div id="sendComment">
                <?php if(isset($_SESSION['korisnik'])) { ?>
                <input type="hidden" id="productId" value=<?
                =$_GET['idProduct'] ;?>>
                <input type="hidden" id="userId" value=<?
                =$_SESSION["korisnik_id"] ;?>>

```

```

        <textarea id="commentValue" class="commentInput
darkEmptyLightBackground" placeholder="Add a public comment..."'
cols="30" rows="2"></textarea>
        <span id="noText"></span>
        <button class="commentButton"
id="addComment">Comment</button>
        <?php }else{ ?>
        <div class="logReg">
        <a href="index.php?page=login">Log in </a> or
        <a href="index.php?page=registration">Registration</a>
        </div>
        <?php } ?>
        </div>
</div>

<?php $i=1; foreach($comment as $item) :?>
<div class="comment ko kom<?=$i?>">
        <div class="mainComment darkEmptyLightBackground">
            <div class="userInfo darkEmptyTextWhite"><span class=<?
php if(($item->idRole=="1") || ($item->idRole=="3"))
{echo"adminCommentUserName"; }else{echo"commentUserName"; }?>><?php
if(($item->idRole=="1") || ($item->idRole=="3"))
{echo"iTech"; }else{echo"$item->name $item->lastName"; }?>></span><span
class="dateComment"><?=$item->date?></span></div>
            <p class="userComment darkEmptyTextWhite
darkEmptyTextWhite"><?=$item->comment?></p>
            <div class="buttonDivComment">
                <p class="moreRepliesButton <?php
if(repliesNumber($item->idComment)==0){echo "repliesNone"; }?>><?php
if(repliesNumber($item->idComment)==1){echo "View
reply"; }else{echo"View ".repliesNumber($item->idComment)." replies"; }?>
<i class="fa fa-sort-down"></i></p>
                <div>
                    <span class="delText delText<?=$item-
>idComment?>"></span>
                    <button class="replyButton" >Reply</button>
                    <?php if(isset($_SESSION['korisnik_id'])){>
if($_SESSION['korisnik']->idRole != 2 ){echo"<button class='delComment'
data-idcomment=$item->idComment><i class='fa
fa-close'></i></button>"; } } ?>
                </div>
            </div>
        </div>
    
```

```

<div class="replies">
    <div class="replayArea">
        <?php if(isset($_SESSION['korisnik'])){?>
            <input type="hidden" class="userId<?=$item-
>idComment?>" value=<?=$_SESSION["korisnik_id"];?>>
            <textarea placeholder="Add a public comment..." class="replayValue<?=$item->idComment?>" cols="30" rows="2"></textarea>
            <div class="buttonDivComment">
                <span class="noText"></span>
                <button class="addReply" data-id=<?=$item-
>idComment?> id="addReply">Add Reply</button>
            </div>
        <?php } else{ ?>
            <div class="logReg logRegReplies">
                <a href="index.php?page=login">Log in </a> or
                <a href="index.php?
page=registration">Registration</a>
            </div>
        <?php } ?>
    </div>
    <?php $replies=getRepliesComment($item->idComment) ;
foreach($replies as $items):?>
        <div class="comment repliesComment
darkEmptyLightBackground">
            <div class="userInfo darkEmptyTextWhite"><span class=<?
php if(($items->idRole=="1") || ($items->idRole=="3"))
{echo"adminCommentUserName"; }else{echo"commentUserName"; }?>><?php
if(($items->idRole=="1") || ($items->idRole=="3"))
{echo"iTech"; }else{echo"$items->name $items->lastName"; }?></span><span
class="dateComment"><?=$items->date?></span></div>
            <div class="commentRepliesContainer">
                <div class="userComment darkEmptyTextWhite"><?
=$items->text?></div>
                <div>
                    <?php if(isset($_SESSION['korisnik_id'])){?>
if($_SESSION['korisnik']->idRole != 2 ){echo"<span class='delText
delText$items->idReplies'></span><button class='delReplies' data-
idreplie=$items->idReplies><i class='fa fa-close'></i></button>"; } } ?>
                </div>
            </div>
        <?php endforeach;?>
    </div>
</div>

```

```

        <?php $i++; endforeach; ?>
        <div id="showMoreContainer" <?php if($commnetNumber->total<=3)
{echo" class='none'"; } ?> ><button id="showCommentButton" >Show more <i
class="fa fa-sort-down"></i></button></div>
</div>
</div>

<script type="text/javascript" src="assets/js/cekiran.js"></script>
<script type="text/javascript" src="assets/js/main.js"></script>
<script type="text/javascript" src="assets/js/oneProduct.js"></script>

```

### 6.5.7. oneNews.php

```

<?php

if(isset($_GET['id'])){
    include "models/poll/functions.php";
    include "models/news/functions.php";
    $id = $_GET['id'];
    $rez = getOneNews($id);
    if($rez==null){
        header("Location: index.php?page=news");
    }
} else{
    header("Location: index.php?page=news");
} ?>

<div class="omotac">
    <div id="newsContainer">
        <div id="newsText" class="darkEmptyLightBackground">
            <div id="newsInfoContainer">
                
                <div id="newsInfoText">
                    <h2 class="vestNaslov"><?=$rez->title?></h2>
                    <div id="fb-root"></div>

```

```

<p class="vestDatum"><?=$rez->date?></p>
<ul class="ss">
    <li id="print"><a href="https://www.facebook.com/sharer/sharer.php?u=https://markoitech.000webhostapp.com/index.php" class="podeliProizvodF"><i class="fa fa-facebook"></i></a><a class="podeliProizvodT" href="https://twitter.com/share?url=https://markoitech.000webhostapp.com/index.php"><i class="fa fa-twitter"></i></a><a href="mailto:?subject=KD Best products &body=https://markoitech.000webhostapp.com/index.php" class="podeliProizvodM"><i class="fa fa-envelope"></i></a><a href="javascript:window.print()" class="podeliProizvodM"><i class="fa fa-print"></i></a></li>
    </ul>
</div>
</div>
<div class="vestTekst darkEmptyBackgroundTable darkEmptyTextWhite"><?=$rez->text?></div>
</div>
<div id="newsOtherItems" class="darkEmptyBackground">
    <div id="newsProducts">
        <div class="slideshow-container">
        <?php
            $products=home();
            foreach($products as $item) :?>
            <div class="card cardMargin">
                <?=calculatePercent($item->oldPrice,$item->newPrice)?>
                alt?>"/>
                <h2 class="naziv"><?=$item->name?></h2>

                <div>
                <?php
                    for($i=1;$i<round(retингForProductAvg($item->idProduct)->avg+1);$i++) :?>
                    <span class="fa fa-star checked" data-index=<?=$i?>></span>
                <?php endfor; ?>
                <?php
                    if( round(retингForProductAvg($item->idProduct)->avg+1)==0 ){
                        $i=1;
                    }else{
                
```

```

        $i=round($ratingForProductAvg($item-
>idProduct)->avg+1);
    }
    for($i;$i<=5;$i++) :?>
        <span class="fa fa-star nochecked" data-
index=<?= $i ?>></span>
        <?php endfor; ?>

        </div>
        <?=salePriceCheck($item->oldPrice,$item-
>newPrice);?>
        <a href="index.php?
page=oneProduct&idProduct=<?=$item->idProduct?>">
            <?php $news=last4News();
foreach($news as $items) :?>
            <a href="index.php?page=oneNews&id=<?=$items-
>idNews?>">
                <div class="oneLastNews darkEmptyBackground">
                    <?php $news=last4News();
foreach($news as $items) :?>
                    <a href="index.php?page=oneNews&id=<?=$items-
>idNews?>">
                        <div class="oneLastNews darkEmptyBackground">
                            <img src=<?=$items->bigImage?>" alt="vest"/>
                            <div class="lastNewsParam">
                                <h2 class="darkEmptyTextWhite"><?
=$items->title?></h2>
                                <p class="darkEmptyTextWhite"><?
=$items->date?></p>
                            </div>
                        </div>
                    </a>
                <?php endforeach; ?>
            </div>
            <?php $question=getQuestion(); if($question):?>
                <div id="poll" class="darkEmptyLightBackground">
                    <div id="anketa_form" <?php
if(checkIpAddress($_SERVER['REMOTE_ADDR'])->number>=1)
{echo"class='none'";}?>>

```

```

<ul>
    <li>
        <p class="pollHead
darkEmptyTextWhite"><?=$question->question?></p>
    </li>
    <?php $pollAnswer=getPollAnswer();
foreach($pollAnswer as $item):
?>
    <li>
        <div class="inputGroup
darkEmptyBackground">
            <input name="anketa_vrednsot"
value="<?=$item->idPollAnswer?>" id="<?=$item->idPollAnswer?>"
class="poll_option" type="radio"/>
            <label
class="darkEmptyTextWhite" for="<?=$item->idPollAnswer?>"><?=$item-
>answer?></label>
        </div>
    </li>
    <?php endforeach; ?>
    <li>
        <button name="anketa_dugme"
class="anketa_vrednost darkEmptyBackground" id="sendPoll" class="btn
btn-primary" >Submit</button>
    </li>
</ul>
</div>
<button id="showResult"
class="darkEmptyTextWhite darkEmptyBackground <?php
if(checkIpAddress($_SERVER['REMOTE_ADDR'])->number>=1){echo"none";}??
>">Results</button>

<div class="odgovori newsPoll <?php
if(checkIpAddress($_SERVER['REMOTE_ADDR'])->number>=1){echo'block';}??
>
    <p class="pollHead
darkEmptyTextWhite">Poll Result</p>
    <div id="poll_result">
        <?=pollResult();?>
    </div>
</div>
<button id="returnPoll" class="anketa_vrednost
darkEmptyBackground">Return</button>
</div>

```

```

        <?php endif; ?>
    </div>
</div>

<script type="text/javascript" src="assets/js/cekiran.js"></script>
<script type="text/javascript" src="assets/js/main.js"></script>
<script type="text/javascript" src="assets/js/oneNews.js"></script>
<script type="text/javascript" src='assets/js/poll.js'></script>
<script type="text/javascript"
src="assets/plugins/slickSlider/slick.min.js"></script>
```

## 6.5.8. news.php

```

<div id="news">
    <?php
        include "models/news/functions.php";
        $news=news();
        foreach ($news as $item):
    ?>
    <div class="omotac">
        <a href="index.php?page=oneNews&id=<?=$item->idNews?>">
            <div class="vest darkEmptyLightBackground">
                <div class="vestLevo">
                    
                </div>
                <div class="vestDesno darkEmptyTextWhite">
                    <h2 ><?=$item->title?></h2>
                    <p id="datum" >News | <?=$item->date?></p>
                    <p ><?=implode(' ', array_slice(explode(' ', $item-
>text), 0, 30))?>...</p>
                </div>
            </div></a>
        </div>
        <?php endforeach;?>
    </div>
    <div id="newsPaginationContainer">
        <input type="hidden" id="pagNews" value="1" />
        <div id="newsPagination" class="pagination newsPaginationMargin">
        </div>
    </div>
    <script type="text/javascript" src="assets/js/cekiran.js"></script>
    <script type="text/javascript" src="assets/js/main.js"></script>
    <script type="text/javascript" src="assets/js/news.js"></script>
```

## 6.5.9. moderator.php

```
<?php
include "models/moderator/function.php";
accessAllowModeratorMain();

?>

<div id="hiddenNavContainer" class="darkEmptyLightBackground">
    <div id="adminModeratorHiddenNav" class="adminModeratorButtonColor
darkEmptyBackround">Navigations</div>
</div>
<div class="relative darkEmptyLightBackground" id="adminPanel">
    <div id="sidebar" class="darkEmptyBackground">
        <ul class="toggle-tabs ">
            <li>
                <div id="moderatoProductButton"
class="adminButtonTab darkEmptyLightBackground darkEmptyTextWhite"><i
class="fa fa-folder-open"></i>Product</div>
                <div onclick="selectTab(event,
'productModeratorTable')" id="defaultOpen" class="darkEmptyTextWhite
moderatorProductTab tablinks userButton"><i class="darkEmptyTextWhite
fa fa-minus"></i>All Products</div>
                <div onclick="selectTab(event,
'productModeratorAdd')" class="darkEmptyTextWhite moderatorProductTab
tablinks userButton"><i class="darkEmptyTextWhite fa fa-minus"></i>Add
Product</div>
            </li>
            <li>
                <div id="moderatoNewsButton" class="adminButtonTab
darkEmptyLightBackground darkEmptyTextWhite"><i class="fa fa-newspaper-o"></i> News</div>
                <div onclick="selectTab(event,
'newsModeratorTable')" class="darkEmptyTextWhite moderatorNewsTab
tablinks userButton"><i class="darkEmptyTextWhite fa fa-minus"></i>All
News</div>
                <div onclick="selectTab(event, 'newsModeratorAdd')"
class="darkEmptyTextWhite moderatorNewsTab tablinks userButton"><i
class="darkEmptyTextWhite fa fa-minus"></i>Add News</div>
            </li>
            <li>
```

```

                <div onclick="selectTab(event, 'ordersModerator')"
class="adminButtonTab tablinks darkEmptyLightBackground
darkEmptyTextWhite">
                    <span><i class="fa fa-cart-arrow-
down"></i>Orders</span>
                    <span class="badge orderBadge">
                        <?php
                            echo ordersNumber();
                        ?>
                    </span>
                </div>
            </li>
            <li>
                <div id="moderatoCategoryButton"
class="adminButtonTab darkEmptyLightBackground darkEmptyTextWhite"><i
class="fa fa-tag"></i>Category</div>
                    <div onclick="selectTab(event,
'categoryModeratorTable')" class="darkEmptyTextWhite
moderatorCategoryTab tablinks userButton" ><i class="darkEmptyTextWhite
fa fa-minus"></i>All Categories</div>
                    <div onclick="selectTab(event,
'categoryModeratorAdd')" class="darkEmptyTextWhite
moderatorCategoryTab tablinks userButton"><i class="darkEmptyTextWhite
fa fa-minus"></i>Add Category</div>
                </li>
                <li>
                    <div id="moderatoNewsletterButton"
class="adminButtonTab darkEmptyLightBackground darkEmptyTextWhite"><i
class="fa fa-envelope-open"></i>Newsletter</div>
                    <div onclick="selectTab(event,
'newsletterModeratorTable')" class="darkEmptyTextWhite
moderatorNewsletterTab tablinks userButton"><i
class="darkEmptyTextWhite fa fa-minus"></i>All Newsletters</div>
                    <div onclick="selectTab(event,
'newsletterModeratorAdd')" class="darkEmptyTextWhite
moderatorNewsletterTab tablinks userButton"><i
class="darkEmptyTextWhite fa fa-minus"></i>Add Newsletter</div>
                </li>
                <li>
                    <div id="moderatoPollButton" class="adminButtonTab
darkEmptyLightBackground darkEmptyTextWhite"><i class="fa fa-
server"></i>Poll</div>
                    <div onclick="selectTab(event,
'pollModeratorAdd')" class="darkEmptyTextWhite moderatorPollTab
darkEmptyTextWhite"></div>
                </li>
            </ul>
        </div>
    </div>

```

```

tablinks userButton"><i class="darkEmptyTextWhite fa fa-minus"></i>All
Polls</div>
            <div onclick="selectTab(event,
'pollModeratorStatistic')" class="darkEmptyTextWhite moderatorPollTab
tablinks userButton"><i class="darkEmptyTextWhite fa fa-
minus"></i>Statistic</div>
            <div onclick="selectTab(event,
'pollModeratorTable')" class="darkEmptyTextWhite moderatorPollTab
tablinks userButton"><i class="darkEmptyTextWhite fa fa-minus"></i>Add
Poll</div>
        </li>
        <li>
            <div id="moderatoContryButton"
class="adminButtonTab darkEmptyLightBackground darkEmptyTextWhite"><i
class="fa fa-globe"></i>Contry</div>
            <div onclick="selectTab(event,
'contryModeratorTable')" class="darkEmptyTextWhite moderatorContryTab
tablinks userButton"><i class="darkEmptyTextWhite fa fa-minus"></i>All
Contries</div>
            <div onclick="selectTab(event,
'contryModeratorAdd')" class="darkEmptyTextWhite moderatorContryTab
tablinks userButton"><i class="darkEmptyTextWhite fa fa-minus"></i>Add
Contry</div>
        </li>
    </ul>
</div>
<div id="proizvodiDesno" class="tabbed-content-wrap">
    <div id="productModeratorTable" class="cdd tabcontent
defaultOpen ordersSection">
        <button id="productStatusButton" class="darkEmptyBackground
darkEmptyTextWhite ordersButton adminModeratorButtonColor">Sorted by
status</button>
        <div id="productStatusSection"
class="filterButtonModAdmin">
            <button type="button" data-idstatus="1"
class="darkEmptyBackground darkEmptyTextWhite productStatus
adminModButtonHidden">In stock <span class='sell'> <i class='fa fa-
circle'></i></span></button>
            <button type="button" data-idstatus="0"
class="darkEmptyBackground darkEmptyTextWhite productStatus
adminModButtonHidden">Out of stock <span class='wait'><i class='fa fa-
circle'></i></span></button>
    
```

```

        <button type="button" data-idstatus="" 
class="darkEmptyBackground darkEmptyTextWhite productStatus
adminModButtonHidden">Clear</button>
        <input type="hidden" id="productStatusInput" value="" />
    </div>

        <button id="productCategoryButton" 
class="darkEmptyBackground darkEmptyTextWhite ordersButton
adminModeratorButtonColor">Products Category</button>
    <div id="productCategorySection" 
class="filterButtonModAdmin">
        <?php $productCategory=getCategory() ;
foreach($productCategory as $item) :?>
            <button type="button" data-idcategory=<?=$item-
>idCategory?> class="darkEmptyBackground darkEmptyTextWhite
productCategory adminModButtonHidden"><?=$item->name?></button>
        <?php endforeach; ?>
            <button type="button" data-idstatus="" 
class="darkEmptyBackground darkEmptyTextWhite productCategory
adminModButtonHidden">Clear</button>
            <input type="hidden" id="productCategoryInput"
value="" />
        </div>

        <button id="productSearchButton" class="darkEmptyBackground
darkEmptyTextWhite ordersButton adminModeratorButtonColor">Search
product</button>
        <div id="productSearchSection">
            <input id="productSearchInput"
class="adminModeratorSearch" type="text" name="search"
placeholder="Search....">

        </div>

        <table class="darkEmptyBackgroundTable responsiveTable
darkEmptyTextWhite tableAdminModerator" >
            <thead>
                <tr>
                    <th scope="col"></th>
                    <th scope="col"></th>
                    <th scope="col">Description</th>
                    <th scope="col">New price</th>
                    <th scope="col">Categories</th>
                    <th scope="col">Availability</th>

```

```

        <th scope="col">Edit</th>
        <th scope="col">Edit price</th>
        <th scope="col">Delete</th>
    </tr>
</thead>
<tbody id="prikazProizvoda">
<?php
    $product = proizvodi();

    foreach($product as $item):
?>
<tr>
    <td data-label=""><img src=<?= $item->path ?>" alt=<?= $item->alt ?>" class="slikaModerator"/></td>
    <td data-label=""><?= $item->name ?></td>
    <td data-label="Description"><?= $item->description ?></td>
    <td data-label="New price">&#36; <?= $item->newPrice ?>.00</td>
    <td data-label="Categories"><?= $item->knaziv ?></td>
    <td data-label="Availability"> <?php
if($item->Quantity>=1):?>In stock <span class='sell'> <i class='fa fa-circle'></i></span> <?php else: ?>Out of stock <span class='wait'> <i class='fa fa-circle'></i></span><?php endif;?></td>
    <td data-label="Edit"><a class="plava" href="index.php?page=editProduct&idEditProduct=<?= $item->idProduct ?>"><i class="fa fa-cog"></i></a></td>
    <td data-label="Edit price"><a class="green plava" href="index.php?page=editPrice&id=<?= $item->idProduct ?>"><i class="fa fa-dollar"></i></a></td>
    <td data-label="Delete"><button type="button" class="f brisanjeProizvod adminModeratorButton" data-id="<?= $item->idProduct ?>"><i class="fa fa-close"></i></button></td>
</tr>
<?php endforeach;?>
</tbody>
</table>

        <input type="hidden" id="pagFilterModeratorProducts" value="1" />
        <div id="paginationModeratorProducts" class="pagination paginationAdminMod"></div>
    </div>

```

```

        <div id="productModeratorAdd" class="darkEmptyBackground
darkEmptyTextWhite container5 mod tabcontent">
            <form method="post" action="" enctype="multipart/form-data"
id="myform">
                <div class="row">
                    <div class="col-25">
                        <label for="fname">Image</label>
                    </div>
                    <div class="col-75">
                        <input type="hidden" name="idSkriveno" />
                        <button type="button" id="addImageProductModerator"
onclick="document.getElementById('profilePhoto').click()"
class="adminModeratorImageButton ">Add photo</button>
                        <span id="profilePhotoValue"></span>
                        <input type="file" name="slika"
id="profilePhoto" style="display:none;">
                        onchange="document.getElementById('profilePhotoValue').innerHTML=this.v
alue;" />
                    </div>
                </div>

                <div class="row">
                    <div class="col-25">
                        <label for="fname">Image</label>
                    </div>
                    <div class="col-75">
                        <input type="hidden" name="idSkriveno" />
                        <button type="button"
id="addImageMultiProductModerator" onclick="document.getElementById('mul
tiProfilePhoto').click()" class="adminModeratorImageButton">Add
photos</button>
                        <span id="multiProfilePhotoValue"></span>
                        <input type="file" name="multiImage[]">
                        <input type="file" name="multiImage[]"
id="multiProfilePhoto" style="display:none;">
                        onchange="document.getElementById('multiProfilePhotoValue').innerHTML=t
his.value;" multiple />
                    </div>
                </div>

                <div class="row">
                    <div class="col-25">
                        <label for="lname">Alt</label>
                    </div>

```

```

        <div class="col-75">
            <input type="text" class="darkEmptyLightBackground
darkEmptyTextWhite" id="altInsertProduct" name="alt"/>
        </div>
    </div>
    <div class="row">
        <div class="col-25">
            <label for="lname">Name</label>
        </div>
        <div class="col-75">
            <input type="text" class="darkEmptyLightBackground
darkEmptyTextWhite" id="nameInsertProduct" name="naziv" />
        </div>
    </div>
    <div class="row">
        <div class="col-25">
            <label for="lname">Description</label>
        </div>
        <div class="col-75">
            <input type="text" class="darkEmptyLightBackground
darkEmptyTextWhite" id="descInsertProduct" name="opis" />
        </div>
    </div>
    <div class="row">
        <div class="col-25">
            <label for="lname">Old price</label>
        </div>
        <div class="col-75">
            <input type="text" class="darkEmptyLightBackground
darkEmptyTextWhite" id="oldPriceInsertProduct" name="stara" />
        </div>
    </div>
    <div class="row">
        <div class="col-25">
            <label for="lname">New price</label>
        </div>
        <div class="col-75">
            <input type="text" class="darkEmptyLightBackground
darkEmptyTextWhite" id="newPriceInsertProduct" name="nova" />
        </div>
    </div>

```

```

<div class="row">
    <div class="col-25">
        <label for="lname">Quantity</label>
    </div>
    <div class="col-75">
        <input type="text" class="darkEmptyLightBackground
darkEmptyTextWhite" id="quantityInsertProduct" name="quantity" />
    </div>

</div>

<div class="row">
    <div class="col-25">
        <label for="country">Categories</label>
    </div>
    <div class="col-75">
        <select id="categoryInsertProduct"
class="darkEmptyLightBackground darkEmptyTextWhite" name="kategorije">
            <option value="0">Choose..</option>
            <?php
                $category=category();
                foreach($category as $item):
            ?>
            <option value="=$item-&gt;idCategory?&gt;"&gt;
&gt;&lt;?=$item-&gt;name?&gt;&lt;/option&gt;
            &lt;?php endforeach; ?&gt;
        &lt;/select&gt;
    &lt;/div&gt;
&lt;/div&gt;
&lt;div class="row"&gt;
    &lt;div class="col-25"&gt;
        &lt;label for="country"&gt;Add to home page&lt;/label&gt;
    &lt;/div&gt;
    &lt;div class="col-75"&gt;
        &lt;div class="row"&gt;
            &lt;select id="homeInsertProduct"
class="darkEmptyLightBackground darkEmptyTextWhite" name="istaknut"&gt;
            &lt;?php
                $homeProduct = homeProduct();
                foreach($homeProduct as $item):
                    if($item-&gt;idHomeProduct ==
$korisnik-&gt;idHomeProduct) : ?&gt;
</pre

```

```

                <option selected value="= $item-
&gt;idHomeProduct ?&gt;"&gt;&lt;?= $item-&gt;name ?&gt;&lt;/option&gt;
                &lt;?php
                    else:
                ?&gt;
                &lt;option selected value="<?= $item-
&gt;idHomeProduct ?&gt;"&gt;&lt;?= $item-&gt;name ?&gt;&lt;/option&gt;
                &lt;?php
                    endif;
                endforeach;?&gt;
            &lt;/select&gt;
        &lt;/div&gt;
    &lt;/div&gt;

    &lt;div class="row"&gt;
        &lt;span id="insertProductStatusModerator"&gt;&lt;/span&gt;
    &lt;/div&gt;

    &lt;div class="row"&gt;
        &lt;div class="col-25"&gt;
        &lt;/div&gt;
        &lt;div class="col-75"&gt;
            &lt;button id="insertProductButton"
class="buttonDisable adminModeratorButtonColor" disabled type="button"
name="dodajProizvod" &gt;Submit&lt;/button&gt;
        &lt;/div&gt;
    &lt;/div&gt;
    &lt;/form&gt;
&lt;/div&gt;

&lt;div id="newsModeratorAdd" class="darkEmptyBackground
darkEmptyTextWhite container5 mod tabcontent"&gt;
    &lt;form action="models/moderator/news/addNews.php"
method="POST" enctype="multipart/form-data" &gt;
        &lt;div class="row"&gt;
            &lt;div class="col-25"&gt;
                &lt;label for="fname"&gt;Image&lt;/label&gt;
            &lt;/div&gt;
            &lt;div class="col-75"&gt;
                &lt;input type="hidden" name="idSkriveno" /&gt;
</pre

```

```

                <button type="button" id="addNewsImageModerator"
onclick="document.getElementById('profilePhoto2').click()"
class="adminModeratorImageButton">Add photo</button>
                <span id="profilePhotoValue2"></span>
                <input type="file" name="slikaVest"
id="profilePhoto2" style="display:none;" 
onchange="document.getElementById('profilePhotoValue2').innerHTML=this.
value;" />

            </div>
        </div>
        <div class="row">
            <div class="col-25">
                <label for="lname">Title</label>
            </div>
            <div class="col-75">
                <input type="text" class="darkEmptyLightBackground
darkEmptyTextWhite" id="newsTitle" name="title"/>
            </div>
        </div>
        <div class="row">
            <div class="col-25">
                <label for="lname">Text</label>
            </div>
            <div class="col-75">
                <textarea class="form-control darkEmptyLightBackground
darkEmptyTextWhite" id="summary-ckeditor" name="tekstUpis"></textarea>
            </div>
        </div>
        <span id="newsTextModeratorStatus"></span>
        <div class="row">
            <div class="col-25">
                </div>
            <div class="col-75">
                <input type="submit" id="addNewsModerator"
class="adminModeratorButtonColor buttonDisable
adminModeratorButtonColor" disabled name="dodajVest" value="Submit">
            </div>
        </div>
    </form>
</div>

```

```

<div id="newsModeratorTable" class="tabcontent">
    <table class="darkEmptyBackgroundTable darkEmptyTextWhite
tableAdminModerator adminModeratorMargin ">
        <thead>
            <tr>
                <th scope="col"></th>
                <th scope="col">Title</th>
                <th scope="col">Date</th>
                <th scope="col">Edit</th>
                <th scope="col">Delete</th>
            </tr>
        </thead>
        <tbody id="prikazVesti">
            <?php

                $news = news();
                foreach($news as $item):
            ?>
            <tr>
                <td data-label=""><img src=<?= $item-
>image ?>" alt=<?= $item->title ?>" class="slikaModerator"/></td>
                <td data-label="Title"><?= implode(' ', 
array_slice(explode(' ', $item->title), 0, 3))?>...</td>
                <td data-label="Date"><?= $item->date ?>
            </td>
                <td data-label="Edit"><a class="plava"
href="index.php?page=editNews&idNews=<?= $item->idNews ?>"><i class="fa
fa-cog"></i></a></td>
                <td data-label="Delete"><button
type="button" class="f brisanjeVesti adminModeratorButton" data-
idvest=<?= $item->idNews ?>"><i class="fa fa-close"></i></button></td>
            </tr>
        <?php endforeach;?>
    </tbody>
</table>

<input type="hidden" id="pagFilterModeratorNews" value="1"
/>
    <div id="paginationModeratorNews" class="pagination
paginationAdminMod">
        </div>
    </div>

```

```

<div id="ordersModerator" class="tabcontent ordersSection">
    <button id="statisticButton" class="darkEmptyBackround
darkEmptyTextWhite ordersButton
adminModeratorButtonColor">Statistic</button>
    <div id="statisticHidden">
        <p>This Year: </p><hr>
        <div class="buttonOrders">
            <span class="darkEmptyBackround
darkEmptyTextWhite">Sum of sell products: <?= numberSellProducts() ->qu;?></span>
            <span class="darkEmptyBackround
darkEmptyTextWhite">Sum total cost of all orders: <?=sumOrdersPrice() ->total;?></span>
        </div>
        <div class="statisticDetails">
            <span class="darkEmptyBackround
darkEmptyTextWhite">Top 5 Products of the Year</span>
            <?php $items=topProducts();
            $i=1;
            foreach($items as $item) :?>
            <span class="darkEmptyBackround
darkEmptyTextWhite"><?=$i?>: <?=$item->name;?> <span
class="sellsBadge">Sells:<?=$item->number;?></span></span>
            <?php $i++; endforeach;?>
        </div>
        <p>This Month: </p><hr>
        <div class="buttonOrders">
            <span class="darkEmptyBackround
darkEmptyTextWhite">Number of sell products this Month: <?= numberSellProductsThisMonth() ->qu;?></span>
            <span class="darkEmptyBackround
darkEmptyTextWhite">Sum total cost of orders this month: <?
= sumOrdersPriceMonth() ->total;?></span>
        </div>
        <div class="statisticDetails">
            <span class="darkEmptyBackround
darkEmptyTextWhite">Top 5 Products this Month</span>
            <?php $items=topProductsMonth();
            $i=1;
            foreach($items as $item) :?>
            <span class="darkEmptyBackround
darkEmptyTextWhite"><?=$i?>: <?=$item->name;?> <span
class="sellsBadge">Sells:<?=$item->number;?></span></span>
            <?php $i++; endforeach;?>
        </div>
    </div>

```

```

                </div>
            </div>

            <button id="paymentMethodButton"
class="darkEmptyBackground darkEmptyTextWhite ordersButton
adminModeratorButtonColor">Payment method</button>
            <div id="paymentMethodOrderSection"
class="filterButtonModAdmin">
                <?php $payment=getPaymentMethod();
foreach($payment as $item):
?>
                <button type="button" data-idpayment=<?
=$item->idOrderPaymentMethod?> class="darkEmptyModeratorAdminButton
darkEmptyTextWhite paymentButton"><?=$item->name?></button>

                <?php endforeach; ?>
                <button type="button" data-idpayment="""
class="paymentButton darkEmptyModeratorAdminButton
darkEmptyTextWhite">Clear</button>
                <input type="hidden" id="paymentOrder"
value="" />
            </div>

            <button id="statusButton" class="darkEmptyBackground
darkEmptyTextWhite ordersButton adminModeratorButtonColor">Sorted by
status</button>
            <div id="sortOrdersSection"
class="filterButtonModAdmin">
                <?php $status=getStatus();
foreach($status as $item):
?>
                <?php if($item->idOrderStatus==1) {
echo "<button type='button' data-
idstatus=$item->idOrderStatus class='darkEmptyModeratorAdminButton
darkEmptyTextWhite ordersB'>$item->name <span class='wait'><i class='fa
fa-circle'></i></span></button>";
} elseif($item->idOrderStatus==2) {
echo "<button type='button' data-
idstatus=$item->idOrderStatus class='darkEmptyModeratorAdminButton
darkEmptyTextWhite ordersB'>$item->name <span class='sell'> <i
class='fa fa-circle'></i></span></button>";
} else{
?>
                <?php } ?>
            </div>
        </div>
    </div>

```

```

echo "<button type='button' data-
idstatus=$item->idOrderStatus class='darkEmptyModeratorAdminButton
darkEmptyTextWhite ordersB'$item->name <span class='error'><i
class='fa fa-circle'></i></span></button>";
}

?>

<?php endforeach; ?>
<button type="button" data-idstatus=""
class="darkEmptyModeratorAdminButton darkEmptyTextWhite
ordersB">CLEAR</button>
<input type="hidden" id="statusOrder"
value="" />
</div>
<button id="searchButton" class="darkEmptyBackground
darkEmptyTextWhite ordersButton adminModeratorButtonColor">Search
id</button>
<div id="searchOrdersSection">
<p>Search idOrdes</p>
<input id="inputOrder"
class="adminModeratorSearch" type="text" name="search"
placeholder="Search..">
</div>
<button id="dateOrdesButton" class="darkEmptyBackground
darkEmptyTextWhite ordersButton adminModeratorButtonColor">Filtred by
Date</button>
<div id="dateSection">
<input class="darkEmptyBackground
darkEmptyTextWhite" id="datumOd" type="date"/>
<input class="darkEmptyBackground
darkEmptyTextWhite" id="datumDo" type="date"/>
<button id="searchDate"
class="adminModeratorButtonColor">Search Date</button>
</div>

<table class="darkEmptyBackgroundTable responsiveTable
darkEmptyTextWhite tableAdminModerator tableOrders">
<thead>
<tr>
<th scope="col">Orders Id</th>
<th scope="col">Price</th>
<th scope="col">Date</th>
<th scope="col">User name</th>

```

```

        <th scope="col">Payment Method</th>
        <th scope="col">Status</th>
        <th scope="col">Info</th>
    </tr>
    </thead>
    <tbody id="orderProducts" >
    <?php

        $orders = ordersInformation();
        foreach($orders as $item) :
    ?>
    <tr>
        <td data-label="Orders Id"><?= $item-
>idOrders?></td>
        <td data-label="Price"><?= $item->total?></td>
        <td data-label="Date"><?= $item->dateOrders;?
></td>
        <td data-label="User name"><?= $item->name?> <?
= $item->lastName?></td>
        <td data-label="Payment Method"><?= $item-
>payment?></td>
        <td data-label="Status"><?php
            if($item->idOrderStatus==1){
                echo "Processing in progress <span
class='wait'>i class='fa fa-circle'</i></span>";
            }elseif($item->idOrderStatus==2){
                echo "Delivered <span class='sell'> <i
class='fa fa-circle'></i></span>";
            }else{
                echo "Canceled <span class='error'>i
class='fa fa-circle'</i></span>";
            }
        ?></td>
        <td data-label="Info" class="details"><a
href="index.php?page=orderDetails&id=<?=$item->idOrders?
>">Details</a></td>
    </tr>
    <?php endforeach;?>
</tbody>
</table>
<input type="hidden" id="pagFilterModeratorOrder" value="1" />
<div id="paginationModeratorOrder" class="pagination
paginationAdminMod">

```

```

        </div>
        </div>
        <div id="categoryModeratorTable" class="tabcontent" >
        <table id="category" class="darkEmptyBackgroundTable
darkEmptyTextWhite tableAdminModerator adminModeratorMargin ">
            <thead>
                <tr>
                    <th scope="col">Category Id</th>
                    <th scope="col">Name</th>
                    <th scope="col">Edit</th>
                    <th scope="col">Delete</th>

                </tr>
            </thead>
            <tbody id="showCategory">
                <?php $category=getCategory();
                foreach($category as $item):
                ?>
                <tr>
                    <td data-label="Category Id"><?=$item-
>idCategory?></td>
                    <td data-label="Name"><?=$item->name?></td>
                    <td data-label="Edit"><button
class="buttonCategory plava adminModeratorButton" data-idcategory=<?
=$item->idCategory?>
onclick="document.getElementById('id01').style.display='block'"><i
class="fa fa-cog"></i></button></td>
                    <td data-label="Delete"><button
class="deleteCategoryButton f adminModeratorButton " data-idcategory=<?
=$item->idCategory?> type="button"><i class="fa fa-
close"></i></button></td>
                </tr>
            <?php endforeach;?>
        </tbody>
    </table>
    <input type="hidden" id="pagFilterModeratorCategory" value="1"
/>
    <div id="paginationModeratorCategory" class="pagination
paginationAdminMod">

        </div>
        </div>

```

```

<div id="id01" class="modal">
    <div class="modalAdminModerator container5
darkEmptyLightBackground darkEmptyTextWhite darkEmptyTextWhite">
        <div class="row">
            <span
                onclick="document.getElementById('id01').style.display='none'"
                class="close" title="Close Modal"><i class="darkEmptyTextWhite fa fa-
close"></i></span>
        </div>
        <div class="row">
            <h2>Edit Category</h2>
        </div>
        <div class="row">
            <div class="col-25">
                <label for="fname">Name</label>
            </div>
            <div class="col-75">
                <input class="darkEmptyBackround
darkEmptyTextWhite" type="text" id="updateCategoryName"
placeholder="Add Category..." name="categoryName"/>
                <input type="hidden" id="categotyEditId"
value="" />
            </div>
        </div>
        <div class="row">
            <div class="col-25">
                </div>
            <div class="col-75">
                <span id="categoryEditStatus"></span>
                <button type="button" id="editCategoryButton"
class="darkEmptyBackround adminModeratorButtonColor"
name="editCategory">Submit</button>
            </div>
        </div>
    </div>
    <div id="categoryModeratorAdd" class="tabcontent container5 mod
darkEmptyBackround darkEmptyTextWhite">
        <div class="row">
            <div class="col-25">
                <label for="fname">Category name</label>
            </div>

```

```

        <div class="col-75">
            <input class="darkEmptyLightBackground
darkEmptyTextWhite" type="text" id="categoryName" placeholder="Add
Category . . ." name="categoryName"/>
        </div>
    </div>
    <div class="row">
        <span id="categoryStatus"></span>
    </div>
    <div class="row">
        <div class="col-25">
        </div>
        <div class="col-75">
            <button type="button" disabled
class="buttonDisable adminModeratorButtonColor" id="addCategoryButton"
name="addCategory">Add</button>
        </div>
    </div>

</div>

</div>

<div id="newsletterModeratorAdd" class="tabcontent container5
mod darkEmptyBackground darkEmptyTextWhite">

    <div class="row">
        <div class="col-25">
            <label for="fname">Newsletter title</label>
        </div>
        <div class="col-75">
            <input class="darkEmptyLightBackground
darkEmptyTextWhite" id="newsletterTitle" name="title" type="text"/>
        </div>
    </div>
    <div class="row">
        <div class="col-25">
            <label for="fname">Newsletter code</label>
        </div>
        <div class="col-75">
            <textarea id="newsletterCode"
class="darkEmptyLightBackground darkEmptyTextWhite"
name="code"></textarea>
        </div>
    </div>

```

```

        </div>

        <div class="row">
            <div class="col-25">
            </div>
            <div class="col-75">
                <button id="newsletterButtonModerator"
class="adminModeratorButtonColor buttonDisable" disabled
name="button">Send</button>
            </div>
        </div>

    </div>

    <div id="newsletterModeratorTable" class="tabcontent
newslettermoderator" >
        <div id="newsletterCount" class="darkEmptyBackground
darkEmptyTextWhite "><p>number of subscribed users: <?
=newsletterCount()->number?></p> <p>New users: <?
=newUsersNewsletterCount()->number?></p></div>
        <table class="darkEmptyBackgroundTable darkEmptyTextWhite
tableAdminModerator ">
            <thead>
                <tr>
                    <th scope="col">Newsletter Id</th>
                    <th scope="col">Title</th>
                    <th scope="col">Date</th>
                    <th scope="col">Edit</th>
                    <th scope="col">Delete</th>
                </tr>
            </thead>
            <tbody id="newsletterTbody">
                <?php include
"models/moderator/newsletter/functions.php";
                $allNewsletter=getAllNewsletter();
                foreach($allNewsletter as $item):
                ?>

                <tr>
                    <td data-label="Newsletter Id"><?=$item-
>idNewsletter?></td>
                    <td data-label="Newsletter Id"><?=$item->title?>
                </td>
            
```

```

        <td data-label="Date"><?= $item->date?></td>
        <td data-label="Edit"><a class="plava
adminModeratorButton" href="index.php?page=editNewsletter&id=<?=$item-
>idNewsletter?>"><i class="fa fa-cog"></i></a></td>
        <td data-label="Delete"><button
class="deleteNewsletterButton f adminModeratorButton " data-
idnewsletter="<?=$item->idNewsletter?>"><i class="fa fa-
close"></i></button></td>
    </tr>

    <?php endforeach; ?>
</tbody>
</table>
<input type="hidden" id="pagFilterModeratorNewsletter"
value="1" />
<div id="paginationModeratorNewsletter" class="pagination
paginationAdminMod">

</div>
</div>

<div id="pollModeratorTable" class="tabcontent container5 mod
darkEmptyBackground darkEmptyTextWhite">
    <div class="row">
        <div class="col-25">
            <label for="fname">Question</label>
        </div>
        <div class="col-75">
            <input class="darkEmptyLightBackground
darkEmptyTextWhite" type="text" id="question"/>
        </div>
    </div>
    <div class="row">
        <div class="col-25">
            <label for="fname">Answers number</label>
        </div>
        <div class="col-75">
            <input class="darkEmptyLightBackground
darkEmptyTextWhite" type="number" id="numberAnswers"/>
        <div id="inputPoll">
        </div>
        </div>
    </div>

```

```

<div class="row">
    <div class="col-25">
        </div>
    <div class="col-75">
        <span id="pollStatus"></span>
        <button class="adminModeratorButtonColor
buttonDisable" disabled id="insertPollButton">Insert</button>
    </div>
</div>

<div id="pollModeratorStatistic" class="tabcontent
darkEmptyTextWhite">
    <?= pollResult(); ?>
</div>

<div id="pollModeratorAdd" class="tabcontent moderatorPoll">
    <table class="darkEmptyBackgroundTable darkEmptyTextWhite
tableAdminModerator adminModeratorMargin ">
        <thead>
            <tr>
                <th scope="col">Id</th>
                <th scope="col">Question</th>
                <th scope="col">Active</th>
                <th scope="col">Statistic</th>
                <th scope="col">Edit</th>
                <th scope="col">Delete</th>
            </tr>
        </thead>
        <tbody id="pollTableBody">
            <?php
                $allPoll=viewAllPoll();
                foreach($allPoll as $item):
            ?>
            <tr>
                <td data-label="Id"><?=$item->idPoll?></td>
                <td data-label="Question"><?=$item->question?
            ></td>
                <td data-label="Active"><?php
                    pollUpdateStatus($item->status,$item->idPoll)?></td>
                <td data-label="Statistic"><button
                    onclick="document.getElementById('polStatisticModal').style.display='bl

```

```

ock'" class="plava pollStatistic adminModeratorButton" data-id=<?
=$item->idPoll?>><i class="fa fa-bar-chart"></i></button></td>
<td data-label="Edit"><a class="plava"
href="index.php?page=editPoll&id=<?=$item->idPoll?>"><i class="fa fa-
cog"></i></a></td>
<td data-label="Delete"><button
class="deletePoll f adminModeratorButton" data-idpoll="<?=$item-
>idPoll?>"><i class="fa fa-close"></i></button></td>
</tr>

<?php endforeach; ?>
</tbody>
</table>
<input type="hidden" id="pagFilterModeratorPoll" value="1" />
<div id="paginationModeratorPoll" class="pagination
paginationAdminMod">

</div>
</div>

<div id="polStatisticModal" class="modal " >
    <div id="pollStatisticContainer"
class="darkEmptyLightBackground darkEmptyTextWhite">
        <span
onclick="document.getElementById('polStatisticModal').style.display='no
ne'" class="close" title="Close Modal"><i class="darkEmptyTextWhite fa
fa-close"></i></span>
        <div id="pollTable"></div>
    </div>
</div>

<div id="contryModeratorTable" class="tabcontent">
    <table id="category" class="darkEmptyBackgroundTable
darkEmptyTextWhite tableAdminModerator adminModeratorMargin ">
        <thead>
            <tr>
                <th scope="col">Country Id</th>
                <th scope="col">Name</th>
                <th scope="col">Edit</th>
                <th scope="col">Delete</th>
            </tr>
        </thead>

```

```

<tbody id="showContry">
    <?php $country=getCountry() ;
    foreach($country as $item) :
    ?>
    <tr>
        <td data-label="Contry Id"><?=$item-
>idCountry?></td>
        <td data-label="Name"><?=$item->name?></td>
        <td data-label="Edit"><button
class="buttonContry plava adminModeratorButton" data-idcountry=<?
=$item->idCountry?>
onclick="document.getElementById('contryModal').style.display='block'">
<i class="fa fa-cog"></i></button></td>
        <td data-label="Delete"><button
class="deleteContryButton f adminModeratorButton " data-idcountry=<?
=$item->idCountry?> type="button"><i class="fa fa-
close"></i></button></td>
    </tr>
    <?php endforeach;?>
</tbody>
</table>
<input type="hidden" id="pagFilterModeratorContry"
value="1" />
<div id="paginationModeratorContry" class="pagination
paginationAdminMod">

    </div>
</div>

<div id="contryModal" class="modal " >
    <div class="modalAdminModerator container5
darkEmptyLightBackground darkEmptyTextWhite darkEmptyTextWhite">
        <div class="row">
            <span
onclick="document.getElementById('contryModal').style.display='none'"'
class="close" title="Close Modal"><i class="darkEmptyTextWhite fa fa-
close"></i></span>
        </div>
        <div class="row">
            <h2>Edit Country</h2>
        </div>
        <div class="row">
            <div class="col-25">
                <label for="fname">Name</label>

```

```

        </div>
        <div class="col-75">
            <input class="darkEmptyBackground
darkEmptyTextWhite" type="text" id="updateContryName" placeholder="Edit
Contry..." name="contryName"/>
            <input type="hidden" id="contryEditId"
value="" />
        </div>
    </div>
    <div class="row">
        <div class="col-25">

        </div>
        <div class="col-75">
            <span id="contryEditStatus"></span>
            <button type="button" id="editContryButton"
class="darkEmptyBackground adminModeratorButtonColor"
name="editContry">Submit</button>
        </div>
    </div>
</div>

        <div id="contryModeratorAdd" class="tabcontent container5 mod
darkEmptyBackground darkEmptyTextWhite">
            <div class="row">
                <div class="col-25">
                    <label for="fname">Name</label>
                </div>
                <div class="col-75">
                    <input class="darkEmptyLightBackground
darkEmptyTextWhite" type="text" id="contryNameInsert"/>
                </div>
            </div>

            <div class="row">
                <div class="col-25">
                </div>
                <div class="col-75">
                    <span id="insertContryStatus"></span>
                    <button class="adminModeratorButtonColor
buttonDisable" disabled id="insertContryButton">Insert</button>
                </div>
            </div>
        </div>

```

```
</div>

<div class="cistac"></div>
</div>
<div class="cistac"></div>
</div>

<script type="text/javascript"
src="assets/js/moderator.js"></script>
<script type="text/javascript" src="assets/js/cekiran.js"></script>
<script type="text/javascript" src="assets/js/main.js"></script>
<script src="assets/ckeditor/ckeditor.js"></script>
<script>
    CKEDITOR.replace( 'summary-ckeditor' , {
        filebrowserUploadUrl:
'models/moderator/news/ckeditorImage.php',
        filebrowserUploadMethod: 'form'
    });

    var e = CKEDITOR.instances['summary-ckeditor']
    e.on('change', function( e ){
        newsValidationModerator();
    });
</script>
```

## 6.5.10. login.php

```
<?php
    include "models/authentication/functions.php";
    checkLoginUser();
?>

<div id="login" class="darkEmptyLightBackground">
    <div id="loginContainer">
        <h2 class="darkEmptyTextWhite">LOGIN</h2>
        <form method="POST" action="models/authentication/login.php">
            <label for="tbEmail" class="darkEmptyTextWhite">Email</label>
            <input type="text" name="tbEmail" class="input darkEmptyBackground
darkEmptyTextWhite" placeholder="Email" required>
            <label for="tbLozinka" class="darkEmptyTextWhite">Password</label>
            <input type="password" name="tbLozinka" class="input pss
darkEmptyBackground darkEmptyTextWhite" placeholder="Password" required>
            <button type="submit" class="input" name="btnLogin">Login</button>
        </form>
    </div>

    <div id="loginLinks">
        <a href="index.php?page=registration" class="btn1">Sign up</a>
        <a href="index.php?page=resetPasswordEmail" class="btn1">Forgot
password?</a>
    </div>
</div>

<script type="text/javascript" src="assets/js/cekiran.js"></script>
<script type="text/javascript" src="assets/js/main.js"></script>
```

## 6.5.11. home.php

```
<?php include "models/functions.php"; ?>
<div id="pozadina" >
    <div id="tekst">
        <h2>Brilliant phone.</h2><!--15 and 65 characters.-->
        <h2>In every way.</h2><!--15 and 65 characters.-->
        <p>Get 50% to our products</p>
        <a href="index.php?page=iphone">Buy best phone</a>
    </div>
    <div id="siviTekst">
        <p>HIGH</p>
        <p>QUALITY</p>
    </div>
    <div class="diagonal" class="z"></div>
    
</div>

<div id="macHome">
    <div class="omotac">
        <div id="macHomeContainer">
            <div id="macHomeText">
                
                <h2>Use AR to see MacBook Pro 13" in your
workspace.</h2>
                <a href="index.php?page=macbook">Buy MacBook
<span class="strelica"><i class="fa crvena fa-long-arrow-
right"></i></span></a>
                <div id="macHomeCircle">
                    <div class="circle1 circleContainer
circleBorder"><div class="homeCircle sliverCircle"></div></div>
                    <div class="circle2 circleContainer"><div
class="homeCircle grayCircle"></div></div>
                </div>
                <div id="macHomeImg">
                    
                </div>
            </div>
        </div>
    </div>
</div>
```

```

<div id="istaknutiProizvodi" class="darkEmptyLightBackground">
    <div class="omotac">
        <h3 id="animirantekst" class="darkEmptyTextWhite">I
Recommended</h3>

    <div id="slider">

        <div id="slide-container">
            <?php

                $rezultat=home();

                foreach ($rezultat as $item):
                    ?>
                    <div class="card cardMargin">
                        <?=calculatePercent($item->oldPrice,$item->newPrice)?>
                        alt?>"/>
                        <p class="naziv"><?=$item->name?></p>

                        <div id="stars">
                            <?php for($i=1;$i<round(ratingForProductAvg($item->idProduct)->avg+1);$i++) :?>
                                <span class="fa fa-star checked" data-index=<?=$i ?>></span>
                            <?php endfor; ?>
                            <?php
                                if( round(ratingForProductAvg($item->idProduct)->avg+1)==0 ){
                                    $i=1;
                                }else{
                                    $i=round(ratingForProductAvg($item->idProduct)->avg+1);
                                }
                                for($i;$i<=5;$i++) :?>
                                    <span class="fa fa-star nochecked" data-
index=<?=$i ?>></span>
                                <?php endfor; ?>
                        </div>
                </div>
            </div>
        </div>
    </div>
</div>

```

```

        <?=salePriceCheck($item->oldPrice,$item-
>newPrice);?>
            <a href="index.php?page=oneProduct&idProduct=<?
=$item->idProduct?>" class="kupiProizvod">buy</a>
        </div>
    <?php endforeach;?>

    </div>
</div>
    </div>
</div>

<div class="omotac">
    <div id="iwatch" class="darkEmptyLightBackground">
        <div id="sat">
            
            <video autoplay muted loop id="myVideo">
                <source src="assets/images/medium.mp4"
type="video/mp4">
            </video>
        </div>
        <div id="satTekst">
            <h2 class="darkEmptyTextWhite">iWatch</h2>
            <p class="darkEmptyTextWhite">Introducing Apple
Watch Series 4. Fundamentally redesigned and re-engineered to help you
stay even more active, healthy, and connected.</p>
            <a href="index.php?page=iwatch">Buy iWatch
<span class="strelica"><i class="fa crvena fa-long-arrow-
right"></i></span></a>
        </div>
    </div>
    <a href="index.php?page=iwatch" id="nevidljivLink"><p>Buy
iWatch <span class="strelica"><i class="fa crvena fa-long-arrow-
right"></i></span></p></a>
    </div>

    <div id="ipad" class="darkEmptyLightBackground">
        <div class="omotac">
            <div id="ipadFlex">
                <div id="ipadLevo">
                    <h2 class="darkEmptyTextWhite">iPad Pro</h2>

```

```


It's all new, all screen, and all powerful. Completely redesigned and packed with our most advanced technology, it will make you rethink what iPad is capable of.</p>
<a id="ipadAtag" href="index.php?page=ipad">Buy iPad <span class="strelica"><i class="fa crvena fa-long-arrow-right"></i></span></a>
</div>
<div id="ipadDesno">

</div>
<a id="hiddenAtagipad" href="index.php?page=ipad">Buy iPad <span class="strelica"><i class="fa crvena fa-long-arrow-right"></i></span></a>
</div>

</div>
<div class="cistac"></div>
</div>

<script type="text/javascript"
src="assets/js/cekiran.js"></script>
<script type="text/javascript"
src="assets/js/main.js"></script>
<script type="text/javascript"
src="assets/js/home.js"></script>
<script type="text/javascript"
src="assets/plugins/slickSlider/slick.min.js"></script>


```

## 6.5.12. forgotPassword.php

```
<?php
include "models/authentication/functions.php";
checkLoginUser();
if(!isset($_GET['email']) && !isset($_GET['token'])) {
    header("Location: index.php?page=home");
}
?>
<div id="login" class="darkEmptyLightBackground">
<div id="loginContainer">
```

```

<h2 class="darkEmptyTextWhite">RESET PASSWORD</h2>
<form
method="POST" action="models/authentication/resetPassword.php">
    <input type="hidden" name="email" value='<?= $_GET['email'] ?>' />
    <input type="hidden" name="token" value='<?= $_GET['token'] ?>' />

    <input class="darkEmptyBackround darkEmptyTextWhite"
id="passwordReset" placeholder="Password" type="password"
name="password" >

    <input class="darkEmptyBackround darkEmptyTextWhite"
id="passwordResetRepeat" placeholder="Repeat Password" type="password"
name="rePassword"/>

    <button type="submit" id="resetPasswordButton" disabled
class="buttonDisable" name="submitPassword">Submit</button>

</form>

</div>
<div id="loginLinks">
    <a href="index.php?page=registration" class="btn1">Sign up</a>
    <a href="index.php?page=login" class="btn1">Sign in</a>
</div>

</div>

<script type="text/javascript"
src="assets/js/resetPassword.js"></script>
<script type="text/javascript" src="assets/js/cekiran.js"></script>
<script type="text/javascript" src="assets/js/main.js"></script>

```

### 6.5.13. contact.php

```

<div id="kontakt">
    <div class="omotac">
        <div id="klevo">
            <div class="darkEmptyTextWhite kfa">

```

```

        <i class="fa fa-map-marker"></i>
        <p>Smederevska Palanka, Srbija</p>
    </div>
    <div class="darkEmptyTextWhite kfa">
        <i class="fa fa-phone"></i>
        <p>063-111-1111</p>
    </div>
    <div class="darkEmptyTextWhite kfa">
        <i class="fa fa-envelope"></i>
        <p>marko.milivojevic.167.17@ict.edu.rs</p>
    </div>
</div>
<div id="kdesno" class="darkEmptyLightBackground">
    <div id="formal">
        <ul class="contactForm">
            <li><label for="tbEmail"
class="darkEmptyTextWhite">Name</label><input class="con
darkEmptyBackround" id="name" name="name" type="text"
placeholder="Name"></li>
            <li><label for="tbEmail"
class="darkEmptyTextWhite">Phone number</label><input class="con
darkEmptyBackround" id="phone" name="phone" type="text"
placeholder="Phone number"></li>
            <li><label for="tbEmail"
class="darkEmptyTextWhite">Email</label><input class="con
darkEmptyBackround" id="email" name="email" type="email"
placeholder="Email"></li>
            <li><label for="tbEmail"
class="darkEmptyTextWhite">Text</label><textarea class="con
darkEmptyBackround" id="textarea" name="text"
placeholder="Message"></textarea></li>
            <li><button type="button" disabled
class="darkEmptyBackround buttonDisable" id="sendContact" type="submit"
name="sendContact">SUBMIT</button></li>
        </ul>
    </div>
    <div id="feedback"></div>
</div>
<div class="cistac"></div>
</div>
<div id="mapContainer">
<iframe src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!
1d45629.55984964588!2d20.93204454777679!3d44.374721951363576!2m3!1f0!1

```

```

2f0!3f0!3m2!1i1024!2i768!4f13.1!3m3!1m2!
1s0x4750cefff31a5049%3A0xe05e28b1c5d95b71!
2z0KHQvNC10LTQtdGA0LXQstGB0LrQsCDQn9Cw0LvQsNC90LrQsA!5e0!3m2!1ssr!2srs!
4v1614476118401!5m2!1ssr!2srs" id="googleMaps" style="border:0;" 
allowfullscreen="" loading="lazy"></iframe>

</div>

<script type="text/javascript" src="assets/js/cekiran.js"></script>
<script type="text/javascript" src="assets/js/contact.js"></script>
<script type="text/javascript" src="assets/js/main.js"></script>

```

## 6.5.14. Cart.php

```

<?php
    include "models/cart/functions.php";
    accessAllowCartPage();
?>

<div id="cartContainer">
    <div class="omotac">
        <div id="tablesCart" class="darkEmptyLightBackground
darkEmptyTextWhite">
            <table class="darkEmptyLightBackgroundTable
darkEmptyTextWhite" >
                <thead>
                    <tr>
                        <th scope="col">Name</th>
                        <th scope="col">Price</th>
                        <th scope="col">Quantity</th>
                        <th scope="col">New Price</th>
                        <th scope="col">Remove</th>
                    </tr>
                </thead>
                <tbody id="cartTable">

                </tbody>
            </table>
        </div>
    </div>
</div>

```

```

<div id="cartpay" class="darkEmptyLightBackground
darkEmptyTextWhite">
    <ul>
        <li>Total: $<span id="total"></span></li>
        <li><button
id="deleteProducts">Delete</button></li>
            <?php include
"models/functions.php";if(usersCart()) { ?>
                <li><input name="buyProducts" data-status=2
value="Buy" class="buttonBuy" id="buttonBuy" type="button"></li>
                <?php } else{ ?>
                    <li><input id="noLoginButton" class="buttonBuy"
value="Buy" type="button"></li>
                    <?php } ?>
                    <?php if(isset($_SESSION['korisnik'])){ ?>
                        <li><a id="buttonBuy" class="buttonBuy"
href="index.php?page=buyCartPage">Pay with Card <i class="fa fa-cc-
stripe"></i></a></li>
                        <?php } else{ ?>
                            <li><button id="buttonByNoLogin"
class="buttonBuy">Pay with Card <i class="fa fa-cc-
stripe"></i></button></li>
                            <?php } ?>
                    </ul>
    </form>
</div>
<div id="id01" class="modal">

    </div>
</div>
</div>
<script type="text/javascript" src="assets/js/cart.js"></script>
<script type="text/javascript" src="assets/js/cekiran.js"></script>

```

## 6.5.15. BuyCartPage.php

```
<?php
    include "models/cart/functions.php";
    accessAllowCart();
?>
<div class="omotac">
    <div class="cartBuy">
        <div class="cartLeft">
            <input type="hidden" name="hiddenA" id="hiddenA" value="dd"/>
            <script src="https://js.stripe.com/v3/"></script>
            <form action="models/stripe/stripe.php" method="post"
id="payment-form">
                <input type="hidden" name="total" id="sssd" />

                <div class="form-row">
                    <label for="card-element">
                        Credit or debit card
                    </label>
                    <div id="card-element">
                        <!-- A Stripe Element will be inserted here. -->
</div>

                    <!-- Used to display form errors. -->
                    <div id="card-errors" role="alert"></div>
                    <div id="ssdsdssd"></div>
                </div>

                <button id="buttonCardPay" data-status=1
name="buttonCardPay" ></button>
            </form>
        </div>
        <div class="cartRight darkEmptyLightBackground
darkEmptyTextWhite">
            <ul id="productInfo" class="darkEmptyLightBackground
darkEmptyTextWhite">

            </ul>
            <hr class="hrPayment">
            <ul class="paymentInfo">
                <li>Subtotal</li>
                <li class="subtotal"></li>
```

```

        </ul>
        <hr class="hrPayment">
        <ul class="paymentInfo">
            <li>Shipping</li>
            <li>FREE</li>
        </ul>
        <hr class="hrPayment">
        <ul id="FontStyleTotal" class="paymentInfo">
            <li>Total</li>
            <li class="subtotal">$10000</li>
        </ul>
    </div>
</div>
<div id="cartpay">

</div>

<script type="text/javascript" src="assets/js/stripe.js"></script>
<script type="text/javascript" src="assets/js/cart.js"></script>
<script type="text/javascript" src="assets/js/cekiran.js"></script>

```

## 6.5.16. Author.php

```

<?php include "models/author/functions.php";?>
<div class="omotac">
    <div id="author" class="darkEmptyLightBackground">
        
        <div id="authorContent" >
            <?php $author=author();?>
            <h2 class="darkEmptyTextWhite"><?=$author->nameLastName?
></h2>
            <p class="darkEmptyTextWhite"><?=$author->text?></p>

        </div>
    </div>
</div>
<script type="text/javascript" src="assets/js/cekiran.js"></script>
<script type="text/javascript" src="assets/js/main.js"></script>

```

## 6.5.17. Admin.php

```
<?php
include "models/admin/functions.php";
accessAllowAdmin();
?>



<div id="adminModeratorHiddenNav" class="adminModeratorButtonColor
darkEmptyBackground">Navigations</div>
</div>
<div class="relative darkEmptyLightBackground" id="adminPanel">

    <div id="sidebar" class="darkEmptyBackground">
        <ul class="toggle-tabs ">
            <li>
                <div onclick="selectTab(event, 'contactAdmin') "
class="adminButtonTab tablinks darkEmptyLightBackground
darkEmptyTextWhite">
                    <span><i class="fa fa-envelope"></i>Inbox</span>
                    <span class="badge">
                        <?= contactNumber() ;?>
                    </span>
                </div>
            </li>
            <li>
                <div onclick="selectTab(event, 'pageStatisticAdmin') "
class="adminButtonTab tablinks darkEmptyLightBackground
darkEmptyTextWhite"><i class="fa fa-bar-chart"></i>Page statistic</div>
            </li>
            <li>
                <div onclick="selectTab(event, 'logFileAdmin') "
class="adminButtonTab tablinks darkEmptyLightBackground
darkEmptyTextWhite"><i class="fa fa-file-text"></i>Log</a>
            </li>
            <li>
                <div id="adminUserButton" class="adminButtonTab
darkEmptyLightBackground darkEmptyTextWhite"><i class="fa fa-
user"></i>User</div>
                <div onclick="selectTab(event, 'userAdmin') " class=
tablinks userButton darkEmptyTextWhite"><i class="darkEmptyTextWhite fa
fa-minus"></i>All Users </div>
            </li>
        </ul>
    </div>
</div>


```

```

        <div onclick="selectTab(event, 'addUserAdmin')" class="tablinks userButton darkEmptyTextWhite"><i class="darkEmptyTextWhite fa-minus"></i>Add User </div>
    </li>
    <li>
        <div onclick="selectTab(event, 'authorAdmin')"
class="adminButtonTab tablinks darkEmptyLightBackground
darkEmptyTextWhite"><i class="fa fa-vcard"></i>Author</div>
    </li>
</ul>
</div>
<div id="proizvodiDesno" class="tabbed-content-wrap">

    <div class="ordersSection tabcontent defaultOpen"
id="contactAdmin">
        <button id="contactStatusButton" class="darkEmptyBackground
ordersButton adminModeratorButtonColor">Sorted by status</button>
        <div id="contactStatusSection"
class="filterButtonModAdmin">
            <button type="button" data-idstatus="1"
class="darkEmptyBackground darkEmptyTextWhite ordersB
contactStatus">Send <i class="fa fa-check success"></i></button>
            <button type="button" data-idstatus="0"
class="darkEmptyBackground darkEmptyTextWhite ordersB
contactStatus">Wait <i class="fa fa-close error"></i></button>
            <button type="button" data-idstatus=""
class="darkEmptyBackground darkEmptyTextWhite ordersB
contactStatus">Clear</button>
            <input type="hidden" id="contactStatusInput" value="" />
        </div>
        <table class="tableAdminModerator kontakt
darkEmptyBackgroundTable darkEmptyTextWhite">
            <thead>
                <th scope="col">Name</th>
                <th scope="col">Email</th>
                <th scope="col">Phone</th>
                <th scope="col">Text</th>
                <th class="textBreakNormal" scope="col">Status</th>
                <th scope="col">Send Message</th>
                <th class="textBreakNormal" scope="col">Delete</th>
            </thead>
            <tbody id="teloTablele">
                <?php

```

```

        $rezultat = getContakt();
        foreach($rezultat as $rez) :
    ?>

        <tr>
            <td data-label="Name"><?= $rez->name?></td>
            <td data-label="Email"><?= $rez->email ?></td>
            <td class="textBreakNormal" data-
label="Phone"><?= $rez->phone ?></td>
            <td data-label="Text"><?= $rez->text ?></td>
            <td data-label="Status"><?php if($rez-
>status==1):?><i class="fa fa-check success"></i> <?php else:?> <i
class="fa fa-close error"></i> <?php endif;?></td>
            <td data-label="Send Message"><button
class="sendMessageAdmin plava adminModeratorButton" data-idcontact="<?
=$rez->idContact?>">
                onclick="document.getElementById('sendMessageBox').style.display='block
' "><i class="fa fa-send"></i></button></td>
            <td data-label="Delete"><button type="button"
class="f brisanjeKontakt adminModeratorButton" data-id="<?=$rez-
>idContact?>"><i class="fa fa-close"></i></button></td>
        </tr>

        <?php endforeach; ?>
    </tbody>
</table>

<input type="hidden" id="pagFilterContact" value="1" />
<div id="paginationContact" class="pagination
paginationAdminMod">
    </div>
</div>

<div id="sendMessageBox" class="modal ">
    <div class="modalAdminModerator container5
darkEmptyLightBackground darkEmptyTextWhite">
        <div class="row">
            <span
onclick="document.getElementById('sendMessageBox').style.display='none
'" class="close" title="Close Modal"><i class="darkEmptyTextWhite fa fa-
close"></i></span>
        </div>
        <div class="row">

```

```

        <h2>Send Message</h2>
    </div>
    <div class="row">
        <div class="col-25">
            <label for="fname">Message</label>
        </div>
        <div class="col-75">
            <textarea class="darkEmptyBackground
darkEmptyTextWhite" id="sendMessageTextarea"></textarea>
            <input type="hidden" id="sendMessageId"
value="" />
        </div>
    </div>
    <div class="row">
        <div class="col-25">
        </div>
        <div class="col-75">
            <span id="sendMessageStatus"></span>
            <button id="sendMessageAdminButton"
class="darkEmptyBackground adminModeratorButtonColor">Send</button>
        </div>
    </div>
</div>

        <table id="pageStatisticAdmin" class="tableAdminModerator
adminModeratorMargin korisnik tabcontent darkEmptyBackgroundTable
darkEmptyTextWhite">
            <thead>
                <tr>
                    <th scope="col">Page name</th>
                    <th scope="col"></th>
                </tr>
            </thead>
            <tbody>
                <?php

```

\$niz=array("home","iphone","ipad","iwatch","imac","news","vest","contact","registration","autor","user","login","admin","moderator");
foreach (\$niz as \$key => \$value):?>

<?=\$value?>
--------------

```

                <td data-label=""><?php echo
statistikaFajl($value) ;?></td>
            </tr>
            <?php endforeach ;?>
        </tbody>
    </table>

    <table id="logFileAdmin" class="darkEmptyBackgroundTable
darkEmptyTextWhite tableAdminModerator adminModeratorMargin korisnik
log tabcontent">
        <thead>
            <tr>
                <th scope="col">Url adresa</th>
                <th scope="col">Ip adresa</th>
                <th scope="col">Datum</th>
                <th scope="col">Strana</th>
            </tr>
        </thead>
        <tbody>

            <?php

$open=fopen(LOG_FAJL, "r");
$file=file(LOG_FAJL);
foreach ($file as $key => $value):
$explode=explode(SEPARTOR,$value);
if(isset($explode[2])):
if($explode[2]==date("Y/m/d")):

?>
            <tr>
                <td data-label="Url adresa"><?= $explode[0];?>
            </td>
                <td data-label="Ip adresa"><?= $explode[1];?>
            </td>
                <td data-label="Datum"><?= $explode[2];?></td>
                <td data-label="Strana"><?= $explode[3];?></td>
            </tr>

            <?php endif; endif; endforeach;
fclose($open)?>

        </tbody>
    </table>

```

```

        </table>

        <div id="userAdmin" class="tabcontent adminModeratorMargin " >
            <table class="darkEmptyBackgroundTable darkEmptyTextWhite
tableAdminModerator korisnik">
                <thead>
                    <tr>
                        <th scope="col">Id User</th>
                        <th scope="col">First Name</th>
                        <th scope="col">Last Name</th>
                        <th scope="col">Email</th>
                        <th scope="col">Role</th>
                        <th scope="col">Edit</th>
                        <th scope="col">Delete</th>
                    </tr>
                </thead>
                <tbody id="ispisKorisnici">
                    <?php
                        $korisnici = korisniciUloge();
                        $br = 1;

                        foreach($korisnici as $korisnik) :
                    ?>
                    <tr>
                        <td data-label="Id User"><?= $korisnik->idUser?
></td>
                        <td data-label="Frist Name"><?= $korisnik-
>firstName ?></td>
                        <td data-label="Last Name"><?= $korisnik->lastName
?></td>
                        <td data-label="Email"><?= $korisnik->email ?></td>
                        <td data-label="Role"><?= $korisnik->name ?></td>
                        <td data-label="Edit"><a class="plava"
href="index.php?page=userEdit&idUser=<?=$korisnik->idUser?>"><i
class="fa fa-cog"></i></a></td>
                        <td data-label="Delete"><button type="button"
class="f brisanjeKorisnika" data-iduser="<?=$korisnik->idUser?
">X</button></td>
                    </tr>

                    <?php endforeach; ?>
                </tbody>
            </table>

```

```

        <input type="hidden" id="pagFilterUser" value="1" />
        <div id="paginationUser" class="pagination
paginationAdminMod"></div>
    </div>

        <div id="addUserAdmin"  class="darkEmptyBackground container5
dodaj tabcontent">
            <div class="row">
                <div class="col-25">
                    <label class="darkEmptyTextWhite" for="fname">First
Name</label>
                </div>
                <div class="col-75">
                    <input type="hidden" name="idSkriveno" />
                    <input type="text" class="validateAddUser
darkEmptyTextWhite darkEmptyLightBackground" id="nameAddUserAdmin"
name="ime" placeholder="First Name.."/>
                </div>
                </div>
                <div class="row">
                    <div class="col-25">
                        <label class="darkEmptyTextWhite" for="lname">Last
Name</label>
                    </div>
                    <div class="col-75">
                        <input type="text" class="validateAddUser
darkEmptyTextWhite darkEmptyLightBackground" id="lastNameAddUserAdmin"
name="prezime" placeholder="Last Name.."/>
                    </div>
                    </div>
                    <div class="row">
                        <div class="col-25">
                            <label class="darkEmptyTextWhite"
for="lname">Email</label>
                        </div>
                        <div class="col-75">
                            <input type="text" class="validateAddUser
darkEmptyTextWhite darkEmptyLightBackground" id="emailAddUserAdmin"
name="email" placeholder="Email.." />
                        </div>
                        </div>
                        <div class="row">
                            <div class="col-25">

```

```

        <label class="darkEmptyTextWhite"
for="lname">Address</label>
        </div>
        <div class="col-75">
            <input type="text" class="validateAddUser
darkEmptyTextWhite darkEmptyLightBackground" id="addressAddUserAdmin"
placeholder="Address..."/>
        </div>
        </div>
        <div class="row">
            <div class="col-25">
                <label class="darkEmptyTextWhite"
for="lname">City</label>
                </div>
                <div class="col-75">
                    <input type="text" class="validateAddUser
darkEmptyTextWhite darkEmptyLightBackground" id="cityAddUserAdmin"
placeholder="City..."/>
                </div>
                </div>
                <div class="row">
                    <div class="col-25">
                        <label class="darkEmptyTextWhite"
for="lname">Zip</label>
                        </div>
                        <div class="col-75">
                            <input type="text" class="validateAddUser
darkEmptyTextWhite darkEmptyLightBackground" id="zipAddUserAdmin"
placeholder="Zip..."/>
                        </div>
                        </div>
                        <div class="row">
                            <div class="col-25">
                                <label class="darkEmptyTextWhite"
for="lname">Password</label>
                                </div>
                                <div class="col-75">
                                    <input type="password" class="validateAddUser
darkEmptyTextWhite darkEmptyLightBackground" id="passwordAddUserAdmin"
name="sifra" placeholder="Password..."/>
                                </div>
                                </div>
                                <div class="row">
                                    <div class="col-25">

```

```

        <label class="darkEmptyTextWhite" for="lname">Repeat
Password</label>
        </div>
        <div class="col-75">
            <input type="password" class="validateAddUser
darkEmptyTextWhite darkEmptyLightBackground"
id="repeatPasswordAddUserAdmin" name="sifra" placeholder="Repeat
Password..."/>
            </div>
            </div>
            <div class="row">
                <div class="col-25">
                    <label class="darkEmptyTextWhite"
for="country">Country</label>
                </div>
                <div class="col-75">
                    <select class="selectFieldValidationAddUser
darkEmptyTextWhite darkEmptyLightBackground" id="contryAddUserAdmin" >
                        <option value="0">Choose..</option>
                        <?php
                            $country = country();
                            foreach($country as $item) :?>
                                <option value="= $item-&gt;idCountry ?&gt;"&gt;&lt;?= $item-
&gt;countryName ?&gt;&lt;/option&gt;
                            &lt;?php endforeach;?&gt;
                        &lt;/select&gt;
                &lt;/div&gt;
                &lt;/div&gt;
                &lt;div class="row"&gt;
                    &lt;div class="col-25"&gt;
                        &lt;label class="darkEmptyTextWhite"
for="country"&gt;Role&lt;/label&gt;
                    &lt;/div&gt;
                    &lt;div class="col-75"&gt;
                        &lt;select class="selectFieldValidationAddUser
darkEmptyTextWhite darkEmptyLightBackground" id="roleAddUserAdmin"
name="uloga"&gt;
                            &lt;option value="0"&gt;Choose..&lt;/option&gt;
                            &lt;?php
                                $role = role();
</pre

```

```

        foreach($role as $item) :?>

            <option value="= $item-&gt;idRole ?&gt;"&gt;<?= $item-
&gt;name ?&gt;&lt;/option&gt;

            &lt;?php      endforeach;?&gt;
        &lt;/select&gt;
    &lt;/div&gt;
&lt;/div&gt;
&lt;div class="row"&gt;
    &lt;span id="addUserAdminStatus"&gt;&lt;/span&gt;
&lt;/div&gt;
&lt;span id="gr"&gt;&lt;/span&gt;
&lt;div class="row"&gt;
    &lt;div class="col-25"&gt;
    &lt;/div&gt;
    &lt;div class="col-75"&gt;
        &lt;button type="button" disabled
class="adminModeratorButtonColor buttonDisable"
id="addUserAdminButton"&gt;Add User&lt;/button&gt;
    &lt;/div&gt;
&lt;/div&gt;&lt;br&gt;
&lt;div class="row"&gt;
    &lt;p&gt;Name: first letter uppercase&lt;/p&gt;
&lt;/div&gt;&lt;br&gt;
&lt;div class="row"&gt;
    &lt;p&gt;Last Name: first letter uppercase&lt;/p&gt;
&lt;/div&gt;&lt;br&gt;
&lt;div class="row"&gt;
    &lt;p&gt;Password: min 8 characters, min at least 1
number,min at least 1 lowercase character,min at least 1 uppercase
character.&lt;/p&gt;
    &lt;/div&gt;
&lt;/div&gt;

&lt;div id="authorAdmin" class="darkEmptyBackground container5
dodaj tabcontent"&gt;

    &lt;?php $author=getAuthor(); ?&gt;
    &lt;div class="row"&gt;
        &lt;div class="col-25"&gt;
            &lt;label class="darkEmptyTextWhite"
for="editAuthorName"&gt;Name&lt;/label&gt;
        &lt;/div&gt;
</pre

```

```

        <div class="col-75">
            <input type="text" id="editAuthorName" class="darkEmptyTextWhite darkEmptyLightBackground" name="autorIme" value="<?=$author->nameLastName?>" />
        </div>
    </div>
    <div class="row">
        <div class="col-25">
            <label class="darkEmptyTextWhite" for="editAuthorText">Description</label>
        </div>
        <div class="col-75">
            <textarea id="editAuthorText" class="darkEmptyTextWhite darkEmptyLightBackground"><?=$author->text?></textarea>
        </div>
    </div>
    <div class="row">
        <span id="editAuthorStatus"></span>
    </div>
    <div class="row">
        <div class="col-25">
        </div>
        <div class="col-75">
            <button type="button" class="adminModeratorButtonColor" data-idauthor=<?=$author->idAuthor?> id="editAuthorButton">Edit</button>
        </div>
    </div>
    </div>
</div>
<div class="cistac"></div>
</div>
<div class="cistac"></div>
</div>

<script type="text/javascript" src="assets/js/admin.js"></script>
<script type="text/javascript" src="assets/js/cekiran.js"></script>
<script type="text/javascript" src="assets/js/main.js"></script>

```

### 6.5.18. 404.php

```
<div id="notFound">
    <h2 class=" darkEmptyTextWhite">Page not found. Error 404</h2>
    <a href="index.php?page=home">Go to home page </a>
</div>

<script type="text/javascript" src="assets/js/cekiran.js"></script>
<script type="text/javascript" src="assets/js/main.js"></script>
```

### 6.5.19. 403.php

```
<div id="notFound">
    <h2 class=" darkEmptyTextWhite">Access forbidden! Error 403</h2>
    <a href="index.php?page=home">Go to home page </a>
</div>

<script type="text/javascript" src="assets/js/cekiran.js"></script>
<script type="text/javascript" src="assets/js/main.js"></script>
```

### 6.5.20. 301.php

```
<div id="notFound">
    <h2 class=" darkEmptyTextWhite">Error 301</h2>
    <a href="index.php?page=home">Go to home page </a>
</div>

<script type="text/javascript" src="assets/js/cekiran.js"></script>
<script type="text/javascript" src="assets/js/main.js"></script>
```

## 6.5.21. Moderator

### 6.5.21.1. News/editNews.php

```
<?php
    include "models/moderator/news/functions.php";
    accessAllowModerator();
    $id = $_GET['idNews'];
    $korisnik2 = getNewsId($id);

    if($korisnik2==null) {
        header("Location: index.php?page=moderator");
    }
?>
<div class="omotac">
    <div class="container5 darkEmptyLightBackground darkEmptyTextWhite">
        <form action="models/moderator/news/editNews.php" method="post"
        enctype="multipart/form-data">
            <div class="row">
                <div class="col-25">

                    </div>
                    <div class="col-75" id="newsImageContainer">
                        <img src='<?= $korisnik2->bigImage?>' alt="news"/>
                    </div>
                </div>

                <div class="row">
                    <div class="col-25">
                        <label for="fname">Edit Image</label>
                    </div>
                    <div class="col-75">
                        <button type="button"
                            onclick="document.getElementById('profilePhoto2').click()"
                            class="dugmeFile adminModeratorImageButton adminButtonTab">Edit
                            photo</button>
                        <span id="profilePhotoValue2"></span>
                        <input type="file" name="imageNews" id="profilePhoto2"
                            style="display:none;">
                        onchange="document.getElementById('profilePhotoValue2').innerHTML=this.value;"/>
                    </div>
                </div>
            </div>
        </form>
    </div>
</div>
```

```

<div class="row">
    <div class="col-25">
        <label for="fname">Title</label>
    </div>
    <div class="col-75">
        <input type="hidden" name="idSkriveno" value="<?=
$korisnik2->idNews ?>" />
        <input type="text" class="darkEmptyBackground
darkEmptyTextWhite" id="editNewsTitle" id="fname" name="title"
value="<?php echo $korisnik2->title; ?>" />
    </div>
</div>
<div class="row">
    <div class="col-25">
        <label for="lname">Text</label>
    </div>
    <div class="col-75">
        <textarea class="form-control" id="summary-ckeditor"
name="text"><?= $korisnik2->text ?></textarea>
    </div>
</div>
<div class="row">
    <div class="col-25">

    </div>
    <div class="col-75">
        <button type="submit" class="darkEmptyBackground
darkEmptyTextWhite adminModeratorButtonColor adminButtonTab"
id="editNewsButton" name="submit">Submit</button>
    </div>
</div>
</div>
<script type="text/javascript" src="assets/js/cekiran.js"></script>
<script type="text/javascript" src="assets/js/main.js"></script>
<script type="text/javascript" src="assets/js/editNews.js"></script>
<script src="assets/ckeditor/ckeditor.js"></script>
<script>
    CKEDITOR.replace( 'summary-ckeditor' , {
        filebrowserUploadUrl:
'models/moderator/news/ckeditorImage.php',
        filebrowserUploadMethod: 'form'
    }) ;

```

```

var e = CKEDITOR.instances['summary-ckeditor']
e.on('change', function( e ){
    editNewsValidation();
});
</script>

```

### 6.5.21.2. Newsletter/editNewsletter.php

```

<?php
    include "models/moderator/newsletter/functions.php";
    accessAllowModerator();
    $id=$_GET['id'];
    checkIdNewsletter($id);
    $newsletter=getOneNewsletter($id);
    if($newsletter==null){
        header("Location index.php?page=moderator");
    }
?>
<div class="omotac">
    <div class="container5 darkEmptyLightBackground
darkEmptyTextWhite">
        <div class="row">
            <div class="col-25">
                <span id="updateTitleStatus"></span><p>Title</p>
            </div>
            <div class="col-75" >
                <input type="text" id="titleNewsletterEdit"
class="darkEmptyBackground darkEmptyTextWhite" value="<?=$newsletter-
>title?>" />
            </div>
        </div>
        <div class="row">
            <div class="col-25">
                <span id="updateCodeStatus"></span><p>Code</p>
            </div>
            <div class="col-75">
                <textarea name="" id="textareaNewsletterEdit"
class="darkEmptyBackground darkEmptyTextWhite" ><?=$newsletter->code?
</textarea>
            </div>
        </div>
    </div>
</div>

```

```

        </div>
        <div class="row">
            <div class="col-25">

                </div>
                <div class="col-75" >
                    <span id="newsletterStatusUpdate"></span>
                    <button id="updateNewsletterButton"
class="darkEmptyBackground adminModeratorButtonColor adminButtonTab"
data-idnewsletter="<?=$id?>" >Update</button>
                </div>
            </div>
            <div class="row">
                <div class="col-25">

                    </div>
                    <div class="col-75">
                        <button id="sendNewsletterButton"
class="darkEmptyBackground adminModeratorButtonColor adminButtonTab"
data-idnewsletter="<?=$id?>">Send</button>
                    </div>
                </div>
            </div>
        </div>

        <div class="container5 darkEmptyLightBackground
darkEmptyTextWhite">
            <div class="row">
                <div class="col-25">
                    <span>Preview:</span>
                </div>
                <div class="col-75" id="newsletterPreview">
                    <?=html_entity_decode($newsletter->code)?>
                </div>
            </div>
        </div>

    </div>

<script type="text/javascript" src="assets/js/newsletter.js"></script>
<script type="text/javascript" src="assets/js/cekiran.js"></script>
<script type="text/javascript" src="assets/js/main.js"></script>

```

### 6.5.21.3. Order/orderDetails.php

```
<?php
include "models/moderator/order/functions.php";
accessAllowModerator();
if(isset($_GET['id'])){

$id = $_GET['id'];
$rez = getOrderOneRow($id);

if($rez==null){
    header("Location: index.php?page=moderator");
} ?>

<div id="orderDetailsContainer">
    <div class="omotac">
        <div class="cartBuy">
            <div class="cartLeft darkEmptyTextWhite">
                <ul>
                    <li>Name: <?= $rez->name?> <?= $rez->lastName?>
                </li>
                    <li>Payment method: <?= $rez->payment?></li>
                    <li>Email: <?= $rez->email?></li>
                    <li>Date: <?= $rez->date?></li>
                    <li>Address: <?= $rez->address?></li>
                    <li>Zip: <?= $rez->zip?></li>
                    <li>Country: <?= $rez->country?></li>
                    <?php $ree=getOrderId($id); foreach($ree as
$item) :?>
                        <li>Name: <?= $item->name ?> Price: <?= $item-
>newPrice ?> Quantity: <?= $item->quantity?></li>
                        <?php endforeach;?>
                        <li>Total Price: <?= $rez->total?></li>
                </ul>
            </div>
            <div id="orderDetailsRight">
                <ul class="darkEmptyLightBackground darkEmptyTextWhite">
                    <li id="status">
                        <?php
                            if($rez->idOrderStatus==1) {
                                echo "Processing in progress <span class='wait'><i
class='fa fa-circle'></i></span>";
                            }elseif($rez->idOrderStatus==2) {

```

```

                echo "Delivered <span class='sell'> <i
class='fa fa-circle'></i></span>";
            }else{
                echo "Canceled <span class='error'><i class='fa
fa-circle'></i></span>";
            }
        ?>
    </li>
<li><select id="statusOrder" class="darkEmptyBackground
darkEmptyTextWhite">
    <?php $staus=getStauts();
foreach($staus as $item):
    if($rez->idOrderStatus==$item->idOrderStatus):
?>
    <option selected value=<?=$item->idOrderStatus?
>><?=$item->name?></option>
    <?php else:?:?
        <option value=<?=$item->idOrderStatus?>><?
=$item->name?></option>
    <?php endif; endforeach; ?>
</select></li>
    <li><button id="changeStatus" data-id=<?=$id?>
type="button">Submit</button></li>
</ul>
</div>
</div>
</div>

<script type="text/javascript" src="assets/js/main.js"></script>
<script type="text/javascript" src="assets/js/cekiran.js"></script>
<script type="text/javascript" src="assets/js/orderUpdate.js"></script>

<?php } ?>

```

#### 6.5.21.4. Poll/editPoll.php

```

<?php
    include "models/moderator/poll/function.php";
    $id=$_GET['id'];

```

```

checkIdPoll($id);
$question=getOneQuestion($id);
if($question==null){
    header("Location: index.php?page=moderator");
}

?>
<div class="omotac">
    <div class="container5 darkEmptyLightBackground
darkEmptyTextWhite">
        <div class="row">
            <div class="col-25">
                <label>Question</label>
            </div>
            <div class="col-75">
                <input id="editQuestion" class="darkEmptyBackround
darkEmptyTextWhite" type="text" value="<?=$question->question?>" name="question"/>
            </div>
        </div>

        <input type="hidden" id="pollId" value="<?=$id?>"/>

        <div id="pollAnswers">
            <?php
                $answers=getAnswers($id);
                foreach($answers as $item):
            ?>

            <div class="row">
                <div class="col-25">
                    <label>Answer</label>
                </div>
                <div class="col-75">
                    <input class='darkEmptyBackround darkEmptyTextWhite
pollAnswers pollAnswerValidation pollInput' type="text" name="<?=$item-
>answer?>" value="<?=$item->answer?>"/><button data-idanswer=<?=$item-
>idPollAnswer?> class="deleteAnswer f adminModeratorButton"><i
class="fa fa-close"></i></button>
                </div>
            </div>
            <?php endforeach; ?>
        </div>
        <div class="row">

```

```

<div class="col-25">
    <label>Add new answers</label>
</div>
<div class="col-75">
    <input type="number" class="darkEmptyBackround
darkEmptyTextWhite" id="numberAnswers"/>
    <div id="inputPoll">

        </div>
    </div>
</div>

<div class="row">
    <div class="col-25">
        </div>
        <div class="col-75">
            <span id="statusEditPoll"></span>
            <button id="updatePollButton" class="darkEmptyBackround
darkEmptyTextWhite adminModeratorButtonColor adminButtonTab " data-
idpoll="<?= $id?>">Edit</button>
        </div>
    </div>

    </div>
</div>

<div id="returnPoll"></div>
<div class="odgovori"></div>
<script type="text/javascript" src="assets/js/poll.js"></script>
<script type="text/javascript" src="assets/js/cekiran.js"></script>
<script type="text/javascript" src="assets/js/main.js"></script>

```

## 6.5.21.5. Products/editPrice.php

```

<?php
    include "models/moderator/products/functions.php";
    accessAllowModerator();
    $id=$_GET['id'];
    $price=getPrice($id);
    if($price==null){
        header("Location: index.php?page=moderator");
    }
}

```

```

        }
    ?>
<div class="omotac">
    <div class="container5 darkEmptyLightBackground
darkEmptyTextWhite">
        <div class="row">
            <div class="col-25">
                <label>Old Price</label>
            </div>
            <div class="col-75">
                <input type="number" class="darkEmptyBackround
darkEmptyTextWhite" id="oldPriceEdit" value="=$price-&gt;oldPrice?&gt;" name="oldPrice"/&gt;
            &lt;/div&gt;
        &lt;/div&gt;
        &lt;div class="row"&gt;
            &lt;div class="col-25"&gt;
                &lt;label&gt;New Price&lt;/label&gt;
            &lt;/div&gt;
            &lt;div class="col-75"&gt;
                &lt;input type="number" class="darkEmptyBackround
darkEmptyTextWhite" id="newPriceEdit" value="<?=$price-&gt;newPrice?&gt;" name="newPrice"/&gt;
            &lt;/div&gt;
        &lt;/div&gt;
        &lt;div class="row"&gt;
            &lt;div class="col-25"&gt;
                &lt;label&gt;Calculate Percent&lt;/label&gt;
            &lt;/div&gt;
            &lt;div class="col-75"&gt;
                &lt;input class="darkEmptyBackround darkEmptyTextWhite"
min="0" max="100" type="number" id="percent" name="percent" /&gt;
            &lt;/div&gt;
        &lt;/div&gt;
        &lt;div class="row"&gt;
            &lt;div class="col-25"&gt;
            &lt;/div&gt;
            &lt;div class="col-75"&gt;
                &lt;span id="statusPriceUpdate"&gt;&lt;/span&gt;
                &lt;button id="sendPriceUpdate" class="darkEmptyBackround
darkEmptyTextWhite adminModeratorButtonColor adminButtonTab" data-
id="<?=$id?&gt;" name="send"&gt;Change&lt;/button&gt;
            &lt;/div&gt;
        &lt;/div&gt;
    &lt;/div&gt;
</pre

```

```

        </div>
    </div>
<script type="text/javascript" src="assets/js/editPrice.js"></script>
<script type="text/javascript" src="assets/js/cekiran.js"></script>
<script type="text/javascript" src="assets/js/main.js"></script>

```

## 6.5.21.6. Products/editProduct.php

```

<?php
include "models/moderator/products/functions.php";
accessAllowModerator();
if(!isset($_GET['idEditProduct'])){
    header("Location: index.php?page=moderator");
}
$id = $_GET['idEditProduct'];
$proizvodi2=dohvatiProizvodId($id);
if($proizvodi2==null){
    header("Location: index.php?page=moderator");
}
?>

<div class="omotac">
    <div class="container5 darkEmptyLightBackground darkEmptyTextWhite">
        <form method="post" enctype="multipart/form-data">
            <div class="row">
                <div class="col-25">

                    </div>
                <div class="col-75">
                    <div id="productProfileImage">
                        <img src=<?=$proizvodi2->path?>" alt="slika"/>
                    </div>
                </div>
            </div>

            <div class="row">
                <div class="col-25">
                    <label for="fname">Edit master photo</label>
                </div>
                <div class="col-75">
                    <button type="button"
onclick="document.getElementById('updateMain').click()"

```

```

class="dugmeFile adminModeratorImageButton adminButtonTab">Edit
photo</button>
    <span id="profilePhotoValueupdateMain"></span>
    <input type="file" name="updateMainImage" id="updateMain"
style="display:none;" 
onchange="document.getElementById('profilePhotoValueupdateMain').innerHTML=
this.value;"/>
    </div>
</div>
<div class="row">
    <div class="col-25">
        <label for="fname">Edit all photos </label>
    </div>
    <div class="col-75">
        <div class="adminModeratorImageButton adminButtonTab"
id="dugmeFile">edit all photos <i class="fa fa-sort-down"></i></div>
    </div>
</div>

<div class="row" id="tableProductImages">
    <div class="col-25">
        <label for="fname">Add Image</label>
    </div>
    <div class="col-75">
        <input type="hidden" id="idProductInsertImage" value=<?
=$proizvodi2->idProduct?>" name="idProduct" />
        <button type="button"
onclick="document.getElementById('insertImageProductEdit').click()"
class="adminModeratorImageButton adminButtonTab dugmeFile">Add
Images</button>
        <span id="profilePhotoValueInsert"></span>
        <input type="file" name="insertImage"
id="insertImageProductEdit" style="display:none;" 
onchange="document.getElementById('profilePhotoValueInsert').innerHTML=
this.value;"/>
    </div>
    <div class="col-25">
    </div>
    <div class="col-75">
        <button type="button" class="darkEmptyBackround
darkEmptyTextWhite adminModeratorButtonColor adminButtonTab"
name="insertImageButton" id="insertImageButton">Submit</button>
    </div>
    <div class="col-25">

```

```

        <label for="fname">Edit all photos</label>
    </div>
    <div class="col-75">
        <table class="darkEmptyBackgroundTable darkEmptyTextWhite
tableAdminModerator">
            <tbody id="multiImageProductEdit">
                <?php $allImages=getAllimages($id);
                    foreach($allImages as $item):
                ?>
                <tr>
                    <td>
        <button type="button"
onclick="document.getElementById('profilePhoto2').click()"
class="adminModeratorImageButton adminButtonTab dugmeFile">Edit
photo</button>
        <span id="profilePhotoValue2"></span>
        <input type="file" name="updateImage"
id="profilePhoto2" style="display:none;" 
onchange="document.getElementById('profilePhotoValue2').innerHTML=this.
value;" />
        </div>
    </div>
    <div class="row">
        <div class="col-25">
        </div>
        <div class="col-75">
            <input type="button" class="darkEmptyBackround
darkEmptyTextWhite adminModeratorButtonColor adminButtonTab"
id="updateImageButton" name="updateImageButton" value="Update image"/>
        </div>
    </div>
</div>

<div class="row">
    <div class="col-25">
        <label for="fname">Name</label>
    </div>
    <div class="col-75">
        <input type="hidden" id="idProductEdit" name="idSkriveno"
value="<?= $proizvodi2->idProduct ?>"/>
        <input type="text" class="darkEmptyBackround
darkEmptyTextWhite editProductValidation" id="editProductName"
name="naziv" value="<?= $proizvodi2->name; ?>"/>
    </div>
</div>
<div class="row">
    <div class="col-25">
        <label for="lname">Alt</label>
    </div>
    <div class="col-75">
        <input type="text" class="darkEmptyBackround
darkEmptyTextWhite editProductValidation" id="editProductAlt"
name="alt" value="<?= $proizvodi2->alt ?>"/>
    </div>
</div>

```

```

        </div>
    </div>
    <div class="row">
        <div class="col-25">
            <label for="lname">Quantity</label>
        </div>
        <div class="col-75">
            <input type="number" class="darkEmptyBackground
darkEmptyTextWhite editProductValidation" id="editProductQuantity"
name="quantity" value="<?= $proizvodi2->quantity ?>" />
        </div>
    </div>
    <div class="row">
        <div class="col-25">
            <label for="lname">Description</label>
        </div>
        <div class="col-75">
            <input type="text" class="darkEmptyBackground
darkEmptyTextWhite editProductValidation" id="editProductDesc"
name="opis" value="<?= $proizvodi2->description ?>" />
        </div>
    </div>
    <div class="row">
        <div class="col-25">
            <label for="country">Categories</label>
        </div>
        <div class="col-75">
            <select class="darkEmptyBackground darkEmptyTextWhite
editProductSelectValidation" id="editProductCategory"
name="kategorije">
                <?php
                    $category=productsCategory();
                    foreach($category as $item):
                        if($item->idCategory==$proizvodi2->idCategory):?>
                            <option selected value='<?=$item->idCategory?>' ><?
                            = $item->name?></option>
                        <?php else:?:>
                            <option value='<?=$item->idCategory?>' ><?=$item-
                            >name?></option>
                    <?php endif; endforeach;?>
                </select>
            </div>
        </div>
        <div class="row">

```

```

<div class="col-25">
    <label for="country">Add to home page</label>
</div>
<div class="col-75">
    <select id="editProductHome" class="darkEmptyBackground
darkEmptyTextWhite editProductSelectValidation" name="istaknut">
        <?php
            $istaknut = homeProduct();
            foreach($istaknut as $item):
                if($item->idHomeProduct == $proizvodi2-
>idHomeProduct) : ?>
                    <option selected value="<?= $item->idHomeProduct ?>"><?
= $item->name ?></option>
                <?php
                    else:
                ?>
                    <option value="<?= $item->idHomeProduct ?>"><?= $item-
>name ?></option>
                <?php
                    endif;
                    endforeach;?>
            </select>
        </div>
    </div>
    <div class="row">
        <span id="updateProductStatus"></span>
    </div>
    <div class="row">
        <div class="col-25">
        </div>
        <div class="col-75">
            <button type="button" id="UpdateProducButton" disabled
class="buttonDisable darkEmptyBackground darkEmptyTextWhite
adminModeratorButtonColor adminButtonTab" name="submit"
>Submit</button>
        </div>
    </div>
</form>
</div>
</div>
<script type="text/javascript" src="assets/js/cekiran.js"></script>
<script type="text/javascript" src="assets/js/main.js"></script>
<script type="text/javascript" src="assets/js/editProduct.js"></script>

```

## 6.5.22. Admin

### 6.5.22.1. User/userEdit.php

```
<?php
    include "models/admin/user/functions.php";
    accessAllowAdmin();
    if(!isset($_GET['idUser'])) {
        header("Location: index.php?page=admin");
    }

    $id = $_GET['idUser'];
    $korisnik2=getUser($id);

    if($korisnik2==null) {
        header("Location: index.php?page=admin");
    }
?>

<div class="omotac">
    <div class="container5 darkEmptyLightBackground
darkEmptyTextWhite">

        <div class="row">
            <div class="col-25">
                <label for="fname">First Name</label>
            </div>
            <div class="col-75">
                <input type="hidden" name="idSkriveno" value="<?=
$korisnik2->idUser ?>" />
                <input type="text" class="darkEmptyBackround
darkEmptyTextWhite userValidation" id="firstNameUserEdit"
name="ime" value="<?php echo $korisnik2->name; ?>" />
            </div>
        </div>
        <div class="row">
            <div class="col-25">
                <label for="lname">Last Name</label>
            </div>
            <div class="col-75">
                <input type="text" class="darkEmptyBackround
darkEmptyTextWhite userValidation" id="lastNameUserEdit"
name="prezime" value="<?php echo $korisnik2->lastName ?>" />
```

```

        </div>
    </div>
    <div class="row">
        <div class="col-25">
            <label for="lname">Email</label>
        </div>
        <div class="col-75">
            <input type="text" class="darkEmptyBackround
darkEmptyTextWhite userValidation" id="emailUserEdit" value="<?
php echo $korisnik2->email ?>" />
        </div>
    </div>
    <div class="row">
        <div class="col-25">
            <label for="lname">City</label>
        </div>
        <div class="col-75">
            <input type="text" class="darkEmptyBackround
darkEmptyTextWhite userValidation" id="cityUserEdit" value="<?
php echo $korisnik2->city ?>" />
        </div>
    </div>
    <div class="row">
        <div class="col-25">
            <label for="lname">Address</label>
        </div>
        <div class="col-75">
            <input type="text" class="darkEmptyBackround
darkEmptyTextWhite userValidation" id="addressUserEdit"
value="<?php echo $korisnik2->address ?>" />
        </div>
    </div>
    <div class="row">
        <div class="col-25">
            <label for="lname">Zip</label>
        </div>
        <div class="col-75">
            <input type="text" class="darkEmptyBackround
darkEmptyTextWhite userValidation" id="zipUserEdit" value="<?php
echo $korisnik2->zip ?>" />
        </div>
    </div>
    <div class="row">
        <div class="col-25">

```

```

        <label for="country">Country</label>
    </div>
    <div class="col-75">
        <select class="darkEmptyBackround darkEmptyTextWhite
"id="countryUserEdit">
            <?php
                $country = country();
                foreach($country as $item):
                    if($item->idCountry == $korisnik2-
>idCountry) : ?>
                        <option selected value="<?= $item->idCountry
?>"><?= $item->countryName ?></option>
                    <?php
                        else:
                    ?>
                        <option value="<?= $item->idCountry ?>"><?=
$item->countryName?></option>
                    <?php
                        endif;
                    endforeach;?>
                </select>
            </div>
        </div>
        <div class="row">
            <div class="col-25">
                <label for="country">Uloga</label>
            </div>
            <div class="col-75">
                <select class="darkEmptyBackround darkEmptyTextWhite
" id="roleUserEdit" name="uloga">
                    <?php
                        $role = role();
                        foreach($role as $item):
                            if($item->idRole == $korisnik2->idRole) :
?>
                                <option selected value="<?= $item->idRole ?
?>"><?= $item->name ?></option>
                            <?php
                                else:
                            ?>
                                <option value="<?= $item->idRole ?>"><?=
$item->name ?></option>
                            <?php
                                endif;

```

```
        endforeach;?>
    </select>
</div>
</div>
<div class="row">
    <span id="userEditStatus"></span>
</div>
<div class="row">
    <div class="col-25">

    </div>
    <div class="col-75">
        <button type="button"
class="adminModeratorButtonColor adminButtonTab"
id="editUserButton" data-iduser=<?=$id?>>Edit</button>
    </div>
    </div>
</form>
</div>
</div>

<script type="text/javascript"
src="assets/js/cekiran.js"></script>
<script type="text/javascript" src="assets/js/main.js"></script>
<script type="text/javascript"
src="assets/js/userEdit.js"></script>
```

## 6.5.23. Fixed

### 6.5.23.1. Footer.php

```
<?php
    include_once "models/home/functions.php";
?>

<footer id="futer" class="darkEmptyBackground">
    <div id="newsletter" class="darkEmptyLightBackground">
        <div class="omotac">
            <div id="newsletterSection">
                <h2>Enter your E-mail</h2>
                <div id="nesletterLine"></div>
                <p>Subscribe for Exclusive Bonuses, Free Tips
and News.</p>
                <div id="newsletterForm">
                    <input type="email" id="emailnewsletter"
placeholder="Enter your email" name="newsletter" />
                    <button class="buttonDisable" disabled
id="newsletterbutton">Send</button>
                </div>
                <span id="newsletterstatus"></span>
            </div>
        </div>
        <div class="omotac">
            <div id="fgore">
                <ul class="kolonal">
                    <li class="naslov">ABOUT US</li>
                    <li>Our vision and mission is to bring digital
to every person, home and organization for a fully connected,
intelligent world.</li>
                </ul>
                <ul class="kolonal">
                    <li class='naslov'>PRODUCTS</li>
                <?php
                    $category=MenuCategory();
                    foreach($category as $item) :?>
                    <li><a href='<?=$item->name?>'><?=$item-
>name?></a></li>
                <?php endforeach;?>
            </div>
        </div>
    </div>
</footer>
```

```

        </ul>
        <ul class="kolonal">
            <li class="naslov">ORGANISATION</li>
            <li><a href="#">Dokumentacija</a></li>
            <li><a href="rss.xml">Rss</a></li>
            <li><a href="sitemap.xml">Sitemap</a></li>
            <li><a href="robots.txt">Robots</a></li>
        </ul>
        <ul class="kolonal">
            <li class="naslov">MENU</li>
            <?php $menu=getMenu();
            foreach ($menu as $item):?>
                <li><a href='<?=$item->href?>'><?=$item-
>name?></a></li>
            <?php endforeach;?>
        </ul>
    </div>
    <div id="footerSocialNetworkContainer">
        <ul class="drustveneMreze">
            <li class="facebookPadding"><a
href="https://www.facebook.com"><i class="fa fa-facebook-
f"></i></a></li>
            <li><a href="https://www.youtube.com"><i
class=" fa fa-youtube-play"></i></a></li>
            <li><a href="https://twitter.com"><i
class="ikonica fa fa-twitter"></i></a></li>
            <li><a href="https://www.instagram.com"><i
class="fa fa-instagram"></i></a></li>
        </ul>
    </div>

    <div class="cistac"></div>

</div>
<div id="fdoles">
    <p>&copy; 2021 Marko Milivojević</p>
</div>
<div class="cistac"></div>
</footer>
<div id="scrollToTop"><i class='scrolColor fa fa-angle-
up'></i><div>
</body>

```

```
</html>
<script type="text/javascript" src="assets/js/newsletter.js"></script>
```

### 6.5.23.2. Header.php

```
<?php
    include_once "models/home/functions.php";
?>

<body class="darkEmptyBackround <?php if(isset($_GET['page'])) {
if($_GET['page']=="admin" || $_GET['page']=="moderator" ||
$_GET['page']=="user"){ echo "moderatroAdminBody";}}?>" >
    <header <?php if(isset($_GET['page'])){ if($_GET['page']=="admin"
|| $_GET['page']=="moderator"){ echo "class='adminModeratorHeader'";}}?>
    > id="heder">
        <h1 class="prviH1">iTech | Brilliant phone,pay on the
web,iWatch,iPad Pro,iPhone</h1>
        <div class="omotac">
            <div id="slikaHeder">
                <a href="index.php"><img <?php
if(isset($_GET['page'])){ if($_GET['page']=="admin" ||
$_GET['page']=="moderator"){ echo
"src='assets/images/logoWhiteTransparent.png'"; }else{ echo
"class='colorLogo' src='assets/images/logo3.png'"; }}else{echo
"class='colorLogo' src='assets/images/logo3.png'"; }?> class="logo2"
alt="logo iTech"/></a>
            </div>
            <div id="navigacija">
                <div id="mySidenav" class="sidenav">
                    <a class="closebtn" id="meniLinkClose">&times;</a>
                    <a class='meniHover' href='index.php'>Home</a>
                    <?php
                        $category=MenuCategory();
                        foreach($category as $item) :

                    ?>
                    <a class='meniHover' href='index.php?page=<?
=$item->name?>'><?=$item->name?></a>
                    <?php endforeach; ?>
                    <?php $menu=getMenu();
                        foreach ($menu as $key=>$rez) :

```

```

        if(isset($_SESSION['korisnik']) &&
$_SESSION['korisnik']->idRole!=4) {
            if($rez->name!="Login") {
                echo "<a
class='meniHover' href='".$rez->href.">$rez->name</a>" ;
            }
            }else{
                echo "<a class='meniHover' href='".$rez-
>href.">$rez->name</a>" ;
            }

        }

        endforeach;

        if(isset($_SESSION['korisnik_id'])) {
            echo"<p class='responsiveHidden'>" .
$_SESSION['korisnik']->name ." ". $_SESSION['korisnik']->lastName ."</p>" ;
            if($_SESSION['korisnik']->idRole == 1) {
                echo"<a class='headerRed'
href='index.php?page=admin'>Admin</a>" ;
                echo"<a class='headerRed'
href='index.php?page=moderator'>-Moderator</a>" ;
            }elseif($_SESSION['korisnik']->idRole == 4)
{
                echo"<a class='headerRed'
href='index.php?page=admin'>-Admin</a>" ;
                echo"<a class='headerRed'
href='index.php?page=moderator'>-Moderator</a>" ;
                echo"<a class='headerRed'
href='index.php?page=user'>-User</a>" ;
            }elseif($_SESSION['korisnik']->idRole == 3)
{
                echo"<a class='headerRed'
href='index.php?page=moderator'>-Moderator</a>" ;
            }else{
                echo"<a class='headerRed'
href='index.php?page=user'>-User</a>" ;
            }

            echo"<a class='headerRed
responsiveHidden' href='index.php?page=logout'>-Logout</a>" ;
        }?>
<p>Dark Mode</p>
<div class="switch switch--horizontal">

```

```

                <input id="radio-a" type="radio" name="first-
switch" class="radio"/>
                <input id="radio-b" type="radio" name="first-
switch" class="radio"/>
                <span class="toggle-outside"><span
class="toggle-inside"></span></span>
            </div>
        </div>
        <span <?php if(isset($_GET['page'])) {
if($_GET['page']=="admin" || $_GET['page']=="moderator"){ echo
"class='adminModeratorHeaderColor'"; } ?> id="meniLinkOpen">
            <div id="hamburger">
                <div class="hamburger
darkEmptyBackgroundWhite"></div>
                <div class="hamburger
darkEmptyBackgroundWhite"></div>
                <div class="hamburger
darkEmptyBackgroundWhite"></div>
            </div> </span>
<?php
// if(isset($_SESSION['korisnik'])) :?>
<div id="ulogovan">
    <?php if(isset($_SESSION['korisnik_id'])) {
        $id=$_SESSION['korisnik_id'];
        $user=getUserName($id);
        if(isset($_GET['page'])) {
            if($_GET['page']=="admin" ||
$_GET['page']=="moderator"){

                echo "<div id='logIme'
class='adminModeratorHeaderColor darkEmptyTextWhite'><p>". $user->name ."
". $user->lastName . "</p></div>";
            } else{
                echo "<div id='logIme'
class='darkEmptyTextWhite'><p>". $user->name . " ". $user-
>lastName . "</p></div>";
            }
        } else{
            echo "<div id='logIme'
class='darkEmptyTextWhite'><p>". $user->name . " ". $user-
>lastName . "</p></div>";
        }
    }
}
?>
</li>
```

```

<?php if(isset($_SESSION['korisnik'])): ?>

    <div class="dropdown">
        <div class="dropbtn"></div>
        <div id="myDropdown" class="dropdown-content
darkEmptyLightBackground darkEmptyTextWhite">
            <?php if($_SESSION['korisnik']->idRole ==
1) {
                echo "<a href='index.php?
page=admin'>Admin</a>";
            }elseif($_SESSION['korisnik']->idRole ==
3) {
                echo "<a href='index.php?
page=moderator'>Moderator</a>";
            }elseif($_SESSION['korisnik']->idRole ==
4) {
                echo "<a href='index.php?
page=admin'>Admin</a>";
            } else{
                echo "<a href='index.php?
page=user'>User</a>";
            } ?>
            <a href="index.php?page=logout&id=<?=$id?>">Logout</a>
        </div>
    </div>

    <?php endif;
    if(isset($_SESSION['korisnik'])):
        if($_SESSION['korisnik']->idRole ==2 ||
$_SESSION['korisnik']->idRole ==4)):?>
            <a id="cart_link" href="index.php?page=cart">
                <i id="korpa" class="<?php
if(isset($_GET['page'])){ if($_GET['page']=="admin" ||
$_GET['page']=="moderator"){ echo "adminModeratorHeaderColor"; } }?>
darkEmptyTextWhite fa fa-shopping-cart"></i>
                <span class="badge_cart">
                    </span>
            </a>
        <?php endif; else: //endif;?>
            <a id="cart_link" href="index.php?page=cart">

```

```

        <i id="korpa" class="darkEmptyTextWhite fa fa-shopping-cart"></i>
            <span class="badge_cart">
                </span>
            </a>
        <?php endif; //endif;?>
    </div>
</div>
</div>
</header>
<div class="dropbtn blokiraj"></div>
<div id="info"></div>

```

### 6.5.23.3. Head.php

```

<!DOCTYPE html>
<html class="darkEmptyBackground" itemscope="" itemtype="http://schema.org/WebPage" lang="en">
    <head>

        <title>iTech | Brilliant phone,pay on the web,iWatch,iPad Pro,iPhone</title><!-- 35-65 characters-->
        <meta charset="UTF-8">
        <meta http-equiv="X-UA-Compatible" content="IE=edge,chrome=1">
        <meta name="viewport" content="width=device-width, initial-scale=1">
        <!--70-320 characters.--><meta name="description" content="Discover the innovative world of iTech and shop everything iPhone, iPad, Apple Watch, Mac, and Apple TV, plus pay on the web, All powerful, iPhone 10 Years Later and Gift Cards">
        <meta name="keywords" content="apple,watch,ipad,phone,iphone,iTech">
        <meta name="author" content="Marko Milivojevic">
        <meta name="robots" content="index, follow">
        <link rel="icon" href="assets/images/favicon.ico">

```

```

        <link rel="apple-touch-icon"
href="/assets/images/logo.png"/>
        <meta name="theme-color" content="#f2f2f2"/>
        <link rel="canonical" href=http://itechstore.epizy.com />

        <!-- og-->
        <meta property="og:type" content="website">
        <meta property="og:site_name" content="iTech">
        <meta property="og:title" content="iTech | Brilliant
phone,pay on the web,iWatch,iPad Pro,iPhone" />
        <meta property="og:description" content="Discover the
innovative world of iTech and shop everything iPhone, iPad, Apple
Watch, Mac, and Apple TV, plus pay on the web, All powerful, iPhone 10
Years Later and Gift Cards" />
        <meta property="og:url"
content="http://itechstore.epizy.com" />
        <meta property="og:image"
content="http://itechstore.epizy.com/assets/images/ipad.png">
        <meta property="og:locale" content="sr-RS">
        <meta property="og:country-name" content="rs">
        <!-- og-->
        <meta itemprop="name" content="iTech">
        <meta itemprop="image"
content="http://itechstore.epizy.com/assets/images/ipad.png">
        <meta itemprop="url"
content="http://itechstore.epizy.com">
        <meta itemprop="description" content="Discover the
innovative world of iTech and shop everything iPhone, iPad, Apple
Watch, Mac, and Apple TV, plus pay on the web, All powerful, iPhone 10
Years Later and Gift Cards">
        <meta itemprop="keywords"
content="apple,watch,ipad,phone,iphone,iTech">
        <!--twitter-->
        <meta name="twitter:card" content="Summary">
        <meta name="twitter:site" content="@iTech">
        <meta name="twitter:creator" content="@iTech">
        <meta name="twitter:title" content="iTech | Brilliant
phone,pay on the web,iWatch,iPad Pro,iPhone">
        <meta name="twitter:description" content="Discover the
innovative world of iTech and shop everything iPhone, iPad, Apple
Watch, Mac, and Apple TV, plus pay on the web, All powerful, iPhone 10
Years Later and Gift Cards">
        <meta name="twitter:image"
content="http://itechstore.epizy.com/images/ipad.png">
```

```

<!--twitter-->

    <link rel="stylesheet" type="text/css"
href="assets/css/style.css"/>
    <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.3.1/jquery.min.js">
</script>
    <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/
font-awesome.min.css">
        <link rel="stylesheet" type="text/css"
href="assets/plugins/slickSlider/slick.css"/>

        <?php if(isset($_GET['page'])):
if($_GET['page']=="registration") :?>
            <script src="https://www.google.com/recaptcha/api.js"
async defer></script>
        <?php endif; endif; ?>

```

## 6.6. Models

### 6.6.1. Functions.php

```

<?php

function getProductImage($id) {
    return executePrepared("SELECT i.path,i.alt FROM product p INNER
JOIN images i on p.idProduct=i.idProduct WHERE p.idProduct= ? ,[ $id] );
}

function getProductInfo($id) {
    return executePreparedOne("SELECT
name,description,oldPrice,newPrice,Quantity FROM product  WHERE
idProduct= ? ,[ $id] );
}

function getComment($id) {
    return executePrepared("SELECT
c.idComment,c.comment,c.date,k.name,k.lastName,u.idRole FROM product p

```

```

INNER JOIN comments c ON p.idProduct=c.idProduct INNER JOIN user k ON
c.idUser=k.idUser INNER JOIN role u ON k.idRole=u.idRole WHERE
p.idProduct = ? ,[ $id] );
}

function getRepliesComment($id){
    return executePrepared("SELECT
cr.idReplies,cr.text,cr.date,k.name,k.lastName,u.idRole FROM comments c
INNER JOIN comment_replies cr ON c.idComment=cr.idComment INNER JOIN
users_comment_replies ucr ON cr.idReplies=ucr.idReplies INNER JOIN user
k ON ucr.idUser=k.idUser INNER JOIN role u ON k.idRole=u.idRole WHERE
c.idComment= ? ,[ $id] );
}

function getAllCommentNumber($id){
    return executeQueryOneRow("SELECT COUNT(cr.idReplies)+(SELECT
COUNT(c.idComment) FROM product p INNER JOIN comments c ON
p.idProduct=c.idProduct WHERE p.idProduct=$id) as total FROM product p
INNER JOIN comments c ON p.idProduct=c.idProduct INNER JOIN
comment_replies cr ON c.idComment=cr.idComment WHERE p.idProduct=$id");
}

function getCommentNumber($id){
    return executeQueryOneRow("SELECT COUNT(idComment) as total FROM
comments WHERE idProduct=$id");
}

function repliesNumber($id){
    return brojRedova("SELECT COUNT(cr.idReplies) FROM comments c INNER
JOIN comment_replies cr ON c.idComment=cr.idComment INNER JOIN
users_comment_replies ucr ON cr.idReplies=ucr.idReplies INNER JOIN user
k ON ucr.idUser=k.idUser INNER JOIN role u ON k.idRole=u.idRole WHERE
c.idComment= $id GROUP BY cr.idReplies");
}

function homeProduct(){
    return executeQuery("SELECT * FROM home_product");
}

function home(){
    return executeQuery("SELECT
p.idProduct,p.name,p.description,p.oldPrice,p.newPrice,i.path,i.alt
from product p join home_product ip on p.idHomeProduct=ip.idHomeProduct

```

```

        INNER JOIN images i ON p.idProduct=i.idProduct where i.cover=1 AND
ip.name='Home'") ;
}

function vestiPocetna(){
    return executeQueryOneRow("SELECT
idVesti,naslov,tekst,datum,velikaSlika,malaSlika   FROM vesti order by
datum desc");
}

function cetriVesti(){
    return executeQuery("SELECT
idVesti,naslov,tekst,datum,velikaSlika,malaSlika from vesti order by
datum desc LIMIT 2");
}

function triNajeftinijaProizvoda(){
    return executeQuery("SELECT* from product order by cenaNova desc
LIMIT 3");
}

function usersCart(){
    return isset($_SESSION['korisnik']);
}

function retингForProduct($idProducts,$ipAddress){
    return executePreparedOne("SELECT rating FROM rating_product WHERE
idProduct=? AND ipAddress=?",[ $idProducts,$ipAddress]);
}

function retингForProductAvg($idProducts){
    return executePreparedOne("SELECT ROUND(AVG(rating),1) AS avg FROM
rating_product WHERE idProduct=? ",[$idProducts]);
}

function last4News(){
    return executeQuery("SELECT
idVesti,naslov,tekst,datum,velikaSlika,malaSlika from vesti order by
datum desc LIMIT 4");
}

function calculatePercent($oldPrice,$newPrice){
    if(($oldPrice>$newPrice)&&$newPrice>0){
        $percent=round((( $oldPrice-$newPrice )/$oldPrice*100.0),0);
        $result="";
        if($percent<=20){

```

```

        $result = "<span class='pricePercent greenPercent'>-".
$percent."%</span>";
    }else if($percent<=40) {
        $result = "<span class='pricePercent yellowPercent'>-".
$percent."%</span>";
    }else{
        $result = "<span class='pricePercent redPercent'>-".
$percent."%</span>";
    }

    return $result;
}
}

function salePriceCheck($oldPrice,$newPrice) {
    $result="";
    if($newPrice>0 &&($oldPrice>$newPrice)) {
        $result = "<p class='first precrtan '>".$oldPrice.".00</p>
                    <p class='first nova'>".$newPrice.".00</p>";
    }else if($newPrice>$oldPrice) {
        $result = "<p class='first'>".$newPrice.".00</p>";
    }else{
        $result = "<p class='first'>".$oldPrice.".00</p>";
    }
    return $result;
}

function salePriceCheckOneProduct($oldPrice,$newPrice) {
    $result="";
    if($newPrice>0 &&($oldPrice>$newPrice)) {
        $result = "<li class='precrtan productPriceOld darkEmptyTextWhite' ><span></span> <p>".$oldPrice.".00</p></li>
<li class='productPrice' ><span></span>
<p>".$newPrice.".00</p></li>";
    }else if($newPrice>$oldPrice) {
        $result = "<li class='productPrice' ><span></span>
<p>".$newPrice.".00</p></li>";
    }else{
        $result = "<li class='productPriceOld darkEmptyTextWhite' ><span></span> <p>".$oldPrice.".00</p></li>";
    }
    return $result;
}

```

```

function checkProductId($id) {
    if(!preg_match("/^([0-9]+)$/", $id)) {
        header("Location: index.php?page=home");
    }
}

```

## 6.6.2. User

### 6.6.2.1. Functions.php

```

<?php

function ordersUser($id) {
    return executePrepared("SELECT opm.name AS payment,
o.idOrders,o.dateOrders,o.idOrderStatus,o.total,k.name,k.lastName FROM
orders o INNER JOIN user k ON o.idUser=k.idUser INNER JOIN
order_payment_method opm ON
o.idOrderPaymentMethod=opm.idOrderPaymentMethod WHERE k.idUser=? ORDER
BY o.idOrders DESC LIMIT 6" ,[$id]);
}

function userInfo($id) {
    return executePreparedOne("SELECT
k.idUser,k.name,k.lastName,k.email,k.address,k.city,k.zip,c.idCountry,c
.name as countryName FROM user k INNER JOIN country c ON
k.idCountry=c.idCountry WHERE k.idUser=?",[$id]);
}

function contry() {
    return executeQuery("SELECT idCountry,name from country");
}

function updateUserInfo($name,$lastname,$email,$city,$zip,$contry,$id) {
    return uidPrepared("UPDATE user SET
name=?,lastName=?,email=?,city=?,zip=?,idCountry=? WHERE idUser=?",
[$name,$lastname,$email,$city,$zip,$contry,$id]);
}

function updatePassword($password,$id) {
    return uidPrepared("UPDATE user SET password=? WHERE idUser=?",
[md5($password),$id]);
}

```

```

function countUserOrder($id) {
    return executePreparedOne(" SELECT COUNT(k.idUser) AS number FROM
orders o INNER JOIN user k on o.idUser=k.idUser INNER JOIN
order_payment_method opm ON
o.idOrderPaymentMethod=opm.idOrderPaymentMethod WHERE k.idUser=? ",
[$id]);
}

function getUserOrderPagination($id,$page) {
    return executeQuery("SELECT opm.name AS payment,
o.idOrders,o.dateOrders,o.idOrderStatus,o.total,k.name,k.lastName FROM
orders o INNER JOIN user k on o.idUser=k.idUser INNER JOIN
order_payment_method opm ON
o.idOrderPaymentMethod=opm.idOrderPaymentMethod WHERE k.idUser=$id
ORDER BY o.idOrders DESC LIMIT 6 OFFSET $page");
}

function getOrder($id) {
    return executePreparedOne("SELECT DISTINCT
k.name,k.lastName,k.email,k.address,k.zip,k.city,o.date,o.idOrderStatus
,o.total,c.name AS country, opm.name as payment FROM user k INNER JOIN
orders o on k.idUser=o.idUser INNER JOIN orders_products op on
o.idOrders=op.idOrders INNER JOIN country c ON k.idCountry=c.idCountry
INNER JOIN order_payment_method opm ON
o.idOrderPaymentMethod=opm.idOrderPaymentMethod WHERE o.idOrders= ?",
[$id]);
}

function getOrderProduct($id) {
    return executePrepared("SELECT op.quantity,p.name,p.newPrice FROM
user k INNER JOIN orders o on k.idUser=o.idUser INNER JOIN
orders_products op on o.idOrders=op.idOrders INNER JOIN product p on
op.idProduct=p.idProduct WHERE o.idOrders= ?",[$id]);
}

function accessAllowUser(){
    if(!isset($_SESSION['korisnik'])){
        $_SESSION['greska'] = "NISTE ULOGOVANI!";
        header("Location: index.php");
    }
    if($_SESSION['korisnik']->idRole != 2 && $_SESSION['korisnik']->
>idRole != 4){
        $_SESSION['greska'] = "NISTE USER!";
    }
}

```

```
        header("Location: index.php");
    }
}
```

### 6.6.2.2. Pagination.php

```
<?php

if(isset($_POST['idpag'])){
    require_once "../config/connection.php";
    include "functions.php";

    $page=($_POST["idpag"]-1)*6;
    $idUser=$_POST['idUser'];

    try{

        $result=getUserOrderPagination($idUser,$page);
        echo json_encode($result);
        http_response_code(201);
    }
    catch(\PDOException $ex){
        echo json_encode(['error'=> 'Database error: ' . $ex->getMessage()]);
        http_response_code(500);
        upisGreskeIzBaze($ex);
    }
}
?>
```

### 6.6.2.3. PagNumber.php

```
<?php

if(isset($_GET['idUser'])){
    header('Content-Type: application/json');
    require_once "../config/connection.php";
    include "functions.php";

    $idUser=$_GET['idUser'];

    try{

        $count=countUserOrder($idUser);
        \http_response_code(200);
        echo json_encode($count);

    }
    catch(\PDOException $ex){
        echo json_encode(['error'=> 'Database error: ' . $ex->getMessage()]);
        \http_response_code(500);
        upisGreskeIzBaze($ex);
    }
}
```

### 6.6.2.4. UpdatePassword.php

```
<?php
session_start();
ob_start();
require_once "../config/connection.php";
include "functions.php";

if(isset($_POST['submitPassword'])){

    $password=$_POST['password'];
    $rePassword=$_POST['rePassword'];
    $id=$_SESSION['korisnik']->idUser;

    $errors = [];
```

```

$regexPassword ="/[0-9]{0,16}[a-z]{0,15}/";

if(!preg_match($regexPassword, $password)) {
    $errors[] = "Name is not ok.";
}

if(!preg_match($regexPassword, $rePassword)) {
    $errors[] = "Prezime nije ok.";
}

if($password!=$rePassword) {
    $errors[] = "Prezime nije ok.";
}

if(count($errors) > 0){
    $_SESSION['registracija_greske'] = $errors;
    $im=implode("|",$errors);
    zabeleziGreske($email,$im);

}
else {
    try{
        $result =updatePassword($password,$id);
    }catch(\PDOException $ex){
        echo json_encode(['error'=> 'Database error: ' . $ex->getMessage()]);
        http_response_code(500);
        upisGreskeIzBaze($ex);
    }
}
}

```

### 6.6.2.5. UpdateUserInformation.php

```

<?php
session_start();
ob_start();
require_once "../config/connection.php";
include "functions.php";

if(isset($_POST['submitInfo'])){

```

```
$name=$_POST['name'];
$lastname=$_POST['lastname'];
$email=$_POST['email'];
$addres=$_POST['address'];
$city=$_POST['city'];
$country=$_POST['country'];
$zip=$_POST['zip'];
$id=$_SESSION['korisnik']->idUser;

$errors = [];
$reName="/^ [A-ZČĆŽŠĐ] [a-žććžšđ] {1,14} (\s [A-ZČĆŽŠĐ] [a-žććžšđ]
{1,14}) *$/";
$reLastname="/^ [A-ZČĆŽŠĐ] [a-žććžšđ] {1,14} (\s [A-ZČĆŽŠĐ] [a-žććžšđ]
{1,14}) *$/";
$reAddress="/^ [a-zA-Z0-9šđžčćĆ\s \/\-\.\.]+$/";
$reCity="/^ ([\w]+\D| [\w]+\s[\w]+\D) $/";
$reZip="/^ [\d] {5} $/";

if(!filter_var($email, FILTER_VALIDATE_EMAIL)){
    $errors[] = "Email nije ok";
}

if(!preg_match($reName, $name)){
    $errors[] = "Name is not ok.";
}

if(!preg_match($reLastname, $lastname)){
    $errors[] = "Prezime nije ok.";
}

if(!preg_match($reAddress, $addres)){
    $errors[] = "Adresa nije ok.";
}

if(!preg_match($reCity, $city)){
    $errors[] = "Grad nije ok.";
}

if(!preg_match($reZip, $zip)){
    $errors[] = "Zip nije ok.";
}

if($country==0){
    $errors[] = "Drzava nije ok.";
}

if(count($errors) > 0){
    $_SESSION['registracija_greske'] = $errors;
    $im=implode(" | ",$errors);
}
```

```

        zabeleziGreske($email,$im);

    }

    else {
        try{
            $result =updateUserInfo($name,$lastname,$email,$city,$zip,
$country,$id);
        }catch(\PDOException $ex){
            echo json_encode(['error'=> 'Database error: ' . $ex-
>getMessage()]);
            http_response_code(500);
            upisGreskeIzBaze($ex);
        }
    }
}

```

### 6.6.2.6. UserOrder.php

```

<?php

if(isset($_GET['id'])){
    header('Content-Type: application/json');
    require_once "../config/connection.php";
    include "functions.php";

    $id=$_GET['id'];

    try{

        $count=getOrder($id);
        \http_response_code(200);
        echo json_encode($count);

    }
    catch(\PDOException $ex){
        echo json_encode(['error'=> 'Database error: ' . $ex-
>getMessage()]);
        \http_response_code(500);
        upisGreskeIzBaze($ex);
    }
}

```

### 6.6.2.7. UserOrderProduct.php

```
<?php

if(isset($_GET['id'])) {
    header('Content-Type: application/json');
    require_once "../config/connection.php";
    include "functions.php";

    $id=$_GET['id'];

    try{

        $count=getOrderProduct($id);
        \http_response_code(200);
        echo json_encode($count);

    }
    catch(\PDOException $ex){
        echo json_encode(['error'=> 'Database error: ' . $ex->getMessage()]);
        \http_response_code(500);
        upisGreskeIzBaze($ex);
    }
}
```

### 6.6.3. Stripe

#### 6.6.3.1. Functions.php

```
<?php

function stripeDescription(){
    return executeQueryOneRow("SELECT idOrders FROM orders ORDER BY
idOrders DESC LIMIT 1");
}

function updateTotal($normalTotal){
```

```

    return uidPrepared("UPDATE orders o  set total=?  where idOrders =
(SELECT idOrders FROM orders ORDER BY idOrders DESC LIMIT 1)",
[$normalTotal]);
}

```

### 6.6.3.2. Stripe.php

```

<?php
session_start();
if(isset($_POST['totall'])){
    require_once "../config/connection.php";
    include "functions.php";
    require_once INIT;
    $normalTotal=$_POST['totall'];
    $totall=$_POST['totall']."00";
    $total=(int)$totall;
    $description = stripeDescription();

    $kon="idOrders: $description->idOrders";

    $updateTotal=updateTotal($normalTotal);
    // Set your secret key: remember to change this to your live secret
key in production
    // See your keys here: https://dashboard.stripe.com/account/apikeys

    \Stripe\
Stripe::setApiKey('sk_test_fkitzoLy7VHbBZxPE7PthBT300Gy8MZwcf');
    // Token is created using Checkout or Elements!
    // Get the payment token ID submitted by the form:
    $token = $_POST['stripeToken'];
    $charge = \Stripe\Charge::create([
        'amount' => $total,
        'currency' => 'usd',
        'description' => $kon,
        'source' => $token,
    ]);
    header("Location: ../../index.php?page=successBuy");
}else{
    header("Location: ../../index.php?page=cart");
}

```

## 6.6.4. Products

### 6.6.4.1. BuyProducts.php

```
<?php
    session_start();
    if(isset($_SESSION['korisnik']) && isset($_POST['prod'])) {

        require_once "../config/connection.php";
        include "functions.php";

        try{

            $productCart = $_POST['prod'];
            $userId = $_SESSION['korisnik_id'];
            $status=$_POST['status'];
            $timeP = time();
            echo $userId;
            echo $timeP;

            insertOrder($userId,$timeP,$status);

            $purchaseId = purchaseId($timeP)->idOrders;

            foreach($productCart as $b) {
                $id = $b['id'];
                $q = $b['quantity'];

                insertOrderProduct($purchaseId,$id,$q);
                $curentQuantity=curentQuantity($id);
                $Quantity=(int)$curentQuantity->quantity-(int)$q;
                $updateQuantity=updateQuantity($Quantity,$id);

            }

            $lastId= lastId()->idOrders;
            $total=totalPrice($lastId)->total;
            updateOrdersPrice($total,$lastId);

        }catch(\PDOException $ex){
            echo json_encode(['error'=> 'Database error: ' . $ex->getMessage()]);
        }
    }
}
```

```

    \http_response_code(500) ;
    upisGreskeIzBaze($ex) ;
}

echo "Uspešna kupovina";

}

?>

```

#### 6.6.4.2. DeleteComment.php

```

<?php

if(isset($_POST['commentId'])){
    require_once "../config/connection.php";
    include "functions.php";
    $idComment=$_POST['commentId'];

    try {

        $delete=deleteComment($idComment) ;
        if($delete) {
            \http_response_code(204) ;
        }
    }

    catch(PDOException $ex){
        echo json_encode(['error'=> 'Database error: ' . $ex->getMessage()]);
        http_response_code(500) ;
        upisGreskeIzBaze($ex) ;
    }
}

```

```

        }

    }

if(isset($_POST['repliesId'])){
    require_once "../config/connection.php";
    include "functions.php";
    $repliesId=$_POST['repliesId'];

    try {

        $replies=deleteCommentReplies($repliesId);
        if($replies){
            \http_response_code(204);
        }

    }
    catch(\PDOException $ex){
        echo json_encode(['poruka'=> 'Problem sa bazom: ' . $ex->getMessage()]);
        \http_response_code(500);
        upisGreskeIzBaze($ex);
    }
}

```

#### 6.6.4.3. FindPagination.php

```

<?php

if(isset($_POST['value'])){
    require_once "../config/connection.php";
    include "functions.php";

    $value=$_POST['value'];
    $product=$_POST['product'];
    $price=$_POST['price'];

    try{

        if($value=="") {

```

```

        $sql=filterProductsPrice($product,$price);
    }
    else{
        $sql = filterProductsPriceSearch($product,$value,$price);
    }

    \http_response_code(200);
    echo json_encode($sql);
}

catch(\PDOException $ex){
    echo json_encode(['error'=> 'Database error: ' . $ex->getMessage()]);
    http_response_code(500);
    upisGreskeIzBaze($ex);
}

}

```

#### 6.6.4.4. Functions.php

```

<?php

function get_products($product) {
    return executePrepared("SELECT
p.idProduct,i.path,i.alt,p.name,p.description,p.oldPrice,p.newPrice,k.name as knaziv from product p INNER JOIN category k on
p.idCategory=k.idCategory INNER JOIN images i ON
p.idProduct=i.idProduct where k.name=' $product' AND i.cover=1 ORDER BY
p.newPrice ASC  LIMIT 6",[$product]);
}

function getProductWithLimit($limit,$value,$price,$cover) {
    return executeQuery("SELECT
p.idProduct,i.path,i.alt,p.name,p.description,p.oldPrice,p.newPrice,k.name as knaziv  from product p join category k on
p.idCategory=k.idCategory inner join images i on
p.idProduct=i.idProduct where  i.cover=$cover and k.name=' $value' and (
p.newPrice BETWEEN 0 AND $price ) LIMIT $limit ");
}

function checkAddressRating($ip,$idProducts) {

```

```

        return executePreparedOne("SELECT * from rating_product where
ipAddress=? and idProduct=? ",[$ip,$idProducts]);
}

function insertRating(int $idProducts,$rating,$ipAddress){
    return uidPrepared("INSERT INTO
rating_product(idProduct,rating,ipAddress) VALUES(?, ?, ?)",[$idProducts,
$rating,$ipAddress]);
}

function updateRating($rating,$idProducts,$ipAddress){
    return uidPrepared("UPDATE rating_product SET rating=? WHERE
idProduct=? AND ipAddress=? ",[$rating,$idProducts,$ipAddress]);
}

function retengForProductAvg($idProducts){
    return executePreparedOne("SELECT ROUND(AVG(rating),1) AS avg FROM
rating_product WHERE idProduct=? ",[$idProducts]);
}

function getMaxPrice($name){
    return executePreparedOne("SELECT max(newPrice) as maxPrice from
product p INNER JOIN category k on p.idCategory=k.idCategory where
k.name=? ",[$name]);
}

function calculatePercent($oldPrice,$newPrice){
    if(($oldPrice>$newPrice)&&$newPrice>0){
        $percent=round(((($oldPrice-$newPrice)/$oldPrice*100.0),0);
        $result="";
        if($percent<=20){
            $result=<span class='pricePercent greenPercent'>- .
$percent.%</span>;
        }else if($percent<=40){
            $result=<span class='pricePercent yellowPercent'>- .
$percent.%</span>;
        }else{
            $result=<span class='pricePercent redPercent'>- .
$percent.%</span>;
        }
        return $result;
    }
}

```

```

function salePriceCheck($oldPrice,$newPrice) {
    $result="";
    if($newPrice>0 &&($oldPrice>$newPrice)) {
        $result=<p class='first precrtan '>".$oldPrice.".00</p>
        <p class='first nova'>".$newPrice.".00</p>";
    }else if($newPrice>$oldPrice) {
        $result=<p class='first'>".$newPrice.".00</p>;
    }else{
        $result=<p class='first'>".$oldPrice.".00</p>;
    }
    return $result;
}

function insertOrder($userId,$time,$status) {
    return uidPrepared("INSERT INTO orders
VALUES (null, ?, ?, 1, ?, 0, NOW())",[$userId,$time,$status]);
}

function purchaseId($time) {
    return executePreparedOne("SELECT idOrders FROM orders WHERE date =
?",[$time]);
}

function insertOrderProduct($purchaseId,$id,$quantity) {
    return uidPrepared("INSERT INTO orders_products values(null,?, ?, ?)",[$purchaseId,$id,$quantity]);
}

function currentQuantity($id) {
    return executePreparedOne("SELECT quantity FROM product where
idProduct=?",[$id]);
}

function updateQuantity($quantity,$id) {
    return uidPrepared("UPDATE product SET quantity=? WHERE
idProduct=?",[$quantity,$id]);
}

function lastId() {
    return executeQueryOneRow("SELECT idOrders FROM orders ORDER BY
idOrders DESC LIMIT 1");
}

```

```

function totalPrice($id) {
    return executePreparedOne("SELECT sum(p.newPrice*op.quantity) as
total from product p INNER JOIN orders_products op on
p.idProduct=op.idProduct where op.idOrders=?",[$id]);
}

function updateOrdersPrice($total,$id) {
    return uidPrepared("UPDATE orders set total=? where idOrders=?",
[$total,$id]);
}

function deleteComment($id) {
    return uidPrepared("DELETE from comments where idComment=?",
[$id]);
}

function deleteCommentReplies($id) {
    return uidPrepared("DELETE from comment_replies where idReplies=?",
[$id]);
}

function getAllProducts() {
    return executeQuery("SELECT p.idProduct as
id,p.Quantity,i.path,i.alt,p.name,p.description,p.oldPrice,p.newPrice,k
.name as knaziv from product p INNER JOIN category k ON
p.idCategory=k.idCategory INNER JOIN images i ON
p.idProduct=i.idProduct where i.cover=1");
}

function filterProductsPrice($product,$price) {
    return executePreparedOne("SELECT count(*) as brojproizvoda from
product p join category k on p.idCategory=k.idCategory where k.name=? and
( p.newPrice BETWEEN 0 AND ? )",[$product,$price]);
}

function filterProductsPriceSearch($product,$value,$price) {
    return executePreparedOne("SELECT count(*) as brojproizvoda from
product p join category k on p.idCategory=k.idCategory where k.name=? and
p.name LIKE '%$value%' and ( p.newPrice BETWEEN 0 AND ? )",
[$product,$price]);
}

function paginationNumber($value){

```

```

        return executePreparedOne("SELECT count(*) as brojproizvoda from
product p join category k on p.idCategory=k.idCategory where k.name=?",
[$value]);
}

function insertComment($userId,$productId,$comment) {
    return uidPrepared("INSERT into comments values(null,?,?,?,? ,NOW())",
[$userId,$productId,$comment]);
}

function insertCommentReplies ($commentId,$comment) {
    return uidPrepared("INSERT into comment_replies
values(null,?,?,NOW())",[$commentId,$comment]);
}

function insertUserCommentReplies ($user) {
    return uidPrepared("INSERT into users_comment_replies
values(null,?,(SELECT idReplies FROM comment_replies ORDER BY idReplies
DESC LIMIT 1))",[$user]);
}

function getProducQuantity($id) {
    return executePrepared("SELECT Quantity,idProduct AS id FROM
product WHERE idProduct=?",[$id]);
}

function getOneProductQuantity($id) {
    return executePreparedOne("SELECT Quantity,idProduct AS id FROM
product WHERE idProduct=?",[$id]);
}

```

#### 6.6.4.5. GetAllProducts.php

```

<?php

header('Content-Type: application/json');

require_once "../config/connection.php";
include "functions.php";

try{

```

```

$products = getAllProducts();
echo json_encode($products);

} catch(\PDOException $ex) {
    echo json_encode(['error'=> 'Database error: ' . $ex->getMessage()]);
    http_response_code(500);
    upisGreskeIzBaze($ex);
}

```

#### 6.6.4.6. GetProductQuantity.php

```

<?php

use Stripe\Product;

if(isset($_GET['oneProductId'])){
    header('Content-Type: application/json');

    require_once "../../config/connection.php";
    include "functions.php";

    $id=$_GET['oneProductId'];
    try{
        $product=getOneProductQuantity($id);
    } catch(\PDOException $ex){
        echo json_encode(['error'=> 'Database error: ' . $ex->getMessage()]);
        \http_response_code(500);
        upisGreskeIzBaze($ex);
    }

    echo json_encode($product);
}

```

#### 6.6.4.7. Pagination.php

```
<?php
require_once "../../config/connection.php";

if(isset($_POST['send'])){

$price=$_POST['price'];
$strana=($_POST["idpag"]-1)*6;
$product=$_POST['product'];
$value=$_POST['value'];

$cover=1;
$limit = 6;
if($value==""){

    $upit ="SELECT
p.idProduct,i.path,i.alt,p.name,p.description,p.oldPrice,p.newPrice,k.name as knaziv from product p INNER JOIN category k on
p.idCategory=k.idCategory INNER JOIN images i ON
p.idProduct=i.idProduct where k.name='$product' AND i.cover=$cover and
( p.newPrice BETWEEN 0 AND $price ) ";

} else{
    $upit ="SELECT
p.idProduct,i.path,i.alt,p.name,p.description,p.oldPrice,p.newPrice,k.name as knaziv from product p INNER JOIN category k on
p.idCategory=k.idCategory INNER JOIN images i ON
p.idProduct=i.idProduct where k.name='$product' AND i.cover=$cover and
p.name LIKE '%$value%' and ( p.newPrice BETWEEN 0 AND $price ) ";

}

if(isset($_POST['sendFilter']) && $_POST['sendFilter']!=""){

    if($_POST['sendFilter']=="asc"){
        $upit.=" ORDER BY p.newPrice ASC ";
    }else {
        $upit.=" ORDER BY p.newPrice DESC ";
    }
} else{
    $upit.=" ORDER BY p.newPrice ASC ";
}

$upit.=" LIMIT 6 OFFSET $strana ";
```

```

$da=$konekcija->prepare($upit);
$sve=$da->execute();
$svee=$da->fetchAll();
try{
    echo json_encode($svee);
    http_response_code(200);
}
catch(\PDOException $ex){
    echo json_encode(['error'=> 'Database error: ' . $ex-
>getMessage()]);
    http_response_code(500);
    upisGreskeIzBaze($ex);
}
?>

```

#### 6.6.4.8. PagNumber.php

```

<?php

if(isset($_POST['id'])){

    require_once "../config/connection.php";
    include "functions.php";

    try{
        $product=$_POST['product'];
        $id=$_POST['id'];

        if($id=="0") {

            $products=paginationNumber($product);
            \http_response_code(200);
            echo json_encode($products);

        }

    }
    catch(\PDOException $ex){
        echo json_encode(['error'=> 'Database error: ' . $ex-
>getMessage()]);
        \http_response_code(500);
    }
}

```

```

        upisGreskeIzBaze($ex) ;
    }
}

```

#### 6.6.4.9. RatingOneProduct.php

```

<?php

if(isset($_GET['id'])){
    header('Content-Type: application/json');

    require_once "../config/connection.php";
    include "functions.php";

    $id=$_GET['id'];
    try{
        $product=rettingForProductAvg($id);
    }catch(\PDOException $ex){
        echo json_encode(['error'=> 'Database error: ' . $ex->getMessage()]);
        \http_response_code(500);
        upisGreskeIzBaze($ex);
    }

    echo json_encode($product);
}


```

#### 6.6.4.10. RatingSystem.php

```

<?php
require_once "../config/connection.php";
require_once "functions.php";

if(isset($_POST['index']) && isset($_POST['idProducts'])){
    $ipAddress=$_SERVER['REMOTE_ADDR'];
    $index=$_POST['index'];
    $idProducts=$_POST['idProducts'];

    try{
        if(checkAddressRating($ipAddress,$idProducts)){

```

```

        updateRating($index,$idProducts,$ipAddress);
    }else{
        insertRating($idProducts,$index,$ipAddress);
    }

    echo ratingForProductAvg($idProducts)->avg;

}catch(\PDOException $ex){
    echo json_encode(['error'=> 'Database error: ' . $ex->getMessage()]);
    http_response_code(500);
    upisGreskeIzBaze($ex);
}

}

```

#### 6.6.4.11. SearchFilter.php

```

<?php

header('Content-Type: application/json');

require_once "../../config/connection.php";
include "functions.php";
$price=$_POST['price'];
$product=$_POST['product'];
$cover=1;
try{
    if(isset($_POST['value'])){
        $value=$_POST['value'];
        if($value==' '){
            $proizvodi = getProductWithLimit($limit=6,$product,
$price,1);
        }else{
            $query ="SELECT
p.idProduct,i.path,i.alt,p.name,p.description,p.oldPrice,p.newPrice,k.name as knaziv from product p INNER JOIN category k ON
p.idCategory=k.idCategory INNER JOIN images i ON
p.idProduct=i.idProduct where k.name='$product' AND i.cover=$cover and
p.name LIKE '%$value%' and ( p.newPrice BETWEEN 0 AND $price ) ";
            if(isset($_POST['priceSort'])){
                if($_POST['priceSort']=="asc"){
                    $query.=" ORDER BY p.newPrice ASC ";
                }else {
                    $query.=" ORDER BY p.newPrice DESC ";
                }
            }
        }
    }
}

```

```

        }
        $query .= " LIMIT 6";
        $proizvodi = executeQuery($query);
    }
    echo json_encode($proizvodi);
} catch (\PDOException $ex) {
    echo json_encode(['error' => 'Database error: ' . $ex-
>getMessage()]);
    http_response_code(500);
    upisGreskeIzBaze($ex);
}

```

#### 6.6.4.12. SendProductComments.php

```

<?php
session_start();
if(isset($_POST['comment'])) {

    require_once "../config/connection.php";
    include "functions.php";

    $userId=(int)$_POST['userId'];
    $productId=(int)$_POST['productId'];
    $comment=$_POST['comment'];
    try{
        insertComment($userId,$productId,$comment);
    }catch (\PDOException $ex) {
        echo json_encode(['error' => 'Database error: ' . $ex-
>getMessage()]);
        \http_response_code(500);
        upisGreskeIzBaze($ex);
    }
}

```

#### 6.6.4.13. SendRepliesComments.php

```

<?php
session_start();
if(isset($_POST['comment'])) {
    require_once "../config/connection.php";
    include "functions.php";
    $commentId=(int)$_POST['commentId'];
}

```

```

$comment=$_POST['comment'];
$user=$_POST['user'];
try{
    insertCommentReplies($commentId,$comment);
    insertUserCommentReplies($user);
} catch(\PDOException $ex){
    echo json_encode(['error'=> 'Database error: ' . $ex->getMessage()]);
    \http_response_code(500);
    upisGreskeIzBaze($ex);
}
}

```

## 6.6.5. Poll

### 6.6.5.1. AnswerStatistic.php

```

<?php

require_once "../config/connection.php";
include "functions.php";
header('Content-Type: application/json');

try{

    $statistic=pollResult();

} catch(\PDOException $ex){
    echo json_encode(['error'=> 'Database error: ' . $ex->getMessage()]);
    \http_response_code(500);
    upisGreskeIzBaze($ex);
}

echo json_encode($statistic);

```

### 6.6.5.2. Functions.php

```

<?php

function getPollAnswer() {

```

```

        return executeQuery("SELECT pa.answer,pa.idPollAnswer FROM poll p
INNER JOIN poll_answer pa ON p.idPoll=pa.idPoll WHERE p.status=1");
}

function getQuestion(){
    return executeQueryOneRow("SELECT question FROM poll WHERE
status=1");
}

function sendUserAnswerPoll($idPoll){
    $ip=$_SERVER['REMOTE_ADDR'];
    return uidPrepared("INSERT INTO
poll_user_answer(ipAddress,date,idPollAnswer) VALUES (?,NOW(),?)",
[$ip,
$idPoll]);
}

function checkIpAddress($ip){
    return executePreparedOne("SELECT COUNT(*) AS number FROM poll p
INNER JOIN poll_answer pa ON p.idPoll=pa.idPoll INNER JOIN
poll_user_answer pua ON pa.idPollAnswer=pua.idPollAnswer WHERE
p.status=1 AND pua.ipAddress=? ",[$ip]);
}

function pollResult(){
    $rowCount=executeQueryOneRow("SELECT COUNT(pa.idPollAnswer) AS
rowNumber FROM poll p INNER JOIN poll_answer pa ON p.idPoll=pa.idPoll
INNER JOIN poll_user_answer pua ON pa.idPollAnswer=pua.idPollAnswer
WHERE p.status=1");

    $result="";
    $arrayIdAnswer=executeQuery("SELECT DISTINCT pa.idPollAnswer AS
number FROM poll p INNER JOIN poll_answer pa ON p.idPoll=pa.idPoll
WHERE p.status=1");
    foreach($arrayIdAnswer as $item){
        $oneAnswer=executePrepared("SELECT COUNT(pa.idPollAnswer) AS
rowNumber,pa.answer FROM poll p INNER JOIN poll_answer pa ON
p.idPoll=pa.idPoll INNER JOIN poll_user_answer pua ON
pa.idPollAnswer=pua.idPollAnswer WHERE p.status=1 AND
pa.idPollAnswer=? ",[$item->number]);
        foreach($oneAnswer as $item){
            @$percent=round((($item->rowNumber/$rowCount-
$rowNumber)*100);
            if(is_nan($percent)){
                $percent=0;
            }
        }
    }
}

```

```

        $result.= "<p class='darkEmptyTextWhite'>". $item-
>answer."</p>
        <div class='rez'>
            <div class='skills html' style='width:".
$percent. "%;'><p>". $percent. "%</p></div>
        </div>";
    }
}

return $result;
}

```

### 6.6.5.3. SendPollUserAnswer.php

```

<?php

if(isset($_POST['poll'])){

require_once "../config/connection.php";
include "functions.php";

try{

    $idPoll=$_POST['poll'];
    sendUserAnswerPoll($idPoll);

} catch(\PDOException $ex) {
    echo json_encode(['error'=> 'Database error: ' . $ex-
>getMessage()]);
    http_response_code(500);
    upisGreskeIzBaze($ex);
}

}

```

## 6.6.6. Newsletter

### 6.6.6.1. UserEmail.php

```
<?php
```

```

if(isset($_GET['checkEmail'])) {
    \header('Content-Type: application/json');

    require_once "../config/connection.php";
    include "functions.php";

    $email=$_GET['checkEmail'];
    $code=301;

    if(filter_var($email, FILTER_VALIDATE_EMAIL)) {

        try{

            $result=checkEmail($email);
            $code=200;

        }catch(\PDOException $ex){
            echo json_encode(['error'=> 'Database error: ' . $ex->getMessage()]);
            http_response_code(500);
            upisGreskeIzBaze($ex);
        }

    }else{
        $result="error";
        $code=404;
    }

    echo \json_encode($result);
}

if(isset($_POST['sendEmail'])){
    require_once "../config/connection.php";
    include "functions.php";

    $email=$_POST['sendEmail'];
    $code=301;

    if(filter_var($email, FILTER_VALIDATE_EMAIL)) {

        try{

            $result=sendEmail($email);

```

```

$code=200;

} catch(\PDOException $ex) {
    echo json_encode(['error'=> 'Database error: ' . $ex->getMessage()]);
    http_response_code(500);
    upisGreskeIzBaze($ex);
}

} else{
    $result="error";
    $code=404;
}

\http_response_code($code);

return $result;
}

```

### 6.6.6.2. Functions.php

```

<?php

function checkEmail($email){
    return executePreparedOne("SELECT COUNT(*) as number FROM
newsletter_client where email=?",[$email]);
}

function sendEmail($email){
    return uidPrepared("INSERT INTO newsletter_client(email,date)
values(?,NOW())",[$email]);
}

```

### 6.6.7. News

#### 6.6.7.1. Pagination.php

```

<?php

if(isset($_POST['idpag'])){

```

```

require_once "../config/connection.php";
include "functions.php";

$page=($_POST["idpag"]-1)*4;

try{

    $result=getNewsPagination($page);
    echo json_encode($result);
    http_response_code(201);
}

catch(\PDOException $ex){
    echo json_encode(['error'=> 'Database error: ' . $ex->getMessage()]);
    http_response_code(500);
    upisGreskeIzBaze($ex);
}

?>

```

### 6.6.7.2. PagNumber.php

```

<?php

header('Content-Type: application/json');
require_once "../config/connection.php";
include "functions.php";

try{

    $count=countNews();
    \http_response_code(200);
    echo json_encode($count);

}

catch(\PDOException $ex){
    echo json_encode(['error'=> 'Database error: ' . $ex->getMessage()]);
}

```

```

    \http_response_code(500) ;
    upisGreskeIzBaze($ex) ;
}

```

### 6.6.7.3. Functions.php

```

<?php

function countNews() {
    return executeQueryOneRow("SELECT COUNT(*) AS number FROM news ");
}

function getNewsPagination($pag) {
    return executeQuery("SELECT
idNews,title,text,date,bigImage,image,idUser FROM news ORDER BY idNews
DESC LIMIT 4 OFFSET $pag");
}

function news() {
    return executeQuery("SELECT
idNews,title,text,date,bigImage,image,idUser FROM news  order by idNews
desc LIMIT 4");
}

function calculatePercent($oldPrice,$newPrice){
    if(($oldPrice>$newPrice)&&$newPrice>0){
        $percent=round(((($oldPrice-$newPrice)/$oldPrice*100.0),0);
        $result="";
        if($percent<=20){
            $result=<span class='pricePercent greenPercent'>-".
$percent."%</span>";
        }else if($percent<=40){
            $result=<span class='pricePercent yellowPercent'>-".
$percent."%</span>";
        }else{
            $result=<span class='pricePercent redPercent'>-".
$percent."%</span>";
        }
    }
    return $result;
}

```

```

        }

    }

    function salePriceCheck($oldPrice,$newPrice) {
        $result="";
        if($newPrice>0 &&($oldPrice>$newPrice)) {
            $result=<p class='first precrtan '>".$oldPrice.".00</p>
            <p class='first nova'>".$newPrice.".00</p>";
        }else if($newPrice>$oldPrice) {
            $result=<p class='first'>".$newPrice.".00</p>;
        }else{
            $result=<p class='first'>".$oldPrice.".00</p>;
        }
        return $result;
    }

    function retingForProduct($idProducts,$ipAddress) {
        return executePreparedOne("SELECT rating FROM rating_product WHERE
idProduct=? AND ipAddress=? ",[$idProducts,$ipAddress]);
    }

    function retingForProductAvg($idProducts) {
        return executePreparedOne("SELECT ROUND(AVG(rating),1) AS avg FROM
rating_product WHERE idProduct=? ",[$idProducts]);
    }

    function getOneNews($id) {
        return executePreparedOne("SELECT * FROM news WHERE idNews= ?",
[$id]);
    }

    function home() {
        return executeQuery("SELECT
p.idProduct,p.name,p.description,p.oldPrice,p.newPrice,i.path,i.alt
from product p join home_product ip on p.idHomeProduct=ip.idHomeProduct
        INNER JOIN images i ON p.idProduct=i.idProduct where i.cover=1 AND
ip.name='Home' ");
    }

    function last4News() {
        return executeQuery("SELECT
idNews,title,text,date,bigImage,image,idUser FROM news order by date
desc LIMIT 4");
    }
}

```

## 6.6.8. Home

### 6.6.8.1. Functions.php

```
<?php

function checkCategory($page) {
    return executePreparedOne("SELECT idCategory, name FROM category
where name=?",[ $page]);
}

function MenuCategory() {
    return executeQuery("SELECT idCategory, name FROM category");
}

function getMenu(){
    return executeQuery("SELECT * from menu");
}

function insertEmail($email){
    return uidPrepared("INSERT INTO newsletter(email) value(?)",
[$email]);
}

function getUserName($id){
    return executePreparedOne("SELECT name, lastName FROM user WHERE
idUser = ?",[$id]);
}
```

## 6.6.9. Contact

### 6.6.9.1. Functions.php

```
<?php

function insertContact($name,$email,$text,$phone){
    return uidPrepared("INSERT INTO contact (name, email, text, phone)
VALUES (?,?,?,?,?)",[$name, $email, $text, $phone]);
}
```

### **6.6.9.2. Contact.php**

```
<?php

session_start();
ob_start();

if(isset($_POST['sendContact'])) {
    require_once "../config/connection.php";
    include "functions.php";
    $name = $_POST['name'];
    $email = $_POST['email'];
    $phone=$_POST['phone'];
    $text=$_POST['text'];
    $errors = [];
    $reName="/^[\p{L}\p{M}\p{N}]{1,30}\s[\p{L}\p{M}\p{N}]{1,30}$/";
    $rePhone="/^[\p{N}]{1,30}$/";

    if(!filter_var($email, FILTER_VALIDATE_EMAIL)) {
        $errors[] = "Email error";
    }

    if(!preg_match($reName, $name)) {
        $errors[] = "Name error.";
    }

    if(!preg_match($rePhone, $phone)) {
        $errors[] = "Phone error.";
    }

    if($text=="") {
        $errors[] = "Text error.";
    }

    if(count($errors) > 0) {
        $_SESSION['contact_error'] = "Error!";
        \header("Location: ../../index.php?page=contact");
    }
    else {
        try{
            $result=insertContact($name,$email,$text,$phone);
            if($result){
                $_SESSION['contact_error'] = "Success!";
            }else{
                $_SESSION['contact_error'] = "Error!";
            }
        }
    }
}
```

```

        \header("Location: ../../index.php?page=contact");
    } catch(\PDOException $ex) {
        echo json_encode(['error'=> 'Database error: ' . $ex->getMessage()]);
        http_response_code(500);
        upisGreskeIzBaze($ex);
    }
}

```

## 6.6.10. Cart

### 6.6.10.1. Functions.php

```

<?php

function accessAllowCartPage() {

    if(isset($_SESSION['korisnik']) && ($_SESSION['korisnik']->idRole == 1 || $_SESSION['korisnik']->idRole == 3)){
        $_SESSION['greska'] = "NISTE USER!";
        header("Location: index.php");
    }
}

function accessAllowCartSuccessPage() {

    if(!isset($_SESSION['korisnik'])){
        header("Location: index.php");
    }

    if(isset($_SESSION['korisnik']) && ($_SESSION['korisnik']->idRole == 1 || $_SESSION['korisnik']->idRole == 3)){
        $_SESSION['greska'] = "NISTE USER!";
        header("Location: index.php");
    }
}

function accessAllowCart(){

```

```

if(!isset($_SESSION['korisnik'])){
    $_SESSION['greska'] = "NISTE ULOGOVANI!";
    header("Location: index.php");
}

if($_SESSION['korisnik']->idRole != 2 && $_SESSION['korisnik']->
>idRole != 4){
    $_SESSION['greska'] = "NISTE USER!";
    header("Location: index.php");
}
}

```

## 6.6.11. Author

### 6.6.11.1. Functions.php

```

<?php
function author(){
    $rez=executeQueryOneRow("SELECT text,nameLastName from author");
    return $rez;
}

```

## 6.6.12. Authentication

### 6.6.12.1. Registration.php

```

<?php
session_start();
ob_start();
if(isset($_POST['registration'])){
    require_once "../config/connection.php";
    include "functions.php";
    $recaptcha_url = 'https://www.google.com/recaptcha/api/siteverify';
    $recaptcha_secret = '6Lf_0NAUAAAAGGwkeYWbPltykyJw0ZWb17TGaf';
    $recaptcha_ip = $_SERVER['REMOTE_ADDR'];
    $recaptcha_response = $_POST['re'];

    // Make and decode POST request

```



```

if(!preg_match($reAddress, $address)) {
    $errors[] = "Adresa nije ok.";
}

if(!preg_match($reCity, $city)) {
    $errors[] = "Grad nije ok.";
}

if(!preg_match($reZip, $zip)) {
    $errors[] = "Zip nije ok.";
}

if($country==0) {
    $errors[] = "Drzava nije ok.";
}

if(count($errors) > 0){
    $_SESSION['registracija_greske'] = $errors;
    $im=implode(" | ",$errors);
    zabeleziGreske($email,$im);
    header("Location: ../../index.php?page=home");
}
else {
    $rezultat =registration($ime,$prezime,$email,$lozinka,
$address,$city,$zip,$idRole,$country);

    if($rezultat) {
        try{

            $korisnik = getUserInfo($ime,$prezime,$email,
$lozinka);

            $_SESSION["korisnik_id"] = $korisnik->idUser;
            $_SESSION['korisnik'] = $korisnik;
            if($_SESSION['korisnik']->idRole == 1){
                header("Location: ../../index.php?page=admin");
            }
            elseif($_SESSION['korisnik']->idRole == 3){
                header("Location: ../../index.php?
page=moderator");
            }
            elseif($_SESSION['korisnik']->idRole == 4){
                header("Location: ../../index.php?
page=developer");
            }
            else {

```

```
        header("Location: ../../index.php?page=user");

    }

} catch(\PDOException $ex) {
    echo json_encode(['error'=> 'Database error: ' .
$ex->getMessage()]);
    http_response_code(500);
    upisGreskeIzBaze($ex);
}

}

} else {
    header("Location: ../../index.php?page=user");
}

}
}
```

## 6.6.12.2. Logout.php

```
<?php  
session_start();  
global $konekcija;  
  
if(isset($_SESSION['korisnik'])){  
    unset($_SESSION['korisnik']);  
    session_destroy();  
    header("Location: index.php");  
}  
}
```

### **6.6.12.3. Login.php**

```
<?php  
session_start();  
if(isset($_POST['btnLogin'])){  
    require_once "../config/connection.php";  
    include "functions.php";  
$r=0;  
$email = $_POST['tbEmail'];  
$lozinka =md5($_POST['tbLozinka']);  
$errors = [];
```

```

$reLozinka = "/[0-9]{0,16}[a-z]{0,15}/";
if(!filter_var($email, FILTER_VALIDATE_EMAIL)){
    $errors[] = "Email nije ok";
    $r=1;
}
if(!preg_match($reLozinka, $lozinka)){
    $errors[] = "Lozinka nije ok.";
    $r=1;
}
if($r==1){
    $_SESSION['logovanje_greska'] = $errors;
    header("Location: ../../index.php?page=login");
}

else {
    try{

        $user = getUserParam($email,$lozinka);
        if($user){
            if(checkUserExist($email,$lozinka)->number==1){
                $_SESSION["korisnik_id"] = $user->idUser;
                $_SESSION['korisnik'] = $user;
                $_SESSION['logovanje_dobro']="";

                if($_SESSION['korisnik']->idRole == 1){
                    header("Location: ../../index.php?page=admin");
                }
                elseif($_SESSION['korisnik']->idRole == 3){
                    header("Location: ../../index.php?
page=moderator");
                }
                elseif($_SESSION['korisnik']->idRole == 4){
                    header("Location: ../../index.php?page=admin");
                }
                else {
                    header("Location: ../../index.php?page=user");
                }
            } else {
                $_SESSION['logovanje_greska']="Nesto nije ušlo!";
                header("Location: ../../index.php?page=login");
            }
        }
    }
}

```

```

        mail($email,"Poruka sa sajta","Niste se lepo
ulogovali",'From:markoitech.000webhostapp.com');
        $im=implode(" | ",$errors);
        zabeleziGreske($email,"niste se lepo ulogovali");
    }

} else {
    $_SESSION['logovanje_greska']="Nesto nije uredufff!";
    header("Location: ../../index.php?page=login");
    mail($email,"Poruka sa sajta","Niste se lepo
ulogovali",'From:markoitech.000webhostapp.com');
    $im=implode(" | ",$errors);
    zabeleziGreske($email,"niste se lepo ulogovali");

}

}catch(\PDOException $ex){
    echo json_encode(['error'=> 'Database error: ' . $ex-
>getMessage()]);
    http_response_code(500);
    upisGreskeIzBaze($ex);
}

}
}

```

#### 6.6.12.4. Functions.php

```

<?php

function updateToken($token,$email){
    return uidPrepared("UPDATE user set token=? WHERE email=?",
[$token,
$email]);
}

function checkEmail($email){
    return executePreparedOne("SELECT * from user where email=?",
[$email]);
}

function checkEmailAndToken($email,$token){

```

```

        return executePreparedOne("SELECT * from user where email=? AND
token=?",[ $email,$token]);
}

function updatePassword($password,$email,$token) {
    return uidPrepared("UPDATE user set password=? where email=? AND
token=?",[md5($password),$email,$token]);
}

function getUserParam($email,$password) {
    return executePreparedOne("SELECT
idUser,name,lastName,email,address,city,zip,idRole,idCountry FROM user
WHERE email = ? AND password =?",[$email,$password]);
}

function checkUserExist($email,$password) {
    return executePreparedOne("SELECT COUNT(idUser) AS number FROM
user WHERE email = ? AND password =?",[$email,$password]);
}

function checkLoginUser() {
    if(isset($_SESSION['korisnik']) && $_SESSION['korisnik']->idRole!=
4) {
        $_SESSION['greska'] = "NISTE ULOGOVANI!";
        header("Location: index.php");
    }
}

function registrationContry() {
    return executeQuery("SELECT idCountry,name FROM country");
}

function registration($ime,$prezime,$email,$lozinka,$adres,$city,$zip,
$idRole,$country) {
    return uidPrepared("INSERT into
user(name,lastName,email,password,address,city,zip,idRole,idCountry) val
ues(?,?,?,?,?,?,?,?,?,?)",[ $ime,$prezime,$email,$lozinka,$adres,$city,
$zip,$idRole,$country]);
}

function getUserInfo($name,$lastName,$email,$password) {

```

```

    return executePreparedOne("SELECT * FROM user WHERE name=? and
lastName=? and email = ? AND password =?",[$name,$lastName,$email,
$password]) ;
}

```

### 6.6.12.5. ResetPassword.php

```

<?php
ob_start();
if(isset($_POST['email']) && isset($_POST['token'])) {
    require_once "../config/connection.php";
    require_once "functions.php";

    $email=$_POST['email'];
    $token=$_POST['token'];

    $password=$_POST['password'];
    $rePassword=$_POST['rePassword'];

    $errors = [];
    $regexPassword ="/[0-9]{0,16}[a-z]{0,15}/";

    if(!preg_match($regexPassword, $password)) {
        $errors[] = "Name is not ok.";
    }
    if(!preg_match($regexPassword, $rePassword)) {
        $errors[] = "Prezime nije ok.";
    }
    if($password!=$rePassword) {
        $errors[] = "Prezime nije ok.";
    }

    if(count($errors) > 0) {
        header("Location: ../../index.php?page=home");
    }else{

        if(checkEmailAndToken($email,$token)) {

            if(updatePassword($password,$email,$token)) {

```

```

        header("Location: ../../index.php?page=home");
    }else{
        header("Location: ../../index.php?
page=resetPasswordEmail");

    }
}else{
    echo"error";
    var_dump(checkEmailAndToken($email,$token));

    echo $token;

}
}
}else{
    echo"error";
}

```

### 6.6.12.6. SendEmailforgotPassword.php

```

<?php

use PHPMailer\PHPMailer\PHPMailer;
require_once "../../config/connection.php";
require_once "functions.php";

if(isset($_POST['sendEmail'])){

    $email=$_POST['email'];
    $token=rand(143,1111999)+time();
    $message="You activation link for password is:
http://itechstore.epizy.com/index.php?page=resetPassword&email=".
$email."&token=".$token;
    if(checkEmail($email)){

        require_once "../../assets/PHPMailer/src/PHPMailer.php";
        require_once "../../assets/PHPMailer/src/Exception.php";
        require_once "../../assets/PHPMailer/src/SMTP.php";

        $mail=new PHPMailer();

```

```

$mail->isSMTP();
$mail->Host="smtp.gmail.com";
$mail->SMTPAuth=true;
$mail->Username="maywantechnology@gmail.com";
$mail->Password="Markoczv314034";
$mail->Port=587;
$mail->SMTPSecure="tls";

$mail->isHTML(true);
$mail->setFrom("maywantechnology@gmail.com");
$mail->addAddress($email);
$mail->Subject="Reset Password";
$mail->Body=$message;

if($mail->send()){
    $response="email is sent";
    updateToken($token,$email);
    header("Location: ../../index.php?page=resetPassword");

} else{
    $response="Something is wrong ".$mail->ErrorInfo;
}

} else{
    header("Location: ../../index.php?page=resetPassword");
}

}

```

### 6.6.13. Admin

#### 6.6.13.1. Functions.php

```

<?php

function getContakt(){
    return executeQuery("SELECT idContact,name,email,text,phone,status
FROM contact ORDER BY idContact DESC LIMIT 6");
}

```

```

function getAuthor() {
    return executeQueryOneRow("SELECT idAuthor, nameLastName, text from
author");
}

function contactNumber() {
    return rowCount("SELECT COUNT(idContact) from contact group by
idContact");
}
function korisniciUloge() {
    return executeQuery("SELECT k.idUser, k.name as
firstName, k.lastName, k.email, u.name, idCountry FROM user k INNER JOIN
role u ON k.idRole = u.idRole ORDER BY k.idRole ASC LIMIT 6");
}
function role() {
    return executeQuery("SELECT idRole, name FROM role");
}

function statistikaFajl($naziv){
    $open=fopen(LOG_FAJL, "r");
    $file=file(LOG_FAJL);
    $niz1="";
    $niz2=[];
    foreach ($file as $key => $value){
        $ex=explode(SEPARTOR,$value);
        if(isset($ex[2]) && $ex[3]){
            if($ex[2]==date("Y/m/d")){
                $niz1.=$ex[3];
                $rez=substr_count($niz1,$naziv);
                $brojReci=str_word_count($niz1);
                $rezultat=round(($rez/$brojReci)*100);
            }
        }
    } }?>
<div class="rez">
    <div class="skills html" style="width:<?php echo $rezultat;?>
%;"><div><?php echo $rezultat;?></div></div>
</div><?php
}

function country(){
    return executeQuery("SELECT idCountry, name AS countryName FROM
country");
}

```

```

function accessAllowAdmin(){
    if(!isset($_SESSION['korisnik'])){
        $_SESSION['greska'] = "NISTE ULOGOVANI!";
        header("Location: index.php");
    }
    if($_SESSION['korisnik']->idRole != 1 && $_SESSION['korisnik']->
>idRole != 4){
        $_SESSION['greska'] = "NISTE ADMIN!";
        header("Location: index.php");
    }
}

```

## 6.6.13.2. Author

### 6.6.13.2.1. Functions.php

```

<?php

function editAuthor($name,$text,$id) {
    return uidPrepared("UPDATE author SET nameLastName = ?, text = ?
WHERE idAuthor = ?",[$name,$text,$id]);
}

```

### 6.6.13.2.2. EditAuthor.php

```

<?php
session_start();
if(isset($_POST['id'])){
    require_once "../../config/connection.php";
    include "functions.php";
    $id = $_POST['id'];
    $name = $_POST['name'];
    $text = $_POST['text'];
}

```

```

$reName="/^ [A-ZŽŠĐĆĆ] [a-zžšđćć] {1,30} \s [A-ZŽŠĐĆĆ] [a-zžšđćć]
{1,30} $/";
$error=0;
if(!preg_match($reName,$name)){
    $_SESSION['autorGreska']="Ime i prezime nisu dobri";
    $error=1;
}
if($text==""){
    $_SESSION['autorGreska']="Text error!";
    $error=1;
}
if($error==0){
    try{
        $rezultat=editAuthor($name,$text,$id);
    }catch(\PDOException $ex){
        echo json_encode(['error'=> 'Database error: ' . $ex->getMessage()]);
        \http_response_code(500);
        upisGreskeIzBaze($ex);
    }
}
}
}

```

### 6.6.13.3. Contact

#### 6.6.13.3.1. Functions.php

```

<?php

function deleteContact($id){
    return uidPrepared("DELETE FROM contact WHERE idContact = ?",
[$id]);
}

function getAllContact(){
    return executeQuery("SELECT idContact,name,email,text,phone,status
FROM contact");
}

function contactNumber(){

```

```

        return rowCount("SELECT COUNT(idContact) from contact group by
idContact");
}

function getOneContact($id){
    return executePreparedOne("SELECT idContact,name,email,phone,status
FROM contact WHERE idContact=?",[ $id]);
}

function updateContactStatus($id){
    return uidPrepared("UPDATE contact SET status=1 WHERE idContact=?",
[$id]);
}

```

### 6.6.13.3.2. DeleteContact.php

```

<?php

header('Content-Type: application/json');

if(isset($_POST['id'])){
    require_once "../../config/connection.php";
    include "functions.php";

    $id = $_POST['id'];

    try {
        deleteContact($id);
        \http_response_code(204);
    }
    catch(PDOException $ex){
        echo json_encode(['error'=> 'Database error: ' . $ex-
>getMessage()]);
        \http_response_code(500);
        upisGreskeIzBaze($ex);
    }
} else {
    http_response_code(400);
}

```

### 6.6.13.3.3 GetContact.php

```
<?php
require_once "../../config/connection.php";
include "functions.php";

header('Content-Type: application/json');

try {
    $contact = getAllContact();
    \http_response_code(200);

}

catch(PDOException $ex){
    echo json_encode(['error'=> 'Database error: ' . $ex->getMessage()]);
    \http_response_code(500);
    upisGreskeIzBaze($ex);
}

echo json_encode($contact);
```

### 6.6.13.3.4. GetContactNumber.php

```
<?php

require_once "../../config/connection.php";
include "functions.php";

header('Content-Type: application/json');

try {
    $contact = contactNumber();
    \http_response_code(200);

}

catch(PDOException $ex){
    echo json_encode(['error'=> 'Database error: ' . $ex->getMessage()]);
    \http_response_code(500);
}
```

```
    upisGreskeIzBaze($ex) ;
}
echo json_encode($contact) ;
```

### 6.6.13.3.5. SendMessage.php

```
<?php

use PHPMailer\PHPMailer\PHPMailer;
require_once "../.../config/connection.php";
require_once "functions.php";

if(isset($_POST['id']) || isset($_POST['text'])){

    $text=$_POST['text'];
    $id=$_POST['id'];

    $error="";

    if($text=="") {
        $errors[] = "Text is required";
    }
    if($id=="") {
        $errors[] = "Id is required";
    }

    if($error==""){

        try{

            $contact=getOneContact($id) ;
            if($contact){

                require_once
"../../../../../assets/PHPMailer/src/PHPMailer.php";
                require_once
"../../../../../assets/PHPMailer/src/Exception.php";
                require_once
"../../../../../assets/PHPMailer/src/SMTP.php";
            }
        }
    }
}
```

```

        $mail=new PHPMailer();
        $mail->isSMTP();
        $mail->Host="smtp.gmail.com";
        $mail->SMTPAuth=true;
        $mail->Username="markoczv314@gmail.com";
        $mail->Password="Markoczv314034";
        $mail->Port=465;
        $mail->SMTPSecure="ssl";

        $mail->isHTML(true);
        $mail->setFrom("markoczv314@gmail.com");
        $mail->addAddress($contact->email);
        $mail->Subject="Itech Answer";
        $mail->Body=$text;

        if($mail->send()) {
            $response="email is sent";
            updateContactStatus($id);
        }else{
            $response="Something is wrong ".$mail->ErrorInfo;
        }

    }else{
        $response="email is not exist";
        echo $response;
    }

}catch(\PDOException $ex){
    echo json_encode(['error'=> 'Database error: ' . $ex->getMessage()]);
    http_response_code(500);
    upisGreskeIzBaze($ex);
}

}else{
    $response="Error parametars";
    echo $response;
}

```

## 6.6.13.4. Pagination

### 6.6.13.4.1. Functions.php

```
<?php

function countContact() {
    return executeQueryOneRow("SELECT COUNT(idContact) AS number FROM contact");
}

function countContactStatus($status) {
    return executePreparedOne("SELECT COUNT(idContact) AS number FROM contact WHERE status=?",[ $status]);
}

function getAllContactPagination($page) {
    return executeQuery("SELECT idContact,name,email,text,phone,status FROM contact ORDER BY idContact DESC LIMIT 6 OFFSET $page ");
}

function getContactStatus($status,$page) {
    return executePrepared("SELECT idContact,name,email,text,phone,status FROM contact WHERE status=? ORDER BY idContact DESC LIMIT 6 OFFSET $page ",[$status]);
}

function countUser() {
    return executeQueryOneRow("SELECT COUNT(idUser) AS number FROM user k INNER JOIN role u ON k.idRole=u.idRole");
}

function getAllUserPagination($page) {
    return executeQuery("SELECT idUser,k.name,lastName,email,password,address,city,token,u.idRole,idCountry,u.name as roleName FROM user k INNER JOIN role u ON k.idRole=u.idRole ORDER BY u.idRole ASC LIMIT 6 OFFSET $page ");
}
```

#### 6.6.13.4.2. Pagination.php

```
<?php
if(isset($_POST['send'])) {
    require_once "../../config/connection.php";
    include "functions.php";

    $page=($_POST["idpag"]-1)*6;
    $name=$_POST["name"];

    try{

        if($name=="Contact") {
            if(isset($_POST["contactStatus"])){
                $status=$_POST["contactStatus"];
                if($status=="1" || $status=="0"){
                    $result=getContactStatus($status,$page);
                }else{
                    $result=getAllContactPagination($page);
                }
            }else{
                $result=getAllContactPagination($page);
            }
        }

        else if($name=="User") {
            $result=getAllUserPagination($page);
        }

        echo json_encode($result);
        http_response_code(200);
    }

    catch(\PDOException $ex){
        echo json_encode(['error'=> 'Database error: ' . $ex->getMessage()]);
        http_response_code(500);
        upisGreskeIzBaze($ex);
    }
}
?>
```

#### 6.6.13.4.3. PagNumber.php

```
<?php

if(isset($_GET['name'])) {
    header('Content-Type: application/json');
    require_once "../../config/connection.php";
    include "functions.php";

    $name=$_GET['name'];
    try{

        if($name=="Contact"){
            if(isset($_GET['contactStatus'])){
                $status=$_GET['contactStatus'];
                if($status=="1" || $status=="0"){

                    $count=countContactStatus($status);
                }else{
                    $count=countContact();
                }
            }else{
                $count=countContact();
            }

        }elseif($name=="User"){
            $count=countUser();
        }

        \http_response_code(200);
        echo json_encode($count);

    }
    catch(\PDOException $ex){
        echo json_encode(['error'=> 'Database error: ' . $ex->getMessage()]);
        \http_response_code(500);
        upisGreskeIzBaze($ex);
    }
}
```

## 6.6.13.5. User

### 6.6.13.5.1. Functions.php

```
<?php

function getUsers(){
    return executeQuery("SELECT
idUser,name,lastName,email,password,address,city,token,u.idRole,idCount
ry,u.name FROM user k INNER JOIN role u ON k.idRole=u.idRole");
}

function deleteUser($id){
    return uidPrepared("DELETE FROM user WHERE idUser = ? ,[ $id ] );
}

function insertUser($name,$lastName,$email,$password,$idRole,$city,
$zip,$address,$idContry){
    return uidPrepared("INSERT into
user(name,lastName,email,password,idRole,city,zip,address,idCountry)
values(?, ?, ?, ?, ?, ?, ?, ?)" ,[ $name , $lastName , $email , $password , $idRole ,
$city , $zip , $address , $idContry ]) ;
}

function getUser($id){
    return executePreparedOne("SELECT
idUser,name,lastName,email,zip,password,address,city,token,idRole,idCou
ntry FROM user WHERE idUser=? ,[ $id ] );
}

function editUser($name,$lastName,$email,$idRole,$city,$zip,$address,
$idContry,$idUser){
    return uidPrepared("UPDATE user SET name = ?, lastName = ?, email =
?, idRole = ?, city= ?, zip=? , address=? , idCountry=? WHERE idUser = ?",
[$name , $lastName , $email , $idRole , $city , $zip , $address , $idContry ,
$idUser ]) ;
}

function role(){
    return executeQuery("SELECT idRole , name FROM role");
}

function contry(){
```

```

    return executeQuery("SELECT idCountry, name AS countryName FROM
country");
}

function accessAllowAdmin(){
    if(!isset($_SESSION['korisnik'])){
        $_SESSION['greska'] = "NISTE ULOGOVANI!";
        header("Location: index.php");
    }
    if($_SESSION['korisnik']->idRole != 1 && $_SESSION['korisnik']-
>idRole != 4){
        $_SESSION['greska'] = "NISTE ADMIN!";
        header("Location: index.php");
    }
}

```

### 6.6.13.5.2. Pagination.php

```

<?php
if(isset($_POST['send'])){
    require_once "../../config/connection.php";
    include "functions.php";
    $page=($_POST["idpag"]-1)*6;
    try{
        $result=getAllUserPagination($page);
        echo json_encode($result);
        http_response_code(200);
    }
    catch(\PDOException $ex){
        echo json_encode(['error'=> 'Database error: ' . $ex-
>getMessage()]);
        http_response_code(500);
        upisGreskeIzBaze($ex);
    }
}
?>

```

### 6.6.13.5.3. PagNumber.php

```
<?php
    header('Content-Type: application/json');
    require_once "../../config/connection.php";
    include "functions.php";

    try{

        $count=countUser();
        \http_response_code(200);
        echo json_encode($count);

    }
    catch(\PDOException $ex){
        echo json_encode(['error'=> 'Database error: ' . $ex->getMessage()]);
        \http_response_code(500);
        upisGreskeIzBaze($ex);
    }
}
```

### 6.6.13.5.4. AddUser.php

```
<?php
session_start();
ob_start();
if(isset($_POST['password'])){
    require_once "../../config/connection.php";
    include "functions.php";

    $name=$_POST['name'];
    $lastName=$_POST['lastName'];
    $email=$_POST['email'];
    $password=md5($_POST['password']);
    $idRole=$_POST['role'];
    $idContry=$_POST['contry'];
    $address=$_POST['address'];
    $city=$_POST['city'];
    $zip=$_POST['zip'];
    $errors = [];
}
```

```

$rePassword = "/[0-9]{0,16}[\w]{0,15}/";
$reName="^ [A-Z] [a-z]+$/";
$reLastName="/^ [A-Z] [a-z]+$/";
$reNumber="/^ [0-9]+$/";
$reAddress="/^ [a-zA-Z0-9šđžčćĆĆ\s \/\-\.\.]+$/";
$reCity="/^ ([\w]+\D| [\w]+\s[\w]+\D) $/"; 
$reZip="/^ [\d]{5} $/"; 

if(!filter_var($email, FILTER_VALIDATE_EMAIL)) {
    $errors[] = "Email nije dobar";
}

if(!preg_match($reName, $name)) {
    $errors[] = "Ime nije dobro.";
}

if(!preg_match($reCity, $city)) {
    $errors[] = "Error City";
}

if(!preg_match($reAddress, $address)) {
    $errors[] = "Error Address";
}

if(!preg_match($reZip, $zip)) {
    $errors[] = "Error Zip";
}

if(!preg_match($reLastName, $lastName)) {
    $errors[] = "Prezime nije dobro.";
}

if(!preg_match($rePassword, $password)) {
    $errors[] = "Lozinka nije dobra.";
}

if($idRole ==0) {
    $errors[] = "Izaberite ulogu.";
}

if($idContry ==0) {
    $errors[] = "Choose Country.";
}

if(count($errors) > 0) {
    $_SESSION['greske_admin'] = $errors;
}

else {

    try {
        insertUser($name,$lastName,$email,$password,$idRole,$city,
$zip,$address,$idContry);
        $code=201;
    }
}

```

```

        catch(\PDOException $ex) {
            $ex->getMessage();
            upisGreskeIzBaze($ex);
        }
        $_SESSION['dobro_admin']="Uspesan unos";
    }
}

```

### 6.6.13.5.5. DeleteUser.php

```

<?php

header('Content-Type: application/json');

if(isset($_POST['idUser'])){
    require_once "../../config/connection.php";
    include "functions.php";

    $id = $_POST['idUser'];

    try {
        deleteUser($id);
        http_response_code(204);
    }
    catch(\PDOException $ex){
        echo json_encode(['error'=> 'Database error: ' . $ex-
>getMessage()]);
        \http_response_code(500);
        upisGreskeIzBaze($ex);
    }
} else {
    http_response_code(400);
}

```

### 6.6.13.5.6. GetUsers.php

```
<?php

header('Content-Type: application/json');
require_once "../../config/connection.php";
include "functions.php";
$code=500;
try{
    $users = getUsers();
    if($users){
        $code=201;
        echo json_encode($users);
    }else{
        $code=301;
    }
}
catch(\PDOException $ex){
    echo json_encode(['error'=> 'Database error: ' . $ex->getMessage()]);
    \http_response_code(500);
    upisGreskeIzBaze($ex);
}
http_response_code($code);
```

### 6.6.13.5.7. UserEdit.php

```
<?php
if(isset($_POST['idUser'])){
    require_once "../../config/connection.php";
    include "functions.php";
    $idUser = $_POST['idUser'];
    $name = $_POST['name'];
    $lastName = $_POST['lastName'];
    $email = $_POST['email'];
    $city = $_POST['city'];
    $address = $_POST['address'];
    $zip = $_POST['zip'];
    $idCountry = $_POST['country'];
//    $password = md5($_POST['password']);
    $role = $_POST['role'];
```

```

$errors = [];

$reName="/^ [A-Z] [a-z]+$/";
$reLastName="/^ [A-Z] [a-z]+$/";
$reAddress="/^ [a-zA-Z0-9šđžčćĆĆ\s \/\-\.\.]+$/";
$reCity="/^ ([\w]+\D| [\w]+\s[\w]+\D) $/";
$reZip="/^ [\d]{5} $/";

if(!filter_var($email, FILTER_VALIDATE_EMAIL)) {
    $errors[] = "Email nije dobar";
}

if(!preg_match($reCity, $city)){
    $errors[] = "Error City";
}

if(!preg_match($reAddress, $address)){
    $errors[] = "Error Address";
}

if(!preg_match($reZip, $zip)){
    $errors[] = "Error Zip";
}

if(!preg_match($reName, $name)){
    $errors[] = "Ime nije dobro.";
}

if(!preg_match($reLastName, $lastName)){
    $errors[] = "Prezime nije dobro.";
}

if($role ==0){
    $errors[] = "Izaberi ulogu.";
}

if($idCountry ==0){
    $errors[] = "Choose Country.";
}

if(count($errors) > 0){
    $_SESSION['greske_korisnik'] = $errors;
    var_dump($errors);
}

else {
    try{
        editUser($name,$lastName,$email,$role,$city,$zip,$address,
$idCountry,$idUser);

    }catch(PDOException $e){
        $e->getMessage();
        upisGreskeIzBaze($e);
    }
}
}

```

## 6.6.14. Moderator

### 6.6.14.1. Functions.php

```
<?php

function category() {
    return executeQuery("SELECT * FROM category");
}

function sumOrdersPrice() {
    return executeQueryOneRow("SELECT SUM(total) as total from
orders");
}

function sumOrdersPriceMonth() {
    return executeQueryOneRow("SELECT SUM(total) as total from orders
WHERE (MONTH(dateOrders) = MONTH(CURRENT_DATE()) AND YEAR(dateOrders) =
YEAR(CURRENT_DATE()))");
}

function topProducts() {
    return executeQuery("SELECT COUNT(op.idProduct) as number, p.name
FROM orders_products op INNER JOIN orders o on op.idOrders=o.idOrders
INNER JOIN product p on op.idProduct=p.idProduct GROUP BY
op.idProduct,p.name ORDER BY number DESC LIMIT 5");
}

function topProductsMonth() {
    return executeQuery('SELECT COUNT(op.idProduct) as number, p.name
FROM orders_products op INNER JOIN orders o on op.idOrders=o.idOrders
INNER JOIN product p on op.idProduct=p.idProduct WHERE
(MONTH(o.dateOrders) = MONTH(CURRENT_DATE()) AND YEAR(o.dateOrders) =
YEAR(CURRENT_DATE())) GROUP BY op.idProduct,p.name ORDER BY Number DESC
LIMIT 5');
}

function numberSellProducts() {
    return executeQueryOneRow("SELECT COUNT(op.idProduct) as qu FROM
orders o INNER JOIN orders_products op where o.idOrderStatus=2 AND
YEAR(o.dateOrders) = YEAR(CURRENT_DATE()) ");
}

function numberSellProductsThisMonth() {
```

```

        return executeQueryOneRow("SELECT COUNT(op.idProduct) as qu FROM
orders o INNER JOIN orders_products op where o.idOrderStatus=2 AND
(MONTH(o.dateOrders) = MONTH(CURRENT_DATE()) AND YEAR(o.dateOrders) =
YEAR(CURRENT_DATE())) ");
}

function accessAllowModeratorMain(){
    if(!isset($_SESSION['korisnik'])){
        $_SESSION['greska'] = "NISTE ULOGOVANI!";
        header("Location: index.php");
    }
    if($_SESSION['korisnik']->idRole == 2){
        $_SESSION['greska'] = "NISTE MODERATOR!";
        header("Location: index.php");
    }
}

function orders(){
    return executeQuery("SELECT p.name as nazivProizvoda, p.newPrice as
cenaProizvoda,o.idOrders,op.quantity,o.date,o.idOrderStatus,o.total,k.n
ame,k.lastName,k.email FROM product p INNER JOIN orders_products op on
p.idProduct=op.idProduct INNER JOIN orders o on op.idOrders=o.idOrders
INNER JOIN user k on o.idUser=k.idUser");
}

function ordersInformation(){
    return executeQuery("SELECT DISTINCT opm.name AS payment,
o.idOrders,o.dateOrders,o.idOrderStatus,o.total,k.name,k.lastName FROM
product p INNER JOIN orders_products op on p.idProduct=op.idProduct
INNER JOIN orders o on op.idOrders=o.idOrders INNER JOIN user k on
o.idUser=k.idUser INNER JOIN order_payment_method opm ON
o.idOrderPaymentMethod=opm.idOrderPaymentMethod order by o.idOrders
desc LIMIT 6");
}

function proizvodi(){
    return executeQuery("SELECT
p.idProduct,i.path,i.alt,p.name,p.Quantity ,p.description,p.oldPrice,p.
newPrice,k.name as knaziv from product p INNER JOIN category k on
p.idCategory=k.idCategory INNER JOIN images i ON
p.idProduct=i.idProduct where i.cover=1 ORDER BY p.idProduct DESC LIMIT
6");
}

```

```

function homeProduct(){
    return executeQuery("SELECT * FROM home_product");
}

function news(){
    return executeQuery("SELECT
idNews,title,text,date,bigImage,image,idUser FROM news ORDER BY idNews
DESC LIMIT 6");
}

function ordersNumber(){
    $rez=brojRedova("SELECT COUNT(idOrders) from orders where
idOrderStatus=1 group by idOrders");
    return $rez;
}

function deleteImage($id){
    return uidPrepared("DELETE FROM images where idImages=?",[ $id]);
}

function getCategory(){
    return executeQuery("SELECT idCategory,name FROM category ORDER BY
idCategory LIMIT 6");
}

function getCountry(){
    return executeQuery("SELECT idCountry,name FROM country ORDER BY
idCountry LIMIT 6");
}

function viewAllPoll(){
    return executeQuery("SELECT p.question,p.date,p.status,p.idPoll
FROM poll p ORDER BY p.idPoll DESC LIMIT 6");
}

function pollUpdateStatus($status,$id){
    if($status==1){
        echo "<button type='button' data-idpoll=$id
id='activeStatusPoll' class='changestatuspoll'><i class='fa
fa-eye'></i></button>";
    }else{
        echo "<button type='button' data-idpoll=$id
class='noActiveStatusPoll changestatuspoll'><i class='fa fa-eye-
slash'></i></button>";
    }
}

```

```

function getStatus() {
    return executeQuery("SELECT idOrderStatus,name FROM order_status");
}

function getPaymentMethod() {
    return executeQuery("SELECT idOrderPaymentMethod,name FROM
order_payment_method");
}

function pollResult(){
    $rowCount=executeQueryOneRow("SELECT COUNT(pa.idPollAnswer) AS
rowCount FROM poll p INNER JOIN poll_answer pa ON p.idPoll=pa.idPoll
INNER JOIN poll_user_answer pua ON pa.idPollAnswer=pua.idPollAnswer
WHERE p.status=1");

    $result="";
    $arrayIdAnswer=executeQuery("SELECT DISTINCT pa.idPollAnswer AS
number FROM poll p INNER JOIN poll_answer pa ON p.idPoll=pa.idPoll
WHERE p.status=1");
    $pollName=executeQueryOneRow("SELECT question FROM poll WHERE
status=1");
    @$result.="

## $pollName->question

";
    foreach($arrayIdAnswer as $item) {
        $oneAnswer=executePrepared("SELECT COUNT(pa.idPollAnswer) AS
rowCount,pa.answer FROM poll p INNER JOIN poll_answer pa ON
p.idPoll=pa.idPoll INNER JOIN poll_user_answer pua ON
pa.idPollAnswer=pua.idPollAnswer WHERE p.status=1 AND
pa.idPollAnswer=?",[&$item->number]);

        foreach($oneAnswer as $item) {
            @$percent=round((&$item->rowCount/$rowCount-
>rowCount)*100);
            if(is_nan($percent)){
                $percent=0;
            }
            $result.= "<p class='darkEmptyTextWhite'>".&$item-
>answer."</p>
<div class='rez'>
<div class='skills html' style='width:".-
$percent."%;'><p>".$percent."%</p></div>
</div>";
        }
    }
}

```

```

        return $result;
    }

function newsletterCount(){
    return executeQueryOneRow("SELECT COUNT(email) as number FROM
newsletter_client");
}

function newUsersNewsletterCount(){
    return executeQueryOneRow("SELECT COUNT(email) as number   FROM
`newsletter_client` WHERE DATE(date) = CURRENT_DATE");
}

```

## 6.6.14.2. Category

### 6.6.14.2.1. Functions.php

```

<?php

function insertCategory($name){
    return uidPrepared("INSERT INTO category(name) VALUES (?)",[$name]);
}

function updateCategory($name,$id){
    return uidPrepared("UPDATE category SET name=? WHERE idCategory=?",
[$name,$id]);
}

function getCategoryInfo($id){
    return executePreparedOne("SELECT idCategory,name FROM category
WHERE idCategory=?",[$id]);
}

function deleteCategory($id){
    return uidPrepared("DELETE FROM category WHERE idCategory=?",
[$id]);
}

```

### 6.6.14.2.2. AddCategory.php

```

<?php

if(isset($_POST['categoryName'])){
    require_once "../config/connection.php";

```

```

include "functions.php";

$name=$_POST['categoryName'];
if($name!="") {
    try{
        insertCategory($name);
    }catch(PDOException $ex) {
        echo json_encode(['message'=> 'Database error: ' . $ex->getMessage()]);
        http_response_code(500);
        upisGreskeIzBaze($ex);
    }
}

```

#### 6.6.14.2.3. DeleteCategory.php

```

<?php
if(isset($_POST['categoryId'])){
    require_once "../config/connection.php";
    include "functions.php";

    $id=$_POST['categoryId'];

    try{
        deleteCategory($id);
    }catch(PDOException $ex) {
        echo json_encode(['message'=> 'Database error: ' . $ex->getMessage()]);
        http_response_code(500);
        upisGreskeIzBaze($ex);
    }
}

```

#### 6.6.14.2.4. EditCategory.php

```

<?php
if(isset($_POST['categoryId'])){
    require_once "../config/connection.php";
    include "functions.php";
}

```

```

$id=$_POST['categoryId'];
$name=$_POST['categoryName'];

if($name!="") {
    try{
        updateCategory($name,$id);
    }catch(PDOException $ex){
        echo json_encode(['message'=> 'Database error: ' . $ex->getMessage()]);
        http_response_code(500);
        upisGreskeIzBaze($ex);
    }
}

```

#### 6.6.14.2.5. GetCategoryInfo.php

```

<?php

if(isset($_GET['id'])){
    require_once "../config/connection.php";
    include "functions.php";

    header('Content-Type: application/json');

    $id=$_GET['id'];

    try{
        $result=getCategoryInfo($id);

    }catch(PDOException $ex){
        echo json_encode(['message'=> 'Database error: ' . $ex->getMessage()]);
        http_response_code(500);
        upisGreskeIzBaze($ex);
    }

    echo json_encode($result);
}


```

### 6.6.14.3. Country

#### 6.6.14.3.1. Functions.php

```
<?php

function deleteCountry($id) {
    return uidPrepared("DELETE FROM country WHERE idCountry=?",[ $id]) ;
}

function getCountryInfo($id) {
    return executePreparedOne("SELECT idCountry,name FROM country WHERE idCountry=?",[ $id]) ;
}

function updateCountry($name,$id) {
    return uidPrepared("UPDATE country SET name=? WHERE idCountry=?",
[$name,$id]) ;
}

function insertCountry($name) {
    return uidPrepared("INSERT INTO country(name) VALUES (?) ,[ $name]) ;
}
```

#### 6.6.14.3.2 addCountry.php

```
<?php
if(isset($_POST['countryName'])) {
    require_once "../config/connection.php";
    include "functions.php";

    $name=$_POST['countryName'];
    if($name!="") {
        try{
            insertCountry($name);
        }catch(PDOException $ex){
```

```

        echo json_encode(['message'=> 'Database error: ' . $ex-
>getMessage()]);
        http_response_code(500);
        upisGreskeIzBaze($ex);
    }
}
}
}

```

### 6.6.14.3.3. DeleteCountry.php

```

<?php
if(isset($_POST['contryId'])){
    require_once "../../config/connection.php";
    include "functions.php";

    $id=$_POST['contryId'];

    try{
        deleteContry($id);
    }catch(PDOException $ex){
        echo json_encode(['message'=> 'Database error: ' . $ex-
>getMessage()]);
        http_response_code(500);
        upisGreskeIzBaze($ex);
    }
}
}

```

### 6.6.14.3.4. EditCountry.php

```

<?php
if(isset($_POST['contryId'])){
    require_once "../../config/connection.php";
    include "functions.php";

    $id=$_POST['contryId'];
    $name=$_POST['contryName'];

    if($name!=""){
        try{
            updateContry($name,$id);
        }
    }
}

```

```
        }catch(PDOException $ex) {
            echo json_encode(['message'=> 'Database error: ' . $ex-
>getMessage()]);
            http_response_code(500);
            upisGreskeIzBaze($ex);
        }
    }
}
```

### **6.6.14.3.5. GetCountryInfo.php**

```
<?php

if(isset($_GET['id'])) {
    require_once "../../config/connection.php";
    include "functions.php";

    header('Content-Type: application/json');

    $id=$_GET['id'];

    try{
        $result=getCountryInfo($id);

    } catch(PDOException $ex) {
        echo json_encode(['message'=> 'Database error: ' . $ex-
>getMessage()]);
        http_response_code(500);
        upisGreskeIzBaze($ex);
    }

    echo json_encode($result);
}

}
```

## **6.6.14.4. News**

#### **6.6.14.4.1. Functions.php**

<?php

```

function deleteNews($id) {
    return uidPrepared("DELETE FROM news WHERE idNews = ? ,[ $id] );
}

function getNews() {
    return executeQuery("SELECT
idNews,title,text,date,bigImage,image,idUser FROM news ORDER BY idNews
DESC");
}

function insertNews($header,$text,$date,$bigImage,$smallImage,$idUsers)
{
    return uidPrepared("INSERT into
news(title, text, date, bigImage, image, idUser) values(?, ?, ?, ?, ?, ?) " ,
[$header,$text,$date,$bigImage,$smallImage,$idUsers]);
}

function updateNewsWithImage($header,$text,$newImage,$oldImage,$id) {
    return uidPrepared("UPDATE news SET title = ?, text = ? ,
bigImage=? , image=? WHERE idNews = ? ",[$header,$text,$newImage,
$oldImage,$id]);
}

function updateNewsNoImage($header,$text,$id) {
    return uidPrepared("UPDATE news SET title = ?, text = ? WHERE
idNews = ? ",[$header,$text,$id]);
}

function getNewsId($id) {
    return executePreparedOne("SELECT
idNews,title,text,date,bigImage,image,idUser FROM news WHERE
idNews= ? ,[ $id] );
}

function accessAllowModerator(){
    if(!isset($_SESSION['korisnik'])){
        $_SESSION['greska'] = "NISTE ULOGOVANI!";
        header("Location: index.php");
    }
    if($_SESSION['korisnik']->idRole == 2){
        $_SESSION['greska'] = "NISTE MODERATOR!";
        header("Location: index.php");
    }
}

```

#### 6.6.14.4.2. AddNews.php

```
<?php
session_start();
ob_start();
if(isset($_POST['dodajVest'])){

    require_once "../config/connection.php";
    include "functions.php";

    $fajl_naziv = $_FILES['slikaVest']['name'];
    $fajl_tmpLokacija = $_FILES['slikaVest']['tmp_name'];
    $fajl_tip = $_FILES['slikaVest']['type'];
    $fajl_velicina = $_FILES['slikaVest']['size'];

    $greske = [];

    $dozvoljeni_tipovi = ['image/jpg', 'image/jpeg', 'image/png'];

    if(!in_array($fajl_tip, $dozvoljeni_tipovi)){
        array_push($greske, "Pogresan tip fajla. - slika");
    }
    if($fajl_velicina > 3000000){
        array_push($greske, "Maksimalna velicina fajla je 3MB. - Profil
slika");
    }

    if(count($greske) == 0){

        list($sirina, $visina) = getimagesize($fajl_tmpLokacija);

        $postojecaSlika = null;
        switch($fajl_tip){
            case 'image/jpeg':
                $postojecaSlika =
imagecreatefromjpeg($fajl_tmpLokacija);
                break;
            case 'image/png':
                $postojecaSlika =
imagecreatefrompng($fajl_tmpLokacija);
                break;
        }
    }
}
```

```

$novaSirina = 300;
$novaVisina = ($novaSirina/$sirina) * $visina; // novaVisina :
visina = novaSirina : sirina

$novaSlika = imagecreatetruecolor($novaSirina, $novaVisina);

imagecopyresampled($novaSlika, $postojecaSlika, 0, 0, 0, 0,
$novaSirina, $novaVisina, $sirina, $visina);

$naziv = time().$fajl_naziv;
$putanjaNovaSlika = 'assets/images/users/nova_'. $naziv;

switch($fajl_tip){
    case 'image/jpeg':
        imagejpeg($novaSlika, '../.../.../'.$putanjaNovaSlika,
75);
        break;
    case 'image/png':
        imagepng($novaSlika, '../.../.../'.$putanjaNovaSlika);
        break;
}

$putanjaOriginalnaSlika = 'assets/images/users/'. $naziv;

$datum=date("Y/m/d");
$naslov=$_POST['title'];
$tekst=$_POST['tekstUpis'];
if(move_uploaded_file($fajl_tmpLokacija, '../.../.../'.$
$putanjaOriginalnaSlika)){
    echo "Slika je upload-ovana na server!";
}

try {

    $rezultat = insertNews($naslov,$tekst,$datum,
$putanjaOriginalnaSlika,$putanjaNovaSlika,$_SESSION['korisnik_id']);

    if($rezultat){
        $_SESSION['vesti_dobro']="Vest je dodata";
        // header("Location: ../..../index.php?
page=moderator&p=dodajVest");
    }else{
        $_SESSION['vesti_greska']="Nije dodata vest";
    }
}

```

```

    } catch(\PDOException $ex) {
        echo json_encode(['error'=> 'Database error: ' . $ex->getMessage()]);
        http_response_code(500);
        upisGreskeIzBaze($ex);
    }

}

imagedestroy($postojiacaSlika);
imagedestroy($novaSlika);
\header("Location: ../../index.php?page=moderator");
} else {
    $_SESSION['vesti_greska']=$greske;
    \header("Location: ../../index.php?page=moderator");
}
?>
```

#### 6.6.14.4.3. CkeditorImage.php

```

<?php

if(isset($_FILES['upload']['name']))
{
    $fajl_naziv = $_FILES['upload']['name'];
    $fajl_tmpLokacija = $_FILES['upload']['tmp_name'];
    $fajl_tip = $_FILES['upload']['type'];
    $fajl_velicina = $_FILES['upload']['size'];

    $greske = [];

    $dozvoljeni_tipovi = ['image/jpg', 'image/jpeg', 'image/png'];

    if(!in_array($fajl_tip, $dozvoljeni_tipovi)){
        array_push($greske, "Pogresan tip fajla. - slika");
    }
    if($fajl_velicina > 3000000){
```

```

        array_push($greske, "Maksimalna velicina fajla je 3MB. - Profil
slika");
    }

    if(count($greske) == 0){

        $naziv = time().$fajl_naziv;
        $putanjaNovaSlika = 'assets/images/users/nova_'. $naziv;

        $putanjaOriginalnaSlika = 'assets/images/users/'. $naziv;

        $datum=date("Y/m/d");
        $naslov=$_POST['title'];
        $tekst=$_POST['tekstUpis'];
        if(move_uploaded_file($fajl_tmpLokacija, '../.../../'.
$putanjaOriginalnaSlika)){
            $function_number = $_GET['CKEditorFuncNum'];
            $url = 'assets/images/users/'. $naziv;
            $message = '';
            echo "<script
type='text/javascript'>window.parent.CKEDITOR.tools.callFunction($funct
ion_number, '$url', '$message');</script>";
        }
    }
?>
```

#### 6.6.14.4. DeleteNews.php

```
<?php

if(isset($_POST['idNews'])){
    require_once "../.../config/connection.php";
    include "functions.php";
```

```

$id = $_POST['idNews'];

try {
    deleteNews($id);
    \http_response_code(204);
}
catch(\PDOException $ex) {
    echo json_encode(['error'=> 'Database error: ' . $ex->getMessage()]);
    \http_response_code(500);
    upisGreskeIzBaze($ex);
}
} else {
    \http_response_code(400);
}

```

#### 6.6.14.4.5. Functions.php

```

<?php

function deleteNews($id) {
    return uidPrepared("DELETE FROM news WHERE idNews = ?",[$id]);
}

function getNews() {
    return executeQuery("SELECT
idNews,title,text,date,bigImage,image,idUser FROM news ORDER BY idNews
DESC");
}

function insertNews($header,$text,$date,$bigImage,$smallImage,$idUsers)
{
    return uidPrepared("INSERT into
news(title,text,date,bigImage,image,idUser) values(?,?,?,?,?,?)",
[$header,$text,$date,$bigImage,$smallImage,$idUsers]);
}

function updateNewsWithImage($header,$text,$newImage,$oldImage,$id) {

```

```

        return uidPrepared("UPDATE news SET title = ?, text = ?,
bigImage=? , image=? WHERE idNews = ?" ,[ $header,$text,$newImage,
$oldImage,$id]);
}

function updateNewsNoImage($header,$text,$id) {
    return uidPrepared("UPDATE news SET title = ?, text = ? WHERE
idNews = ?" ,[ $header,$text,$id]);
}

function getNewsId($id) {
    return executePreparedOne("SELECT
idNews,title,text,date,bigImage,image,idUser FROM news WHERE
idNews= ?" ,[ $id]);
}

function accessAllowModerator(){
    if(!isset($_SESSION['korisnik'])){
        $_SESSION['greska'] = "NISTE ULOGOVANI!";
        header("Location: index.php");
    }
    if($_SESSION['korisnik']->idRole == 2){
        $_SESSION['greska'] = "NISTE MODERATOR!";
        header("Location: index.php");
    }
}
}

```

#### 6.6.14.4.6. GetNews.php

```

<?php
header('Content-Type: application/json');
require_once "../../config/connection.php";
include "functions.php";

try{
    $news = getNews();
} catch(\PDOException $ex) {
    echo json_encode(['error'=> 'Database error: ' . $ex-
>getMessage()]);
    \http_response_code(500);
    upisGreskeIzBaze($ex);
}
echo json_encode($news);

```

## 6.6.14.5. Newsletter

### 6.6.14.5.1. DeleteNewsletter.php

```
<?php
if(isset($_POST['id'])) {
    require_once "../config/connection.php";
    include "functions.php";

    $id=$_POST['id'];

    try{
        $poll=deleteNewsletter($id);
    }catch(\PDOException $e) {
        echo \http_response_code(500);
        echo $e->getMessage();
    }
}
```

### 6.6.14.5.2. EditNewsletter.php

```
<?php

require_once "../config/connection.php";
include "functions.php";

if(isset($_POST['idnewsletter'])) {
    $code=$_POST['code'];
    $title=$_POST['title'];
    $id=$_POST['idnewsletter'];

    if($title=="") {
        $errors[] = "Title is required";
    }
    if($code=="") {
        $errors[] = "Code is required";
    }

    if($error=="") {
```

```

        try {
            updateNewsletter($id,$title,$code);
        }
        catch(PDOException $ex){
            echo json_encode(['poruka'=> 'Problem sa bazom: ' . $ex->getMessage()]);
            http_response_code(500);
            upisGreskeIzBaze($ex);
        }
    }
}

```

### 6.6.14.5.3. Functions.php

```

<?php

function getAllEmail(){
    return executeQuery("SELECT email FROM newsletter_client");
}

function insertNewsletter($title,$code){
    return uidPrepared("INSERT INTO newsletter(title,code,date)
VALUES (?, ?, NOW())",[$title,$code]);
}

function getAllNewsletter(){
    return executeQuery("SELECT idNewsletter,title,code,date FROM
newsletter ORDER BY idNewsletter DESC LIMIT 6");
}

function checkIdNewsletter($id){
    $id=executePreparedOne("SELECT COUNT(idNewsletter) AS count FROM
newsletter WHERE idNewsletter=?",[ $id]);
    if($id->count<1){
        \header('Location: index.php');
    }
}

function getOneNewsletter($id){
    return executePreparedOne("SELECT title,code,date,idNewsletter FROM
newsletter WHERE idNewsletter=?",[ $id]);
}

```

```

function updateNewsletter($id,$title,$code) {
    return uidPrepared("UPDATE newsletter SET title=? ,code=? WHERE
idNewsletter=? " ,[ $title,$code,$id]) ;
}

function deleteNewsletter($id) {
    return uidPrepared("DELETE FROM newsletter WHERE idNewsletter=?",
[$id]) ;
}

function accessAllowModerator(){
    if(!isset($_SESSION['korisnik'])){
        $_SESSION['greska'] = "NISTE ULOGOVANI!";
        header("Location: index.php");
    }
    if($_SESSION['korisnik']->idRole == 2){
        $_SESSION['greska'] = "NISTE MODERATOR!";
        header("Location: index.php");
    }
}

```

#### 6.6.14.5.4. GetNewsletter.php

```

<?php
require_once "../config/connection.php";
include "functions.php";

\header('Content-Type: application/json');

try{
    $poll=getAllNewsletter();
} catch(\PDOException $e) {
    echo \http_response_code(500);
    echo $e->getMessage();
}
echo \json_encode($poll);

```

#### 6.6.14.5.5. SendNewsletter.php

```
<?php

use PHPMailer\PHPMailer\PHPMailer;
require_once "../../config/connection.php";
require_once "functions.php";

if(isset($_POST['button']) || isset($_POST['idnewsletter'])){

    $title=$_POST['title'];
    $code=$_POST['code'];
    $error="";

    if($title==""){
        $errors[] = "Title is required";
    }
    if($code==""){
        $errors[] = "Code is required";
    }

    if($error==""){

        try{

            if(isset($_POST['button'])){
                $insertInDatabase=insertNewsletter($title,$code);
            }else{
                $insertInDatabase=true;
            }
            if($insertInDatabase){

                $email=getAllEmail();
                if($email){

                    require_once
"../../assets/PHPMailer/src/PHPMailer.php";
                    require_once
"../../assets/PHPMailer/src/Exception.php";
                    require_once
"../../assets/PHPMailer/src/SMTP.php";
                }
            }
        }
    }
}
```

```

        $mail=new PHPMailer();
        $mail->isSMTP();
        $mail->Host="smtp.gmail.com";
        $mail->SMTPAuth=true;
        $mail->Username="markoczv314@gmail.com";
        $mail->Password="Markoczv314034";
        $mail->Port=465;
        $mail->SMTPSecure="ssl";

        $mail->isHTML(true);
        $mail->setFrom("markoczv314@gmail.com");
        foreach($email as $item){
            $mail->addAddress($item->email);
        }
        $mail->Subject=$title;
        $mail->Body=$code;

        if($mail->send()){
            $response="email is sent";
        }else{
            $response="Something is wrong ".$mail->ErrorInfo;
        }

    }else{
        $response="email is not exist";
        echo $response;
    }

}

}catch(PDOException $e){
    $e->getMessage();
    upisGreskeIzBaze($e);

}

}else{
    $response="Error parametars";
    echo $response;

}

```

## 6.6.14.6. Order

### 6.6.14.6.1. GetStatus.php

```
<?php
if(isset($_GET['id'])){
    require_once "../config/connection.php";
    include "functions.php";

    \header('Content-Type: application/json');
    $id=$_GET['id'];

    try{
        $status = getStatus($id);
    }catch(\PDOException $ex){
        echo json_encode(['error'=> 'Database error: ' . $ex->getMessage()]);
        \http_response_code(500);
        upisGreskeIzBaze($ex);
    }

    echo json_encode($status);
}
```

### 6.6.14.6.2. OrderStatus.php

```
<?php
$code=500;
if(isset($_GET['id'])){
header('Content-Type: application/json');

require_once "../config/connection.php";
include "functions.php";

$status=$_GET['id'];
try{
    $orders=getOrderStatus($status);
    $code=200;
}catch(\PDOException $ex){
```

```

    echo json_encode(['error'=> 'Database error: ' . $ex-
>getMessage()]);
    \http_response_code(500);
    upisGreskeIzBaze($ex);
}

http_response_code($code);
}
echo json_encode($orders);

```

### 6.6.14.6.3. Functions.php

```

<?php

function getStatus($id) {
    return executePreparedOne("SELECT idOrderStatus FROM orders where
idOrders=?",[ $id]);
}

function changeStatus($value,$id) {
    return uidPrepared("UPDATE orders SET idOrderStatus = ? WHERE
idOrders = ?",[$value,$id]);
}

function filterDate($dateFrom,$dateTo) {
    return executePrepared("SELECT DISTINCT
o.idOrders,o.dateOrders,o.date,os.name AS
status,os.idOrderStatus,o.total,k.name,k.lastName FROM product p INNER
JOIN orders_products op on p.idProduct=op.idProduct INNER JOIN orders o
on op.idOrders=o.idOrders INNER JOIN user k on o.idUser=k.idUser INNER
JOIN order_status os ON o.idOrderStatus=os.idOrderStatus where
o.dateOrders BETWEEN ? AND ? order by o.idOrders desc",[$dateFrom,
$dateTo]);
}

function getOrderStatus($status) {
    return executePrepared("SELECT DISTINCT
o.idOrders,o.dateOrders,os.name AS
status,os.idOrderStatus,o.total,k.name,k.lastName FROM product p INNER
JOIN orders_products op on p.idProduct=op.idProduct INNER JOIN orders o
on op.idOrders=o.idOrders INNER JOIN user k on o.idUser=k.idUser INNER

```

```

JOIN order_status os ON o.idOrderStatus=os.idOrderStatus where
os.idOrderStatus=? order by o.idOrders desc",[$status]);
}

function searchOrderId($id,$page) {
    return executeQuery("SELECT DISTINCT
o.idOrders,o.dateOrders,os.name AS
status,os.idOrderStatus,o.total,k.name,k.lastName FROM product p INNER
JOIN orders_products op on p.idProduct=op.idProduct INNER JOIN orders o
on op.idOrders=o.idOrders INNER JOIN user k on o.idUser=k.idUser INNER
JOIN order_status os ON o.idOrderStatus=os.idOrderStatus where
o.idOrders LIKE '%$id%' order by o.idOrders desc LIMIT 6 ");
}

function searchOrderIdNoParam() {
    return executeQuery("SELECT DISTINCT
o.idOrders,o.dateOrders,os.name AS
status,os.idOrderStatus,o.total,k.name,k.lastName FROM product p INNER
JOIN orders_products op on p.idProduct=op.idProduct INNER JOIN orders o
on op.idOrders=o.idOrders INNER JOIN user k on o.idUser=k.idUser INNER
JOIN order_status os ON o.idOrderStatus=os.idOrderStatus order by
o.idOrders desc");
}

function getOrderWithDate($firstDate,$secondDate,$searchId,$page) {
    return executePrepared("SELECT DISTINCT
o.idOrders,o.dateOrders,o.date,os.name AS
status,os.idOrderStatus,o.total,k.name,k.lastName FROM product p INNER
JOIN orders_products op on p.idProduct=op.idProduct INNER JOIN orders o
on op.idOrders=o.idOrders INNER JOIN user k on o.idUser=k.idUser INNER
JOIN order_status os ON o.idOrderStatus=os.idOrderStatus where
o.idOrders LIKE '%$searchId%' AND ( o.dateOrders BETWEEN ? AND ? )
order by o.idOrders desc LIMIT 6 OFFSET $page ",[$firstDate,
$secondDate]);
}

function getOrderWithStatus($status,$searchId,$page) {
    return executePrepared("SELECT DISTINCT
o.idOrders,o.dateOrders,os.name AS
status,os.idOrderStatus,o.total,k.name,k.lastName FROM product p INNER
JOIN orders_products op on p.idProduct=op.idProduct INNER JOIN orders o
on op.idOrders=o.idOrders INNER JOIN user k on o.idUser=k.idUser INNER
JOIN order_status os ON o.idOrderStatus=os.idOrderStatus where
os.idOrderStatus=? AND o.idOrders LIKE '%$searchId%' order by
o.idOrders desc LIMIT 6 OFFSET $page ",[$status]);
}

```

```

}

function getOrderWithAllFilters($status,$firstDate,$secondDate,
$searchId,$page) {
    return executePrepared("SELECT DISTINCT
o.idOrders,o.dateOrders,o.date,os.name AS
status,os.idOrderStatus,o.total,k.name,k.lastName FROM product p INNER
JOIN orders_products op ON p.idProduct=op.idProduct INNER JOIN orders o
ON op.idOrders=o.idOrders INNER JOIN user k ON o.idUser=k.idUser INNER
JOIN order_status os ON o.idOrderStatus=os.idOrderStatus WHERE
os.idOrderStatus=? AND o.idOrders LIKE '%$searchId%' AND (o.dateOrders
BETWEEN ? AND ? ) ORDER BY o.idOrders DESC LIMIT 6 OFFSET $page",
[$status,$firstDate,$secondDate]);
}

function getOrderOneRow($id) {
    return executePreparedOne("SELECT DISTINCT
k.name,k.lastName,k.email,k.address,k.zip,k.city,o.date,o.idOrderStatus
,o.total,c.name AS country, opm.name AS payment FROM user k INNER JOIN
orders o ON k.idUser=o.idUser INNER JOIN orders_products op ON
o.idOrders=op.idOrders INNER JOIN country c ON k.idCountry=c.idCountry
INNER JOIN order_payment_method opm ON
o.idOrderPaymentMethod=opm.idOrderPaymentMethod WHERE o.idOrders= ?",
[$id]);
}

function getOrderId($id) {
    return executePrepared("SELECT op.quantity,p.name,p.newPrice FROM
user k INNER JOIN orders o ON k.idUser=o.idUser INNER JOIN
orders_products op ON o.idOrders=op.idOrders INNER JOIN product p ON
op.idProduct=p.idProduct WHERE o.idOrders= ?",[$id]);
}

function getStauts() {
    return executeQuery("SELECT idOrderStatus,name FROM
order_status");
}

function accessAllowModerator(){
    if(!isset($_SESSION['korisnik'])){
        $_SESSION['greska'] = "NISTE ULOGOVANI!";
        header("Location: index.php");
    }
    if($_SESSION['korisnik']->idRole == 2){
}
}

```

```

        $_SESSION['greska'] = "NISTE MODERATOR!";
        header("Location: index.php");
    }
}

```

#### 6.6.14.6.4. StatusChange.php

```

<?php
session_start();
if(isset($_POST['id']) && isset($_POST['value'])){
    require_once "../config/connection.php";
    include "functions.php";

    $id = $_POST['id'];
    $value = $_POST['value'];
    try{
        changeStatus($value,$id);
    }catch(\PDOException $ex){
        echo json_encode(['error'=> 'Database error: ' . $ex->getMessage()]);
        \http_response_code(500);
        upisGreskeIzBaze($ex);
    }
}

```

#### 6.6.14.7. Pagination

##### 6.6.14.7.1. CountOrderPagination.php

```

<?php
header('Content-Type: application/json');

require_once "../config/connection.php";
include "functions.php";
$firstDate=$_GET['firstDate'];
$secondDate=$_GET['secondDate'];
$status=$_GET['statusOrder'];
$searchId=$_GET['searchId'];

```

```

$payment=$_GET['payment'];

$query="SELECT COUNT(o.idOrders) AS number FROM orders o INNER JOIN
orders_products op on op.idOrders=o.idOrders INNER JOIN product p on
p.idProduct=op.idProduct WHERE o.idOrders LIKE '%$searchId%' ";

if($payment!="") {
    $query.=" AND idOrderPaymentMethod=$payment ";
}

if($status=="") {
    if($firstDate!="" && $secondDate!="") {
        $query.=" AND (o.dateOrders BETWEEN '$firstDate' AND
'$secondDate' ) ";
    }
} else{
    if($firstDate=="" && $secondDate=="") {
        $query.=" AND o.idOrderStatus=$status";
    } else {
        $query.=" AND (o.dateOrders BETWEEN '$firstDate' AND
'$secondDate' ) AND o.idOrderStatus=$status";
    }
}

$query.=" GROUP BY o.idOrders";

try{
    $result=[ "number"=>rowCount($query) ];
} catch(\PDOException $ex){
    echo json_encode(['error'=> 'Database error: ' . $ex-
>getMessage()]);
    http_response_code(500);
    upisGreskeIzBaze($ex);
}

echo json_encode($result);

```

### 6.6.14.7.2. FilterOrder.php

```
<?php
header('Content-Type: application/json');

require_once "../../config/connection.php";
include "functions.php";
$firstDate=$_GET['firstDate'];
$secondDate=$_GET['secondDate'];
$status=$_GET['statusOrder'];
$searchId=$_GET['searchId'];
$payment=$_GET['payment'];
$page=($_GET["page"]-1)*6;

$query="SELECT DISTINCT opm.name AS payment,
o.idOrders,o.dateOrders,o.date,os.name AS
status,os.idOrderStatus,o.total,k.name,k.lastName FROM product p INNER
JOIN orders_products op ON p.idProduct=op.idProduct INNER JOIN orders o
ON op.idOrders=o.idOrders INNER JOIN user k ON o.idUser=k.idUser INNER
JOIN order_status os ON o.idOrderStatus=os.idOrderStatus INNER JOIN
order_payment_method opm ON
o.idOrderPaymentMethod=opm.idOrderPaymentMethod WHERE o.idOrders LIKE
'%$searchId%'  ";

if($payment!="") {
    $query.="AND o.idOrderPaymentMethod=$payment";
}

if($status=="") {
    if($firstDate!="" && $secondDate!="") {
        $query.=" AND (o.dateOrders BETWEEN '$firstDate' AND
'$secondDate' ) ";
    }
} else{
    if($firstDate=="" && $secondDate=="") {
        $query.=" AND os.idOrderStatus=$status";
    } else {
        $query.=" AND (o.dateOrders BETWEEN '$firstDate' AND
'$secondDate' ) AND os.idOrderStatus=$status";
    }
}
```

```

        }

$query.=" ORDER BY o.idOrders DESC LIMIT 6 OFFSET $page";

try{
    $result=executeQuery($query);
} catch(\PDOException $ex){
    echo json_encode(['error'=> 'Database error: ' . $ex->getMessage()]);
    http_response_code(500);
    upisGreskeIzBaze($ex);
}

echo json_encode($result);

```

### 6.6.14.7.3. Functions.php

```

<?php

function countProducts($productSearch) {
    return executeQueryOneRow("SELECT COUNT(p.idProduct) AS number from
product p INNER JOIN category k on p.idCategory=k.idCategory INNER JOIN
images i ON p.idProduct=i.idProduct where p.name LIKE '%$productSearch
%' AND i.cover=1");
}

function countProductStatus($productSearch) {
    return executeQueryOneRow("SELECT COUNT(p.idProduct) AS number from
product p INNER JOIN category k on p.idCategory=k.idCategory INNER JOIN
images i ON p.idProduct=i.idProduct where i.cover=1 AND p.name LIKE '%
$productSearch%' AND p.quantity>0 ");
}

function countProductStatusZero($productSearch) {
    return executeQueryOneRow("SELECT COUNT(p.idProduct) AS number from
product p INNER JOIN category k on p.idCategory=k.idCategory INNER JOIN
images i ON p.idProduct=i.idProduct where p.name LIKE '%$productSearch
%' AND i.cover=1 AND p.quantity<1 ");
}

function getAllProductsPagination($productSearch,$page) {
    return executeQuery("SELECT
p.idProduct,i.path,i.alt,p.name ,p.description,p.Quantity,p.oldPrice,p.
newPrice,k.name as knaziv from product p INNER JOIN category k on

```

```

p.idCategory=k.idCategory INNER JOIN images i ON
p.idProduct=i.idProduct where p.name LIKE '%$productSearch%' AND
i.cover=1 ORDER BY p.idProduct DESC LIMIT 6 OFFSET $page ");
}

function getProductStatus($productSearch,$page) {
    return executeQuery("SELECT
p.idProduct,i.path,i.alt,p.name ,p.Quantity,p.description,p.oldPrice,p.
newPrice,k.name as knaziv from product p INNER JOIN category k on
p.idCategory=k.idCategory INNER JOIN images i ON
p.idProduct=i.idProduct where p.name LIKE '%$productSearch%' AND
i.cover=1 AND p.quantity>0 ORDER BY p.idProduct DESC LIMIT 6 OFFSET
$page ");
}

function getProductStatusZero($productSearch,$page) {
    return executeQuery("SELECT
p.idProduct,i.path,i.alt,p.name ,p.description,p.Quantity,p.oldPrice,p.
newPrice,k.name as knaziv from product p INNER JOIN category k on
p.idCategory=k.idCategory INNER JOIN images i ON
p.idProduct=i.idProduct where p.name LIKE '%$productSearch%' AND
i.cover=1 AND p.quantity<1 ORDER BY p.idProduct DESC LIMIT 6 OFFSET
$page ");
}

function countNews() {
    return executeQueryOneRow("SELECT COUNT(idNews) AS number from
news");
}

function getAllNewsPagination($page) {
    return executeQuery("SELECT
idNews,title,text,date,bigImage,image,idUser FROM news ORDER BY idNews
DESC LIMIT 6 OFFSET $page ");
}

function countCategory() {
    return executeQueryOneRow("SELECT COUNT(idCategory) AS number from
category");
}

function getAllCategoryPagination($page) {
    return executeQuery("SELECT idCategory,name FROM category ORDER BY
idCategory ASC LIMIT 6 OFFSET $page ");
}

```

```

function countNewsletter() {
    return executeQueryOneRow("SELECT COUNT(idNewsletter) AS number
from newsletter");
}

function getAllNewsletterPagination($page) {
    return executeQuery("SELECT idNewsletter,title,code,date FROM
newsletter ORDER BY idNewsletter DESC  LIMIT 6 OFFSET $page ");
}

function countPoll() {
    return executeQueryOneRow("SELECT COUNT(idPoll) AS number from
poll");
}

function countContry() {
    return executeQueryOneRow("SELECT COUNT(idCountry) AS number from
country");
}

function getAllPollPagination($page) {
    return executeQuery("SELECT p.question,p.date,p.status,p.idPoll
FROM poll p ORDER BY p.idPoll DESC LIMIT 6 OFFSET $page ");
}

function getAllContryPagination($page) {
    return executeQuery("SELECT idCountry,name FROM country ORDER BY
idCountry LIMIT 6 OFFSET $page ");
}

function getOrderWithDateCount($firstDate,$secondDate,$searchId,
$searchPayment) {
    return executePreparedOne("SELECT COUNT(idOrders) AS number  FROM
orders where idOrders LIKE '%$searchId%' AND ( dateOrders BETWEEN
'$firstDate' AND '$secondDate' )  AND o.idOrderPaymentMethod=?  ",
[$firstDate,$secondDate,$searchPayment]);
}

function getOrderWithStatusCount($status,$searchId,$payment) {
    return executePreparedOne("SELECT COUNT(o.idOrders) AS number  FROM
orders o INNER JOIN order_status os ON o.idOrderStatus=os.idOrderStatus
WHERE o.idOrderStatus=?  ",[$status,$searchId,$payment]);
}

```

```

where os.idOrderStatus=? AND z AND o.idOrderPaymentMethod=?",
[$status,$payment]);
}

function getOrderWithAllFiltersCount($status,$firstDate,$secondDate,
$searchId,$payment) {
    return executePreparedOne("SELECT COUNT(o.idOrders) AS number FROM
orders o INNER JOIN order_status os ON o.idOrderStatus=os.idOrderStatus
where os.idOrderStatus=? AND o.idOrders LIKE '%$searchId%' AND
( o.dateOrders BETWEEN ? AND ? ) AND o.idOrderPaymentMethod=?",
[$status,$firstDate,$secondDate,$payment]);
}

function searchOrderIdCount($id,$payment) {
    return executeQueryOneRow("SELECT COUNT(idOrders) AS number FROM
orders where idOrders LIKE '%$id%' AND idOrderPaymentMethod=$payment");
}

function countOrder() {
    return rowCount("SELECT COUNT(o.idOrders) AS number FROM orders o
INNER JOIN orders_products op on op.idOrders=o.idOrders INNER JOIN
product p on p.idProduct=op.idProduct GROUP BY o.idOrders");
}

```

#### 6.6.14.7.4. Pagination.php

```

<?php

if(isset($_POST['send'])){
    require_once "../config/connection.php";
    include "functions.php";

    $page=($_POST["idpag"]-1)*6;
    $name=$_POST['name'];
    $productSearch=$_POST['productSearch'];
    $category=$_POST['productCategory'];
    $status=$_POST["productStatus"];
    try{

        if($name=="Products"){

```

```

        $query="SELECT
p.idProduct,i.path,i.alt,p.name ,p.Quantity,p.description,p.oldPrice,p.
newPrice,k.name as knaziv from product p INNER JOIN category k ON
p.idCategory=k.idCategory INNER JOIN images i ON
p.idProduct=i.idProduct where p.name LIKE '%$productSearch%' AND
i.cover=1 ";
        if($status=="1"){
            $query.=" AND p.quantity>0 ";
        }
        if($status=="0"){
            $query.=" AND p.quantity<1 ";
        }
        if($category!=""){
            $query.=" AND k.idCategory=$category ";
        }
        $query.= " ORDER BY p.idProduct DESC LIMIT 6 OFFSET $page";

$result=executeQuery($query);

}elseif($name=="News"){
    $result=getAllNewsPagination($page);
}elseif($name=="Category"){
    $result=getAllCategoryPagination($page);
}elseif($name=="Newsletter"){
    $result=getAllNewsletterPagination($page);
}elseif($name=="Poll"){
    $result=getAllPollPagination($page);
}elseif($name=="Contry"){
    $result=getAllContryPagination($page);
}
echo json_encode($result);
http_response_code(200);
}

catch(\PDOException $ex){
    echo json_encode(['error'=> 'Database error: ' . $ex-
>getMessage()]);
    http_response_code(500);
    upisGreskeIzBaze($ex);
}
}

?>

```

## 6.6.14.7.5. PagNumber.php

```
<?php

if(isset($_GET['name'])) {
    header('Content-Type: application/json');
    require_once "../../config/connection.php";
    include "functions.php";

    $name=$_GET['name'];
    $productSearch=$_GET['productSearch'];
    $status=$_GET["productStatus"];
    $category=$_GET['productCategory'];
    try{

        if($name=="Products") {

            $query="SELECT COUNT(p.idProduct) AS number from product p
INNER JOIN category k on p.idCategory=k.idCategory INNER JOIN images i
ON p.idProduct=i.idProduct where p.name LIKE '%$productSearch%' AND
i.cover=1 ";
            if($status=="1"){
                $query.=" AND p.quantity>0 ";
            }
            if($status=="0"){
                $query.=" AND p.quantity<1 ";
            }
            if($category!=""){
                $query.=" AND k.idCategory=$category ";
            }

            $count=executeQueryOneRow($query);

        }elseif($name=="News") {
            $count=countNews();
        }elseif($name=="Category") {
            $count=countCategory();
        }elseif($name=="Newsletter") {
            $count=countNewsletter();
        }elseif($name=="Poll") {
            $count=countPoll();
        }elseif($name=="Order") {
```

```

        $count=[ "number"=>countOrder() ] ;
    }elseif($name=="Contry") {
        $count=countContry();
    }

        \http_response_code(200);
echo json_encode($count);

}

catch(\PDOException $ex){
    echo json_encode(['error'=> 'Database error: ' . $ex->getMessage()]);
        \http_response_code(500);
upisGreskeIzBaze($ex);
}
}

```

#### 6.6.14.7.6. SearchFilterOrder.php

```

<?php

header('Content-Type: application/json');

require_once "../../config/connection.php";
include "functions.php";
$firstDate=$_GET['firstDate'];
$secondDate=$_GET['secondDate'];
$status=$_GET['statusOrder'];
$searchId=$_GET['searchId'];
$payment=$_GET['payment'];
$query="SELECT DISTINCT opm.name AS
payment,o.idOrders,o.dateOrders,o.date,os.name AS
status,os.idOrderStatus,o.total,k.name,k.lastName FROM product p INNER
JOIN orders_products op ON p.idProduct=op.idProduct INNER JOIN orders o
ON op.idOrders=o.idOrders INNER JOIN user k ON o.idUser=k.idUser INNER
JOIN order_status os ON o.idOrderStatus=os.idOrderStatus INNER JOIN
order_payment_method opm ON
o.idOrderPaymentMethod=opm.idOrderPaymentMethod WHERE o.idOrders LIKE
'%$searchId%' ";

if($payment!="") {
    $query.=" AND o.idOrderPaymentMethod=$payment ";
}

```

```

        }

        if($status=="") {
            if($firstDate!="" && $secondDate!="") {
                $query.=" AND (o.dateOrders BETWEEN '$firstDate' AND
'$secondDate' ) ";
            }
        } else{
            if($firstDate=="" && $secondDate=="") {
                $query.=" AND os.idOrderStatus=$status";
            } else {
                $query.=" AND (o.dateOrders BETWEEN '$firstDate' AND
'$secondDate' ) AND os.idOrderStatus=$status";
            }
        }

    }

$query.=" ORDER BY o.idOrders DESC LIMIT 6";

try{
    $result=executeQuery($query);
} catch(\PDOException $ex) {
    echo json_encode(['error'=> 'Database error: ' . $ex-
>getMessage()]);
    http_response_code(500);
    upisGreskeIzBaze($ex);
}

echo json_encode($result);

```

## 6.6.14.8. Poll

### 6.6.14.8.1. ChangePollStatus.php

```

<?php
if(isset($_POST['id'])){
    require_once "../config/connection.php";
    include "function.php";

    $id=$_POST['id'];

    try{
        $status=(int)getStatus($id)->status;

```

```

        if($status==1){
            changeStatusInactive($id) ;
        }else{
            $getAllStatus=allStatus();
            foreach($getAllStatus as $item){
                changeAllPollStatusInactive($item->idPoll) ;
            }
            changeStatusActive($id) ;

        }

    }catch(\PDOException $e){
        echo http_response_code(500);
        echo $e->getMessage();
    }
}

```

### 6.6.14.8.2. DeletePoll.php

```

<?php
if(isset($_POST['id'])){
    require_once "../../config/connection.php";
    include "function.php";

    $id=$_POST['id'];

    try{
        $poll=deletePoll($id);
    }catch(\PDOException $e){
        echo http_response_code(500);
        echo $e->getMessage();
    }
}

```

### 6.6.14.8.3. Functions.php

```
<?php

function createPoll($question) {
    return uidPrepared("INSERT INTO poll(question,date)
VALUES (?,NOW())",[$question]);
}

function createAnswers($answer,$lastId) {
    return uidPrepared("INSERT INTO poll_answer(answer,idPoll)
VALUES (?,?)",[$answer,$lastId]);
}

function getAllPolls(){
    return executeQuery("SELECT p.question,p.date,p.status,p.idPoll
FROM poll p");
}

function deletePoll($id){
    return uidPrepared("DELETE FROM poll WHERE idPoll=?",[ $id ]);
}

function deletePollAnswer($id) {
    return uidPrepared("DELETE FROM poll_answer WHERE idPollAnswer=?",
[$id]);
}

function getOneQuestion($id) {
    return executePreparedOne("SELECT question FROM poll WHERE
idPoll=?",[ $id ]);
}

function getAnswers($id) {
    return executePrepared("SELECT idPollAnswer,answer FROM poll_answer
WHERE idPoll=?",[ $id ]);
}

function checkIdPoll($id) {
    $id=executePreparedOne("SELECT COUNT(idPoll) AS count FROM poll
WHERE idPoll=?",[ $id ]);
    if($id->count<1){
        \header('Location: index.php');
    }
}
```

```

        }

    }

    function deletePollAnswer($id) {
        return uidPrepared("DELETE FROM poll_answer WHERE idPoll=?",
[$id]);
    }

    function updateQuestion($question,$id) {
        return uidPrepared("UPDATE poll SET question=? WHERE idPoll=?",
[$question,$id]);
    }

    function getStatus($id) {
        return executePreparedOne("SELECT status FROM poll WHERE idPoll=?",
[$id]);
    }

    function changeStatusActive($id) {
        return uidPrepared("UPDATE poll SET status=1 WHERE idPoll=?",
[$id]);
    }

    function changeStatusInactive($id) {
        return uidPrepared("UPDATE poll SET status=0 WHERE idPoll=?",
[$id]);
    }

    function changeAllPollStatusInactive($id) {
        return uidPrepared("UPDATE poll SET status=0 WHERE idPoll=?",
[$id]);
    }

    function allStatus() {
        return executeQuery("SELECT idPoll FROM poll WHERE status=1");
    }

    function pollResult($id) {
        $rowCount=executeQueryOneRow("SELECT COUNT(pa.idPollAnswer) AS
rowNumber FROM poll p INNER JOIN poll_answer pa ON p.idPoll=pa.idPoll
INNER JOIN poll_user_answer pua ON pa.idPollAnswer=pua.idPollAnswer
WHERE p.idPoll=$id");

        $result="";

```

```

$arrayIdAnswer=executeQuery("SELECT DISTINCT pa.idPollAnswer AS
number FROM poll p INNER JOIN poll_answer pa ON p.idPoll=pa.idPoll
WHERE p.idPoll=$id");
$pollName=executeQueryOneRow("SELECT question FROM poll WHERE
idPoll=$id");
$result=<h2>$pollName->question</h2>;
foreach($arrayIdAnswer as $item) {
    $oneAnswer=executePrepared("SELECT COUNT(pa.idPollAnswer) AS
rowNumber,pa.answer FROM poll p INNER JOIN poll_answer pa ON
p.idPoll=pa.idPoll INNER JOIN poll_user_answer pua ON
pa.idPollAnswer=pua.idPollAnswer WHERE p.idPoll=$id AND
pa.idPollAnswer=?",[&$item->number]);

    foreach($oneAnswer as $item) {
        @$percent=round((&$item->rowNumber/$rowCount-
>rowNumber)*100);
        if(is_nan($percent)){
            $percent=0;
        }
        $result.= "<p class='darkEmptyTextWhite'>".&$item-
>answer."</p>
<div class='rez'>
    <div class='skills html' style='width:".-
$percent."%;'><p>".&$percent."%</p></div>
</div>";
    }
}
return $result;
}

function accessAllowModerator(){
    if(!isset($_SESSION['korisnik'])){
        $_SESSION['greska'] = "NISTE ULOGOVANI!";
        header("Location: index.php");
    }
    if($_SESSION['korisnik']->idRole == 2){
        $_SESSION['greska'] = "NISTE MODERATOR!";
        header("Location: index.php");
    }
}

```

#### 6.6.14.8.4. DeletePollAnswer.php

```
<?php
if(isset($_POST['id'])){
    require_once "../../config/connection.php";
    include "function.php";

    $id=$_POST['id'];

    try{
        $poll=deletePollAnswer($id);
    }catch(\PDOException $e){
        echo http_response_code(500);
        echo $e->getMessage();
    }
}
```

#### 6.6.14.8.5. GetPoll.php

```
<?php
require_once "../../config/connection.php";
include "function.php";

\header('Content-Type: application/json');

try{
    $poll=getAllPolls();
}catch(\PDOException $e){
    echo http_response_code(500);
    echo $e->getMessage();
}
echo \json_encode($poll);
```

#### 6.6.14.8.6. GetPollAnswers.php

```
<?php
if(isset($_GET['id'])){
    require_once "../config/connection.php";
    include "function.php";

    \header('Content-Type: application/json');
    $id=$_GET['id'];

    try{
        $poll=getAnswers($id);
    }catch(\PDOException $e){
        echo http_response_code(500);
        echo $e->getMessage();
    }
    echo \json_encode($poll);
}
```

#### 6.6.14.8.7. InsertAnswer.php

```
<?php
if(isset($_POST['answers'])){
    require_once "../config/connection.php";
    include "function.php";
    $answers=$_POST['answers'];
    $question=$_POST['question'];
    try{

        createPoll($question);
        $lastId=getLastId();
        foreach($answers as $item){
            createAnswers($item['name'],$lastId);
        }
    }catch(PDOException $e){
        $e->getMessage();
        upisGreskeIzBaze($e);

    }
}
```

### 6.6.14.8.8. PollStatistic.php

```
<?php
if(isset($_GET['id'])){
    require_once "../config/connection.php";
    include "function.php";

    \header('Content-Type: application/json');
    $id=$_GET['id'];
    try{
        $poll=pollResult($id);
    }catch(\PDOException $e){
        echo http_response_code(500);
        echo $e->getMessage();
    }
    echo \json_encode($poll);
}
```

### 6.6.14.8.9. UpdatePoll.php

```
<?php
if(isset($_POST['id'])){
    require_once "../config/connection.php";
    include "function.php";
    $answers=$_POST['answers'];
    $question=$_POST['question'];
    $id=$_POST['id'];
    try{
        deletePollAnswer($id);
        updateQuestion($question,$id);
        foreach($answers as $item){
            createAnswers($item['name'],$id);
        }
    }catch(PDOException $e){
        $e->getMessage();
        upisGreskeIzBaze($e);
    }
}
```

## 6.6.14.9. Products

### 6.6.14.9.1. AddProduct.php

```
<?php
session_start();
ob_start();

if(isset($_POST['addProduct'])){
    require_once "../../config/connection.php";
    include "functions.php";
    addProductParametar();
}

function addProductParametar(){

    $name=$_POST['name'];
    $desc=$_POST['desc'];
    $oldPrice = $_POST['oldPrice'];
    $newPrice = $_POST['newPrice'];
    $category = $_POST['category'];
    $quantity = $_POST['quantity'];
    $home=$_POST['home'];

    $error = [];

    $reText="/[a-z]+/";
    $reNumber="/[0-9]+/";
    if(!preg_match($reText,$name)){
        array_push($error, "Morate dodati naziv proizvoda");
    }
    if(!preg_match($reText,$desc)){
        array_push($error, "Morate dodati opis proizvoda");
    }
    if(!preg_match($reNumber,$oldPrice)){
        array_push($error, "Morate dodati staru cenu proizvoda");
    }
    if(!preg_match($reNumber,$newPrice)){
        array_push($error, "Morate dodati novu cenu proizvoda");
    }
    if($category==0){
        array_push($error, "Nije izabrana kategorija");
    }
}
```

```

}

if(count($error)==0){

    try{
        $UserId = $_SESSION['korisnik_id'];
        $insertProduct=insertProduct($name,$desc,$oldPrice,
$newPrice,$category,$UserId,$home,$quantity);
        if($insertProduct){
            addProfilePhoto();
        }
    }catch( PDOException $e){
        $e->getMessage();
        upisGreskeIzBaze($e);
    }
}

function addProfilePhoto(){

    $error = [];
    $reText="/[a-z]+/";
    $fajl_naziv = $_FILES['image']['name'];
    $fajl_tmpLokacija = $_FILES['image']['tmp_name'];
    $fajl_tip = $_FILES['image']['type'];
    $fajl_velicina = $_FILES['image']['size'];
    $dozvoljeniFormati = ["image/jpg", "image/jpeg", "image/png",
"image/gif"];
    $alt=$_POST['alt'];

    if(!in_array($fajl_tip,$dozvoljeniFormati)){
        array_push($error, "Tip fajla nije validan. Dozvoljeni: jpg,
jpeg, png, gif.");
    }
    if(!preg_match($reText,$alt)){
        array_push($error, "Morate dodati alt proizvoda");
    }

    if($fajl_velicina > 3000000){
        array_push($error, "Velicina fajla ne sme biti veca od 2MB!");
    }
}

```

```

if(count($error)==0) {
    try{

        list($sirina, $visina) = getimagesize($fajl_tmpLokacija);

        $postojecaSlika = null;
        switch($fajl_tip){
            case 'image/jpeg':
                $postojecaSlika =
imagecreatefromjpeg($fajl_tmpLokacija);
                break;
            case 'image/png':
                $postojecaSlika =
imagecreatefrompng($fajl_tmpLokacija);
                break;
        }

        $novaSirina = 500;
        $novaVisina = ($novaSirina/$sirina) * $visina; // novaVisina :
visina = novaSirina : sirina

        $novaSlika = imagecreatetruecolor($novaSirina, $novaVisina);

        imagecopyresampled($novaSlika, $postojecaSlika, 0, 0, 0, 0,
$novaSirina, $novaVisina, $sirina, $visina);

        $naziv = time().$fajl_naziv;
        $putanjaNovaSlika = 'assets/images/users/nova_'. $naziv;

        switch($fajl_tip){
            case 'image/jpeg':
                imagejpeg($novaSlika, ' ../../../../'. $putanjaNovaSlika,
100);
                break;
            case 'image/png':
                imagepng($novaSlika, ' ../../../../'. $putanjaNovaSlika);
                break;
        }

        $putanjaOriginalnaSlika = 'assets/images/users/'. $naziv;

        $datum=date("Y/m/d");
        if(move_uploaded_file($fajl_tmpLokacija, ' ../../../../'.
$putanjaOriginalnaSlika)) {
    }
}

```

```

$_SESSION['proizvod_dobro']="Slika je upload-ovana na
server!!";

$cover=1;
$productID=getProductId();
$insertImage	insertProductImage($productID->idProduct,
$putanjaNovaSlika,$putanjaOriginalnaSlika,$cover,$alt);

if($insertImage){
    addMultiPhoto();
}

$_SESSION['proizvod_dobro']="Uspesan unos u bazu.;

} else {
    $_SESSION['greska_proizvod']="Nije uploadovana slika na
server.";
}

}catch( PDOException $e){
    $e->getMessage();
    upisGreskeIzBaze($e);
}

} else {
    $_SESSION['greska_proizvod']=$error;
}

}

function addMultiPhoto(){

$error = [];

$dozvoljeniFormati = ["image/jpg", "image/jpeg", "image/png",
"image/gif"];
$alt=$_POST['alt'];
$reText="/[a-z]+/";
$multiImages=$_FILES['multiImage'];

foreach($_FILES['multiImage']['tmp_name'] as $key => $val){


```

```

$fileNameMulti = $_FILES['multiImage']['name'][$key];
$fileMulti_tmpLokacija = $_FILES['multiImage']['tmp_name'][$key];
$fileMulti_tip = $_FILES['multiImage']['type'][$key];
$fileMulti_velicina = $_FILES['multiImage']['size'][$key];

if(!in_array($fileMulti_tip,$dozvoljeniFormati)){
    array_push($error, "Tip fajla nije validan. Dozvoljeni: jpg,
jpeg, png, gif.");
}

if(!preg_match($reText,$alt)){
    array_push($error, "Morate dodati alt proizvoda");
}

if($fileMulti_velicina > 3000000){
    array_push($error, "Velicina fajla ne sme biti veca od 2MB!");
}

if(count($error)==0){

    list($Multisirina, $Multivisina) =
getimagesize($fileMulti_tmpLokacija);

    $MultipostojecaSlika = null;
    switch($fileMulti_tip){
        case 'image/jpeg':
            $MultipostojecaSlika =
imagecreatefromjpeg($fileMulti_tmpLokacija);
            break;
        case 'image/png':
            $MultipostojecaSlika =
imagecreatefrompng($fileMulti_tmpLokacija);
            break;
    }

    $novaSirinaMulti = 500;
    $novaVisinaMulti = ($novaSirinaMulti/$Multisirina) *
$Multivisina; // novaVisina : visina = novaSirina : sirina

    $novaSlikaMulti = imagecreatetruecolor($novaSirinaMulti,
$novaVisinaMulti);
}

```

```

        imagecopyresampled($novaSlikaMulti, $MultipostojecaSlika, 0, 0,
0, 0, $novaSirinaMulti, $novaVisinaMulti, $Multisirina, $Multivisina);

        $naziv = time().$fileNameMulti;
        $putanjaNovaSlikaMulti = 'assets/images/users/nova_'. $naziv;

        switch($fileMulti_tip){
            case 'image/jpeg':
                imagejpeg($novaSlikaMulti, '.../.../...'.
$putanjaNovaSlikaMulti, 100);
                break;
            case 'image/png':
                imagepng($novaSlikaMulti, '.../.../...'.
$putanjaNovaSlikaMulti);
                break;
        }

        $putanjaOriginalnaSlikaMulti = 'assets/images/users/'. $naziv;

        $datum=date("Y/m/d");
        if(move_uploaded_file($fileMulti_tmpLokacija, '.../.../...'.
$putanjaOriginalnaSlikaMulti)){
            try{
                $cover=0;

                $productId=getProductId();
                insertProductImage($productId->idProduct,
$putanjaNovaSlikaMulti,$putanjaOriginalnaSlikaMulti,$cover,$alt);
            }catch( PDOException $e){
                $e->getMessage();
                upisGreskeIzBaze($e);
            }
        }

    }
}
}

```

### 6.6.14.9.2. DeleteProduct.php

```
<?php

if(isset($_GET['id'])) {
    require_once "../config/connection.php";
    include "functions.php";

    $id = $_GET['id'];

    try {
        deleteProduct($id);
        http_response_code(204);
    }
    catch(PDOException $ex) {
        echo json_encode(['poruka'=> 'Problem sa bazom: ' . $ex->getMessage()]);
        http_response_code(500);
        upisGreskeIzBaze($ex);
    }
} else {
    http_response_code(400);
}
```

### 6.6.14.9.3. DeleteProductMultimage.php

```
<?php

if( isset($_POST['idImages'])) {
    include "../config/connection.php";
    include "functions.php";

    $idImages=$_POST['idImages'];
    try{

        $image=deleteProductMultiImages($idImages);
    }catch(PDOException $e){
        $e->getMessage();
    }
}
```

```
        upisGreskeIzBaze($e);
    }

}
```

#### 6.6.14.9.4. DohvatiProizvode.php

```
<?php

header('Content-Type: application/json');

require_once "../config/connection.php";

$product = getAllParamProducts();
echo json_encode($product);
```

#### 6.6.14.9.5. EditPrice.php

```
<?php
if(isset($_POST['oldPrice']) && isset($_POST['newPrice'])){

    include "../../config/connection.php";
    include "functions.php";

    $newPrice=$_POST['newPrice'];
    $oldPrice=$_POST['oldPrice'];
    $id=$_POST['id'];
    $error="";
    if (!filter_var($newPrice, FILTER_VALIDATE_INT)) {
        $error="newPrice";
    }

    if (!filter_var($oldPrice, FILTER_VALIDATE_INT)) {
        $error="oldPrice";
    }

    if(checkId($id)->number<1){
        $error="id";
    }
}
```

```

if($error==""){
    try{
        $result=updatePrice($oldPrice,$newPrice,$id);
    }catch(PDOException $e){
        $e->getMessage();
        upisGreskeIzBaze($e);
    }
} else{
    echo $error;
}
}

```

## 6.6.14.9.6. EditProduct.php

```

<?php
session_start();
ob_start();

if(isset($_POST['submit'])){
    require_once "../config/connection.php";
    include "functions.php";

    $id = $_POST['id'];
    $naziv = $_POST['name'];
    $opis = $_POST['desc'];
    $alt=$_POST['alt'];
    $quantity=(int)$_POST['quantity'];
    $istaknut=$_POST['home'];
    $galerija=$_POST['category'];
    $greske=[];

    $reText="/[a-z]+/";
    $reNumber="/[0-9]+/";

    if(!preg_match($reText,$naziv)){
        array_push($greske, "Morate dodati naziv proizvoda");
    }
    if(!preg_match($reText,$opis)){

```

```

        array_push($greske, "Morate dodati opis proizvoda");
    }

    if(!preg_match($reText,$alt)){
        array_push($greske, "Morate dodati alt proizvoda");
    }

    if(!preg_match($reNumber,$quantity)){
        array_push($greske, "Morate dodati quantity proizvoda");
    }

    if($istaknut==0){
        array_push($greske, "Nije izabrana kategorija");
    }

    if($galerija==0){
        array_push($greske, "Nije izabrana kategorija");
        $_SESSION['xizmena_proizvod']=$greske;
    }

    if(count($greske)==0){

        // if($_FILES['profileImage']['tmp_name']!=''){
        if(isset($_FILES['profileImage'])){

            $fajl_naziv = $_FILES['profileImage']['name'];
            $fajl_tmpLokacija = $_FILES['profileImage']['tmp_name'];
            $fajl_tip = $_FILES['profileImage']['type'];
            $fajl_velicina = $_FILES['profileImage']['size'];

            $greske = [];

            $dozvoljeni_tipovi = ['image/jpg', 'image/jpeg',
            'image/png'];

            if(!in_array($fajl_tip, $dozvoljeni_tipovi)){
                array_push($greske, "Pogresan tip fajla. - slika");
            }

            if($fajl_velicina > 3000000){
                array_push($greske, "Maksimalna velicina fajla je 3MB.
- Profil slika");
            }

            if(count($greske) == 0){
                list($sirina, $visina) =
getimagesize($fajl_tmpLokacija);
            }
        }
    }
}

```

```

$postoječaSlika = null;
switch($fajl_tip){
    case 'image/jpeg':
        $postoječaSlika =
imagecreatefromjpeg($fajl_tmpLokacija);
        break;
    case 'image/png':
        $postoječaSlika =
imagecreatefrompng($fajl_tmpLokacija);
        break;
}

$novaSirina = 500;
$novaVisina = ($novaSirina/$sirina) * $visina; //
novaVisina : visina = novaSirina : sirina

$novaSlika = imagecreatetruecolor($novaSirina,
$novaVisina);

imagecopyresampled($novaSlika, $postoječaSlika, 0, 0,
0, 0, $novaSirina, $novaVisina, $sirina, $visina);

$imageName = time().$fajl_naziv;
$putanjaNovaSlika = 'assets/images/users/nova_'.
$imageName;

switch($fajl_tip){
    case 'image/jpeg':
        imagejpeg($novaSlika, ' ../../'.
$putanjaNovaSlika, 100);
        break;
    case 'image/png':
        imagepng($novaSlika, ' ../../'.
$putanjaNovaSlika);
        break;
}

$putanjaOriginalnaSlika = 'assets/images/users/' .
$imageName;

if(move_uploaded_file($fajl_tmpLokacija, ' ../../'.
$putanjaOriginalnaSlika)){
    try{

```

```

        updateProductWithImage($naziv,$opis,$istaknut,
$galerija,$putanjaNovaSlika,$cover=1,$id,$quantity,$alt,$id);
    }catch(PDOException $e){
        $e->getMessage();
        upisGreskeIzBaze($e);
    }
    $_SESSION['vestIzmena_dobro']="Uspesno izmenjena
vest sa slikom";

}

}

}elseif{

try{
    $rezultat=updateProductNoImage($naziv,$opis,$istaknut,
$galerija,$quantity,$alt,$id);
    if($rezultat){
        $_SESSION['izmena_proizvod']="usepsno";
    }else{
        $_SESSION['xizmena_proizvod']="Greska";
    }
}catch(PDOException $e){
    $e->getMessage();
    upisGreskeIzBaze($e);
}
}
}elseif{
    $_SESSION['xizmena_proizvod']=$greske;
    var_dump($greske);

}
}

if(isset($_POST['buttonName'])){


```

```

require_once "../../config/connection.php";
include "functions.php";

$id=$_POST['idImages'];
$idProduct = $_POST['idProduct'];
$buttonName=$_POST['buttonName'];
$alt=$_POST['alt'];

if($buttonName=="updateImageButton") {
    $nameVariable="updateImage";
} else{
    $nameVariable="insertImage";
}

$fajl_naziv = $_FILES[$nameVariable]['name'];
$fajl_tmpLokacija = $_FILES[$nameVariable]['tmp_name'];
$fajl_tip = $_FILES[$nameVariable]['type'];
$fajl_velicina = $_FILES[$nameVariable]['size'];

$greske = [];

$dozvoljeni_tipovi = ['image/jpg', 'image/jpeg', 'image/png'];

if(!in_array($fajl_tip, $dozvoljeni_tipovi)){
    array_push($greske, "Pogresan tip fajla. - slika");
}
if($fajl_velicina > 3000000){
    array_push($greske, "Maksimalna velicina fajla je 3MB. - Profil
slika");
}

if(count($greske) == 0){

    list($sirina, $visina) = getimagesize($fajl_tmpLokacija);

    $postojecaSlika = null;
    switch($fajl_tip){
        case 'image/jpeg':
            $postojecaSlika =
imagecreatefromjpeg($fajl_tmpLokacija);
            break;
        case 'image/png':
}

```

```

$postojecaslika =
imagecreatefrompng($fajl_tmpLokacija);
break;
}

$novaSirina = 500;
$novaVisina = ($novaSirina/$sirina) * $visina; // novaVisina :
visina = novaSirina : sirina

$novaSlika = imagecreatetruecolor($novaSirina, $novaVisina);

imagecopyresampled($novaSlika, $postojecaslika, 0, 0, 0, 0,
$novaSirina, $novaVisina, $sirina, $visina);

$naziv = time().$fajl_naziv;
$putanjaNovaSlika = 'assets/images/users/nova_'. $naziv;

switch($fajl_tip){
    case 'image/jpeg':
        imagejpeg($novaSlika, '../../'. $putanjaNovaSlika,
100);
        break;
    case 'image/png':
        imagepng($novaSlika, '../../'. $putanjaNovaSlika);
        break;
}

$putanjaOriginalnaSlika = 'assets/images/users/'. $naziv;

if(move_uploaded_file($fajl_tmpLokacija, '../../'.
$putanjaOriginalnaSlika)) {

    try{
        if($buttonName=="updateImageButton") {
            updateProductMultipleImage($putanjaNovaSlika,
$putanjaOriginalnaSlika,$cover=0,$id);
        }else{
            insertProductImage($idProduct, $putanjaNovaSlika,
$putanjaOriginalnaSlika, $cover=0,$salt);
        }
    }catch(PDOException $e){
        $e->getMessage();
        upisGreskeIzBaze($e);
    }
}

```

```

        $_SESSION['vestIzmena_dobro']="Uspesno izmenjena vest sa
slikom";
    }else{
    }

}

?>

```

#### 6.6.14.9.7. Functions.php

```

<?php

function getPrice($id) {
    return executePreparedOne("SELECT oldPrice AS oldPrice,newPrice AS
newPrice FROM product WHERE idProduct=?",[$id]);
}

function updatePrice($oldPrice,$newPrice,$id) {
    return uidPrepared("UPDATE product SET oldPrice=?,newPrice=? WHERE
idProduct=?",[$oldPrice,$newPrice,$id]);
}

function checkId($id) {
    return executePreparedOne("SELECT COUNT(*) as number FROM product
where idProduct=?",[$id]);
}

function getProductId(){
    return executeQueryOneRow("SELECT idProduct as idProduct FROM
product ORDER BY idProduct DESC LIMIT 1");
}

function insertProductImage($id,$path,$pathOld,$cover,$alt){
    return uidPrepared("INSERT INTO images (idProduct, path, pathOld,
cover, alt) VALUES (?, ?, ?, ?, ?)",[$id,$path,$pathOld,$cover,$alt]);
}

```

```

function insertProduct($name,$desc,$priceOld,$priceNew,$category,
$idUser,$idHome,$quantity){
    return uidPrepared("INSERT INTO
product(name,description,oldPrice,newPrice,idCategory,idUser,idHomeProd
uct,quantity) VALUES (?,?,?,?,?,?,$category,$idUser,$idHome,$quantity)");
}

function updateProductWithImage($name,$description,$istaknuti,
$category,$path,$cover,$idProductsImage,$quantity,$alt,$id){
    return uidPrepared("UPDATE product p INNER JOIN images i ON
p.idProduct=i.idProduct SET p.name = ?, p.description = ?,
p.idHomeProduct=? ,p.idCategory=? ,i.path=?,i.cover=?,i.idProduct=? ,p.qua
ntity=? ,i.alt=? WHERE p.idProduct = ? and i.cover =1",[$name,
$description,$istaknuti,$category,$path,$cover,$idProductsImage,
$quantity,$alt,$id]);
}

function updateProductNoImage($name,$description,$istaknuti,$category,
$quantity,$alt,$id){
    return uidPrepared("UPDATE product p INNER JOIN images i ON
p.idProduct=i.idProduct SET p.name = ?, p.description = ?,
p.idHomeProduct=? , p.idCategory=? ,p.quantity=? ,i.alt=? WHERE
p.idProduct = ?",[$name,$description,$istaknuti,$category,$quantity,
$alt,$id]);
}

function updateProductMultipleImage($path,$pathOld,$cover,$id){
    return uidPrepared("UPDATE images SET path = ?, pathOld = ? ,
cover=? WHERE idImages = ?",[$path,$pathOld,$cover,$id]);
}

function getProfileImage($idProduct){
    return executePreparedOne("SELECT path,alt FROM images WHERE
idProduct=? ",[$idProduct]);
}

function getMultiImage($idProduct){
    return executePrepared("SELECT idProduct,idImages,path,alt FROM
images WHERE idProduct=? AND cover=0 ",[$idProduct]);
}

function deleteProductMultiImages($idImages){
}

```

```

        return uidPrepared("DELETE FROM images WHERE idImages=?",
[$idImages]);
}

function deleteProduct($id){
    return uidPrepared("DELETE FROM product WHERE idProduct = ?",
[$id]);
}

function getAllParamProducts(){
    return executeQuery("SELECT
p.name,p.description,p.oldPrice,p.newPrice,p.Quantity,k.name as
knaziv,i.path,i.alt from product p join category k on
p.idCategory=k.idCategory inner join images i on
p.idProduct=i.idProduct where and i.cover=1");
}

function accessAllowModerator(){
    if(!isset($_SESSION['korisnik'])){
        $_SESSION['greska'] = "NISTE ULOGOVANI!";
        header("Location: index.php");
    }
    if($_SESSION['korisnik']->idRole == 2){
        $_SESSION['greska'] = "NISTE MODERATOR!";
        header("Location: index.php");
    }
}
function dohvatiProizvodId($id){
    return executePreparedOne("SELECT
p.idProduct,p.name,p.description,p.oldPrice,p.newPrice,p.idHomeProduct,
p.idCategory,i.alt,p.quantity,i.path FROM product p inner join images i
on p.idProduct=i.idProduct WHERE p.idProduct= ? AND i.cover=1",[$id]);
}
function checkProductId($id){
    return rowCount("SELECT
p.idProduct,p.name,p.description,p.oldPrice,p.newPrice,p.idHomeProduct,
p.idCategory,i.alt,p.quantity,i.path FROM product p inner join images i
on p.idProduct=i.idProduct WHERE p.idProduct=$id AND i.cover=1");
}
function getAllimages($id){
    return executePrepared("SELECT idProduct,idImages,path,alt FROM
images WHERE idProduct=? and cover=0",[$id]);
}
function productsCategory() {
    return executeQuery("SELECT idCategory,name FROM category");
}

```

```

}

function homeProduct(){
    return executeQuery("SELECT * FROM home_product");
}

```

### 6.6.14.9.8. GetProductImage.php

```

<?php

include "../../config/connection.php";
include "functions.php";

if(isset($_GET['profileImage']) && isset($_GET['idProduct'])){

    header('Content-Type: application/json');

    try{
        $idProduct=$_GET['idProduct'];
        $image=getProfileImage($idProduct);
    }catch(PDOException $e){
        $e->getMessage();
        upisGreskeIzBaze($e);
    }
    echo json_encode($image);

}

if(isset($_GET['multiImage']) && isset($_GET['idProduct'])){

    header('Content-Type: application/json');

    try{
        $idProduct=$_GET['idProduct'];
        $images=getMultiImage($idProduct);
    }catch(PDOException $e){
        $e->getMessage();
        upisGreskeIzBaze($e);
    }
    echo json_encode($images);

}

```

### 6.6.14.9.9. GetProducts.php

```
<?php

header('Content-Type: application/json');

require_once "../../config/connection.php";
include "functions.php";

try{
    $products = getAllParamProducts();
} catch(\PDOException $ex) {
    echo json_encode(['error'=> 'Database error: ' . $ex->getMessage()]);
    \http_response_code(500);
    upisGreskeIzBaze($ex);
}
echo json_encode($products);
```

## 6.7. Config

### 6.7.1. .env

```
DBNAME=baza_za_moj_sajt
SERVER=localhost
USERNAME=root
PASSWORD=
```

### 6.7.2. Config.php

```
<?php

define("BASE_URL", "http://localhost/sajt_praktikum");
define("ABSOLUTE_PATH", $_SERVER["DOCUMENT_ROOT"]."/sajt_praktikum");

define("ENV_FAJL", ABSOLUTE_PATH."/config/.env");
define("LOG_FAJL", ABSOLUTE_PATH."/data/log.txt");
define("GRESKEBAZA", ABSOLUTE_PATH."/data/errorsData.txt");
define("ERROR", ABSOLUTE_PATH."/data/errors.txt");
```

```

define("INIT", ABSOLUTE_PATH."/assets/stripe-php-7.5.0/init.php");
define("SEPARATOR", "\t");

define("SERVER", env("SERVER"));
define("DATABASE", env("DBNAME"));
define("USERNAME", env("USERNAME"));
define("PASSWORD", env("PASSWORD"));

function env($naziv) {
    $open = fopen(ENV_FAJL, "r");
    $podaci = file(ENV_FAJL);
    $vrednost = "";
    foreach($podaci as $key=>$value) {
        $konfig = explode("=", $value);
        if($konfig[0]==$naziv) {
            $vrednost = trim($konfig[1]);
        }
    }
    return $vrednost;
    fclose($open);
}

```

### 6.7.3. Connection.php

```

<?php

require_once "config.php";
require_once INIT;
$stripeDetails = array(
    "secretKey" => "sk_test_fkitzoLy7VHbBZxPE7PthBT300Gy8MZwcf",
    "publishableKey" => "pk_test_VjJOHhpOOuyZlJZCJc1fb8v00C0vkfuuA"
);

// Set your secret key: remember to change this to your live secret key
// in production
// See your keys here: https://dashboard.stripe.com/account/apikeys

```

```

zabeleziPristupStranici();

try {
    $konekcija = new
PDO("mysql:host=".SERVER.";dbname=".DATABASE.";charset=utf8", USERNAME,
PASSWORD);
    $konekcija->setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE,
PDO::FETCH_OBJ);
    $konekcija->setAttribute(PDO::ATTR_ERRMODE,
PDO::ERRMODE_EXCEPTION);
}

catch(PDOException $ex) {
    echo $ex->getMessage();
}

function executeQuery($query) {
    global $konekcija;
    return $konekcija->query($query)->fetchAll();
}

function executeQueryOneRow($query) {
    global $konekcija;
    return $konekcija->query($query)->fetch();
}

function brojRedova($query) {
    global $konekcija;
    return $konekcija->query($query)->rowCount();
}

function rowCount($query) {
    global $konekcija;
    return $konekcija->query($query)->rowCount();
}

function executePrepared(string $query, Array $params){
    global $konekcija;
    $prepare = $konekcija->prepare($query);
    $prepare->execute($params);
    return $prepare->fetchAll();
}

function executePreparedOne(string $query, Array $params){
    global $konekcija;
    $prepare = $konekcija->prepare($query);
    $prepare->execute($params);
}

```

```

    return $prepare->fetch();
}

function uidPrepared(string $query, Array $params) {
    global $konekcija;
    $prepare = $konekcija->prepare($query);
    return $prepare->execute($params);
}

function zabeleziPristupStranici() {
    $open = fopen(LOG_FAJL, "a");
    if($open) {
        if(isset($_GET['page'])) {
            fwrite($open, $_SERVER['PHP_SELF']."\t".
$_SERVER['REMOTE_ADDR']."\t".date("Y/m/d")."\t".$_GET["page"]."\n");
        }else{
            fwrite($open, $_SERVER['PHP_SELF']."\t".
$_SERVER['REMOTE_ADDR']."\t".date("Y/m/d")."\t"."home". "\n");
        }

        fclose($open);
    }
}

function zabeleziGreske($email,$error) {
    $open = fopen(ERROR, "a");
    if($open) {
        fwrite($open, $_SERVER['PHP_SELF']."\t".
$_SERVER['REMOTE_ADDR']."\t".date("Y/m/d")."\t".$email."\t".$error."\n");

        fclose($open);
    }
}

function upisGreskeIzBaze($greska) {
    $open = fopen(GRESKEBAZA, "a");
    if($open) {
        fwrite($open, $greska."\n");
        fclose($open);
    }
}

function getLastId() {
    global $konekcija;
    return $konekcija->lastInsertId();
}

```

## 6.8. Assets

### 6.8.1. Css

#### 6.8.1.1. Style.css

```
@import url('https://fonts.googleapis.com/css?family=Poppins');
*{
    margin: 0px;
    padding: 0px;
    box-sizing: border-box;
    font-family: 'Poppins', sans-serif;
    outline-style: none;
    word-break: break-word;
    -webkit-touch-callout: none;
    -webkit-user-select: none;
    -khtml-user-select: none;
    -moz-user-select: none;
    -ms-user-select: none;
    user-select: none;
    -webkit-tap-highlight-color: transparent;
}
html,body{
    height: 100%;
    background-color: #fff ;
}
body, input, textarea{
    color: rgb(35,31,32);
}
.cistac{
    clear: both;
}
a {
    color: rgb(35,31,32);
    text-decoration:none;
}
ul {
    list-style-type: none;
}
button ,input,select {
    outline-style: none;
    border:none;
```

```
}

button{
    cursor: pointer;
}

hr{
    height: 1px;
    background-color: #000;
    border:none;
}
.cistac {
    clear: both;
}
.omotac{
    width: 1300px;
    margin: 0px auto;
}
.omotac2{
    width: 1200px;
    margin: 0px auto;
}

.adminModeratorBg{
    background-color: #ebe9e6;
}

#pageStatisticAdmin td {
    width: 10%;
}
#pollStatisticContainer{
    max-width: 500px;
    padding: 25px;
    border-radius: 10px;
    margin: 30px auto;
    background-color: #f2f2f2;
}
#pollStatisticContainer h2{
    text-align: center;
}
#heder{
    width: 100%;
    height: 60px;
    background-color: transparent;
```

```
display: flex;
justify-content: space-around;
position: absolute;
top: 3%;
z-index: 10;

}

#slikaHeder a{
    width: 60px;
    height: auto;
    float: left;
    margin-left: 10px;
}

#slikaHeder a img{
    width: 60px;
    height: 60px;
    margin-left: 10%;
    z-index: 6;
}

#navigacija{
    width: 60%;
    height: auto;
    float: right;
}

#darkMode{
    float: left;
    padding: 1%;
    margin-left: 30%;
}

#meniLinkOpen{
    float: right;
    margin-right: 10px;
    color: #000;
    margin-top: 12px;
}

#meniLinkOpen .hamburger {
    width: 40px;
    height: 3.5px;
    background-color: rgb(0, 0, 0);
    margin: 8px 0;
    border-radius: 10px;
}

#hamburger:hover .hamburger:nth-child(2){
```

```
width: 30px;
transition: 0.3s;
margin-left: 5px;
}
#meniLinkOpen{
font-size: 40.3px;
cursor: pointer;
font-weight: bold;
}

}
#meniLinkClose{
cursor:pointer;
font-size:40px;
}
#loglme{
margin-top: 16px;
font-size: 16px;
color: #000;
margin-right: 5px;
}
.sidenav {
height: 100%;
width: 0;
position: fixed;
z-index: 99;
top: 0;
right: 0;
background-color:rgba(0,0,0, 0.8);
overflow-x: hidden;
transition: 0.5s;
padding-top: 60px;
}
.sidenav a,.sidenav p {
padding: 8px 8px 8px 32px;
text-decoration: none;
font-size: 20px;
color: #fff;
display: block;
transition: 0.3s;
}
```

```
.sidenav a:hover {  
    color: #979797;  
}  
  
.sidenav .closebtn {  
    position: absolute;  
    top: 0;  
    right: 25px;  
    font-size: 36px;  
    margin-left: 50px;  
}  
  
#pozadina{  
    width: 100%;  
    height: auto;  
    background: linear-gradient(to right, #fff 59%, #e9e8e6 50%);  
    z-index:3 ;  
}  
.diagonal{  
    margin-left: 58.9%;  
    width: 0px;  
    border-width: 764px 134px 0px 0px;  
    border-style: solid;  
    border-color: #ffffff transparent transparent transparent;  
    z-index: 4;  
}  
  
#pozadina img{  
    position: absolute;  
    top: 15%;  
    left: 58%;  
  
    z-index: 1;  
}  
  
#macHome{  
    width: 100%;  
    height: auto;  
    background-color: #000;  
    padding: 1px;  
}  
  
#macHomeContainer{  
    width: 85%;  
    height: auto;
```

```
background-color: #1d1d1f;
border-radius: 30px;
display: flex;
justify-content: space-around;
margin: 150px auto;
}
#macHomeText{
  padding-bottom: 55px;
  padding-top: 90px;
  width: 40%;
}
#hiddenAtagipad{
  display: none;
}
#macHomeText h2{
  font-size: 40px;
  line-height: 1.08349;
  font-weight: 600;
  letter-spacing: -.003em;
  margin-top: 27px;
  color: #fff;
  margin-bottom: 25px;
}
#macHomeText a{
  font-size: 20px;
  line-height: 1.33349;
  font-weight: 500;
  letter-spacing: .009em;
  color: #ff4f4f;
}
#macHomeImg{
  margin-top: 48px;
}
#macHomeImg img{
  width: 90%;
  height: 100%;
}
#macHomeCircle{
  display: flex;
  margin-top: 30px;
}
.circleContainer{
  width: 36px;
  height: 36px;
```

```
background-color: #1d1d1f;
border-radius: 50%;
margin-right: 15px;
}
.circleBorder{
  border: 1px solid #0071e3;
}
.homeCircle{
  width: 28px;
  height: 28px;
  border-radius: 50%;
  margin: 3px auto;
  cursor: pointer;
}

}
.silverCircle{
  background-color: #e4e5df;
}
.grayCircle{
  background-color: #4c4b46;
}
.dateButton{
  border-radius: 5px ;
  width: 90%;
  margin:4px auto;
}
#tekst{
  position: absolute;
  top: 30%;
  left: 20%;
  z-index: 1;
}
#tekst h2{
  font-size: 50px;
  color: #ff4f4f;
  margin-top: 12px;
  font-weight: bold;
}
#tekst p{
  color: rgb(187, 187, 187);
  font-size: 21px;
  margin-top: 12px;
  margin-bottom: 30px;
}
```

```
.colorWhite{
    color: #fff;
}
#tekst a{
    background-color: #ff4f4f;
    font-size: 17px;
    color: #fff;
    padding: 10px 20px;
    margin-top: 20px;
    border-radius: 5px;
}
#siviTekst{
    position: absolute;
    top: 18%;
    left: 6.5%;
}
#siviTekst p{
    color: rgba(236, 236, 236, 0.4);
    font-size: 175px;
    font-weight: bold;
    z-index: 1;
}
.sivit{
    color: #171717 !important;
}
#logout{
    padding: 7px 20px;
    background-color: #ff4f4f;
    border: 0px;
    border-radius: 5px;
    color: #fff;
    cursor: pointer;
    font-size: 18px;
}
#ulogovan{
    width: auto;
    float: right;
    height: 50px;
    margin-top: 4px;
    display: inline-flex;
    margin-right: 5px;
}
#ipad{
    margin: auto;
```

```
background-color: #f2f2f2;
height: 100%;
}
#ipadFlex{
display: flex;
flex-wrap: wrap;
justify-content: space-around;
width: 85%;
height: auto;
text-align: center;
margin: auto;
padding: 160px 0px;

}
#ipadDesno{
width: 50%;
}
#ipadLevo{
width: 45%;
margin-top:40px;

}

#ipad p{
padding-top: 45px;
font-size: 20px;
padding-bottom: 20px;
text-align: left;
}
#ipad h2{
font-size: 30px;
font-weight: bold;
text-align: left;
}
#ipad img{
width: 100%;
height: auto;
}
#ipad a{
font-size: 20px;
line-height: 1.33349;
font-weight: 400;
letter-spacing: .009em;
color: #ff4f4f;
```

```
float: left;
}
#ipad a:hover .strelica{
    transition: 0.5s;
    margin-left:20px;
}
#macHomeText a:hover .strelica{
    transition: 0.5s;
    margin-left:20px;
}
.gx{
    font-size: 22px;
}
.ordersButton{
    border-radius: 3px ;
    width: 100%;
    margin:4px auto;
    background-color: #1d1d1f !important;
}

.img-comp-container {
    position: relative;
    min-height: 600px;
    width: 264px;
    margin: 0px auto;
}

#pozicija{
    position: relative;
    width: 100%;
}
.iphone{
    position: absolute;
    font-size: 160px;
    font-weight: bold;
    color:rgba(187, 187, 187,0.2);
}
.g3{
    top: 160%;
    left: 70%;
}
.x{
    top: 160%;
    left:16%;
```

```
}

#textlphone{
    padding-bottom: 50px;
    text-align: center;
    color: #000;
}
#textlphone h2{
    font-size: 50px;
    font-weight: bold;
}
#textlphone h2:first-child{
    font-size: 30px;
}
.telpozadina{
    width: 100%;
    height: auto;
    background-color: #fff;
}

.img-comp-img {
    position: absolute;
    width: auto;
    height: auto;
    overflow:hidden;
    margin: 0px auto;
}
.skills {
    min-width: 6% !important;
}
.img-comp-img img {
    display:block;
    vertical-align:middle;
}

.img-comp-slider {
    position: absolute;
    z-index:9;
    cursor: ew-resize;
    width: 40px;
    height: 40px;
    background-color: #ff4f4f;

    border-radius: 50%;
    animation: img-comp-slider 2s infinite;
}
```

```
}
```

```
img {
```

```
  pointer-events: none;
```

```
}
```

HTML CSS CoffeeScript Result

EDIT ON

```
*
```

```
*,
```

```
*:before,
```

```
*:after {
```

```
  box-sizing: border-box;
```

```
}
```

```
h1 {
```

```
  text-align: center;
```

```
  color: #fff;
```

```
  font-weight: 300;
```

```
  margin-bottom: 4rem;
```

```
}
```

```
.switch {
```

```
  margin: 4rem auto;
```

```
}
```

```
.switch {
```

```
  width: 24rem;
```

```
  position: relative;
```

```
}
```

```
.switch input {
```

```
  position: absolute;
```

```
  top: 0;
```

```
  z-index: 2;
```

```
  opacity: 0;
```

```
  cursor: pointer;
```

```
}
```

```
.switch input:checked {
```

```
  z-index: 1;
```

```
}
```

```
.switch input:checked + label {
```

```
  opacity: 1;
```

```
  cursor: default;
```

```
}
```

```
.switch input:not(:checked) + label:hover {
```

```
  opacity: 0.5;
```

```
}

.switch label {
  color: #fff;
  opacity: 0.33;
  transition: opacity 0.25s ease;
  cursor: pointer;
}

.switch .toggle-outside {
  height: 1.7rem;
  border-radius: 2rem;
  padding: 0.25rem;
  overflow: hidden;
  transition: 0.25s ease all;
}

.switch .toggle-inside {
  border-radius: 5rem;
  background: #ffffff;
  position: absolute;
  transition: 0.25s ease all;
}

.switch--horizontal {
  width: 18rem;
  height: 3rem;
  margin: 0 auto;
  font-size: 0;
  margin-bottom: 1rem;
}

.switch--horizontal input {
  height: 2rem;
  width: 4rem;
  left: 2.5rem;
  margin: 0;
}

.switch--horizontal label {
  font-size: 1.5rem;
  line-height: 3rem;
  display: inline-block;
  width: 6rem;
  height: 100%;
  margin: 0;
  text-align: center;
}

.switch--horizontal label:last-of-type {
  margin-left: 6rem;
```

```

}

.switch--horizontal .toggle-outside {
  background: rgb(214, 214, 214);
  position: absolute;
  width: 3.3rem;
  left: 2rem;
}
.switch--horizontal .toggle-inside {
  height: 1.2rem;
  width: 1.2rem;
}
.switch--horizontal input:checked ~ .toggle-outside .toggle-inside {
  left: 0.25rem;
}
.switch--horizontal input ~ input:checked ~ .toggle-outside .toggle-inside {
  left: 1.9rem;
}

.darkBackground{
  background-color: #000000 !important;
}
.darkBackground table{
  background-color: #000000 !important;
}
.darkBackgroundTable table, .darkBackgroundTable tr, .darkBackgroundTable td{
  background-color: #000000 !important;
  border: 1px solid #1d1d1f !important;
}
.darkLightBackgroundTable ,.darkLightBackgroundTable
tr,.darkLightBackgroundTable td {
  background-color: #1d1d1f !important;
}
.darkTextWhite{
  color: #fff !important;
}
.darkTextWhite p{
  color: #fff !important;
}
.darkTextWhite li a{
  color: #fff !important;
}
.darkTextWhite a{
  color: #fff !important;
}

```

```
.darkLightBackground{
    background-color: #1d1d1f !important;
}
.darkLightBackground table{
    background-color: #1d1d1f !important;
}
.darkBackgroundWhite{
    background-color: #fff !important;
}
.darkMap{
    -webkit-filter: grayscale(100%);
    filter: grayscale(100%);
}
.darkModeratorAdminButton{
    background-color: #141414 !important;
}
.slellsBadge{
    padding: 4px 8px !important;
    background-color: #0071e3 !important;
    border-radius: 4px;
    margin-left: 7px;
    color: #fff !important;
}
.textBreakNormal{
    word-break: normal;
}
#author{
    width: 100%;
    background-color: #f2f2f2;
    margin: 150px auto;
    border-radius: 20px;
    display: flex;
}
#author img{
    border-radius: 20px 0px 0px 20px;
}
#authorContent{
    padding: 40px;
}
#authorContent h2{
    margin-bottom:20px ;
}
.darkModeDugmeNapolje{
    transition: background 0.4s ease-in !important;
}
```

```
background: #3ea6ff !important;
}
body.dark code[class*=language-],
body.dark table tbody>tr:nth-child(odd)>td,
body.dark table tbody>tr:nth-child(odd)>th {
    background: #fff
}
#iwatch{
    width: 85%;
    height: 500px;
    background-color: #f2f2f2;
    border-radius: 30px;
    margin:150px auto;

}
#sat{
    position: relative;
    width: 40%;
    float: left;
    height: 480px;
}
#sat img{
    width:360px;
    height:500px;
    margin:0px 13%;
}
#satTekst{
    float:right;
    width: 55%;
    padding: 70px;
    color: #000;
}

}
#satTekst h2{
    padding-top: 40px;
    font-size: 30px;
    font-weight: bold;
}

}
#satTekst p{
    padding-top: 45px;
    font-size: 20px;
    padding-bottom: 20px;
```

```
}
```

```
#satTekst a{
```

```
    font-size: 20px;
```

```
    line-height: 1.33349;
```

```
    font-weight: 500;
```

```
    letter-spacing: .009em;
```

```
    color: #ff4f4f;
```

```
}
```

```
#satTekst a:hover .strelica{
```

```
    transition: 0.5s;
```

```
    margin-left: 20px;
```

```
}
```

```
#pay{
```

```
    width: 100%;
```

```
    height: auto;
```

```
    background-color: #000;
```

```
}
```

```
#pTekst{
```

```
    width: 50%;
```

```
    float: left;
```

```
    height: auto;
```

```
    color: #fff;
```

```
    margin-top: 40px;
```

```
    margin-bottom: 40px;
```

```
}
```

```
#pTekst h2{
```

```
    font-size: 35px;
```

```
}
```

```
#pTekst p{
```

```
    margin-top: 17px;
```

```
}
```

```
#pslika img{
```

```
    width: 100%;
```

```
    height: 400px;
```

```
}
```

```
.omotac1{
```

```
    width: 68%;
```

```
    margin: 0px auto;
```

```
}

#myVideo{
    position: absolute;
    top: 12.4%;
    left: 15.5%;
    width: 322px;
    height: 379px;
    -webkit-mask-size: contain;
    -webkit-mask-image: url("../images/ecg_screen_mask_medium.svg");
    -webkit-mask-repeat: no-repeat;
    pointer-events: none;
}

.rotate {
    writing-mode: vertical-rl;
}

#gift{
    width: 85%;
    height: 500px;
    background-color: #f2f2f2;
    border-radius: 30px;
    margin:75px auto;
}

#code{
    position: relative;
    width: 40%;
    float: left;

    height: 480px;
}

#code img{
    width: 270px;
    height:360px;
    margin:16% 13%;
}

#codeText{
    float:right;
    width: 55%;
    padding: 70px;
    color: #000;
}
```

```
#codeText h2{
    padding-top: 40px;
    font-size: 30px;
    font-weight: bold;
}

#codeText p{
    padding-top: 45px;
    font-size: 20px;
    padding-bottom: 20px;
}

#codeText a{
    font-size: 20px;
    line-height: 1.33349;
    font-weight: 500;
    letter-spacing: .009em;
    color: #ff4f4f;
}
#codeText a:hover{
    text-decoration: underline;
}
footer{
    width: 100%;
    height: auto;
    background-color: #000000;
}
#fdole{
    width: 100%;
    background-color: #000;
}

#fdole{
    text-align: center;
    font-size: 16px;
    padding: 15px;
    color: rgba(255, 255, 255, 0.7);
}
.kolona1{
    width: 30%;
    margin: 40px;
    float:left;
    color: rgba(255, 255, 255, 0.7);
}
```

```
.kolona1 li a{
    font-size: 16px;
    padding-bottom: 15px;
    color: rgba(255, 255, 255, 0.7);

}
.kolona1 li{
    margin-top: 3px;
}
.kolona1 li a:hover{
    margin-left: 10px;
    transition: 0.6s;
}
.kolona1 img{
    width: 150px;
    height: 150px;
}
.meniHover:hover{
    padding-left: 44px;
    transition: 0.5s;
}
.aktivnaStrana{
    border-left: 5px solid #ff4f4f;
}
.aktivnaPaginacija{
    background-color: #23232370;
    border-radius: 6px;
    color: #fff !important;
}
#fgore{
    width: 100%;
    height: auto;
    display: flex;
    justify-content: space-around;
    text-align: left;
    padding-top: 80px;
    padding-right: 80px;
    padding-left: 80px;
    padding-bottom: 0px;
}
.naslov{
    font-size: 22px;
    font-weight: bold;
    margin-bottom: 20px;
```

```
color: #fff;
}
.fa {
    font-size: 18px ;
    margin: 7px;
    /* color:#fff; */
}
.drustveneMreze{
    display: -webkit-inline-box;
    padding-right: 90px;
    padding-left: 100px;
    padding-bottom: 50px;
}
.drustveneMreze li{
    padding: 5px 6px;
    background-color:#1d1d1f;
    border-radius: 50%;
    margin: 10px;
    font-size: 25px;
}
.drustveneMreze li a i{
    font-size: 24px !important;
    color: #fff;
}
.facebookPadding{
    padding: 5px 10px !important;
}

#proizvodi{
    width: 100%;
    min-height:auto;
    z-index: 1;
    position: relative;
    margin-top: 150px;
    display: flex;
    justify-content: space-around;
    margin-bottom: 60px;
}
#p{
    width: 100%;
    height: auto;
    display: flex;
    flex-wrap: wrap;
    justify-content: center;
```

```
margin: 0px auto;
}

.body{
background-color: #efefef
}
#proizvodiDesno{
width: 1100px;
}
#poll{
height: auto;
border-radius: 10px;
background-color: #f3f3f3;
margin-top: 20px;
padding: 10px 0px;
}
#returnPoll{
width: 80%;
margin-left: 10%;
margin-bottom: 20% !important;
}
#showResult{
background-color: transparent;
color: #1d1d1f;
width: 80%;
border-radius: 5px;
margin: 10px 0px;
margin-left: 10%;
border: 1.5px solid #1d1d1f;
padding: 8px;
margin-bottom: 20%;
font-size: 16px;
}
#showResult:hover{
background-color:#1d1d1f;
color: #fff;
}
#meniLevo{

height: auto;
border-radius: 10px;
background-color: #f3f3f3
```

```
}

input[type=range].slider {
    -webkit-appearance: none;
    width: 100%;
    margin: 10.05px 0;
}
input[type=range].slider:focus {
    outline: none;
}
input[type=range].slider::-webkit-slider-runnable-track {
    width: 100%;
    height: 4.9px;
    cursor: pointer;
    box-shadow: 1px 1px 1px rgba(0, 0, 0, 0.28), 0px 0px 1px rgba(13, 13, 13, 0.28);
    background: #f0f0f2;
    border-radius: 25px;
    border: 0px solid #ffffff;
}
input[type=range].slider::-webkit-slider-thumb {
    box-shadow: 1px 1px 1px rgba(0, 0, 0, 0.64), 0px 0px 1px rgba(13, 13, 13, 0.64);
    border: 0px solid rgba(255, 255, 255, 0);
    height: 25px;
    width: 25px;
    border-radius: 50px;
    background: #ffffff;
    cursor: pointer;
    -webkit-appearance: none;
    margin-top: -10.05px;
}
input[type=range].slider:focus::-webkit-slider-runnable-track {
    background: #ffffff;
}
input[type=range].slider::-moz-range-track {
    width: 100%;
    height: 4.9px;
    cursor: pointer;
    box-shadow: 1px 1px 1px rgba(0, 0, 0, 0.28), 0px 0px 1px rgba(13, 13, 13, 0.28);
    background: #f0f0f2;
    border-radius: 25px;
    border: 0px solid #ffffff;
}
input[type=range].slider::-moz-range-thumb {
    box-shadow: 1px 1px 1px rgba(0, 0, 0, 0.64), 0px 0px 1px rgba(13, 13, 13, 0.64);
    border: 0px solid rgba(255, 255, 255, 0);
```

```

height: 25px;
width: 25px;
border-radius: 50px;
background: #ffffff;
cursor: pointer;
}
input[type=range].slider::-ms-track {
width: 100%;
height: 4.9px;
cursor: pointer;
background: transparent;
border-color: transparent;
color: transparent;
}
input[type=range].slider::-ms-fill-lower {
background: #e0e0e4;
border: 0px solid #ffffff;
border-radius: 50px;
box-shadow: 1px 1px 1px rgba(0, 0, 0, 0.28), 0px 0px 1px rgba(13, 13, 13, 0.28);
}
input[type=range].slider::-ms-fill-upper {
background: #f0f0f2;
border: 0px solid #ffffff;
border-radius: 50px;
box-shadow: 1px 1px 1px rgba(0, 0, 0, 0.28), 0px 0px 1px rgba(13, 13, 13, 0.28);
}
input[type=range].slider::-ms-thumb {
box-shadow: 1px 1px 1px rgba(0, 0, 0, 0.64), 0px 0px 1px rgba(13, 13, 13, 0.64);
border: 0px solid rgba(255, 255, 255, 0);
height: 25px;
width: 25px;
border-radius: 50px;
background: #ffffff;
cursor: pointer;
height: 4.9px;
}
input[type=range].slider:focus::-ms-fill-lower {
background: #f0f0f2;
}
input[type=range].slider:focus::-ms-fill-upper {
background: #ffffff;
}
.adm{
top:-170px !important;

```

```
}

#linija{
    width: 80%;
    height: 500px;
    margin: auto;
}

#lista{
    width: 100%;
    height: auto;
    display: block;
    padding-top: 51px;
}

#lista ul li:first-child{
    margin: 0px auto !important;
}

#lista ul li{
    margin: 40px auto;
}

.card {
    box-shadow: 0 5px 15px 0 rgb(0 0 0 / 50%);
    width: 210px;
    height: 400px !important;
    margin: 0px 30px;
    text-align: center;
    border-radius: 10px 10px 13px 13px;
    background-color: #fff;
    position: relative;
    margin-bottom: 60px;
    outline-style: none !important;
}

.card h1{
    font-size: 35px;
    font-weight: bold;
    color: #000;
    margin-bottom: 10px;
}

.card img{
    width: 100%;
    max-height: 195px;
    margin-top: 15px;
}

.newsMainImg{
    width: 100% !important;
}
```

```
.card .fa{
    margin: 0px !important;
}
.starsCard .fa{
    margin:0px 2px!important
}
.new{
    padding: 10px 5px;
    background-color: #ff4f4f;
    border-radius: 60%;
    position: absolute;
    top: 10px;
    left: 10px;
    color: #fff;
}
.nova{
    font-weight: 200;
    font-size: 19px;
    color: #ff4f4f;
    bottom: 72px !important;
}
.naziv{
    font-size: 25px;
    font-weight: bold;
    word-break: break-word;
    line-height: 1.2;
}
.title {
    color: rgb(187, 187, 187);
    font-size: 16px;
    min-height: 49px;
}
.cardMargin{
    margin-top: 20px !important;
}

.kupiProizvod{
    border: none;
    outline: 0;
    display: inline-block;
    padding: 8px;
    color: #fff;
    /* background-color: #1d1d1f; */
    background-color: #708090;
```

```
text-align: center;
cursor: pointer;
width: 100%;
font-size: 18px;
border-radius: 0px 0px 10px 10px;
bottom: 0px;
width: 100%;
position: absolute;
left: 0;
text-transform: uppercase;
}
.kupiProizvod:hover{
background-color: #5f7285;
transition: 0.4s;
}
a {
text-decoration: none;
font-size: 22px;
color: #000;
}
.adminModeratorSearch{
width: 100%;
border: 0px;
border-radius: 5px;
padding: 13px;
padding-left: 40px;
background-image: url(..../images/searchicon.png);
background-position: 10px 10px;
background-repeat: no-repeat;
}
button:hover, a:hover {
/* opacity: 0.6; */
transition: 0.4s;
}
.first{
position: absolute;
bottom: 50px;
left: 50%;
text-align: center;
left: 50%;
transform: translate(-50%, 0);
}
```

```
.precrtan{
    text-decoration: line-through;
}

#nevidljivLink p{
    display: none;
    text-align: center;
    color: #ff4f4f;
    font-size: 20px;
}

#kontakt{
    width:100%;
    max-height:1000px;
    background-color:transparent;
    margin:150px 0px;
}

#klevo{
    width:49%;
    height:400px;
    float:left;
}

#kdesno{
    width:49%;
    float:right;
    background-color: #f2f2f2;
    border-radius: 10px;
}

#mapContainer{
    background-color: rgb(29 ,29 ,29);
}

#googleMaps{
    width: 100%;
    height: 300px;
}

.kfa{
    width:100%;
    height:50px;
    display:flex;
    flex-wrap:wrap;
    margin-top:50px;
    padding-top:30px;
}

.kfa i{
    background-color:#fff;
```

```
color: #000;
font-size: 25px;
width: 42px;
height: 42px;
border-radius:50%;
text-align: center;
line-height: 42px;
margin: -8px 15px;
}

#forma1{
    width: 100%;
    margin-right: 10%;
    padding: 40px;
}

#forma1 input, #forma1 textarea {
    width: 100%;
    display: block;
    padding: 12px;
    margin-bottom: 15px;
    border: none;
    background-color: rgb(255, 255, 255);
    color: rgb(35, 31, 32);
    font-size: 15px;
    border-radius: 5px;
}

#forma1 input[type="text"]{
    width: 100%;
    display: inline-block;
    font-size: 15px;
}

#forma1 ::placeholder {
    font-size: 15px;
}

#forma1 button{
    background-color: rgb(35, 31, 32);
    color: #fff;
    width: 100%;
    padding: 10px;
    font-size: 16px;
    border-radius: 5px;
```

```
}

.styled-select select {
    background: #fff;
    width: 200px;
    padding: 5px;
    font-size: 16px;
    line-height: 1;
    border: 0;
    border-radius: 2px;
    height: 34px;
    -webkit-appearance: none;
    margin: auto;
}
.styled-select {
    width: 200px;
    height: 34px;
    overflow: hidden;
    margin: auto;
    border: 1px solid #ccc;
}

.container3 {
    position: relative;
    border-radius: 5px;
    background-color: #f2f2f2;
    padding: 20px 0 30px 0;
    margin-top: 250px;
}
#login{
    background-color: #f2f2f2;
    margin: 150px auto 200px auto;
    width: 400px;
    border-radius: 10px 10px 12px 12px;
}

#loginContainer{
    padding: 40px 30px 60px 30px;
}

#loginContainer label{
    font-weight: bold;
}

#login h2{
    text-align: center;
```

```
padding: 20px;
}
#login form input{
width: 100%;
padding: 15px;
border-radius: 5px;
margin-top: 2px;
margin-bottom: 15px;
}
#login form input::placeholder{
font-size: 16px;
}
#login form button{
background-color: #ff4f4f;
color: #fff;
font-size: 16px;
padding: 10px;
width: 100%;
margin-top: 20px;
border-radius: 5px;
}
#registrationContainer button:hover{
background-color: #ff0000;
opacity: 1 !important;
}
#login form button:hover{
background-color: #ff0000;
opacity: 1 !important;
}
#loginLinks{
width: 100%;
background-color: #1d1d1f;
display: flex;
justify-content: space-around;
padding: 15px;
border-radius: 0px 0px 10px 10px;
}
#loginLinks a{
color: #fff;
font-size: 15px;
}
#registration{
width: 750px;
margin: 150px auto;
```

```
background-color: #f2f2f2;
border-radius: 10px;

}

#registrationContainer{
padding: 50px;

}

#registrationContainer input{
width: 100%;
padding: 15px;
margin-bottom: 15px;
margin-top: 2px;
border-radius: 5px;
border:none;
}

#registrationContainer button{
width: 100%;
padding: 15px;
font-size: 17px;
border-radius: 5px;
color:#fff;
background-color: #ff4f4f;
}

#registrationLinks{
text-align: center;
background-color:#1d1d1f;
border-radius: 0px 0px 10px 10px;
padding: 15px;
}

#registrationLinks p a{
font-size:17px;
color: #1DA1F2;
}

#registrationLinks p {
font-size: 17px;
color: #fff;
}

.drzac{
width: 60%;
margin: auto;
}

.container4 {
```

```

padding: 16px;
background-color: #fff;
}
.errorReg{
border: 1px solid #dc3545 !important;
padding-right: calc(1.5em + .75rem) !important;
background-image: url('../images/error.svg') !important;
background-repeat: no-repeat !important;
background-position: center right calc(.375em + .1875rem) !important;
background-size: calc(.75em + .375rem) calc(.75em + .375rem) !important;
}
.successReg{
border: 1px solid #28a745 !important;
padding-right: calc(1.5em + .75rem) !important;
background-image: url('../images/success.svg') !important;
background-repeat: no-repeat !important;
background-position: center right calc(.375em + .1875rem) !important;
background-size: calc(.75em + .375rem) calc(.75em + .375rem) !important;
}
#datumOd,#datumDo{
width: 25%;
border: 0px;
padding: 10px;
border-radius: 4px;
margin-right: 10px;
}
#inputOrder{
margin-bottom: 10px;
}

.container4 input[type=text]:focus, input[type=password]:focus {
background-color: #ddd;
outline: none;
}

```

```

.registerbtn {
background-color: #4CAF50;
color: #fff;
padding: 16px 20px;
margin: 8px 0;
border: none;
cursor: pointer;
}
```

```
width: 100%;  
opacity: 0.9;  
}  
  
.registerbtn:hover {  
    opacity: 1;  
}  
  
.container4 a {  
    color: rgb(31, 143, 255);  
    font-size: 16px;  
}  
  
.signin {  
    background-color: #f1f1f1;  
    text-align: center;  
}  
.margin{  
    margin-top:150px;  
}  
#reg{  
    width: 100%;  
    min-height: 750px;  
}  
.headerRed{  
    background-color:#ff4f4f;  
    padding: 8px 8px 8px 18px !important;  
}  
.headerRed::first-letter{  
    font-size: 20px;  
    margin-right: 3px;  
    font-weight: bold;  
}  
.container4 h3{  
    font-size: 40px;  
    font-weight: bold;  
}  
.container p{  
    font-size: 20px;  
}  
  
#filter{  
    width: 100%;  
    margin: 20px auto;
```

```
border-radius: 6px;
padding: 10px;
height: auto;
background-color: #232323;
text-align: center;
color: #fff;
font-size: 25px;
cursor: pointer;
display: none;
}
#orderDetailsContainer{
width: 100%;
height: 100%;
}
.cartBuy{
display: flex;
justify-content:space-around;
margin: 150px auto;
width: 100%;
height: auto;
}
.cartLeft{
width: 30%;
}
.cartLeft li {
margin: 15px 0px;
font-weight: bold;
border-bottom: 2px solid #f2f2f2;
}
#status{
text-align: center;
margin-bottom: 20px;
}
#userOrderD{
padding-top: 0px !important;
}
#userOrderD li{
border-bottom: 2px solid #f2f2f2;
font-weight: bold;
}
#orderDetailsRight ul{
padding: 40px;
background-color: #f2f2f2;
margin-top: 50px;
```

```
border-radius: 10px;
height: auto;
}
.ko{
display: none;
}
.kom1,.kom2,.kom3{
display: block;
}
.cartRight {
background-color: #f2f2f2;
box-shadow: 0 5px 10px 0 rgb(0 0 0 / 40%);
border-radius: 10px;
}
#changeStatus{
width: 100%;
margin-top: 20px;
padding: 10px 15px;
background-color: #000;
border-radius: 4px;
color: #fff;
}

.colorCard{
background-color: #e9e9e9;
}
.colorCard ::placeholder{
margin-left: 20px !important;
color: red;
}
#payWithCard i{
position: absolute;
padding: 10px;
color: #01a901;

}
.paymentInfo{
display: flex;
justify-content: space-between;
padding: 40px;
}

.hrPayment{
width: 90%;
```

```
margin: auto;
}
#productInfo li{
  padding: 5px 0px;
}

#FontStyleTotal{
  font-size: 25px;
  font-weight: bold;
}
#searchOrders{
  padding: 10px;
}
#searchOrders p{
  margin: 10px 0px;
}

.details a,.orderUserButton{
  padding: 10px 15px !important;
  color: #fff;
  background-color: rgb(0, 126, 230);
  border-radius: 4px;
  font-size: 14px;
  font-weight: 700;
  text-transform: uppercase;
  width:auto !important;
}
.error i{
  color: rgb(255, 0, 0) !important;
  animation: redd 1.5s infinite;
  border-radius: 50%;
}
.wait i{
  color: rgb(255, 165, 0) !important;
}
.sell i{
  color: #4CAF50 !important;
}
.sell .fa{
  margin: 0px 5px 0px 0px !important;
}
@keyframes redd {
  0% {
    transform: scale(0.95);
```

```
    box-shadow: 0 0 0 0 rgba(255, 0, 0, 0.911);
}

70% {
    transform: scale(1);
    box-shadow: 0 0 0 10px rgba(255, 0, 0, 0);
}

100% {
    transform: scale(0.95);
    box-shadow: 0 0 0 0 rgba(255, 0, 0, 0);
}
}

.StripeElement {
    box-sizing: border-box;
    padding: 15px 12px;
    border: 1px solid #dfdfdf2;
    border-radius: 4px;
    background-color: #fff;
    box-shadow: 0 1px 3px 0 #e6ebf1;
    -webkit-transition: box-shadow 150ms ease;
    transition: box-shadow 150ms ease;
}

.StripeElement--focus {
    box-shadow: 0 1px 3px 0 #cf7df;
}

.StripeElement--invalid {
    border-color: #fa755a;
}

.StripeElement--webkit-autofill {
    background-color: #fefde5 !important;
}

.dark {
    background-color: rgb(31,31,31);
}
.slajder{
    background: linear-gradient(to right, #1d1d1f 59%, #000 50%) !important;
}
.dijagonalal{
    border-color: #1d1d1f transparent transparent transparent;
```

```
}

.meni {
    color: #fff !important;
}

.red{
    color: #ff4f4f;
}

#autor{
    width: 100%;
    height: auto;
    margin: 150px auto;
    text-align: center;
}

#autor img{
    margin: auto;
    border-radius: 5px;
}

#autor h2{
    padding: 20px;
    font-size: 30px;
}

#autor p{
    padding: 20px;
    font-size: 16px;
}

.prviH1{
    font-size: 0px;
}

.tableAdminModerator {
    border-collapse: collapse;
    border-spacing: 0;
    width: 100%;
    margin:17px auto;
    overflow-x:auto;
}

th, td {
    text-align: center;
    padding: 10px;
    min-width: 110px;
}
```

```
tr:nth-child(even) {
    background-color: #f2f2f2
}
#glasao{
    padding: 10px;
    font-size: 20px;
    color: #fff;
    background-color: #ff4f4f;
    border-radius: 5px;
    margin-top: 100px;
}

.container5 input[type=text], .container5 input[type=password], select, textarea {
    width: 100%;
    padding: 15px;
    border: none;
    border-radius: 4px;
    resize: vertical;
}
.container5 label {
    padding: 12px 12px 12px 0;
    display: inline-block;
}
.container5 input[type=submit] {
    background-color: #1d1d1f;
    color: #fff;
    padding: 12px 20px;
    border: none;
    border-radius: 4px;
    cursor: pointer;
    width: 100%;
}
.container5 input[type=submit]:hover {
    background-color: #1d1d1f;
    color: #fff;
}
.container5 {
    margin: 110px auto;
    border-radius: 5px;
```

```
background-color: #f2f2f2;  
padding: 20px;  
width: 100%;  
}
```

```
.col-25 {  
float: left;  
width: 25%;  
margin-top: 6px;  
}
```

```
.col-75 {  
float: left;  
width: 75%;  
margin-top: 6px;  
}  
.wa{  
width: 16% !important;  
}
```

```
.notification {  
background-color: #555;  
color: #fff;  
text-decoration: none;  
padding: 9px 31px;  
position: relative;  
display: inline-block;  
border-radius: 2px;  
cursor: pointer;  
width: 100%;  
text-align: center;  
}
```

```
.notification:hover {  
background: rgb(97, 97, 97);  
}
```

```
#notification {  
padding: 13px 65px;  
border-radius: 4px;  
z-index: 111;  
color: #fff;  
font-size: 15px;  
width: auto;  
position: fixed;
```

```
text-align: center;
top: 52px;
left: 50%;
transform: translate(-50%, -50%);
-ms-transform: translate(-50%, -50%);
text-transform: uppercase;
}
#successBuyContainer{
height: 100%;
}
#successBuy{
width: 50%;
margin: 150px auto;
background-color: #f2f2f2;
border-radius: 10px;
text-align: center;
padding: 50px 10px;
}
#successBuy h2{
margin: 30px;
font-size: 35px;
}
#successBuy p{
margin-bottom: 30px;
font-size: 17px;
}
#successBuy a{
font-size: 17px;
color: #285AEB;
}
.notificationColorRed{
background-color: #ff4f4f;
}
.notificationColorGreen{
background-color: rgb(84, 196, 87);
}

.badge {
background-color: red;
border-radius: 3px;
padding: 7px 10px;
color: #fff;
}
.orderBadge{
```

```
background-color: rgb(255, 165, 0) !important;
}
#proizvodiDesnoKorisnik{
    display: flex;
}
.card button{
    cursor: not-allowed;
}
.product{
    display: flex;
    justify-content: space-between;
    margin: auto;
    margin-top: 150px;
    margin-bottom: 150px;
}

#productInfo{
    background-color: #f2f2f2;
    padding: 31px;
    border-radius: 10px;
}
#productInfo button{
    border-radius: 5px !important;
    margin-bottom: 5px;
}
.productName{
    font-size: 34px;
    font-weight: bold;
    border-bottom: 2px solid rgb(187, 187, 187);
    margin-bottom: 20px;
    display: flex;
    justify-content: space-between;
}
#shippingFree{
    border-radius: 5px ;
    background-color: #fff;
    margin: 10px 0px ;
    display: flex ;
    justify-content:space-around ;
    padding: 10px 40px;
}
#shippingFree p,#shippingFree i{
    padding: 15px 5px;
    color: #3a3a3a;
```

```
}

#shippingFree i{
    font-size: 30px !important;
}

.checked {
    color: rgb(255, 166, 0);
}

.nochecked{
    color: rgba(255, 166, 0, 0.411);
}

#stars{
    cursor: pointer;
}

#productInfo #stars span{
    margin:0px;
    cursor: pointer;
    font-size: 25px;
}

#shippingFree p{
    margin-top: 8px;
    font-size: 18px;
}

.podeliProizvodF{
    padding: 7px 10px;
    background-color: #5b89c8;
    border-radius: 50%;
    margin-right: 8px;
    box-shadow: 3px 2px 12px 0 rgba(0,0,0,0.3);
    color: #fff;
}

.podeliProizvodT{
    padding: 7px 6px;
    background-color: #83bfe8;
    border-radius: 50%;
    margin-right: 8px;
    box-shadow: 3px 2px 12px 0 rgba(0,0,0,0.3);
    color: #fff;
}

.podeliProizvodM{
    padding: 7px 6px;
    background-color: #fff;
    border-radius: 50%;
    margin-right: 8px;
}
```

```
    box-shadow: 3px 2px 12px 0 rgba(0,0,0,0.3);
}
#starsContainer{
    display: flex;
}
.wait i{
    margin-left: 0px;
}
#productInfo ul li .minus-one{
    margin-left: 0px;
}
.oneProductBuyButton {
    margin-right: 0px !important;
    margin-left: 0px !important;
}
.podeliProizvodM i{
    color: rgb(187, 187, 187) !important;
}
#print{
    margin-top: 10px;
}
.productDesc{
    color: rgb(159, 159, 159);
    margin: 10px 0px;
    font-size: 20px;
}
.productPriceOld p{
    font-size: 19px;
    font-weight: bold;
}
.productPriceOld span{
    text-decoration:none;
    font-size: 19px;
    float: left;
    font-weight: bold;
}
.productPrice{
    font-weight: 200;
    font-size: 21px;
    color: #ff4f4f;
    font-weight: bold;
}
.productPrice span{
    color: #000;
```

```
}

.mod{
    display: table ;
    margin: 110px auto;
}

thead{
    background-color: #f2f2f2;
}

#moderator h2{
    text-align: center;
    margin-top: 100px;
    margin-bottom: 40px;
    font-size: 30px;
    font-weight: bold;
}

#moderator a{
    padding: 5px;
    background-color: #ff4f4f;
    margin: 20px 10%;
    border-radius: 3px;
    color: #fff;
    font-size: 17px;
}

#mySidenav::-webkit-scrollbar {
    width: 10px;
}

#mySidenav::-webkit-scrollbar-track {
    background-color:#fff;
}

#mySidenav::-webkit-scrollbar-thumb {
    background: silver;
    border-radius: 10px;
}

#mySidenav::-webkit-scrollbar-thumb:hover {
    background: gray;
}
```

```
.slikaModerator{
    width: 170px;
    height: auto;
}

.modal {
    display: none;
    position: fixed;
    z-index: 1;
    left: 0;
    top: 0;
    width: 100%;
    height: 100%;
    overflow: auto;
    background-color: rgb(0,0,0);
    background-color: rgba(0,0,0,0.4);
    padding-top: 60px;
}

.modal h2{
    padding-bottom: 40px;
    text-transform: uppercase;
}
.modalAdminModerator{
    width: 50%;
    height: auto;
    display: block;
    background-color: #f2f2f2;
    margin: 100px auto;
    border-radius: 4px;
}
#userOrderModal .modalAdminModerator{
    background-color: #fff;
}
#anketa{
    width: 80%;
    height: auto;
    margin: auto;
    display: flex;
    justify-content: space-around;
    margin-top: 150px;
}
#anketa label{
    color: #000;
```

```
}

#bojaAnketa{
    background-color: #f2f2f2;
}

#hiddenNavContainer{
    padding-top: 1px;
    background-color: #ebe9e6;
}

#adminModeratorHiddenNav{
    display: none;
    width: 90%;
    margin: auto;
    padding: 17px 20px;
    border-radius: 4px;
    cursor: pointer;
    text-align: center;
    text-transform: uppercase;
    font-weight: bold;
    font-size: 14px;
    background-color: #1d1d1f ;
}

#jeftini{
    margin-top: 130px;
    text-align: center;
    font-size: 35px;
    font-weight: bold;
}

.marignDesno{
    margin: 68px auto !important;
}

.dugme{
    width: 300px;
    margin: 50px auto;
}

.odgovori{

    margin: auto;
}

.progress{
    color: #000;
}

#prog{
    background-color: #eee;
    border-radius: 2px;
```

```
    box-shadow: 0 2px 5px rgba(85, 85, 85, 0.25) inset;
}
#anketa_form{
    width: 80%;
    margin: auto;
}
.pollHead{
    text-align: center;
    font-weight: bold;
    margin: 20px 0px;
    word-break: break-word;
}
#poll_result p{
    margin-left: 10%;
    margin-top:5px;
}
#pollStatistic{
    width: 80%;
    margin: auto;
}
#pollStatistic p{
    margin-bottom: 3px;
}
.anketa_vrednost{
    margin-top: 20px;
    color: #fff;
    font-size: 18px;
    padding: 11px 12px;
    background-color: #1d1d1f;
    border: 0px;
    border-radius: 5px;
    width: 100%;
    cursor: pointer;
    font-size: 16px;
}
.anketa_vrednost:hover{
    background-color: #1d1d1fe8;
    transition: 0.4s;
}
.radio{
    margin-top: 9px;
    background-color: #dcdcdc;
    padding: 7px;
    border-radius: 5px;
```

```
}

.radio label{
  cursor: pointer;
}

.radio label input{
  cursor: pointer;
}

.inputGroup {
  background-color: #fff;
  display: block;
  margin: 10px 0;
  position: relative;
  border-radius: 6px;
}

.inputGroup label {
  padding: 13px;
  width: 100%;
  display: block;
  text-align: left;
  color: #3c454c;
  cursor: pointer;
  position: relative;
  z-index: 2;
  -webkit-transition: color 200ms ease-in;
  transition: color 200ms ease-in;
  overflow: hidden;
  border-radius: 6px;
  font-size: 14px !important;
}

.inputGroup label:before {
  width: 10px;
  height: 10px;
  border-radius: 50%;
  content: "";
  background-color: #2196F3;
  position: absolute;
  left: 50%;
  top: 50%;
  -webkit-transform: translate(-50%, -50%) scale3d(1, 1, 1);
  transform: translate(-50%, -50%) scale3d(1, 1, 1);
  -webkit-transition: all 300ms cubic-bezier(0.4, 0, 0.2, 1);
  transition: all 300ms cubic-bezier(0.4, 0, 0.2, 1);
  opacity: 0;
```

```

z-index: -1;
}
.inputGroup label:after {
  width: 27px;
  height: 27px;
  content: "";
  border: 1.5px solid #d1d7dc;
  background-color: #fff;
  background-image: url("data:image/svg+xml,%3Csvg width='32' height='32' viewBox='0 0 32 32' xmlns='http://www.w3.org/2000/svg'%3E%3Cpath d='M5.414 11L4 12.414l5.414 5.414L20.828 6.414 19.414 5l-10 10z' fill='%23fff' fill-rule='nonzero'%3E%3C/svg%3E ");
  background-repeat: no-repeat;
  background-position: 0px 2px;
  border-radius: 50%;
  z-index: 2;
  position: absolute;
  right: 13px;
  top: 50%;
  -webkit-transform: translateY(-50%);
  transform: translateY(-50%);
  cursor: pointer;
  -webkit-transition: all 200ms ease-in;
  transition: all 200ms ease-in;
}
.inputGroup input:checked ~ label {
  color: #fff;
}
.inputGroup input:checked ~ label:before {
  -webkit-transform: translate(-50%, -50%) scale3d(56, 56, 1);
  transform: translate(-50%, -50%) scale3d(56, 56, 1);
  opacity: 1;
}
.inputGroup input:checked ~ label:after {
  background-color: #54e0c7;
  border-color: #54e0c7;
}
.inputGroup input {
  width: 32px;
  height: 32px;
  -webkit-box-ordinal-group: 2;
  order: 1;
  z-index: 2;
  position: absolute;
}

```

```
right: 13px;
top: 50%;
-webkit-transform: translateY(-50%);
transform: translateY(-50%);
cursor: pointer;
visibility: hidden;
}
#pozz{
margin: 150px auto;
}
.crnss{
background-color: #000 !important;
}
```

```
main {
width: 400px;
margin: 30px auto;
}
section {
margin-top: 30px;
}
.pieID {
display: inline-block;
vertical-align: top;
}
.pie {
height: 200px;
width: 200px;
position: relative;
margin: 0 30px 30px 0;
}
.pie::before {
content: "";
display: block;
position: absolute;
z-index: 1;
width: 100px;
height: 100px;
background: #eee;
border-radius: 50%;
top: 50px;
left: 50px;
```

```

}

.pie::after {
  content: "";
  display: block;
  width: 120px;
  height: 2px;
  background: rgba(0, 0, 0, 0.1);
  border-radius: 50%;
  box-shadow: 0 0 3px 4px rgba(0, 0, 0, 0.1);
  margin: 220px auto;
}

.slice {
  position: absolute;
  width: 200px;
  height: 200px;
  clip: rect(0px, 200px, 200px, 100px);
  animation: bake-pie 1s;
}

.slice span {
  display: block;
  position: absolute;
  top: 0;
  left: 0;
  background-color: #000;
  width: 200px;
  height: 200px;
  border-radius: 50%;
  clip: rect(0px, 200px, 200px, 100px);
}

.active,.userActive,.activeUser,.activeContact,.activeProducts,.activeNews,.activeCategory,.activeNewsletter,.activePoll,.activeOrder,.activeUser,.activeCountry {
  border-radius: 5px;
  padding: 5px;
  background-color: #f3f3f3;
  color: #000 !important;
}

.noActive{
  border-radius: 5px;
  padding: 5px;
  background-color: #fff !important;
}

#notFound{
  width: 100%;
  height: auto;
}

```

```

margin:300px auto;
text-align: center !important;
}
#notFound h2{
color: #000 ;
font-size: 60px;
padding: 20px;
}
#notFound a{
color: #285AEB;
}
.legend {
list-style-type: none;
padding: 0;
margin: 0;
background: #fff;
padding: 15px;
font-size: 13px;
box-shadow: 1px 1px 0 #ddd, 2px 2px 0 #bbb;
}
.legend li {
width: 110px;
height: 1.25em;
margin-bottom: 0.7em;
padding-left: 0.5em;
border-left: 1.25em solid #000;
}
.legend em {
font-style: normal;
}
.legend span {
float: right;
}

.active-tab{
color: #fff;
}
.content-box {display:none !important;}
.content-box.active-content-box {display:block !important;}
#nevidljiviMeni{
display: none;
}
.cdd{
overflow-x:auto;

```

```
}

tr:hover{
    background-color: #e3e3e3 ;
}

.sivaPozadina{
    background-color: rgb(31,31,31) !important;
}

.alert {
    padding: 20px;
    background-color: #f44336;
    color: #fff;
    opacity: 1;
    transition: opacity 0.6s;
    margin-bottom: 15px;
    z-index: 99;
    box-shadow: 0 5px 10px 0 rgba(0, 0, 0, 0.4);
    width: 60%;
    margin: 10px auto;
    position: fixed;
    top:10px;
    left:20%;
    border-radius: 7px;

}

.pss {
    background-color: #fff ;
}

.blokiraj{
    display: none !important;
}

.alert.success {
    background-color: #4CAF50;
}

.alert.info {
    background-color: #2196F3;
}

.alert.warning {
    background-color: #ff9800;
}

.error{
    color: #ff4f4f;
}

.success{
    color: #4CAF50;
```

```
}

.close{
  cursor: pointer;
  float: right;
  padding: 5px;
  font-size: 20px;
}

.close i{
  color: #000;
}

.closebtn2 {
  margin-left: 15px;
  color: #fff;
  font-weight: bold;
  float: right;
  font-size: 22px;
  line-height: 20px;
  cursor: pointer;
  transition: 0.3s;
}

.plava{
  background-color: rgb(0, 126, 230) !important;
  padding: 10px;
  color: #fff;
  border-radius: 5px;
}

#productProfileImage{
  text-align: center;
}

#productProfileImage img{
  border-radius: 4px;
  width: 300px;
}

#multilImageProductEdit img{
  width: 300px;
}

.closebtn2:hover {
  color: #000;
}

.rez {
  background-color: #ddd;
  width: 100%;
  margin: auto;
```

```
border-radius: 5px;
margin-bottom: 10px;

}

.skills {
text-align: right;
padding: 3px;
color: #fff;
display: table;
}
#pollModeratorStatistic{
margin-top: 110px;
}
#pollModeratorStatistic h2{
text-align: center;
}

#korpa{
padding: 4px;
padding-right: 15px;
font-size: 33px !important;
color: #333;

}
#cart_link{
position: relative;
float: right;
padding-top: 5px;
}
#cart_link .badge_cart{
position: absolute;
top: 4px;
right: 8px;
padding: 2px 7px;
border-radius: 50%;
background: #ff4f4f;
color: #fff;
font-size: 13px;
}
#cartContainer{
min-height: 80%;
}
#tablesCart{
```

```
border-collapse: collapse;
border-spacing: 0;
width: 100%;
border: none;
margin: 150px auto 40px auto;
border-radius: 15px;
box-shadow: 0px 8px 16px 0px rgba(0,0,0,0.2);
padding: 15px;
}
#cartpay{
width: 100%;
height: auto;
border-radius: 15px;
box-shadow: 0px 8px 16px 0px rgba(0,0,0,0.2);
margin-bottom: 60px;
}
#tablesCart th{
padding: 8px;
text-align: left;
}
#tablesCart table{
display: table;
width: 100%;
}
#cartpay ul{
display: flex;
justify-content: space-around;
padding: 50px;
}
#cartpay ul ,#cartpay ul li a,#cartpay ul li button{
font-size: 20px;
font-weight: bold;
}
#tablesCart p{
padding: 80px 50px;
text-align: center;
font-size: 40px;
font-weight: bold;
}
#deleteProducts{
background-color:#ff4f4f;
padding:5px 35px;
```

```
color: #fff;
border-radius: 5px;
}
.remove{
background-color: #ff4f4f;
color: #fff;
}
.buttonBuy{
font-size: 20px;
font-weight: bold;
border:none;
padding:5px 35px;
background-color: #1d1d1f;
color: #fff;
border-radius: 5px;
cursor: pointer;
}
/* -- quantity box -- */
#payment-form{
margin-top: 180px;
}
#buttonCardPay{
border-radius: 5px;
margin-top:15px;
background-color: #1d1d1f;
width: 100%;
padding: 10px;
color: #fff;
font-size: 16px;
}
.quantity {
display: inline-block; }

.quantity .input-text.qty {
width: 35px;
height: 39px;
padding: 0 5px;
text-align: center;
background-color: transparent;
border: 1px solid #efefef;
}

.quantity.buttons_added {
```

```
text-align: left;
position: relative;
white-space: nowrap;
vertical-align: top;
}

.quantity.buttons_added input {
display: inline-block;
margin: 0;
vertical-align: top;
box-shadow: none;
}

.buttonOrders{
display: flex;
justify-content: flex-start;
margin-top: 8px;
margin-bottom:4px;
}
.buttonOrders span{
padding: 10px 15px;
background-color: #ffffff;
color: #000;
border-radius: 4px;
margin-right: 8px;
}
.statisticDetails{
display: grid;
margin-bottom:4px;
}
.statisticDetails span{
padding: 10px 15px;
background-color: #ffffff;
color: #000;
border-radius: 4px;
margin-right: 8px;
margin-bottom: 8px;
}
.ordersB,.paymentButton,.adminModButtonHidden{
background-color: #ffffff;
margin-top: 5px;
color: rgb(0, 0, 0);
text-decoration: none;
padding: 7px 18px;
```

```
display: inline-block;
border-radius: 2px;
cursor: pointer;
width: 150px;
text-align: center;
margin-bottom: 5px;
}

.ordersSection{
  margin-top: 110px;
}

.tableOrders{
  margin: 30px 0px;
}

#dateSection{
  display: flex;
  justify-content: flex-start;
}

#searchDate{
  width: 30%;
  border-radius: 3px;
  margin-left: 4px;
}

.quantity.buttons_added .minus,
.quantity.buttons_added .plus {
  padding: 7px 10px 8px;
  height: 41px;
  background-color: #ffffff;
  border: 1px solid #efefef;
  cursor: pointer;
}

.quantity.buttons_added .minus {
  border-right: 0;
}

.quantity.buttons_added .plus {
  border-left: 0;
}
```

```
.quantity.buttons_added .minus:hover,  
.quantity.buttons_added .plus:hover {  
    background: #eeeeee;  
}  
  
.quantity input::-webkit-outer-spin-button,  
.quantity input::-webkit-inner-spin-button {  
    -webkit-appearance: none;  
    -moz-appearance: none;  
    margin: 0; }  
  
.quantity.buttons_added .minus:focus,  
.quantity.buttons_added .plus:focus {  
    outline: none;  
}  
  
.html {width: 80%; background-color: #2196F3; border-radius: 5px;}  
  
#buttonRemove{  
    border-radius: 5px;  
    padding: 7px;  
  
}  
.row h2{  
    text-align: center;  
}  
  
.row:after {  
    content: "";  
    display: block;  
    clear: both;  
}  
  
.containerImageProduct {  
    position: relative;  
    width: 490px;  
    margin-top: 10px;  
}  
  
.mySlides {  
    display: none;  
}
```

```
.cursor {
  cursor: pointer;
}
.productslImage{
width:100%;
vertical-align: middle;
}

#prev,
#next {
  cursor: pointer;
  position: absolute;
  top: 45%;
  width: auto;
  padding: 8px 13px;
  margin-top: -50px;
  color: #000;
  font-weight: bold;
  background-color: #fff;
  border-radius: 5px;
  font-size: 20px;
  user-select: none;
  -webkit-user-select: none;
}
#next {
  right: 0;
}

#prev:hover,
#next:hover {
  background-color: #f2f2f2;
  color:#000;
  border-radius: 5px;
}

.numbertext {
  color: #000;
  font-size: 12px;
  padding: 8px 12px;
  position: absolute;
  top: 0;
}
```

```
#rowPicture:after {
  content: "";
  display: table;
  clear: both;
}

.column {
  float: left;
  width: 16.66%;
}

.demo {
  opacity: 0.6;
}

.activee,
.demo:hover {
  opacity: 1;
}

@keyframes bake-pie {
  from {
    transform: rotate(0deg) translate3d(0, 0, 0);
  }
}

#loader {
  position: absolute;
  left: 50%;
  top: 50%;
  z-index: 1;
  width: 150px;
  height: 150px;
  margin: -75px 0 0 -75px;
  margin: auto;
  border: 9px solid #f3f3f3;
  border-radius: 50%;
  border-top: 9px solid #3498db;
  width: 60px;
  height: 60px;
  -webkit-animation: spin 2s linear infinite;
  animation: spin 2s linear infinite;
}
```

```
@-webkit-keyframes spin {
  0% { -webkit-transform: rotate(0deg); }
  100% { -webkit-transform: rotate(360deg); }
}

@keyframes spin {
  0% { transform: rotate(0deg); }
  100% { transform: rotate(360deg); }
}

.animate-bottom {
  position: relative;
  -webkit-animation-name: animatebottom;
  -webkit-animation-duration: 1s;
  animation-name: animatebottom;
  animation-duration: 1s
}

@-webkit-keyframes animatebottom {
  from { bottom:-100px; opacity:0 }
  to { bottom:0px; opacity:1 }
}

@keyframes animatebottom {
  from{ bottom:-100px; opacity:0 }
  to{ bottom:0; opacity:1 }
}

.pagination {
  display: inline-block;
}

.pagination a {
  color: #000;
  float: left;
  padding: 8px 16px;
  text-decoration: none;
}

.paginationAdminMod{
  float: right;
  margin-bottom: 20px;
}
```

```
.center {  
    text-align: center;  
}  
.dropbtn {  
    cursor: pointer;  
    width: 50px;  
    height: 50px;  
}  
  
.dropdown {  
    position: relative;  
    display: inline-block;  
}  
  
.toggle-tabs{  
    margin-top: 60px;  
}  
.dropdown-content {  
    display: none;  
    position: absolute;  
    background-color: #f1f1f1;  
    width: max-content;  
    overflow: auto;  
    box-shadow: 0 5px 15px 0 rgb(0 0 0 / 50%);  
    z-index: 1;  
    border-radius: 4px;  
    margin-top: 10px;  
    right: 0px;  
    text-align: center;  
}  
.center{  
    margin: 60px auto;  
}  
#autor a{  
    padding: 10px;  
    font-size: 18px !important;  
    color: #fff;  
    border-radius: 6px;  
}  
.dropdown-content a {  
    color: #000;  
    padding: 12px 16px;  
    text-decoration: none;  
    display: block;  
}
```

```
    font-size: 20px;
}

.dropdown a:hover {
    background-color: #ddd;
}

.show {display: block;}
#slikaKorisnik{
    width: 50px;
    height: 50px;
    border-radius: 50px;
}

#slider {
    margin-top: 50px;
    height:520px;
    max-width:1100px;
    margin:auto;
    overflow:hidden;
    background:transparent;
    z-index: 99;

}

.slide {
    height:350px;
    float:left;
    text-align:center;
    border:1PX SOLID #000;
    line-height:8em;
    font-size:40px;
}

.mAuto{
    margin-top: 50px !important;
}

.naziv2{
    font-size: 20px;
    font-weight: bold;
    word-break: break-all;
}

.title2 {
    color: rgb(0, 0, 0);
    font-size: 13px;
```

```
word-break: break-all;
padding: 10px;
min-height: 60px;
}

.cardFirst {
  opacity: 1;
  transition: .5s ease;
  backface-visibility: hidden;
}
.middle {
  transition: .5s ease;
  opacity: 0;
  position: absolute;
  top: 50%;
  left: 50%;
  transform: translate(-50%, -50%);
  -ms-transform: translate(-50%, -50%);
  text-align: center;
  z-index: 2;
}
.text2 {
  background-color: #000;
  color: #fff;
  font-size: 20px;
  padding: 10px 30px;
  border-radius: 5px;
  opacity: 1;
  z-index: 1;
}
.cardFirst:hover:not(.middle){
  opacity: 0.6;
}
.cardFirst:hover .middle {
  opacity: 1;
}
.text2:hover{
  opacity: 1;
}

.slidecontainer p{
  font-size: 12px;
}
```

```
.new2{
    padding: 10px 5px;
    background-color: #ff4f4f;
    border-radius: 60%;
    position: absolute;
    top: 10px;
    left: 10px;
    color: #fff;
}
.nova2{
    font-weight: 200;
    font-size: 17px;
    color: #ff4f4f;
}
.dugme2 {
    border: none;
    outline: 0;
    display: inline-block;
    padding: 8px;
    color: #fff;
    background-color: #000;
    text-align: center;
    cursor: pointer;
    width: 100%;
    font-size: 17px;
    border-radius: 0px 0px 15px 15px;
}
.first2{
    margin: 5px;
}
#istaknutiProizvodi{
    width: 100%;
    height: auto;
    background-color: #f2f2f2;
}
#istaknutiProizvodi h3{
    font-weight: bold;
    padding: 90px 0px 80px 0px;
    text-align: center;
    font-size: 40px;
}
}
```

```
#istaknutiProizvodi h3::first-letter{  
    color: #ff4f4f;  
  
}  
.vestiPozadina{  
    margin:30px auto;  
}  
.vest{  
    width: 100%;  
    margin:50px auto;  
    height: auto;  
    background-color: #f2f2f2;  
    border-radius: 12px;  
    display: flex;  
}  
.vest a{  
    font-size: 0px !important;  
}  
.vestLevo{  
    float: left;  
}  
.vestLevo img{  
    width: 300px;  
    height:100%;  
    border-radius:12px 0px 0px 12px;  
}  
.vestDesno{  
padding: 20px;  
width:70%;  
float: right;  
padding: 30px;  
font-size: 14px !important;  
font-weight: 100 !important;  
}  
.vestDesno h2{  
    font-size: 25px !important;  
    font-weight: bold;  
}  
.vestDesno #datum{  
    font-size: 15px !important;  
    color: #666666;  
    padding: 7px 0px;  
}
```

```
.vestDesno p{
    font-size: 14px !important;
    font-weight: 100 !important;
}
.vestDesno table, .vestDesno img{
    display: none;
}
#news{
    margin-top: 150px;
}
#newsNaslov{
    font-size: 60px;
    text-align: center;
    padding-bottom: 20px;
    font-weight: bold;
}
#newsPaginationContainer{
    width: 100%;
    display: flex;
}
.newsPaginationMargin{
    margin: 20px auto 60px auto;
}
#poslednjeVesti{
    background-color: #f2f2f2;
    display: flex;
    justify-content: space-around;
    padding: 80px 0px;
}
#vestLinkovi{
    width: 85%;
    margin: auto;
    height: 50px;
}
#vestLinkovi p{
    font-size: 38px;
    float: left;
    font-weight: bold;
}
#vestLinkovi a{
    font-size: 22px;
    float: right;
    padding: 8px;
}
```

```
#vestiDole{
    padding: 80px 0px;
    width: 80%;
    margin: auto;
    height: auto;
}
.img-comp-slider:hover {
    animation: none;
}

#newsContainer{
    width: 100%;
    display: flex;
    justify-content: space-around;
    margin-top: 150px;
    margin-bottom: 60px;
}
#newsText{
    width: 70%;
    background-color: #f2f2f2;
    border-radius: 10px;
}
#newsText img{
    max-width: 100% !important;
    border-radius: 10px 10px 0px 0px;
}

#newsOtherItems{
    width: 25%;
    background-color: #fff;
    border-radius: 10px;
}
#lastNews{
    background-color: #f2f2f2;
    border-radius: 10px;
    padding: 10px 0px;
}
.oneLastNews{
    width: 79%;
    margin: 30px auto;
    display: flex;
    background-color: #fff;
```

```
justify-content: space-between;
border-radius: 5px;
}
.oneLastNews img{
width: 50%;
height: 100%;
border-radius: 5px 0px 0px 5px;
}
.oneLastNews .lastNewsParam{
width: 47%;
}
.lastNewsParam h2{
font-size: 12px;
margin-top: 5%;
}
.lastNewsParam p{
font-size: 10px;
color: #333;
}
.newsPoll{
padding: 10%;
}
.newsPoll #poll_result p{
margin-left: 0px !important;
}
```

```
.slideshow-container {
width: 80%;
position: relative;
margin: auto;
}
```

```
.buttonDisable{
cursor: no-drop !important;
}
```

```
.fade {
-webkit-animation-name: fade;
-webkit-animation-duration: 1.5s;
animation-name: fade;
animation-duration: 1.5s;
}
```

```
@-webkit-keyframes fade {  
  from {opacity: .4}  
  to {opacity: 1}  
}  
  
@keyframes fade {  
  from {opacity: .4}  
  to {opacity: 1}  
}  
  
.buttonProducts{  
  border: none;  
  padding: 7px 12px;  
  color: #fff;  
  background-color: #1d1d1f;  
  cursor: pointer;  
  font-size: 18px;  
  border-radius: 5px;  
  margin: 0px 10px;  
  width: auto;  
}  
  
.oneProductBuyButton{  
  padding: 6px;  
  width: 230px;  
  margin-left: 20px;  
}  
  
@keyframes img-comp-slider {  
  0% {  
    transform: scale(0.95);  
    box-shadow: 0 0 0 0 rgba(255, 82, 82, 0.911);  
  }  
  
  70% {  
    transform: scale(1);  
    box-shadow: 0 0 0 10px rgba(255, 82, 82, 0);  
  }  
  
  100% {  
    transform: scale(0.95);  
    box-shadow: 0 0 0 0 rgba(255, 82, 82, 0);  
  }  
}
```

```
}

.dugmeFile{
    border-radius: 6px !important;
}

#dugmeFile{
    margin-bottom: 15px;
}

}

#newsImageContainer{
    text-align: center;
    margin: 15px auto;
}
#newsImageContainer img{
    width: 500px;
    height: auto;

}

#istaknutaVest{
    float: left;
    width: 350px;
    height: auto;
    background-color: #fff;
    border-radius: 12px;
}
#istaknutaVest img{
    width: 350px;
    height: 250px;
    border-radius: 12px 12px 0px 0px;
}
#drugj{
    padding: 20px 40px;
}
#istaknutaVest p:first-of-type{
    font-size: 15px !important;
    color: #666666;
    line-height: 22px;
    padding: 7px 0px;
}
#istaknutaVest p:nth-child(2){
    font-size: 20px !important;
    line-height: 32px;
    font-weight: bold;
}
```

```

padding: 7px 0px;
padding-bottom: 60px;
word-break: break-all;
}
#istaknutaVest a{
margin: 20px 0px;
font-size: 22px !important;
line-height: 32px;
font-weight: bold;
}

.strela{
color: #000;
font-size: 22px;
}
.crvena{
color: #ff4f4f;
font-size: 22px;
}
.aktivnaFuter{
color: #ff4f4f !important;
}
#istaknutaVest a:hover .strelica{
transition: 0.5s;
margin-left:20px;
}
#ostaleVesti{
float: right;
text-align: left;
width: 50%;
}
#ostaleVesti p{
font-size: 15px !important;
color: #666666;
line-height: 22px;
padding: 7px 0px;
}
#checkIstaknut input[type=checkbox]{
width: 10px;
}
#ostaleVesti a{
margin: 20px 0px;
font-size: 19px !important;
line-height: 32px;
}

```

```
word-break: break-all;
}
#tekstUpis{
  width: 100%;
  height: 300px;
}
#ostaleVesti ul{
  margin: 20px 0px;
}
#ostaleVesti a:hover{
  text-decoration: underline;
}
.vestNaslov{

  font-size: 48px;
  word-break: break-word;
  color: #fff;
  text-shadow: 2px 2px 4px #000000;
}
#newsInfoContainer{
  position: relative;
}
#newsInfoText{
  position: absolute;
  bottom: 20px;
  left: 30px;
}
.vestTekst{
  padding: 30px;
}

.vestTekst p{
  margin: 15px 0px;
}
.vestTekst p a{
  color: #ff4f4f;
}

.vestTekst table{
  border-collapse: collapse;
  border-spacing: 0;
  width: 100%;
  max-width: 100%;
  overflow-x: auto;
```

```

background-color: #fff;
border:none
}
.vestTekst caption{
padding: 10px;
font-weight: bold;
font-size: 18px;
}
.vestTekst table tr:nth-child(even) {
background-color: #f2f2f2;
}
.vestTekst p img{
border-radius: 10px !important;
}
.vestDatum{
color: #fff;
text-shadow: 2px 2px 4px #000000;
}
#scrollToTop{
background-color: #ffffff;
box-shadow: 1px 1.732px 12px 0px rgb(0 0 0 / 14%), 1px 1.732px 3px 0px rgb(0 0 0 / 12%);
transition: all 1s ease;
bottom: 2em;
right: 2em;
color: #333;
font-size: 24px;
display: none;
position: fixed;
text-decoration: none;
width: 40px;
height: 40px;
line-height: 38px;
text-align: center;
border-radius: 100%;
cursor: pointer;
}
#scrollToTop:hover{
transition: 0.3s;
background-color:#333;
}
#scrollToTop .fa{
color:#333;

```

```
}
```

```
#scrollToTop:hover .scrolColor {
```

```
    color:#fff !important;
```

```
}
```

```
.twitter{
```

```
    margin-top: 60px;
```

```
}
```

```
.log{
```

```
    height: 500px;
```

```
}
```

```
#log{
```

```
    padding: 10px;
```

```
    background-color: #3a3a3a;
```

```
    color: #fff;
```

```
}
```

```
#proizvodLevo{
```

```
    width: 20%;
```

```
    background-color: #f2f2f2;
```

```
    height: 300px;
```

```
    border-radius: 12px;
```

```
}
```

```
#izgled{
```

```
    width: 100%;
```

```
    height: auto;
```

```
}
```

```
#izgled ul{
```

```
    display: inline-flex;
```

```
    float: right;
```

```
}
```

```
#izgled span{
```

```
    font-size: 25px;
```

```
    color: #f2f2f2;
```

```
}
```

```
#izgled ul li{
```

```
    padding: 5px;
```

```
}
```

```
#izgled ul li i{
```

```
    color: #000;
```

```
    font-size: 25px !important;
```

```
    cursor: pointer;
```

```
}

.center{
    width: 70%;
}

.green{
    background-color: #4CAF50 !important;
}
.blue{
    background-color: #2196F3;
}
.drustveneMreze li:hover{
    transform: scale(1.1);
    transition: 0.5s;
}

#tekst a:hover{
    background-color: #ff0000;
    opacity: 1 !important;
}
#plevo{
    width: 70%;
    float: right;
    margin-top: 40px;
    height: auto;
}

.danger{
    width: 100%;
    background-color: #1d1d1f;
    border-radius: 6px;
    padding: 8px 12px;
    margin: 10px auto;
    text-align: center;
    color: #fff;
    cursor: pointer;
}

.replyComments{
    display: none;
}
.mainComment{
    background-color: #f2f2f2;
```

```
border-radius: 5px;
margin: 10px auto;
padding: 20px;

}

.replyButton {
border-radius: 4px;
width: unset;
font-size: 16px;
background-color: #1d1d1f;
padding: 7px 10px;
color: #fff;
}

.userComment{

margin: 5px 0px;
}

.replies .comment{
background-color: #d2d2d2;
border-radius: 5px;
margin: 10px auto;
padding: 20px;
}

.adminCommentUserName{
padding: 3px 6px;
border-radius: 4px;
background-color: rgba(0, 0, 0, 0.19);
font-weight: bold;
}

.buttonDivComment{
display: flex;
justify-content:space-between;
}

.buttonDivComment p{
cursor: pointer;
color: #1DA1F2;

}

.buttonDivComment p i{
color: #1DA1F2;
}

.repliesNone{
visibility: hidden;
}
```

```
.commentUserName{
    font-weight: bold;
}
.dateComment{
    float: right;
    color: rgb(109, 109, 109);
}
.replies .comment .commentUserName{
    font-weight: bold;
}
.replies .comment .dateComment{
    float: right;
    color: rgb(109, 109, 109);
}
.danger:hover{
    background-color: #1d1d1fe8;
    transition: 0.4s;
}
.delComment, .delReplies{
    width: unset;
    border-radius: 3px;
    padding: 4px 5px;
    background-color: #ff4f4f;
    color: #fff;
    font-size: 16px;
}
.delText{
    margin-right: 10px;
    font-weight: bold;
}
#productComments{
    width: 100%;
    margin: 70px auto 100px auto;
}
.commentRepliesContainer{
    display: flex;
    justify-content: space-between;
    margin-top: 5px;
}
.replayArea{
    margin-top: 10px;
    margin-bottom: 25px;
}
.replayArea textarea{
```

```
background-color: #f2f2f2;
}
#productComments span{
  font-weight: bold;
  padding: 10px 0px;
  font-size: 20px;
}
#sendComment{
  width: 100%;
  margin-top: 15px;
}
.noText{
  color:rgb(255, 0, 0);
}
.replayArea button{
  border-radius: 4px;
  width: unset;
  font-size: 16px;
  background-color: #1d1d1f;
  padding: 7px 10px;
  color: #fff;
}
#showMoreContainer{
  width: 100%;
  display: flex;
}
.commentButton {
  border-radius: 5px;
  width: unset;
  float: right;
  background-color: #1d1d1f;
  color: #fff;
  padding: 11px 20px;
  font-size: 16px;
}
.commentInput{
  background-color: #f2f2f2;
  border-radius: 5px;
}
#showCommentButton{
  border-radius: 5px;
  margin: 20px auto;
  text-align: center;
  padding: 10px 15px;
```

```
color: #000;
font-size: 15px;
}
#showCommentButton i{
color: #000;
}
#commentContainer{
margin-bottom: 60px;
}
.replies{
margin-left: 45px;
}
.logReg{
width: 100%;
background-color: #f2f2f2;
padding: 35px;
margin: auto;
text-align: center;
border-radius: 5px;
font-size: 22px;
}
.logRegReplies{
background-color: #cecece;
}

#userPage{
width: 100%;
display: flex;
min-height: 100%;

}
#userBody{
width: 80%;
margin: 100px auto;
}
#userInformation{
width: 100%;
padding: 20px 10px;
display: flex;
justify-content: flex-start;
background-color: #d4ddda;
margin-bottom: 40px;
}
```

```
#userInformation li{
    margin:0px 20px;
}
.userReservation{
    margin-top:20px !important;
    width: 100% !important;
    padding: 20px 10px !important;
    display: flex !important;
    justify-content: space-around !important;
    background-color: #fff !important;
    font-weight: bold !important;
}

.userReservation select{
    width: 100% !important;
}
.userReservationInfo{
    box-shadow: 0 5px 10px 0 rgba(0, 0, 0, 0.4);
}
#sendReservation{
    cursor: pointer;
}

#newsletterstatus{
    color: rgb(255, 0, 0);
}

.newslettermoderator{
    margin-top: 110px;
}
#newsletter{
    background-color: #1d1d1f;
    width: 100%;
}
#newsletterSection{
    width: 100%;
    padding: 30px;
    text-align: center;
    color: #fff;
}
#newsletterSection h2{
    font-size: 35px;
}
#newsletterSection p{
```

```
    font-size: 15px;
    margin-bottom: 20px;
}

#newsletterSection input{
    padding: 10px 20px;
    border-radius: 3px;
    background-color: transparent;
    border: 2px solid #000;
    width: 30%;
    color: #fff;
}

#newsletterSection button{
    padding: 10px 20px;
    border-radius: 3px;
    background-color: #000;
    color: #fff;
    border: 1px solid #000;
}

#newsletterCount{
    padding: 17px 40px;
    border-radius: 4px;
    text-transform: uppercase;
    background-color: #fff;
    font-weight: 700;
    display: flex;
}

#newsletteCount p{
    margin-right: 40px;
}

#nesletterLine{
    width: 70px;
    padding: 1.5px;
    border-radius: 2px;
    background-color: #ff4f4f;
    margin: 20px auto;
}

#editPriceBody{
    width: 100%;
    min-height: 600px;
    margin: 100px auto;
```

```
}

.pricePercent{
    padding: 8% 4%;
    border-radius: 50%;
    color: #fff;
    position: absolute;
    left: -17px;
    top: -17px;
}

.greenPercent{
    background-color: #0ac00a;
    padding: 8% 5%;
}
.yellowPercent{
    background-color: rgb(230, 230, 14);
}
.redPercent{
    background-color: #ff4f4f;
}

#editPolldiv{
    margin-top: 150px;
}
#activeStatusPoll{
    padding: 10px !important;
    border-radius: 4px;
    background-color: #01a901 !important;
    cursor: pointer;
}

.noActiveStatusPoll {
    padding: 10px !important;
    border-radius: 4px;
    background-color: #ffa610 !important;
    cursor: pointer;
}
.changestatuspoll{
    color: #fff;
}
.slick-dots{
    list-style-type: none;
```

```
display: flex;
position: absolute;
background-color: red;
top: 10px;
}

.filterButtonModAdmin{
display: flex;
justify-content: space-between;
}
.filterButtonModAdmin button{
margin: 3px;
}

.adminModeratorMargin{
margin: 110px auto;
}
.adminModeratorImageButton{
background-color: #708090 !important;
color:#fff;
}
.pollAnswers{
margin-top: 10px;
}
input[type=number]{
border:none;
padding: 15px;
border-radius: 4px;
}

.userButton .fa{
color: #000;
}

#roleUserEdit{
margin-bottom: 10px;
}
.adminModeratorButton{
width: auto !important;
padding: 12px !important;
}

.adminModeratorHeader{
```

```
background-color:#1a1a11 !important;
top: 0 !important;
z-index: 99 !important;
box-shadow: rgb(0 0 0 / 80%) 0px 0px 10px;
}

.adminModeratorHeaderColor{
  color: #fff !important;
}

.adminModeratorHeaderColor .hamburger {
  background-color: #fff !important;
}

.relative{
  position: relative;
  z-index: 9;
  background-color: #ebe9e6;
}
#adminPanel{
  display: flex;
  justify-content: space-between;
  width: 100%;
  min-height: 100%;
}
#adminPanel ul{
  width: 100%;
  display: block;
  margin: auto;
  padding-top: 100px;
}
.adminButtonTab{
  background-color: rgb(239, 239, 239);
  text-align: center;
}
.f{
  padding: 5px 10px;
  border-radius: 3px;
  background-color: #ff4f4f !important;
  color: #fff;
  cursor: pointer;
}

.adminModeratorButtonColor{
```

```

/* background-color: #1d1d1f; */
background-color: #ff4f4f ;
color:#fff;
}
#adminPanel button,.adminButtonTab{
  font-size: 13px;
  letter-spacing: 1px;
  font-weight: 700;
  border: none;
  padding: 17px 0px;
  text-transform: uppercase;
  margin-top: 0px;
  cursor: pointer;
  width: 100%;
  border-radius: 4px;
}

#adminPanel button:hover,.adminButtonTab:hover{
  background-color:#1d1d1f ;
  color: #fff;
  transition: 0.3s;
}
.tabcontent{
  display: none;
}
.defaultOpen{
  display: block ;
}

#adminPanel ul li{
  padding:10px;
}
#sidebar{
  width: 300px;
  background-color: #fff;
}

.activeAdmin{
  background-color:#1d1d1f ;
  color: #fff;
  border-radius: 4px;
}

```

```
.activeAdmin .fa{
  color: #fff;
}
.userButton{
  padding: 7px;
  margin-top: 10px;
  cursor: pointer;
}
.pollInput{
  width: 90% !important;
}
.deleteAnswer{
  float: right;
  margin-top: 10px;
  padding: 15px;
}
.responsiveHidden{
  display: none !important;
}

#orderUser,#changePasswordUser,#editInfoUser{
  margin-top: 110px;
}

.none{
  display: none !important;
}
.block{
  display: block !important;
}

#footerSocialNetworkContainer{
  width: 100%;
}
#productsFilter{
  display: none;
}

@media screen and (max-width:1399px) {
  .omotac{
    width: 90%;
  }
  #proizvodiDesno{
    width: 70%;
```

```
}

}

@media screen and (max-width:1270px) {
    #proizvodiDesno{
        width: 71%;
    }
    #pTekst h2 {
        font-size: 40px;
    }
    .kolona1{
        margin: 10px;
    }
    .drustveneMreze{
        padding-left: 75px;
    }
}
```

```
@media screen and (max-width:1200px) {
    .omotac2{
        width: 75%;
    }
    #tekst {
        left: 10%;
    }
    .iphone{
        display: none;
    }
    .gx{
        display: block;
    }
    #codeText {
        float: right;
        width: 47%;
        padding: 34px;
    }
    #code {
        width: 48%;
    }
    #macHomeContainer{
        padding-left: 20px;
    }
}

.vestDesno{
```

```
width:50%;  
}  
.responsiveTable thead {  
border: none;  
clip: rect(0 0 0 0);  
height: 1px;  
margin: -1px;  
overflow: hidden;  
padding: 0;  
position: absolute;  
width: 1px;  
}  
  
.responsiveTable tr {  
border-bottom: 3px solid #ddd;  
display: block;  
margin-bottom: .625em;  
}  
  
.responsiveTable td {  
border-bottom: 1px solid #ddd;  
display: block;  
font-size: .8em;  
text-align: right;  
}  
  
.responsiveTable td::before {  
content: attr(data-label);  
float: left;  
font-weight: bold;  
text-transform: uppercase;  
}  
.plava{  
font-size: 16px;  
padding: 9px 6px;  
}  
#adminPanel button, .adminButtonTab {  
padding: 12px 19px;  
}  
.green {  
padding: 10px 12px;  
}  
.adminModeratorButton {  
padding: 8px 10px !important
```

```
}
```

```
@media screen and (max-width:1100px) {
  .card{
    max-width: 195px;
  }
  .kolona1 img{
    width: 150px;
    height: 150px;
  }
  .omotac2{
    width: 90%;
  }
  .slideshow-container{
    width: 90% !important;
  }
  #newsText{
    width: 65%;
  }
  #newsOtherItems{
    width: 30%;
  }
  .vestNaslov{
    font-size: 35px;
  }
  #newsText img{
    height: auto !important;
  }
  #kontakt{
    margin: 50px auto;
  }
  #proizvodiDesno{
    margin-left: 20px;
  }
}
```

```
@media screen and (max-width: 1040px) {
  #istaknutaVest{
    float: unset;
    margin: auto;
  }
  #ostaleVesti{
```

```
float: unset;
margin: auto;
}
#slider {
width:90%;
}
.tableAdminModerator{
font-size: 15px;
}
#macHomeText h2{
font-size: 35px;
}
}

}

@media screen and (max-width:980px) {

#macHomeContainer{
padding-left: 0px;
}
#macHomeContainer{
display: block;
}
#macHomeText{
margin: auto;
text-align: center;
padding-top: 40px;
}
#macHomeCircle{
justify-content: center;
}
#macHomeImg{
display: flex;
justify-content: center;
width: 100%;
margin-top: 0px;
}
#macHomeImg img{
width: 50%;
}
.cartBuy{
display: block;
}
.cartLeft{
```

```
width: 100%;  
margin-bottom: 50px;  
}  
.cartRight {  
width: 100%;  
}  
.styled-select{  
width: 180px;  
}
```

```
#klevo{  
border-right:none;  
width:100%;  
}  
.kfa {  
text-align:center;  
display:block;  
}  
.kfa p{  
padding-top:10px;  
}  
#kdesno{  
width:100%;  
}  
#code {  
width: 56%;  
}  
#codeText {  
  
width: 44%;  
padding: 23px;  
}
```

```
#pTekst p {  
margin-top: 10px;  
font-size: 15px;  
}  
#pTekst h2 {  
font-size: 30px;  
}  
#iwatch {  
width: 100%;  
}  
}
```

```
@media screen and (max-width: 950px) {  
    #nevidljiviMeni{  
        display: inline;  
        margin-top: 100px;  
    }.notification{  
        margin-top: 5px;  
  
    }  
    #macHomeText h2 {  
        font-size: 30px;  
    }  
    #macHomeText{  
        width: 70%;  
    }  
    #macHomeImg img {  
        width: 70%;  
    }  
.wa{  
    display: none;  
}  
.badge{  
    top:8px !important;  
    right: 20px !important;  
}  
.c{  
    margin-top: 100px;  
}  
#newsContainer{  
    display: block;  
}  
#newsText{  
    width: 100%;  
}  
#newsOtherItems{  
    width: 100%;  
    margin-top: 50px;  
}  
.vestTekst table{  
    width: 100% !important;  
}  
.adminButtonTab{  
    font-size: 12px;  
}
```

```
#adminPanel button, .adminButtonTab{
    padding: 16px 21px;
}
}

@media screen and (max-width:936px) {
    #proizvodiDesno {
        width: 69%;
    }
    .kolona1 img{
        width: 100px;
        height: 100px;
    }
    #ipad img {
        padding: 50px;
        width: 100%;
        height: auto;
        padding: 20px 0px;
    }
    #ipad h2 {
        font-size: 35px;
        font-weight: bold;
    }
    #ipad {
        height: auto;
    }
    .drzac{
        width: 80%;
    }
}

#ipad p {
    font-size: 17px;
    padding-top: 15px;
    padding-bottom: 0px;
}
#ipadLevo{
    width: 100%;
}
#ipadDesno{
    width: 100%;
}
#ipadFlex{
    padding: 20px 0px;
}
```

```
#ipadAtag {  
    visibility: hidden;  
}  
#hiddenAtagipad{  
    display: block !important;  
    font-size: 20px;  
    margin-bottom: 10px;  
}  
}  
  
@media screen and (max-width:900px) {  
    .product{  
        display: block;  
    }  
    .containerImageProduct{  
        margin: 50px auto 30px auto;  
    }  
    #proizvodiDesno{  
        width: 75%;  
    }  
    .tableAdminModerator{  
        font-size: 14px;  
    }  
    #productInfo {  
        width: 70%;  
        margin: 20px auto;  
    }  
}  
@media screen and (max-width:850px) {  
    .card{  
        width: 190px;  
        margin:0px 0px 40px 20px;  
    }  
    #slider {  
        width:80%;  
    }  
  
.styled-select {  
    width: 150px;  
}  
#filter{  
    display: block;  
}
```

```
#tekst h2 {  
font-size: 40px;  
  
margin-top: 10px;  
  
}  
#siviTekst p {  
  
font-size: 140px;  
  
}  
#satTekst {  
width: 51%;  
padding: 76px;  
}  
#satTekst h2 {  
padding-top: 40px;  
font-size: 25px;  
  
}  
#satTekst p {  
padding-top: 35px;  
font-size: 18px;  
}  
  
#sat {  
width: 21%;  
}  
#sat img {  
margin: 0px 8%;  
}  
#satTekst {  
width: 44%;  
padding: 76px;  
}  
#satTekst h2 {  
padding-top: 0px;  
font-size: 22px;  
}  
#satTekst p {  
padding-top: 22px;  
font-size: 16px;  
}
```

```
#satTekst a {  
    font-size: 17px;  
}  
#code {  
    display: none;  
}  
#codeText {  
    width: 100%;  
    padding: 37px;  
}  
#gift {  
    height: 432px;  
}  
#fgore{  
    display: block;  
}  
.kolona1{  
    width: 100%;  
    text-align: center;  
    float: unset;  
    margin: 40px auto;  
}  
#footerSocialNetworkContainer{  
    display: flex;  
}  
.drustveneMreze{  
    margin: auto;  
}  
  
}  
  
@media screen and (max-width: 800px) {  
.vestDesno{  
    width: 100%;  
    float: unset;  
}  
.vestLevo{  
    display: none;  
}  
.vest{  
    height: auto;  
}  
.product{
```

```
    display: block;
}
#newsletterSection input{
    width: 70%;
}
#registration{
    width: 90%;
}
#adminPanel{
    display: block;
}
#proizvodiDesno{
    width: 90%;
    margin: auto;
}
#sidebar{
    width: 90%;
    margin-left: auto;
    margin-right: auto;
}
.container5{
    width: 100%;
}
#adminModeratorHiddenNav{
    display: block;
    margin-top: 150px;
}
#adminPanel ul{
    padding-top: 0px;
}
#sidebar{
    display: none;
}
.pollInput{
    width: 70% !important;
}
.deleteAnswer{
    margin-top: 13px;
}
.filterButtonModAdmin{
    display: block;
}
```

```
@media screen and (max-width:690px) {  
    #ulogovan {  
        width: 227px;  
    }  
    #loglme {  
        margin-right: 3px;  
    }  
    #logout {  
        padding: 4px 13px;  
        font-size: 18px;  
    }  
    .drzac{  
        width: 100%;  
    }  
    #slider {  
        width:100%;  
    }  
    .tableOrders{  
        margin: 0px;  
    }  
  
    #textIphone h2 {  
        font-size: 40px;  
    }  
    #textIphone h2 {  
        font-size: 27px;  
        font-weight: 100;  
    }  
    #pTekst p {  
        margin-top: 5px;  
        font-size: 16px;  
    }  
    #pTekst h2 {  
        font-size: 25px;  
    }  
    #pageStatisticAdmin td {  
        width: 100%;  
    }  
  
    #tekst h2 {  
        font-size: 30px;  
        margin-top: 5px;  
    }  
    #tekst p {
```

```
    font-size: 19px;
}
#pozadina img {
    left: 50%;
    width: 224px;
    height: 496px;
}
#siviTekst p {
    font-size: 120px;
}
#iwatch {
    width: 100%;
    margin: 41px auto 0px auto;
    height:none;
}
#sat img {
    margin: 0px 20%;
}
#myVideo {
    left: 50%;
    transform: translate(-52%, 0%);
}
#satTekst {
    display: none;
}
#sat {
    width: 100%;
    display: flex;
    justify-content: center;
}
#nevidljivLink p{
    display:block;
    margin-bottom: 35px;
    margin-top: 35px;
}
#author{
    display: block;
    width: 90%;
}
#author img{
    border-radius: 20px 20px 0px 0px;
    width: 100%;
    height: auto;
}
```

```
#authorContent h2,#authorContent p{
    text-align: center;
}

#activeStatusPoll,.noActiveStatusPoll {
    width: unset !important;
}
#productInfo {
    width: 90%;
    margin: 20px auto;
}
#tablesCart thead,.tableAdminModerator thead {
    border: none;
    clip: rect(0 0 0 0);
    height: 1px;
    margin: -1px;
    overflow: hidden;
    padding: 0;
    position: absolute;
    width: 1px;
}
#tablesCart tr,.tableAdminModerator tr {
    border-bottom: 3px solid #ddd;
    display: block;
    margin-bottom: .625em;
}
#tablesCart td,.tableAdminModerator td {
    border-bottom: 1px solid #ddd;
    display: block;
    font-size: .8em;
    text-align: right;
}
#tablesCart td::before,.tableAdminModerator td::before {
    content: attr(data-label);
    float: left;
    font-weight: bold;
    text-transform: uppercase;
}
.adminButtonTab{
    width: auto;
    margin-top: 5px;
```

```
}

.brisanjeKorisnika{
    width: unset !important;
}
#cartpay ul{
    display: block;
}

#cartpay ul li{
    padding: 10px;
    text-align: center;
}
.buttonBuy,#deleteProducts{
    font-size: 15px !important;
    padding:10px 15px;
}

#adminPanel button, .adminButtonTab {
    padding: 12px 19px;
}

#newsletterCount{
    display: block;
}

#pretraga input[type=text] {
    width: 100%;
    margin: auto;
    box-sizing: border-box;
    border: 1px solid #ccc;
    border-radius: 4px;
    font-size: 15px;
    background-color: #fff;
    background-image: url('../images/searchicon.png');
    background-position: 10px 10px;
    background-repeat: no-repeat;
    padding: 6px 20px 10px 40px;
    -webkit-transition: width 0.4s ease-in-out;
    transition: width 0.4s ease-in-out;
}
```

```
@media screen and (max-width:600px) {  
  
    .tableAdminModerator {  
        font-size: 14px;  
    }  
    .adminModeratorButton .fa{  
        font-size: 12px !important;  
    }  
    .naslov {  
        font-size: 18px;  
    }  
    #pTekst p {  
        margin-top: 5px;  
        font-size: 12px;  
    }  
    #pTekst h2 {  
        font-size: 20px;  
    }  
    #sat img {  
        margin: 0px 14%;  
    }  
    #slider {  
        width:80%;  
    }  
    /* #myVideo {  
        left: 16%;  
    } */  
    #istaknutiProizvodi h3{  
        font-size: 30px !important;  
        padding:50px 0px 10px 0px;  
    }  
    .col-25, .col-75,.container5 input[type=submit] {  
        width: 100%;  
        margin-top: 0;  
    }  
    .vestNaslov{  
        font-size: 27px;  
    }  
    .vestTekst, .vestTekst a{  
        font-size: 14px;  
    }  
    .vestTekst h2, .vestTekst h3 a{  
        font-size: 18px;  
    }  
}
```

```
}
```

```
@media screen and (max-width:550px) {
```

```
.containerImageProduct{  
    width: 100%;  
}
```

```
#macHomeText h2 {  
    font-size: 25px;  
}
```

```
#macHomeText a {  
    font-size: 18px;  
}
```

```
.styled-select {  
    width: 120px;  
}
```

```
#siviTekst p {  
    font-size: 90px;  
}
```

```
#pozadina img {  
    left: 52%;  
    width: 184px;  
    height: 410px;  
    top: 20%;  
}
```

```
#tekst {  
    top: 34%;  
}
```

```
#siviTekst p {  
    font-size: 100px;  
}
```

```
#tekst a {  
    padding: 7px 10px;  
    font-size: 14px;  
}
```

```
#tekst h2 {  
    font-size: 27px;  
}
```

```
#tekst p {  
    font-size: 16px;  
}
```

```
#sat img {
    margin: 0px 13%;
}
#newsletterSection input, #newsletterSection button{
    width: 90%;
    margin-top: 10px;
}

}

@media screen and (max-width: 530px) {
    .drustveneMreze {
        padding-right: 20px;
        padding-left: 45px;
        padding-bottom: 50px;
        margin: auto;
    }
    #pslika img{
        height: auto;
    }
    #istaknutaVest{
        width: 100%
    }
    #istaknutaVest img{
        width: 100%;
        height:auto;
    }
    .drustveneMreze li a i{
        font-size: 20px !important;
    }
    .drustveneMreze{
        padding-left: 20px;
    }
    #loglme{
        display: none;
    }
    .dropdown{
        display: none;
    }
    #ulogovan{
        width: auto;
    }
    .responsiveHidden{
        display: block !important;
    }
}
```

```
}

#productsFilter{
    margin-top: 150px;
}
#proizvodi{
    margin-top: 40px;
    display: block;
}
#filteri{
    width: 80%;
    margin: 0px auto 30px auto;
    display: none;
}
.card{
    margin: 0px 10px 40px 10px;
    width: 210px;
}
#productsFilter{
    display: block;
}
#productInfo {
    width: 100%;
    margin: 20px auto;
}
}

@media screen and (max-width:515px) {
    #sat img {
        margin: 0px 10%;
    }
}

@media screen and (max-width: 500px) {
    #anketa{
        display: block;
    }
    #notification{
        padding: 10px 15px;
        font-size: 13px;
    }
}

@media screen and (max-width:470px) {
```

```

#sat img {
    margin: 0px 6%;
}
/* #myVideo {
    left: 8.5%;
} */
#codeText p {
    font-size: 16px;
}
#tekst h2 {
    font-size: 20px;
}
#codeText a {
    font-size: 17px;
}
#codeText h2 {
    padding-top: 10px;
}

#ipadDesno{
    margin-bottom: 20px;
}
#registrationContainer{
    padding: 20px;
}
#pozadina img{
    top:17%;
}
}

@media screen and (max-height: 450px) {
    .sidenav {padding-top: 15px;}
    .sidenav a {font-size: 18px;}
}

@media screen and (max-width: 440px) {
    #pozz main{
        display: inline;
    }
    #login{
        width: 90%;
    }
    .rez {

```

```
width: 100%;  
}  
.dugme {  
    padding: 28px;  
}  
#authorContent h2{  
    font-size: 21px;  
}  
#authorContent p{  
    font-size: 14px;  
}  
#newsletterCount{  
    font-size: 13px;  
}  
}
```

```
@media screen and (max-width:430px) {  
.card {  
    margin: 50px 16px;  
}  
#tekst h2 {  
    font-size: 17px;  
}  
#tekst p {  
    font-size: 11px;  
}  
#pozadina img {  
left: 51%;  
width: 164px;  
height: 370px;  
}  
#siviTekst p {  
display: none;  
}  
#pozadina{  
height: 100%;  
}  
#sat img {  
margin: 0px 3%;  
}  
#sat img {  
width: 330px;  
height: 461px;  
}
```

```
#myVideo {  
    top: 11.5%;  
    width: 295px;  
    height: 347px;  
}  
#ipad img {  
    padding: 0px;  
    width: 100%;  
    margin-top: 20px;  
}  
#ipad h2 {  
    font-size: 34px;  
}  
#iwatch {  
    background-color: transparent;  
    height: 461px;  
}  
.productName{  
    font-size: 25px;  
}  
#productInfo{  
    margin-top: 50px;  
}  
.dateComment,.adminCommentUserName,.moreRepliesButton ,.replyButton,.user  
Comment {  
    font-size: 13px;  
}  
.vestNaslov{  
    font-size: 20px;  
}  
#macHomeText h2{  
    font-size: 20px;  
}  
#macHomeText a{  
    font-size: 16px;  
}  
}  
{@media screen and (max-width:390px) {  
#sat img {  
    width: 275px;  
    height: 383px;  
}  
.dugme{  
    width: 176px !important;  
}
```

```
}

.odgovori{
width: 176px !important;
}

#myVideo {
top: 9.5%;
width: 247px;
height: 291px;
}

#autor img{
width: 100%;
height: auto;
}

#iwatch,#sat{
height: 383px;
}

.diagonal{
margin-left:47%;
}

}

{@media screen and (max-width:336px) {

.card {

margin: 50px 3px;
}

#pozadina img {
left: 48%;
width: 144px;
height: 340px;
}

#fgore{
display: inline-block;
}

#ipad h2 {
font-size: 28px;
}

#login h2{
font-size: 20px;
}

#loginContainer label{
font-size: 13px;
}

#login form button{
font-size: 13px;
}
```

```
}

#loginLinks a{
    font-size: 13px;
}

.drustveneMreze{
    display: block;
}

}

{@media screen and (max-width:300px) {
    .styled-select {
        width: 110px;
    }
}

#animirantekst{
    font-size: 20px !important;
}

}
```

## 6.8.2. Js

### 6.8.2.1. Admin.js

```
$ (document) .ready(function() {  
  
    togleElements () ;  
  
    $(document) .on('click' , '.contactStatus' ,statusContactPagination) ;  
  
    $(document) .on('click' , ' .brisanjeKontakt' , deleteContact) ;  
  
    paginationNumber ("Contact") ;  
    paginationNumber ("User") ;  
  
    $("#paginationContact") .on('click' , '.pagContact' ,pagination) ;  
    $("#paginationUser") .on('click' , '.pagUser' ,pagination) ;  
  
    $(document) .on('click' , ' .brisanjeKorisnika' , deleteUser) ;  
  
    $(document) .on('click' , '#addUserAdminButton' ,addUser) ;  
  
    $(document) .on('click' , '#editAuthorButton' ,editAuthor) ;  
  
    $(document) .on('click' , ' .sendMessageAdmin' ,changeIdMessage) ;  
  
    $(document) .on('click' , '#sendMessageAdminButton' ,sendMessage) ;  
  
    $(document) .on('keyup' , '.validateAddUser' , addUserValidation) ;  
    $(document) .on('change' , '.selectFieldValidationAddUser' ,  
addUserValidation) ;  
  
    $("html,body") .addClass('adminModeratorBg') ;  
  
}) ;
```

```

function addUser(){
    var name=$("#nameAddUserAdmin").val();
    var lastName=$("#lastNameAddUserAdmin").val();
    var email=$("#emailAddUserAdmin").val();
    var city=$("#cityAddUserAdmin").val();
    var zip=$("#zipAddUserAdmin").val();
    var contry=$("#contryAddUserAdmin").val();
    var address=$("#addressAddUserAdmin").val();
    var password=$("#passwordAddUserAdmin").val();
    var role=$("#roleAddUserAdmin").val();

    $.ajax({
        url:"models/admin/user/addUser.php",
        method:"POST",
        data:{
            name:name,
            lastName:lastName,
            email:email,
            password:password,
            role:role,
            city:city,
            zip:zip,
            address:address,
            contry:contry
        },
        success:function(){
            successData();
            var name="User";
            paginationNumber(name);
            updatePagination(name);
        },
        error:prikaziGreskeAjax
    })
}

function deleteUser(){
    let idUser = $(this).data('iduser');

    $.ajax({
        url: 'models/admin/user/deleteUser.php',
        method: 'POST',
        data: {
            idUser: idUser
        },
        success: function(data) {

```

```

        var name="User";
        paginationNumber(name);
        updatePagination(name);
    } ,
    error: prikaziGreskeAjax
})
}

function getUsers(){
$.ajax({
    url: 'models/admin/user/getUsers.php',
    method: 'GET',
    dataType: 'json',
    success: function(data) {
        Users(data);
    },
    error: prikaziGreskeAjax
})
}

function Users(podaci){
let html = "", rb = 1;
for(let item of podaci){
    html += printUsers(item,rb);
    rb++;
}
$("#ispisKorisnici").html(html);
}

function printUsers(item,rb){
return `<tr>
<td data-label="Id User">${item.idUser}</td>
<td data-label="First Name">${item.name}</td>
<td data-label="Last Name">${item.lastName}</td>
<td data-label="Email">${item.email}</td>
<td data-label="Role">${item.roleName}</td>
<td data-label="Edit"><a class="plava" href="index.php?page=userEdit&idUser=${item.idUser}"><i class="fa fa-cog"></i></a></td>
<td data-label="Delete"><button type="button" class="fbrisanjeKorisnika" data-iduser="${item.idUser}">X</button></td>
</tr>`;
}
function prikaziGreskeAjax(greska, status, statusText){
    console.error('GRESKA AJAX: ');
    console.log(status);
    console.log(statusText);
}

```

```

if(greska.status == 500){
    console.log(greska.parseJSON);
    alert(greska.parseJSON.poruka);
}

else if(greska.status == 400){
    alert('Niste poslali ispravno parametre!')
}

}

function deleteContact(){

    let id = $(this).data('id');

    $.ajax({
        url: 'models/admin/contact/deleteContact.php',
        method: 'POST',
        data: {
            id: id
        },
        success: function(data){

            var name="Contact";
            paginationNumber(name);
            updatePagination(name);
            contactNumber();

        },
        error: prikaziGreskeAjax
    })
}

function getContact(){
$.ajax({
    url: 'models/admin/contact/getContact.php',
    method: 'GET',
    dataType: 'json',
    success: function(data){
        contact(data);
        console.log(data);
    },
    error: prikaziGreskeAjax
})
}

```

```

}

function contact(data) {
    var html="";
    for(var item of data){
        html +=`<tr>
<td data-label="Name">${item.name}</td>
<td data-label="Email">${item.email }</td>
<td data-label="Phone">${item.phone }</td>
<td data-label="Text">${item.text }</td>
<td data-label="Status">`;
        if(item.status==1){
            html+=`<i class="fa fa-check success"></i>`;
        }else{
            html+=`<i class="fa fa-close error" ></i>`;
        }
        html+=`</td>
<td data-label="Send Message"><button class="sendMessageAdmin
adminModeratorButton plava" data-idcontact="${item.idContact}"
onclick="document.getElementById('sendMessageBox').style.display='block
'"><i class="fa fa-send"></i></button></td>
<td data-label="Delete"><button type="button" class="f
brisanjeKontakt adminModeratorButton" data-id="${item.idContact}"><i
class="fa fa-close"></i></button></td>
</tr>`;

    }
    $("#teloTablele").html(html);
}

function prikaziGreskeAjax(greska, status, statusText){
    console.error('GRESKA AJAX: ');
    console.log(status);
    console.log(statusText);
    if(greska.status == 500){
        console.log(greska.parseJSON);
        alert(greska.parseJSON.poruka);
    }
    else if(greska.status == 400){
        alert('Niste poslali ispravno parametre!')
    }
}

```

```

function editAuthor(){
    var id=$(this).data('idauthor');
    var name=$("#editAuthorName").val();
    var text=$("#editAuthorText").val();
    $.ajax({
        url:"models/admin/author/editAuthor.php",
        method:"POST",
        data:{
            name:name,
            text:text,
            id:id
        },
        success:function(){
            successData();
        },error:prikaziGreskeAjax
    })
}

function paginationNumber(name){
    var contactStatus=$("#contactStatusInput").val();
    $.ajax({
        url:"models/admin/pagination/pagNumber.php",
        dataType:"JSON",
        method:"GET",
        data:{
            name:name,
            contactStatus:contactStatus
        },
        success:function(data){
            printPagination(data,name);
            checkDarkMode();
        }})
}

function printPagination(data,name){
    var limit=6;
    var active=document.querySelector("#pagFilter"+name).value
    var total=Math.ceil(data.number/limit);

    var html=<div class='paginationAdmin'+name+''>;
    for(var i=1;i<=total;i++) {

```

```

        if(active==i){
            html+=`<a href='javascript:void(0)' value=${i} data-name=$
{name} data-id=${i} class="darkEmptyTextWhite onePag active${name} pag$-
{name}" >${i}</a>`;
        }else{
            html+=`<a href='javascript:void(0)' value=${i} data-name=$
{name} data-id=${i} class="darkEmptyTextWhite onePag pag${name}" >$
${i}</a>`;
        }
    }
    $("#pagination"+name).html(html);

    paginationActive(name);

}

function paginationActive(name) {
    var header = document.querySelector(".paginationAdmin"+name);
    var btns = header.getElementsByClassName("onePag");
    for (var i = 0; i < btns.length; i++) {
        btns[i].addEventListener("click", function() {
            var current = document.getElementsByClassName("active"+name);
            current[0].className = current[0].className.replace(" active"+name,
"");
            this.className += " active"+name;
        });
    }
}

function pagination(){
    var contactStatus=$("#contactStatusInput").val();
    var name=$(this).data('name');
    var idpag=$(this).data('id');
    document.querySelector("#pagFilter"+name).value=idpag;

    $.ajax({
        url:"models/admin/pagination/pagination.php",
        dataType:"json",
        method:"post",
        data:{
            idpag:idpag,

```

```

        send:true,
        name:name,
        contactStatus:contactStatus
    } ,
    success:function(data) {
        if(name=="Contact"){
            contact(data);
        }else if(name=="User") {
            Users(data);
        }
        checkDarkMode();
    },
    error:function(xhr,status,error) {
        console.log(xhr,status,error)
    }
})
}

function updatePagination(name) {
    var contactStatus=$("#contactStatusInput").val();
    var name=name;
    var idpag=$("#pagFilter"+name).val();
    $.ajax({
        url:"models/admin/pagination/pagination.php",
        dataType:"json",
        method:"post",
        data:{
            idpag:idpag,
            send:true,
            name:name,
            contactStatus:contactStatus
        },
        success:function(data) {
            if(name=="Contact"){
                contact(data);
            }else if(name=="User") {
                Users(data);
            }
        },
        error:function(xhr,status,error) {

```

```

        console.log(xhr,status,error)
    }
})
}

function contactNumber() {
$.ajax({
url:"models/admin/contact/getContactNumber.php",
method:"GET",
dataType:"JSON",
success:function(data){
$(".badge").html(data)
},error:function(){

}
})
}

function changeIdMessage() {
var id=$('#this').data('idcontact');
$("#sendMessageId").val(id);
}

function sendMessage() {

var text=$("#sendMessageTextarea").val();
var id=$("#sendMessageId").val();
$.ajax({
url:"models/admin/contact/sendMessage.php",
method:"POST",
data:{
text:text,
id:id
},success:function(){
successData();
var name="Contact";
paginationNumber(name);
updatePagination(name);
},error:function(){

}
})
}
}

```

```

function toggleElements() {
    $("#contactStatusSection").hide();
    $("#contactStatusButton").click(function() {
        $("#contactStatusSection").toggle("1000");
    });

    $(".userButton").hide();
    $("#adminUserButton").click(function() {
        $(".userButton").toggle("1000");
    });
}

$("#adminModeratorHiddenNav").click(function() {
    $("#sidebar").toggle("1000");
});
}

function statusContactPagination() {
    var status=$("#this).data('idstatus');
    $("#contactStatusInput").val(status);
    var name="Contact";
    paginationNumber(name);
    updatePagination(name);
}
}

function addUserValidation() {
    var name=$("#nameAddUserAdmin");
    var lastName=$("#lastNameAddUserAdmin");
    var email=$("#emailAddUserAdmin");
    var city=$("#cityAddUserAdmin");
    var zip=$("#zipAddUserAdmin");
    var contry=$("#contryAddUserAdmin");
    var address=$("#addressAddUserAdmin");
    var password=$("#passwordAddUserAdmin");
    var role=$("#roleAddUserAdmin");
    var repeat=$("#repeatPasswordAddUserAdmin");
    var rePassword = /^(?=.*\d)(?=.*.*[A-zČŽŠĐčćžšđ])(?=.*.*[~!@#$%^&*<>?]) .
{6,}$/;
    var reName=/^([A-Z][a-z]{1,14})(\s[A-Z][a-z]{1,14}){1,14}*/$;
    var reLastName=/^([A-Z][a-z]+)$/;
    var reEmail=/^\w+([.-]?\w\d)+@\w+([.-]?\w\d)+(\.\w{2,4})+$/;
    var reAddress=/^([a-zA-Z0-9šđžčćĆ\s]+)\s*/$;
}

```

```

var reCity=/^([\w]+\D|[\w]+\s[\w]+\D)$/;
var reZip=/^\d{5}$/;
var data = [];

var button=$("#addUserAdminButton");

var valid=true;

if(name.val() == "") {
    valid = false;
    error(name);

} else if(!reName.test(name.val())) {
    valid = false;
    error(name);
} else {
    success(name);
}

if(lastName.val() == "") {
    valid = false;
    error(lastName);
} else if(!reLastName.test(lastName.val())) {
    valid = false;
    error(lastName);
} else {
    success(lastName);
}

if(email.val() == "") {
    valid = false;
    error(email);
} else if(!reEmail.test(email.val())) {
    valid = false;
    error(email);
} else {
    success(email);
}

if(city.val() == "") {
    valid = false;
}

```

```

        error(city);

    }else if(!reCity.test(city.val())) {
        valid = false;
        error(city);
    }else {
        success(city);
    }

    if(address.val() == "") {
        valid = false;
        error(address);
    }else if(!reAddress.test(address.val())) {
        valid = false;
        error(address.val());
    }else {
        success(address);
    }

    if(password.val() == "") {
        valid = false;
        error(password);
    }else if(!rePassword.test(password.val())) {
        valid = false;
        error(password.val());
    }else {
        success(password);
    }

    if(zip.val() == "") {
        valid = false;
        error(zip);
    }else if(!reZip.test(zip.val())) {
        valid = false;
        error(zip);
    }else {
        success(zip);
    }

    if(role.val()==0) {

```

```

        valid = false;
        error(role);
    }else{
        success(role);
    }

    if(contry.val()==0) {
        valid = false;
        error(contry);
    }else{
        success(contry);
    }

    if(repeat.val() == "" || repeat.val()!=password.val()) {
        valid = false;
        error(repeat);
    }else if(!rePassword.test(repeat.val()) || repeat.val()!
=password.val()) {
        valid = false;
        error(repeat);
    }else if(rePassword.test(repeat.val()) &&
repeat.val()==password.val()){
        success(repeat);
    }

    if(valid==false){
        $(button).prop( "disabled", true );
        $(button).addClass("buttonDisable");
    }else{
        $(button).prop( "disabled", false );
        $(button).removeClass("buttonDisable");
    }
}

function validationInputField(name,regEx) {
    var name=$(name);
    var status=true;
    if(name.val() == "") {
        status = false;
    }
}

```

```

        error(name);
    }else if(!regEx.test(name.val())) {
        status = false;
        error(name);
    }else {
        status=true;
        success(name);
    }
    return status;
}

function validationSelectField(name) {
    var name=$(name);
    var status=true;
    if(name.val()==0){
        status=false;
        error(name);
    }else{
        status=true;
        success(name);
    }
    return status;
}

function error(name) {
    $(name).addClass("errorReg");
    $(name).removeClass("successReg");
}

function success(name) {
    $(name).removeClass("errorReg");
    $(name).addClass("successReg");
}

function selectTab(evt, name) {
    var i, tabcontent, tablinks;

    tabcontent = document.getElementsByClassName("tabcontent");
    for (i = 0; i < tabcontent.length; i++) {
        tabcontent[i].style.display = "none";
    }

    tablinks = document.getElementsByClassName("tablinks");
    for (i = 0; i < tablinks.length; i++) {

```

```

tablinks[i].className = tablinks[i].className.replace("activeAdmin", "");
}

document.getElementById(name).style.display = "block";
evt.currentTarget.className += " activeAdmin";
}

function checkDarkMode() {
if ($("#radio-b").is(':checked')) {
addDark();
}
else {
removeDark();
}
}

function addDark(){
$('.darkEmptyTextWhite').addClass('darkTextWhite');
}

function removeDark(){
$('.darkEmptyTextWhite').removeClass('darkTextWhite');
}

function successData(){
$("#info").html("<div id='notification' class='notificationColorGreen'>Successfully!</div>");
setTimeout(function() {
$("#notification").hide(500);
}, 3000);
}

```

### 6.8.2.2 brisanje.js

```

window.onload=function(){
$(document).on("click", ".obrisiKontakt", function(e){
e.preventDefault();
let id = $(this).data("id");

```

```

$.ajax({
    url: "models/admin/obrisiKontakt.php",
    method: "GET",
    data: {
        id: id
    },
    success: function(kategorije) {
        printKontact(kategorije);
    },
    error: function(xhr, greska, status) {
        alert(greska);
    }
})
});

function printKontact(kategorije){
    let ispis = "";
    for(let kategorija of kategorije){
        ispis += printKon(kategorija);
    }
    $(".tt").html(ispis);
}

function printKon(kategorija){
    return `<tr><td>${ kategorija.imePrezime }</td>
<td>${ kategorija.email }</td>
<td>${ kategorija.text }</td>
<td><a class="f obrisiKontakt" data-idKon="${kategorija.idKontakt}" href="#">X</a></td></tr>`;
}
}

```

### 6.8.2.3. BrisanjeKontakt.js

```
$ (document) .ready(function() {
    $ (document) .on("click", "#obrisiKontakt", function(e) {
        e.preventDefault();
        let id = $(this) .data("idKon");
        console.log(id);

        $.ajax({
            url: "models/admin/obrisiKontakt.php",
            method: "GET",
            data: {
                idKon:id
            },
            success: function(kategorije){
                printKontact(kategorije);
            },
            error: function(xhr, greska, status){
                console.log(greska);
                console.log(xhr);
                console.log(status);
                console.log("ne radi");

            }
        })
    });
});

function printKontact(kategorije){
let ispis = "";
for(let kategorija of kategorije){
    ispis += printKon(kategorija);
}
$("#teloTablele") .html(ispis);
}

function printKon(kategorija){
    return `<tr><td>${ kategorija.imePrezime }</td>
<td>${ kategorija.email }</td>
<td>${ kategorija.text }</td>
<td><a href="#" data-idKon="${kategorija.idKontakt}" class="f"
id="obrisiKontakt">x</a></td></tr>`;
}
```

#### 6.8.2.4. Cart.js

```
$ (document) .ready(function() {  
    $(document) .on('click','.minus-one', minusOneProduct);  
    $(document) .on('click','.plus-one', plusOneProduct);  
  
    deleteAll();  
    alertNoLog();  
    menu();  
    noLoginButton();  
    printCartCount()  
    closeCardPaymant();  
  
    if (!hasLS("products")) {  
        showEmptyCart();  
        total=0;  
        $("#total") .html(total);  
        redirectBuyCartPage();  
  
    } else {  
        productsCart = getLS("products");  
        productsCartIds = productsCart.map(bc => bc.id);  
  
        getProductsFromAjax();  
  
    }  
  
});  
  
let productsCart, productsAjax, productsAjaxCart;  
  
let productsCartIds;  
  
  
function getProductsFromAjax() {  
    $.ajax({  
        url: "models/products/getAllProducts.php",  
        method: "GET",  
        success: function(data) {  
  
            productsAjax = [...data];  
            setProductsAjaxCart();  
        }  
    });  
}
```

```

        generateTable();
        generatePayment();
        $("#buttonBuy").on("click",buy);

        $("#buttonCardPay").on("click",buyCard);

    },
    error: function(xhr) {
        console.error(xhr);
    }
}) ;

}

function setProductsAjaxCart() {
    productsAjaxCart = productsAjax.filter(productA => {
        for (let productLS of productsCart) {
            if (productA.id == productLS.id) {
                productA.quantity = productLS.quantity;
                return true;
            }
        }
        return false;
    }) ;
}

function generateTable() {
    let html = "";
    for (let productAjaxLS of productsAjaxCart) {
        html += generateTr(productAjaxLS);
    }
    $("#cartTable").html(html);
    $(".remove").on("click", removeProductFromCart);
    totalPrice();
    $("#remove-all").on("click", removeAllProductsFromCart);
    checkDarkMode();
}

function generateTr(product) {
    return `
        <tr>
            <td data-label="Name">${product.name}</td>

```

```

        <td data-label="Price">${product.newPrice}</td>
        <td data-label="Quantity">
            <button type="button" data-quantity="$
{product.Quantity}" data-id="${
    product.id
}" class="minus-one buttonProducts" >-</button>
            <span id="productQuantity${product.id}"> ${
product.quantity} </span>
            <button type="button" data-quantity="$
{product.Quantity}" data-id="${
    product.id
}" class="plus-one buttonProducts" >+</button>
        </td>
        <td data-label="New Price">$ ${ (product.newPrice *
product.quantity) }</td>
        <td data-label="Remove">
            <button type="button" data-id="${
    product.id
}" class="remove" id="buttonRemove"><i class="fa fa-
close"></i></button>
        </td>
    </tr>
    `;
}

function generatePayment() {
    let rez="";
    for (let item of productsAjaxCart) {
        rez += generateLi(item);
    }
    $("#productInfo").html(rez);
}

function generateLi(item) {
    return `<li>${item.name}, Price:$ ${item.newPrice}, Quantity:$
${item.quantity}, Sum Price:$ ${ (item.newPrice * item.quantity) }</li>`;
}

function showEmptyCart() {
    $("#tablesCart").html(
        '<p>Your cart is currently empty.</p>'
    );
    document.querySelector("#cartpay").style.display="none";
}

```

```

function totalPrice() {
    var total = 0;
    for (let productAjaxLS of productsAjaxCart) {
        for (let productLS of productsCart) {
            if (productAjaxLS.id == productLS.id) {
                total += productAjaxLS.newPrice * productAjaxLS.quantity;
            }
        }
    }
    setLS("total", total)
    $("#buttonCardPay").html("Pay $" + total);
    $(".subtotal").html("$" + total);
    $("#total").html(total);
}

function removeProductFromCart() {
    let id = $(this).data("id");
    productsCart = getLS("products");
    let productsFiltered = productsCart.filter(productCart =>
productCart.id != id);
    setLS("products", productsFiltered);
    productsCart = getLS("products");
    if (productsCart.length) {
        setProductsAjaxCart();
        generateTable();
    } else {
        removeLS("products");
        showEmptyCart();
    }
    printCartCount();
}

function removeAllProductsFromCart(e) {
    e.preventDefault();
    removeLS("products");
    showEmptyCart();
    printCartCount();
}

```

```

    checkDarkMode();
}

function minusOneProduct() {
    let id = $(this).data("id");
    productsCart = getLS("products");
    let productsFiltered = [];

    productsCart.forEach(productCart => {
        if (productCart.id == id) {
            if (--productCart.quantity > 0) {
                productsFiltered.push(productCart);
            }
        } else {
            productsFiltered.push(productCart);
        }
    });
    setLS("products", productsFiltered);

    productsCart = getLS("products");
    if (productsCart.length) {
        setProductsAjaxCart();
        generateTable();
    } else {
        removeLS("products");
        showEmptyCart();
        removeLS("total");
    }
    printCartCount();
}

function plusOneProduct() {
    let id = $(this).data("id");
    let productQuantity = parseInt($(this).data("quantity"));
    let products = getLS("products");
    for (let product of products) {
        if (product.id == id) {
            console.log("q"+product.quantity);
            console.log("pq"+productQuantity);
            if(product.quantity>=productQuantity) {
                product.quantity=productQuantity
            }else{
                product.quantity++;
                console.log();
            }
        }
    }
}

```

```

        }

        break;
    }
}

setLS("products", products);
productsCart = getLS("products");
setProductsAjaxCart();
generateTable();
printCartCount();
}

function getLS(name) {
    return JSON.parse(localStorage.getItem(name));
}

function setLS(name, value) {
    return localStorage.setItem(name, JSON.stringify(value));
}

function removeLS(name) {
    return localStorage.removeItem(name);
}

function hasLS(name) {
    return localStorage.getItem(name) != null;
}

function printCartCount() {
    if (hasLS("products")) {
        let count = 0,
            products = getLS("products");
        for (let product of products) {
            count += product.quantity;
        }
        $(".badge_cart").text(count);
    } else {
        $(".badge_cart").text(0);
    }
}

function menu(){

document.querySelector(".dropbtn").addEventListener("click",function(){
    klikIkonica()
    function klikIkonica() {

```

```

document.getElementById("myDropdown").classList.toggle("show");
}

window.onclick = function(event) {
  if (!event.target.matches('.dropbtn')) {
    var dropdowns = document.getElementsByClassName("dropdown-content");
    var i;
    for (i = 0; i < dropdowns.length; i++) {
      var openDropdown = dropdowns[i];
      if (openDropdown.classList.contains('show')) {
        openDropdown.classList.remove('show');
      }
    }
  }
} });

menu();
function menu(){

document.querySelector("#meniLinkOpen").addEventListener("click",function(){
  document.querySelector("#mySidenav").style.width = "250px";
}) ;

document.querySelector("#meniLinkClose").addEventListener("click",function(){
  document.querySelector("#mySidenav").style.width = "0";
})
}

function buy(){
  var status=$(this).data('status');
  let total=getLS("total");
  productsCart = getLS("products");
$.ajax({
  url: 'models/products/buyProducts.php',

```

```

method: "POST",
data: {
    prod:productsCart,
    total:total,
    status:status
} ,
success: function(){
    removeLS("products");
    showEmptyCart();
    printCartCount();
    addToCartNotification();
    removeLS("total");
},
error: function(xhr, greska, status){
    console.log(greska);
    console.log(xhr);
    console.log(status);
    console.log("ne radi");
}

}

}

}

function buyCard(){
    var status=$(this).data('status');
    if(document.querySelector("#hiddenA").value=="dd"){
        errorNotification();
    }else{
        let total=getLS("total");
        productsCart = getLS("products");
        $.ajax({
            url: 'models/products/buyProducts.php',
            method: "POST",
            data: {
                prod:productsCart,
                total:total,
                status:status
            },
            success: function(){
                removeLS("products");
                showEmptyCart();
            }
        })
    }
}

```

```

        printCartCount();
        addToCartNotification();
        removeLS("total");
    },
    error: function(xhr, greska, status) {
        console.log(greska);
        console.log(xhr);
        console.log(status);
        console.log("ne radi");
    }
}

function closeCardPaymant() {
    var modal = document.getElementById('id01');

    window.onclick = function(event) {
        if (event.target == modal) {
            modal.style.display = "none";
        }
    }
}

function noLoginButton() {
    $(document).on('click', '#noLoginButton', function() {
        loginErrorNotification();
    })
}

function alertNoLog() {
    $(document).on('click', '#buttonByNoLogin', function() {
        loginErrorNotification();
    })
}

function loginErrorNotification() {
    $("#info").html("<div id='notification' class='notificationColorRed'>You must login!</div>");
    setTimeout(function() {
        $("#notification").hide(500);
    }, 3000);
}

```

```

}

function addToCartNotification(){
    $("#info").html("<div id='notification' class='notificationColorGreen'>your purchase was successful</div>");
    setTimeout(function() {
        $("#notification").hide(500);
    }, 3000);
}

function errorNotification(){
    $("#info").html("<div id='notification' class='notificationColorGreen'>Error!</div>");
    setTimeout(function() {
        $("#notification").hide(500);
    }, 3000);
}

function deleteAll(){
    $(document).on('click', '#deleteProducts',function(){
        removeLS('products');
        removeLS('total');
        showEmptyCart();
        total=0;
        $("#total").html(total);
        $(".badge_cart").html("0");
    })
}

function redirectBuyCartPage(){
    var lastword = window.location.href.split("=").pop();
    if(lastword=="buyCartPage"){
        window.location.href='index.php?page=cart';
    }
}

function checkDarkMode(){
    if ($("#radio-b").is(':checked'))
    {
        addDark();
    }
    else
    {
}

```

```

        removeDark();
    }
}

function addDark(){
    $('.darkEmptyTextWhite').addClass('darkTextWhite');
    $
('.darkEmptyLightBackgroundTable').addClass('darkLightBackgroundTable');
    $(".darkEmptyLightBackground").addClass("darkLightBackground");
    $('.darkEmptyBackground').addClass('darkBackground');
}

function removeDark(){
    $('.darkEmptyTextWhite').removeClass('darkTextWhite');
    $
('.darkEmptyLightBackgroundTable').removeClass('darkLightBackgroundTable');
    $(".darkEmptyLightBackground").removeClass("darkLightBackground");
    $('.darkEmptyBackground').removeClass('darkBackground');
}

```

### 6.8.2.5. Cekiran.js

```

$(document).ready(function()
{
    if (localStorage.getItem("mode")=="dark"){
        console.log("dark mode je ukljucen");
        promenaBoje();
    }else{
        console.log("nije");
        vracanjeBoje();
    }

    function darkmode(){
        promenaBoje();
        localStorage.setItem("mode", "dark");
        $("#radio-b").prop("checked", true);
    }

    function nodark(){
        vracanjeBoje();
    }
}

```

```

localStorage.setItem("mode", "light1");
}

if(localStorage.getItem("mode")=="dark")
    darkmode();

else
    nodark();

$('.radio').change(function(e) {

    if ($("#radio-b").is(':checked'))
    {
        darkmode();

        console.log("cekiran");
        this.setAttribute("checked", "checked");
        this.checked = true;
    }
    else
    {
        nodark();
        e.preventDefault();
        this.checked = false;
    }
});

function promenaBoje(){
    $('.darkEmptyBackround').addClass('darkBackground');
    $('.darkEmptyBackroundTable').addClass('darkBackgroundTable');
    $('.darkEmptyTextWhite').addClass('darkTextWhite');
    $('.darkEmptyBackgroundWhite').addClass('darkBackgroundWhite');
    $(".darkEmptyLightBackground").addClass("darkLightBackground");
    $

(".darkEmptyModeratorAdminButton").addClass("darkModeratorAdminButton")
;
    $
('.darkEmptyLightBackgroundTable').addClass('darkLightBackgroundTable');
    $("#googleMaps").addClass('darkMap');
    $

(".colorLogo").attr("src","assets/images/logoWhiteTransparent.png");
    $("#pozadina img").attr("src","assets/images/iphone12.png");
}

```

```

$( ".moderatrorAdminBody" ).addClass('darkLightBackground') ;
$( "#scrollToTop" ).addClass('darkLightBackground') ;
$( "#scrollToTop .fa" ).addClass('darkEmptyTextWhite') ;
$( "#pozadina" ).addClass("slajder") ;
$( ".diagonal" ).addClass("dijagonala") ;
$( "#siviTekst p" ).addClass("sivit") ;

$( ".switch--horizontal .toggle-
outside" ).addClass("darkModeDugmeNapolje") ;
}

function vracanjeBoje(){
    $('.darkEmptyBackround').removeClass('darkBackground') ;
    $('.darkEmptyTextWhite').removeClass('darkTextWhite') ;
    $('.darkEmptyBackgroundTable').removeClass('darkBackgroundTable') ;
    $('.darkEmptyBackgroundWhite').removeClass('darkBackgroundWhite') ;
    $('.darkEmptyLightBackground"').removeClass("darkLightBackground") ;
    $

('.darkEmptyModeratorAdminButton"').removeClass("darkModeratorAdminButto
n") ;
    $

('.darkEmptyLightBackgroundTable').removeClass('darkLightBackgroundTable
') ;
    $( "#googleMaps" ).removeClass('darkMap') ;
    $( ".colorLogo" ).attr("src", "assets/images/logo3.png") ;
    $( "#pozadina img" ).attr("src", "assets/images/iphone12Silver.png") ;
    $( ".moderatrorAdminBody" ).removeClass('darkLightBackground') ;
    $( "#scrollToTop" ).removeClass('darkLightBackground') ;
    $( "#scrollToTop .fa" ).removeClass('darkEmptyTextWhite') ;
    $( 'body' ).removeClass('dark') ;
    $( "#pozadina" ).removeClass("slajder") ;
    $( ".diagonal" ).removeClass("dijagonala") ;
    $( "#siviTekst p" ).removeClass("sivit") ;
    $( ".switch--horizontal .toggle-
outside" ).removeClass("darkModeDugmeNapolje") ;
}

}) ;

```

### 6.8.2.6. Contact.js

```
$ (document) .ready(function() {  
    $(document) .on('keyup', 'input,textarea',checkContact);  
    $(document) .on('click', '#sendContact', sendContact);  
});  
  
function checkContact(){  
    var name=$('#name') .val();  
    var email=$('#email') .val();  
    var phone=$('#phone') .val();  
    var text=$('#textarea') .val();  
    var button=$('#sendContact')  
  
    var reName=/^ [A-ZŽŠĐĆĆ] [a-zžšđćć]{1,30} \s [A-ZŽŠĐĆĆ] [a-zžšđćć]  
{1,30} $/;  
    var reEmail=/^\w+([.-]?\w\w)+@\w+([.-]?\w\w)+(\.\w{2,4})+$/;  
    var rePhone =/^ [0-9]* $/;  
  
    var status=true;  
  
    if(text == "") {  
        status = false;  
        error("#textarea");  
    } else {  
        success("#textarea");  
  
    }  
  
    if(name == "") {  
        status = false;  
        error("#name");  
  
    } else if(!reName.test(name)) {  
        status = false;  
        error("#name");  
    } else {  
        success("#name");  
    }  
  
    if(email == "") {  
        status = false;  
        error("#email");  
    }  
}
```

```

} else if(!reEmail.test(email)) {
    status = false;
    error("#email");
} else {
    success("#email");
}

if(phone == "") {
    status = false;
    error("#phone");

} else if(!rePhone.test(phone)) {
    status = false;
    error("#phone");
} else {
    success("#phone");
}

if(status==false){
    $(button).prop( "disabled", true );
    $(button).addClass("buttonDisable");
}else{
    $(button).prop( "disabled", false );
    $(button).removeClass("buttonDisable");
}

}

function error(name) {
    $(name).addClass("errorReg");
    $(name).removeClass("successReg");
}

function success(name) {
    $(name).removeClass("errorReg");
    $(name).addClass("successReg");
}

function sendContact(){
    var name=$('#name').val();
    var email=$('#email').val();
    var phone=$('#phone').val();

```

```

var text=$('#textarea').val();
$.ajax({
    url:"models/contact/contact.php",
    method:"POST",
    data:{
        name:name,
        email:email,
        phone:phone,
        text:text,
        sendContact:true
    },success:function(){
        successData();
    },error:function(){

    }
})

function successData(){
    $("#info").html("<div id='notification' class='notificationColorGreen'>Successfully!</div>");
    setTimeout(function() {
        $("#notification").hide(500);
    }, 3000);
}

```

### 6.8.2.7. EditNews.js

```

$(document).ready(function(){
    $(document).on('keyup', '#editNewsTitle', editNewsValidation);
});
function editNewsValidation(){

    var newsTitle=$('#editNewsTitle').val();
    var text=$("#cke_1_contents iframe").contents().find("html body p").html();
    var reText=/[a-z]/;

    var data = [];
    var status=true;
    var button=$("#editNewsButton");
}

```

```

if(newsTitle == "") {
    status = false;
    error("#editNewsTitle");

}else if(!reText.test(newsTitle)) {
    status = false;
    error("#editNewsTitle");
}else {
    success("#editNewsTitle");
}

if(text == "<br>" || text==" " || text=="&nbsp;") {
    status = false;
    error("#cke_1_contents");
}else {
    success("#cke_1_contents");
}

if(status==false){
    $(button).prop( "disabled", true );
    $(button).addClass("buttonDisable");
}else{
    $(button).prop( "disabled", false );
    $(button).removeClass("buttonDisable");
}

}

function error(name) {
    $(name).addClass("errorReg");
    $(name).removeClass("successReg");
}

function success(name) {
    $(name).removeClass("errorReg");
    $(name).addClass("successReg");
}

```

### 6.8.2.8. EditPrice.js

```
$ (document) .ready(function() {
    $(document) .on('input','#oldPriceEdit,#newPriceEdit',percent);
    $(document) .on('input','#percent',changeNewPrice);
    percent();

    $(document) .on('click','#sendPriceUpdate',updatePrice);

}) ;

function percent(){
    var oldPrice = parseInt($('#oldPriceEdit') .val());
    var newPrice = parseInt($('#newPriceEdit') .val());
    var perc="";
    if(isNaN(oldPrice) || isNaN(newPrice)){
        perc=" ";
    }else{
        perc =((oldPrice-newPrice)/oldPrice*100.0) .toFixed(0);
    }

    $('#percent') .val(perc);
}

function changeNewPrice(){
    var oldPrice = parseInt($('#oldPriceEdit') .val());
    var percent = parseInt($('#percent') .val())/100;
    var newPrice="";
    if(isNaN(oldPrice) || isNaN(newPrice)){
        newPrice=" ";
    }else{
        newPrice =(oldPrice-(oldPrice * percent)) .toFixed(0);
    }

    $('#newPriceEdit') .val(newPrice);
}

function updatePrice(){

    var oldPrice=$("#oldPriceEdit") .val();
    var newPrice=$("#newPriceEdit") .val();
    var id=$(this) .data('id');
}
```

```

var regEx=/^\d+$/;
var error="";
if(!regEx.test(oldPrice)){
    error="oldPrice";
}
if(!regEx.test(newPrice)){
    error="newPrice";
}
if(!regEx.test(id)){
    error="id";
}

if(error=="") {
    $.ajax({
        url:"models/moderator/products/editPrice.php",
        method:"POST",
        data:{
            oldPrice:oldPrice,
            newPrice:newPrice,
            id:id
        },success:function(data) {
            successData();
        },error:showErrorAjax
    })
} else{
    $("#statusPriceUpdate").html("Error!");
}
}

function showErrorAjax(greska, status, statusText){
    console.error('GRESKA AJAX: ');
    console.log(status);
    console.log(statusText);
    if(greska.status == 500){
        console.log(greska.parseJSON);
        alert(greska.parseJSON.poruka);
    }
    else if(greska.status == 400){
        alert('Niste poslali ispravno parametre!')
    }
}

```

```

function successData(){
    $("#info").html("<div id='notification' class='notificationColorGreen'>Successfully!</div>");
    setTimeout(function() {
        $("#notification").hide(500);
    }, 3000);
}

```

### 6.8.2.9. EditProduct.js

```

$(document).ready(function(){
    $(document).on('click','.buttonImage',getImgId);
    togleElement();

    $(document).on('click','#UpdateProducButton',updateProductInfo);
    $

(document).on('click','.deleteMultiImageButton',deleteProductMultiImage);
    $

(document).on('keyup','.editProductValidation',editProductValidation);
    $

(document).on('change','.editProductSelectValidation',editProductValidation);

    $(document).on('change','#updateMain',editProductValidation);

    $(document).on('click','#updateImageButton',function(){
        updateProductMultiImage("updateImageButton");
    });
    $(document).on('click','#insertImageButton',function(){
        updateProductMultiImage("insertImageButton");
    });
});

function getImgId(){
    var id=$(this).data('idimages');
    $("#idImages").val(id);
}

function togleElement(){
    $("#tableProductImages").hide();
    $("#dugmeFile").click(function(){
        $("#tableProductImages").toggle(500);
    });
}

```

```

}

function updateProductInfo(){
    var id=$("#idProductEdit").val();
    var alt=$('#editProductAlt').val();
    var name=$('#editProductName').val();
    var desc=$('#editProductDesc').val();
    var quantity=$('#editProductQuantity').val();
    var category=$('#editProductCategory').val();
    var home=$('#editProductHome').val();

    var button="submit";

    var fd = new FormData();
    fd.append('id',id);
    fd.append('alt',alt);
    fd.append('name',name);
    fd.append('desc',desc);
    fd.append('quantity',quantity);
    fd.append('category',category);
    fd.append('home',home);
    fd.append('submit',button);

    var files = $('#updateMain')[0].files;
    fd.append('profileImage',files[0]);

    $.ajax({
        url: 'models/moderator/products/editProduct.php',
        type: 'POST',
        data:fd,
        contentType: false,
        processData: false,
        success: function (response) {
            viewProductProfilePhoto();
            successData();
        },error:function(xhr,status,error){
            console.log(xhr,status,error)
        }
    })
}

```

```

        }) ;
    }

function updateProductMultiImage(buttonName) {

    var imageName="";
    var idProduct=$("#idProductInsertImage").val();
    var idImages=$("#idImages").val();
    var alt=$("#editProductAlt").val();
    var fd = new FormData();

    var files="";
    if(buttonName=="updateImageButton") {
        imageName="updateImage";
        files = $('#profilePhoto2')[0].files;
    }else if(buttonName=="insertImageButton") {
        imageName="insertImage";
        files = $('#insertImageProductEdit')[0].files;
    }

    fd.append(imageName,files[0]);
    fd.append('buttonName',buttonName);
    fd.append('idImages',idImages);
    fd.append('idProduct',idProduct);
    fd.append('alt',alt);

    $.ajax({
        url: 'models/moderator/products/editProduct.php',
        type: 'POST',
        data:fd,
        contentType: false,
        processData: false,
        success: function (response) {
            viewProductMultiImages();
            successData();
        },error:function(xhr,status,error){
            console.log(xhr,status,error)
        }
    });

}

```

```

function viewProductProfilePhoto() {

    var idProduct=$("#idProductEdit").val();
    var profileImage=true;

    $.ajax({
        url: 'models/moderator/products/getProductImage.php',
        method: 'GET',
        dataType:"JSON",
        data:{ 
            idProduct:idProduct,
            profileImage:profileImage
        },
        success: function (data) {
            viewPhoto(data);
        },error:function(xhr,status,error){
            console.log(xhr,status,error)
        }
    });

}

function deleteProductMultiImage(){
    var idImages=$("this").data('idimagesdelete');

    $.ajax({
        url:"models/moderator/products/deleteProductMultiImage.php",
        method:"POST",
        data:{ 
            idImages:idImages
        },
        success: function () {
            viewProductMultiImages();
        },error:function(xhr,status,error){
            console.log(xhr,status,error)
        }
    });

}

function viewProductMultiImages(){

```

```

var idProduct=$("#idProductEdit").val();
var multiImage=true;

$.ajax({
    url:"models/moderator/products/getProductImage.php",
    method:"GET",
    dataType:"JSON",
    data:{
        idProduct:idProduct,
        multiImage:multiImage
    },
    success: function (data) {
        viewMultiImage(data);
    },error:function(xhr,status,error){
        console.log(xhr,status,error)
    }
});

}) ;

}

function viewPhoto(data){

var result="";
result=``;
$("#productProfileImage").html(result);
}

function viewMultiImage(data){

var result="";
for(var item of data){
    result+=`|
        <td></td>
        <td>
            <button type="button" class="buttonImage plava" data-
idimages=${item.idImages}
onclick="document.getElementById('id01').style.display='block'"
style="width:auto;" class="userButton"><i class="fa
fa-cog"></i></button>
        </td>
    
|  |
`;
}
}

```

```

        <td>
            <button type="button" class="deleteMultiImageButton f
adminModeratorButton" data-idimagesdelete=${item.idImages}><i
class="fa fa-close"></i></button>
        </td>
    </tr>` ;
}

$( "#multiImageProductEdit" ).html(result);

}

function editProductValidation() {
    var name=$("#editProductName");
    var alt=$("#editProductAlt");
    var quantity=$("#editProductQuantity");
    var desc=$("#editProductDesc");
    var category=$("#editProductCategory");
    var home=$("#editProductHome");
    var reNumber =/^ [0-9]*$/;
    var reText=/[a-z]/;
    var data = [];
    var status=true;

    var button=$("#UpdateProducButton");

    if(name.val() == "") {
        status = false;
        error(name);
    }

    else if(!reText.test(name.val())) {
        status = false;
        error(name);
    }
    else {
        success(name);
    }

    if(alt.val() == "") {
        status = false;
        error(alt);
    }
    else if(!reText.test(alt.val())) {
        status = false;
        error(alt);
    }
}

```

```

}else {
    success(alt);
}

if(quantity.val() == "") {
    status = false;
    error(quantity);
}else if(!reNumber.test(quantity.val())) {
    status = false;
    error(quantity);
}else {
    success(quantity);
}

if(desc.val() == "") {
    status = false;
    error(desc);
}else if(!reText.test(desc.val())) {
    status = false;
    error(desc);
}else {
    success(desc);
}

if(home.val()==0){
    status = false;
    error(home);
}else{
    success(home);
}

if(category.val()==0){
    status = false;
    error(category);
}else{
    success(category);
}

if(status==false){
    $(button).prop("disabled", true);
}

```

```

$(button).addClass("buttonDisable");
} else{
    $(button).prop( "disabled", false );
    $(button).removeClass("buttonDisable");
}

}

function validationInputField(name, regEx) {
    var name=$name;
    if(name.val() == "") {
        status = false;
        error(name);
    }else if(!regEx.test(name.val())) {
        status = false;
        error(name);
    }else if(regEx.test(name.val())){
        status = true;
        success(name);
    }
    console.log(name);
    console.log(status);

    return status;
}

function validationSelectField(name) {
    var name=$name;
    var status=true;
    if(name.val()==0){
        status=false;
        error(name);
    }else{
        success(name);
    }
    return status;
}

function error(name){
    $name.addClass("errorReg");
    $name.removeClass("successReg");
}

```

```

function success(name) {
    $(name).removeClass("errorReg");
    $(name).addClass("successReg");
}

function successData() {
    $("#info").html("<div id='notification' class='notificationColorGreen'>Successfully!</div>");
    setTimeout(function() {
        $("#notification").hide(500);
    }, 3000);
}

```

### 6.8.2.10. Main.js

```

$(document).ready(function() {

    printCartCount();

    document.querySelector("#meniLinkOpen").addEventListener("click", function() {
        document.querySelector("#mySidenav").style.width = "250px";
    });

    document.querySelector("#meniLinkClose").addEventListener("click", function() {
        document.querySelector("#mySidenav").style.width = "0";
    });

    document.querySelector(".dropbtn").addEventListener("click", function() {
        klikIkonica();
        function klikIkonica() {
            document.getElementById("myDropdown").classList.toggle("show");
        }
    });

    window.onclick = function(event) {
        if (!event.target.matches('.dropbtn')) {

```

```

var dropdowns = document.getElementsByClassName("dropdown-content");
var i;
for (i = 0; i < dropdowns.length; i++) {
    var openDropdown = dropdowns[i];
    if (openDropdown.classList.contains('show')) {
        openDropdown.classList.remove('show');
    }
}
}

$(window).scroll(function() {

var skrolovano = $(this).scrollTop();

if(skrolovano > 700){
    $('#scrollToTop').fadeIn();
} else {
    $('#scrollToTop').fadeOut();
}

});

$('#scrollToTop').click(function(){

    $('html').animate({scrollTop: 0}, 2000);
});

function prikazProizvoda(){
    $(".prvi").click(function(){
        $("#proizvodiDesno").css("width", "60%");
        $("#vrednost").html("2 items");
    });
    $(".drugi").click(function(){
        $("#proizvodiDesno").css("width", "70%");
        $("#vrednost").html("3 items");
    });
}
prikazProizvoda();

```

```

}) ;

function printCartCount() {
    if (hasLS("products")) {
        let count = 0,
            books = getLS("products");
        for (let book of books) {
            count += book.quantity;
        }
        $(".badge_cart").text(count);
    } else {
        $(".badge_cart").text(0);
    }
}

function hasLS(name) {
    return localStorage.getItem(name) != null;
}

function clearCart() {
    localStorage.removeItem("products");
}

function getLS(name) {
    return JSON.parse(localStorage.getItem(name));
}

```

### 6.8.2.11. Menu.js

```

$(document).ready(function() {

document.querySelector("#meniLinkOpen").addEventListener("click",function(){
    document.querySelector("#mySidenav").style.width = "250px";
});

document.querySelector("#meniLinkClose").addEventListener("click",function(){

```

```

        document.querySelector("#mySidenav").style.width = "0";
    }) ;
    console.log("meni") ;

}) ;

document.querySelector(".dropbtn").addEventListener("click",function() {
klikIkonica()
function klikIkonica() {
    document.getElementById("myDropdown").classList.toggle("show");
}

window.onclick = function(event) {
    if (!event.target.matches('.dropbtn')) {
        var dropdowns = document.getElementsByClassName("dropdown-content");
        var i;
        for (i = 0; i < dropdowns.length; i++) {
            var openDropdown = dropdowns[i];
            if (openDropdown.classList.contains('show')) {
                openDropdown.classList.remove('show');
            }
        }
    }
} });

```

### 6.8.2.12. Moderator.js

```

$(document).ready(function(){

    $("html,body").addClass('adminModeratorBg');

    togleElementsForOrdes();

    $(document).on('keyup', '#inputOrder', searchOrderId);

```

```

$(document).on('click', '#newsletterButtonModerator',
#sendNewsletter', sendNewsletter);

$(document).on('click', '.deleteNewsletterButton',
deleteNewsletter);

$(document).on('input', '#numberAnswers', pollAnswers);
$(document).on('click', '#insertPollButton', sendPoll);

$(document).on('click', '.deletePoll', deletePoll);
$(document).on('click', '.changestatuspoll', changeStatusPoll);

$(document).on('keyup', '#question, .pollAnswers', pollValidation);
$(document).on('change', '#numberAnswers', pollValidation);

$(document).on('click', '.pollStatistic', pollStatistic);

$(document).on('click', '.changestatuspoll', activePollStatistic);

$("#updateCategoryName").keyup(function() {

oneParamValidation("#updateCategoryName", "#editCategoryButton");
})

$("#categoryName").keyup(function() {
    oneParamValidation("#categoryName", "#addCategoryButton");
})

$("#newsletterTitle, #newsletterCode").keyup(function() {

oneParamValidation("#newsletterTitle", "#newsletterButtonModerator", "#ne
wsletterCode");
})

$(
"#altInsertProduct, #nameInsertProduct, #descInsertProduct, #oldPriceInse
rtProduct, #newPriceInsertProduct, #quantityInsertProduct").keyup(checkIn
sertProduct);

$(document).on('change', '#profilePhoto, #multiProfilePhoto, #categoryInser
tProduct, #homeInsertProduct', checkInsertProduct);

$(document).on('keyup', '#newsTitle', newsValidationModerator);
$(document).on('change', '#profilePhoto2', newsValidationModerator);

```

```

$(document).on('click', '#insertProductButton',
insertProductParametar);

$(document).on('click', '#addCategoryButton', addCategory);

$(document).on('click', '#editCategoryButton', editCategory);

$(document).on('click', '.buttonCategory', fillCategoryInfo);

$(document).on('click', '.deleteCategoryButton', deleteCategory);

$(document).on('click', '.brisanjeProizvod', deleteProduct);

$(document).on('click', '.brisanjeVesti', deleteNews);

$(document).on('click', '.deleteContryButton', deleteContry);
$(document).on('click', '.buttonContry', fillContryInfo);
$(document).on('click', '#editContryButton', editContry);
$(document).on('click', '#insertContryButton', addContry);

$("#updateContryName").keyup(function() {
    oneParamValidation("#updateContryName", "#editContryButton");
})

$("#contryNameInsert").keyup(function() {
    oneParamValidation("#contryNameInsert", "#insertContryButton");
})

//////Pagination////////

paginationNumberModerator("Products");
$

("#paginationModeratorProducts").on('click', '.pagProducts', paginationModerator);

paginationNumberModerator("News");
$

("#paginationModeratorNews").on('click', '.pagNews', paginationModerator);
;

```

```

    paginationNumberModerator("Category");
    $
("#paginationModeratorCategory").on('click', '.pagCategory', paginationMo
derator);

    paginationNumberModerator("Newsletter");
    $
("#paginationModeratorNewsletter").on('click', '.pagNewsletter', paginati
onModerator);

    paginationNumberModerator("Poll");
    $
("#paginationModeratorPoll").on('click', '.pagPoll', paginationModerator)
;

    paginationNumberModerator("Contry");
    $
("#paginationModeratorContry").on('click', '.pagContry', paginationModera
tor);

    paginationNumberModerator("Order");
    $
("#paginationModeratorOrder").on('click', '.pagOrder', paginationModerato
rOrder);

    $(document).on('click', '.ordersB', getStatus);
    $(document).on('click', '.paymentButton', getPaymentMethod);

    $(document).on('click', '#searchDate', dateSearch)

    $(document).on('click', '.productStatus', statusProductPagination);

    $
(document).on('click', '.productCategory', categoryProductPagination);

    $
(document).on('keyup', '#productSearchInput', searchProductPagination);

```

```

var close = document.getElementsByClassName("closebtn2");
var i;

for (i = 0; i < close.length; i++) {
close[i].onclick = function(){
    var div = this.parentElement;
    div.style.opacity = "0";
    setTimeout(function(){ div.style.display = "none"; }, 600);
}
}

});

function deleteProduct(){

let id = $(this).data('id');

$.ajax({
    url: 'models/moderator/products/deleteProduct.php',
    method: 'GET',
    data: {
        id: id
    },
    success: function(){
        var name="Products";
        paginationNumberModerator(name);
        updatePaginationModerator(name);
    },
    error: prikaziGreskeAjax
})
}

function productView(){
$.ajax({
    url: 'models/moderator/products/getProducts.php',
    method: 'GET',
    dataType: 'json',
    success: function(data){
        products(data);
    },
    error: prikaziGreskeAjax
})
}

```

```

function prikaziGreskeAjax(greska, status, statusText) {
    console.error('GRESKA AJAX: ');
    console.log(status);
    console.log(statusText);
    if(greska.status == 500){
        console.log(greska.parseJSON);
        alert(greska.parseJSON.poruka);
    }
    else if(greska.status == 400){
        alert('Niste poslali ispravno parametre!')
    }
}

function deleteNews() {

    let idNews = $(this).data('idvest');

    $.ajax({
        url: 'models/moderator/news/deleteNews.php',
        method: 'POST',
        data: {
            idNews: idNews
        },
        success: function(){
            var name="News";
            paginationNumberModerator(name);
            updatePaginationModerator(name);
        },
        error: prikaziGreskeAjax
    })
}

function getNews() {
    $.ajax({
        url: 'models/moderator/news/getNews.php',
        method: 'GET',
        dataType: 'json',
        success: function(podaci){
            news(podaci);
        },

```

```

        error: prikaziGreskeAjax
    })
}

function news(podaci) {
let html = "", rb = 1;
for(let item of podaci){
    html += printNews(item);
    rb++;
}

$( "#prikanVesti" ).html(html);
}

function printNews(item) {
return `<tr><td data-label=""></td>
<td data-label="Title">${item.title.slice(0,30)}...</td>
<td data-label="Date">${item.date}</td>
<td data-label="Edit"><a class="plava" href="index.php?
page=editNews&idNews=${item.idNews}"><i class="fa fa-cog"></i></a></td>
<td data-label="Delete"><button type="button" class="f
brisanjeVesti adminModeratorButton" data-idvest="${item.idNews}"><i
class="fa fa-close"></i></button></td></tr>`;
}

function prikaziGreskeAjax(greska, status, statusText) {
console.error('GRESKA AJAX: ');
console.log(status);
console.log(statusText);
if(greska.status == 500){
    console.log(greska.parseJSON);
    alert(greska.parseJSON.poruka);
}
else if(greska.status == 400){
    alert('Niste poslali ispravno parametre!')
}
}

function getStatus() {
    var statusOrder=$(this).data('idstatus');
    var id=$("#inputOrder").val();
    var firstDate=$("#datumOd").val();

```

```

var secondDate=$("#datumDo").val();
$("#statusOrder").val(statusOrder);
var payment=$("#paymentOrder").val();
$.ajax({
    url:'models/moderator/pagination/searchFilterOrder.php',
    method:"GET",
    dataType:"JSON",
    data:{
        searchId:id,
        firstDate:firstDate,
        secondDate:secondDate,
        statusOrder:statusOrder,
        payment:payment
    },
    success:function(data){
        ordersView(data);
        updatePaginationOrder();
    },
    error:function(error){
        console.log(error);
    }
})
}

function getPaymentMethod(){
    var payment=$(this).data('idpayment');
    var statusOrder=$("#statusOrder").val()
    var id=$("#inputOrder").val();
    var firstDate=$("#datumOd").val();
    var secondDate=$("#datumDo").val();
    $("#paymentOrder").val(payment);
    $.ajax({
        url:'models/moderator/pagination/searchFilterOrder.php',
        method:"GET",
        dataType:"JSON",
        data:{
            searchId:id,
            firstDate:firstDate,
            secondDate:secondDate,
            statusOrder:statusOrder,
            payment:payment
        }
    })
}

```

```

} ,
success:function(data) {
    ordersView(data);
    updatePaginationOrder();
},
error:function(error) {
    console.log(error);

}
}

function dateSearch(){
    var id=$("#inputOrder").val();
    var firstDate=$("#datumOd").val();
    var secondDate=$("#datumDo").val();
    var statusOrder=$("#statusOrder").val();
    var payment=$("#paymentOrder").val();
    $.ajax({
        url:'models/moderator/pagination/searchFilterOrder.php',
        method:"GET",
        dataType:"JSON",
        data:{
            searchId:id,
            firstDate:firstDate,
            secondDate:secondDate,
            statusOrder:statusOrder,
            payment:payment
        },
        success:function(data) {
            ordersView(data);
            updatePaginationOrder();
        },
        error:function(error) {
            console.log(error);

        }
    })
}

function searchOrderId() {
    var id=$("#inputOrder").val();
    var firstDate=$("#datumOd").val();

```

```

var secondDate=$("#datumDo").val();
var statusOrder=$("#statusOrder").val();
var payment=$("#paymentOrder").val();
$.ajax({
    url:'models/moderator/pagination/searchFilterOrder.php',
    method:"GET",
    dataType:"JSON",
    data:{
        searchId:id,
        firstDate:firstDate,
        secondDate:secondDate,
        statusOrder:statusOrder,
        payment:payment
    },
    success:function(data){
        ordersView(data);
        updatePaginationOrder();
    },
    error:function(error){
        console.log(error);
    }
})
}

function ordersView(data){
    var upis="";
    for(let item of data){
        upis+=`|
            <td data-label="Orders Id">${item.idOrders}</td>
            <td data-label="Price">${item.total}</td>
            <td data-label="Date">${item.dateOrders}</td>
            <td data-label="User name">${item.name} ${item.lastName}</td>
            <td data-label="Payment Method">${item.payment}</td>
            <td data-label="Status">`+if(item.idOrderStatus==1){upis+=`${
{item.status} <span class='wait'><i class='fa fa-circle'></i></span>`}+else if(item.idOrderStatus==2){upis+=` ${
{item.status} <span class='sell'> <i class='fa fa-circle'></i></span>`}+else{upis+=`${item.status} <span class='error'><i class='fa fa-circle'></i></span>`}+upis+=`</td>
            <td data-label="Info" class="details"><a href="index.php?page=orderDetails&id=${item.idOrders}">Details</a></td>
        </tr>
        `;
    }
}

|  |

```

```

        }
        $( "#orderProducts" ).html( upis );
    }

function togleElementsForOrdes(){
    $("#sortOrdersSection").hide();
    $("#statusButton").click(function(){
        $("#sortOrdersSection").toggle("1000");
    });

    $("#searchOrdersSection").hide();
    $("#searchButton").click(function(){
        $("#searchOrdersSection").toggle("1000");
    });

    $("#dateSection").hide();
    $("#dateOrdesButton").click(function(){
        $("#dateSection").toggle("1000");
    });

    $("#statisticHidden").hide();
    $("#statisticButton").click(function(){
        $("#statisticHidden").toggle("1000");
    });

    $("#paymentMethodOrderSection").hide();
    $("#paymentMethodButton").click(function(){
        $("#paymentMethodOrderSection").toggle("1000");
    });

    $("#productStatusSection").hide();
    $("#productStatusButton").click(function(){
        $("#productStatusSection").toggle("1000");
    });

    $("#productCategorySection").hide();
    $("#productCategoryButton").click(function(){
        $("#productCategorySection").toggle("1000");
    });

    $("#productSearchSection").hide();
    $("#productSearchButton").click(function(){
        $("#productSearchSection").toggle("1000");
    });
}

```

```

$( ".moderatorProductTab" ).hide();
$( "#moderateProductButton" ).click(function() {
    $( ".moderatorProductTab" ).toggle("1000");
});

$( ".moderatorNewsTab" ).hide();
$( "#moderateNewsButton" ).click(function() {
    $( ".moderatorNewsTab" ).toggle("1000");
});

$( ".moderatorCategoryTab" ).hide();
$( "#moderateCategoryButton" ).click(function() {
    $( ".moderatorCategoryTab" ).toggle("1000");
});

$( ".moderatorNewsletterTab" ).hide();
$( "#moderateNewsletterButton" ).click(function() {
    $( ".moderatorNewsletterTab" ).toggle("1000");
});

$( ".moderatorPollTab" ).hide();
$( "#moderatePollButton" ).click(function() {
    $( ".moderatorPollTab" ).toggle("1000");
});

$( "#adminModeratorHiddenNav" ).click(function() {
    $( "#sidebar" ).toggle("1000");
});

$( ".moderatorContryTab" ).hide();
$( "#moderateContryButton" ).click(function() {
    $( ".moderatorContryTab" ).toggle("1000");
});

}

function sendNewsletter() {

var title=$("#newsletterTitle").val();
var code=$("#newsletterCode").val();

```

```

var button= $("#newsletterButtonModerator").val();
$.ajax({
    url:'models/moderator/newsletter/sendNewsletter.php',
    method:'POST',
    data:{
        title:title,
        code:code,
        button:button
    },
    success: function(data){
        var name="Newsletter";
        paginationNumberModerator(name);
        updatePaginationModerator(name);
    },
    error: errorAjax
})
}

function deleteNewsletter(){
    var id=$(this).data('idnewsletter');
    $.ajax({
        url:"models/moderator/newsletter/deleteNewsletter.php",
        method:"POST",
        data:{
            id:id
        },
        success:function(){
            var name="Newsletter";
            paginationNumberModerator(name);
            updatePaginationModerator(name);
        },error:errorAjax
    })
}

function viewNewsletter(){
    $.ajax({
        url:"models/moderator/newsletter/getNewsletter.php",
        method:"GET",
        dataType:"JSON",
        success:function(data){
            newsletter(data);
        },error:errorAjax
    })
}

```

```

function newsletter(data) {
    var result="";
    for(var item of data){
        result+=`|
            <td data-label="Newsletter Id">${item.idNewsletter}</td>
            <td data-label="Title">${item.title}</td>
            <td data-label="Date">${item.date}</td>
            <td data-label="Edit"><a class="plava adminModeratorButton" href="index.php?page=editNewsletter&id=${item.idNewsletter}"><i class="fa fa-cog"></i></a></td>
            <td data-label="Delete"><button class="deleteNewsletterButton f adminModeratorButton " data-idnewsletter="${item.idNewsletter}"><i class="fa fa-close"></i></button></td>
        </tr>
        `;
    }
    $('#newsletterTbody').html(result);
}

function errorAjax(error, status, statusText) {
    console.error('ERROR AJAX: ');
    console.log(status);
    console.log(statusText);
    if(error.status == 500){
        console.log(error.parseJSON);
        alert(error.parseJSON.poruka);
    }
    else if(error.status == 400){
        alert('Niste poslali ispravno parametre!')
    }
}

function percent(){
    var oldPrice = parseInt($('#oldPriceEdit').val());
    var newPrice = parseInt($('#newPriceEdit').val());
    var perc="";
    if(isNaN(oldPrice) || isNaN(newPrice)){
        perc=" ";
    }
}

|  |

```

```

} else{
    perc = ((oldPrice/newPrice) * 100).toFixed(3);
}

$( '#percent' ).val(perc);
}

function pollAnswers(){
var number=parseInt($("#numberAnswers").val());
var result="";
for(var i=1; i<=number; i++){
    result+="

```

```

function viewPoll(){
    $.ajax({
        url:"models/moderator/poll/getPoll.php",
        method:"GET",
        dataType:"JSON",
        success:function(data) {
            poll(data);
        },error:errorAjax
    })
}

function poll(data){
    var result="";
    for(var item of data){
        result+=`|
            <td data-label="Id">${item.idPoll}</td>
            <td data-label="Question">${item.question}</td>`;
        if(item.status==1){
            result+=`<td data-label="Active"><button type='button' data-idpoll=${item.idPoll} id='activeStatusPoll' class='changestatuspoll'><i class="fa fa-eye"></i></button></td>`;
        }else{
            result+=`<td data-label="Active"><button type='button' data-idpoll=${item.idPoll} class='noActiveStatusPoll changestatuspoll'><i class="fa fa-eye-slash"></i></button></td>`;
        }
        result+=`<td data-label="Statistic"><button onclick="document.getElementById('polStatisticModal').style.display='block'" class="plava pollStatistic adminModeratorButton" data-id=${item.idPoll}><i class="fa fa-bar-chart"></i></button></td>
            <td data-label="Edit"><a class="plava" href="index.php?page=editPoll&id=${item.idPoll}"><i class="fa fa-cog"></i></a></td>
            <td data-label="Delete"><button class="deletePoll f adminModeratorButton" data-idpoll="${item.idPoll}"><i class="fa fa-close"></i></button></td>
        </tr>`;
    };
}
$( "#pollTableBody" ).html(result);

|  |

```

```

}

function deletePoll(){
    var id=$(this).data('idpoll');
    $.ajax({
        url:"models/moderator/poll/deletePoll.php",
        method:"POST",
        data:{
            id:id
        },
        success:function(){
            var name="Poll";
            paginationNumberModerator(name);
            updatePaginationModerator(name);
        },error:errorAjax
    })
}

function changeStatusPoll(){
    var id=$(this).data('idpoll');
    $.ajax({
        url:"models/moderator/poll/changePollStatus.php",
        method:"POST",
        data:{
            id:id
        },
        success:function(){
            var name="Poll";
            paginationNumberModerator(name);
            updatePaginationModerator(name);
        },error:errorAjax
    })
}

function pollValidation(){
    var question=$("#question").val();
    var button= document.getElementById("insertPollButton");
    var pollStatus=$("#pollStatus");
    var button= document.getElementById("insertPollButton");
    var error=true;

    if(question == "") {
        error=false;
        button.disabled = true;
    }
}

```

```

}

$(".pollAnswers").each(function () {
    var res = $(this).val();
    if(res=="") {
        error=false;
        button.disabled = true;
    }
}) ;

if(error==false){
    $(button).prop( "disabled", true );
    $(button).addClass("buttonDisable");
    pollStatus.html("Error!");
} else{
    $(button).prop( "disabled", false );
    $(button).removeClass("buttonDisable");
    pollStatus.html("Success!");
}
}

function checkInsertProduct(){
var profilePhoto=$('#profilePhoto').val();
var multiProfilePhoto=$('#multiProfilePhoto').val();
var alt=$('#altInsertProduct').val();
var name=$('#nameInsertProduct').val();
var desc=$('#descInsertProduct').val();
var oldPrice=$('#oldPriceInsertProduct').val();
var newPrice=$('#newPriceInsertProduct').val();
var quantity=$('#quantityInsertProduct').val();
var category=$('#categoryInsertProduct').val();
var home=$('#homeInsertProduct').val();

var rePrice =/^[0-9]*$/;
var reText=/[a-z]/;

valid=true;

if(profilePhoto == "") {
    valid = false;
    error("#addImageProductModerator");
} else {
}
}

```

```
success("#addImageProductModerator");

}

if(multiProfilePhoto == "") {
    valid = false;
    error("#addImageMultiProductModerator");
} else {
    success("#addImageMultiProductModerator");
}

if(name == "") {
    valid = false;
    error("#nameInsertProduct");
}

else if(!reText.test(name)) {
    valid = false;
    error("#nameInsertProduct");
} else {
    success("#nameInsertProduct");
}

if(alt == "") {
    valid = false;
    error("#altInsertProduct");
} else if(!reText.test(alt)) {
    valid = false;
    error("#altInsertProduct");
} else {
    success("#altInsertProduct");
}

if(desc == "") {
    valid = false;
    error("#descInsertProduct");
} else if(!reText.test(desc)) {
    valid = false;
    error("#descInsertProduct");
} else {
    success("#descInsertProduct");
}
```

```

if(oldPrice == "") {
    valid = false;
    error("#oldPriceInsertProduct");

} else if(!rePrice.test(oldPrice)) {
    valid = false;
    error("#oldPriceInsertProduct");
} else {
    success("#oldPriceInsertProduct");
}

if(newPrice == "") {
    valid = false;
    error("#newPriceInsertProduct");

} else if(!rePrice.test(newPrice)) {
    valid = false;
    error("#newPriceInsertProduct");
} else {
    success("#newPriceInsertProduct");
}

if(quantity == "") {
    valid = false;
    error("#quantityInsertProduct");

} else if(!rePrice.test(quantity)) {
    valid = false;
    error("#quantityInsertProduct");
} else {
    success("#quantityInsertProduct");
}

if(category==0){
    valid = false;
    error("#categoryInsertProduct");
} else{
    success("#categoryInsertProduct");
}

if(home==0){
    valid = false;
}

```

```

        error("#homeInsertProduct");
    }else{
        success("#homeInsertProduct");
    }

    if(valid==false){
        $("#insertProductButton").prop( "disabled", true );
        $("#insertProductButton").addClass("buttonDisable");
    }else{
        $("#insertProductButton").prop( "disabled", false );
        $("#insertProductButton").removeClass("buttonDisable");
    }
}

function newsValidationModerator(){
    var profilePhoto=$('#profilePhoto2').val();
    var newsTitle=$('#newsTitle').val();
    var text=$("#cke_1_contents iframe").contents().find("html body p").html();

    var reText=/[a-z]/;

    valid=true;

    if(profilePhoto == ""){
        valid = false;
        error("#addNewsImageModerator");
    }else {
        success("#addNewsImageModerator");
    }

    if(newsTitle == ""){
        valid = false;
        error("#newsTitle");

    }else if(!reText.test(newsTitle)) {
        valid = false;
        error("#newsTitle");
    }else {
        success("#newsTitle");
    }
}

```

```

if(text == "<br>" || text=="" || text=="&nbsp;") {
    valid = false;
    error("#cke_1_contents");
} else {
    success("#cke_1_contents");
}

}

if(valid==false){
    $("#addNewsModerator").prop( "disabled", true );
    $("#addNewsModerator").addClass("buttonDisable");
} else{
    $("#addNewsModerator").prop( "disabled", false );
    $("#addNewsModerator").removeClass("buttonDisable");
}
}

function insertProductParametar(){

var alt=$('#altInsertProduct').val();
var name=$('#nameInsertProduct').val();
var desc=$('#descInsertProduct').val();
var oldPrice=$('#oldPriceInsertProduct').val();
var newPrice=$('#newPriceInsertProduct').val();
var quantity=$('#quantityInsertProduct').val();
var category=$('#categoryInsertProduct').val();
var home=$('#homeInsertProduct').val();
var addProduct="as";

var fd = new FormData();
fd.append('alt',alt);
fd.append('name',name);
fd.append('desc',desc);
fd.append('oldPrice',oldPrice);
fd.append('newPrice',newPrice);
fd.append('quantity',quantity);
fd.append('category',category);
fd.append('home',home);
fd.append('addProduct',addProduct);
}

```

```

var files = $('#profilePhoto')[0].files;
fd.append('image',files[0]);

var totalfiles =
document.getElementById('multiProfilePhoto').files.length;
for (var index = 0; index < totalfiles; index++) {
    fd.append("multiImage[]",
document.getElementById('multiProfilePhoto').files[index]);
}

$.ajax({
    url: 'models/moderator/products/addProduct.php',
    type: 'POST',
    data:fd,
    contentType: false,
    processData: false,
    success: function (response) {
        var name="Products";
        paginationNumberModerator(name);
        updatePaginationModerator(name);
        successData();
    },error:errorAjax
}) ;

}

function addCategory(){

var categoryName=$("#categoryName").val();

$.ajax({
    url: 'models/moderator/category/addCategory.php',
    method: 'POST',
    data:{
        categoryName:categoryName
    },
    success: function () {
        var name="Category";

```

```

        paginationNumberModerator(name) ;
        updatePaginationModerator(name) ;
        successData() ;
    },error:errorAjax

}) ;
}

function editCategory(){
    var categoryName=$("#updateCategoryName").val();
    var categoryId=$("#categoryEditId").val();

    $.ajax({
        url: 'models/moderator/category/editCategory.php',
        method: 'POST',
        data:{
            categoryName:categoryName,
            categoryId:categoryId
        },
        success: function () {
            var name="Category";
            paginationNumberModerator(name);
            updatePaginationModerator(name);
            successData();
        },error:errorAjax

    }) ;
}

function deleteCategory(){
    var categoryId=$(this).data('idcategory');

    $.ajax({
        url: 'models/moderator/category/deleteCategory.php',
        method: 'POST',
        data:{
            categoryId:categoryId
        },
        success: function () {
            var name="Category";
            paginationNumberModerator(name);
            updatePaginationModerator(name);
        },error:errorAjax
}

```

```

        }) ;
    }

}

function viewCategory(data){
    var result="";
    for( var item of data){
        result+=`|
            <td data-label="Category Id">${item.idCategory}</td>
            <td data-label="Name">${item.name}</td>
            <td data-label="Edit"><button class="buttonCategory plava
adminModeratorButton" data-idcategory=${item.idCategory}
onclick="document.getElementById('id01').style.display='block'"><i
class="fa fa-cog"></i></button></td>
            <td data-label="Delete"><button class="deleteCategoryButton
f adminModeratorButton " data-idcategory=${item.idCategory}
type="button"><i class="fa fa-close"></i></button></td>
        </tr>
        `;
    }
    $('#showCategory').html(result);
}

function fillCategoryInfo(){
    var id=$('#this').data('idcategory');
    $('#categotyEditId').val(id);

    $.ajax({
        url: 'models/moderator/category/getCategoryInfo.php',
        method: 'GET',
        dataType:"JSON",
        data:{ id:id },
        success: function (data) {
            $('#updateCategoryName').val(data.name);
            console.log(data.name);
        },error:errorAjax
    });
}

|  |

```

```

}

function deleteContry(){
    var contryId=$(this).data('idcountry');

    $.ajax({
        url: 'models/moderator/country/deleteCountry.php',
        method: 'POST',
        data:{
            contryId:contryId
        },
        success: function () {
            var name="Contry";
            paginationNumberModerator(name);
            updatePaginationModerator(name);
        },error:errorAjax
    });
}

function fillContryInfo(){
    var id=$(this).data('idcountry');
    $("#contryEditId").val(id);
    $.ajax({
        url: 'models/moderator/country/getCountryInfo.php',
        method: 'GET',
        dataType:"JSON",
        data:{
            id:id
        },
        success: function (data) {
            $("#updateContryName").val(data.name);

        },error:errorAjax
    });
}

function editContry(){
    var contryName=$("#updateContryName").val();
    var contryId=$("#contryEditId").val();
}

```

```

$.ajax({
    url: 'models/moderator/country/editCountry.php',
    method: 'POST',
    data: {
        contryName:contryName,
        contryId:contryId
    },
    success: function () {
        var name="Contry";
        paginationNumberModerator(name);
        updatePaginationModerator(name);
        successData();
    },error:errorAjax
});

});

function addContry(){
    var contryName=$("#contryNameInsert").val();

    $.ajax({
        url: 'models/moderator/country/addCountry.php',
        method: 'POST',
        data: {
            contryName:contryName
        },
        success: function () {
            var name="Contry";
            paginationNumberModerator(name);
            updatePaginationModerator(name);
            successData();
        },error:errorAjax
    });

}

function contry(data){
    var result="";
    for( var item of data){
        result+=`|  |
| --- |
| >${item.idCountry}</td> |
`;
    }
}

```

```

        <td data-label="Name">${item.name}</td>
        <td data-label="Edit"><button class="buttonContrary plava
adminModeratorButton" data-idcountry=${item.idCountry}
onclick="document.getElementById('contrystModal').style.display='block' ">
<i class="fa fa-cog"></i></button></td>
        <td data-label="Delete"><button class="deleteContraryButton f
adminModeratorButton" data-idcountry=${item.idCountry}
type="button"><i class="fa fa-close"></i></button></td>
    </tr>
    ` ;
}

$( "#showContryst" ).html(result);

}

function paginationNumberModerator(name) {
    var productSearch=$("#productSearchInput").val();
    var productStatus=$("#productStatusInput").val();
    var productCategory=$("#productCategoryInput").val();
    $.ajax({
        url:"models/moderator/pagination/pagNumber.php",
        dataType:"JSON",
        method:"GET",
        data:{
            name:name,
            productStatus:productStatus,
            productSearch:productSearch,
            productCategory:productCategory
        },
        success:function(data){
            console.log(data);
            printPaginationModerator(data,name);
            checkDarkMode();
        }})
}

function paginationModerator(){


```

```

var productSearch=$("#productSearchInput").val();
var productStatus=$("#productStatusInput").val();
var productCategory=$("#productCategoryInput").val();
var name=$(this).data('name');
var idpag=$(this).data('id');
document.querySelector("#pagFilterModerator"+name).value=idpag;
$.ajax({
    url:"models/moderator/pagination/pagination.php",
    dataType:"json",
    method:"post",
    data:{
        idpag:idpag,
        send:true,
        name:name,
        productStatus:productStatus,
        productSearch:productSearch,
        productCategory:productCategory
    },
    success:function(data) {
        if(name=="Products") {
            products(data);
        }else if(name=="News") {
            news(data);
        }else if(name=="Category") {
            viewCategory(data);
        }else if(name=="Newsletter") {
            newsletter(data);
        }else if(name=="Poll") {
            poll(data);
        }else if(name=="Contry") {
            contry(data)
        }
        checkDarkMode();

    },
    error:function(xhr,status,error) {
        console.log(xhr,status,error)
    }
})
}

function updatePaginationModerator(name) {

```

```

var productSearch=$("#productSearchInput").val();
var productStatus=$("#productStatusInput").val();
var productCategory=$("#productCategoryInput").val();
var name=name;
var idpag=$("#pagFilterModerator"+name).val();
$.ajax({
    url:"models/moderator/pagination/pagination.php",
    dataType:"json",
    method:"post",
    data:{
        idpag:idpag,
        send:true,
        name:name,
        productStatus:productStatus,
        productSearch:productSearch,
        productCategory:productCategory
    },
    success:function(data){
        if(name=="Products"){
            products(data);
        }else if(name=="News"){
            news(data);
        }else if(name=="Category"){
            viewCategory(data);
        }else if(name=="Newsletter"){
            newsletter(data);
        }else if(name=="Poll"){
            poll(data);
        }else if(name=="Contry"){
            contry(data);
        }
    },
    error:function(xhr,status,error){
        console.log(xhr,status,error)
    }
})
}

function paginationModeratorOrder(){
    var page=$(this).data('id');
    $("#pagFilterModeratorOrder").val(page);
}

```

```

var id=$("#inputOrder").val();
var firstDate=$("#datumOd").val();
var secondDate=$("#datumDo").val();
var statusOrder=$("#statusOrder").val();
var payment=$("#paymentOrder").val();

$.ajax({
    url:'models/moderator/pagination/filterOrder.php',
    method:"GET",
    dataType:"JSON",
    data:{
        searchId:id,
        firstDate:firstDate,
        secondDate:secondDate,
        statusOrder:statusOrder,
        page:page,
        payment:payment
    },
    success:function(data) {
        ordersView(data);
    },
    error:function(error) {
        console.log(error);

    }
})
}

function updatePaginationOrder(){
    var id=$("#inputOrder").val();
    var firstDate=$("#datumOd").val();
    var secondDate=$("#datumDo").val();
    var statusOrder=$("#statusOrder").val();
    var payment=$("#paymentOrder").val();

    $.ajax({
        url:'models/moderator/pagination/countOrderPagination.php',
        method:"GET",
        dataType:"JSON",
        data:{
            searchId:id,
            firstDate:firstDate,
            secondDate:secondDate,
            statusOrder:statusOrder,
            payment:payment
        },

```

```

        success:function(data) {
            var name="Order";
            printPaginationModerator(data,name);
            console.log(data);
        },
        error:errorAjax
    })
}

function printPaginationModerator(data,name) {
    var limit=6;
    var active=document.querySelector("#pagFilterModerator"+name).value;
    var total=Math.ceil(data.number/limit);

    var html=<div class='paginationModerator'+name+'>';
    for(var i=1;i<=total;i++) {
        if(active==i){
            html+=`<a href='javascript:void(0)' value=${i} data-name=$
{name} data-id=${i} class="darkEmptyTextWhite onePag active${name} pag$(
{name}" >${i}</a>`;
        }else{
            html+=`<a href='javascript:void(0)' value=${i} data-name=$
{name} data-id=${i} class="darkEmptyTextWhite onePag pag${name}" >$
${i}</a>`;
        }
    }
    $("#paginationModerator"+name).html(html);

    paginationActiveModerator(name);
}

function paginationActiveModerator(name){
    var header = document.querySelector(".paginationModerator"+name);
    var btns = header.getElementsByClassName("onePag");
    for (var i = 0; i < btns.length; i++) {
        btns[i].addEventListener("click", function() {
            var current = document.getElementsByClassName("active"+name);
            current[0].className = current[0].className.replace("a
active"+name, "");
            this.className += " active"+name;
        });
    }
    console.log(btns.length);
}

```

```

}

function products(data) {
    let html = "", rb = 1;
    for(let item of data){
        html+=`<tr><td data-label=""></td>
<td data-label="">${item.name}</td>
<td data-label="Description">${item.description}</td>
<td data-label="New price">${item.newPrice}.00</td>
<td data-label="Categories">${item.knaziv}</td><td data-
label="Availability">;
        if(item.Quantity>=1){
            html+=`In stock <span class='sell'> <i class='fa fa-
circle'></i></span>`;
        }else{
            html+=`Out of stock <span class='wait'><i class='fa fa-
circle'></i></span>`;
        }
        html+=`<td data-label="Edit"><a class="plava" href="index.php?
page=editProduct&idEditProduct=${item.idProduct}"><i class="fa fa-
cog" style="color: #007bff; font-size: 1.5em; margin-right: 5px;"></i></a></td>
<td data-label="Edit price"><a class="green plava"
href="index.php?page=editPrice&id=${item.idProduct}"><i class="fa fa-
dollar" style="color: #007bff; font-size: 1.5em; margin-right: 5px;"></i></a></td>
<td data-label="Delete"><button type="button" class="f
brisanjeProizvod adminModeratorButton" data-id="${item.idProduct}"><i
class="fa fa-close" style="font-size: 1.5em; color: #dc3545;"></i></button></td></tr>`;
    }
    $("#prikazProizvoda").html(html);
}
}

function statusProductPagination(){
    var status=$(this).data('idstatus');
    $("#productStatusInput").val(status);
    var name="Products";
    paginationNumberModerator(name);
    updatePaginationModerator(name);
}

function categoryProductPagination(){
    var category=$(this).data('idcategory');
    $("#productCategoryInput").val(category);
    var name="Products";
}

```

```

paginationNumberModerator(name);
updatePaginationModerator(name);
}

function searchProductPagination(){
    var name="Products";
    paginationNumberModerator(name);
    updatePaginationModerator(name);
}

function oneParamValidation(nameId,button,secondName) {
    var name=$('#'+nameId);
    var button=$('#'+button)
    var reText=/[a-z]/;

    var status=true

    if(secondName!="") {

        var sName=$('#'+secondName);
        if(sName.val() == "") {
            status = false;
            error(sName);

        }else if(!reText.test(sName.val())) {
            status = false;
            error(sName);
        }else {
            success(sName);
        }

    }

    if(name.val() == "") {
        status = false;
        error(nameId);

    }else if(!reText.test(name.val())) {
        status = false;
        error(nameId);
    }else {
        success(nameId);
    }
}

```

```

        if(status==false) {
            $(button).prop( "disabled", true );
            $(button).addClass("buttonDisable");
        }else{
            $(button).prop( "disabled", false );
            $(button).removeClass("buttonDisable");
        }

    }

function error(name) {
    $(name).addClass("errorReg");
    $(name).removeClass("successReg");
}

function success(name) {
    $(name).removeClass("errorReg");
    $(name).addClass("successReg");
}

function selectTab(evt, name) {
    var i, tabcontent, tablinks;

    tabcontent = document.getElementsByClassName("tabcontent");
    for (i = 0; i < tabcontent.length; i++) {
        tabcontent[i].style.display = "none";
    }

    tablinks = document.getElementsByClassName("tablinks");
    for (i = 0; i < tablinks.length; i++) {
        tablinks[i].className = tablinks[i].className.replace("activeAdmin", "");
    }

    document.getElementById(name).style.display = "block";
    evt.currentTarget.className += " activeAdmin";
}

function checkDarkMode() {
if ($("#radio-b").is(':checked'))
{
    addDark();
}
else

```

```

{
    removeDark();
}
}

function addDark(){
$('.darkEmptyBackground').addClass('darkBackground');
$('.darkEmptyTextWhite').addClass('darkTextWhite');
$('.darkEmptyBackgroundWhite').addClass('darkBackgroundWhite');
$(".darkEmptyLightBackground").addClass("darkLightBackground");
}

function removeDark(){
$('.darkEmptyBackground').removeClass('darkBackground');
$('.darkEmptyTextWhite').removeClass('darkTextWhite');
$('.darkEmptyBackgroundWhite').removeClass('darkBackgroundWhite');
$(".darkEmptyLightBackground").removeClass("darkLightBackground");
}

function pollStatistic(){
    var idPoll=$(this).data('id');
    $.ajax({
        url:"models/moderator/poll/pollStatistic.php",
        method:"GET",
        dataType:"JSON",
        data:{
            id:idPoll
        },
        success:function(data){
            $("#pollTable").html(data);
        },error:errorAjax
    })
}

function activePollStatistic(){
    var idPoll=$this).data('idpoll');
    $.ajax({
        url:"models/moderator/poll/pollStatistic.php",
        method:"GET",
        dataType:"JSON",
        data:{
            id:idPoll
        },

```

```

        success:function(data) {
            $("#pollModeratorStatistic").html(data);
        },error:errorAjax
    })
}

function successData(){
    $("#info").html("<div id='notification' class='notificationColorGreen'>Successfully!</div>");
    setTimeout(function() {
        $("#notification").hide(500);
    }, 3000);
}

```

### 6.8.2.13. News.js

```

$(document).ready(function(){

    $("#newsPagination").on('click','.pagNews',paginationNews);

    paginationNumber();

}) ;

function paginationNews(){
    var idpag=$("#this").data('id');
    document.querySelector("#pagNews").value=idpag;
    $.ajax({
        url:"models/news/pagination.php",
        dataType:"json",
        method:"post",
        data:{
            idpag:idpag,
        },
        success:function(data){
            printNews(data);
            checkDarkMode();
        },
        error:errorAjax
    })
}

```

```

        })
    }

function paginationNumber(){

    $.ajax({
        url:"models/news/pagNumber.php",
        dataType:"JSON",
        method:"GET",
        success:function(data){
            printPagination(data);
            checkDarkMode();
        },error:errorAjax
    })
}

function printPagination(data){
    var limit=4;
    var active=document.querySelector("#pagNews").value
    var total=Math.ceil(data.number/limit);
    var html=<div class='paginationNews'>;
    for(var i=1;i<=total;i++){
        if(active==i){
            html+=`<a href='javascript:void(0)' value=${i} data-id=${i}
class="darkEmptyTextWhite onePag activeNews pagNews" >${i}</a>`;
        }else{
            html+=`<a href='javascript:void(0)' value=${i} data-id=${i}
class="darkEmptyTextWhite onePag pagNews" >${i}</a>`;
        }
    }
    $("#newsPagination").html(html);

    paginationActive();
}

function paginationActive(){
    var header = document.querySelector(".paginationNews");
    var btns = header.getElementsByClassName("pagNews");
    for (var i = 0; i < btns.length; i++) {
        btns[i].addEventListener("click", function() {
            var current = document.getElementsByClassName("activeNews");

```

```

        current[0].className = current[0].className.replace(" activeNews",
        "") ;
        this.className += " activeNews";
    });
}

}

function printNews(data) {
    var html="";
    for(var item of data){
        html+=`

<div class="vest darkEmptyLightBackground">
<div class="vestLevo">

</div>
<div class="vestDesno darkEmptyTextWhite">
<h2>\${item.title}</h2>
<p id="datum">News | \${item.date}</p>
<p>\${item.text.split\(' '\).slice\(0,30\).join\(' '\)}...</p>
</div>
</div></a>
</div>
`;
    }
    \$\("#news"\).html\(html\);
}

function checkDarkMode\(\){
    if \(\$\("#radio-b"\).is\(':checked'\)\){
    {
        addDark\(\);
    }
    else
    {
        removeDark\(\);
    }
}
}

function addDark\(\){


```

```

$('.darkEmptyBackground').addClass('darkBackground');
$('.darkEmptyTextWhite').addClass('darkTextWhite');
$('.darkEmptyBackgroundWhite').addClass('darkBackgroundWhite');
$(".darkEmptyLightBackground").addClass("darkLightBackground");
$("#slikaHeder a
img").attr("src","assets/images/logoWhiteTransparent.png");

}

function removeDark() {
    $('.darkEmptyBackground').removeClass('darkBackground');
    $('.darkEmptyTextWhite').removeClass('darkTextWhite');
    $('.darkEmptyBackgroundWhite').removeClass('darkBackgroundWhite');
    $(".darkEmptyLightBackground").removeClass("darkLightBackground");
    $("#slikaHeder a img").attr("src","assets/images/logo3.png");
}

```

### 6.8.2.14. Newsletter.js

```

$(document).ready(function() {

    $(document).on('keyup', '#emailnewsletter', emailValidation);
    $(document).on('click', '#newsletterbutton', checkEmail);
    $(document).on('click', '#updateNewsletterButton', updateNewsletter);
    $

    (document).on('click', '#sendNewsletterButton', sendNewsletterUpdate);

    $("#titleNewsleterEdit, #textareaNewsletterEdit").keyup(function() {

oneParamValidation("#titleNewsleterEdit", "#updateNewsletterButton", "#te
xtareaNewsletterEdit");
    })
});

function checkEmail(){
    var email=$('#emailnewsletter').val();

    if(email == "") {
        errorData();
        document.getElementById("newsletterbutton").disabled = true;
    }
}

```

```

        }else{
            $.ajax({
                url:'models/newsletter/userEmail.php',
                method:'GET',
                data:{
                    checkEmail:email
                },
                success: function(data){
                    console.log(data.number);
                    if(parseInt(data.number)>=1){
                        error("#emailnewsletter")
                        errorData();
                    }else{
                        success("#emailnewsletter")
                        sendEmail();
                        successData();
                    }
                },
                error: errorAjax
            })
        }

    }

function sendEmail(){
    var email=$('#emailnewsletter').val();

    $.ajax({
        url:"models/newsletter/userEmail.php",
        method:"POST",
        data:{
            sendEmail:email
        },
        success: function(){

        },
        error: errorAjax
    })
}

function errorAjax(error, status, statusText){
    console.error('ERROR AJAX: ');
    console.log(status);
}

```

```

        console.log(statusText);
        if(error.status == 500){
            console.log(error.parseJSON);
            alert(error.parseJSON.poruka);
        }
        else if(error.status == 400){
            alert('Niste poslali ispravno parametre!')
        }
    }

function emailValidation(){
    var email=$('#emailnewsletter').val();
    var reEmail=/^[\w+([.-]?\w\d)+)*@\w+([.-]?\w+)*(\.\w{2,4})+$/;
    var button=$("#newsletterbutton");

    if(email == ""){
        error("#emailnewsletter");
        $(button).prop("disabled", true);
        $(button).addClass("buttonDisable");
    } else if(!reEmail.test(email)) {
        error("#emailnewsletter");
        $(button).prop("disabled", true);
        $(button).addClass("buttonDisable");
    } else {
        success("#emailnewsletter")
        $(button).prop("disabled", false);
        $(button).removeClass("buttonDisable");
    }
}

function error(name){
    $(name).addClass("errorReg");
    $(name).removeClass("successReg");
}

function success(name){
    $(name).removeClass("errorReg");
    $(name).addClass("successReg");
}

```

```

function updateNewsletter(){
    var id=$(this).data('idnewsletter');
    var title=$("#titleNewsleterEdit").val();
    var code=$("#textareaNewsletterEdit").val();

    $.ajax({
        url:'models/moderator/newsletter/editNewsletter.php',
        method:'POST',
        data:{
            title:title,
            code:code,
            idnewsletter:id
        },
        success: function(data){
            successData();
        },
        error: errorAjax
    })
}

function sendNewsletterUpdate(){

    var title=$("#titleNewsleterEdit").val();
    var code=$("#textareaNewsletterEdit").val();
    var idnewsletter= $(this).data('idnewsletter');

    $.ajax({
        url:'models/moderator/newsletter/sendNewsletter.php',
        method:'POST',
        data:{
            title:title,
            code:code,
            idnewsletter:idnewsletter
        },
        success: function(data){
            successData();
            console.log(data);
        },
        error: errorAjax
    })
}

```

```

}

function oneParamValidation(nameId,button,secondName) {
    var name=$(nameId);
    var button=$(button)
    var reText=/[a-z]/;

    var status=true

    if(secondName!="") {

        var sName=$(secondName);
        if(sName.val() == "") {
            status = false;
            error(sName);

        }else if(!reText.test(sName.val())) {
            status = false;
            error(sName);
        }else {
            status = true;
            success(sName);
        }

    }

    if(name.val() == "") {
        status = false;
        error(nameId);

    }else if(!reText.test(name.val())) {
        status = false;
        error(nameId);
    }else {
        status = true;
        success(nameId);
    }

    if(status==false){
        $(button).prop( "disabled", true );
        $(button).addClass("buttonDisable");
    }else{
        $(button).prop( "disabled", false );
        $(button).removeClass("buttonDisable");
    }
}

```

```

        }

    }

    function error(name) {
        $(name).addClass("errorReg");
        $(name).removeClass("successReg");
    }

    function success(name) {
        $(name).removeClass("errorReg");
        $(name).addClass("successReg");
    }

    function successData() {
        $("#info").html("<div id='notification' class='notificationColorGreen'>Successfully!</div>");
        setTimeout(function() {
            $("#notification").hide(500);
        }, 3000);
    }

    function errorData() {
        $("#info").html("<div id='notification' class='notificationColorRed'>Email error!</div>");
        setTimeout(function() {
            $("#notification").hide(500);
        }, 3000);
    }
}

```

### 6.8.2.15. OneNews.js

```

$(document).ready(function(){
    $('.slideshow-container').slick({
        slidesToShow: 1,
        autoplay: true,
        autoplaySpeed: 3000,
        prevArrow:$("#proLeft"),
        nextArrow:$("#proRight"),
        infinite: true,
        responsive:[
            {

```

```

        breakpoint:950,
        settings:{
            slidesToShow:3,
            slidesToScroll:3,
            infinite:true,
        }
    },
{
    breakpoint:800,
    settings:{
        slidesToShow:2,
        slidesToScroll:2,
        infinite:true,
    }
},
{
    breakpoint:540,
    settings:{
        slidesToShow:1,
        slidesToScroll:1,
        infinite:true,
    }
}
]
));
});
});
```

### 6.8.2.16. OrderUpdate.js

```

$(document).ready(function(){
    $(document).on('click','#changeStatus',changeStatus);

})

function changeStatus(){
    var id = $(this).data('id');
    let value= $("#statusOrder").val();
    $.ajax({
        url: "models/moderator/order/statusChange.php",
        method: "POST",
        data: {
            id: id,
```

```

        value:value
    } ,
    success: function(){
        showStatus(id);

    } ,
    error: function(xhr, greska, status){
        alert(greska);
    }
}

}

function showStatus(id){

$.ajax({
    url: 'models/moderator/order/getStatus.php',
    method: 'GET',
    data: {
        id: id
    },
    success: function(items){
        status(items);
        console.log(items.status);

    } ,
    error: function(xhr, greska, status){
        console.log(xhr);
        console.log(greska);
        console.log(status);

    }
})
}

function status(items){
    let upis;
    if(items.idOrderStatus==1){
        upis="Processing in progress <span class='wait'><i class='fa fa-circle'></i></span>";
    }else if(items.idOrderStatus==2){
        upis="Delivered <span class='sell'> <i class='fa fa-circle'></i></span>";
    }
}

```

```

    }else{
        upis="Canceled <span class='error'><i class='fa fa-circle'></i></span>";
    }
    $("#status").html(upis);
}

```

### 6.8.2.17. Poll.js

```

$(document).ready(function() {
    $(document).on('click', '#showResult', showResults);
    $(document).on('click', '#returnPoll', returnPoll);
    $(document).on('click', '#sendPoll', sendPoll);

    $(document).on('input', '#numberAnswers', pollAnswers);
    $(document).on('click', '.deleteAnswer', deleteAnswer);

    $(document).on('click', '#sendPoll', answerStatistic);

    $(document).on('click', '#updatePollButton', editPoll);

    $(document).on('keyup', '#editQuestion, .pollAddAnswers, .pollAnswerValidation', pollValidation);
    $(document).on('change', '#numberAnswers', pollValidation);

}) ;

document.querySelector("#returnPoll").style.display="none";
document.querySelector(".odgovori").style.display="none";

function showResults(){
    document.querySelector(".odgovori").style.display="block";
    document.querySelector("#anketa_form").style.display="none";
    document.querySelector("#showResult").style.display="none";
    document.querySelector("#returnPoll").style.display="block";
}

```

```

}

function returnPoll(){
    document.querySelector(".odgovori").style.display="none";
    document.querySelector("#anketa_form").style.display="block";
    document.querySelector("#returnPoll").style.display="none";
    document.querySelector("#showResult").style.display="block";

}

function sendPoll(){
    $(".poll_option").val();
    var radios = document.getElementsByName('anketa_vrednsot');

    for (var i = 0, length = radios.length; i < length; i++) {
        if (radios[i].checked) {
            var rez=radios[i].value;
            break;
        }
    }

    if(rez.length>1){
        document.querySelector(".odgovori").style.display="block";
        document.querySelector("#anketa_form").style.display="none";
        document.querySelector("#showResult").style.display="none";
        document.querySelector("#returnPoll").style.display="block";
        document.querySelector("#returnPoll").style.display="none";
    }

}

$.ajax({
    url:'models/poll/sendPollUserAnswer.php',
    method:"POST",
    data:{
        poll:rez
    },
    success:function(data){

    },
    error:function(error){
        console.log(error);

    }
})

```

```

        })
    }

function pollAnswers() {

    var number=parseInt($("#numberAnswers").val());
    var result="";
    for(var i=1; i<=number; i++){
        result+="

```

```

        if(res!="") {
            answers.push({name:res}) ;
        }
        console.log(answers);

    });

$.ajax({
    url:"models/moderator/poll/updatePoll.php",
    method:"POST",
    data:{
        id:id,
        question:question,
        answers:answers
    },
    success:function(){
        viewPollAnswer();
        successData();

    },error:errorAjax
})

}

function answerStatistic(){

$.ajax({
    url:"models/poll/answerStatistic.php",
    method:"GET",
    dataType: 'json',
    success:function(data){
        $("#pollStatistic").html(data);
        $("#poll_result").html(data);
        console.log(data);
    },error:errorAjax
})

}

function pollValidation(){
    var question=$("#editQuestion").val();

```

```

var button= document.getElementById("updatePollButton");
var pollStatus=$("#statusEditPoll");
var status=true;

if(question == "") {
    status=false;
}

$(".pollAddAnswers").each(function () {
    var res = $(this).val();
    if(res=="") {
        status=false;
    }
}) ;

$(".pollAnswerValidation").each(function () {
    var result = $(this).val();
    if(result=="") {
        status=false;
    }
}) ;

if(status==false){
    $(button).prop( "disabled", true );
    $(button).addClass("buttonDisable");
    pollStatus.html("Error!");
} else{
    $(button).prop( "disabled", false );
    $(button).removeClass("buttonDisable");
    pollStatus.html("Success!");
}
}

function viewPollAnswer(){
    var id=$("#pollId").val();
    $.ajax({
        url:"models/moderator/poll/getPollAnswers.php",

```

```

        method:"GET",
        dataType:"JSON",
        data:{
            id:id
        },
        success:function(data) {
            printPollAnswer(data)
            successData();
        },
        error:errorAjax
    })
}

function printPollAnswer(data) {
    var html="";
    for(var item of data){
        html+=`

<div class="col-25">
                <label>Answers</label>
            </div>
            <div class="col-75">
                <input class='pollAnswers pollAnswerValidation
pollInput' type="text" name="${item.answer}" value="$
{item.answer}"/><button data-idanswer=${item.idPollAnswer}
class="deleteAnswer f adminModeratorButton"><i class="fa
fa-close"></i></button>
            </div>

`;
    }
    $("#pollAnswers").html(html);
}

function checkDarkMode() {
    if ($("#radio-b").is(':checked'))
    {
        addDark();
    }
    else
    {

```

```

        removeDark() ;
    }
}

function addDark(){
    $('.darkEmptyBackround').addClass('darkBackground') ;
    $('.darkEmptyTextWhite').addClass('darkTextWhite') ;
}

function removeDark(){
    $('.darkEmptyBackround').removeClass('darkBackground') ;
    $('.darkEmptyTextWhite').removeClass('darkTextWhite') ;
}

function successData(){
    $("#info").html("<div id='notification' class='notificationColorGreen'>Successfully!</div>") ;
    setTimeout(function() {
        $("#notification").hide(500) ;
    }, 3000) ;
}

function errorAjax(greska, status, statusText){
    console.error('GRESKA AJAX: ') ;
    console.log(status) ;
    console.log(statusText) ;
    if(greska.status == 500){
        console.log(greska.parseJSON) ;
        alert(greska.parseJSON.poruka) ;
    }
    else if(greska.status == 400){
        alert('Niste poslali ispravno parametre!')
    }
}
}

```

### 6.8.2.18. Products.js

```

$(document).ready(function() {

    productNumber() ;
    range() ;
    menu() ;
}

```

```

toggleFilters() ;

document.querySelector("#search").addEventListener('keyup',pretraga);

document.getElementById("myRange").addEventListener('change',filterCena);
}

$("#pagination").on('click','#pag',pagination);

$(".asc").click(function(){
    sortirajAsc()
})

$(".desc").click(function(){
    sortirajDesc()
})
}) ;///////

function range() {
    var slider = document.getElementById("myRange");
    var output = document.getElementById("demo");
    output.innerHTML = slider.value;

    slider.oninput = function() {
        output.innerHTML = this.value;
    }
}

function printPaginations(num_of_iphone,limit) {
    let html = "";
    var pagId=document.querySelector("#pagId").value
    for(let i = 0; i < num_of_iphone; i++){
        if(limit==i){
            html+=`

```

```

        html+=`

```

```

        html+=`<a href='javascript:void(0)' value=${i} data-id=${i}
class="onePag darkEmptyTextWhite" id="pag">${i}</a>`;
    }
}

$("#pagination").html(html);

paginationActive();

}

function productNumber(){
var id=0;
var product=$("#page").val();
$.ajax({
url:"models/products/pagNumber.php",
dataType:"json",
method:"post",
data:{
id:id,
product:product
},
success:function(data){
printPagination(data)
checkDarkMode();
} })
}

function pagination(){
var product=$("#page").val();

var idpag=$(this).data('id');
document.querySelector("#pagFilter").value=idpag;
var price = document.getElementById("myRange").value;
var value=$("#search").val();
var id=$("#filterlista").val();
var sendFilter=$("#sortAscDesc").val();
$.ajax({
url:"models/products/pagination.php",
dataType:"json",
method:"post",
data:{
idpag:idpag,
send:true,
product:product,
}
})
}

```

```

        value:value,
        price:price,
        sendFilter:sendFilter
    } ,
    success:function(data) {
        printProducts(data)
        checkDarkMode();

    } ,
    error:function(xhr,status,error) {
        console.log(xhr,status,error)
    }
}

function pretraga() {
    let product=$("#page").val();

    const value=this.value;
    var price = document.getElementById("myRange").value;
    var priceSort=$("#sortAscDesc").val();
    $('.onePag:first').addClass('active');

    paginationActive();
    $.ajax({
        url:"models/products/searchFilter.php",
        method:"POST",
        dataType:"JSON",
        data:{
            value:value,
            product:product,
            price:price,
            priceSort:priceSort
        } ,
        success:function(data) {
            if(value!="" && data=="") {
                document.getElementById("p").innerHTML="No Product!";
            }else{
                printProducts(data);
            }
        } ,
        error:function(error) {
            console.log(error);
        }
    })
}

```

```

        }
    })

$.ajax({
    url:"models/products/findPagination.php",
    dataType:"json",
    method:"post",
    data:{value:value,product:product,price:price},
    success:function(data) {
        printPagination(data);
    },error:function(error) {
        console.log(error);
    }
})

function filterCena() {
    let product=$("#page").val();
    var price = document.getElementById("myRange").value;
    var value=$("#search").val();
    var priceSort=$("#sortAscDesc").val();
    paginationActive();
    $.ajax({
        url:"models/products/searchFilter.php",
        method:"POST",
        dataType:"JSON",
        data:{
            price:price,
            product:product,
            value:value,
            priceSort:priceSort
        },
        success:function(data) {
            printProducts(data);
        },
        error:function(error) {
            console.log(error);
        }
    })
}

$.ajax({
    url:"models/products/findPagination.php",
    dataType:"json",

```

```

        method:"post",
        data:{
            product:product,
            price:price,
            value:value
        },
        success:function(data){
            printPagination(data);
        },error:function(error){
            console.log(error);

        }
    })

}

function sortirajAsc(){
    var product=$("#page").val();
    var idpag=$("#pagFilter").val();
    var price = document.getElementById("myRange").value;
    var value=$("#search").val();
    var sendFilter="asc";
    var id=$("#filterlista").val();
    $("#sortAscDesc").val(sendFilter);
    paginationActive();
    $.ajax({
        url:"models/products/pagination.php",
        dataType:"json",
        method:"post",
        data:{
            value:value,
            send:true,
            idpag:idpag,
            price:price,
            product:product,
            sendFilter:sendFilter,
        },
        success:function(data){
            printProducts(data);
        },error:function(xhr,status,error){
            console.log(xhr,error,status)
        }})
}

```

```

        }

function sortirajDesc(){
    var product=$("#page").val();
    var idpag=$("#pagFilter").val();
    console.log("ovo je data id "+idpag);

    var price = document.getElementById("myRange").value;
    var value=$("#search").val();
    var sendFilter="desc";
    $("#sortAscDesc").val(sendFilter);
    $.ajax({
        url:"models/products/pagination.php",
        dataType:"json",
        method:"post",
        data:{
            send:true,
            value:value,
            idpag:idpag,
            price:price,
            product:product,
            sendFilter:sendFilter
        },
        success:function(data){
            printProducts(data);
            paginationActive();
        },error:function(xhr,status,error){
            console.log(xhr,error,status)
        }})
    }

function menu(){

document.querySelector("#meniLinkOpen").addEventListener("click",function(){
    document.querySelector("#mySidenav").style.width = "250px";
});

document.querySelector("#meniLinkClose").addEventListener("click",function(){

```

```

        document.querySelector("#mySidenav").style.width = "0";
    });
}

function paginationActive(){
    var header = document.querySelector(".pagination");
    var btns = header.getElementsByClassName("onePag");
    for (var i = 0; i < btns.length; i++) {
        btns[i].addEventListener("click", function() {
            var current = document.getElementsByClassName("active");
            current[0].className = current[0].className.replace(" active", "");
            this.className += " active";
        });
    }
}

function calculatePercent(oldPrice,newPrice){
    if((oldPrice>newPrice) && newPrice>0){
        var percent=Math.round((oldPrice-newPrice)/oldPrice*100.0);
        var result="";
        if(percent<=20 && percent>=0){
            result=<span class='pricePercent
greenPercent'>"+percent+"%</span>";
        }else if(percent<=40 && percent>=0){
            result=<span class='pricePercent
yellowPercent'>"+percent+"%</span>";
        }else if(percent>40 && percent>=0){
            result=<span class='pricePercent
redPercent'>"+percent+"%</span>";
        }else{
            result="";
        }

        return result;
    }else{
        return "";
    }
}

function salePriceCheck(oldPrice,newPrice){
    var result="";
    if(oldPrice>newPrice){

```

```

        result=<p class='first precrtan '>"+oldPrice+".00</p> <p
class='first nova'>"+newPrice+".00</p>";
    }else if(newPrice>oldPrice){
        result=<p class='first'>"+newPrice+".00</p>;
    }else{
        result=<p class='first'>"+oldPrice+".00</p>;
    }
    return result;
}

function checkDarkMode(){
    if ($("#radio-b").is(':checked'))
    {
        addDark();
        console.log("ss");
    }
    else
    {
        vracanjeBoje();
        console.log("aaa");
    }
}

function addDark(){
    $('.darkEmptyBackround').addClass('darkBackground');
    $('.darkEmptyTextWhite').addClass('darkTextWhite');
    $('.darkEmptyBackgroundWhite').addClass('darkBackgroundWhite');
    $(".darkEmptyLightBackground").addClass("darkLightBackground");
    $("#slikaHeder a
img").attr("src","assets/images/logoWhiteTransparent.png");

}

function removeDark(){
    $('.darkEmptyBackround').removeClass('darkBackground');
    $('.darkEmptyTextWhite').removeClass('darkTextWhite');
    $('.darkEmptyBackgroundWhite').removeClass('darkBackgroundWhite');
    $(".darkEmptyLightBackground").removeClass("darkLightBackground");
    $("#slikaHeder a img").attr("src","assets/images/logo3.png");
}

function toggleFilters(){

}

```

```

$( "#productsFilter" ).click(function() {
    $( "#filteri" ).toggle("1000");
});

}

function getProductRating(id) {
    var result=0;
    $.ajax({
        url: "models/products/ratingOneProduct.php",
        method: "GET",
        dataType: "JSON",
        data:{ id:id },
        success(data) {
            result=Math.round(parseInt(data.avg));
            if(isNaN(result)){
                result=0;
            }
            printProductRating(result,id)
        },error:function(){
            }
    })
}

function printProductRating(data,id) {
    var html="";
    for(i=0;i<data;i++){
        html+=`<span class="fa fa-star checked"></span>`;
    }
    console.log(data);
    if(data<5){
        for(let i=1;i<=5-data;i++){
            html+=`<span class="fa fa-star nochecked" ></span>`;
        }
    }

    $(".ratingProduct"+id).html(html)
}

```

### 6.8.2.19. Registration.js

```
/* eslint-disable no-unused-vars */

$(document).ready(function() {
    $(document).on('click', '#registrationButton', registrationTest);
    $(document).on('keyup', 'input:text, input:password', checkParam);
});

function registrationTest(){

    var ime=$("#fname").val();
    var prezime=$("#lname").val();
    var email=$("#regEmail").val();
    var sifra=$("#regPassword").val();
    var address=$("#regAddress").val();regZipCode
    var regZipCode=$("#regZipCode").val();
    var city=$("#regCity").val();
    var country=$("#regCountry").val();
    var repeat=$("#regRepeatPassword").val();
    var reLozinka = /(^(?=.*\d)(?=.*[A-z\v{C\v{Z\v{S\v{D\v{c\v{c\v{z\v{s\v{d}]))(?=.*[~!@#$%^&*<>?]).{6},}$/;
    var reIme=/^[\u010c\u010c\u010c\u010c\u010c] [\u010c\u010c\u010c\u010c\u010c]{1,14} (\s[\u010c\u010c\u010c\u010c\u010c] [\u010c\u010c\u010c\u010c\u010c]{1,14})*$/;
    var rePrezime=/^[\u010c-\u017e] [\u010c-\u017e]+$/;
    var reEmail=/^\w+([.-]?[\w\d]+)*@\w+([.-]?[\w]+)*(\.\w{2,4})+$/;
    var reAddress=/^[\u010c-zA-Z0-9\v{S\v{d\v{D\v{z\v{Z\v{c\v{C\v{C}\s \v{/}-\.\.}+$/;
    var reCity=/^([\w]+\D|[\w]+\s[\w]+\D)$/;
    var reZip=/^\d{5}$/;
    var podaci = [];
    var validno=true;

    if(ime == "") {
        validno = false;
        error("#fname");

    } else if(!reIme.test(ime)) {
        validno = false;
        error("#fname");
    } else {
        success("#fname");
    }

    if(prezime == "") {
        error("#lname");
    }
}
```

```

        validno = false;
    } else if(!rePrezime.test(prezime)) {
        error("#lname");
        validno = false;
    } else {
        success("#lname");
    }

    if(sifra == "") {
        validno = false;
        error("#regPassword");
    } else if(!reLozinka.test(sifra)) {
        validno = false;
        error("#regPassword");
    } else {
        success("#regPassword");
    }

    if(email == "") {
        validno = false;
        error("#regEmail");
    } else if(!reEmail.test(email)) {
        validno = false;
        error("#regEmail");
    } else {
        success("#regEmail");
    }

    if(address == "") {
        validno = false;
        error("#regAddress");
    } else if(!reAddress.test(address)) {
        validno = false;
        error("#regAddress");
    } else {
        success("#regAddress");
    }

    if(city == "") {
        validno = false;
        error("#regCity");
    } else if(!reCity.test(city)) {
        validno = false;
        error("#regCity");
    }
}

```

```

} else {
    success("#regCity");
}

if(regZipCode == "") {
    validno = false;
    error("#regZipCode");

} else if(!reZip.test(regZipCode)) {
    validno = false;
    error("#regZipCode");
} else {
    success("#regZipCode");
}

if(repeat == "" || repeat!=sifra) {
    validno = false;
    error("#regRepeatPassword");
} else if(!reLozinka.test(repeat) || repeat!=sifra) {
    validno = false;
    error("#regRepeatPassword");
} else if(reLozinka.test(repeat) && repeat==sifra){
    success("#regRepeatPassword");
}

if(country==0){
    validno=false;
    error("#regContrry");
}else{
    success("#regContrry");
}

var re=$("#recaptcha").val()
if(validno==true){
    $.ajax({
        url:'models/authentication/registration.php',
        method:"POST",
        data:{
            imeReg:ime,
            prezimeReg:prezime,
            emailReg:email,
            passwordReg:sifra,
            addressReg:address,
            zipCode:regZipCode,
            cityReg:city,

```

```

        countryReg:country,
        registration:true,
        re:re
    } ,
    success:function(data, status, xhr) {
        if(xhr.status === 200) {
            window.location.href='index.php?
page=user' ;
        }
    },
    error:function(error,f,g) {
        console.log(error);
        console.log(f);
        console.log(g);
    }
}
}

function error(name) {
    $(name).addClass("errorReg");
    $(name).removeClass("successReg");
}

function success(name) {
    $(name).removeClass("errorReg");
    $(name).addClass("successReg");
}

function prikaziGreskeAjax(greska, status, statusText){
    console.error('GRESKA AJAX: ');
    console.log(status);
    console.log(statusText);
    if(greska.status == 500){
        console.log(greska.parseJSON);
        alert(greska.parseJSON.poruka);
    }
    else if(greska.status == 400){

```

```

        alert('Niste poslali ispravno parametre!')
    }

}

function checkParam() {
var ime=$("#fname").val();
var prezime=$("#lname").val();
var email=$("#regEmail").val();
var sifra=$("#regPassword").val();
var address=$("#regAddress").val();regZipCode
var regZipCode=$("#regZipCode").val();
var city=$("#regCity").val();
var country=$("#regCountry").val();
var repeat=$("#regRepeatPassword").val();
var reLozinka = /^(?=.*\d)(?=.*[A-zČĆŽĐčćžđ])(?=.*[~!@#$%^&*<>?]).{6,}$/;
var reIme=/^[\u010c\u0107\u0100\u0103\u0105\u0101\u0102\u0104\u0106\u0108\u0109\u010b\u010a\u010f\u010d\u010e\u010c\u0107\u0100\u0103\u0105\u0101\u0102\u0104\u0106\u0108\u0109\u010b\u010a\u010f\u010d\u010e] [a-z\u010c\u0107\u0100\u0103\u0105\u0101\u0102\u0104\u0106\u0108\u0109\u010b\u010a\u010f\u010d\u010e] {1,14} (\s[\u010c\u0107\u0100\u0103\u0105\u0101\u0102\u0104\u0106\u0108\u0109\u010b\u010a\u010f\u010d\u010e\u010c\u0107\u0100\u0103\u0105\u0101\u0102\u0104\u0106\u0108\u0109\u010b\u010a\u010f\u010d\u010e] [a-z\u010c\u0107\u0100\u0103\u0105\u0101\u0102\u0104\u0106\u0108\u0109\u010b\u010a\u010f\u010d\u010e] {1,14})*$/;
var rePrezime=/^[\u010c\u0107\u0100\u0103\u0105\u0101\u0102\u0104\u0106\u0108\u0109\u010b\u010a\u010f\u010d\u010e] [a-z]+$/;
var reEmail=/^\w+([.-]?[\w\d])+*\@\w+([.-]?[\w]+)*(\.\w{2,4})+$/;
var reAddress=/^[\u010c\u0107\u0100\u0103\u0105\u0101\u0102\u0104\u0106\u0108\u0109\u010b\u010a\u010f\u010d\u010e] [\u010c\u0107\u0100\u0103\u0105\u0101\u0102\u0104\u0106\u0108\u0109\u010b\u010a\u010f\u010d\u010e] \/\-\.\+\$/;
var reCity=/^([\w]+\D|[\w]+\s[\w]+\D)$/;
var reZip=/^\d{5}$/;
var podaci = [];
var validno=true;

    if(ime == "") {
        validno = false;
        error("#fname");

    } else if(!reIme.test(ime)) {
        validno = false;
        error("#fname");
    } else {
        success("#fname");
    }

    if(prezime == "") {
        error("#lname");
        validno = false;
    } else if(!rePrezime.test(prezime)) {
        error("#lname");
        validno = false;
    } else {
        success("#lname");
    }
}

```

```

    }

    if(sifra == "") {
        validno = false;
        error("#regPassword");
    } else if(!reLozinka.test(sifra)) {
        validno = false;
        error("#regPassword");
    } else {
        success("#regPassword");
    }

    if(email == "") {
        validno = false;
        error("#regEmail");
    } else if(!reEmail.test(email)) {
        validno = false;
        error("#regEmail");
    } else {
        success("#regEmail");
    }

    if(address == "") {
        validno = false;
        error("#regAddress");
    } else if(!reAddress.test(address)) {
        validno = false;
        error("#regAddress");
    } else {
        success("#regAddress");
    }

    if(city == "") {
        validno = false;
        error("#regCity");
    } else if(!reCity.test(city)) {
        validno = false;
        error("#regCity");
    } else {
        success("#regCity");
    }

    if(regZipCode == "") {
        validno = false;

```

```

        error("#regZipCode") ;

    } else if(!reZip.test(regZipCode)) {
        validno = false;
        error("#regZipCode");
    } else {
        success("#regZipCode");
    }

    if(repeat == "" || repeat!=sifra) {
        validno = false;
        error("#regRepeatPassword");
    } else if(!reLozinka.test(repeat) || repeat!=sifra) {
        validno = false;
        error("#regRepeatPassword");
    } else if(reLozinka.test(repeat) && repeat==sifra){
        success("#regRepeatPassword");
    }

    if(country==0){
        validno=false;
        error("#regContry");
    }else{
        success("#regContry");
    }
}

```

### 6.8.2.20. ResetPassword.js

```

$(document).ready(function() {
    $(document).on('keyup','input:text, input:password',validation);
});

function validation(){
    var password=$("#passwordReset").val();
    var repeat=$("#passwordResetRepeat").val();
    var button=$("#resetPasswordButton")
    var reLozinka = /^(?=.*\d)(?=.*[A-zČĆŽŠĐčćžđ])(?=.*[~!@#$%^&*(>?])\.{6,}$/;
    var status=true;
}

```

```

if(password == "") {
    status = false;
    error("#passwordReset");
} else if(!reLozinka.test(password)) {
    status = false;
    error("#passwordReset");
} else {
    success("#passwordReset");
}

if(repeat == "" || repeat!=password) {
    status = false;
    error("#passwordResetRepeat");
} else if(!reLozinka.test(repeat) || repeat!=password) {
    status = false;
    error("#passwordResetRepeat");
} else if(reLozinka.test(repeat) && repeat==password){
    success("#passwordResetRepeat");
}

if(status==false){
    $(button).prop( "disabled", true );
    $(button).addClass("buttonDisable");
} else{
    $(button).prop( "disabled", false );
    $(button).removeClass("buttonDisable");
}

}

function error(name) {
    $(name).addClass("errorReg");
    $(name).removeClass("successReg");
}

function success(name) {
    $(name).removeClass("errorReg");
    $(name).addClass("successReg");
}

```

### 6.8.2.21. Stripe.js

```
$(document).ready(function() {  
  
    function getLS(name) {  
        return JSON.parse(localStorage.getItem(name));  
    }  
    document.getElementById('sssd').value=getLS("total");  
    stripe();  
  
});  
function stripe(){  
    var stripe = Stripe('pk_test_VjJOHhpOOuyZljJZCJc1fb8v00C0vkfuuA');  
  
    // Create an instance of Elements.  
    var elements = stripe.elements();  
  
    // Custom styling can be passed to options when creating an Element.  
    // (Note that this demo uses a wider set of styles than the guide  
below.)  
    var style = {  
        base: {  
            color: '#32325d',  
            fontFamily: '"Helvetica Neue", Helvetica, sans-serif',  
            fontSmoothing: 'antialiased',  
            fontSize: '16px',  
            ':placeholder': {  
                color: '#aab7c4'  
            },  
            invalid: {  
                color: '#fa755a',  
                iconColor: '#fa755a'  
            }  
        },  
    };  
  
    // Create an instance of the card Element.  
    var card = elements.create('card', {style: style});  
  
    // Add an instance of the card Element into the `card-element` <div>.  
    card.mount('#card-element');  
  
    // Handle real-time validation errors from the card Element.  
};
```

```

card.addEventListener('change', function(event) {
  var displayError = document.getElementById('card-errors');
  if (event.error) {
    displayError.textContent = event.error.message;
    let fffff = document.getElementById('hiddenA');
    fffff.value="dd";
  } else {
    let fffff = document.getElementById('hiddenA');
    fffff.value="dssd";
    displayError.textContent = '';
  }
}) ;

// Handle form submission.
var form = document.getElementById('payment-form');
form.addEventListener('submit', function(event) {
  event.preventDefault();

  stripe.createToken(card).then(function(result) {
    if (result.error) {
      // Inform the user if there was an error.
      var errorElement = document.getElementById('card-errors');
      errorElement.textContent = result.error.message;
    } else {
      stripeTokenHandler(result.token);
    }
  });
}) ;

// Submit the form with the token ID.
function stripeTokenHandler(token) {
  // Insert the token ID into the form so it gets submitted to the
server
  var form = document.getElementById('payment-form');
  var hiddenInput = document.createElement('input');
  hiddenInput.setAttribute('type', 'hidden');
  hiddenInput.setAttribute('name', 'stripeToken');
  hiddenInput.setAttribute('value', token.id);
  form.appendChild(hiddenInput);

  // Submit the form
  form.submit();
}
}

```

### 6.8.2.22. User.js

```
$ (document) .ready(function() {
    paginationNumber();
    $(
    ("#userOrderPagination") .on('click' ,'.pagUser' ,paginationUserOrder);
    $
    (document) .on("click" , "#updateUserInfoButton" , updateUserInformation);
    $
    (document) .on("click" , "#updatePasswordUserButton" , updateUserPassword);
    $(document) .on('keyup' , '.userValidation' , userValidation);
    $(document) .on('change' , '#countryUpdateUser' , userValidation);
    $(document) .on('keyup' , '#userRepeatPassword , #userPassword' ,
passwordValidation);
    $(document) .on("click" , ".orderUserButton" , getOrderId);

    togleElements();
}) ;

function paginationUserOrder(){
    var idpag=$(this).data('id');
    var idUser=$("#idUser") .val();
    document.querySelector("#pagUser") .value=idpag;
    $.ajax({
        url:"models/user/pagination.php",
        dataType:"json",
        method:"post",
        data:{
            idpag:idpag,
            idUser:idUser
        },
        success:function(data) {
            userOrder(data);

        },
        error:errorAjax
    })
}

function paginationNumber(){
    var idUser=$("#idUser") .val();
    $.ajax({
        url:"models/user/pagNumber.php",
```

```

        dataType:"JSON",
        method:"GET",
        data:{
            idUser:idUser
        },
        success:function(data){
            printPagination(data)
        },error:errorAjax
    })
}

function userOrder(data) {
    var html="";
    for(var item of data){
        html+=`|
            <td data-label="Order Id">${item.idOrders}</td>
            <td data-label="Price">${item.total}</td>
            <td data-label="Date">${item.dateOrders}</td>
            <td data-label="User name">${item.name} ${item.lastName}</td>
            <td data-label="Status">`;
            if(item.idOrderStatus==1){
                html+=`Wait <span class='wait'><i class='fa fa-circle'></i></span>`;
            }else if(item.idOrderStatus==2){
                html+=`Sell <span class='sell'> <i class='fa fa-circle'></i></span>`;
            }else{
                html+=`Error <span class='error'><i class='fa fa-circle'></i></span>`;
            }
            html+=`</td>
            <td data-label="Info" class="details"><button class="plava orderUserButton" data-idorder=${item.idOrders} onclick="document.getElementById('userOrderModal').style.display='block'">Details</button></td>
        </tr>
    `;
    }
    $("#orderProducts").html(html)
    console.log(html);
}

|  |

```

```

}

function printPagination(data) {
    var limit=6;
    var active=document.querySelector("#pagUser").value
    var total=Math.ceil(data.number/limit);

    var html=<div class='paginationUser'>;
    for(var i=1;i<=total;i++) {
        if(active==i){
            html+=`<a href='javascript:void(0)' value=${i} data-id=${i}
class="onePag activeUser pagUser" >${i}</a>`;
        }else{
            html+=`<a href='javascript:void(0)' value=${i} data-id=${i}
class="onePag pagUser" >${i}</a>`;
        }
    }
    $("#userOrderPagination").html(html);

    paginationActive();
}

function paginationActive(){
    var header = document.querySelector(".paginationUser");
    var btns = header.getElementsByClassName("pagUser");
    for (var i = 0; i < btns.length; i++) {
        btns[i].addEventListener("click", function() {
            var current = document.getElementsByClassName("activeUser");
            current[0].className = current[0].className.replace(" activeUser",
"");
            this.className += " activeUser";
        });
    }
}

function errorAjax(greska, status, statusText){
    console.error('GRESKA AJAX: ');
    console.log(status);
    console.log(statusText);
    if(greska.status == 500){
        console.log(greska.parseJSON);
    }
}

```

```

        alert(greska.parseJSON.poruka);
    }
    else if(greska.status == 400){
        alert('Niste poslali ispravno parametre!')
    }
}

function selectTab(evt, name) {
    var i, tabcontent, tablinks;

    tabcontent = document.getElementsByClassName("tabcontent");
    for (i = 0; i < tabcontent.length; i++) {
        tabcontent[i].style.display = "none";
    }

    tablinks = document.getElementsByClassName("tablinks");
    for (i = 0; i < tablinks.length; i++) {
        tablinks[i].className = tablinks[i].className.replace("activeAdmin", "");
    }

    document.getElementById(name).style.display = "block";
    evt.currentTarget.className += " activeAdmin";
}

function updateUserInformation(){
    var name=$("#fname").val();
    var lastName=$("#lname").val();
    var email=$("#emailUpdateUser").val();
    var address=$("#addressUpdateUser").val();
    var city=$("#cityUpdateUser").val();
    var zip=$("#zipCodeUpdateUser").val();
    var country=$("#countryUpdateUser").val();

    $.ajax({
        url:"models/user/updateUserInformation.php",
        method:"POST",
        data:{
            name:name,
            lastname:lastName,
            email:email,
            address:address,
            city:city,
            zip:zip,
            country:country,
        }
    })
}

```

```
submitInfo:true

} ,
success:function() {
    successData();
}

},error:function() {

}

})

}

function updateUserPassword(){
var password=$("#userPassword").val();
var rePassword=$("#userRepeatPassword").val();
$.ajax({
    url:"models/user/updatePassword.php",
    method:"POST",
    data:{
        password:password,
        rePassword:rePassword,
        submitPassword:true
    },
    success:function() {
        successData();
    }

},error:function() {

}

})
}

function userValidation(){
var name=$("#fname");
var lastName=$("#lname");
var email=$("#emailUpdateUser");
var city=$("#cityUpdateUser");
var zip=$("#zipCodeUpdateUser");
var contry=$("#countryUpdateUser");
var address=$("#addressUpdateUser");

var rePassword = /(^(?=.*\d)(?=.*[A-zČŽŠĐčćžđ])(?=.*[~!@#$%^&*<>?]).{6,})$/;
```



```

}else if(!regEx.test(name.val())) {
    status = false;
    error(name);
}else {
    status=true;
    success(name);
}
console.log(status);
return status;
}

function validationSelectField(name) {
    var name=$(name);
    var status=true;
    if(name.val()==0){
        status=false;
        error(name);
    }else{
        status=true;
        success(name);
    }
    console.log(status);
    return status;
}

function error(name) {
    $(name).addClass("errorReg");
    $(name).removeClass("successReg");
}

function success(name) {
    $(name).removeClass("errorReg");
    $(name).addClass("successReg");
}

function passwordValidation() {
    var rePassword = /^(?=.*\d)(?=.*[A-Z])(?=.*[a-z])(?=.*[!@#$%^&*()_+=-]).{6,}$/,
        var password=$("#userPassword");
        var repeatPassword=$("#userRepeatPassword");
        var button=$("#updatePasswordUserButton");
        var status=true;
}

```

```

if(password.val() == "") {
    status=false;
    error(password);
} else if(!rePassword.test(password.val())) {
    status=false;
    error(password);
} else{
    status=true;
    success(password);
}

if(repeatPassword.val() == "") {
    status=false;
    error(repeatPassword);
} if(repeatPassword.val() != password.val()) {
    status=false;
    error(repeatPassword);
} else if(!rePassword.test(repeatPassword.val())) {
    status=false;
    error(repeatPassword);
} else{
    status=true;
    success(repeatPassword);
}

}

if(status==false){
    $(button).prop( "disabled", true );
    $(button).addClass("buttonDisable");
} else{
    $(button).prop( "disabled", false );
    $(button).removeClass("buttonDisable");
}
}

function getOrderId(){
var id=$(this).data('idorder');
$.ajax({
    url:"models/user/userOrder.php",
    method:"GET",
    dataType:"JSON",
    data:{ id:id
}
}

```

```

} ,success:function(data) {
    getOrderProduct(id)
    printOrder(data)

} ,error:function() {

}

})

}

function printOrder(data) {
    var html="";
    html=`
<li>Name: ${data.name} ${data.lastName}</li>
<li>Payment method: ${data.payment}</li>
<li>Address: ${data.address}</li>
<li>Zip: ${data.zip}</li>
<li>City: ${data.city}</li>
<li>Country: ${data.country}</li>
<li>Email: ${data.email}</li>
<li>Date: ${data.date}</li>
<li id="orderProduct"></li>
<li>Total Price: ${data.total}</li>
`;
    $("#" + userOrderD).html(html);
}

function getOrderProduct(id) {
    var id=id;
    $.ajax({
        url:"models/user/userOrderProduct.php",
        method:"GET",
        dataType:"JSON",
        data:{id:id}
    },success:function(data) {
        printOrderProduct(data)

    },error:function() {

    })
}
}

```

```

function printOrderProduct(data) {
    var html="";

    for(var item of data){
        html+=`

Name: ${item.name} Price: ${item.newPrice} Quantity: ${item.quantity},

`;
    }
    $("#orderProduct").html(html)
}

function togleElements() {
    $("#adminModeratorHiddenNav").click(function(){
        $("#sidebar").toggle("1000");
    });
}

function successData(){
    $("#info").html("<div id='notification' class='notificationColorGreen'>Successfully!</div>");
    setTimeout(function() {
        $("#notification").hide(500);
    }, 3000);
}

```

### 6.8.2.23. UserEdit.js

```

$(document).ready(function(){
    $(document).on("click","#editUserButton",editUser);
    $(document).on("keyup",".userValidation",userValidation);
    $(document).on("change","#roleUserEdit,#countryUserEdit",userValidation);
});

function editUser(){
    var idUser=$(this).data('iduser');
    var name=$("#firstNameUserEdit").val();
    var lastName=$("#lastNameUserEdit").val();
    var email=$("#emailUserEdit").val();
    var role=$("#roleUserEdit").val();
}

```

```

var city=$("#cityUserEdit").val();
var zip=$("#zipUserEdit").val();
var address=$("#addressUserEdit").val();
var contry=$("#contryUserEdit").val();

$.ajax({
    url:"models/admin/user/userEdit.php",
    method:"POST",
    data:{
        idUser:idUser,
        name:name,
        lastName:lastName,
        email:email,
        role:role,
        zip:zip,
        city:city,
        address:address,
        contry:contry
    },
    success:function(){
        successData();
    },error:errorAjax
})
}

function errorAjax(error, status, statusText){
    console.error('ERROR AJAX: ');
    console.log(status);
    console.log(statusText);
    if(error.status == 500){
        console.log(error.parseJSON);
        alert(error.parseJSON.poruka);
    }
    else if(error.status == 400){
        alert('Niste poslali ispravno parametre!')
    }
}

function userValidation(){
    var name=$("#firstNameUserEdit");
    var lastName=$("#lastNameUserEdit");
    var email=$("#emailUserEdit");
    var role=$("#roleUserEdit");
}

```

```

var city=$("#cityUserEdit");
var zip=$("#zipUserEdit");
var address=$("#addressUserEdit");
var contry=$("#contryUserEdit");
var button=$("#editUserButton");

var reName=/^ [A-ZČĆŽŠĐ] [a-zčćžšđ] {1,14} (\s [A-ZČĆŽŠĐ] [a-zčćžšđ]
{1,14}) *$/;
var reLastName=/^ [A-Z] [a-z]+$/;
var reEmail=/^ \w+([.-]?[\w\d]+)*@\w+([.-]?[\w]+)*(\.\w{2,4})+$/;
var reAddress=/^ [a-zA-Z0-9šđžčćĆ\s ] /[-. ]+$/;
var reCity=/^ ([\w]+\D| [\w]+\s [\w]+\D)$/;
var reZip=/^ [\d] {5} $/;

valid=true;

if(name.val() == "") {
    valid = false;
    error(name);

} else if(!reName.test(name.val())) {
    valid = false;
    error(name);
} else {
    success(name);
}

if(lastName.val() == "") {
    valid = false;
    error(lastName);
} else if(!reLastName.test(lastName.val())) {
    valid = false;
    error(lastName);
} else {
    success(lastName);
}

if(email.val() == "") {
    valid = false;
    error(email);
} else if(!reEmail.test(email.val())) {

```

```

    valid = false;
    error(email);
} else {
    success(email);
}

if(city.val() == "") {
    valid = false;
    error(city);

} else if(!reCity.test(city.val())) {
    valid = false;
    error(city);
} else {
    success(city);
}

if(address.val() == "") {
    valid = false;
    error(address);

} else if(!reAddress.test(address.val())) {
    valid = false;
    error(address.val());
} else {
    success(address);
}

if(zip.val() == "") {
    valid = false;
    error(zip);

} else if(!reZip.test(zip.val())) {
    valid = false;
    error(zip);
} else {
    success(zip);
}

if(role.val()==0){
    valid = false;
    error(role);
}

```

```

} else{
    success(role);
}

if(contry.val() == 0){
    valid = false;
    error(contry);
} else{
    success(contry);
}

if(valid == false){
    $(button).prop("disabled", true);
    $(button).addClass("buttonDisable");
} else{
    $(button).prop("disabled", false);
    $(button).removeClass("buttonDisable");
}

}

function error(name) {
    $(name).addClass("errorReg");
    $(name).removeClass("successReg");
}

function success(name) {
    $(name).removeClass("errorReg");
    $(name).addClass("successReg");
}

function successData(){
    $("#info").html("<div id='notification' class='notificationColorGreen'>Successfully!</div>");
    setTimeout(function() {
        $("#notification").hide(500);
    }, 3000);
}

```

#### 6.8.2.24. Home.js

```
$(document).ready(function() {
    slickSlider();
    $(document).on("click",' .sliverCircle' ,changeToSilverMac);
    $(document).on("click",' .grayCircle' ,changeToGrayMac);
});

function slickSlider(){
    $('#slide-container').slick({
        slidesToShow: 4,
        slidesToScroll: 1,
        autoplay: true,
        autoplaySpeed: 2000,
        infinite: true,
        prevArrow:$("#proLeft"),
        nextArrow:$("#proRight"),
        responsive:[
            {
                breakpoint:1200,
                settings:{
                    slidesToShow:3,
                    slidesToScroll:3,
                    infinite:true,
                }
            },
            {
                breakpoint:900,
                settings:{
                    slidesToShow:2,
                    slidesToScroll:2,
                    infinite:true,
                }
            },
            {
                breakpoint:600,
                settings:{
                    slidesToShow:1,
                    slidesToScroll:1,
                    infinite:true,
                }
            },
        ],
    })
}
```

```

        }) ;
    }

function changeToSilverMac(){
    $("#macHomeImg img").attr("src","assets/images/ar_silver.jpg");
    $(".circle1").addClass("circleBorder");
    $('.circle2').removeClass('circleBorder');
}

function changeToGrayMac(){
    $("#macHomeImg img").attr("src","assets/images/ar_gray.jpg");
    $(".circle2").addClass("circleBorder");
    $('.circle1').removeClass('circleBorder');
}

```

### 6.8.2.25. OneProduct.js

```

$(document).ready(function() {
    multiImage();
    $(document).on('click','#addComment',sendComment);
    $(document).on('click','#addReply',replyComment);
    $(document).on('click','.delComment',dellComment);
    $(document).on('click','.oneProductBuyButton',addToCart);
    $(document).on('click','.delReplies',dellReplyComment);
    $(document).on('click','.minus-one',minusQuantity);
    $(document).on('click','.plus-one',plusQuantity);

    $(document).on('click','.minus-one', getProductQuantity);
    $(document).on('click','.plus-one', getProductQuantity);

    console.log($(".productQuantity").html());
    reply();
    replyMoreToggle();
    showMore();
    ratingSystem();
    printCartCount();
});

function sendComment(){
    var comment=$("#commentValue").val();
    var userId=$("#userId").val();
    var productId=$("#productId").val();

```

```

if(comment != "") {
    $.ajax({
        url: 'models/products/sendProductComments.php',
        method: "POST",
        data: {
            comment:comment,
            userId:userId,
            productId:productId
        },
        success:function() {
            console.log("uspesno uneto");

        },error:function(e,ee,eee) {
            console.log(e);
            console.log(ee);
            console.log(eee);

        }
    })
    $("#noText").html("Send!");
} else{
    $("#noText").html("unesi komentar");
}
}

function reply(){
    $(".replayArea").hide();
    jQuery('.replyButton').on('click', function(event) {

jQuery(this).closest('.comment').find('.replayArea').toggle(500);
    });
}

function replyComment(){
    var commentId=$(this).data('id');
    var textareaId=".replayValue"+commentId;
    var comment=$(textareaId).val();
}

```

```

var userId=".userId"+commentId;
var user=$(userId).val();

if(comment != "") {
    $.ajax({
        url:'models/products/sendRepliesComments.php',
        method:"POST",
        data:{
            user:user,
            commentId:commentId,
            comment:comment
        },
        success:function() {
            console.log("uspesno uneto");

        },error:function(e,ee,eee) {
            console.log(e);
            console.log(ee);
            console.log(eee);
        }
    })
    $(".noText").html("Send!");
} else{
    $(".noText").html("unesi komentar");
}

}

function replyMoreToggle(){
    $(".repliesComment").hide();
    jQuery('.moreRepliesButton').on('click', function(event) {

jQuery(this).closest('.comment').find('.repliesComment').toggle(500);
    });
}

function showMore(){
    $(document).on('click','#showCommentButton',function(){
        var elems = document.getElementsByClassName('ko');
        for (var i=0;i<elems.length;i+=1){
            elems[i].style.display = 'block';
        }
    });
}

```

```

        }

        $("#showCommentButton").hide();

    })

}

function dellComment(){
    var commentId=$("this").data('idcomment');
    $.ajax({
        url:'models/products/deleteComment.php',
        method:"POST",
        data:{
            commentId:commentId,
        },
        success:function(){
            $(".delText"+commentId).html("Successfully Deleted!")
        },error:function(e,ee,eee){
            console.log(e);
            console.log(ee);
            console.log(eee);
        }
    })
}

function dellReplyComment(){
    var repliesId=$("this").data('idreplie');
    $.ajax({
        url:'models/products/deleteComment.php',
        method:"POST",
        data:{
            repliesId:repliesId,
        },
        success:function(){
            $(".delText"+repliesId).html("Successfully Deleted!")
        },error:function(e,ee,eee){

```

```

        console.log(e);
        console.log(ee);
        console.log(eee);

    }

}

function multiImage() {

console.log("radddd");

var slideIndex = 1;
showSlides(slideIndex);

function plusSlides(n) {
    showSlides(slideIndex += n);
}

$(document).on("click", '#prev', {'param': -1}, function(event) {
    plusSlides(event.data.param)
});
$(document).on("click", '#next', {'param': 1}, function(event) {
    plusSlides(event.data.param)
});

function showSlides(n) {
    var i;
    var slides = document.getElementsByClassName("mySlides");
    var dots = document.getElementsByClassName("demo");

    if (n > slides.length) {slideIndex = 1}
    if (n < 1) {slideIndex = slides.length}
    for (i = 0; i < slides.length; i++) {
        slides[i].style.display = "none";
    }
    for (i = 0; i < dots.length; i++) {
        dots[i].className = dots[i].className.replace(" activeee", "");
    }
    slides[slideIndex-1].style.display = "block";
    dots[slideIndex-1].className += " activeee";
}

```

```

        }

        slides[slideIndex-1].style.display = "block";
        dots[slideIndex-1].className += " activeee";

    }
}

function ratingSystem(){

    var ratedIndex=-1;

    $(document).on('click','.fa-star',function(){
        ratedIndex= parseInt($(this).data('index'));

        var idProducts=$("#productIdrating").val();
        sendParametar(ratedIndex,idProducts);

        for (var i=0;i<ratedIndex;i++){
            $(".fa-star:eq("+i+")").css('color','#ff4f4f');
        }
        $("#productRatingNumber").val(ratedIndex)

    });

    var initialRating=parseInt($("#initialRating").val());

    var productRatingNumber=parseInt($("#productRatingNumber").val());

    var rating=0;
    if(productRatingNumber==0){
        rating=initialRating
    }else{
        rating=productRatingNumber
    }

    if(productRatingNumber==0){
        ratedIndex=rating;
        for (var i=0;i<rating;i++){
            $(".fa-star:eq("+i+")").css('color','rgb(255, 166, 0)');
        }
    }else{
        ratedIndex=rating;
    }

}

```

```

        for (var i=0;i<rating;i++) {
            $(".fa-star:eq("+i+")).css('color', '#ff4f4f');
        }
    }

$(document).on('mouseover','.fa-star',function(){
    var productRatingNumber=parseInt($("#productRatingNumber").val());
    restartColors();
    var currentIndex= parseInt($(this).data('index'));
    if(productRatingNumber==0) {
        for (var i=0;i<currentIndex;i++){
            $(".fa-star:eq("+i+")).css('color', 'rgb(255, 166, 0)');
        }
    }else{
        for (var i=0;i<currentIndex;i++){
            $(".fa-star:eq("+i+")).css('color', '#ff4f4f');
        }
    }
});

$(document).on('mouseleave','.fa-star',function(){
    var productRatingNumber=parseInt($("#productRatingNumber").val());
    restartColors();
    if(ratedIndex!=-1){
        if(productRatingNumber==0){
            for (var i=0;i<ratedIndex;i++){
                $(".fa-star:eq("+i+")).css('color', 'rgb(255, 166, 0)');
            }
        }else{
            for (var i=0;i<ratedIndex;i++){
                $(".fa-star:eq("+i+")).css('color', '#ff4f4f');
            }
        }
    }
});

function restartColors(){
    $(".fa-star").css('color', 'rgba(255, 166, 0, 0.411)');
}

```

```

        }

    function sendParameter(index,idProducts) {
        $.ajax({
            url:"models/products/ratingSystem.php",
            method:"POST",
            data:{
                index:index,
                idProducts:idProducts
            },
            success:function(data) {
                $("#ratingSpan") .html(" (" +data+ ")");
            },error:function() {

            }
        })
    }

}

function productsInCart() {
    return JSON.parse(localStorage.getItem("products"));
}

function addToCart() {
    let id = $(this).data("idcart");
    let price = $(this).data("price");

    var quantity=parseInt($("#addProductToCartNumber").val());
    if(quantity!=0){
        console.log("quantity "+quantity);
        var products = productsInCart();

        if(products) {
            if(productIsAlreadyInCart()) {
                updateQuantity();
            } else {
                addToLocalStorage()
            }
        } else {
    
```

```

        addFirstItemToLocalStorage() ;
    }

    addToCartNotification();

    function productIsAlreadyInCart() {
        return products.filter(p => p.id == id).length;
    }

    function addToLocalStorage() {
        var quantity=parseInt($(".productQuantity").html());
        console.log(quantity);
        let products = productsInCart();
        products.push({
            id : id,
            quantity : quantity,
            price:price
        });
        localStorage.setItem("products",
JSON.stringify(products));
        printCartCount();
    }

    function updateQuantity() {
        let products = productsInCart();
        var quantity=parseInt($(".productQuantity").html());

        for(let i in products)
        {
            if(products[i].id == id) {
                var currentQuantity =products[i].quantity;
                products[i].quantity=currentQuantity+quantity;
                break;
            }
        }

        localStorage.setItem("products",
JSON.stringify(products));
        printCartCount();
    }

    function addFirstItemToLocalStorage() {

```

```

        var quantity=parseInt($(".productQuantity").html());
        let products = [];
        products[0] = {
            id : id,
            quantity : quantity,
            price:price
        };
        localStorage.setItem("products",
JSON.stringify(products));
        printCartCount();
    }

} else{
    addToCartNotificationError();
}
}

function clearCart() {
    localStorage.removeItem("products");
}

function getLS(name) {
    return JSON.parse(localStorage.getItem(name));
}

function hasLS(name) {
    return localStorage.getItem(name) != null;
}

function printCartCount() {
    if (hasLS("products")) {
        let count = 0,
        books = getLS("products");
        for (let book of books) {
        count += book.quantity;
        }
        $(".badge_cart").text(count);
    } else {
        $(".badge_cart").text(0);
    }
}

function minusQuantity(){

```

```

var quantity=parseInt($(".productQuantity").html());
var html=0;
if(quantity==0){
    html=0;
} else{
    html=quantity-1;
}
$(".productQuantity").html(html);
$("#addProductToCartNumber").val(html);
}

function plusQuantity(){
    var quantity=parseInt($(".productQuantity").html());
    $("#addProductToCartNumber").val(quantity);
    html=quantity+1;
    $(".productQuantity").html(html);
}

function getProductQuantity(){
    var quantity=parseInt($(".productQuantity").html());
    $("#addProductToCartNumber").val(quantity);
    var id=$("this).data('id');
    $.ajax({
        url:"models/products/getProductQuantity.php",
        method:"GET",
        dataType:"JSON",
        data:{
            oneProductId:id
        },
        success:function(data) {
            if (quantity > parseInt(data.Quantity)) {
                $(".productQuantity").html(data.Quantity);
                $('.plus-one').prop('disabled', true);
            } else{
                $('.plus-one').prop('disabled', false);
            }
        },
        error:function() {
        }
    })
}

```

```
function addToCartNotification() {
    $("#info").html("<div id='notification' class='notificationColorGreen'>Cart successfully updated!</div>");
    setTimeout(function() {
        $("#notification").hide(500);
    }, 3000);
}

function addToCartNotificationError() {
    $("#info").html("<div id='notification' class='notificationColorRed'>select product number!</div>");
    setTimeout(function() {
        $("#notification").hide(500);
    }, 3000);
}
```

## **7. Закључак**

У свему изнад наведеном описан је рад web продавнице “iTech”. Вођено је рачуна да корснички интерфејс буде што једноставнији и конкретнији како би се корисник што боље снашао и што мање времена губио.

Посебна пажња је обраћена на визуелни идентитет сајта. Свака страна сајта не садржи више од 3 боје како не би оптерећивала корисника. Све структуре на сајту су обле. На сајту су углавном коришћене хладне боје у комбиновању са топлим које наглашавају битније делове сајта.

Сајт је оптимизован за све уређаје како би корисник имао потпуни угођај у раду и коришћењу сајта. Исто тако сајт је и SEO оптимизован како би корисник лакше могао да дође до сајта преко различитих претраживача и како би сајт био што боље позициониран.

## 8. Литература

1. Duckett, Jon. Web design with HTML, CSS, JavaScript and jQuery set. Vol. 1. IN: Wiley, 2014.
2. Welling, Luke, and Laura Thomson. PHP and MySQL Web development. Sams Publishing, 2003.
3. Clifton, Brian. Advanced web metrics with Google Analytics. John Wiley & Sons, 2012.
4. Ho, Thang. "Stripe payments in Web Application." (2019).
5. Dover, Danny, and Erik Dafforn. Search engine optimization (SEO) secrets. Vol. 141. John Wiley & Sons, 2011.
6. <https://ckeditor.com/docs/ckeditor4/latest/index.html>
7. <https://github.com/PHPMailer/PHPMailer>
8. <https://kenwheeler.github.io/slick/>
9. <https://developers.google.com/recaptcha/docs/v3>
10. <https://fonts.googleapis.com/>