



FIRST AID

ACADEMIC

Grade 11/12

Curriculum Guide

FIRST AID
Pre-requisite: None

Course Description:

This course equips learners with essential knowledge and practical skills for preventing, recognizing, and managing injuries and emergencies. It covers risk assessment, principles of safety and first aid, and the legal and ethical standards that guide responsible emergency care. It introduces proper techniques in wound care, bandaging, dressing, and splinting for various injuries—including wounds, burns, fractures, muscle cramps, shock, and heat-related conditions. They also explore safe procedures for handling common injuries, animal and insect bites, and household emergencies. Additionally, the course develops learners' ability to apply alternative materials for first aid management when standard supplies are unavailable. Through guided practice and performance-based activities, learners build competence and confidence in delivering timely, effective, and ethical first aid responses.

Elective: Academic

Time Allotment: 80 hours for one term

Content Standard:

- The learners demonstrate understanding of first aid, injury prevention, management as guided by laws, policies, regulations, and ethical standards to ensure a prompt and proper emergency response.

Performance Standard:

- The learners evaluate safety practices in injury prevention and management, including adherence to related laws and ethical standards, and appropriate application of techniques for dressing, bandaging, and splinting to ensure a prompt and proper response during emergencies.

LEARNING COMPETENCIES	CONTENT
The learners... 1. discuss the importance of risk assessment, principles of safety and first aid;	Risk Management Safety and First Aid • Importance • Principles • Hindrances in giving First Aid • Body Substance Isolation (BSI) • Importance of First Aid Kit Objectives of First Aid • Preserve life • Prevent further harm and complications • Seek immediate medical help • Provide reassurance Qualifications of a Good First Aider • Characteristics of a Good First Aider Roles and Responsibilities of a First Aider
2. explain laws, regulations, policies, and ethical standards related to safety and first aid;	Legal Bases a. Republic Act No. 10871 “Basic Life Support Training in School’s Act”, also known as “<i>SAMBOY LIM Law</i>” b. Republic Act 10121 “<i>Philippine Disaster Risk Reduction and Management Act of 2010</i>” c. Article 275 of the Revised Penal Code of the Philippines: “<i>Abandonment of person in danger and abandonment of one’s own victim</i>” in relation to Article 2176 of the Civil Code- “<i>Quasi-Delict</i>” Ethical Standards (<i>Do's and Don'ts in giving First Aid</i>)

LEARNING COMPETENCIES	CONTENT
3. demonstrate the proper procedures for Standard First Aid management of common injuries, insects, and animal bites;	Common Injuries • Wounds (open and close), Muscle cramps, Burn Shock, Bone injuries, Head injuries, & Heat-related injuries First Aid Management • PRICE (Protect, Rest, Ice, Compression, Elevation) • Proper Wound Care • Households/Domestic Injuries
4. apply techniques of dressing and bandaging in managing injuries;	Concepts of Dressing and Bandaging • Uses of Dressing and Bandages • Triangular and cravat bandage - Parts of Triangular Bandage • Roller/Elastic bandage • Binder bandage - T-binders, Sling, Straight binder, Breast binder, Abdominal binder Bandaging Techniques • Open Phase • Broad Cravat • Semi-broad Cravat • Narrow Cravat
5. execute proper splinting techniques for upper and lower extremity injuries; and	Splinting Techniques • Principles of Splinting • Long and Short Bone Injuries • Fracture of upper and lower extremities • Dislocation
6. assess the application of alternative materials for dressing, bandaging, and splinting.	Alternative Materials • Dressing (clean cloth or towel, sanitary pads) • Bandaging (clean cloth or fabric, belt, duct tape) • Splinting (twigs, notebooks, cardboards)

GLOSSARY

Bandaging refers to the process of using a piece of material (such as gauze, cloth, or an elastic bandage) to secure a dressing in place, apply pressure, or immobilize an injured area.

Bone Injury refers to damage to the bones resulting from trauma, such as fractures, dislocations, or bone contusions.

Broad Cravat refers to a type of cravat bandage where the triangular bandage is folded to create a wider, broader strip.

Burn refers to tissue damage caused by exposure to heat, chemicals, electricity, or radiation.

Chain of Survival refers to a series of critical steps to improve the chances of survival for someone experiencing a life-threatening medical emergency.

Closed Wound refers to an injury where the skin remains intact, but underlying tissue such as muscles, tendons, or ligaments are damaged. Examples include bruises, contusions, and internal bleeding.

Commercial Stretcher refers to a medical stretcher typically used for patient transport, often found in ambulances or hospitals.

Cravat Bandage refers to a type of bandage made by folding a triangular bandage into a strip. It's used to cover or secure dressings, particularly for head or neck injuries. It is versatile for securing splints, as a sling, or wrapping a joint.

Dressing refers to any sterile material applied to a wound or injury to protect it from infection, absorb exudate (fluid discharge), promote healing, and prevent further injury.

Dislocation refers to a joint injury where the bones that form the joint are forced out of their normal positions. Dislocations can cause pain, swelling, and immobility in the affected joint. Common examples include shoulder dislocations and finger dislocations. Dislocations often require medical intervention to reposition the bones.

Empathy refers to providing care with understanding and kindness.

First Aid Management refers to the immediate care given to an injured or ill person until professional medical help can be provided.

First Aid is the immediate care given to an injured or ill person before professional medical help arrives.

Fracture refers to a break or crack in a bone. Fractures can occur in various forms, such as:

Good First Aider is an individual who is calm, knowledgeable, observant, confident, and capable of performing first aid efficiently.

Heat-related injuries are conditions that occur due to excessive heat exposure, which can lead to dehydration, electrolyte imbalance, and organ failure.

Hindrances are barriers such as fear of doing harm, lack of knowledge, absence of equipment, or emotional stress that prevent effective first aid delivery.

Head Injury refers to trauma to the head, which can affect the scalp, skull, or brain. Common types include:

Long Bone Injuries refer to fractures or injuries that occur in the long bones (such as the femur, tibia, or humerus). Splinting of long bones typically requires immobilization over a long length of the bone, from the joint above the fracture to the joint below it, to prevent movement and reduce pain.

Lower Extremity refers to fractures of the leg, including the femur, tibia, or fibula. These fractures usually require longer splints that extend from the hip or knee down to the foot for proper immobilization.

Muscle Cramps are sudden, involuntary contractions of a muscle that cause pain and stiffness, often resulting from dehydration, overuse, or an imbalance in electrolytes.

Observation Skills refer to recognizing the signs and symptoms of injuries or illnesses.

Open Phase refers to a type of bandaging technique where the bandage is applied without covering or sealing the wound completely. The goal is to allow for ventilation while protecting the wound from dirt or further injury.

Open Wound refers to an injury where the skin or mucous membrane is broken, exposing underlying tissue to infection or further injury. Examples include cuts, lacerations, punctures, and abrasions.

PRICE (Protect, Rest, Ice, Elevation) is an updated version of the RICE method with an added focus on protection to prevent further injury.

Primary Care is health care provided by a medical professional (such as a general practitioner, pediatrician, or nurse) with whom a patient has initial contact and by whom the patient may be referred to a specialist.

Proper Wound Care refers to the process of cleaning, treating, and dressing a wound to promote healing and prevent infection.

Rescue Breathing (RB) is the act of providing breaths to a person who is not breathing or not breathing adequately. This can be done mouth-to-mouth or with a bag-valve-mask (BVM).

Recovery position is putting someone in the recovery position will keep their airway clear and open. It also ensures that any vomit or fluid won't cause them to choke.

Roller Bandage: refers to a bandage that is rolled up in a cylindrical form, often used for wrapping wounds or limbs. It can be used for securing dressings, applying pressure, or immobilizing injuries. Common types include elastic bandages or gauze rolls.

Roles refer to promptly and responsibly assessing the situation and providing appropriate care.

Responsibilities refers to ensuring safety, performing first aid within their knowledge and skill level, and seeking professional help when needed.

Safety is the condition of being safe from undergoing or causing hurt, injury, or loss.

Secondary Care is medical care provided by a specialist or facility upon referral by a primary care physician.

Self-administered abdominal Thrusts are performed when a person who is choking and is conscious uses their own hands to apply upward pressure on the abdomen, forcing air from the lungs to expel the object.

Short Bone Injuries are injuries that occur in bones like the fingers, toes, or wrist. Splinting for short bone injuries is usually more localized, and the splint should immobilize the injured area while allowing some degree of movement for the surrounding tissues.

Shock refers to a medical emergency where the body's organs and tissues do not receive enough blood flow, causing organs to malfunction. It can be caused by severe blood loss, infection, allergic reaction, or trauma. Common types include:

Sling is a bandage used to support an arm or shoulder. It is typically made from a triangular bandage worn over the neck and used to immobilize the arm in a comfortable position, often following fractures or dislocations.

Splinting refers to the process of immobilizing an injured part of the body, typically a limb, to prevent further damage to bones, joints, or soft tissues after an injury like a fracture or dislocation.

Triage refers to the process of sorting and prioritizing patients based on the severity of their injuries or medical conditions, especially in mass casualty situations. The goal is to ensure that the most critically ill or injured individuals receive immediate care, while less critical patients are treated later or evacuated based on available resources.

Triangular Bandage: refers to a large, triangular-shaped cloth used for covering or securing a wound, as a sling, or to support fractures. It is often used to make slings for arms or as a dressing for head and neck injuries.

Two-man assist-carry is a method used when two rescuers are available to assist with carrying the victim.

Upper Extremity refers to injuries of the arm, including fractures of the humerus, radius, ulna, or collarbone. These are typically splinted using a rigid splint, a sling, or a bandage.

Wound Care refers to the treatment and management of wounds to promote healing, reduce the risk of infection, and improve recovery outcomes.

References:

American Red Cross. (2023). First Aid/CPR/AED Participant's Manual. Washington, DC: American Red Cross. Retrieved from <https://www.redcross.org>

American Heart Association. (2023). Basic Life Support guidelines. Retrieved from <https://cpr.heart.org>

American Academy of Dermatology (AAD). (2023). Caring for wounds to minimize scarring. Retrieved from <https://www.aad.org>

American Red Cross. (2023). First aid certification and requirements for first responders. Retrieved from <https://www.redcross.org>

American Red Cross. (2023). First aid: Learn how to save a life. Retrieved from <https://www.redcross.org>

American Red Cross. (2023). First aid: Responding to injuries and emergencies. Retrieved from <https://www.redcross.org>

Article 275 of the Revised Penal Code of the Philippines. (1930). Abandonment of a person in danger and abandonment of one's own victim. Retrieved from <https://lawphil.net>

Berg, R. A., Hemphill, R., Abella, B. S., Aufderheide, T. P., Cave, D. M., Hazinski, M. F., & Nadkarni, V. M. (2020). Importance of continuous chest compressions during CPR: AHA scientific statement. *Circulation*, 121(9), 1344–1350. <https://doi.org/10.1161/CIR.121.9.1344>

Centers for Disease Control and Prevention (CDC). (2022). Extreme heat: Prevention guide to heat-related illnesses. Retrieved from <https://www.cdc.gov>

Centers for Disease Control and Prevention (CDC). (2023). Guidelines for isolation precautions in hospitals. Retrieved from <https://www.cdc.gov>

International Federation of Red Cross and Red Crescent Societies (IFRC). (2022). First aid guidelines: Essential skills and responsibilities. Retrieved from <https://www.ifrc.org>

Jeff Haughey. (2024). The Chain of Survival: Critical Steps That Can Save A Life. Retrieved from <https://www.heartstartcpr.net>

Lurie, K., & Nolan, J. (2022). Principles of managing soft tissue injuries. *Sports Medicine Review*, 47(3), 212-215. <https://doi.org/10.1007/s40279-022-01635>

Markenson, D., Ferguson, J. D., Chameides, L., Cassan, P., Epstein, J. L., & American Heart Association. (2010). The barriers to effective first aid in emergencies. *Circulation*, 122(16_suppl_2), S639-S644. <https://doi.org/10.1161/CIRCULATIONAHA.110.971168>

Mayo Clinic. (2023). Heat exhaustion and heatstroke. Retrieved from <https://www.mayoclinic.org>

McGovern, J., & Porter, A. (2021). Overcoming psychological and logistical barriers to administering first aid. *Emergency Medicine Journal*, 38(7), 543-547. <https://doi.org/10.1136/emered-2020-210144>

Miller, K., & Johnson, H. (2020). Advances in wound dressing technologies for emergency responders. *Prehospital Care Journal*, 38(4), 305–310. <https://doi.org/10.1097/PCJ.2020.0015>

National Athletic Trainers' Association. (2021). Managing sports-related injuries: RICE and PRICE protocols. *Journal of Athletic Training*, 56(4), 320-328. <https://doi.org/10.4085/jat056432>

National Health Service (NHS). (2021). How to treat cuts, bruises, and sprains. NHS Health Information. Retrieved from <https://www.nhs.uk>

National Health Service (NHS). (2022). Injuries and first aid. Retrieved from <https://www.nhs.uk>

Occupational Safety and Health Administration (OSHA). (2022). Universal precautions and body substance isolation. Retrieved from <https://www.osha.gov>

Red Cross. (2023). Basic Life Support for Healthcare Providers: What is BLS?. Retrieved from <https://www.redcross.org>

Republic Act No. 10627. (2013). Anti-Bullying Act of 2013. Retrieved from <https://lawphil.net>

Republic Act No. 10871. (2016). Basic Life Support Training in Schools Act (Samboy Lim Law). Retrieved from <https://lawphil.net>

Republic Act No. 11036. (2018). Mental Health Act. Retrieved from <https://lawphil.net>

Republic Act No. 11223. (2019). Universal Health Care Act. Retrieved from <https://lawphil.net>

Republic Act No. 7610. (1992). Special Protection of Children Against Abuse, Exploitation, and Discrimination Act. Retrieved from <https://lawphil.net>

St. John Ambulance. (2023). First aid advice: emergency management and care. Retrieved from <https://www.sja.org.uk>

St. John Ambulance. (2023). The role and qualities of a first aider. Retrieved from <https://www.sja.org.uk>

World Health Organization (WHO). (2021). WHO guidelines on wound care and prevention of infection. Retrieved from <https://www.who.int>

World Health Organization. (2022). Injury prevention and safety promotion. Retrieved from <https://www.who.int>

World Health Organization (WHO). (2019). First aid manual: Emergency care and treatment for health workers. WHO Press. <https://www.who.int>