

String methods – exercise

Edit this document, and under each "problem", write the string method, that you think might help you solve that problem.

You don't have to write the actual code, but if you have an idea for how it should look, feel free.

Use https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/String especially the list of Instance methods that gives a short description of each method. You don't need to go to google or StackOverflow, or indeed other MDN pages (except maybe the individual methods). Search/scan/skim the documentation, and use your best guess – discuss with your group, and just write the method-name without any code, unless you have a feeling that you already know how to write the code. Don't test the code! Just write your rough sketch of it!

Problem #0 and #1 have been solved, to illustrate how it could be done by you.

0. Find the unicode code for santa in this string: santa=" ;";

```
.codePointAt
example code:
const santa = ";
console.log( santa.codePointAt(0) );
```

You can skip the example code and just write the method you think could be used – see the solution for the next one for a simpler version

1. Check if a filename ends in ".jpg" or not

```
.endsWith(".jpg")
```

2. Check if a name has a hyphen in it

```
. includes ("-")
```

3. Find the end of the first name in a full name

```
4. Find the beginning of the last name in a full name
                                        . (indexOf (" ")
```

```
· last Index Of ("")

finding the last space
```

5.	Check if "Aalborg" is sorted before or after "Alerup" in danish
	·locale (ompare () // "da"
6.	Add dots to a string, so the string becomes at least 20 characters long
	.pad End ()
7.	Add spaces before a text, so the string will be at least 10 characters
	·pad Start ()
8.	Create a string of a specific number of * (e.g. the same number as the number of characters in another string)
	·repeat();
9.	Change all "å" in a text to "aa"
	. replace All ("a", "aa")
10	.Remove any double- or triple- spaces inside a text
	·replace All (" ", "")
11	.Get the last 10 characters of a name
	.substring (length-10); .charAt (length-10), only give s
12	Separate a comma-separated list into an array of individual items
	· String. split (",")
13	.Check if an url begins with "http://" or "https://"
	. Starts With ("http://")
14	Get the middle name of a full name string, such as "Harry James Potter"
	let middle = name. split (" ") [1];
	In addition, how might you find the parameter values to use – i.e. when the middle name starts and ends?
	•

L7.Cor cap	
cap	nvert only the first character in a string to CAPITAL, and the rest to n
•	
100	oital? u might need several different methods for this.
. 5	Substring (0,1), to Upper Case(); Substring (1). to Lower Case();
ell	. first = CharAt (0). to Upper Case ();
	nvert a german word like "Goethestraße" correctly to "GOETHESTRA
·t	oLocaleUpper(ase("de")
L9.Rer	move extra whitespace around a text
.tr	im()
20.Rer	nove extra whitespace before a text
·t	rimSkart ()
21.Rer	move extra whitespace after a text
. t	nim End ()
)) Rer	move extra whitespace inside a text
-2.1101	