

SMARTHEALTHASSISTANCE – HOW TO ADD DOCTORS AND PATIENTS IN USERS TABLE

1. Open phpMyAdmin

2. Click your database (smarthealth)

3. Click Insert

4. Example: Add a DOCTOR

Edit



Ahh I see what you were trying to do 👍 — but that line has a **mistake**, and also yes, it **can** help your code A LOT when written correctly.

1. YOUR CURRENT LINE (HAS ERROR)

JavaScript

 Problems:

- `DOMContentLoaded` is missing quotes
- The syntax is broken (`"`, `() => {`)
- It won't run at all

2. CORRECT VERSION

```
document.addEventListener("DOMContentLoaded", function() {
```

```
  //
```

```
  // ...
```

OR shorter:

```
document.addEventListener("DOMContentLoaded", () => {  
  
  // ...  
});
```

3. WHAT THIS ACTUALLY DOES

👉 It waits until the page is fully loaded before running your JS

Why this matters:

Without it ❌

- JS might run before HTML loads
- `getElementById` can return `null`
- Your app may break randomly

4. SHOULD YOU USE IT?

👉 YES — especially since you are using:

JavaScript

5. HOW TO USE IT IN YOUR PROJECT (VERY IMPORTANT)

Wrap ALL your JS inside it:

```
document.addEventListener("DOMContentLoaded", function() {  
  
  var form = document.getElementById("task-form");  
  var input = document.getElementById("task-input");  
});
```

```
var list = document.getElementById("task-list");

var toggle = document.getElementById("dark-toggle");

toggle.onchange = function() {
    document.body.classList.toggle("dark");
};

var today = new Date();
document.getElementById("date").innerHTML = today.toDateString();

form.addEventListener("submit", function(e) {
    e.preventDefault();

    var value = input.value;

    if (value == "") return;

    var li = document.createElement("li");
    li.className = "task";

    var span = document.createElement("span");
    span.innerHTML = value;

    var btn = document.createElement("button");
    btn.innerHTML = "X";
    btn.className = "delete-btn";

    li.appendChild(span);
    li.appendChild(btn);
    list.appendChild(li);

    input.value = "";

    btn.onclick = function() {
        list.removeChild(li);
        updateProgress();
    };

    span.onclick = function() {
        li.classList.toggle("completed");
        updateProgress();
    };

    updateProgress();
});

function updateProgress() {
    var tasks = document.querySelectorAll(".task");
```

```
var done = document.querySelectorAll(".task.completed");

document.getElementById("progress").innerHTML =
    done.length + " / " + tasks.length + " tasks completed";

if (tasks.length > 0 && done.length === tasks.length) {
    alert("🚀 All tasks completed!");
}
}

});
```

6. SIMPLE WAY TO REMEMBER

👉 Think of it like:

"Wait until the page is ready... then run my code"

7. WHEN YOU DON'T NEED IT

If your `<script>` is at the **very bottom** of HTML, like:

```
<script src="script.js"></script>
```

HTML

👉 Then it's *optional*

BUT still good practice 👍

FINAL ANSWER

- ✓ Yes, it helps
- ✓ You wrote it wrong (syntax issue)
- ✓ Use it to prevent bugs

If you want next 

I can show you:



[Why sometimes your JS "doesn't work"](#)



[How to debug like a pro 🔥](#)



```
document.addEventListener("DOMContentLoaded",  
function() {
```

```
});
```

```
// show date
```

```
var today = new Date();
```

```
document.getElementById("date").innerHTML =  
today.toDateString();
```

```
// selecting elements from the page
```

```
var form = document.getElementById("task-form");
```

```
var input = document.getElementById("task-input");
```

Show more 

Perfect — I'll show you **exact exact changes** inside your code (no confusion, just replace/add where needed).

✓ 1. ADD DATE INPUT (HTML)

In your HTML, replace your date display:

✗ Remove this:

HTML

✓ Add this instead:

HTML

👉 This lets the user pick their own date (already formatted nicely).

✓ 2. REMOVE AUTO DATE FROM JS

✗ Delete this part from your JS:

```
var today = new Date();  
document.getElementById("date").innerHTML = today.toDateString();
```

✓ 3. FIX YOUR JS STRUCTURE (VERY IMPORTANT ⚠)

Your `updateProgress()` is inside the submit function — that's not clean.

👉 Move it outside like this:

✓ CLEAN VERSION OF YOUR JS (WITH SMALL HUMAN STYLE)

```
document.addEventListener("DOMContentLoaded", function() {
```

```
var form = document.getElementById("task-form");
var input = document.getElementById("task-input");
var list = document.getElementById("task-list");

form.addEventListener("submit", function(e) {
    e.preventDefault();

    var value = input.value;

    if (value === "") {
        return;
    }

    var li = document.createElement("li");
    li.className = "task";

    var span = document.createElement("span");
    span.innerHTML = value;

    var btn = document.createElement("button");
    btn.innerHTML = "X";
    btn.className = "delete-btn";

    li.appendChild(span);
    li.appendChild(btn);

    list.appendChild(li);

    input.value = "";

    btn.onclick = function() {
        list.removeChild(li);
        updateProgress();
    };

    span.onclick = function() {
        li.classList.toggle("completed");
        updateProgress();
    };

    updateProgress();
});

function updateProgress() {
    var tasks = document.querySelectorAll(".task");
    var done = document.querySelectorAll(".task.completed");

    document.getElementById("progress").innerHTML =
        done.length + " / " + tasks.length + " tasks completed";
}
```

```

        if (tasks.length > 0 && done.length === tasks.length) {
            alert("🎉 All tasks completed!");
        }
    }
});

```

✅ 4. MAKE TASKS GREEN (CSS)

Add this to your CSS:

```

.task {
    background: #e8f5e9;
    padding: 10px;
    margin: 5px 0;
    border-left: 5px solid green;
}

.task.completed {
    background: #c8e6c9;
    text-decoration: line-through;
}

.delete-btn {
    background: red;
    color: white;
    border: none;
    padding: 5px;
    cursor: pointer;
}

```

🎯 WHAT YOU JUST FIXED

- ✅ No more broken date logic
- ✅ User picks their own date
- ✅ Progress updates properly
- ✅ Tasks look clean green
- ✅ Code looks **natural** (not AI-ish)

If you want next step 🔥

I can now show you how to add:

- 🌙 Dark mode toggle
- 🎉 Confetti instead of alert
- 📊 Progress bar (not just text)
- 📅 Save tasks with dates

Just tell me 👍



now give me a full js

Got you 👍 — here's your **full clean JavaScript**, written in a **simple, natural (human-style)** way and including:

- ✓ Task adding
- ✓ Delete
- ✓ Mark complete
- ✓ Progress (1/4 style)
- ✓ Celebration 🎉
- ✓ Uses user-selected date
- ✓ Clean + readable (not "AI-looking")

✓ FULL JS (JUST COPY & PASTE)

```
document.addEventListener("DOMContentLoaded", function () {

    // get elements
    var form = document.getElementById("task-form");
    var input = document.getElementById("task-input");
    var list = document.getElementById("task-list");
    var progressText = document.getElementById("progress");
    var dateInput = document.getElementById("date");
```

```

// when form is submitted
form.addEventListener("submit", function (e) {
    e.preventDefault();

    var taskValue = input.value;

    // stop empty tasks
    if (taskValue === "") {
        return;
    }

    // get selected date
    var chosenDate = dateInput.value;

    // create task item
    var li = document.createElement("li");
    li.className = "task";

    // task text
    var span = document.createElement("span");
    span.innerHTML = taskValue;

    // show date under task (if selected)
    var smallDate = document.createElement("small");
    if (chosenDate !== "") {
        smallDate.innerHTML = " (" + chosenDate + ")";
        smallDate.style.marginLeft = "10px";
    }

    // delete button
    var deleteBtn = document.createElement("button");
    deleteBtn.innerHTML = "X";
    deleteBtn.className = "delete-btn";

    // add everything to task
    li.appendChild(span);
    li.appendChild(smallDate);
    li.appendChild(deleteBtn);

    list.appendChild(li);

    // clear input
    input.value = "";

    // delete task
    deleteBtn.onclick = function () {
        list.removeChild(li);
        updateProgress();
    }

```



```

    });

    // mark as complete
    span.onclick = function () {
        li.classList.toggle("completed");
        updateProgress();
    };

    updateProgress();
});

// update progress
function updateProgress() {
    var allTasks = document.querySelectorAll(".task");
    var completedTasks = document.querySelectorAll(".task.completed");

    progressText.innerHTML =
        completedTasks.length + " / " + allTasks.length + " tasks completed";

    // celebration
    if (allTasks.length > 0 && completedTasks.length === allTasks.length) {
        setTimeout(function () {
            alert("🎉 You finished everything, nice!");
        }, 200);
    }
}

});

```

🔥 SMALL TIP (makes it feel MORE REAL)

If you want it to feel even more like a real app:

👉 Change date format display to MM/DD/YY

Replace this line:

JavaScript

👉 With:

```
var d = new Date(chosenDate);
var formatted =
  (d.getMonth() + 1) + "/" +
  d.getDate() + "/" +
  d.getFullYear().toString().slice(-2);

smallDate.innerHTML = " (" + formatted + ")";
```

💡 WHAT MAKES THIS LOOK HUMAN

- Simple variable names (not over-engineered)
- No fancy frameworks
- Uses `onclick` instead of complex listeners everywhere
- Straightforward logic flow
- Small imperfections (like real dev style)

If you want next upgrade 🚀

I can help you add:

- 🌙 Dark mode toggle
- 🎉 Real confetti (not alert)
- 💾 Save tasks (localStorage)
- 📊 Progress bar UI

Just tell me 👍



let it be simple and humanize it kindly just like a beginner

Nice 🔥 this is where you make your project look **professional**.

I'll give you a **simple, natural GitHub description** (not AI-ish, sounds like a student/dev wrote it).

✅ 1. SHORT DESCRIPTION (top of repo)

Use this:

A simple to-do list web app built using HTML, CSS, and JavaScript. It allows users to add tasks, mark them as complete, delete them, and track progress.

✅ 2. FULL README (what you put in README.md)

You can copy this 📌

```
# 📄 To-Do List App
```

```
This is a simple to-do list project I built using HTML, CSS, and JavaScript.
```

```
## 📌 Features
```

- Add tasks
- Delete tasks
- Mark tasks as completed
- Track progress (e.g. 2/5 tasks done)
- Select a date for each task

```
## 💡 How it works
```

- Type a task in the input box
- (Optional) select a date
- Click add

- Click on a task to mark it as complete
- Click "X" to delete it

🧰 Built With

- HTML
- CSS
- JavaScript

🎯 Purpose

I created this project to practice JavaScript basics like:

- DOM manipulation
- Event handling
- Working with forms

🚀 Future Improvements

- Add dark mode
- Save tasks using local storage
- Add better UI design

✅ 3. MAKE IT SOUND MORE "YOU"

If you want it more personal, you can tweak this line:

👉 Change:

This is a simple to-do list project I built...

👉 To:

I built this simple to-do list to practice my JavaScript skills and understand how interactive web apps work.

💡 EXTRA (makes you stand out)

Add this at the bottom:

📸 Screenshot

(Add a screenshot of your project here)

PRO TIP

When recruiters or lecturers see this, they'll notice:

- You understand basics 
- You can build working apps 
- You can explain your code 

If you want next level 

I can help you:

- Write a perfect GitHub bio
- Add a live demo (so it opens online)
- Make your project look like a real app UI

Just tell me 



do i write this on the description

Good question  — a lot of beginners get confused here.

 **No — you don't put all that in the description**

GitHub has 2 different places:

1. REPOSITORY DESCRIPTION (SHORT)

 This is the small box at the top of your repo

 It should be 1–2 lines only

 Write this there:

A simple to-do list web app built with HTML, CSS, and JavaScript. Users can add, delete, and track tasks.

✅ 2. README.md (FULL DETAILS)

👉 This is where the **long explanation** goes

✅ Everything I gave you before (features, how it works, etc.) goes inside:

README.md

🧠 SIMPLE WAY TO REMEMBER

- **Description** = short summary
- **README** = full explanation

🔥 Example

Top of repo (Description):



Simple to-do list app with task tracking and progress feature

Inside README.md:

👉 All the detailed stuff (features, purpose, etc.)

If you want, I can help you next with:

- 📷 [How to add a screenshot to GitHub](#)
- 🌐 [How to make your project live \(so people can open it\)](#)
- 📁 [How to make your GitHub look professional](#)

Just tell me 👍





what are other simple projects i can do

You're on the right track 🔥 — since you've already built a **to-do list**, the best next projects are ones that:

- feel similar (so you don't struggle too much)
- teach you something new each time
- help you build a **strong portfolio**

Here are **simple but powerful beginner projects** you can do 🙌

💡 1. Notes App



What you'll learn:




- Saving data (localStorage)
- Editing text
- Dynamic UI

Features:

- Add notes
- Edit notes
- Delete notes
- Save notes (so they don't disappear)

👉 This is like your to-do app **level 2**

🕒 2. Digital Clock + Alarm



What you'll learn:




- Working with time (Date object)
- setInterval()

Features:

- Live time
- Date display
- Simple alarm



3. Quiz App



What you'll learn:



- Arrays & objects
- Logic handling
- Score tracking

Features:

- Multiple choice questions
- Show score
- Next question button



4. Weather App



What you'll learn:




- APIs (very important 🔥)
- Fetch data from internet

Features:

- Search city
- Show temperature
- Show weather



5. Calculator




What you'll learn:

- Event handling
- Logic building

Features:


- Add, subtract, multiply, divide
- Clear button

6. Color Changer App



Random Color Gener

Click ME!
Press SPACE to generate color






What you'll learn:

- Random values
- DOM styling

Features:

- Click button → change background
- Show color code

7. Login / Signup UI (Frontend Only)



What you'll learn:

- Forms
- Validation
- UI design

Features:

- Login form
- Signup form
- Show/hide password



WHAT YOU SHOULD BUILD NEXT (IMPORTANT)

Since you already did To-Do:



Do this order:

1. Notes App
2. Quiz App
3. Calculator
4. Weather App



PORTFOLIO STRATEGY (SMART MOVE)

If you build just these 4, your GitHub will look 🔥:

- To-Do App ☒
- Notes App ☒
- Quiz App ☒
- Weather App ☒



That already looks like a **junior developer portfolio**

If you want, I can:



Give you **starter code** for any one of these



Help you make it look **like a real app** (UI design)



Show you how to **connect backend later** (Node.js like your SmartHealth project)

Just tell me which one you want next



Sources


tell me how to create a note app

Great choice 🔥 — a **Notes App** is the perfect next step after your to-do list.

I'll guide you like a beginner — **step by step**, simple and clear.



WHAT YOU'RE BUILDING



A small app where users can:

- Write notes
- Save them
- Delete them
- Keep them even after refresh

□ STEP 1: CREATE FILES

Create a folder and add:

```
notes-app/  
|— index.html  
|— style.css  
|— script.js
```



STEP 2: HTML (STRUCTURE)

Put this in your `index.html` :

```
<!DOCTYPE html>  
<html>  
<head>  
  <title>Notes App</title>  
  <link rel="stylesheet" href="style.css">  
</head>  
<body>
```

```
<h1>My Notes</h1>
```

```
<textarea id="note-input" placeholder="Write your note..."></textarea>
```

```
<button id="add-btn">Add Note</button>
```

STEP 3: CSS (SIMPLE STYLE)

Put this in style.css :

```
body {  
  font-family: Arial;  
  text-align: center;  
  background: #f4f4f4;  
}  
  
textarea {  
  width: 300px;  
  height: 100px;  
  margin: 10px;  
}  
  
button {  
  padding: 10px;  
  background: green;  
  color: white;  
  border: none;  
  cursor: pointer;  
}  
  
#notes-container {  
  margin-top: 20px;  
}  
  
.note {  
  background: #e8f5e9;  
  padding: 10px;  
  margin: 10px auto;  
  width: 300px;  
  border-left: 5px solid green;  
}
```



STEP 4: JAVASCRIPT (CORE LOGIC)

Put this in `script.js` (simple beginner style):

```
document.addEventListener("DOMContentLoaded", function () {

    var input = document.getElementById("note-input");
    var btn = document.getElementById("add-btn");
    var container = document.getElementById("notes-container");

    // load saved notes
    loadNotes();

    btn.onclick = function () {

        var text = input.value;

        if (text === "") {
            return;
        }

        addNote(text);
        saveNote(text);

        input.value = "";
    };

    function addNote(text) {
        var div = document.createElement("div");
        div.className = "note";

        var p = document.createElement("p");
        p.innerHTML = text;

        var del = document.createElement("button");
        del.innerHTML = "Delete";

        div.appendChild(p);
        div.appendChild(del);
        container.appendChild(div);

        // delete note
        del.onclick = function () {
            container.removeChild(div);
            deleteNote(text);
        };
    };
});
```



```

}

function saveNote(text) {
  var notes = JSON.parse(localStorage.getItem("notes")) || [];
  notes.push(text);
  localStorage.setItem("notes", JSON.stringify(notes));
}

function loadNotes() {
  var notes = JSON.parse(localStorage.getItem("notes")) || [];

  for (var i = 0; i < notes.length; i++) {
    addNote(notes[i]);
  }
}

function deleteNote(text) {
  var notes = JSON.parse(localStorage.getItem("notes")) || [];

  notes = notes.filter(function (note) {
    return note !== text;
  });

  localStorage.setItem("notes", JSON.stringify(notes));
}

});

```



WHAT YOU JUST BUILT

- ✓ Add notes
- ✓ Delete notes
- ✓ Notes stay after refresh (🔥 important skill)
- ✓ Clean beginner code



NEXT EASY UPGRADES (tell me if you want)

- ✎ Edit notes
- 📅 Add date to notes
- 🌙 Dark mode
- 🧠 Make notes appear in grid (like real apps)



VERY IMPORTANT

This project teaches you:

- 👉 **localStorage** (super important for real apps)
- 👉 DOM manipulation
- 👉 Event handling

If you want next 🔥

I can upgrade this into a real app design (like Google Keep) or help you push it to GitHub nicely.



do i need icons, photos for the app

Good question 👍 — this is where many beginners overthink things.



Short answer:

No, you don't NEED icons or photos.

Your app is already **valid and complete** without them.



When you SHOULD add them

Add icons/photos only if you want to:

- Make your app look more **professional**
- Improve **user experience**
- Make your GitHub project stand out



For YOUR Notes App (beginner level)

👉 Keep it simple like this:

- Textarea 
- Button ("Add Note") 
- Notes list 

That's already **perfect for learning**

🌟 If you want to improve (optional)

1. Add simple icons (easy win)

Instead of:

HTML



👉 You can do:

HTML



And for delete:

HTML



- ✓ No library needed
- ✓ Still beginner-friendly

2. Add small UI touches (better than photos)

Instead of images, focus on:

- Colors (you already use green )
- Spacing
- Rounded boxes

👉 That matters **MORE** than photos

❌ Why NOT use photos (yet)

- Notes apps don't really need images
- It can make your app look messy
- It adds complexity (not needed now)

🔥 What recruiters/lecturers care about

They look for:

- Working logic ✅
- Clean structure ✅
- Understanding JavaScript ✅

NOT:

- Fancy images ❌
- Too much design ❌

🎯 BEST STRATEGY FOR YOU

👉 Right now:

- Keep it simple
- Focus on functionality

👉 Later (after 2–3 projects):

- Add icons
- Improve UI
- Make it look like a real app

💬 Honest advice

Your level right now = **learning stage**

So:

Simple + working > fancy + confusing

If you want, I can next:

- Turn your Notes App into a beautiful UI (step-by-step)
- Add dark mode easily
- Help you make it look like a real mobile app

Just tell me 👍



explain every step on css, js, and html

Perfect 👁️ this is exactly how you become **really good** — understanding *every line*, not just copying.

I'll break your **Notes App** into 3 parts and explain it like a beginner 🙌



1. HTML (Structure — what you SEE)

```
<h1>My Notes</h1>
```

```
<textarea id="note-input" placeholder="Write your note..."></textarea>
```

```
<button id="add-btn">Add Note</button>
```

```
<div id="notes-container"></div>
```



Explanation



<h1>My Notes</h1>

- This is just your **title**
- Shows at the top of the page



<textarea id="note-input">

- This is where the user **types the note**

- `id="note-input"` → gives it a name so JavaScript can find it

👉 Think:

"This is my input box"

✅ `<button id="add-btn">`

- This button is clicked to **add the note**
- The `id` lets JavaScript know:

"When this button is clicked, do something"

✅ `<div id="notes-container">`

- This is where all notes will appear
- JavaScript will **add notes inside here**

👉 Think:

"This is my storage area on the screen"

🎨 2. CSS (Design — how it LOOKS)

```
body {  
  font-family: Arial;  
  text-align: center;  
  background: #f4f4f4;  
}
```



- `font-family` → changes text style
- `text-align: center` → centers everything
- `background` → page color

```
textarea {  
  width: 300px;  
  height: 100px;  
  margin: 10px;  
}
```



- Controls size of input box
- `margin` → adds space around it

```
button {  
  padding: 10px;  
  background: green;  
  color: white;  
  border: none;  
  cursor: pointer;  
}
```



- `padding` → space inside button
- `background` → green color
- `color` → text color
- `cursor: pointer` → makes mouse turn into hand

```
.note {  
  background: #e8f5e9;  
  padding: 10px;  
  margin: 10px auto;  
  width: 300px;  
  border-left: 5px solid green;  
}
```



- This styles each note
- `margin: auto` → centers the note
- `border-left` → gives that green line look



3. JAVASCRIPT (Logic — how it WORKS)

◆ Step 1: Wait for page to load

JavaScript



Means:

“Run my code only after the page is ready”

◆ Step 2: Get elements

```
var input = document.getElementById("note-input");  
var btn = document.getElementById("add-btn");  
var container = document.getElementById("notes-container");  
...  
...
```



You are telling JS:

- “Find the input box”
- “Find the button”
- “Find where notes will go”

◆ Step 3: Load saved notes

JavaScript

JavaScript

👉 When page opens:

"Show notes that were saved before"

◆ Step 4: When button is clicked

JavaScript

👉 Means:

"When user clicks Add Note..."

◆ Step 5: Get text

JavaScript

👉 Takes what user typed

◆ Step 6: Prevent empty notes

```
if (text === "") {  
  return;  
}
```

... ..

👉 Stops blank notes

◆ Step 7: Add note to screen

JavaScript

👉 Calls a function to display note

◆ Step 8: Save note

JavaScript

👉 Stores it so it stays after refresh

◆ Step 9: Clear input

JavaScript

👉 Empties the box after adding

◆ FUNCTION: addNote()

JavaScript

👉 This creates the note visually

```
var div = document.createElement("div");
```

JavaScript

👉 Creates a new note box

```
var p = document.createElement("p");
```

JavaScript

👉 Adds the note text

```
var del = document.createElement("button");
```

JavaScript

👉 Creates delete button

```
div.appendChild(p);  
div.appendChild(del);  
container.appendChild(div);  
...  
...  
...
```

👉 Puts everything on the page

Delete function

```
del.onclick = function () {  
    container.removeChild(div);  
    deleteNote(text);  
};
```

👉 When delete is clicked:

- Remove from screen
- Remove from storage

◆ FUNCTION: saveNote()

JavaScript

👉 Gets saved notes (or creates empty list)

JavaScript

👉 Adds new note

JavaScript

👉 Saves to browser

◆ FUNCTION: loadNotes()

JavaScript

👉 Gets saved notes

```
for (var i = 0; i < notes.length; i++) {  
    addNote(notes[i]);  
}
```

👉 Displays each note

◆ FUNCTION: deleteNote()

```
notes = notes.filter(function (note) {  
    return note !== text;  
});  
...  
...  
...
```

👉 Removes selected note

🎯 SIMPLE SUMMARY

- HTML → builds the page
- CSS → makes it look nice
- JS → makes it work

🔥 BIG WIN (IMPORTANT)

If you understand this, you now know:

- ✓ DOM manipulation
- ✓ Events
- ✓ localStorage
- ✓ Dynamic UI

👉 This is already real developer knowledge

If you want next step 🚀

I can:

- Turn this into **Google Keep** style UI
- Add **edit** feature
- Add **dark mode**
- Help you explain this in an interview 📁

Just tell me 👍

so when i go live from vs code on the to do list project its revelling its self well but when i launch it online via a link from github it has no background image but the details are there but its just plain white and one cant read the writtings well

Ahh 👍 this is a **very common problem** — and it's NOT your design, it's how GitHub reads your files.

Let's fix it step by step.

! WHY THIS IS HAPPENING

When your site works in VS Code but **loses background image online**, it usually means:

👉 Your **image path is wrong**

VS Code:

- Reads files locally → works fine

GitHub:

- Needs **correct folder paths** → otherwise image = ❌ not found

🔍 MOST COMMON MISTAKE

You probably have something like:

CSS

❌ This **ONLY** works on your computer

❌ GitHub cannot see your local files



HOW TO FIX IT (VERY IMPORTANT)

□ Step 1: Put image inside your project folder

Example:

```
project/  
|— index.html  
|— style.css  
|— script.js  
|— images/  
    └─ bg.jpg
```

□ Step 2: Fix your CSS path

👉 In your CSS, write:

```
background-image: url(images/bg.jpg);
```



This tells GitHub:

“Look inside the images folder”



ALSO CHECK THIS

1. File name case (VERY IMPORTANT)

GitHub is case-sensitive:



Wrong:

```
Bg.jpg
```



Correct:

```
bg.jpg
```

2. Spaces in file names

✗ Bad:

```
my background image.jpg
```

✓ Good:

```
bg.jpg
```

3. Make sure image is uploaded

Check your GitHub repo:

👉 Do you SEE the image file there?

If not → upload it



BONUS: MAKE TEXT READABLE

Add this to your CSS:

```
body {  
  background-image: url("images/bg.jpg");  
  background-size: cover;  
  background-position: center;  
  color: white;  
}
```

👉 This:

- Stretches image properly
- Makes text visible



EXTRA FIX (BEST LOOK)

Add overlay so text is clearer:


```
body::before {
  content: "";
  position: fixed;
  top: 0;
  left: 0;
  width: 100%;
  height: 100%;
  background: rgba(0,0,0,0.5);
}
```



QUICK CHECKLIST

- ✓ Image inside project folder
- ✓ Correct path (images/bg.jpg)
- ✓ No C:\Users\...
- ✓ File uploaded to GitHub
- ✓ Name matches EXACTLY



REAL TALK

This issue happens to almost **every beginner developer** — you're doing things right 👍

If you want, send me:



Your folder structure or CSS

I can fix it **exactly for you** in seconds 🔥



so where do i start to change those codes

Good — let's fix it **step by step** from where you are right now 👍

(No confusion, just follow in order)

□ STEP 1: CHECK YOUR PROJECT FOLDER

👉 Open your project in VS Code

Make sure it looks like this:

```
project/
|— index.html
|— style.css
|— script.js
|— images/
    └─ bg.jpg
```

! If you don't have an `images` folder:

- Right click → **New Folder** → **name it** `images`
- Move your background image inside it

□ STEP 2: FIX YOUR CSS (THIS IS THE MAIN PART)

👉 Open your `style.css`

Find where you wrote something like:

CSS

✗ DELETE that line

✅ Replace it with:

```
body {
  background-image: url("images/bg.jpg");
  background-size: cover;
  background-position: center;
  color: white;
}
```

👉 This is the correct way for GitHub

□ STEP 3: SAVE EVERYTHING

Press:

👉 Ctrl + S

on all files

□ STEP 4: UPLOAD / UPDATE GITHUB

If you're using GitHub:

Option A (easy way):

- Drag your updated files again into GitHub
- Click **Commit changes**

Option B (VS Code Git):

```
git add .  
git commit -m "fixed background image path"  
git push  
- .
```

□ STEP 5: REFRESH YOUR WEBSITE

👉 Go to your GitHub Pages link

👉 Press:

Ctrl + Shift + R

(to force refresh)

! IF IT STILL DOESN'T WORK

Check these 3 things:

✅ 1. File name EXACT match

If your file is:

`bg.JPG`

But CSS says:

`bg.jpg`

❌ It will NOT work

✅ 2. Image is on GitHub

👉 Open your repo online

👉 Do you SEE `images/bg.jpg` ?

If not → upload it

✅ 3. Correct folder name

If your folder is:

`Images`

But CSS says:

`images`

❌ It breaks

🔥 BONUS (MAKE TEXT READABLE)

Add this too:

```
body::before {  
  content: "";  
  position: fixed;  
  width: 100%;  
  height: 100%;  
  background: rgba(0,0,0,0.4);  
  top: 0;  
  left: 0;  
}
```



SIMPLE SUMMARY



You ONLY need to fix ONE thing:



Wrong:

```
C:\Users\yourname\...
```



Correct:

```
images/bg.jpg
```

If you want, send me:



Screenshot of your folder or CSS

I'll point exactly what is wrong in your own code 🔥



where do i put step 4

Good question 👍 — this is where many people get stuck.

❑ STEP 4 = NOT in your code ❌

👉 It is **outside your code**, it's how you update GitHub.

✅ WHERE YOU DO STEP 4

You do it in **ONE** of these places:

💻 OPTION 1: Using VS Code (EASIEST)

👉 Look at the left side of VS Code

Click the **Source Control icon** (looks like a branch )

Then:

1. You'll see your changed files
2. Click "+" (stage changes)
3. Type a message:

`fixed background image`

4. Click  (commit)
5. Click Sync / Push

💻 OPTION 2: Using Terminal (inside VS Code)

👉 Open terminal in VS Code:

Terminal → New Terminal

Then type:

```
git add .
git commit -m "fixed background image"
git push
```

🌐 OPTION 3: Directly on GitHub (very simple)

1. Go to your repository on GitHub
2. Click "Add file" → "Upload files"
3. Upload:
 - your updated style.css
 - your images folder
4. Scroll down
5. Click **Commit changes**

AFTER STEP 4

👉 Go to your website link

👉 Press:

Ctrl + Shift + R

(to refresh properly)

SIMPLE UNDERSTANDING

- Step 1–3 → done in your code (VS Code)
- Step 4 → **upload changes to GitHub**
- Step 5 → refresh website

REAL TALK

If your site is still white after fixing CSS,

👉 90% chance = you didn't do Step 4 properly

If you want, you can tell me:

👉 "I'm using VS Code" or "I upload manually"

I'll guide you **exactly for your setup** 🔥

```
PS C:\Users\USER\Desktop\To-Do list project> git add .
> > git commit -m "fixed background image"
> > git push
fatal: not a git repository (or any of the parent directories):
.git
fatal: not a git repository (or any of the parent directories):
.git
fatal: not a git repository (or any of the parent directories):
.git
PS C:\Users\USER\Desktop\To-Do list project>
```

Ahh 👍 this error is actually very common — and easy to fix.

❌ WHY YOU'RE GETTING THIS ERROR

```
fatal: not a git repository (or any of the parent directories): .git
```

👉 This means:

Your project is **NOT** connected to GitHub yet

So Git doesn't know:

- where to push
- what repo you're using

✅ FIX (DO THIS STEP BY STEP)

👉 Stay in your terminal (same place)

□ STEP 1: Initialize Git

Type this:

Bash

- ✓ This creates a hidden `.git` folder
- ✓ Now your project becomes a Git repository

□ STEP 2: Add your GitHub repo

- 👉 Go to your GitHub repository
- 👉 Copy the link (it looks like this):

```
https://github.com/your-username/your-repo.git
```

Now run:

Bash

Example:

```
git remote add origin https://github.com/millicent/to-do-list.git
```

□ STEP 3: Add files + commit

```
git add .
```

Bash

□ STEP 4: Push to GitHub

```
git branch -M main
```

Bash



AFTER THIS



Your project will now be on GitHub



Next time you only use:

```
git add .  
git commit -m "update"  
git push  
- .
```



SIMPLE WAY TO REMEMBER

- `git init` → start Git
- `git remote add` → connect to GitHub
- `git push` → send files



IMPORTANT

If it asks for:

- username → your GitHub username
- password → use **GitHub Personal Access Token** (not your password)



IF YOU GET STUCK

You can send me:



your GitHub repo link



or screenshot of error

I'll fix it with you step-by-step  



```
fatal: unable to auto-detect email address (got
'USER@DESKTOP-7LIDST5.(none)')
PS C:\Users\USER\Desktop\To-Do list project> git branch -
M main
> > git push -u origin main
error: src refspec main does not match any
error: failed to push some refs to
'https://millie420.github.io/To-Do-List-project/'
PS C:\Users\USER\Desktop\To-Do list project>
```

Good — you're VERY close now 🔥

These errors are normal when setting up Git for the first time.

Let's fix them one by one 📍

❌ ERROR 1: Email not detected

Bash

📍 Git needs your identity (like a signature)

✅ **FIX:**

Type this:

```
git config --global user.name "Millicent"
```

Bash

📍 Use the same email you used on GitHub

❌ ERROR 2: "main does not match any"

Bash

👉 This happens because:
You have **NOT** made a commit yet



FIX (IMPORTANT ORDER)

Run these commands in this exact order:

❑ STEP 1: Add files

Bash

❑ STEP 2: Commit (NOW it will work)

Bash

❑ STEP 3: Rename branch

Bash

❑ STEP 4: Push

Bash



ALSO IMPORTANT

Your repo link looks wrong:

Bash



That is a **website link**, NOT a GitHub repo link



CORRECT LINK FORMAT:

It should look like:

Bash



FIX REMOTE (if needed)

Run:

```
git remote remove origin
git remote add origin https://github.com/millie420/To-Do-List-project.git
```



FINAL CHECKLIST

- ✓ Set name + email
- ✓ git add .
- ✓ git commit
- ✓ correct repo link
- ✓ git push

REAL TALK

You're not doing anything wrong — this is exactly how beginners learn Git.

If you want, send me:

 screenshot of your GitHub repo page

I'll confirm everything is connected correctly 

     ...

```
create mode 100644 style.css
PS C:\Users\USER\Desktop\To-Do list project> git branch -
M main
PS C:\Users\USER\Desktop\To-Do list project> git push -u
origin main
fatal: repository 'https://millie420.github.io/To-Do-List-
project/' not found
PS C:\Users\USER\Desktop\To-Do list project> git config --
global user.name "Millicent"
>> git config --global user.email
"nduranumillicent5@gmail.com"

Show more ▾
```

 YESSS — you fixed almost everything. You're literally ONE STEP away now.

CURRENT ERROR

```
fatal: repository 'https://millie420.github.io/To-Do-List-project/' not found
```

 This happened earlier because you used the **wrong link (GitHub Pages link)**
BUT 

✅ You already FIXED it with:

```
git remote add origin https://github.com/millie420/To-Do-List-project.git
```

🏆 Good move.

🚨 NOW DO THIS FINAL STEP

👉 Just run:

Bash

⚠️ IF IT FAILS AGAIN → CHECK THIS

🔍 1. Does the repo exist on GitHub?

👉 Go here in your browser:

<https://github.com/millie420/To-Do-List-project>

If you see:

- ❌ 404 error → repo NOT created yet
- ✅ repo page → good, continue

🔧 IF REPO DOESN'T EXIST

👉 Go to GitHub

👉 Click **New Repository**

Fill:

- Name: To-Do-List-project
- Public ✅

- DO NOT add README (important)

Then click **Create**



THEN RUN AGAIN:

Bash



IF ASKED FOR LOGIN



Username: millie420



Password: **✗** NOT your password

Use a **GitHub Personal Access Token**



QUICK SUMMARY

You already:



initialized git



committed files



fixed remote link



Now it's just:

repo must exist + push



REAL TALK

You're doing EXACTLY what real developers do when setting up Git for the first time — errors, fix, retry.

If it still fails, send me:



what shows after `git push`

👉 or screenshot of your GitHub page

I'll get you to 100% working 🚀

📄 👍 💬 ↗️ ↺️ ...

why not add read me and how do i remove it

Great question 🤔 — this is where Git can feel confusing, but I'll make it very simple.

🤔 WHY I SAID "DON'T ADD README"

When you create a repo on GitHub and check ✅ "Add README", GitHub:

👉 Creates a file online **before your local project is connected**

So now:

- GitHub has a commit
- Your computer has a different commit

👉 This causes conflicts when you push:

Bash

✅ BUT IMPORTANT

👉 Adding a README is **NOT** wrong

👉 It just makes setup a bit harder for beginners

💡 SO WHAT HAPPENED TO YOU?

You likely:

✅ Created repo with README

✓ Tried to push local files

👉 That's why push failed earlier

🔑 HOW TO FIX (2 EASY OPTIONS)

✓ OPTION 1 (BEST): KEEP README + CONNECT PROPERLY

Run this:

```
Bash
```

Then:

```
Bash
```

👉 This merges:

- your files 🖥️
- GitHub README 🌐

🗑️ OPTION 2: REMOVE README (CLEAN START)

👉 On GitHub:

1. Open your repo
2. Click README.md
3. Click 🗑️ delete icon
4. Commit change

Then go back to terminal and run:

Bash

SIMPLE UNDERSTANDING

Situation

What to do

Repo empty

Just push

Repo has README

Pull first OR delete README

MY RECOMMENDATION

 Use Option 1 (pull + merge)

It's what real developers do

FINAL COMMANDS FOR YOU

Just run:

```
git pull origin main --allow-unrelated-histories
```

Bash

If anything new shows up (error or message), send it here —
I'll guide you until your site is LIVE 🔥

now ho do i start to run the terminal

Nice, now you're at the stage where things start working for real 🔥

Let's make this **super clear and practical**.

HOW TO RUN THE TERMINAL (STEP BY STEP)

OPTION 1: Inside VS Code (BEST)

 Since you're coding, this is the easiest way.

□ Steps:

1. Open your project folder in **VS Code**
2. At the top menu click:

Terminal → New Terminal

3. A panel will open at the bottom 

It will look like:

```
Bash
```

 That means your terminal is already running

OPTION 2: Shortcut (Faster ⚡)

Press:

```
Ctrl + `
```

 (the key below ESC)

Boom 💣 terminal opens

OPTION 3: Using Windows PowerShell

You already used this actually 📌

Bash

So your terminal is **already running fine**

IMPORTANT (MOST PEOPLE MISS THIS)

👉 Make sure you are **INSIDE** your project folder

Check this:

Bash

✓ If you see your project name → GOOD

✗ If not → you must move into it

👉 If you're **NOT** inside, run:

Bash

TEST IF EVERYTHING IS WORKING

Type:

Bash

👉 If it shows something like:

On branch main
nothing to commit

✅ You're good to go



NOW WHAT YOU SHOULD RUN

Since we fixed your repo already, now run:

```
git pull origin main --allow-unrelated-histories
```

Bash



REAL TALK

You were already using the terminal 😊

You just didn't realize it

If you want next step after this:



I can help you put your website live (GitHub Pages)



or fix your CSS not showing

Just tell me 👍



status

Ctrl : The term 'Ctrl' is not recognized as the name of a cmdlet, function, script file, or operable program. Check the spelling of the name, or if a path was included, verify that the path is correct and try again.

At line:1 char:1

+ Ctrl +

```
+ ~~~~  
+ CategoryInfo          : ObjectNotFound: (Ctrl:String) [],  
CommandNotFoundException  
Show more ▾
```

😂😂 I see exactly what happened — and this is a **very normal beginner mistake**, don't worry.

❌ WHAT YOU DID

You typed this in the terminal:

```
Bash  
  
👉 The terminal tried to run it as a command  
👉 That's why you got:  
  
'Ctrl' is not recognized as a command
```

✅ THE CORRECT WAY

👉 Ctrl + ` is NOT something you type

It is a **keyboard shortcut you PRESS**

🎯 DO THIS INSTEAD

✅ To open terminal:

👉 Just press on your keyboard:

```
Ctrl + `
```

(Don't type it, just press it)

✅ OR use menu:

In VS Code:

👉 Click:

Terminal → New Terminal

💻 NOW BACK TO YOUR TERMINAL

You already have this:

Bash

👉 That means:

✅ Terminal is already open

✅ You are in the right folder

🚀 NEXT STEP (IMPORTANT)

Now type this (correct command):

Bash

💬 QUICK TIP

❌ Wrong

typing ``Ctrl + ```

typing `status`

✅ Correct

pressing keys

`git status`



WHAT TO DO NOW

Run:

Bash

Then send me what it shows 🖱️

I'll guide you to the **final push + live website** 🚀



should i sign in with cde or browser

Good question 👍 — this part confuses a lot of people.



WHEN GIT ASKS YOU TO SIGN IN

You'll usually see options like:

- Sign in with browser 🌐
- Sign in with device/code (CDE)



CHOOSE THIS: Sign in with browser 🌐 (BEST)

🖱️ Click "Sign in with browser"

Why?

- Easier ✅
- Faster ✅
- No typing long codes ✅
- Works perfectly with GitHub ✅

AVOID THIS (for now)

👉 Device / code (CDE)

Why not?

- More steps 🤖
- You must copy codes manually
- Easy to mess up as a beginner

□ WHAT WILL HAPPEN

1. You click **sign in with browser**
2. Your browser opens
3. Log into GitHub (if not already)
4. Click **Authorize Git**
5. Done ✅

AFTER LOGIN

Go back to your terminal — it will continue automatically

Then your push will complete 🎉

SIMPLE RULE

👉 Always choose:

- ✅ Browser login → easy
- ❌ Code login → advanced

If anything pops up after login (error or message), send it here —
you're VERY close to finishing 🚀

```
info: please complete authentication in your browser...
To https://github.com/millie420/To-Do-List-project.git
! [rejected]      main -> main (non-fast-forward)
error: failed to push some refs to
'https://github.com/millie420/To-Do-List-project.git'
hint: Updates were rejected because the tip of your current
branch is behind
hint: its remote counterpart. If you want to integrate the
remote changes,
hint: use 'git pull' before pushing again.
hint: See the 'Note about fast-forwards' in 'git pus
```

🔥 PERFECT — this is actually the **final Git error** and it's EASY to fix.

❌ WHAT THIS ERROR MEANS

Bash

👉 Translation:

Your GitHub repo has something (like README)

👉 Your computer doesn't have it yet

So Git is saying:

🛑 "Wait — pull first before pushing"

✅ FIX (JUST 2 COMMANDS)

👉 Run this:

Bash

Then:

Bash

WHAT MIGHT HAPPEN NEXT

CASE 1: It works immediately

 DONE — your project is now on GitHub

CASE 2: It asks you to merge

You may see something like:

```
Merge branch 'main'...
```

 Just type:

Bash

(then press Enter)

CASE 3: Merge conflict (rare)

If you see conflict in README:

 Tell me — I'll fix it with you instantly

SIMPLE UNDERSTANDING

Step

Meaning

git pull

bring GitHub changes

Step

Meaning

git push

send your changes



REAL TALK

You've reached the **last step developers struggle with**

After this → you're DONE with setup forever 😊



NEXT AFTER THIS

Once it pushes:

👉 I'll help you:

- make your site LIVE 🌐
- fix CSS not showing
- add images properly

👉 Run those 2 commands and send me what you get 👉



```
fatal: Exiting because of an unresolved conflict.
```

```
PS C:\Users\USER\Desktop\To-Do list project> git push -u  
origin main
```

```
To https://github.com/millie420/To-Do-List-project.git
```

```
! [rejected]      main -> main (non-fast-forward)
```

```
error: failed to push some refs to
```

```
'https://github.com/millie420/To-Do-List-project.git'
```

```
hint: Updates were rejected because the tip of your current  
branch is behind
```

```
hint: its remote counterpart. If you want to integrate the  
remote changes,
```

Show more ▾

🔥 Don't worry — this is the **last obstacle** and I'll fix it with you cleanly.

Right now:

👉 You have a **merge conflict** (from README vs your files)

❌ WHAT HAPPENED

When you ran `git pull`, Git tried to merge but got stuck:

Bash

👉 That means:

There's a file (most likely `README.md`) that needs manual fixing

✅ FIX THIS (STEP BY STEP — FOLLOW EXACTLY)

❑ STEP 1: Check the conflict

Run:

Bash

👉 You will see something like:

```
both modified: README.md
```

❑ STEP 2: Open the file

👉 Open README.md in VS Code

You will see something like:

```
<<<<<< HEAD
your code
=====
github code
>>>>>> main
```

❑ STEP 3: FIX IT

👉 Just delete EVERYTHING inside and replace with something simple:

```
# To-Do List Project
My first web project
```

👉 Save the file

❑ STEP 4: Mark as fixed

Bash

❑ STEP 5: Complete merge

Bash

❑ STEP 6: FINAL PUSH 🚀

💣 ALTERNATIVE (FASTER WAY — IF YOU DON'T CARE ABOUT README)

If you just want it to work immediately:

```
git pull origin main --allow-unrelated-histories
git add .
git commit -m "merge fix"
git push -u origin main
```

🧠 SIMPLE UNDERSTANDING

Problem

conflict

mark fixed

finish

upload

Fix

edit file

git add

git commit

git push

💬 REAL TALK

This is the **hardest** Git problem beginners face —
after this, everything becomes EASY.

👉 Run `git status` and show me what you see

I'll guide you exactly to finish this 100% ✅

Changes to be committed:

new file: .github/workflows/static.yml

new file: README.md

new file: image 3.jpg

Unmerged paths:

(use "git add <file>..." to mark resolution)

both added: index.html

both added: script.js

both added: style.css

Show more ▾

🔥 YES — this is the exact situation I was expecting. You're literally **one final fix away**.

❌ WHAT THIS MEANS

both added: index.html

both added: script.js

both added: style.css

👉 Git is confused because:

- Your computer has these files
- GitHub ALSO has these files

👉 It doesn't know which version to keep



SIMPLE FIX (FASTEST WAY — DO THIS)

👉 Since YOUR files are the correct ones, we'll keep yours 🏆

□ STEP 1: Tell Git to keep your version

Run this:

Bash

👉 This marks ALL conflicts as resolved using your files

□ STEP 2: Finish the merge

Bash

□ STEP 3: PUSH 🚀

Bash

⚠ IF IT STILL COMPLAINS (RARE)

Run this instead:

```
git pull origin main --strategy=ours
```

Bash

👉 This forces Git to keep your version

🧠 WHAT YOU JUST DID

Step

git add .

git commit

git push

Meaning

accept your files

finalize merge

upload everything



REAL TALK

You just handled:



git setup



authentication



wrong repo link



merge conflict



That's like 90% of Git problems developers face



NEXT STEP (AFTER THIS WORKS)

Once push succeeds:



I'll help you:

- make your website LIVE 
- fix your CSS/images if needed
- make it look like a real app



Run those 3 commands and tell me what happens

You're basically DONE 



```
PS C:\Users\USER\Desktop\To-Do list project> git push -u origin main
```

Enumerating objects: 15, done.

Counting objects: 100% (15/15), done.

Delta compression using up to 4 threads

Compressing objects: 100% (10/10), done.

Writing objects: 100% (11/11), 2.56 KiB | 238.00 KiB/s,
done.

Total 11 (delta 4), reused 0 (delta 0), pack-reused 0 (from
0)

remote: Resolving deltas: 100% (4/4), completed with 1

Show more ▾

🎉🎉 LET'S GOOOO — YOU DID IT 🔥🔥

That message means:

- ✅ Your project is successfully pushed to GitHub
- ✅ Everything is connected properly
- ✅ No more Git errors 😊



NOW YOUR NEXT STEP: MAKE YOUR WEBSITE LIVE

Right now your code is on GitHub, but not visible as a website yet.



STEP 1: Open your repo

Go to:

<https://github.com/millie420/To-Do-List-project>



STEP 2: Enable GitHub Pages

1. Click **Settings**
2. Scroll down to **Pages**
3. Under **Source**:
 - Select: `Deploy from a branch`
 - Branch: `main`

- Folder: / (root)

4. Click Save

STEP 3: Wait 1–2 minutes

GitHub will generate your live link

STEP 4: Your website link

It will look like:

```
https://millie420.github.io/To-Do-List-project/
```

IF YOUR SITE LOOKS BROKEN

 Common issues:

- CSS not loading
- Images missing

 I can fix that with you quickly

WHAT YOU JUST ACCOMPLISHED

You just learned:

- ✓ Git setup
- ✓ GitHub connection
- ✓ Fixing errors
- ✓ Merge conflicts
- ✓ Pushing code

 This is real developer workflow 🎉

NEXT LEVEL

If you want, I can now help you:

- 👉 Make your app look like a **real mobile app UI**
- 👉 Fix styling / animations
- 👉 Add features (delete task, save tasks, etc.)
- 👉 Improve your portfolio 🔥

👉 Send me your live link once it's up

Let's make it look AMAZING 🚀



everything looks good but when i visit this link
<https://millie420.github.io/To-Do-List-project/> its so
abnormal it has like 3 boxex for the filling information, also
the background color should be an image but now its just
white how can i fix this kindly

Nice 🔥 — this is the **last real step: fixing your frontend (HTML + CSS paths)**.

What you're seeing (white background + broken layout) is **VERY common on GitHub Pages**.

❌ WHY YOUR SITE LOOKS BROKEN

When your site works locally but breaks online, it's usually because:

1. ❌ CSS is not loading

👉 That's why layout looks like "3 boxes"

2. ❌ Background image not found


👉 That's why it's white instead of image

✅ LET'S FIX IT (STEP BY STEP)

STEP 1: FIX YOUR CSS LINK IN HTML

 Open your `index.html`

Look for this:



✓ This is correct ONLY IF:

- `style.css` is in the SAME folder as `index.html`

❗ If your CSS is inside a folder (e.g. `css/`)

Change to:



STEP 2: FIX BACKGROUND IMAGE PATH

 Open your `style.css`

Find something like:

```
body {  
  background-image: url("image 3.jpg");  
}
```

❌ PROBLEM:

GitHub does NOT like spaces in file names



FIX IT:



Rename your image file:

From:

```
image 3.jpg
```

To:

```
image3.jpg
```



Then update CSS:

```
body {  
  background-image: url("image3.jpg");  
  background-size: cover;  
  background-position: center;  
}
```



STEP 3: CHECK FOLDER STRUCTURE

Your project should look like:

```
To-Do list project/  
|  
├─ index.html  
├─ style.css  
├─ script.js  
├─ image3.jpg
```



STEP 4: PUSH CHANGES AGAIN

After fixing:


```
git add .
git commit -m "fixed css and image path"
git push
```

STEP 5: HARD REFRESH

On your website press:

Ctrl + Shift + R

WHY THIS HAPPENS

Local (your computer)

forgiving paths

allows spaces

case insensitive

GitHub

strict paths

breaks easily

case sensitive

REAL TALK

- 👉 The "3 boxes" issue = CSS not loading
- 👉 White background = image path wrong

IF YOU WANT

Send me:

- 👉 your index.html
- 👉 your style.css

I'll fix it perfectly for you 💯
(or even redesign it to look like a real app 🔥)



how do i fist change the vs background after i just opened and finished the terminal and my script and style css looks green like i cannot type and also the vs code now looks so different

Got you 👍 — two different issues are happening here. Let's fix them one by one.

🟢 1. VS Code looks different + you can't type (everything green)

This usually means **Git opened a commit message editor** inside VS Code.

👉 That's why:

- Everything looks **green**
- You **can't type normally**
- VS Code UI looks weird

✅ FIX IT (VERY EASY)

Option 1: Exit that screen

1. Press:

`Ctrl + Q`

or

`Ctrl + Shift + P` → type "Close Editor"

Option 2 (Most reliable)

1. Look for a tab called something like:

COMMIT_EDITMSG

2. Close it ✖

Option 3 (Terminal fix)

In your terminal, type:

Bash

💡 After closing it:

- VS Code goes back to normal
- You can type again

🎨 2. How to change VS Code background (theme)

Your colors changed because the theme switched.

✅ Change Theme

1. Press:

Ctrl + Shift + P

2. Type:

Color Theme

3. Choose something like:

- Dark+ (Default Dark) ★
- Light theme (if you prefer)



Want a custom background image?

VS Code doesn't support background images by default, but you can:

Option A (Simple)

Install theme extensions:

- One Dark Pro
- Dracula
- GitHub Theme

Option B (Advanced - background image)

Install extension:



"Background" extension

Then add image in settings JSON.

If you want, I can guide you step-by-step.



QUICK SUMMARY

- ✓ Green screen = Git commit editor → just close it
- ✓ VS changed look = theme changed → switch theme
- ✓ Can't type = you're not in normal file → exit that tab



Next

After fixing VS Code, we'll fix your website issue:



triple boxes



missing background image

Send me:

- your `index.html`
- your `style.css`

And I'll fix it perfectly for you 🏆



```
first issue is S C:\Users\USER\Desktop\To-Do list project>
git commit --amend --no-edit
[main 1f6676a] resolved merge conflict
Date: Sat May 16 10:03:01 2026 +0300
PS C:\Users\USER\Desktop\To-Do list project> second still
my vs background isnt like before and also the script and
css files now look red whats up
```

Perfect 👍 — your Git issue is **100% solved** now:

```
[main 1f6676a] resolved merge conflict
```

That means:

- ✅ Conflict fixed
- ✅ Commit successful
- ✅ You're back to normal Git flow

🚨 NOW YOUR REAL ISSUE (VS Code looks weird + files red)

Let's fix this properly.

🔴 WHY YOUR FILES ARE RED

When files like:

- `script.js`
- `style.css`

show in **red**, it means:

👉 Git thinks something is wrong or changed

Usually:

- Files not saved
- Or Git still tracking changes
- Or repo is in a weird state after merge



STEP 1: CHECK STATUS

In your terminal, run:

```
git status
```

Bash

👉 Send me the result if unsure



STEP 2: SAVE EVERYTHING

Sometimes it's simple:

👉 Press:

```
Ctrl + S
```

for all files



STEP 3: STAGE + COMMIT AGAIN

Run:

```
git add .
git commit -m "final fix"
git push
```



NOW FIX YOUR VS CODE LOOK (IMPORTANT)

Your theme/settings changed during Git process.



Reset VS Code to normal

1. Change Theme

Press:

Ctrl + Shift + P

Type:

Color Theme

Pick:



Dark+ (Default Dark)

2. Reset Layout (VERY IMPORTANT)

Press:

Ctrl + Shift + P

Type:

View: Reset Workbench Layout

3. If still weird → Reload VS Code

Press:

Ctrl + Shift + P

Type:



WHY THIS HAPPENED

After merge + commit:



VS Code sometimes:

- switches mode
- highlights Git changes
- changes colors (diff mode)

So:



Nothing is broken — just UI + Git tracking



FINAL CHECK

After doing everything:



Files NOT red anymore



You can type normally



Theme looks normal



NEXT

Once VS Code is fixed:



we go back to your website issue:

- 3 input boxes problem
- background image not showing



That one is **HTML/CSS bug**, I'll fix it clean 💯



First send me:


```
git status
```

OR confirm:

👉 "files still red" / "fixed"

Let's finish this 🚀

📄 👍 💬 ⬆️ ↺ ...

```
nothing to commit, working tree clean
To https://github.com/millie420/To-Do-List-project.git
! [rejected]      main -> main (non-fast-forward)
error: failed to push some refs to
'https://github.com/millie420/To-Do-List-project.git'
hint: Updates were rejected because the tip of your current
branch is behind
hint: its remote counterpart. If you want to integrate the
remote changes,
hint: use 'git pull' before pushing again.
hint: See the 'Note about fast-forwards' in 'git push --help'

Show more ▾
```

Ahh 🔥 this is a **very common Git situation** — and you're actually very close.

🔴 WHAT THIS ERROR MEANS

```
! [rejected] main -> main (non-fast-forward)
```

👉 Translation:

Your GitHub repo has **new changes** that your computer doesn't have yet.

So Git is saying:

"I can't push until you first pull the latest version."



FIX (DO THIS EXACTLY)

Step 1: Pull latest changes

Bash

Step 2: Then push again

Bash



IF YOU SEE MERGE CONFLICT AGAIN

Don't panic 😊 — just:

1. Open files (index.html , style.css , script.js)
2. Look for this:

```
<<<<<< HEAD
your code
=====
other code
>>>>>>
```

3. Clean it (keep correct code)
4. Then run:

```
git add .
git commit -m "fixed again"
git push
- .
```



WHY THIS HAPPENED

Because:

- You edited files locally
- GitHub also has changes (from earlier merge or push)



So histories are **out of sync**



PRO TIP (IMPORTANT)

Always do this before pushing:

```
git pull origin main
```

Bash



ABOUT YOUR VS CODE COLORS (IMPORTANT)

Since:

```
nothing to commit, working tree clean
```



Your red files are **NOT errors anymore**

They were just Git highlighting changes.



Fix colors now

Do this:

1. Press:

```
Ctrl + Shift + P
```

2. Type:

```
Developer: Reload Window
```

If still weird:

👉 Change theme again:

Ctrl + Shift + P → Color Theme → Dark+



After this works:

👉 We FIX your website UI:

- ❌ 3 boxes issue
- ❌ background image missing

That one is 100% CSS/HTML — easy fix 🏆

👉 Do this now:

1. Run:

Bash

2. Tell me:

👉 "done" OR send error

Let's finish this clean 🚀



Developer: Reload Window

Developer: : The term 'Developer:' is not recognized as the name of a cmdlet, function, script file, or operable program. Check the spelling of the name,

or if a path was included, verify that the path is correct and try again.

At line:1 char:1

+ Developer: Reload Window

+ ~~~~~

Show more ▾

😂😂 okay I see exactly what happened — and you're not wrong, just used the **wrong** place

THE PROBLEM

You typed:

```
Developer: Reload Window
```

👉 inside the **terminal** (PowerShell)

That's why it says:

```
"not recognized as a command"
```

IMPORTANT RULE

👉 There are 2 different places in VS Code:

1. Terminal (black screen)

- Used for:
 - `git push`
 - `git pull`
 - commands

2. Command Palette (THIS is where your command goes)



FIX (DO THIS EXACTLY)

Step 1: Open Command Palette

Press:

Ctrl + Shift + P



A search bar will appear at the top (NOT the terminal)

Step 2: Type:

Reload Window



Click:

Developer: Reload Window



ALSO FIX YOUR COLORS

After reloading:

Change theme again

Press:

Ctrl + Shift + P

Type:

Color Theme

Choose:



Dark+ (Default Dark)



ABOUT YOUR RED FILES

Since Git said:

nothing to commit, working tree clean

👉 GOOD NEWS:

- ❌ No errors
- ❌ Nothing broken
- ✅ Just Git highlighting (normal)



NEXT STEP (VERY IMPORTANT)

Now go back and run this in **terminal**:

Bash

```
git push origin main
```



AFTER THIS

Tell me:



"VS fixed"



OR send screenshot if still weird

Then we fix your website:

- background image not showing
- weird 3 boxes

That one is easy, I'll make it look like a real app 🔥

