# Dependency Walker

Shows Dynamically Linked Functions

- Normal programs have a lot of DLLs
- Malware often has very few DLLs

Services.exe

Services.ex_ (malware)

Imports & Exports in Dependency Walker

Table 2-1. Common DLLs

DLL	Description
Kernel32.dll	This is a very common DLL that contains core functionality, such as access and manipulation of memory, files, and hardware.
Advapi32.dll	This DLL provides access to advanced core Windows components such as the Service Manager and Registry.
User32.dll	This DLL contains all the user-interface components, such as buttons, scroll bars, and components for controlling and responding to user actions.
Gdi32.dll	This DLL contains functions for displaying and manipulating graphics.

Ntdll.dll	This DLL is the interface to the Windows kernel. Executables generally do not import this file directly, although it is always imported indirectly by *Kernel32.dll*. If an executable imports this file, it means that the author intended to use functionality not normally available to Windows programs. Some tasks, such as hiding functionality or manipulating processes, will use this interface.
WSock32.dll and *Ws2_32.dll*	These are networking DLLs. A program that accesses either of these most likely connects to a network or performs network-related tasks.
Wininet.dll	This DLL contains higher-level networking functions that implement protocols such as FTP, HTTP, and NTP.

Exports

- DLLs **export** functions
- EXEs **import** functions
- Both exports and imports are listed in the PE header

Notepad.exe

Advapi32.dll

iTunesSetup.exe

Example: Keylogger

- Imports User32.dll and uses the function **SetWindowsHookEx** which is a popular way keyloggers receive keyboard inputs
- It exports **LowLevelKeyboardProc** and **LowLevelMouseProc** to send the data elsewhere
- It uses **RegisterHotKey** to define a special keystroke like Ctrl+Shift+P to harvest the collected data

Ex: A Packed Program

- Very few functions
- All you see is the unpacker

Table 2-3. DLLs and Functions Imported from PackedProgram.exe

Kernel32.dll	User32.dll
GetModuleHandleA	MessageBoxA
LoadLibraryA	
GetProcAddress	
ExitProcess	
VirtualAlloc	
VirtualFree	

The PE File Headers and Sections

Important PE Sections

- **.text** -- instructions for the CPU to execute
- **.rdata** -- imports & exports
- **.data** – global data
- **.rsrc** – strings, icons, images, menus

PEView (Link Ch 2e)

Time Date Stamp

- Shows when this executable was compiled
- Older programs are more likely to be known to antivirus software
- But sometimes the date is wrong
  - All Delphi programs show June 19, 1992
  - Date can also be faked

IMAGE_SECTION_HEADER

- Virtual Size – RAM
- Size of Raw Data – DISK
- For **.text** section, normally equal, or nearly equal
- Packed executables show Virtual Size much larger than Size of Raw Data for **.text** section

Not Packed

Table 2-6. Section Information for PackedProgram.exe

Name	Virtual size	Size of raw data
.text	A000	0000
.data	3000	0000
.rdata	4000	0000
.rsrc	19000	3400
Dijfpds	20000	0000
.sdfuok	34000	3313F
Kijijl	1000	0200

Resource Hacker

- Lets you browse the **.rsrc** section
- Strings, icons, and menus
- Link Ch 2f

Resource Hacker