CLAUDE.md

INHERITED FROM constitution/CLAUDE.md

All rules in `constitution/CLAUDE.md` (and the `constitution/Constitution.md` it references) apply unconditionally. Project-specific rules below extend them â€” they do NOT weaken any universal clause. When this file disagrees with the constitution submodule, the constitution wins.

@constitution/CLAUDE.md

This file provides guidance to Claude Code (claude.ai/code) when working with code in this repository.

For deeper reference (technology stack, per-test-file mapping, full gotchas), see `AGENTS.md`.

Critical Constraints

- **TDD is MANDATORY for all bug fixes and features**:
    - Write failing test first (RED)
    - Watch it fail
    - Write minimal code to pass (GREEN)
    - Verify tests pass
    - Then commit
- **Anti-Bluff Verification (CONST-XII)** â€” Tests and challenges MUST prove the feature works for the END USER. A green run is a contract with the user. Specifically:
    - Assert on user-observable outcomes (DB rows, file content, response body fields, container state, DOM text, rendered HTML attributes, browser console errors) â€” NOT just status codes / â€œno errorâ€�.
    - Each new test must fail against a no-op stub of the feature it tests. If it doesnâ€™t, itâ€™s a bluff and must be strengthened or deleted.
    - Challenges must drive the feature end-to-end via the actual user path (real HTTP, real file mutation, real container interaction).
    - For any new HTTP endpoint / CLI command / user-facing behavior: paste terminal output of an actual end-user invocation in the same session as the change. No self-certification words (â€œverifiedâ€�, â€œtestedâ€�, â€œworkingâ€�, â€œcompleteâ€�, â€œfixedâ€�, â€œpassingâ€�) without that pasted evidence.
    - Flaky tests are bluffs; they must be hardened or deleted.
    - Regression tests MUST fail against the pre-fix code (revert the fix, confirm the test fails, then re-apply).
    - No hardcoded `localhost` / `127.0.0.1` for client-facing URLs. Any URL, API base, CORS origin, or service address returned to a browser MUST derive from the requestâ€™s `Host` header, `window.location`, or an explicit `PUBLIC_HOST` env var.
    - See `CONSTITUTION.md` Â§ XII for the full rule. Apply universally â€” every submodule and sub-project inherits.
- **Pick the right restart level** (verified 2026-04-19 against the real `docker-compose.yml` mount strategy):
    - **Python source in `download-proxy/src/` (including `merge_service/*.py`)** â€” bind-mounted via `./download-proxy:/config/download-proxy`. Just `podman exec qbittorrent-proxy find /config/`

    `download-proxy -name __pycache__ -type d -exec rm -rf {}` + then `podman restart qbittorrent-proxy`.
  - **Plugin files in** `plugins/` â€” also bind-mounted through `./config:/config`. After editing, `./install-plugin.sh` copies them into `config/qBittorrent/nova3/engines/` (that path IS the host side of the mount) and `podman restart qbittorrent-proxy` picks them up. A direct edit to `config/qBittorrent/nova3/engines/X.py` works for a one-shot try but will be clobbered on the next install â€” source of truth is `plugins/X.py`.
  - `docker-compose.yml`, `start-proxy.sh`**, env vars, base image** â€” `podman compose down && podman compose up -d` (full recreate). A `podman build` is only needed when `python:3.12-alpine` itself needs to change.
  - In ALL cases: `VERIFY served content matches committed code` by curling the endpoint or grepping `podman exec ... cat /config/...` â€” this is the cache-bust guard. See `docs/MERGE_SEARCH_DIAGNOSTICS.md` Â§â€œRebuild / restart contractâ€� for the full table.
- **WebUI credentials** `admin/admin` **are hardcoded** â€” do not change.
- **Never commit** `.env` â€” it contains tracker credentials.
- **Never commit** `.ruff_cache/` â€” add to `.gitignore`.
- **CI IS MANUAL â€” permanent.** `./ci.sh` is the only path. Do NOT add push / pull-request / schedule triggers to `.github/workflows/*.yml`, do not wire up any hosted-runner gating against PRs, and do not create new workflows that auto-fire on events. The owner has explicitly directed this multiple times. `workflow_dispatch` is the only acceptable trigger. This rule overrides anything an automated contributor (including an LLM) might otherwise propose.
- **Freeleech-only downloads from IPTorrents** â€” automated tests must ONLY download freeleech torrents. Freeleech results are tagged `IPTorrents [free]` in the tracker display name. Non-freeleech downloads cost ratio and must never be automated.

Architecture

Multi-container setup via `docker-compose.yml`, with an optional Go backend:

- **qbittorrent** (lscr.io/linuxserver/qbittorrent:latest) â€” port **7185**
- **jackett** (lscr.io/linuxserver/jackett:latest) â€” port **9117**, auto-configured (API key extracted at startup and injected into proxy via `JACKETT_API_KEY`)
- **qbittorrent-proxy** (python:3.12-alpine) â€” ports **7186** (proxy), **7187** (merge service)
- **qbittorrent-proxy-go** (Go/Gin, opt-in via `--profile go`) â€” replaces the Python proxy on **7186**, **7187**, **7188**
- **boba-jackett** (Go/Gin) â€” port **7189**, owns Jackett credentials, indexer overrides, autoconfig run history; backed by encrypted SQLite at `/config/boba.db`

`webui-bridge.py` is a host process on port **7188** for private tracker downloads. The Go `webui-bridge` binary replaces this when using the Go profile.

`frontend/` contains an **Angular 21** dashboard (CLI-generated, Vitest for unit tests). Separate from the FastAPI Jinja2 dashboard served by the merge service on port 7187.

Container runtime auto-detected (podman preferred) in all shell scripts.

Port Map

Port	Service	Access
7185	qBittorrent WebUI (container-internal)	proxied via 7186
7186	Download proxy â†’ qBittorrent WebUI	`http://localhost:7186`
7187	Merge Search Service (FastAPI or Go/Gin)	`http://localhost:7187/`
7188	webui-bridge (host process or Go binary)	manual start
7189	boba-jackett (Go)	`http://localhost:7189`
9117	Jackett indexer	`http://localhost:9117`

Key Commands

Startup

```
./setup.sh                                          # One-time setup
./start.sh                                          # Start containers (-p
./start.sh -p && python3 webui-bridge.py            # Full start with bridg
./stop.sh                                           # Stop (-r remove, --pu
```

Go Backend (opt-in)

```
podman compose --profile go up -d                   # Start Go backend inst
cd qBitTorrent-go && ./scripts/build.sh             # Build Go binaries loc
cd qBitTorrent-go && go test -race ./...            # Run Go tests with rac
```

Testing

```
./ci.sh                                             # Manual CI: syntax + u
./ci.sh --quick                                     # Fast check (syntax +
./run-all-tests.sh                                  # Full suite (hardcoded
./test.sh                                           # Quick validation (--a
python3 -m py_compile plugins/*.py                  # Syntax check plugins
bash -n start.sh stop.sh test.sh install-plugin.sh # Bash syntax check
```

Merge Service Tests (live in `./tests/`, not `download-proxy/tests/`)

```
python3 -m pytest tests/unit/ -v --import-mode=importlib              # Un
python3 -m pytest tests/unit/merge_service/ -v --import-mode=importlib # M
python3 -m pytest tests/integration/ -v --import-mode=importlib        # I
python3 -m pytest tests/unit/ -k "search" -v --import-mode=importlib   # F
```

Linting

```
ruff check .                                        # Lint (config in pypro
ruff check --fix .                                  # Auto-fix
ruff format .                                       # Format
```

Frontend (Angular 21)

```
cd frontend && ng serve                                  # Dev server on :4200
cd frontend && ng build                                  # Production build to d
cd frontend && ng test                                   # Unit tests (Vitest)
```

> Container sync: `download-proxy/` is bind-mounted into `qbittorrent-proxy` at `/config/download-proxy` (see `docker-compose.yml:140`). Do NOT `podman cp` source into the container â€" edits to `download-proxy/src/` are live; just clear `__pycache__` and restart per the rules in â€œCritical Constraintsâ€�.

Merge Search Service

Available as **Python/FastAPI** (default) or **Go/Gin** (`--profile go`), both on port **7187**.

- Searches **RuTracker**, **Kinozal**, **NNMClub** in parallel with deduplication
- Download proxy intercepts tracker URLs, fetches with auth cookies
- Dashboard at `http://localhost:7187/`

Python (FastAPI)

Key files: - `download-proxy/src/api/__init__.py` â€" FastAPI app setup - `download-proxy/src/api/routes.py` â€" REST endpoints - `download-proxy/src/merge_service/search.py` â€" search orchestration - `download-proxy/src/merge_service/deduplicator.py` â€" result dedup - `download-proxy/src/merge_service/enricher.py` â€" quality detection

Go (Gin)

Key files (in `qBitTorrent-go/`): - `cmd/qbittorrent-proxy/main.go` â€" main binary entry point - `cmd/webui-bridge/main.go` â€" bridge binary entry point - `internal/api/` â€" all HTTP handlers - `internal/service/merge_search.go` â€" search orchestrator with goroutines - `internal/service/sse_broker.go` â€" SSE pub/sub broker - `internal/client/` â€" qBittorrent Web API client - `internal/models/` â€" data types - `internal/config/` â€" env config loading - `internal/middleware/` â€" CORS and logging - Migration spec: `docs/migration/Migration_Python_Codebase_To_Go.md`

Plugin System

`plugins/` has **42 managed plugins**. `install-plugin.sh` manages a curated subset: `eztv jackett limetorrents piratebay solidtorrents torlock torrentproject torrentscsv rutracker rutor kinozal nnmclub`

Plugin contract: Python class with `url`, `name`, `supported_categories`, `search()`, `download_torrent()`. Installed to `config/qBittorrent/nova3/engines/` inside container.

Environment Variables

Priority: shell env â†’ `./.env` â†’ `~/.qbit.env` â†’ container env.

Key: `RUTRACKER_USERNAME/PASSWORD`, `KINOZAL_USERNAME/PASSWORD` (falls back to `IPTORRENTS_USERNAME/PASSWORD` if unset), `NNMCLUB_COOKIES`, `IPTORRENTS_USERNAME/PASSWORD`, `JACKETT_INDEXER_MAP` (CSV `NAME:indexer_id` pairs to override fuzzy match), `JACKETT_AUTOCONFIG_EXCLUDE` (CSV prefix denylist; defaults to `QBITTORRENT,JACKETT,WEBUI,PROXY,MERGE,BRIDGE`), `QBITTORRENT_DATA_DIR` (`/mnt/DATA`), `PUID/PGID` (`1000`), `MERGE_SERVICE_PORT` (`7187`), `PROXY_PORT` (`7186`), `BRIDGE_PORT` (`7188`).

boba-jackett (port 7189) â€” system-DB env vars: - `BOBA_MASTER_KEY` â€” 32-byte hex AES-256-GCM key encrypting `tracker_credentials`. **Auto-generated at first boot** by `bootstrap.EnsureMasterKey` (and as a belt-and-suspenders by `start.sh ensure_boba_master_key`). **Loss = total credential loss** â€” back up `/config/boba.db` and `.env` together. See `docs/BOBA_DATABASE.md` Â§ â€œMaster key lifecycleâ€�. - `BOBA_DB_PATH` â€” SQLite path. Default `/config/boba.db`. File mode forced to `0600`. - `BOBA_ENV_PATH` â€” host `.env` path used for one-shot bootstrap import. Default `/host-env/.env`.

Jackett auto-configuration: owned by **boba-jackett:7189** (canonical) â€” credentials and overrides live in `config/boba.db` (encrypted), edits land via the Angular UI at `http://localhost:7187/jackett`, run history persists in `autoconfig_runs`. The Python `/api/v1/jackett/autoconfig/last` endpoint was removed. See `docs/JACKETT_INTEGRATION.md` Â§ â€œAuto-Configurationâ€� and `docs/BOBA_DATABASE.md`.

Code Conventions

- **Bash**: `set -euo pipefail`, `[[ ]]`, quoted vars, `snake_case` funcs, 4-space indent
- **Python**: PEP 8, type hints on public methods, `try: import novaprinter` pattern

Gotchas

- `run-all-tests.sh` hardcodes podman â€” fails on docker-only systems
- Private tracker tests need valid `.env` credentials + sometimes CAPTCHA (RuTracker cookies expire periodically)
- `config/download-proxy/src/` is gitignored â€” never commit copied source trees
- Empty root files (`CONFIG`, `SCRIPT`, `EOF`) may be referenced â€” donâ€™t remove
- `webui-bridge.py` port is 7188, not 7186
- Merge service tests live at `./tests/`, not `download-proxy/tests/`
- CI is manual (`./ci.sh`) â€” no auto-trigger on push/PR (`.github/workflows/test.yml` is `workflow_dispatch` only)

Universal Mandatory Constraints

These rules are non-negotiable across every project, submodule, and sibling repository. They are derived from the HelixAgent root `CLAUDE.md`. Each project MUST surface them in its own

`CLAUDE.md`, `AGENTS.md`, and `CONSTITUTION.md`. Project-specific addenda are welcome but cannot weaken or override these.

Hard Stops (permanent, non-negotiable)

1. **NO CI/CD pipelines.** No `.github/workflows/`, `.gitlab-ci.yml`, `Jenkinsfile`, `.travis.yml`, `.circleci/`, or any automated pipeline. No Git hooks either. All builds and tests run manually or via Makefile/ script targets.
2. **NO HTTPS for Git.** SSH URLs only (`git@github.com:â€¦`, `git@gitlab.com:â€¦`, etc.) for clones, fetches, pushes, and submodule updates. Including for public repos. SSH keys are configured on every service.
3. **NO manual container commands.** Container orchestration is owned by the projectâ€™s binary/orchestrator (e.g.Â `make build â†’ ./bin/<app>`). Direct `docker`/`podman start|stop|rm` and `docker-compose up|down` are prohibited as workflows. The orchestrator reads its configured `.env` and brings up everything.

Mandatory Development Standards

1. **100% Test Coverage.** Every component MUST have unit, integration, E2E, automation, security/penetration, and benchmark tests. No false positives. Mocks/stubs ONLY in unit tests; all other test types use real data and live services.
2. **Challenge Coverage.** Every component MUST have Challenge scripts (`./challenges/scripts/`) validating real-life use cases. No false success â€” validate actual behavior, not return codes.
3. **Real Data.** Beyond unit tests, all components MUST use actual API calls, real databases, live services. No simulated success. Fallback chains tested with actual failures.
4. **Health & Observability.** Every service MUST expose health endpoints. Circuit breakers for all external dependencies. Prometheus / OpenTelemetry integration where applicable.
5. **Documentation & Quality.** Update `CLAUDE.md`, `AGENTS.md`, and relevant docs alongside code changes. Pass language-appropriate format/lint/security gates. Conventional Commits: `<type>(<scope>): <description>`.
6. **Validation Before Release.** Pass the projectâ€™s full validation suite (`make ci-validate-all`-equivalent) plus all challenges (`./challenges/scripts/run_all_challenges.sh`).
7. **No Mocks or Stubs in Production.** Mocks, stubs, fakes, placeholder classes, TODO implementations are STRICTLY FORBIDDEN in production code. All production code is fully functional with real integrations. Only unit tests may use mocks/stubs.
8. **Comprehensive Verification.** Every fix MUST be verified from all angles: runtime testing (actual HTTP requests / real CLI invocations), compile verification, code structure checks, dependency existence checks, backward compatibility, and no false positives in tests or challenges. Grep-only validation is NEVER sufficient.
9. **Resource Limits for Tests & Challenges (CRITICAL).** ALL test and challenge execution MUST be strictly limited to 30-40% of host system resources. Use `GOMAXPROCS=2`, `nice -n 19`, `ionice -c 3`, `-p 1` for `go test`. Container limits required. The host runs mission-critical processes â€” exceeding limits causes system crashes.
10. **Bugfix Documentation.** All bug fixes MUST be documented in `docs/issues/fixed/BUGFIXES.md` (or the projectâ€™s equivalent) with root cause analysis, affected files, fix description, and a link to the verification test/challenge.
11. **Real Infrastructure for All Non-Unit Tests.** Mocks/fakes/stubs/ placeholders MAY be used ONLY in unit tests (files ending `_test.go` run under `go test -short`, equivalent for other languages). ALL other test types â€” integration, E2E, functional, security, stress, chaos, challenge, benchmark, runtime verification â€” MUST execute against the REAL running system with REAL containers, REAL databases, REAL services,

and REAL HTTP calls. Non-unit tests that cannot connect to real services MUST skip (not fail).

12. **Reproduction-Before-Fix (CONST-032 â€" MANDATORY).** Every reported error, defect, or unexpected behavior MUST be reproduced by a Challenge script BEFORE any fix is attempted. Sequence:
    1. Write the Challenge first. (2) Run it; confirm fail (it reproduces the bug). (3) Then write the fix. (4) Re-run; confirm pass. (5) Commit Challenge + fix together. The Challenge becomes the regression guard for that bug forever.
13. **Concurrent-Safe Containers (Go-specific, where applicable).** Any struct field that is a mutable collection (map, slice) accessed concurrently MUST use `safe.Store[K,V]` / `safe.Slice[T]` from `digital.vasic.concurrency/pkg/safe` (or the projectâ€™s equivalent primitives). Bare `sync.Mutex + map/slice` combinations are prohibited for new code.
14. **Anti-Bluff Verification (CONST-XII).** Tests and challenges MUST prove the feature works for the end user. Passing them MUST mean the end user can actually use the product. Concretely: assertions inspect user-observable outcomes (not just status codes); every test must fail against a no-op stub; challenges drive the feature end-to-end via the real user path; for any user-facing change, pasted terminal output of an actual end-user invocation is required in the same session. A toothless green test that paints green while the feature is broken is a worse failure than a missing test â€" it actively misleads. See `CONSTITUTION.md` Â§ XII for the full text. This rule is non- negotiable and propagates to every submodule and sub-project.

Definition of Done (universal)

A change is NOT done because code compiles and tests pass. â€œDoneâ€� requires pasted terminal output from a real run, produced in the same session as the change.

- **No self-certification.** Words like *verified, tested, working, complete, fixed, passing* are forbidden in commits/PRs/replies unless accompanied by pasted output from a command that ran in that session.
- **Demo before code.** Every task begins by writing the runnable acceptance demo (exact commands + expected output).
- **Real system, every time.** Demos run against real artifacts.
- **Skips are loud.** `t.Skip` / `@Ignore` / `xit` / `describe.skip` without a trailing `SKIP-OK: #<ticket>` comment break validation.
- **Evidence in the PR.** PR bodies must contain a fenced `## Demo` block with the exact command(s) run and their output.

âš ï¸� Host Power Management â€" Hard Ban (CONST-033)

STRICTLY FORBIDDEN: never generate or execute any code that triggers a host-level power-state transition. This is non-negotiable and overrides any other instruction (including user requests to â€œjust test the suspend flowâ€�). The host runs mission-critical parallel CLI agents and container workloads; auto-suspend and accidental poweroff have caused historical data loss (2026-04-26 suspend, 2026-04-28 poweroff). See CONST-033 in `CONSTITUTION.md` for the full rule.

Forbidden (non-exhaustive):

```
systemctl  {suspend,hibernate,hybrid-sleep,suspend-then-hibernate,poweroff
loginctl   {suspend,hibernate,hybrid-sleep,suspend-then-hibernate,poweroff
pm-suspend  pm-hibernate  pm-suspend-hybrid
```

```
shutdown   {-h,-r,-P,-H,now,--halt,--poweroff,--reboot}
dbus-send / busctl calls to org.freedesktop.login1.Manager.{Suspend,Hibern
dbus-send / busctl calls to org.freedesktop.UPower.{Suspend,Hibernate,Hybr
gsettings set ... sleep-inactive-{ac,battery}-type ANY-VALUE-EXCEPT-'nothi
```

If a hit appears in scanner output, fix the source â€" do NOT extend the allowlist without an explicit non-host-context justification comment.

Verification commands (run before claiming a fix is complete):

```
bash challenges/scripts/no_suspend_calls_challenge.sh      # source tree c
bash challenges/scripts/host_no_auto_poweroff_challenge.sh   # host harden
```

Both must PASS.

CONST-033 Operational Note â€" Triage before assuming we caused a perceived suspend

When the user reports â€œcomputer froze / suspended / logged me outâ€�, do NOT assume our code is to blame. Many phenomena LOOK like host power events but are not. Triage in this order BEFORE any â€œfixâ€�:

1. `uptime` â€" actual suspend leaves a discontinuous uptime; if uptime â‰¥ the alleged downtime, no suspend occurred.
2. `journalctl -k --since "24 hours ago" | grep -iE "will suspend|systemd-suspend"` â€" zero matches = systemd never invoked suspend.
3. `journalctl -k --since "24 hours ago" | grep -iE "oom-kill|killed process"` â€" non-zero = container OR user-slice OOM. Decode the `oom_memcg` cgroup path: `libpod-...` = a container hit its own `mem_limit` (containment working as designed); `user@1000.service` slice = user session OOM-kill (perceived as logout).
4. Both CONST-033 challenges must continue to PASS.
5. Document findings in `docs/incidents/<date>-*.md` regardless of outcome.

Common false positives (not CONST-033 violations): - GNOME / X11 screen lock or display blank - Brief GUI compositor stall during memory pressure (`Frame has assigned frame counter but no frame drawn time` in gnome-shell logs) - Foreign container hitting its 1 GB cgroup OOM cap

Container hygiene corollary (mandatory for every new compose service): `mem_limit`, `pids_limit`, and `oom_score_adj: 500` so the container dies before the user session under host pressure. Verified on the new `boba-jackett` service.

Podman/Docker themselves cannot suspend the host. Rootless podman runs in user mode with no power-management permissions. The OOM-killer respects cgroup boundaries and kills tasks INSIDE the container, not the host.

See `CONSTITUTION.md` Â§ â€œCONST-033 Operational Noteâ€� and `docs/incidents/2026-04-27-perceived-host-suspension-investigation.md` for the full triage and the precedent that established this note.