Session Manual QA Checklist â€” 2026-08-18

Revision: 1 **Last modified:** 2026-08-18T21:40:00Z **Authority:** Â§11.4.185 (manual-QA-final human sufficiency gate) + Â§11.4.153 (per-feature Status/video-confirmation format). Automated gates are NECESSARY but NOT SUFFICIENT â€” this checklist is the human confirmation step the constitution requires before this sessionâ€™s deliverables can be considered fully done. **Scope:** deliverables shipped/verified in the boba-stack session spanning commits `457cca4` (constitution v68 pointer/loader fix) through `63f3f88` (HEAD at authoring time). See `docs/CONTINUATION.md` Rev 24 for the full session narrative this checklist confirms. **Per Â§11.4.238:** every item below was already exercised by an automated check or a live captured-evidence probe in this session (cited per feature). This checklistâ€™s job is CONFIRMATION, not discovery â€” if the operator finds something NEW and unreported here, that is itself a coverage-escape and should be filed as its own workable item with a `docs/QA_DISCOVERY_LEDGER.md` entry (out of this documentâ€™s scope â€” see that file directly).

Executive summary

Sign off if all 12 features below PASS.

#	Feature	Automated evidence already captured	Manual confirmation needed
1	Boba stack container reachability	`docker ps` / `podman ps` health checks	Yes â€” visual confirm of all 4 UIs/APIs
2	qBittorrent WebUI (7185)	HTTP 200 curl	Yes â€” log in, see torrent list
3	Merge Search Dashboard (7187)	HTTP 200 curl + dashboard HTML captured	Yes â€” visually confirm layout renders
4	Jackett management page (7187/jackett)	HTTP 200 curl	Yes â€” visually confirm credentials UI
5	boba-jackett API (7189)	`/healthz` 200 curl (API-only, no standalone UI)	Yes â€” confirm health JSON in browser
6	Search functionality (cross-tracker + dedup)	Live captured run, 42 trackers / 1640 raw / 468 merged (uncommitted	Yes â€” run one search yourself

#	Feature	Automated evidence already captured	Manual confirmation needed
		evidence, this session)	
7	Download flow (proxy + cookies, freeleech-only)	Live captured run: add â†’ verify â†’ stop â†’ delete (uncommitted evidence, this session)	Yes â€” run one freeleech download + verify cleanup
8	BOB-112 / `healthz` TTL cache (DDoS mitigation)	Live `wrk` load test: 97.1%â†’0.0% timeout rate (`e2a2e3e`)	Yes â€” hit `/healthz` rapidly, confirm no hang
9	Constitution v68 amendment landing	Submodule pointer bump (`c4e2d93`, `f8aa956`) + `constitution/CLAUDE.md` Revision-68 header	Yes â€” spot-check one new anchorâ€™s text
10	Resource-pressure timer (armed)	`systemctl --user list-timers` shows next fire in ~35 min	Yes â€” confirm timer + last-run log
11	CONST-033 challenge (host cannot suspend)	Re-run this session: 4/4 PASS	Yes â€” re-run + eyeball output
12	Pre-build gate (27/27 GREEN)	Re-run this session: `27 passed, 0 failed` at HEAD `63f3f88`	Yes â€” re-run yourself

Video-confirmation note (Â§11.4.153): none of the 12 items below have a fresh screen recording tied specifically to this sessionâ€™s changes. Recording infrastructure exists for this project (`/Volumes/T7/Downloads/Recordings/`, see `docs/features/Status.md` â€œVideo-recording confirmationsâ€�) but was not exercised for this batch â€” every â€œVideo-confirmation statusâ€� cell below is honestly `PENDING (not recorded this session)`. If the operator wants durable video evidence, the fastest path is `asciinema rec` for the CLI/curl-driven items (6, 7, 8, 10, 11, 12) and a screen capture for the browser-driven items (2, 3, 4, 5).

FEATURE-01 â€” Boba stack container reachability

- **Component:** docker-compose stack (qbittorrent, jackett, boba-jackett, qbittorrent-proxy)
- **Category:** Infrastructure / smoke test
- **Implementation reference:** `docker-compose.yml` (service definitions); orchestrated via `./start.sh` (see `CLAUDE.md` â€œPick the right restart levelâ€�); systemd wrapper `scripts/boba-svc.sh` (commit `444d94e`) for boot-persistent operation.
- **Wiring status:** DEPLOYED â€” confirmed live this session: `qbittorrent` (healthy, up 39 min), `jackett` (healthy, up 39 min), `boba-jackett` (healthy, up 38 min), `qbittorrent-proxy` (healthy, up 38 min, host-network mode bundling ports 7186/7187/7188).
- **Manual test steps:**
  1. Run `podman ps` (or `docker ps` on a docker-only host) and confirm all 4 boba containers show `Up` with `(healthy)` where a healthcheck is defined.
  2. Alternatively run `./scripts/boba-svc.sh health` (systemd-wrapped path) or `./start.sh -s` (direct compose path) and read the per-endpoint probe output.
- **Expected outcome:** all 4 containers `Up (healthy)`; no `Restarting` / `Exited` / `unhealthy` states.
- **Video-confirmation status:** PENDING (not recorded this session).

FEATURE-02 â€” qBittorrent WebUI (http://localhost:7185)

- **Component:** qbittorrent container, WebUI
- **Category:** UI / end-user surface
- **Implementation reference:** `docker-compose.yml` `qbittorrent` service; credentials are hardcoded `admin`/`admin` per `CLAUDE.md` (do not change).
- **Wiring status:** DEPLOYED â€” `curl -o /dev/null -w '%{http_code}' http://localhost:7185/` returned `200` this session.
- **Manual test steps:**
  1. Open `http://localhost:7185` in a browser (or via the proxy at `http://localhost:7186` for the auth-injected path).
  2. Log in with `admin` / `admin`.
  3. Confirm the torrent list view loads (may be empty â€” that is fine).
- **Expected outcome:** WebUI loads, login succeeds, torrent list panel renders without a blank/error page.
- **Video-confirmation status:** PENDING (not recorded this session). Historical confirmation exists from a prior session â€” see `docs/features/Status.md` â€œVideo-recording confirmationsâ€� table, `boba-web-dashboard-tour.mp4` (qBit-Connected header indicator) â€” but that recording predates this sessionâ€™s changes and does not stand in for a fresh confirmation.

FEATURE-03 â€” Merge Search Dashboard (http://localhost:7187)

- **Component:** qbittorrent-proxy (Python/FastAPI) merge-search dashboard
- **Category:** UI / end-user surface
- **Implementation reference:** `download-proxy/src/api/__init__.py` (FastAPI app); `docs/qa/task-e2e-journey/dashboard_response.html` (captured this session, HTTP 200, 2505 bytes) â€” **note: this evidence directory is uncommitted at the time this checklist was authored** (produced by a concurrent in-session task; it will land in a future commit â€” do not cite a commit SHA for it until it is committed).
- **Wiring status:** DEPLOYED â€” `curl` returns `200` with a full `<title>Ð‘Ð¾Ð±Ð° Dashboard</title>` HTML page.
- **Manual test steps:**
  1. Open `http://localhost:7187` in a browser.
  2. Confirm the â€œÐ‘Ð¾Ð±Ð° Dashboardâ€� page renders (header, search box, tracker list).
  3. Toggle the theme switch (if present) and confirm the page re-renders without breaking.
- **Expected outcome:** dashboard loads with a visible search UI and tracker/result panels; no blank page or client-side JS error in the console.
- **Video-confirmation status:** PENDING (not recorded this session).

FEATURE-04 â€” Jackett management page (http://localhost:7187/jackett)

- **Component:** Angular dashboard `/jackett` route, backed by boba-jackett (7189)
- **Category:** UI / end-user surface
- **Implementation reference:** `docs/JACKETT_INTEGRATION.md` Â§ â€œAuto-Configurationâ€�; boba-jackett owns credentials/overrides in `config/boba.db` per `docs/BOBA_DATABASE.md`.
- **Wiring status:** DEPLOYED â€” `curl -o /dev/null -w '%{http_code}' http://localhost:7187/jackett` returned `200` this session.
- **Manual test steps:**
  1. Open `http://localhost:7187/jackett` in a browser.
  2. Confirm the credentials/overrides management UI renders (Add-credential dialog, indexer override list).
  3. Do NOT save new credentials during this pass unless you intend to (this page writes to `config/boba.db`).
- **Expected outcome:** page loads with the Jackett credentials management UI, no error banner.
- **Video-confirmation status:** PENDING (not recorded this session). A prior-session recording (`boba-web-jackett-add-credential.png`, per

`docs/features/Status.md`) exists but predates this sessionâ€™s changes.

FEATURE-05 â€” boba-jackett API health (http://localhost:7189)

- **Component:** boba-jackett (Go/Gin), port 7189
- **Category:** API / infrastructure (no standalone browser UI of its own â€” the root path `/` correctly 404s; its management surface is served through the Angular dashboard at `:7187/jackett`, FEATURE-04 above)
- **Implementation reference:** `qBitTorrent-go/internal/jackettapi/health.go` (see also FEATURE-08 below for the specific `/healthz` TTL-cache fix); this file currently has an **uncommitted, in-progress edit** in the working tree at the time this checklist was authored â€” the evidence below reflects the last-committed state (`91b52db` / `e2a2e3e`), not whatever is mid-edit.
- **Wiring status:** DEPLOYED â€” `curl -o /dev/null -w '%{http_code}' http://localhost:7189/healthz` returned `200` this session. `curl http://localhost:7189/` correctly returns `404` (no root route is expected/registered â€” this is NOT a defect).
- **Manual test steps:**
  1. Open `http://localhost:7189/healthz` directly in a browser or via `curl`.
  2. Confirm a JSON body is returned (e.g.Â `{"status":"healthy", ...}`).
  3. Confirm `http://localhost:7189/` returns a plain 404 (expected â€” do not file a bug for this).
- **Expected outcome:** `/healthz` returns 200 with a status JSON body within well under 1 second.
- **Video-confirmation status:** N/A â€” no UI to record; confirmed by curl/browser JSON view.

FEATURE-06 â€” Search functionality: cross-tracker search with dedup

- **Component:** Merge search service (`/api/v1/search/sync`), 42 registered trackers
- **Category:** Core functionality
- **Implementation reference:** `download-proxy/src/merge_service/search.py` (orchestration) + `download-proxy/src/merge_service/deduplicator.py` (dedup). Session evidence: `docs/qa/task-e2e-journey/search_response.json` + `search_response_raw.log` + `summary.md` (captured live this session, 358 KB raw response, 42 trackers queried, 1640 raw results merged to 468 unique) â€” **uncommitted at the time this checklist was authored** (concurrent in-session task; will land in a future commit).

- **Wiring status:** DEPLOYED â€” proven end-to-end this session via real HTTP against the live stack (no mocks, no deep-link shortcuts, per Â§11.4.143).
- **Manual test steps:**
  1. Open `http://localhost:7187`.
  2. Enter a search term (e.g.Â `"Ubuntu"` or `"1080p"`) and submit.
  3. Confirm results appear from multiple trackers (check the per-result tracker label / the dashboardâ€™s tracker-count indicator).
  4. Confirm no obvious duplicate rows for what is clearly the same release across trackers (a small number of near-duplicates from genuinely different releases is expected and NOT a dedup failure).
- **Expected outcome:** results render within a few seconds, spanning more than one tracker, with the merged/deduplicated count visibly lower than the raw per-tracker sum.
- **Video-confirmation status:** PENDING (not recorded this session). Prior-session recording `boba-web-search-flow.mp4` exists (per `docs/features/Status.md`, confirms â€œ829 results (288 merged)â€�) but predates this session.

FEATURE-07 â€” Download flow: proxy fetch with cookies (freeleech-only)

- **Component:** Download proxy (`/api/v1/download`) â†’ qBittorrent Web API passthrough
- **Category:** Core functionality
- **Implementation reference:** tracker-credential wiring `b1af169`; cookies-file autoload convention `619a5f6`; loader closed-set fix `457cca4`. Session evidence: `docs/qa/task-e2e-journey/download_response.log` + `qbit_torrent_info_pretty.json` + `qbit_cleanup.log` (captured live this session: add â†’ verify registered/downloading â†’ stop â†’ delete with `deleteFiles=true` â†’ re-verify removed) â€” **uncommitted at the time this checklist was authored**.
- **Wiring status:** DEPLOYED â€” proven end-to-end this session; the torrent added was confirmed `freeleech: true` / tagged `[free]` **before** selection, per the projectâ€™s freeleech-only constraint (`CLAUDE.md`).
- **Manual test steps:**
  1. Search for content on a tracker known to have freeleech-tagged results (e.g.Â IPTorrents â€” look for the `IPTorrents [free]` tag in the tracker display name).
  2. Click download/add on a **freeleech-tagged** result ONLY. Do not add a non-freeleech IPTorrents result â€” this costs ratio on a live account.
  3. Confirm the torrent appears in the qBittorrent WebUI (7185) torrent list, actively connecting to peers.
  4. Stop and delete the torrent (with â€œdelete filesâ€� checked) to avoid consuming bandwidth/disk unnecessarily during this QA pass.

- **Expected outcome:** the torrent registers in qBittorrent within seconds of clicking download; stop+delete removes it cleanly (re-querying the torrent list shows it gone).
- **Honest note:** this feature genuinely requires live, working tracker credentials (`IPTORRENTS_USERNAME/PASSWORD` or equivalent per `.env`) to test the private-tracker path. If credentials have expired/rotated since this session, this step will fail for a credential reason unrelated to the download-flow code itself â€” check `docs/guides/tracker-credentials.md` before filing a bug.
- **Video-confirmation status:** PENDING (not recorded this session).

FEATURE-08 â€” BOB-112: `/healthz` TTL cache (DDoS-amplification mitigation)

- **Component:** boba-jackett, `internal/jackettapi/health.go`
- **Category:** Bug fix / resilience (Â§11.4.85 stress test)
- **Implementation reference:** fix commit `91b52db` (TTL cache around `Jackett.GetCatalog()`); load-test proof commit `e2a2e3e` (live `wrk` 4-thread/100-connection/ 30s run: baseline with cache bypassed = 400/412 requests timed out (97.1%); post-fix = 0/812,149 timed out (0.0%), 27,049 req/s, p99 latency 19.89ms).
- **Wiring status:** DEPLOYED per the committed code and load-test evidence above. **Honest status-custody note (Â§11.4.6):** the workable-items DB record for `BOB-112` still shows `Status: Queued` at the time of writing, even though the fix and its live proof are committed â€” this looks like a status-write gap (the DB row was never flipped to a terminal status after the fix landed), not a code defect. Worth a separate, small follow-up to correct the DB status; it does not block this manual-QA pass, which is about the runtime behavior.
- **Manual test steps:**
  1. Run `curl http://localhost:7189/healthz` a handful of times in quick succession (a simple `for i in $(seq 1 20); do curl -sS -o /dev/null -w '%{time_total}\n' http://localhost:7189/healthz; done` one-liner is enough â€” no need to reproduce the full `wrk` load test).
  2. Confirm every response returns quickly (well under 1 second) and with HTTP 200.
  3. Optional deeper check: run `challenges/scripts/ddos_resilience_challenge.sh --healthz` if you want the full regression-guard re-run (this is what `e2a2e3e`â€™s evidence was captured with).
- **Expected outcome:** rapid repeated hits to `/healthz` never hang or time out; latency stays low and flat regardless of request rate.
- **Video-confirmation status:** N/A â€” no UI; confirmed by curl timing output / challenge script console output.

FEATURE-09 â€” Constitution v68 amendment landing (docs regenerated)

- **Component:** `constitution/` submodule + bobaâ€™s submodule pointer
- **Category:** Governance / documentation sync
- **Implementation reference:** boba pointer-bump commits `f8aa956` (22-anchor amendment round Â§11.4.239-262 + 5 extensions) and `c4e2d93` (bump to `helixconstitution-v68` tag, `34731bf` â€” CHANGELOG for v68). Confirmed this session: `git submodule status constitution` resolves to `fab23f0` (`helixconstitution-v68-15-gfab23f0`, i.e.Â 15 commits past the v68 tag â€” the tag itself plus later same-day housekeeping commits); `constitution/CLAUDE.md` header reads `Revision | 68`.
- **Wiring status:** DEPLOYED â€” the new anchors (Â§11.4.239 through Â§11.4.262, plus the Â§11.4.140/141 anchor-number-collision re-mint to Â§11.4.255/256) are present in `constitution/CLAUDE.md` at the time of writing.
- **Manual test steps:**
  1. Run `git submodule status constitution` from the boba repo root and confirm the pinned SHA matches (or descends from) `34731bf` / the `helixconstitution-v68` tag.
  2. Open `constitution/CLAUDE.md` and spot-check ONE new anchor, e.g.Â search for `Â§11.4.238` (the â€œautomated QA must be the discovererâ€� anchor) and confirm the full anchor text is present and readable (not a stub/truncation).
  3. Confirm bobaâ€™s own `CLAUDE.md` (repo root) still opens with the `## INHERITED FROM constitution/CLAUDE.md` pointer block, so the inheritance chain is intact.
- **Expected outcome:** submodule pointer matches; the spot-checked anchorâ€™s full text is present and legible; bobaâ€™s own `CLAUDE.md` inheritance pointer is unbroken.
- **Video-confirmation status:** N/A â€” text/documentation artifact, no UI.

FEATURE-10 â€” Resource-pressure timer (armed + running)

- **Component:** `boba-resource-pressure-check.timer` / `.service` (systemd â€“user unit)
- **Category:** Host-safety / preventive monitoring (CONST-033 family)
- **Implementation reference:** wiring commit `ecb3bfe` (pre-build invariant 25 + hourly systemd â€“user timer); root-cause + guard commit `1f42357`; stress+chaos coverage `2b544f7`.
- **Wiring status:** DEPLOYED â€” `systemctl --user list-timers` shows `boba-resource-pressure-check.timer` with a next-fire time roughly 35 minutes out and a last-run roughly 42 minutes ago at the time of writing; a fresh log line exists under `docs/qa/`

`pre_build_resource_pressure/` (permission `600`, as expected for a host-evidence file).
- **Manual test steps:**
  1. Run `systemctl --user list-timers | grep boba-resource-pressure-check` and confirm a `NEXT` time is scheduled (not blank/inactive).
  2. Run `systemctl --user status boba-resource-pressure-check.service` and confirm the last run exited `0` (success).
  3. Run the underlying check directly: `bash challenges/scripts/resource_pressure_signature_challenge.sh` and confirm it prints `PASS: no resource-pressure signatures over threshold` at the end.
- **Expected outcome:** timer is enabled and scheduled; last service run succeeded; manual re-invocation of the underlying challenge script reports clean (all 5 signatures below threshold) on a healthy host.
- **Video-confirmation status:** N/A â€” host-safety daemon, no UI; confirmed by `systemctl`/script console output.

FEATURE-11 â€” CONST-033 challenge (host cannot be suspended)

- **Component:** `challenges/scripts/host_no_auto_suspend_challenge.sh`
- **Category:** Host-safety gate (CONST-033 hard ban)
- **Implementation reference:** `challenges/scripts/host_no_auto_suspend_challenge.sh` (defense in depth: target masking + `sleep.conf` override + logind `IdleAction` override, fix applied historically at `2026-04-26T18:58:55+02:00`).
- **Wiring status:** VERIFIED THIS SESSION â€” re-ran live: `sleep.target` / `suspend.target` / `hibernate.target` / `hybrid-sleep.target` all masked; `AllowSuspend=no` present; `logind IdleAction=ignore`; zero â€œwill suspendâ€� journal broadcasts since the fix was applied. Result: **4/4 PASS**.
- **Manual test steps:**
  1. Run `bash challenges/scripts/host_no_auto_suspend_challenge.sh` and confirm the final line reads `=== summary: 4 pass, 0 fail ===`.
  2. If it reports any FAIL, do NOT attempt to fix by actually suspending/testing suspend behavior live (Â§CONST-033 hard ban) â€” escalate per the incident-triage protocol in `constitution/Constitution.md` Â§ â€œCONST-033 Operational Noteâ€� instead.
- **Expected outcome:** `4/4 PASS`, exactly as re-confirmed this session.
- **Video-confirmation status:** N/A â€” shell script assertion, no UI; console output is the evidence.

FEATURE-12 â€” Pre-build gate (27/27 GREEN)

- **Component:** `scripts/pre_build_verification.sh` (25 named invariants, some emitting more than one PASS line each â€” 27 total pass-lines this session, 0 fails)
- **Category:** Release-gate / governance
- **Implementation reference:** `scripts/pre_build_verification.sh` â€” Invariant 25 is the newest (`CM-RESOURCE-PRESSURE-SIGNATURE-CHECK`, wired by `ecb3bfe`); Invariant 24 (`CM-DOCS-CHAIN-ENGINE-VERIFY`) and Invariant 23 (`CM-NO-PRODUCTION-MUTATION-RESIDUE`) are the next-newest.
- **Wiring status:** VERIFIED THIS SESSION â€” re-ran live at HEAD `63f3f88`: `=== Result: 27 passed, 0 failed ===`. This matches `docs/CONTINUATION.md` Rev 24â€™s terminal claim exactly.
- **Manual test steps:**
  1. From the repo root, run `bash scripts/pre_build_verification.sh` (a full run takes roughly 2-3 minutes on this host; it is safe to run repeatedly â€” every check is read-only or self-cleaning).
  2. Confirm the final line reads `=== Result: N passed, 0 failed ===` with `0` failed. `N` may drift upward over time as more invariants land â€” treat any non-zero `failed` count as a release blocker.
  3. If any invariant fails, DO NOT tag/release â€” file the failure as its own workable item citing the exact invariant name printed (e.g.Â `CM-DOCS-CHAIN-ENGINE-VERIFY`).
- **Expected outcome:** `0 failed`, matching (or exceeding, if more invariants have since landed) the `27 passed` baseline confirmed this session.
- **Video-confirmation status:** N/A â€” CLI script, no UI; console output is the evidence.

Recovery steps for common issues

A container is down / shows `Exited` or `Restarting`: 1. Check logs first: `podman logs --tail 100 <container-name>` (or `docker logs`). 2. Use the projectâ€™s own orchestrator â€” **never** raw `podman start`/`docker start` directly on a single container per `CLAUDE.md`â€™s restart-level discipline: - Python source change â†’ `./start.sh --reload-python` - Plugin file change â†’ `./install-plugin.sh` then `./start.sh --reload-plugins` - `docker-compose.yml` / env / base-image change â†’ `./start.sh --recreate` - No known cause / general â€œjust bring it back upâ€� → `./start.sh` (idempotent, brings up whatever is down) or, on a systemd-managed host, `./scripts/boba-svc.sh restart`. 3. After any restart, re-verify: `curl` each of the 4 ports (7185/7187/7189, plus 9117 for Jackett itself) and confirm HTTP 200/301 as appropriate, or re-run `./scripts/boba-svc.sh health`.

A service reports `unhealthy` in `podman ps` / `docker ps`: 1. `podman inspect <container> --format '{{json .State.Health}}'` to see the failing healthcheck command and its last output. 2. Cross-check the healthcheck command directly (e.g.Â for `boba-jackett`: `wget -qO- http://localhost:7189/healthz` from inside the containerâ€™s network namespace, or `curl http://localhost:7189/healthz` from the host if the port is published). 3. If the healthcheck itself times out repeatedly, treat this as a resource-pressure signal â€” run `bash challenges/scripts/resource_pressure_signature_challenge.sh` (FEATURE-10 above) before assuming it is a code defect in the unhealthy service.

Search returns zero results across ALL trackers (not just one): 1. Confirm Jackett itself is reachable: `curl http://localhost:9117/`. 2. Check `JACKETT_API_KEY` is set in `.env` (auto-extracted at container startup per `docker-compose.yml`) â€” a missing/stale key breaks every tracker at once. 3. If only SOME trackers return zero, that is expected/tracker-specific (rate limits, expired cookies, geo-blocks) â€” see `docs/QA_DISCOVERY_LEDGER.md` and `docs/research/` for known per-tracker issues before filing a new bug.

Download flow fails at the credential/login step: 1. See `docs/guides/tracker-credentials.md` â€” cookies expire periodically and require a `browser export â†’ restart` refresh per the â€œCookies-file autoloadâ€� convention. 2. Re-run `scripts/load-tracker-cookies.sh` (auto-invoked by `boba-svc up/restart/start.sh` boot, but safe to invoke manually) then restart the affected container.

`pre_build_verification.sh` fails on Invariant 24 (`CM-DOCS-CHAIN-ENGINE-VERIFY`): - This has been a recurring source of transient FAILs this session (see commits `7077107`, `a4173c8`-adjacent history, `81e42d4`). Re-run once after confirming `docs_chain` submodule is at the pointer boba expects (`git submodule status docs_chain`) before filing a new bug â€” a stale docs_chain checkout is the most common cause.

Filing a defect from this checklist

If any PASS above is negative: **file `BOB-<NNN>` and refer back to session commits.**

1. Use the projectâ€™s workable-items tooling (`cmd/workable-items` / the DB at `docs/workable_items.db`) to mint a new `BOB-NNN`, or hand the details to whichever agent is driving the next session â€” do not hand-edit `docs/Issues.md` directly (it is generated from the DB per Â§11.4.93).
2. Cite the specific FEATURE-NN block above, the exact manual test step that failed, and the commit SHA(s) listed in that blockâ€™s â€œImplementation referenceâ€� as the starting point for root-cause investigation (Â§11.4.114 last-known-good-tag regression isolation).
3. Per Â§11.4.238, also add an entry to `docs/QA_DISCOVERY_LEDGER.md` recording this as a `manual-qa` discovery-channel find â€” this checklist finding something IS itself information the automated regime should be strengthened to catch next time; the ledger entry is where that strengthening gets tracked (that file is out of this checklistâ€™s edit

scope â€” do not edit it from here, file the entry through the normal workable-item + ledger-update flow).
4. Do NOT mark the corresponding item â€œPASSâ€� in any session summary until the filed `BOB-NNN` is itself closed with real captured evidence (Â§11.4.6 â€” no self-certification without pasted command output).

Anti-bluff disclosures (Â§11.4.6)

- Every commit SHA cited above was verified to exist in this repository (`git cat-file -e`) at the time this checklist was authored â€” none were fabricated or assumed.
- FEATURE-06 and FEATURE-07â€™s cited evidence (`docs/qa/task-e2e-journey/`) was **uncommitted** at authoring time â€” it was produced by a concurrent in-session task and is cited as live evidence of behavior, not as a committed artifact; do not search git history for a commit SHA for it until it lands.
- FEATURE-08â€™s DB-status discrepancy (BOB-112 shows `Queued` despite a committed, load-tested fix) is disclosed honestly above rather than silently glossed over or silently â€œfixedâ€� by this checklist (which has no mandate to edit the workable-items DB).
- FEATURE-05 notes `qBitTorrent-go/internal/jackettapi/health.go` has an uncommitted, in-progress edit in the working tree at authoring time (visible in `git status`); this checklistâ€™s evidence reflects the last-COMMITTED state of that file, and the operator should be aware a newer, in-flight change may supersede it by the time this checklist is actually run.
- No video-confirmation exists for any of this sessionâ€™s specific changes (Â§11.4.153) â€” this is stated as an honest gap, not concealed. Prior-session recordings are referenced only where directly relevant, with an explicit note that they predate this sessionâ€™s changes.
- This checklistâ€™s author (a subagent) did not have tracker credentials to actually exercise FEATURE-07 independently beyond reading the concurrent taskâ€™s captured output; the operator is the first fully-independent human confirmation of that flow.