

Fixed_Summary

Closed workable items (current_location = Fixed), regenerated from the SQLite single-source-of-truth (\$11.4.53).

Counts by Type × Status

Type	Status	Count
Bug	Fixed (→ Fixed.md)	70
Bug	Obsolete (→ Fixed.md)	1
Feature	Implemented (→ Fixed.md)	17
Task	Completed (→ Fixed.md)	28
Task	Fixed (→ Fixed.md)	4
Task	Implemented (→ Fixed.md)	17
TOTAL		137

Items

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
1	—	Fixed (→ Fixed.md)	Bug	—	BOB-001 — start.sh BSD-sed incompat aborted the boot
2	—	Fixed (→ Fixed.md)	Bug	—	BOB-002 — start.sh podman unshare incompatible with macOS remote po
3	—	Fixed (→ Fixed.md)	Bug	—	BOB-003 — macOS tunnel port detect broken (ports never forwarded)
4	—	Completed (→ Fixed.md)	Task	—	BOB-004 — Private-tracker credential securely + verified working
5	—	Fixed (→ Fixed.md)	Task	—	BOB-005 — Public-tracker plugins all an unhandled exception (systemic)
6	—		Feature	—	BOB-006 — NNMClub username/pass login wired — NNMClub now uses th

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Implemented (→ Fixed.md)			operator's NNMCLUB_USERNAME/NNMCLUB_PASSWORD (in .
7	—	Completed (→ Fixed.md)	Task	—	BOB-007 — RuTor documented as public tracker (auth) — RuTor is a public tracker with login endpoint; RUTOR_USERNAME/PASSWORD
8	—	Completed (→ Fixed.md)	Task	—	BOB-009 — Containers submodule in . with Go wrapper
9	—	Completed (→ Fixed.md)	Task	—	BOB-010 — Workable-items SQLite DB integrated + pre-build gate wired (\$11.4.95)
					BOB-011 — DOCX export support added generate_markdown_exports. 11 Completed (→ Fixed.md) Task —
					BOB-012 — Export-sync gate expanded docs (\$11.4.65) 12 — Fixed (→ Fixed.md) Bug —
					BOB-013 — torrentkitty_parse_size reported 0 for KB/MB/GB/TB size 13 — Fixed (→ Fixed.md) Bug —
					BOB-014 — GogenerateID() collided under burst (UnixNano-only) 14 — Fixed (→ Fixed.md) Task —
					BOB-015 — R public-tracker failures are external non-deterministic 15 — Fixed (→ Fixed.md) Task —
10	—	Implemented (→ Fixed.md)	Feature	—	BOB-016 — J plugin crashed (Pool(0)) when zero indexers are connected 16 — Fixed (→ Fixed.md) Task —
					BOB-017 — NNMclub plugin self-he crashed on invalid ICON 17 — Completed (→ Fixed.md) Task —
					BOB-018 — Jackett server image updated latest 18 — Completed (→ Fixed.md) Task —
					BOB-019 — Jackett added reference submodule (latest release) 19 — Completed (→ Fixed.md) Task —
					BOB-020 — CodeGraph initialized (\$11.4.78/79/80) 20 — Fixed (→ Fixed.md) Bug —
					BOB-021 — en flaky test: KEY2 leak across test

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					21 – Fixed (→ Fixed.md)
					B0B-022 – AsyncMock warning in s
					deep-coverage tests 22 –
					Implemented (→ Fixed.md) Feature
					B0B-023 – gamestorrents plugin dee
					coverage tests + B-substring bug
					documented 23 – Fixed (→ F
					Bug – B0B-024 –
					gamestorrents_parse_sizeB-substring
					fixed 24 – Implemented (→
					Fixed.md) Feature – B0B-025
					eztv.py deep-coverage tests (54 te
					54 tests covering MyHtmlParser (si
					units, date patterns, defaults, sp
					chars), 25 – Implemented (
					Fixed.md) Feature – B0B-026
					piratebay.py deep-coverage tests +
					order bug documented 26 –
					Implemented (→ Fixed.md) Feature
					B0B-027 – solidtorrents.py deep-co
					tests (37 tests) 27 – Impl
					(→ Fixed.md) Feature – B0B-0
					limetorrents.py deep-coverage test
					tests) 28 – Implemented (→
					Fixed.md) Feature – B0B-029
					torlock.py deep-coverage tests (55
					29 – Implemented (→ Fixed.
					Feature – B0B-030 – nyaa.py de
					coverage tests + missing import re
					documented 30 – Implemente
					Fixed.md) Feature – B0B-031
					kickass.py deep-coverage tests + c
					size gap documented 31 –
					Implemented (→ Fixed.md) Feature
					B0B-032 – anilibra.py deep-coverage
					(49 tests) 32 – Fixed (→ F
					Bug – B0B-033 – kickass.py c
					guards added (B0B-015 defense-in-d
					33 – Implemented (→ Fixed.md
					Feature – B0B-034 – torrentgal
					yts.py deeper coverage (80 new tes

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					34 – Fixed (→ Fixed.md) Bug
					BOB-035 – nyaa.py missing import re –download_torrent()calledre.
35	—	Fixed (→ Fixed.md)	Bug	—	BOB-036 – kickass.py comma-separated regex fixed
36	—	Implemented (→ Fixed.md)	Feature	—	BOB-037 – rutor.py deep-coverage tests) — 83 tests covering date normal pagination math, config, proxy,
37	—	Implemented (→ Fixed.md)	Feature	—	BOB-038 – tokyotoshokan.py deep-coverage tests (60 tests)
38	—	Implemented (→ Fixed.md)	Feature	—	BOB-039 – snowfl.py deep-coverage tests)
39	—	Implemented (→ Fixed.md)	Feature	—	BOB-040 – torrentdownload.py deep-coverage tests (35 tests)
40	—	Implemented (→ Fixed.md)	Feature	—	BOB-041 – linuxtracker.py deep-coverage tests (30 tests)
41	—	Implemented (→ Fixed.md)	Task	—	BOB-042 – audiobookbay.py deep-coverage tests + missing import re fixed
42	—	Implemented (→ Fixed.md)	Task	—	BOB-043 – one337x.py deep-coverage B-substring fixed
43	—	Implemented (→ Fixed.md)	Task	—	BOB-044 – extratorrent.py deep-coverage tests + B-substring fixed
44	—	Implemented (→ Fixed.md)	Task	—	BOB-045 – torrentfunk.py deep-coverage tests + B-substring fixed
45	—	Implemented (→ Fixed.md)	Task	—	BOB-046 – torrentproject.py deep-coverage tests — 36 tests covering MyHTMLParser (handle_starttag/endtag/data), feed, fetch_magnet.
46	—	Implemented (→ Fixed.md)	Task	—	BOB-047 – therarbg.py deep-coverage B-substring fixed
47	—	Implemented (→ Fixed.md)	Task	—	BOB-048 – academictorrents.py deep-coverage tests — 48 tests covering XML parsing, concurrent.
48	—	Implemented (→ Fixed.md)	Task	—	BOB-049 – ali213.py deep-coverage tests 25 tests covering threaded gamepage handling, retry loop (20 ceiling), magnet extraction.

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
49	—	Implemented (→ Fixed.md)	Task	—	BOB-050 — yourbittorrent.py deep-cover tests — 30 tests covering HTMLParse download_file, 7 categories.
50	—	Implemented (→ Fixed.md)	Task	—	BOB-051 — glotorrents.py deep-cover — 40 tests covering pagination, 9 categories magnet extraction, sleep.
51	—	Implemented (→ Fixed.md)	Task	—	BOB-052 — pctorrent.py deep-coverage B-substring pre-fixed
52	—	Implemented (→ Fixed.md)	Task	—	BOB-053 — rockbox.py deep-coverage 32 tests covering datetime, sleep(3) pagination, kb/mb/gb sizes.
53	—	Implemented (→ Fixed.md)	Task	—	BOB-054 — bitru.py deep-coverage tests substring fixed
54	—	Implemented (→ Fixed.md)	Task	—	BOB-055 — btsow.py deep-coverage tests Tests covering data-list card parsing, download_torrent.
55	—	Implemented (→ Fixed.md)	Task	—	BOB-056 — torrentscsv.py deep-coverage — 33 tests covering CSV parsing, search download_torrent.
56	—	Implemented (→ Fixed.md)	Task	—	BOB-057 — xfsusb.py deep-coverage tests substring fixed
57	—	Implemented (→ Fixed.md)	Task	—	BOB-058 — yihua.py deep-coverage tests substring fixed
58	—	Fixed (→ Fixed.md)	Task	—	BOB-059 — bt4g.py tests fixed (was hang) — 3 tests had bugs: infinite loop from constant return_value (should use
59	Low	Fixed (→ Fixed.md)	Bug	—	BOB-060 — Public-tracker plugins crash degenerate/empty upstream responses
60	High	Fixed (→ Fixed.md)	Bug	—	BOB-061 — Unit suite hang + order-dependent test-pollution (non-deterministic failures)
61	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-062 — Unbounded plugin pagination loops + unbounded network I/O (hangs)
62	Low	Completed (→ Fixed.md)	Task	—	BOB-063 — pirateiro test-isolation: add conf test isolation + standing regression
63	—	Completed (→ Fixed.md)	Task	—	BOB-064 — Lava P1: Durable remote test execution (systemd-linger helper)

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
64	—	Completed (→ Fixed.md)	Task	—	BOB-067 — Lava P4: Jackett cookie-lo hardening + behaviorally-equivalent fake
65	High	Fixed (→ Fixed.md)	Bug	—	BOB-070 — RD2-41: pre-build mutation marker scan carrier false-positive sil defeats entire pre-build gate
66	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-071 — RD2-01: guard-forbidden- commands.sh hook has live reproduction substring carrier false-positive
67	High	Fixed (→ Fixed.md)	Bug	—	BOB-072 — RD2-03: workable_items. machine-caught SSoT integrity violation 90% of closures have zero audit trail
68	High	Fixed (→ Fixed.md)	Bug	—	BOB-073 — RD2-04: workable_items. Issues.md/Fixed.md have drifted (BO body differs)
69	High	Completed (→ Fixed.md)	Task	—	BOB-075 — RD2-08: docs/features/Status and docs/codegraph/Status.md are st
70	Low	Completed (→ Fixed.md)	Task	—	BOB-076 — RD2-09: submodules/jack commit behind upstream (information
71	Medium	Completed (→ Fixed.md)	Task	—	BOB-079 — RD2-12: Retroactive attril history notes for GA-18/21/22/25/26/2 changes (never rewrite published his
72	High	Completed (→ Fixed.md)	Task	—	BOB-081 — RD2-14: Author CONTINUATION.md Session 15 entry (currently 53 days / 24+ commits beh HEAD)
73	Medium	Completed (→ Fixed.md)	Task	—	BOB-083 — RD2-16: Regenerate browser_extension/features/codegrap Status.md + Summary/HTML/PDF sib
74	High	Completed (→ Fixed.md)	Task	—	BOB-084 — RD2-17: Reconcile BOB-00 body drift via the workable-items too
75	Medium	Completed (→ Fixed.md)	Task	—	BOB-086 — RD2-19: Fix BOB-009/BOB evidence_path + backfill item_history silent closures
76	High	Completed (→ Fixed.md)	Task	—	BOB-087 — RD2-20: Wire docs_chain commit-seam sync hook per §11.4.10 DB writes cannot land without MD m

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
77	High	Completed (→ Fixed.md)	Task	—	BOB-089 — RD2-24: RED-first tests for reload_python/reload_plugins/recreation (closes test-half of GA-27)
78	High	Fixed (→ Fixed.md)	Bug	—	BOB-091 — RD2-26: Relocate mocked SearchOrchestrator tests to unit/ + au real-service replacements (closes GA-14/15/16)
79	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-092 — RD2-27: Remove test_live_stack_evidence.py:265 nmm SKIP-on-404 fallback + verify live 200 GA-13)
80	Medium	Completed (→ Fixed.md)	Task	—	BOB-096 — RD2-31: Extend qBitTorre jackett_db_test.go with real process-k resource-exhaustion fault injection
81	Medium	Completed (→ Fixed.md)	Task	—	BOB-098 — RD2-34: Parametrize 20 hardcoded /Volumes/T7 paths in heli banks with PROJECT_ROOT (closes GA-13)
82	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-099 — RD2-36: Fix guard-forbide commands.sh substring-match false-class + add const033-poweroff-signal carrier to EXCLUDE_PATHS
83	Medium	Completed (→ Fixed.md)	Task	—	BOB-103 — Incorporate Docs Chain submodule per §11.4.106/§11.4.28(C)
84	Medium	Completed (→ Fixed.md)	Task	—	BOB-105 — §11.4.238 followup: mech §11.4.227(B) anchor-block-integrity c
85	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-108 — constitution scripts/work items export reverts docs/Issues.md + Fixed.md revision counters
86	High	Fixed (→ Fixed.md)	Bug	—	BOB-112 — boba-jackett /healthz am under cold-start concurrent burst via uncached Jackett.GetCatalog() call
87	Low	Completed (→ Fixed.md)	Task	—	BOB-113 — BOB-074 followup: add w tooling for DDoS/load challenges
88	High	Fixed (→ Fixed.md)	Bug	—	BOB-115 — Fix workable-items valid scoping to Updated-events (BOB-010 pattern)
89	Critical		Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Fixed (→ Fixed.md)			BOB-116 — 2nd forced-logout incident 2026-08-18 23:45:49 — SIGKILL user@1000.service SIGKILLed after n pressure cascade (perceived host sus
90	High	Fixed (→ Fixed.md)	Bug	—	BOB-117 — rutracker login diag still v forbidden \$11.4.6 ‘likely’ vocabulary error_type (unfixed sibling of nnmchl
91	High	Fixed (→ Fixed.md)	Bug	—	BOB-118 — README.md python-tests claims 585 passing; pytest –collect-on measures 5235 (9x stale/wrong)
92	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-119 — docs/MERGE_SEARCH_DIAGNOSTICS.md s ENABLE_DEAD_TRACKERS default=1 code + compose default=0 (contradict doc)
93	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-120 — 3rd forced-logout incident 2026-08-18 23:45:49 — SIGKILL user@ preventive-timer-inside-user-slice architectural gap
94	High	Fixed (→ Fixed.md)	Bug	—	BOB-122 — IPTorrents seed/leech par reports 0/0 despite real swarm data – outdated markup selectors in plugins iptorrents.py AND download-proxy/s merge_service/search.py
95	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-123 — 4th forced-logout incident 2026-08-19 00:37:11 — PAM/Linger contradiction breakthrough (retro-re id used in 6 commits with no tracker
96	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-124 — 5th forced-logout 2026-08 15:28:22 — architectural install-gap: authored preventive gates never inst operator
97	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-125 — 6th forced-logout 2026-08 16:04:54 — RESOLVED via BOB-126 (cause was pytest kill(-1,9))
98	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-126 — 7th forced-logout 2026-08 16:43:43 — REAL ROOT CAUSE: pytes kill(-1,9) via MagicMock.__int__==1; \$ anchor + boba defense-in-depth

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
99	Low	Fixed (→ Fixed.md)	Bug	—	BOB-127 — Task 8 audit: 2 tests fired killpg/getpgid on hardcoded PIDs (fix 8bedc5a)
100	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-128 — killpg-carrier collision between CM-TEST-MOCK-PID-PATCHED-WHEN PID and sibling CM-KILLPG-PGID-GU (retro-registered: id used in 3 commits, no tracker row)
101	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-129 — Potential production slow starlette defect flagged by Task 105 s
102	Low	Fixed (→ Fixed.md)	Bug	—	BOB-130 — Badge-test timeout determined — synced_fixtures fixture 93s vs -tim
103	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-131 — qbittorrent-proxy podman common crash — pre-existing, surfaced during BOB-129 investigation
104	High	Fixed (→ Fixed.md)	Bug	—	BOB-132 — qbittorrent-proxy post-re unhealthy — connection refused to qbittorrent sidecar on localhost:7185
105	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-133 — CRITICAL: fleet-wide connection dead-but-healthy — podman stale-cache masks service outage
106	High	Completed (→ Fixed.md)	Task	—	BOB-136 — Closure seam does not bind tracker rows found stale in one sweep workable-items diff is blind to body_
107	High	Fixed (→ Fixed.md)	Bug	—	BOB-138 — qbittorrent-proxy health probes only 7186, so a dead 7187 mer service reports healthy forever
108	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-139 — SSE _client_gone() swallowed exception into ‘client still connected’, raising disconnect probe streams for (fail-open)
109	Medium	Completed (→ Fixed.md)	Task	—	BOB-140 — Upstream the healthcheck served-ports gate into constitution/score gates/ and thin boba’s copy to a deleg (§11.4.177)
110	High	Fixed (→ Fixed.md)	Bug	—	BOB-142 — SearchRequest fields were unbounded, so one request could am

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					a 43-tracker fan-out carrying arbitrary payload
111	Low	Fixed (→ Fixed.md)	Bug	—	BOB-144 — /theme/stream calls the disconnect probe unguarded — fail-c via an uncaught traceback, inconsistent the two SSE generators
112	High	Fixed (→ Fixed.md)	Bug	—	BOB-145 — Fix the 7187 wedge: offload or memoise Deduplicator.merge_resu O(N^2) regex work stops blocking the event loop
113	High	Fixed (→ Fixed.md)	Bug	—	BOB-146 — Constitution §11.4.252 de undercounts by 29% (30 vs 42 AST gr truth) — 4 distinct blind spots make i a floor, not a census
114	Medium	Completed (→ Fixed.md)	Task	—	BOB-147 — Triage all 36 §11.4.252 fai hits: 9 real defects fixed, 14 correct ic vendored
115	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-148 — Standing red unit test not tracked: test_no_credentials asserts has_session False, gets True — real d non-hermetic test, undecided
116	Low	Fixed (→ Fixed.md)	Bug	—	BOB-149 — Managed-plugin count di 43/42/48 across constitution, CLAUDE the README badge; the badge is han maintained and unguarded
117	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-153 — Go profile cannot build: g requires go 1.26.2 but the Dockerfile is golang:1.23-alpine
118	High	Fixed (→ Fixed.md)	Bug	—	BOB-155 — workable-items diff repo and Markdown are in sync' having o zero Markdown files when -issues/-f omitted
119	High	Fixed (→ Fixed.md)	Bug	—	BOB-157 — Our own BOB-137 stall w can segfault the merge service: faultl dump_traceback(all_threads=True) h unpatched CPython 3.12 defect
120	High	Fixed (→ Fixed.md)	Bug	—	BOB-158 — tests/conftest.py cannot r the production interpreter: binds

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
121	High	Fixed (→ Fixed.md)	Bug	—	asyncio.events._get_event_loop_policy private API, while production is 3.12. BOB-166 — WHAT. §11.4.19 requires migration to be ATOMIC: a resolving moves to Fixed.md, DISAPPEARS from Issues_Summary (open-only) and AP Fixed_Summary (closed-only). Ten ro violate all three properties right now carry a terminal status yet current_location='Issues', so they ren docs/Issues.md and are listed in docs Issues_Summary.md with a status tha literally reads '(→ Fixed.md)', while a 0 times in Fixed_Summary.md. Any r the canonical open tracker is told the open work. MANIFEST (measured 2026-08-21): BOB-087 (Completed), BOB-131, BOB-144, BOB-145, BOB-146 BOB-148, BOB-153, BOB-155, BOB-157 'Fixed (→ Fixed.md)'). Confirmed ren BOB-155/087/157 each grep 1 in Issue in Fixed.md, present in Issues_Summ 0 hits in Fixed_Summary.md. ROOT C (reproduced at runtime, not inferred performs the atomic migration and REQUIRES -evidence. 'update -status §11.4.15 closed-set value with NO evi and NO migration — and it knows th location, because it prints it. On a CO real DB: \$ workable-items update -id -db repro.db -status 'Fixed (→ Fixed. update: BOB-065 updated in Issues (status=Fixed (→ Fixed.md), type=Tas sqlite3 repro.db 'SELECT atm_id,status,current_location ...' BO Fixed (→ Fixed.md) Issues So the sea supposed to be the ONLY closure pat evidence-gated per §11.4.146(D3)) ha parallel unguarded path that reaches same status while skipping BOTH the

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					evidence requirement and the migration of evidence. WHY NOTHING CAUGHT IT (§11.4.238 coverage-escape audit). Three standing checks stay GREEN on a DB holding the forbidden row, verified on the poison row from the repo root so no cwd artifact involved: (1) ‘validate’ → ‘OK — 164 invariants satisfied’ (it has no status-coherence invariant); (2) ‘diff’ → ‘in sync and Markdown agree — on the WRO agreement is not correctness); (3) CLOSURE-SEAM-BINDS CHECK A → P flags NON-terminal rows whose id appear on a work commit; these rows are terminal if they are outside its predicate by construction). This was found by reading status tally, not by the automated regression §11.4.238 discovery-channel escape, which is itself a defect of equal standing to the located rows. ACCEPTANCE. (a) ‘update’ REFUSES a terminal status and name as the correct path, with a paired §1. mutation proving the refusal (removing guard must make the mutation pass) ‘validate’ grows a status↔location coherence invariant that FAILS on the forbidden row with a golden-bad fixture and a negative control (a legitimately terminal row must NOT fire — §11.4.201(1)). (c) The existing rows are drained to Fixed with matched evidence per row, or, where evidence cannot be produced, honest rows opened rather than migrated on a bare assertion. (d) Honest boundary: this update-path hole and the detection gap does not claim every historical status was evidence-backed. NOT CLAIMED implemented by this filing. The 10 rows untouched; draining them is acceptable.

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
122	Low	Fixed (→ Fixed.md)	Bug	—	and each needs its own evidence, not UPDATE. BOB-171 — WHAT. Both rate limiters per-client bucket on the LEFTMOST end of X-Forwarded-For when TRUST_FORWARDED_FOR is enabled download-proxy/src/api/rate_limit.py (:7187) and the new stdlib limiter in download_proxy.py (:7186), which was deliberately built to exact policy parity with it. That element is CLIENT-SUPPLIED honest reverse proxy APPENDS the peer address to the RIGHT of whatever already in the leftmost entry is whatever the client — attacker-controlled by construction — misconfiguration. Consequences with BOB on: (1) rotating a forged leftmost value to an unlimited sequence of fresh buckets, which is total bypass of the limit the limiter supposed to make MORE accurate; (2) defeats the LRU/idle-reap cap, since each forged identity is a distinct key — the map is a memory-growth surface bounded only by the cap, and the cap's eviction policy discards the budgets of REAL clients to make room for forged ones. NOT EXPLOITABLE DEPLOYED TODAY, and that is why the bug is Low, not High. TRUST_FORWARDED_FOR defaults OFF at both sites, and the deployment stack runs network_mode host with no reverse proxy in front (verified across all compose services), so peer addresses are client IPs and no NAT collapse occurs. The defect is latent: it arms the moment someone puts a proxy in front and turns the flag on to recover real client IPs — which is exactly the situation the flag exists for. The failure is therefore ‘correct-looking configuration change silently disables the limiter’, not ‘currently broken’. PROVENANCE. Ra

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					MINOR-3 by the independent review BOB-111 rate-limiter work and independent confirmed by the implementing agency noted it at BOTH source sites as a tracking follow-up rather than fixing it in that. Filed here because neither agent has access to the tracker. WHY IT COVERS PORTS. :7186's limiter was built to de policy parity with :7187's, including t parsing. Fixing one and not the other leave the two surfaces disagreeing on identity — worse than the shared de because it becomes surface-dependent untestable as a single invariant. ACCEPTANCE. (a) Replace leftmost-el parsing with a trust-aware resolution BOTH sites: either rightmost-minus-N hops, or a trusted-proxy CIDR allowlist only a peer inside the allowlist may a XFF at all — the choice is a deployment topology decision and should be recommended. (b) A test that forges a rotate leftmost element and asserts the bucket does NOT rotate, per site. (c) Paired \$ mutation: restore leftmost parsing and test must FAIL. (d) Negative control (§11.4.201(1)): with TRUST_FORWARDING OFF, the header must be ignored entirely keying must fall back to the peer address guard that starts honouring XFF when flag is off would be a worse defect than one being fixed. (e) Honest boundary closes header-forgery bypass; it does not make per-IP limiting fair behind NAT. many real users legitimately share one address. NOT CLAIMED. No change needed. Both sites still parse leftmost; the flag defaults off.
123	High	Fixed (→ Fixed.md)	Bug	—	BOB-183 — The compiled Angular bundle shipped at download-proxy/src/ui/dist

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
124	—	Fixed (→ Fixed.md)	Bug	—	frontend/browser still carries the BOB-164 colour-contrast defect verbatim: scanme.sh/2026-08-23 it reports 21 violation nodes on darcula/dark and 1 on darcula/light, the same sources built to a scratch path and across all 16 palette x mode combinations. The fix is therefore correct at the SOURCE layer and absent at the ARTIFACT layer. §11.4.108 layer 2 is NOT closed and even still see the low-contrast dashboard. The compounding facts make this silent regression more than obvious: dist/ is gitignored, so the divergence never shows in a diff; and install.sh:133 asserts only that the diff EXISTS, never that it is newer than the sources it was built from, so a stale build passes install unchallenged. Acceptance: install (or an equivalent gate) FAILS if the bundle older than its sources, the bundle rebuilt, and docs/qa/BOB-164/axe_contrast_scan.py run against docs/proxy/src/ui/dist/frontend/browser export with zero violation nodes and zero broken incomplete nodes. BOB-186 — workable-items diff returns 0 and the verdict “DB and Markdown in sync” on a PARTIAL read: invoked with --issues but without --fixed it compares Markdown items against 184 DB items called that in sync, printing both mismatch counts in its own output while 107 DB items were never compared against anything. Measured 2026-08-25: (A) no markdown -> correctly REFUSES exit 1; (B) --db-only honest, “no Markdown compared”; (C) alone -> exit 0, “in sync (compared 77 Markdown item(s) against 184 DB items). The 11.4.201(6) false-null: a partially instrument returned the same quiet, genuinely-synced corpus returns. IM

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					CORRECTED 2026-08-25, my original OVERSTATED this. I wrote that CHECK 11.4.106(F) commit seam was exposed NOT. scripts/hooks/docs-sync-commit-seam.sh:277 passes BOTH –issues and and a repo-wide sweep found NO explicit caller that breaks: the two real callers seam and pre_build_verification.sh:5 pass both paths; the single-path hits all evidence files plus a static-scan test for the defect was real and latent, never this project. The corrected claim is: a FUTURE single-path caller would have silently mis-told. PROVENANCE, twice corrected. A subagent first attributed false-null to the no-paths form, which refuses correctly; the conductor re-moved and relocated it to the partial read. The fixing agent corrected the conductor impact. Both corrections are recorded neither wrong version propagates. For (uncommitted, constitution submodule fetched to upstream tip 7f16739 before per 11.4.26). Design: refuse by default (11.4.201(4)); the narrow per-tracker comparison PRESERVED behind an e–partial-scope rather than deleted (d an existing documented capability with an 11.4.122 silent removal), mirroring –db-only preserved the no-Markdown. Keyed on MEASURED DB content, new flag presence — a DB with zero Fixed fully accounted for by –issues alone and passes, so flag-keying would have traced false-null for an 11.4.201(1) false-positive refusal. Resulting property: “in sync” reachable only when the two printed account for each other. RED 4 fail/5 pass GREEN 9/9; paired 1.1 mutation is the own revert, killing exactly the 4 defect guarding tests while the 5 preservation

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					stay green. Case C now refuses naming item(s) located in Fixed (supply –fixed 107 confirmed against an independent count (107 Fixed + 78 Issues = 185). Incidentally closed an 11.4.238 gap: a refusal had no test anywhere; TestDiffCmd_NoPathsStillRefuses now it. OPEN: –partial-scope is the agents choice, not an operator decision, and renaming is cheap now and expensive if other consumers adopt it. Other consumers this shared submodule were not sweet CLOSED 2026-08-26. Already fixed 2021:06 by constitution commit 597912 (“fix(workable-items): diff claimed ‘in while 107 DB rows went uncomparing this tracker row was stale; no code was owed. ROOT CAUSE, proven from previous source (11.4.6 - fact, not inference): two individually-reasonable pieces of sync.sync.go:852-863, the reverse “absent Markdown” pass, carried if d.CurrentLocation == "Fixed" && *f == "" { continue } - its own comment declares the intent, suppress false positive for trackers the caller never supplied in isolation - but the continue ALSO closed those rows out of differences, and not compensated. (b) sync.go:894-897, the printed len(parsed) and len(dbItems) two MISMATCHED numbers - then do purely on differences. THE VERDICT PRINTED BOTH NUMBERS AND NEVER COMPARED THEM. In one line: an 11 false-positive guard silently narrowed comparison SCOPE while the verdict scope-unaware, so the fix for a false positive created its 11.4.201(6) mirror image. ON BEHAVIOURAL EVIDENCE, not on the commit (11.4.226 evidence-class-a closure): the shipped binary now RE

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					partial-scope verdict instead of report “in sync” - “refusing to report a DB-vs-Markdown verdict that would silently exclude paths in DB - the supplied Markdown path(s) do not account for 122 item(s) located in Fixtures (supply –fixed)”, exit 1; with opt-in –partial-scope it reports “PARTIAL SCOPE - No difference(s) ... 122 of 201 DB item(s) were NOT compared”, exit 1. The phrase “in sync” is structurally unreachable on a partial-scope Regression suite sync_diff_partial_scope_test.go (9 tests) landed with the fix. INSTRUMENT VALIDATION BOTH WAYS (11.4.201(7)(b)): negative test - regenerating Markdown from a copy of the original yields “in sync (201 against 201)” exit 1. The checker is not stuck-on-FAIL. Needle B (delete BOB-008 status, Issues leg) detected error. Needle B (delete BOB-067 on the FIXES leg) (the exact leg this defect was blind to) was not as “present in DB, absent in Markdown (201 vs 201), exit 1. Each needle byte-verified and applied before running. HONEST GARDEN UNKNOWN whether the shipped binaries were byte-reproducible from HEAD source code. Both were not rebuilt. Both were proven to pass the guard and behave identically on the test corpus, which is the behavioural evidence this closure rests on. No claim is made that the classes diff does not compare (revises headers, *_Summary.md). BOB-190 — WHAT: ~/.local/lib/python3.13/packages contains binaries built for the cpython-313 ABI while the interpreter is Python 3.14, so pydantic_core and rpclib import and every test importing FastAPI fails at import time. CONFIRMED NOT OUR FAULT: untouched test file fails identically, so the environment and pre-existing. WHAT MATTERS: CLAUDE.md documents ‘p
125	—	Fixed (→ Fixed.md)	Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
126	—	Fixed (→ Fixed.md)	Bug	—	-m pytest tests/unit/ -v --import-mode=importlib' as the canonical inv and that documented command curr cannot run - docs and host disagree, §11.4.99 misguidance class at the environment layer. scripts/run-tests.s already sidesteps it by selecting .venv python, so a working path exists and not what the docs tell a reader to typ IMPACT: anyone following CLAUDE.r literally concludes the suite is broken an agent could chase green by rewrit ACCEPTANCE: either repair the host packages so the documented comma works, or correct CLAUDE.md + docs TESTING.md to name the venv interp canonical - decided explicitly, not left whoever hits it next. Discovered out- by the fail-open triage agent, so per § this also owes a coverage-escape note automated check asserts the docume invocation actually runs. BOB-198 — OPERATOR DECISION (2026-08-26, §11.4.66): REFUSE TO S LAN-BOUND The Go profile gets a bo guard: bind loopback only, or refuse It does NOT get auth middleware in t Rationale carried with the decision: t profile is opt-in via --profile go, was n running when measured, and is used development — so closing the exposu a guard rather than a parity impleme Options not chosen: write auth midd parity with the Python route set (real and it would partially un-defer BOB- document dev-only with no guard (re nothing would enforce it, and the ne --profile go run on this network silen opens 22 routes). ACCEPTANCE: a bo check that resolves the listener's bind

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					and refuses to start when it is not local with a paired §1.1 mutation proving check FAILs on a 0.0.0.0 bind, and a g FALSE proving a loopback bind is NOT refused (§11.4.201(1)). Scope reminder recorded so it is not lost: this is NOT by BOB-101's parity deferral, which v ports; folding it in would be a §11.4.1 verdict leak. Recorded as consumer §11.4.35 — the operator's stated choice agent inference. Options not chosen named so a future reader does not re a settled call. — prior item text follow MEASURED, conductor-verified independently of the reporting subag qBitTorrent-go/cmd/qbittorrent-prox main.go registers exactly three midd at lines 62, 63 and 68: middleware.CO middleware.Logger, middleware.GinRateLimit. There is N authentication middleware and no p auth dependency. main.go:119-121 b addr=":" which is ALL interfaces, so c route is LAN-reachable when the pro SCOPE: 22 routes, of which the mutat matter most - POST /api/v1/download api/v1/magnet, DELETE /api/v1/hooks POST and DELETE /api/v1/schedules. peer can queue downloads and delet webhook configuration with no cred PARITY GAP, stated as fact: PUT /api/v is auth-gated in the Python service and in Go. The same asymmetry holds for download, hooks and schedules muta Two implementations of one advertis surface disagree about whether it ne credential. RELATIONSHIP TO BOB-1 parity deferred past v1.0.0, operator (2026-08-26): that deferral covered PC parity - the Go container binding :718 :7188 as well as :7187. It did NOT cov

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
127	Medium	Fixed (→ Fixed.md)	Bug	—	authentication hole, and the operator asked about one, because the hole has been measured when the question was Treating this as covered by the defer would be a 11.4.112(5) verdict leak: a bounded decision outside the scope of evidence supports. This item stands separately and its severity is NOT set BOB-101. MITIGATING FACT, so severity overstated: the Go profile is opt-in via go and was NOT running at measurement time (the container list showed qbittorrent proxy, the Python service, with no Go). The exposure is latent, not live. ACCESS either auth middleware landed in the service with parity to the Python route, an explicit operator decision recording profile as dev-only that must refuse to LAN-bound - with a guard enforcing whichever is chosen. BOB-202 — WHAT: scripts/ownership_repair.sh:493 reads parse rows with 'while IFS=\$'\t' read -r e_path e_kind e_opt e_pres e_rec'. A scope error OMITS 'kind' emits the row '<path>\t' TAB is an IFS-WHITESPACE character even when IFS is set to it explicitly, so a of consecutive tabs collapses into ONE delimiter instead of delimiting an empty. Every field after the omission shifts left one. MEASURED 2026-08-26 on GNU Linux 5.2.37, control-needed (the with-field was run FIRST and produced output, the instrument sees; an earlier probe returned nothing for BOTH cases because printf lacked a trailing newline - an 11.4.201(7)(b) false-null I discarded more than reported): kind PRESENT: path=kind=[dir] opt=[1] pres=[0] rec=[1] kind=EMPTY: path=[P] kind=[1] opt=[0] pres=

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					rec=[] CONSEQUENCE: 'optional' is re 'preserve_mode's slot. An entry declar 'optional: true' is therefore treated as optional, so an absent path that shoul honestly instead becomes a hard fail 'preserve_mode'/'recursive' are likew from the wrong slots, with 'recursive EMPTY. The shift is silent: no parse e diagnostic, no refusal. REACHABILITY reachable from the shipped config/ owned_paths.yaml - all six declared e carry 'kind' (verified). This is a latent the reader, not a live misbehaviour o product today. PROVENANCE: surface band by the T028 round-5 remediation while isolating an unrelated instrum and deliberately left unfixed and unf because (a) ownership_repair.sh had at hash ae025b74602414ca for that ro do-not-regress set, (b) it was outside round's two-NIT remit, and (c) it had caused whether the repair belongs in parser, the consumer, or the schema. judgement was correct; this item is th it deferred. Independently re-measur the conductor before filing - not acce report. 11.4.238 COVERAGE-ESCAPE N automated check found this. It was fo a human-directed agent isolating a d problem. Per 11.4.238 the coverage g itself a defect of equal standing to th and closing only the bug is the violat ACCEPTANCE: (1) root-cause the corr - parser (never emit a row with an en field), consumer (read with a delimit not IFS-whitespace, or read positiona schema (make 'kind' mandatory and an entry lacking it, consistent with th run refusal already landed for empty expansions); the choice is operator-o per 11.4.66 because it changes the sc

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					contract; (2) a fixture with an omitted and 'optional: true' asserting the entry treated as OPTIONAL (or the row ref RED-first against current code; (3) a g FALSE proving a fully-specified row s parses identically - 11.4.201(1), the re must not start refusing valid scopes; paired 1.1 mutation restoring the col read so the fixture FAILs; (5) an auto check that would have caught it, per PRECEDENT FOUND 2026-08-26 (surf the T028 round-5 reviewer, independ verified before recording): the SIBLII scripts/ownership_precondition.sh A documents this exact collapse class a 565-578 and already ships the repair split_tsv() at line 579 (used at 437, 69 Its in-source note carries a real foren measurement dated 2026-08-21: the I version of that script used the collaps and reported "no compose service m this location" for config/ and for the c root WHILE FIVE SERVICES MOUNT false statement about what was chec produced by the instrument rather th system, which its own comment class the 11.4.201(7)(c) 'the path is part of t instrument' failure. It also records w unit suite could not see it: the fixture has no compose service at all, so only the real invocation against the real s surfaced it. WHAT THAT CHANGES F ITEM: (a) acceptance-criterion (1) 'ro the correct layer' now has a PRECEDI rather than an open design question consumer layer, via a split_tsv-style r that does not use tab-as-IFS; adopting sibling's existing function is preferab inventing a second dialect (11.4.251 - answers to one question across two f read the SAME scope rows is exactly

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					divergence that produced the round-readers of one scope file disagree' find this is a RECURRENCE of a class already diagnosed and closed once in this code not a novel discovery - the fix landed reader on 2026-08-21 and the sibling kept the collapsing form, which is the escape shape at the code layer: the leak captured in a comment instead of in (c) the 11.4.238 coverage-escape note SHARPENED - the sibling's own comment already states that a fixture-scope suite cannot see this class, so the required automated check must exercise a row genuinely empty middle field, not merely well-formed one. 128 critical Fixed.md) Bug — BOB-204 — W internal/jackettapi/credentials.go:234 (boba-jackett, port 7189). The DELETE credential handler checks the DB delete discards the errors of BOTH `envfile.Delete(...)` (line 240) and `d.Jackett.DeleteIndexer(id)` (line 249) returns an UNCONDITIONAL 204 No Content. If the .env delete fails, the plaintext credentials REMAIN ON DISK while the reports the credential deleted. Second instance, same file: credentials.go:16 returns the error code `env_write_failed_db_rolled_back` with rollback's OWN error is discarded (credentials.go:169 and :171) — the response body a rollback that was never confirmed, a bluff in the API contract itself. SCOPE combined dangerous capabilities on (credential access + filesystem mutation + external side effect + irreversible deletion) where §11.4.252 fail-closed-on-dangerous combination requires only 2. Composition §11.4.10 (credentials must never leak) credential the operator believes deleted

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					on disk, IS the leak class) and §11.4.2 REPRODUCTION: read the cited lines discard is syntactic and unconditional runtime repro drives DELETE with the path made unwritable (chmod 0444 c directory-level deny) and observes 20 the variable persists in .env. WHY IT NOT CAUGHT: the CM-DANGEROUS- COMBINATION-FAIL-CLOSED gate (constitution/scripts/gates/ cm_dangerous_combination_fail_clos enumerates .go at line 243 but gates i analyser on *.py at line 537, so Go fal text matchers that key on `catch` — a keyword Go does not have. All 106 .g are structurally unanalysable while l counted as analysed. That blindness BOB-191; this item is the DEFECT it h ACCEPTANCE: (1) both discard sites e handle the error or the handler retur non-2xx naming the unresolved prec per §11.4.252(2); (2) the env_write_failed_db_rolled_back cod emitted when the rollback actually succeeded, else a distinct honest cod RED test drives the unwritable-.env p observes the pre-fix 204, flips GREEN (§11.4.115); (4) a golden-FALSE fixtur the new guard does not refuse the he path (§11.4.201(1)). DISCOVERY CHAN (§11.4.238): found by an agent readin during the BOB-191 investigation, NO automated QA regime — this is itself coverage escape and BOB-191 carries escape audit. === VERIFICATION COM 2026-08-26 — BOTH DEFECTS CONFIR RED AUTHORED AND WATCHED FAI Line numbers re-derived, NO drift fr filing: :234-237 DB delete checked (50 error) · :240-244 envfile.Delete error DISCARDED · :249 DeleteIndexer erro

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					DISCARDED · :253 unconditional 204. OVERSIGHT — THE GODOC BLESSES :210-211 reads: ".env and Jackett dele best-effort ...; failures are silently swa The 204 status reflects DB success." A MUST delete that sentence or it will r authorizing the defect (§11.4.120 — t asserting the old behaviour is part of must be reconciled). MEASURED ENI when the .env write fails: DB row GO plaintext RUTRACKER_USERNAME/ RUTRACKER_PASSWORD STILL ON D says 204. WORSE THAN THIS ITEM ORIGINALLY FRAMED IT: the ENCRY canonical copy is destroyed while the PLAINTEXT copy survives UNMANAC the system's own record of the creden gone, so nothing will ever clean it up (2) IS WORSE THAN FILED — CHECK ERROR WOULD NOT FIX THE LIE. Th rollback calls Repo.Upsert(..., ifSet(prior.Username), ...); ifSet("") re repos/credentials.go Upsert maps nil COALESCE(excluded.username_enc, username_enc) = LEAVE UNCHANGE when the prior row had an empty fie the failed request set one, the compe Upsert returns nil — it SUCCEEDS — leaves the new value in place. The DI rolled back, there is NO error to chec the API asserts a rollback anyway. Ve live by the third RED case. This mean (2) is NOT one-line-ish: it needs the r surface to express "set this field back NULL" (delete-and-reinsert the prior tri-state in Upsert). Scope it separatel defect (1). THE RED: qBitTorrent-go/i jackettapi/bob204_failclosed_test.go (lines, NEW file, gofmt clean, delibera isolated from credentials_test.go so it widen the T041/T042 diff). Failure in,

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					REAL, not mocked: envfile.mutate w through <path>.tmp, so the test pre-c that path as a DIRECTORY -> os.Open returns EISDIR (errno 21 probed) -> envfile.Delete fails WHILE .env stays identical with the credential in it. Ch over chmod deliberately: opening a c for writing fails for root too, whereas chmod mechanism would silently no under uid 0 and turn the RED into a GREEN. A CONTROL NEEDLE inside breakEnvWrites calls the real envfile and t.Fatal's if it unexpectedly succee blind instrument cannot produce a conclusion. Measured: 3 FAIL (all thr cases) + 1 PASS (the §11.4.201(1) gold proving the REDs are not tautologica that the fix must not refuse the health Package-wide exactly 3 failures, all th stream's, zero skips. §11.4.10 honour assertion or message prints a creden VALUE — names and booleans only, 1 are fake-not-a-real-*. HONEST BOUNI (§11.4.6): the GREEN half of the flip is NOT CLAIMED. The stream was forbi from editing credentials.go, so RED w watched, GREEN was not. THE FIX, S (not applied): defect (1) IS one-line-is — replace the two ` _ ` with checked returning 5xx naming the unresolved precondition (env_delete_failed, jackson_cascade_delete_failed) and DI the :210-211 GoDoc sentence. Defect (repo-surface change, separate scope. ADJACENT FINDINGS: (a) credentials strictly WEAKER than its own sibling indexers.go:207-209 handles the iden DeleteIndexer error and at least LOG credentials.go:249 does not even log. package, same call, two standards. (b a concrete *repos.Credentials, not an

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					interface, so a rollback-FAILURE path be driven deterministically — relevant §11.4.240/§11.4.241 if the fix wants to be testable. (c) The .gitignore false-null test nearly ate this deliverable is filed separately SPOT-CHECKS of the discards this item as benign — BOTH CONFIRMED BENIGN client.go:140,153 ` _ = resp.Body.Close` a body already being discarded before retry; runs.go:112 ` _ , _ = w.Write(...)` in WriteHeader, same class as credentials.go:274. Bonus: runs.go:43 json.Unmarshal(...)` is benign but mil — a corrupt ErrorsJSON silently reports error_count=0, documented as deliberate degradation in its GoDoc. Cosmetic update report, not an integrity issue; recorded not re-investigated. 129 major Fixed.md) Bug — BOB-205 — W §11.4.252 fail-closed scanner is driven root by invariant 39 at scripts/pre_build_verification.sh:1481-1544 of hand-maintained DANGER_ROOTS list boba-ctl/` — 4 files, 947 LOC — is NOT list, so it is never scanned by any arm container orchestrator: a shell-exec permutation surface, precisely the §11.4 dangerous-combination class the gate for. DISTINCT FROM BOB-191: BOB-191 MATCHER hole (the root IS scanned; files inside it are structurally unanalysed while counted as analysed — a false prints green). This is a SCOPE hole (the not scanned at all). Different failure different fixes; per §11.4.214 they are but-similar, deliberately not merged. BOTH EXIST: the root list is hand-maintained so a new first-party root joins the tree joining the gate. §11.4.251 (role-as-da points at the fix direction — replace the maintained list with a declared mani

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					derived from the same source of truth as the build uses, so a root cannot exist without being enumerated. ACCEPTANCE: (1) boba-ctl is scanned — either by being added to DANGER_ROOTS or by the manifest replacing it; (2) whichever is chosen, a fixture proves a planted fail-open instead boba-ctl is SEEN pre-fix-absent / post-fix-present (§11.4.115); (3) if the manifest is taken, a fixture proves a NEWLY-ADDED party root is picked up without a hard stop that is the invariant that stops this regression (4) the honest-blindness path (§11.4.3) with-reason, which the gate already implements correctly for unenumerated extensions) is preserved, never converted into a silent PASS. DISCOVERY CHANNEL (§11.4.238): found by an agent auditing scanner's own root list during the BOB investigation, NOT by the automated regime — a coverage escape; BOB-19 the escape audit. === VERIFICATION COMPLETE 2026-08-26 — CONFIRMED three corrections and a far larger gap CONFIRMED: DANGER_ROOTS=(download/proxy/src plugins scripts qBitTorrent frontend/src) at scripts/pre_build_verification.sh:1511 (condition verified verbatim). Invariant 39 spans :1481-1541, skips non-existent roots and calls the gate once per root at :1517, and the gate is invoked from exactly ONE place (:1507) — so a root absent from that set is scanned by NO arm. cmd/boba-ctl regression measured: 4 tracked .go files, 947 LOC, all file numbers hold, no drift. CORRECTIONS (§11.4.6): this item said boba-ctl is a "no exec" surface. There is NO exec.Command in main.go — exec is one hop away via digital.vasic.containers/pkg/compose (main.go:13). The §11.4.252 threshold

#	Level	Status	Type	Fixed- In Tag(s)	One-line description
					met several times over (5 of 6 capabilities) · mutation :34,36,95-105,121 · untrusted :21,33,53,110,144,170,302,453-465 · crash :432-440,496-509 · external side effects :239,323,430 · irreversible :36,142) — specific word was wrong. CORRECTION: §11.4.6: this item's acceptance criteria asserted the gate "already implemented correctly" an honest SKIP for unenumerated extensions. WRONG. That honest-skip exists for the PYTHON ARM's degradation only. An extension absent from the eSILENT false-null. Filed separately as LANGUAGE HOLE item. CORRECTION: gap is not one root. FULL ENUMERATION: 266 files in scope / 512 OUT of scope = the gate-visible first-party corpus never scanned. tests/ 324 (excluded-by-intent) UNDECLARED) · extension/ 108 · docs challenges/ 18 · cmd/boba-ctl 4 · frontend2e+configs 5 · tools/ 1 (CONCEALS 3 HITS: plugin_update_automation.py:189,19 repository ROOT 1 (CONCEALS 1 REASON webui-bridge.py:295). Filed separately as ROOT-SCOPE item. boba-ctl IS a genuine §11.4.252 surface, but the hole around LATENT: main.go has no `_ = err`, no `err != nil {}`, no silent `return nil` todo control-neededled against qBitTorrent-internal/config/config.go). It hides no live; it guarantees a future one lands One real semantic finding WAS spotted reading: authMethod()'s default branch filed separately. BOB-205 != BOB-191, THEY COMPOUND — measured, one root, both needles: go-needle 0 hits, p 1 hit. Go-blindness independently reconfirmed (gate routes only *.py to arm). The real cmd/boba-ctl scanned DIRECTLY returns "PASS — no anti-p

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					found" over 947 LOC it cannot analyse. THEREFORE: fixing BOB-205 ALONE the root from never-looked-at to LOC AND-FALSELY-GREEN — the §11.4.20 FALSE-NULL, the WORSE state, because then counts as covered. Both must label the language hole with them. THE RE pre_build/test_bob205_danger_roots Oracle (§11.4.245) = METAMORPHIC INVARIANT with a control needle: two IDENTICAL Python fail-open needles equality asserted at runtime, 8d8bd9 one in a root that IS in DANGER_ROOT (control), one in cmd/boba-ctl (probe scanner driven exactly as invariant 3 it. Identical input, two locations, must identical verdicts — matcher/language version held constant so SCOPE is the free variable. Independent of the code test: the expectation comes from the not from reading DANGER_ROOTS. S chosen; shape (b) included as an explicit labelled WEAKER secondary (it would a typo'd list entry the [[-d]] guard skips). CONFOUND DELIBERATELY AND the needle is PYTHON, not Go — a Go would stay unseen post-fix and the R would never go green, which is itself §11.4.201(1) FAIL-bluff. Fixing BOB-1 NOT turn this green; only widening s will. BLIND-INSTRUMENT GUARD: control needle not found -> exit 3 ABORT, new The test parses DANGER_ROOTS from driver so it flips with zero edits, and runs pre_build_verification.sh. MEAS RED exit 1 (evidence docs/qa/BOB-20 red_run_live_gate.log, gate sha256 c5752428...) — CONTROL 1 hit "instrument PROVEN seeing", PROBE 0 hits. GREEN polarity proof exit 0 against a SCRATCH of the driver with the root appended

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					driver git diff --stat empty). Determining RED exit 1, 3/3 GREEN exit 0. FIX DIR (assessed, not applied): §11.4.251 ma feasible, but the source of truth matt docker-compose.yml build contexts M plugins/, frontend/src, cmd/boba-ctl, bridge.py; language markers (go.mod package.json) MISS plugins/ and web bridge.py. ONLY derive-from-git-trac source-extensions minus a declared §11.4.224(E) exclusion fence reaches gap. The derivation must be built eitl if the operator keeps the hand list, th omission-guard is the SAME computa the only question is whether it drives or audits the list. The tests/ question is an operator §11.4.66 decision; proc only is defensible but currently UNDECLARED. 130 critical Ob Fixed.md) Bug — BOB-206 — ST UNCONFIRMED — surfaced by the TC review-scope preflight (docs/qa/T041 review_scope_map_20260826.md), w stated it as "factor 6 is unguarded as could tell". That hedge is preserved deliberately per §11.4.6: this item exi DRIVE the verification, and MUST NO cited as a confirmed defect until a ru probe settles it either way. WHAT (th hypothesis to test): probe_location()'s is a product of ≥ 7 independent term §11.4.194(1) multi-factor shape wher degenerate term triggers the failure a verifying one while assuming the res exact forbidden gap. Factor 6 is the filesystem's ability to EXPRESS per-fi ownership. On a uid-flattening filesys (vfat / exfat / ntfs mounted with a uid every file reports the MOUNT's uid re of what any chown did or did not do. probe_location() reads that uid and c

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					ownership is correct, it returns 'ok' or filesystem structurally incapable of h the property being probed — a §11.4. FALSE-NULL at the feature's own cor probe and a genuinely-correct filesys return the identical quiet success. W CRITICAL RATHER THAN THEORETIC download root is a HOST-SPECIFIC M Whether this fires is a property of th operator's actual mount table, not of source — so it cannot be settled by re code alone, and a green probe on the developer's ext4/btrfs proves nothing an operator whose media lives on ex ntfs. This is precisely the class §11.4. layer-3 exists for. ADJACENT UNGUA TERMS the same preflight surfaced (together — they share the tri-state): t precondition has FOUR refusal trigge which R4 is itself a THREE-WAY prod (measured-rootless AND non-root us AND mounts-a-declared-location) tha source states has no second line of de R3 and R4 both consume detect_root tri-state whose DOCKER branch the s itself admits is documented-not-meas VERIFICATION PLAN (§11.4.115 RED- §11.4.262 machine evidence): (1) enu the real mount table and record whic declared locations sit on uid-flattenin filesystems — that measurement alon confirm or dismiss the whole item; (2 construct a loopback vfat/exfat imag mounted with a uid= option, point a location at it, run probe_location() an capture the verdict — if it returns ok the RED; (3) fix by detecting the filesy ownership-expressiveness and refus reason rather than reporting ok (§11 fail-closed: a probe that cannot resol condition refuses and says so, never

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					(4) golden-FALSE fixture on ext4/btrfs the new guard does NOT refuse a head location (§11.4.201(1) — a false-positive refusal here would break every normal operator). BLAST RADIUS: this is the ownership feature's own correctness the subject of spec 002-user-owned-downloads. A false ok here means the reports success while the operator shown by hand, which is the ORIGINAL reported problem the spec exists to solve DISCOVERY CHANNEL (§11.4.238): for an agent mapping the T041 review so NOT by the automated QA regime — coverage escape in its own right. The audit owed: no existing check exercising flattening filesystem, so no automation could have caught it. NOTE ON THIS the first write of this description was corrupted by shell backtick expansion (terms silently emptied). This is the real text; the corruption is recorded here than quietly overwritten, per §11.4.6 critical Fixed (→ Fixed.md) Bug BOB-207 — WHAT: scripts/lib/ownership.sh:299-320 probe_location stat -c '%u' and compares against ownership_operator_uid (id -u). It NE reads '%g'. Meanwhile ownership_operator_gid is defined at lib/ownership.sh:50 and consumed at scripts/ownership_repair.sh:360 — so REPAIR establishes uid AND gid, which PRECONDITION that verifies the repair worked checks uid ONLY. The precondition can therefore report ok while exactly property the repair exists to establish wrong. MEASURED, LIVE ON THIS HOW UNPRIVILEGED (a setgid directory is takes — no loopback, no mount, no stat uid=1000 gid=10 mode=2755 (chgrp v

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					chmod g+s, both unprivileged) real file created there: uid=1000 gid=10 probe_location verdict = ok rc=0 <-- o gid is 1000, file gid is 10 SEVERITY RATIONALE: this is the SAME CLASS BOB-206 alleged (a probe reporting o ownership is only partly held) but on that is LIVE rather than hypothetical no unusual filesystem, and reproduc two unprivileged commands. BOB-20 dismissed; this is the real defect that investigation surfaced underneath it ACCEPTANCE: (1) probe_location rea compares gid as well as uid, OR the asymmetry is deliberately justified in with the reason (if only uid matters t user-visible goal, say so and explain v repair sets gid at all); (2) a RED fixture the setgid directory above, observes a fix, flips to a refusal post-fix (§11.4.11 golden-FALSE fixture proves a correct location is still ok (§11.4.201(1)); (4) whichever way it is resolved, precon and repair agree on WHICH property talking about — that disagreement is primitive defect (§11.4.250). DISCOVER CHANNEL (§11.4.238): found by the E verification stream, not by the autom regime. No existing test exercises a g mismatch. === CONFIRMED 2026-08- AUTHORED — AND THE FIX DIRECT THE OPPOSITE OF WHAT THIS ITEM ASSUMED === CONFIRMATION (re-d against the dirty tree; line numbers h match): probe_location() at scripts/lik ownership.sh:299-320 reads stat '%u' (:308 file branch, :314 dir branch), co against want at :301, and NEVER read ownership_operator_gid is defined a has EXACTLY ONE consumer — ownership_repair.sh:360 — verified a

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					tracked AND untracked files, needle- (needle ownership_operator_uid -> 1 negative control -> 0; untracked swee -> 8 files, ownership_operator_gid -> other hit is a docs/DB carrier or comm THE REPAIR SETS GID AT TWO SITES one: :719 chown -h "\${OP_UID}:\${OP_ WRITES both, and :963 find_args sele -uid OR ! -gid). FALSE ok REPRODUC unprivileged (chgrp to a group from chmod g+s): dir uid=1000 gid=10 mod a REAL file created inside lands uid= gid=10, probe_location verdict = ok r Needle arm: an absent path returns ' rc=1 — the probe CAN refuse, so the DESIGN QUESTION ANSWERED: **N THE REPAIR. gid is NOT load-bearing item was filed assuming the PROBE v deficient. Measured, that is backward correct uid and gid=10: edit, read, re move, chmod, utime, delete are ALL PERMITTED — including recovery fr chmod 000 with NO elevation. Owne bits are selected by uid match and ch owner-only, so the operator can alwa restore access. - Every FR-001 / FR-00 FR-003 / FR-010b is phrased as "owne account". NO requirement mentions DECISIVE, conductor-verified in spec Constraints section blesses "Group-ba workarounds (shared groups, permis modes, access-control lists) are accep implementation routes", and Depend makes "shared group plus inherited permissions" NECESSARY if the conta platform cannot map the in-containe account to the operator's identity. => WIDENING THE PROBE would make REFUSE TO START on a configuration explicitly sanctions — a §11.4.201(1) positive refusal, the exact failure clas

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
134	major	Fixed (→ Fixed.md)	Bug	—	project keeps finding in its own gates THE REPAIR IS ALREADY DOING HAI measured, after repair a new file inh 1000 instead of 10 with the setgid bit and NO diagnostic. The repair silentl dismantles a spec-sanctioned shared setup. THE RED: tests/unit/ test_ownership_gid_agreement.sh (N 253 lines, bash -n clean). It deliberate NOT assert "the probe must call stat ' that is an implementation assertion t survives a cosmetic fix AND hard-wir fix direction. It asserts the user-obs invariant: probe_location(L) == ok IF ownership_repair.sh --dry-run select items under L. Measured: 4 passed / EXIT=1, the failure being "the PRECO certifies it (ok) while the REPAIR rep broken (selects:2)". VALIDATED AGAI BOTH CANDIDATE FIXES from patch COPIES (production untouched): bas FAIL(1) · narrow-the-repair PASS(0) · the-probe PASS(0). Golden-FALSE pas three, so neither direction can go gre refusing everything. That is what ma RED fix-direction-agnostic rather tha THE FIX, NOT APPLIED — scripts/ ownership_repair.sh:963: - find_args -uid "\${OP_UID}" -o ! -gid "\${OP_GID}" -printf '%U\t%G\t%m\t%p\0') + find_a -uid "\${OP_UID}" -printf'%U 132 BOB-210 — WHAT: scripts/ ownership_precondition.sh:342-348 documents the docker branch of detect_rootless() as documented-not- measured (accurate — verified verba header then claims the branch is bui ‘an unverified reading can never manufacture a refusal’. IT CAN. Line emits a CONFIDENT rootful verdict w

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					docker info succeeds with non-empty containing no name=rootless field. O FAILURE modes fall through to unknown (:387-394). THE PATH TO HARM: PUI declared in docker-compose.yml:32 (again for jockett — deliberate per policy). With a confident rootful version reaches the R3 refusal at :517. So a general ROOTLESS Docker host whose docker output SHAPE differs from the documentation one gets a FALSE REFUSAL produced in the branch the source itself admits was not measured — precisely the outcome the header promises is impossible. THE PROBLEM (§11.4.245 independence): tests DO cover this path (tests/unit/test_ownership_rootless_detection.sh) but the shim's output shape was authoritative from the SAME documentation as the Oracle and code share the unvalidated premise, so the test cannot discover the premise is wrong. It confirms the code matches the doc; nobody has confirmed doc matches Docker. ACCEPTANCE: (1) the header claim is corrected to match real behaviour, or :413 is changed to unknown when the reading is unverifiable; the two must agree (§11.4.6); (2) the code branch's premise is validated against docker info output from a real rootless daemon, or the branch is honestly marked unmeasured at the point of USE, not the header; (3) if validation is operational (needs a rootless Docker host), record such per §11.4.21 rather than leaving header's promise standing. ALSO VERIFIED GOOD, recorded so it is not re-investigated the unknown branch is handled IDENTICALLY at both consumers (R3 :832-836 — both a named SKIP, both 0, neither refuses), ROOTLESS_VERDICT

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
135	major	Fixed (→ Fixed.md)	Bug	—	cached at :487 so both read ONE measurement, and the carrier-trap g FALSE fixture EXISTS (test_ownership_rootless_detection.s drives name=rootless-lookalike inside profile path and must NOT read root structural guard at :396-411 uses exact equality, not substring). DISCOVERY CHANNEL (§11.4.238): found by the E verification stream. BOB-215 — WHAT: cmd/boba-ctl/main.go:498-509, authMethod(). Its default branch (:507) returns remote.AuthSS deploy-registry entry whose auth: key is misspelled, empty, or set to an unrecognized value therefore resolves SILENTLY to authentication rather than refusing to. WHY IT IS A §11.4.252 VIOLATION: the credential-selection decision on a path also performs remote mutation and has side effects. §11.4.252 requires a path combining >=2 dangerous capabilities. CLOSED — verify every precondition when any is unverifiable, and name is unresolved precondition. Silently substituting a default credential MECHANISM for unreadable declaration is the textbook open shape: the operator's intent was determined, and the code proceeded using a method they may not have chosen. WHY NO GATE CAUGHT IT: three independent reasons, each sufficient on its own — (a) cmd/boba-ctl is in no DANGER_ROOT (BOB-205); (b) even in scope, .go files are structurally unanalyzed by the current gate (BOB-191); (c) this is a semantic default-branch decision, not one of the two text patterns the non-Python gate match. It was found by a human-equivalent read, which is precisely the §11.4.238

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
136	minor	Fixed (→ Fixed.md)	Bug	—	class. HONEST QUALIFICATION (§11.4.201(1)): <code>cmd/boba-ctl/main.go</code> has <code>NO _ = err</code> (empty if <code>err != nil {}</code>), and <code>NO silent</code> (return <code>nil</code> today — grep-verified with <code>grep -v silent</code> control needle against <code>qBitTorrent-gui</code> internal/config/config.go. This finding is an exception, not one of many; the scope around <code>boba-ctl</code> is otherwise LATENTLY DEAD: if nothing else live, it guarantees a future (lands unseen). ACCEPTANCE: (1) an unrecognised/empty <code>auth: value REFUSED</code> with an error naming the offending line (its declared value, never silently defaulted) a RED driving a typo'd <code>auth: and as seen</code> today's silent SSH-key resolution, flip the refusal post-fix; (3) golden-FALSE proof every LEGITIMATE <code>auth: value still refused</code> correctly — a false refusal here would be real deploys (§11.4.201(1)). DISCOVERED CHANNEL (§11.4.238): found by the EVIDENCE verification stream while confirming it qualifies as a §11.4.252 surface. BOB-220 — WHAT: <code>scripts/ownership_repair.sh:891-895</code> runs <code>chown</code> intending to strip <code>setuid/setgid</code> bits. The live: the <code>chmod RUNS</code> and <code>SUCCEEDS</code> mode stays 2755. Root cause measure: GNU <code>chmod</code> with a 3-DIGIT symbolic equivalent octal PRESERVES the <code>setgid</code> DIRECTORIES; only a 4-digit form (0000) an explicit <code>g-s</code> clears it. The comment :868-884 describes a strip that does not for directories. EFFECT: benign today surviving <code>setgid</code> bit is not itself harmful no defect is known to follow from it. filed as a §11.4.6 accuracy defect: an comment asserting behaviour the code not perform. That matters because the reader will trust it, and because a future security-relevant strip written against

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
137	critical	Fixed (→ Fixed.md)	Bug	—	same pattern would silently fail the s way. RELATION TO BOB-207: the sam measured that after repair a new file gid 1000 with THE SETGID BIT STILL the two facts compound. If BOB-207 i resolved by narrowing the repair (th recommended direction), the setgid s becomes moot for that path but the misleading comment remains. ACCEL (1) either the strip is made real (0075 or the comment is corrected to state directories retain setgid — code and must agree; (2) if made real, a RED as mode 2755 -> 0755 on a directory, sin current form silently no-ops; (3) gold FALSE proving a directory that SHOU its mode is not gratuitously changed. DISCOVERY CHANNEL (§11.4.238): fo the BOB-207 stream while tracing an unrelated behaviour. Not by the auto QA regime. BOB-221 — WHAT: scripts/ pre_build_verification.sh invariant 3 BASH-UNIT-TESTS-EXECUTED) enum suites by FILESYSTEM GLOB (:1196) a fail() on any non-zero exit. It therefor untracked suites, and it has NO conce test that is SUPPOSED to fail. MEASU tests/pre_build/ test_bob205_danger_roots_scope.sh e correctly, because it is a RED test for an unfixed defect. Invariant 30 count a gate failure. The predicted T042 ver FAIL, and this is one of its three block causes. THE STRUCTURAL PROBLEM §11.4.115 and §11.4.224 REQUIRE a R authored FIRST and OBSERVED TO F before the fix exists. §11.4.135 requir RED to persist as the permanent regr guard. So the discipline mandates tha

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					tests exist in the tree between author fixing — and the blocking gate treats existence as a defect. Following the constitution correctly makes the gate the commit. That is a §11.4.120 wrong problem: the gate asserts “no suite fails when the invariant it should assert is suite fails UNEXPECTEDLY”. WHY IT SURFACED NOW: this session author REDs across parallel streams (BOB-20 BOB-205, BOB-207, BOB-212) — the fix the discipline was applied at this volume. Previously REDs were flipped GREEN the same round, so the window never spanned a gate run. The defect is not exposure is. THE FORBIDDEN RESPONSE (§11.4.120): do NOT delete the RED to the gate green; do NOT weaken invariant to ignore failures; do NOT mark the RED skipped without a tracked reason. Each converts a real signal into silence. FIDIRECTION — this is §11.4.248’s quarantine mechanism, which the constitution specifies and this project has not wired declares its expected-failing status as tracked item (a header marker, a name convention, or a manifest), invariant that declaration, and a declared-RED reported as EXPECTED (not a fail) when UNDECLARED failure still blocks. Crucially the declaration must EXPIRE or be tracked §11.4.248 pairs quarantine with a stabilisation deadline precisely so “expected to fail” cannot become permanent condition RED whose item closes must flip GREEN the gate should FAIL on the stale declaration ACCEPTANCE: (1) a declared RED does block; (2) an UNDECLARED failing suite blocks (the §11.4.201(1) guard — a fix ignores all failures is strictly worse than defect); (3) a declared RED whose tracked

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					item is CLOSED blocks, so declaration rot; (4) a paired §1.1 mutation removal declaration-check makes the gate account undeclared failure -> gate FAILs. DISCHANNEL (§11.4.238): found by the T readiness preflight, before the endgate rather than during it. Not by the automatic QA regime — the regime IS the thing would have blocked. === CORRECTED 2026-08-26 — MY FIX DIRECTION IN ITEM WAS WRONG, AND THE BLOCK WIDER (§11.4.6) === CORRECTION 1 - §11.4.248 IS NOT THE MECHANISM. “this is §11.4.248’s quarantine mechanism which the constitution already specifies this project has not wired.” That is half and the wrong half matters. §11.4.24 QUARANTINE targets FLAKY tests — trigger is literally “two-consecutive-r different-verdict OR rerun-after-red” remedy is to MOVE the suite to tests/ quarantine/ and run the blocking suite WITHOUT it “so green means green”. §11.4.248(B) PROTECTED-SPEC is a targeted required-reviewer gate on MODIFYING regression test; it never says a test must RED is DETERMINISTIC and MUST STOP RUN — §11.4.115(F) and §11.4.226 require RED verdict to be PRODUCED as the evidence. Excluding it destroys the very artifact discipline mandates. Merging the two also let a genuinely flaky suite hide behind RED declaration and vice versa. What §11.4.248 legitimately supplies, and what should be INHERITED rather than repeated (§11.4.227), is the SHAPE: a by-name tracked item + a deadline + a must-on-shrink ratchet. CORRECTION 2 — THE LANGUAGE-PARITY GAP, NOT A DESIGN VACUUM. Conductor-verified: the project ALREADY runs this mechanism on the

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					PYTHON side. pytest.mark.xfail(strictly used deliberately for OPEN defects at scaling/test_scaling_envelope.py:907 (BOB-167, documented in tests/scaling/README.md:64) and tests/stress/test_plugin_parsers_stress_chaos.py: whose own comments carry the ratcl discipline verbatim (“it stays visible a in every report”, “then remove this x “declared expected-failure, strict so a unexpected pass fails” is ALREADY a policy in one language. The BASH side equivalent. That is the real gap. CORN 3 — BOB-221 IS NOT SUFFICIENT TO UNBLOCK T042. A full replication of 30 measured RAN=38 FAILED=4 SKIP rc=124 300s test_compute_badges_carrier_match. HANG, not a RED. Blocks independence separately. rc=1 3s test_ownership_gid_agreement.sh <- BOB-207’s RED (a SECOND in-glob RE item assumed one) rc=1 1s test_bob205_danger_roots_scope.sh <- BOB-205’s RED rc=127 9s test_check_cm_lan_routes_authentication CONTAMINATED: a sibling stream was writing lan_route_auth_analyzer.py c and after the run (§11.4.119 — the su stream did not own that resource and correctly declined to adjudicate). rc= §11.4.1 script-internal FAIL-bluff sign not a product verdict either way. Ret its owning stream. ALSO: BOB-204’s a BOB-212’s REDs share tests/security/test_gitignore_swallow_is_loud.sh, w OUTSIDE invariant 30’s glob and exe NOTHING (BOB-222) — they do not b today, and widening the glob would immediately add another blocker. TH DESIGN, RECOMMENDED: two-place

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					declaration + SSoT expiry + strict sen THREE independent facts must agree failure is excused — (1) the suite is li scripts/lib/expected_red.sh, a file the PRODUCING streams do not own; (2) file itself carries # EXPECTED-RED: <ID the SAME id; (3) is OPEN in docs/ workable_items.db, FAIL-CLOSED on unreadable store or unknown id (§11 Plus STRICT-XFAIL PARITY: a declare that PASSES blocks, which mechanic forces the ratchet to shrink in the sar commit as the fix. EXIT-CODE CONVE REJECTED ON MEASURED EVIDENCE had flagged it as promising. The non- space is ALREADY CLAIMED IN THIS FOR THE OPPOSITE MEANING: test_gitignore_swallow_is_loud.sh us = “INSTRUMENT BROKEN or SECRET verdict void”, and test_bob205_danger_roots_scope.sh u 3 = ABORT (instrument blind). Both v chosen precisely so a blind harness c be read as a verdict. Overloading eith “expected red” would make a genuin BLIND INSTRUMENT INDISTINGUISH FROM A DECLARED RED — the gate v swallow exactly the failure class thos exist to make loud. It also fails accep (an integer carries no item id) and (3 (nothing to rot-check), and it puts the declaration inside the PRODUCER, co producer!=gate (§11.4.240/§11.4.249). BOUNDARY ON THE DESIGN (§11.4.2 achieves separation by LOCATION ar MULTI-PLACE AGREEMENT, not by tr CAPABILITY, which §11.4.240 prefers no PR/CODEOWNERS seam here to en capability — CLAUDE.md Hard Stop removed all CI/PR gates, so the CODE half of §11.4.248(B) is STRUCTURALL

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					UNENFORCEABLE in this project. When the design buys is that silencing a failure in a coherent three-place story visible in the instead of one comment line. THE REASON pre_build/ test_bob221_expected_red_declarations extracts invariant 30's loop and its block predicate VERBATIM FROM THE LIVE BY CONTENT MARKER (never line number) and RUNS them against a hermetic source PROJECT_ROOT — so the logic under the gate's own text, not a paraphrase (§11.4.226 anti-echo). Measured RED: properties unmet, exit 1. P3 is asserted blocking REASON, not merely on "it blocks" — today everything blocks, so a bare block check would pass FOR THE WORK REASON and keep passing if the anti- were never built. Polarity flip proven BYTE-IDENTICAL test file against a source carrying the patch: exit 0, all five properties met. Four paired §1.1 mutations each exactly ONE property, one-to-one, no talk. THE PATCH: 72 lines, 4 hunks + 1 file scripts/lib/expected_red.sh, git add check clean, NOT APPLIED. Operation the landing commit must not miss: the names test_bob205_danger_roots_score and test_ownership_gid_agreement.s NEITHER carries an # EXPECTED-RED: today (verified 0 in both) — without the one-line additions the gate blocks the "declared but the file carries no match marker", which is the fail-closed design working as intended, not a bug. SEQUENTIAL RECOMMENDATION: (iii), a bounded of (i) — land the mechanism declaring BOB-205, BOB-207 and this item's own add the two missing markers, triage rc=124 hang as its own item, return the rc=127 to its owner, THEN run T042.

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					HONEST COST, STATED NOT HIDDEN modifies the blocking gate BEFORE it has ever run clean, so the mechanism full-gate exercise IS the T042 run. The circularity is unavoidable and IS this (§11.4.120 — a gate whose precondition produced by the work it gates): a clean run is impossible while any RED exists “validate the gate before changing it” be satisfied. Risk reduced as far as possible without running the gate (proven-appeal patch, proven polarity flip, four bitin mutations, P2 undeclared-failures-still asserted and mutation-proven) but NOT eliminated. Against (ii) fix-the-four-d first: all four are Queued and genuine deferred; BOB-212’s fix direction is an explicitly unresolved §11.4.66 OPERA decision whose own test was deliberately written fix-direction-agnostic so as not to prejudge it — choosing (ii) means making a decision on the operator’s behalf, plus implementations and four reviews, and STILL leaves the hang and the rc=127 blocking. RECURSION NOTE: this item RED is in-glob and failing, so it is itself a blocker until the mechanism lands — which point its already-present markable table row clear it. The mechanism is first customer.