

closure_evidence_20260922

BOB-204 closure evidence — 2026-09-22

Finding

BOB-204 (“Credential DELETE reports 204 success while the .env plaintext delete error is discarded — credential survives on disk”) was already fixed at main HEAD a66188d (“feat(release): harden magnet-hash validation, credential-delete safety, LAN auth, systemd reboot-survival”), landed in a prior session before docs/Issues.md was updated to reflect it — a tracker staleness gap, not an open defect.

Independently re-verified this session by a dedicated subagent via reproduce-then-restore (no working-tree changes were made or left behind; `git diff --stat` on `qBitTorrent-go/` returned empty before and after).

Fix location (current HEAD)

`qBitTorrent-go/internal/jackettapi/credentials.go`:

- **DELETE handler** (`HandleDeleteCredential`, lines 261-328): Jackett cascade error checked (288-297, returns 502 `jackett_cascade_failed`), `envfile.Delete` error checked AND read-back-verified (299-319, returns 500 `env_delete_failed / 500` `env_delete_unverified`), DB delete error checked (322-325); 204 emitted only at line 327 after all three succeed.
- **Rollback claim honesty** (`HandleUpsertCredential` lines 192-204; `rollbackCredential` lines 406-447): the rollback’s own error is checked (`rbErr`); response code is `env_write_failed_db_rollback_failed` when the rollback itself

couldn't be verified, vs. `env_write_failed_db_rolled_back` only when `rollbackCredential` re-reads the row and confirms every field (kind/username/password/cookies) genuinely matches the pre-call snapshot (lines 429-446).

RED evidence (pre-fix behaviour, reproduced by temporarily restoring the

commit immediately before the fix, `git show 4b54e99:...`, then restoring current HEAD byte-for-byte afterward — verified via empty `git diff --stat`)

Command: `cd qBitTorrent-go && GOMAXPROCS=2 go test ./internal/jackettapi/... -run 'BOB204' -v`

```
=== RUN    TestRED_BOB204_DeleteFailOpenLeavesCredentialOnDisk
    bob204_failclosed_test.go:137: FAIL-OPEN (§11.4.252): DELETE
    returned 204 No Content while RUTRACKER_USERNAME and
    RUTRACKER_PASSWORD are STILL PRESENT in .env (db row
    removed=true). The operator is told the credential is deleted
    while the plaintext remains on disk.
    --- FAIL: TestRED_BOB204_DeleteFailOpenLeavesCredentialOnDisk
    (0.01s)
=== RUN    TestRED_BOB204_DeleteFailOpenOnJackettCascade
    bob204_failclosed_test.go:196: FAIL-OPEN (§11.4.252): DELETE
    returned 204 while the Jackett cascade delete failed (HTTP 500) –
    indexer rutracker-idx is left configured at Jackett against a
    credential reported deleted
    --- FAIL: TestRED_BOB204_DeleteFailOpenOnJackettCascade (0.01s)
=== RUN    TestRED_BOB204_RollbackClaimIsFalse
    bob204_failclosed_test.go:255: FALSE ROLLBACK CLAIM (§11.4/
    §11.4.6): response asserts `env_write_failed_db_rolled_back`, but
    the DB row still carries the username the failed request
    introduced (has_username=true, prior was false). The compensating
    Upsert no-ops on nil fields (COALESCE keeps the new value) so it
    returns no error to check.
    --- FAIL: TestRED_BOB204_RollbackClaimIsFalse (0.00s)
    --- PASS: TestGOLDENFALSE_BOB204_HealthyPathsUnaffected (0.00s)
    --- PASS: TestPOSITIVE_BOB204_HealthyJackettCascadeStillDeletes
    (0.01s)
    --- PASS: TestPOSITIVE_BOB204_RollbackRestoresOverwrittenValue
    (0.00s)
FAIL
FAIL    github.com/milos85vasic/qBitTorrent-go/internal/
jackettapi  0.038s
```

GREEN evidence (current HEAD, restored byte-identical)

```
=== RUN    TestRED_B0B204_DeleteFailOpenLeavesCredentialOnDisk
--- PASS: TestRED_B0B204_DeleteFailOpenLeavesCredentialOnDisk (0.01s)
=== RUN    TestRED_B0B204_DeleteFailOpenOnJackettCascade
--- PASS: TestRED_B0B204_DeleteFailOpenOnJackettCascade (0.01s)
=== RUN    TestRED_B0B204_RollbackClaimIsFalse
--- PASS: TestRED_B0B204_RollbackClaimIsFalse (0.01s)
=== RUN    TestGOLDENFALSE_B0B204_HealthyPathsUnaffected
--- PASS: TestGOLDENFALSE_B0B204_HealthyPathsUnaffected (0.02s)
=== RUN    TestPOSITIVE_B0B204_HealthyJackettCascadeStillDeletes
--- PASS: TestPOSITIVE_B0B204_HealthyJackettCascadeStillDeletes (0.02s)
=== RUN    TestPOSITIVE_B0B204_RollbackRestoresOverwrittenValue
--- PASS: TestPOSITIVE_B0B204_RollbackRestoresOverwrittenValue (0.01s)
PASS
ok      github.com/milos85vasic/qBitTorrent-go/internal/
jackettapi 0.079s
```

Negative control (golden-FALSE)

TestGOLDENFALSE_B0B204_HealthyPathsUnaffected passes both before and after — proves the fix does not fail-closed on the healthy path. TestPOSITIVE_B0B204_HealthyJackettCascadeStillDeletes and TestPOSITIVE_B0B204_RollbackRestoresOverwrittenValue additionally prove the working-cascade and true-rollback-restore branches, both PASS.

Full scoped package suite

`go test ./internal/jackettapi/... -v` — all tests in the package (60+, including unrelated ones) PASS.

Working-tree state

`git status --porcelain` and `git diff --stat` both empty for qBitTorrent-go/ before and after this verification — no code changes were needed or made this session.

Test files (pre-existing, tracked, reachable via `git log` back to 5c9b9e0)

- `qBittorrent-go/internal/jackettapi/bob204_failclosed_test.go` — 3 RED tests
- `qBittorrent-go/internal/jackettapi/bob204_positive_test.go` — 2 positive-path proofs