

PLUGINS

qBitTorrent Search Plugins Documentation

Revision: 1 **Last modified:** 2026-06-06T00:00:00Z

This document provides comprehensive documentation for all included search plugins.

Table of Contents

1. [Overview](#)
 2. [Plugin List](#)
 3. [Credential Requirements](#)
 4. [Configuration](#)
 5. [Installation](#)
 6. [Testing](#)
 7. [Troubleshooting](#)
-

Overview

This project includes multiple search engine plugins for qBittorrent, specifically designed for Russian torrent trackers. All plugins support environment variable configuration for credentials and settings.

Features

- Environment variable support for all credentials
 - Automatic .env file loading from multiple locations
 - Docker/Podman container support
 - Comprehensive test coverage
 - Proxy support (HTTP/HTTPS/SOCKS5)
-

Plugin List

1. RuTracker.org

Status: Fully Implemented and Tested

Description: Biggest Russian torrent tracker with vast content library.

Credentials Required: - RUTRACKER_USERNAME - Your RuTracker username - RUTRACKER_PASSWORD - Your RuTracker password

Optional Settings: - RUTRACKER_MIRRORS - Comma-separated list of mirrors (default: <https://rutracker.org>,<https://rutracker.net>,<https://rutracker.nl>)

Categories: All, Movies, TV, Music, Games, Anime, Software

Registration: Required - <https://rutracker.org/forum/profile.php?mode=register>

2. Rutor.info

Status: Implemented (Public Tracker - NO LOGIN REQUIRED)

Description: Popular free Russian torrent tracker, works without registration.

Credentials Required: NONE

Optional Settings: - RUTOR_USE_MAGNET - Use magnet links instead of .torrent files (true/false, default: false) - RUTOR_PROXY_ENABLED - Enable proxy (true/false, default: false) - RUTOR_HTTP_PROXY - HTTP proxy URL - RUTOR_HTTPS_PROXY - HTTPS proxy URL - RUTOR_USER_AGENT - Custom User-Agent string

Categories: All, Movies, TV, Music, Games, Anime, Software, Pictures, Books

Registration: Not required

Mirrors: - <https://rutor.info> - <https://rutor.is>

3. Kinozal.tv

Status: Coming Soon

Description: Russian torrent tracker focused on movies and TV shows.

Credentials Required: - KINOZAL_USERNAME - Your Kinozal username - KINOZAL_PASSWORD - Your Kinozal password

Optional Settings: - KINOZAL_USE_MAGNET - Use magnet links (true/false, default: false) - KINOZAL_PROXY_ENABLED - Enable proxy (true/false) - KINOZAL_HTTP_PROXY - HTTP proxy URL - KINOZAL_HTTPS_PROXY - HTTPS proxy URL

Categories: All, Movies, TV, Music, Games, Anime, Software

Registration: Required - <https://kinozal.tv/signup.php>

Note: Has download limits (10 torrents by default), use magnet mode to bypass.

4. NNM-Club.me

Status: Coming Soon

Description: One of the biggest Russian torrent trackers.

Credentials Required: - NNMCLUB_USERNAME - Your NNM-Club username - NNMCLUB_COOKIES - Browser cookies (NOT password!)

How to Get Cookies: 1. Login to <https://nnmclub.to> 2. Open Browser Dev Tools (F12) 3. Go to Network tab 4. Refresh page or navigate 5. Find any request and copy the Cookie header value 6. Example: phpbb2mysql_4_sid=abc123; phpbb2mysql_4_data=xyz789

Optional Settings: - NNMCLUB_PROXY_ENABLED - Enable proxy (true/false) - NNMCLUB_HTTP_PROXY - HTTP proxy URL - NNMCLUB_HTTPS_PROXY - HTTPS proxy URL

Categories: All, Movies, TV, Music, Games, Anime, Software

Registration: Required - <https://nnmclub.to/forum/profile.php?mode=register>

Important: Very sensitive to proxies, may trigger DDoS protection (403 error)

Credential Requirements Summary

Plugin	Username	Password	Cookies	Registration
RuTracker			No	Required

Plugin	Username	Password	Cookies	Registration
	Required	Required		
Rutor	No	No	No	Not Required
Kinozal	Required	Required	No	Required
NNM-Club	Required	No	Required	Required

Configuration

Environment Variables

All plugins support configuration via environment variables. You can set them in multiple ways:

1. .env File (Recommended)

Create a .env file in the project root:

```
# RuTracker Configuration
RUTRACKER_USERNAME=your_username
RUTRACKER_PASSWORD=your_password
RUTRACKER_MIRRORS=https://rutracker.org,https://rutracker.net

# Rutor Configuration (optional - works without credentials)
RUTOR_USE_MAGNET=false
RUTOR_PROXY_ENABLED=false

# Kinozal Configuration
KINOZAL_USERNAME=your_username
KINOZAL_PASSWORD=your_password
KINOZAL_USE_MAGNET=false

# NNM-Club Configuration
NNMCLUB_USERNAME=your_username
NNMCLUB_COOKIES=phpbb2mysql_4_sid=abc123;
phpbb2mysql_4_data=xyz789
```

2. Docker Compose Environment

Add to docker-compose.yml:

```
environment:
  - RUTRACKER_USERNAME=${RUTRACKER_USERNAME}
  - RUTRACKER_PASSWORD=${RUTRACKER_PASSWORD}
```

```
- RUTOR_USE_MAGNET=${RUTOR_USE_MAGNET:-false}  
# ... etc
```

3. System Environment Variables

```
export RUTRACKER_USERNAME="your_username"  
export RUTRACKER_PASSWORD="your_password"
```

.env File Locations (Priority Order)

Plugins search for .env files in this order:

1. Plugin directory (plugins/.env)
 2. Project root (.env)
 3. Parent directory (../.env)
 4. Container config (/config/.env)
 5. Home directory (~/.qbit.env)
 6. Config directory (~/.config/qbittorrent/.env)
-

Installation

Quick Install

```
# Install all plugins  
./install-plugin.sh --all  
  
# Install specific plugin  
./install-plugin.sh rutracker  
./install-plugin.sh rutor  
./install-plugin.sh kinozal  
./install-plugin.sh nmclub  
  
# Install for local qBittorrent  
./install-plugin.sh --local rutracker
```

Manual Installation

For Container

```
# Copy plugin files  
podman cp plugins/rutracker.py qbittorrent:/config/qBittorrent/  
nova3/engines/  
podman cp plugins/rutracker.png qbittorrent:/config/qBittorrent/  
nova3/engines/  
  
# Restart container  
podman restart qbittorrent
```

For Local Installation

Linux:

```
cp plugins/rutracker.py ~/.local/share/qBittorrent/nova3/engines/  
cp plugins/rutracker.png ~/.local/share/qBittorrent/nova3/engines/
```

macOS:

```
cp plugins/rutracker.py ~/Library/Application\ Support/  
qBittorrent/nova3/engines/  
cp plugins/rutracker.png ~/Library/Application\ Support/  
qBittorrent/nova3/engines/
```

Windows:

```
copy plugins\rutracker.py %LOCALAPPDATA%  
qBittorrent\nova3\engines\  
copy plugins\rutracker.png %LOCALAPPDATA%  
qBittorrent\nova3\engines\  

```

Testing

Comprehensive Plugin Tests

```
# Test all plugins  
./run-all-tests.sh --suite plugins  
  
# Test specific plugin  
python3 tests/test_plugin_download_fix.py --run  
  
# Test download functionality  
python3 tests/test_download_comprehensive.py --run  
  
# Quick validation  
./test.sh --plugin
```

Manual Plugin Testing

```
# Test search functionality  
podman exec qbittorrent python3 /config/qBittorrent/nova3/nova2.py  
rutracker all ubuntu  
  
# Test download functionality  
podman exec qbittorrent python3 /config/qBittorrent/nova3/  
nova2dl.py rutor "https://rutor.info/download/123456"
```

Troubleshooting

Common Issues

1. “Credentials not configured” Error

Problem: Plugin shows warning about missing credentials.

Solution: - Check .env file exists and contains required variables - Verify environment variables are set:

podman exec qbittorrent env | grep RUTRACKER - For container:
ensure variables are passed in docker-compose.yml

2. Login Failed / Authentication Error

Problem: Plugin cannot authenticate with tracker.

Solutions:

RuTracker: - Verify username/password are correct - Check for CAPTCHA (login via browser first) - Try different mirror

NNM-Club: - Cookies may have expired - get fresh cookies from browser - Ensure cookie string is complete (includes both sid and data) - Check proxy settings (NNM-Club is proxy-sensitive)

Kinozal: - Verify credentials - Check if account is in good standing - Try magnet mode if download limit reached

3. No Search Results

Problem: Search returns zero results.

Solutions: - Try different search terms - Check if tracker is accessible (visit website in browser) - Verify proxy settings if using proxy - Check plugin logs for errors

View Logs:

Container logs

```
podman logs qbittorrent | grep -i error
```

Plugin logs (if available)

```
podman exec qbittorrent cat /config/qBittorrent/nova3/engines/  
*.log
```

4. Download Not Starting

Problem: Torrent added but doesn't start downloading.

Solutions: - Check torrent state in qBittorrent UI - Verify download path is accessible - Check if torrent file was created:
bash podman exec qbittorrent ls -la /tmp/*.torrent - Ensure proper file permissions (644)

5. 403 Forbidden Error

Problem: Tracker returns 403 error.

Solutions:

NNM-Club: - Very sensitive to proxies - try without proxy first - Use proxychecker.py to validate proxy compatibility - Get fresh cookies

All Trackers: - May be CloudFlare protection - Try different mirror - Wait and retry later

6. Proxy Issues

Problem: Proxy not working.

Solutions: - Verify proxy URL format: http://proxy.example.com:8080 or socks5://127.0.0.1:9050 - Check proxy supports HTTPS - For SOCKS5: ensure socks library is installed - Test proxy: curl -x http://proxy:8080 https://rutracker.org

Proxy Configuration

HTTP/HTTPS Proxy

```
# Environment variables
export RUTOR_HTTP_PROXY="http://proxy.example.com:8080"
export RUTOR_HTTPS_PROXY="http://proxy.example.com:8080"
export RUTOR_PROXY_ENABLED="true"
```

SOCKS5 Proxy

```
export RUTOR_HTTP_PROXY="socks5://127.0.0.1:9050"
export RUTOR_HTTPS_PROXY="socks5://127.0.0.1:9050"
export RUTOR_PROXY_ENABLED="true"
```

Docker Compose with Proxy

```
environment:
  - RUTOR_PROXY_ENABLED=true
```


- RUTOR_HTTP_PROXY=http://proxy.example.com:8080
 - RUTOR_HTTPS_PROXY=http://proxy.example.com:8080
-

Advanced Configuration

Custom Mirrors

```
# RuTracker custom mirrors
RUTRACKER_MIRRORS=https://custom.mirror1.com,https://
custom.mirror2.com
```

```
# Rutor mirrors (hardcoded in plugin)
# https://rutor.info
# https://rutor.is
```

User-Agent Customization

```
export
RUTOR_USER_AGENT="Mozilla/5.0 (Windows NT 10.0; Win64;
x64) AppleWebKit/537.36"
```

Magnet vs Torrent Files

Some plugins support both magnet links and torrent files:

```
# Use magnet links (no download limits, but may not work in WebUI)
RUTOR_USE_MAGNET=true
KINOZAL_USE_MAGNET=true
```

Note: Magnet links may not work in qBittorrent WebUI, only in desktop application.

Category Support

All plugins support the following categories:

Category	RuTracker	Rutor	Kinozal	NNM-Club
All	☑	☑	☑	☑
Movies	☑	☑	☑	☑
TV				
Music				
Games				
Anime				

	✔	✔	✔	✔
	✔	✔	✘	✘
	✔	✔	✘	✘
Category	RuTracker	Rutor	Kinozal	NNM-Club
Software				
Pictures				
Books				

Security Considerations

Credentials Storage

- Store credentials in `.env` files (gitignored)
- Use environment variables in Docker/Podman
- Never commit credentials to git
- Never hardcode credentials in plugin files

File Permissions

```
# .env files should be readable only by owner
chmod 600 .env
```

```
# Plugin files should be readable
chmod 644 plugins/*.py
```

Container Security

```
# docker-compose.yml
environment:
  - RUTRACKER_USERNAME=${RUTRACKER_USERNAME} # Pass from .env,
    don't hardcode
```

Performance Tips

Search Optimization

1. **Use specific categories** - Faster than searching “all”
2. **Limit search terms** - More specific = faster
3. **Enable caching** - qBittorrent caches results

Proxy Performance

1. **Use HTTP proxy** - Generally faster than SOCKS5
2. **Choose nearby proxy** - Lower latency
3. **Check proxy health** - Use `proxychecker.py`

Additional Resources

- **RuTracker Forum:** <https://rutracker.org/forum/>
 - **Rutor Mirror Status:** <https://rutor.info>, <https://rutor.is>
 - **qBittorrent Plugin Wiki:** <https://github.com/qbittorrent/search-plugins/wiki>
 - **Original Plugins Source:** https://github.com/imDMG/qBt_SE
-

Contributing

To contribute improvements or report issues:

1. Test plugins thoroughly
 2. Check existing issues
 3. Create detailed bug reports with logs
 4. Submit pull requests with tests
-

License

All plugins maintain their original licenses from their respective authors. See individual plugin files for license information.