

inventory

Recording readiness inventory — Boba client surfaces + HelixAgent ensemble + per-surface recording plan

Revision: 1 **Last modified:** 2026-06-15T00:00:00Z **Scope:**
Feasibility for §11.4.153/.154/.155 video-recording confirmation of ALL Boba client apps, driven by the HelixAgent ensemble, saved to /Volumes/T7/Downloads/Recordings with a boba--- prefix. Anti-bluff (§11.4.6): EXISTS/ABSENT claims below carry path evidence; unknowns are marked UNCONFIRMED.

1. Client-surface inventory (EXISTS / DOES-NOT-EXIST, with evidence)

Surface	Status	Evidence / path	Notes
Web — Angular dashboard	EXISTS	frontend/ (angular.json, frontend/ package.json name=frontend, frontend/ playwright.config.ts, frontend/e2e/)	Angular 21 SPA. Playwright already configured for e2e → ideal recording driver. Routes incl. /jackett.
Web — FastAPI Jinja2 dashboard (:7187)	EXISTS	merge service dashboard at http://localhost:7187/ (CLAUDE.md port map; served by	Server-rendered HTML dashboard, separate from the Angular

Surface	Status	Evidence / path	Notes
CLI — boba-ctl	EXISTS (CLI, not TUI)	download-proxy/src/api/)	SPA. Browser-recordable. Subcommand CLI: up/down/status/health/list. NO TUI — no bubbletea/tview/textual
		cmd/boba-ctl/main.go (built binary cmd/boba-ctl/boba-ctl), wrapper scripts/boba-ctl.sh	dep in cmd/boba-ctl/go.mod. The operator's "boba-ctl TUI?" → it is a plain CLI. Record via terminal capture.
Shell-script CLIs	EXISTS	start.sh, stop.sh, setup.sh, test.sh, ci.sh, install-plugin.sh, webui-bridge.py	Operator-facing command surfaces; terminal-recordable.
Browser extension — BobaLink	EXISTS	extension/ (WXT/ Manifest V3, extension/wxt.config.ts name "BobaLink (Boba Project browser extension)", extension/playwright.config.ts, extension/tests/)	MV3 extension, popup/background. Scoped to merge service localhost:7187. Record popup + content via Playwright-with-extension / chrome-devtools.
TUI (dedicated terminal UI app)	DOES-NOT-EXIST	grep for bubbletea/tview/textual/blessed → no Boba hit (only test files / a course demo.sh)	No TUI surface. If the operator wants a "TUI", boba-ctl CLI is the closest existing surface.

Surface	Status	Evidence / path	Notes
Mobile app (iOS/Android/Flutter)	DOES-NOT-EXIST	no *.swift / *.kt / *.dart / Info.plist in repo (excluding submodules/node_modules)	No mobile surface to record.
Desktop native (Electron/Tauri)	DOES-NOT-EXIST	no electron/tauri dep in frontend/package.json or extension/package.json	The “desktop” surface is the web dashboard in a browser, not a native app.

Bottom line: 4 real recordable client surfaces — (1) Angular web frontend/, (2) FastAPI Jinja2 dashboard :7187, (3) boba-ctl CLI + shell scripts, (4) BobaLink browser extension. **No** TUI, **no** mobile, **no** desktop-native app. Do NOT produce recordings for apps that don’t exist (§11.4.6).

2. HelixAgent ensemble location — THE KEY BLOCKER

The operator wants recordings “driven by the helix agent ensemble obtained from the helix agent Submodule”.

Finding (FACT, with evidence): - The ensemble IS present on the host at `/Volumes/T7/Projects/helix_code/submodules/helix_agent` (EXISTS — verified). It is **HelixAgent: AI-Powered Ensemble LLM Service** (its README.md H1), a Go service with entrypoints `bin/helixagent`, `cmd/api`, `cmd/grpc-server`, `cmd/mcp-bridge`, `cmd/helixagent`. Catalogue: `vasic-digital/HelixAgent` + `HelixDevelopment/HelixAgent` (“LLMs Agent”). - Its containers ARE running: `helixagent-postgres`, `helixagent-redis`, `helixagent-chromadb`, `helixagent-cognee` (compose project `helix_agent`, config `/Volumes/T7/Projects/helix_code/submodules/helix_agent/docker-compose.yml`), plus `helix_ollama_video` (an Ollama instance, 6h uptime — plausibly the vision/video-analysis model host, UNCONFIRMED which model it serves). - **BLOCKER 1:** the ensemble is owned by **helix_code**, **NOT by Boba**. It is NOT in Boba’s `.gitmodules` (Boba’s submodules are only: `constitution`, `jackett`, `helixqa`, `challenges`, `containers`). To use it per the constitution it must be incorporated into Boba per §11.4.74 (catalogue-first) + §11.4.36 (install upstreams on add) — OR consumed as a running service via its API/gRPC/MCP endpoints without a submodule. The operator’s phrase “obtained from the helix agent Submodule” implies incorporation; that decision is operator-gated. - **BLOCKER 2 (interface UNCONFIRMED):** how exactly the ensemble ingests a VIDEO file and returns a per-feature analysis verdict is not yet verified.

helix_ollama_video suggests a vision pipeline exists, but the concrete “analyse this mp4 → JSON verdict” endpoint (API route / CLI flag / MCP tool) was NOT confirmed in this pass. The main agent must verify the ensemble’s video-analysis API before the §11.4.153 (4) remediation loop can be wired.

docs_chain (the §11.4.153 (5) sync engine) — secondary blocker: - docs_chain EXISTS at /Volumes/T7/Projects/docs_chain AND /Volumes/T7/Projects/helix_code/submodules/docs_chain, but is **NOT a Boba submodule** (absent from Boba .gitmodules). §11.4.106 requires consuming it by reference; Boba must wire it (register .docs_chain/contexts/*.yaml) before the always-in-sync clause holds.

3. Recording-corpus state + project-name prefix

- Recording path /Volumes/T7/Downloads/Recordings **EXISTS**. It currently holds **helixcode-*** files (mp4/png/.cast) — another project’s recordings. **No boba-*** / **boba-*** recordings yet.**
 - **Prefix to use = boba** (§11.4.155 resolution):
HELIX_RELEASE_PREFIX is **NOT set** in Boba’s .env or .env.example → fallback to lowercased snake_case repo-dir name → repo dir is lowercase **boba**. Canonical filename form: **boba-***<surface-or-feature>---<run-id>.<ext>** (triple-hyphen separator per §11.4.155). Recommend setting HELIX_RELEASE_PREFIX=boba in .env explicitly so the prefix is authoritative and matches §11.4.151 release-tag prefix.
 - §11.4.154 fresh-corpus rotation applies only to Boba’s OWN prior boba-*** recordings — the existing helixcode-* files are FOREIGN and MUST NOT be deleted (§11.4.122 + §9.2).
-

4. Per-surface recording recommendation

Surface	Recommended capture mechanism	Window-scoped (§11.4.154)	Notes
Angular web frontend/	Playwright (already configured: frontend/playwright.config.ts) with video: 'on' / recordVideo, OR chrome-devtools-mcp performance_start_trace	Yes — Playwright records the page viewport only, not the desktop	Strongest path; e2e specs already exist in frontend/e2e/.

Surface	Recommended capture mechanism	Window-scoped (§11.4.154)	Notes
	+ screen-record of the tab		
FastAPI Jinja2 dashboard :7187	Playwright / chrome-devtools-mcp against <code>http://localhost:7187/</code>	Yes — browser viewport	Needs containers up (<code>boba-ctl up / start.sh</code>).
BobaLink extension	Playwright with the unpacked extension loaded (<code>.output/</code>) → record popup + content-script interaction; or <code>chrome-devtools-mcp</code>	Yes — browser/popup window	<code>extension/playwright.config.ts</code> + <code>extension/tests/</code> already exist.
boba-ctl CLI + shell scripts	asciinema (<code>asciinema rec</code>) → convert to mp4 via <code>agg/ffmpeg</code> ; or <code>script + ffmpeg</code> . (Existing <code>helixcode-cli-*.cast</code> files show <code>asciinema</code> is already the host's CLI-recording tool.)	Yes — record the terminal pane only (tmux target / window id), NOT the whole desktop	Window-scope = single terminal window; do NOT <code>ffmpeg -f avfoundation whole-screen</code> .

All four are window/surface-scoped by construction (Playwright = viewport, `asciinema` = terminal pane), so §11.4.154 is naturally satisfied — provided the `asciinema→mp4` step captures only the terminal, and no whole-screen `avfoundation` fallback is used.

5. What the main agent must resolve with the operator (blockers)

1. **Incorporate HelixAgent ensemble + docs_chain into Boba** (per §11.4.74 + §11.4.36 + §11.4.106) — or confirm “consume as running service via API/gRPC/MCP, no submodule”. Operator-gated decision.
2. **Confirm the ensemble’s video-analysis interface** (the mp4 → verdict entrypoint) before wiring the §11.4.153 (4) loop — UNCONFIRMED in this pass.
3. **Confirm helix_ollama_video is the intended vision model host** for video analysis — UNCONFIRMED.

4. **Decide PART 1 path** (Option A project-instantiation vs Option B §11.4.153 refinement) — the rule already exists; a new §11.4.156 would duplicate §11.4.153/.154/.155.