

# README

## **BOB-122 (reported as “BOB-083”) — IPTorrents seed/leech parsing evidence**

**Revision: 1 Last modified:** 2026-08-19T00:20:00Z

### **Summary**

Discovered via a §11.4.143 real-user-journey subagent (task-afe78327): IPTorrents search results showed seed/leech as 0/0 despite qBittorrent’s own swarm info reporting real non-zero values for the same torrent. The dispatcher’s task brief referenced this as **BOB-083**, but the docs/workable\_items.db tracker — both the git-committed HEAD copy and the live working copy — shows BOB-083 is an unrelated, pre-existing Task (“RD2-16: Regenerate browser\_extension/features/codegraph Status.md...”), and no IPTorrents item was ever actually filed under any id. This is filed at the next genuinely-free id, **BOB-122** (DB max was 121 at investigation time), per §11.4.54 (ids are never reused/renumbered).

### **Root cause — TWO independent parsers, TWO independent bugs**

IPTorrents changed its results-table markup at some point after both of these parsers were written. Neither had been updated to match.

## 1. plugins/iptorrents.py (native qBittorrent nova3 search plugin)

Four defects, all confirmed empirically against the live site (https://iptorrents.com, fetched 2026-08-19):

1. **\_get\_link() never decompressed gzip.** IPTorrents always sends content-encoding: gzip regardless of the client's Accept-Encoding. download\_torrent() already handled this; \_get\_link() (used by search\_parse()) did not — so every “decoded” HTML string was actually still-compressed binary, and every downstream regex silently failed to match.
2. **Table regex required unquoted <table id=torrents>.** The live site now emits the quoted form <table id="torrents">.
3. **Row regex required /details.php?id=... desc links and t\_seeds="/t\_leechers=" CSS classes.** The site now uses /t/<id> links, and the seed/leech/snatch cells carry **no CSS class at all** — they are three bare positional <td>N cells (Snatches, Seeders, Leechers, in that order per the table's own <thead>) immediately before </tr>.
4. **The search query was never URL-encoded.** A literal space in a multi-word query (e.g. "The Bourne Legacy") raises http.client.InvalidURL: URL can't contain control characters under Python 3.14's stricter path validation — this is the EXACT exception the previous (killed) subagent hit and left as its last captured state.

## 2. download-proxy/src/merge\_service/search.py::\_parse\_iptorrents\_html()

This is the parser that reproduces the **exact reported symptom** (“rows appear, seed/leech literally 0/0”) — unlike bug #1 above, which (pre-fix) produced **zero rows at all**, not 0/0 per row.

```
td_values = re.findall(r"<td[^\>]*>(P<val>\d+)</td>", row_text)
seeds = int(td_values[0]) if len(td_values) > 0 else 0
leechers = int(td_values[1]) if len(td_values) > 1 else 0
```

IPTorrents renders its result rows with old-school **unclosed** <td> tags — there is no </td> anywhere in the real response body. The regex above requires a closing </td>, so td\_values is **always empty** on real markup, and seeds/leechers silently default to 0 — while name\_match/dl\_match/size\_match all succeed independently, so the row DOES appear in results, with 0/0.

The existing integration-test fixture for this function (tests/integration/

test\_iptorrents.py::test\_parse\_iptorrents\_html\_freeleech) used a synthetic, neatly-closed <td>50</td><td>10</td> shape that does

**not** match real markup — a classic bluff-test: it agreed with the buggy code instead of catching the defect. Fixed to mirror the real (unclosed-tag, 3-trailing-column) shape.

## Fix

- `plugins/iptorrents.py`: `gzip-decompress` in `_get_link()`; quoted-table regex; `/t/\d+` desc-link regex with positional (not class-based) Snatches/Seeders/Leechers extraction; `quote()` the search query in both `search()` and `search_freeleech()`.
- `download-proxy/src/merge_service/search.py`: replace the closing-`</td>`-dependent `findall` with a trailing-anchored `<td>(snatches)<td>(seeds)<td>(leech)\s*$` match on the unclosed markup.

## Evidence in this directory

- `iptorrents_real_table_excerpt.html` — the real `<table id="torrents">` markup captured live from `https://iptorrents.com` on 2026-08-19 (gzip-decompressed; account username redacted; **no cookies/passwords present** — response bodies never contain the request's auth headers; leak-audited per §11.4.10.A before being written here).
- `live_search_freeleech_output.log` — real terminal output of `plugins/iptorrents.py`'s fixed `search_freeleech("The Bourne Legacy")` run against the live tracker (same multi-word query that crashed the pre-fix code with `InvalidURL`), showing 24 real results with correct, non-zero, varying seed/leech pairs (92|2, 50|0, 35|3, 23|0, ...) in the exact pipe-delimited `prettyPrinter` format `qBittorrent` consumes.

## §1.1 mutation evidence (both fixes)

`plugins/iptorrents.py` (34 unit tests in `tests/unit/test_plugin_iptorrents.py`): reverting the fix via `git stash` and re-running the suite against the **new**, real-markup fixtures fails **10 of 34** tests (table/row/seed-leech/gzip/URL-encoding regressions all reproduce). Restoring the fix returns the suite to 34/34 green.

`download-proxy/src/merge_service/search.py`: calling `_parse_iptorrents_html()` directly (bypassing the container-dependent integration harness) against the SAME real captured page:

|                    | seeds/leech on 23 real rows                              |
|--------------------|----------------------------------------------------------|
| pre-fix (reverted) | <b>all 23 rows show 0/0</b> — the exact reported symptom |

|                     | seeds/leech on 23 real rows                       |
|---------------------|---------------------------------------------------|
| post-fix (restored) | all 23 rows show their real non-zero swarm values |

## Honest boundary (§11.4.6)

- The merge-service integration test class (TestIPTorrentsFreeleechDetection) could not be run through pytest in this session because tests/integration/conftest.py has a session-scoped fixture that polls the merge service's /api/v1/stats endpoint for active\_searches == 0 and the qbittorrent-proxy container was not running in this sandbox — an honest §11.4.3 SKIP (infrastructure precondition, not a code defect). The fixed function was independently verified via direct invocation (see the \_parse\_ip torrents\_html before/after run above) — real, non-mocked, live-captured HTML, same code path, same assertions, without going through the container-gated pytest harness.
- Pagination (<a>Page <b>N</b> of <b>M</b> in plugins/iptorrents.py) was investigated and found **not** broken — its markup is unchanged on the live site; verified against a real 999-result / 20-page search.