

summary

§11.4.143 Real End-User Journey Validation — boba merge-search + qBittorrent

Revision: 1 **Last modified:** 2026-08-18T23:35:00Z **Run date:** 2026-08-18 **Scope:** Real HTTP calls against the live, currently-deployed boba stack (no mocks, no synthetic data, no deep-link shortcuts). Freeleech-only per CLAUDE.md.

Journey narrative

1. **Dashboard** — GET `http://localhost:7187/` -> 200, Angular app shell served (“Боба Dashboard”). Evidence: `dashboard_response.html`, `dashboard_curl_meta.log`.
2. **Health check** — GET `http://localhost:7187/api/v1/healthz` -> 200, `{"status":"ok","service":"merge-search","version":"1.0.0"}`. Evidence: `healthz_response.json`.
3. **Real multi-tracker search** — POST `http://localhost:7187/api/v1/search/sync` with `{"query":"Ubuntu","category":"all","limit":50,"validate_trackers":false}` -> 200 in 77.1s (real network fan-out, not synthetic).
 - 42 trackers searched, 19 success, 14 error (real upstream failures: DNS failures, HTTP 403s, per-tracker deadline timeouts), 10 empty.
 - 1640 raw results, 468 deduplicated/merged results returned.
 - Top contributors: torlock (400), rutor (260), torrentdownload (243), linuxtracker (132), snowfl (124), piratebay (100), jackedt (58), nnmclub (50), iptorrents (49, authenticated: true).
 - Evidence: `search_response.json`, `search_response_raw.log`, `tracker_stats.json`.

4. **Freeleech discovery** — the “Ubuntu” query’s top-50 merged results were dominated by high-seed public trackers, crowding IPTorrents’ results out of the seed-sorted top 50. Follow-up searches scoped to “trackers":["iptorrents"]:

- “Ubuntu” (iptorrents-only) -> 49 raw / 22 merged, 0 freeleech.
- “2024” (iptorrents-only) -> 49 raw / 23 merged, 3 freeleech.
- “1080p” (iptorrents-only) -> 49 raw / 42 merged, 8 freeleech (e.g. “The Bourne Legacy 2012 1080p BluRay HDR10 DTS-HD MA 5 1 x265-GeneMige [free]”).
- “S01E01” (iptorrents-only) -> empty response body (likely MAX_CONCURRENT_SEARCHES throttle after two back-to-back live searches; not chased further).
- Evidence: search_ipt_2024.json, search_ipt_1080p.json (= search_response_freeleech_candidates.json), search_ipt_S01E01.json (empty), search_iptorrents_only.json / search_iptorrents_only_raw.log.
- The [free] tag is produced server-side by plugins/iptorrents.py regex-detecting on the tracker’s own results page, confirming this is real tracker-page freeleech state.

5. **Download proxy real fetch + qBittorrent add** — selected the freeleech candidate “The Bourne Legacy 2012 1080p BluRay HDR10 DTS-HD MA 5 1 x265-GeneMige [free]” (desc_link: <https://iptorrents.com/t/7646525>).

- POST <http://localhost:7187/api/v1/download> (this route lives on the merge-search service, port 7187, not the raw proxy on 7186 — an initial attempt against :7186 correctly failed with a raw-socket 400, confirming the real port map; corrected and re-run against :7187).
- -> 200,
{ "download_id": "ccaf4eb1-...", "status": "initiated", "urls_count": 1, "added_count": 1, "results": [{"status": "added", "method": "proxy"}] }.
- Proves the real chain: merge service recognized iptorrents.com as a tracker domain -> fetched the .torrent through the download-proxy’s authenticated tracker-cookie path -> POSTed the fetched bytes into qBittorrent’s own /api/v2/torrents/add.
- Evidence: download_response.log, qbit_add_response.log.

6. **Registration verification** — logged into qBittorrent’s WebUI (admin/admin per CLAUDE.md) via the download-proxy passthrough on :7186, queried /api/v2/torrents/info.

- Torrent was genuinely registered: hash 62931a1fe5eef06c875553ec7290f261b2d8e81a, name “The Bourne Legacy 2012 1080p BluRay HDR10 DTS-HD MA 5 1

- x265-GeneMige", private: true, state: downloading,
num_seeds: 39, num_leechs: 5.
- Evidence: qbit_torrent_info_pretty.json,
qbit_torrent_info.json, qbit_torrent_info.log.

7. **Immediate cleanup (bandwidth discipline)** — the torrent had already begun downloading real bytes by the time registration was confirmed (downloaded: 33,118,337 bytes / progress 0.47%; qBittorrent starts fetching pieces the instant it has peers). Per task constraint, it was immediately:

- POST /api/v2/torrents/stop (hash) -> 200
- POST /api/v2/torrents/delete (hash, deleteFiles=true) -> 200
- Re-queried /api/v2/torrents/info?hashes=<hash> -> [] (confirmed removed, including partial data).
- Evidence: qbit_cleanup.log.
- Honest disclosure: approximately 33-43MB of real content bytes were downloaded before the stop command completed (network I/O latency between add and stop is not instantaneous against a live swarm with active seeders). This was minimized and fully cleaned up — no files remain on disk (deleteFiles=true).

Anti-bluff checklist (section 11.4.6 / 11.4.143 / CLAUDE.md)



Real curl invocations against live localhost endpoints (no mocks)



Real JSON captured from :7187/api/v1/search/sync (1640 raw / 468 merged results, real tracker errors included verbatim)



Real per-tracker diagnostics captured (tracker_stats.json) including genuine failures, reported honestly



Freeleech-ONLY: the one torrent added to qBittorrent was confirmed freeleech:true / tagged [free] before selection



No non-freeleech download was ever added to qBittorrent



Torrent was NOT deliberately downloaded to completion — bandwidth minimized, cleaned up immediately



Port-mapping error (initial 7186 attempt) reported honestly rather than silently corrected and hidden



Empty S01E01 response reported honestly rather than omitted

Per-endpoint result summary

#	Endpoint	Method	Result	Evidence
1	:7187/	GET	200, dashboard HTML	dashboard_response.html
2	:7187/api/v1/ healthz	GET	200, status ok	healthz_response.json
3	:7187/api/v1/ search/sync (all trackers, "Ubuntu")	POST	200, 42 trackers / 1640 raw / 468 merged	search_response.json
4	:7187/api/v1/ search/sync (iptorrents only, "1080p")	POST	200, 8 freeleech results found	search_ipt_1080p.json
5	:7186/api/v1/ download (wrong port)	POST	400 (raw- proxy error page) — corrected	download_response.log
6	:7187/api/v1/ download (correct port)	POST	200, added_count: 1, status: added	download_response.log
7	:7186/api/v2/ torrents/info (via qbit passthrough)	GET	200, torrent registered + downloading	qbit_torrent_info_pretty.json
8	:7186/api/v2/ torrents/stop + /delete	POST	200 + 200, confirmed removed	qbit_cleanup.log

Concerns / honest gaps for follow-up (not fixed in this QA pass)

1. IPTorrents seed/leech counts read 0/0 in the merge-service's own parsed result rows, while qBittorrent's live swarm data for the same torrent showed num_seeds: 39, num_leechs: 5. This suggests the IPTorrents plugin's seed/leech column parsing may not be capturing real values from the tracker's results page — worth a dedicated investigation.

2. "S01E01" iptorrents-only query returned an empty HTTP body with no error surfaced to curl — worth checking whether this was a 429 (MAX_CONCURRENT_SEARCHES) silently swallowed, or a different failure mode; not chased further since evidence goals were already met.
3. IPTORRENTS_USERNAME/PASSWORD credentials are live and working (authenticated: true on every iptorrents tracker_stats entry) — this run consumed real, authenticated private-tracker capacity; no cookie/session errors observed.

Bottom line

The full real user journey — dashboard -> search (real multi-tracker fan-out) -> freeleech discovery -> proxy-authenticated download -> qBittorrent registration -> verified cleanup — was driven end-to-end through boba's actual deployed HTTP surface with zero mocks and zero deep-link shortcuts, satisfying section 11.4.143's real-user-journey mandate and CLAUDE.md's freeleech-only constraint.