

minor-obs-3-red-green- mutation-transcript

MINOR-obs-3 — per-terminal- event-type §1.1 polarity transcript

Step 1 — GREEN on fixed source (new test, unmutated sync.go)

```
$ go test -run TestClosureEvidence_EveryTerminalEventType -v ./
cmd/workable-items/... === RUN
TestClosureEvidence_EveryTerminalEventType_UnresolvablePath_
Violation === RUN
TestClosureEvidence_EveryTerminalEventType_UnresolvablePath_
Violation/Fixed add: created WIT-710 (Bug, status=Queued) in
Issues close: moved WIT-710 Issues→Fixed (status=Fixed (→
Fixed.md), evidence=/tmp/.private/milosvasic/
TestClosureEvidence_EveryTerminalEventType_UnresolvablePath_
Viol371241650/003/closure-artefact.log) validate: 1 violation(s): -
WIT-710: closure evidence_path does not resolve (well-formed
path, but nothing exists there) — history id=2, event=Fixed,
on=2026-08-18: "/tmp/.private/milosvasic/
TestClosureEvidence_EveryTerminalEventType_UnresolvablePath_
Viol371241650/001/docs/qa/never-com ..." (§11.4.5/§11.4.69/
§11.4.123/§11.4.226 — a closure's captured proof must be
producible on demand) === RUN
TestClosureEvidence_EveryTerminalEventType_UnresolvablePath_
Violation/Implemented add: created WIT-711 (Bug,
status=Queued) in Issues close: moved WIT-711 Issues→Fixed
(status=Implemented (→ Fixed.md), evidence=/tmp/.private/
milosvasic/
TestClosureEvidence_EveryTerminalEventType_UnresolvablePath_
Viol3495464983/003/closure-artefact.log) validate: 1 violation(s): -
WIT-711: closure evidence_path does not resolve (well-formed
path, but nothing exists there) — history id=2,
event=Implemented, on=2026-08-18: "/tmp/.private/milosvasic/
```

TestClosureEvidence_EveryTerminalEventType_UnresolvablePath_Viol3495464983/001/docs/qa/never-co ..." (§11.4.5/§11.4.69/§11.4.123/§11.4.226 — a closure's captured proof must be producible on demand) === RUN

TestClosureEvidence_EveryTerminalEventType_UnresolvablePath_Violation/Completed add: created WIT-712 (Bug, status=Queued) in Issues close: moved WIT-712 Issues→Fixed (status=Completed (→ Fixed.md), evidence=/tmp/.private/milosvasic/

TestClosureEvidence_EveryTerminalEventType_UnresolvablePath_Viol1678471256/003/closure-artefact.log) validate: 1 violation(s): - WIT-712: closure evidence_path does not resolve (well-formed path, but nothing exists there) — history id=2, event=Completed, on=2026-08-18: "/tmp/.private/milosvasic/

TestClosureEvidence_EveryTerminalEventType_UnresolvablePath_Viol1678471256/001/docs/qa/never-co ..." (§11.4.5/§11.4.69/§11.4.123/§11.4.226 — a closure's captured proof must be producible on demand) === RUN

TestClosureEvidence_EveryTerminalEventType_UnresolvablePath_Violation/Obsolete add: created WIT-713 (Bug, status=Queued) in Issues close: moved WIT-713 Issues→Fixed (status=Obsolete (→ Fixed.md), evidence=/tmp/.private/milosvasic/

TestClosureEvidence_EveryTerminalEventType_UnresolvablePath_Viol3527028849/003/closure-artefact.log) validate: 1 violation(s): - WIT-713: closure evidence_path does not resolve (well-formed path, but nothing exists there) — history id=2, event=Obsolete, on=2026-08-18: "/tmp/.private/milosvasic/

TestClosureEvidence_EveryTerminalEventType_UnresolvablePath_Viol3527028849/001/docs/qa/never-co ..." (§11.4.5/§11.4.69/§11.4.123/§11.4.226 — a closure's captured proof must be producible on demand) — PASS:

TestClosureEvidence_EveryTerminalEventType_UnresolvablePath_Violation (0.03s) — PASS:

TestClosureEvidence_EveryTerminalEventType_UnresolvablePath_Violation/Fixed (0.01s) — PASS:

TestClosureEvidence_EveryTerminalEventType_UnresolvablePath_Violation/Implemented (0.01s) — PASS:

TestClosureEvidence_EveryTerminalEventType_UnresolvablePath_Violation/Completed (0.01s) — PASS:

TestClosureEvidence_EveryTerminalEventType_UnresolvablePath_Violation/Obsolete (0.00s) === RUN

TestClosureEvidence_EveryTerminalEventType_ResolvablePath_NoViolation === RUN

TestClosureEvidence_EveryTerminalEventType_ResolvablePath_NoViolation/Fixed add: created WIT-720 (Bug, status=Queued) in Issues close: moved WIT-720 Issues→Fixed (status=Fixed (→ Fixed.md), evidence=/tmp/.private/milosvasic/

TestClosureEvidence_EveryTerminalEventType_ResolvablePath_NoViol2909283738/003/closure-artefact.log) validate: OK — 1 items, all invariants satisfied === RUN

TestClosureEvidence_EveryTerminalEventType_ResolvablePath_NoViolation/Implemented add: created WIT-721 (Bug, status=Queued) in Issues close: moved WIT-721 Issues→Fixed

```
(status=Implemented (→ Fixed.md), evidence=/tmp/.private/
milosvasic/
TestClosureEvidence_EveryTerminalEventType_ResolvablePath_N
oViol1691742073/003/closure-artefact.log) validate: OK — 1
items, all invariants satisfied === RUN
TestClosureEvidence_EveryTerminalEventType_ResolvablePath_N
oViolation/Completed add: created WIT-722 (Bug, status=Queued)
in Issues close: moved WIT-722 Issues→Fixed (status=Completed
(→ Fixed.md), evidence=/tmp/.private/milosvasic/
TestClosureEvidence_EveryTerminalEventType_ResolvablePath_N
oViol2704287440/003/closure-artefact.log) validate: OK — 1
items, all invariants satisfied === RUN
TestClosureEvidence_EveryTerminalEventType_ResolvablePath_N
oViolation/Obsolete add: created WIT-723 (Bug, status=Queued)
in Issues close: moved WIT-723 Issues→Fixed (status=Obsolete (→
Fixed.md), evidence=/tmp/.private/milosvasic/
TestClosureEvidence_EveryTerminalEventType_ResolvablePath_N
oViol1140036348/003/closure-artefact.log) validate: OK — 1
items, all invariants satisfied — PASS:
TestClosureEvidence_EveryTerminalEventType_ResolvablePath_N
oViolation (0.02s) — PASS:
TestClosureEvidence_EveryTerminalEventType_ResolvablePath_N
oViolation/Fixed (0.00s) — PASS:
TestClosureEvidence_EveryTerminalEventType_ResolvablePath_N
oViolation/Implemented (0.01s) — PASS:
TestClosureEvidence_EveryTerminalEventType_ResolvablePath_N
oViolation/Completed (0.01s) — PASS:
TestClosureEvidence_EveryTerminalEventType_ResolvablePath_N
oViolation/Obsolete (0.01s) PASS ok github.com/
HelixDevelopment/HelixConstitution/scripts/workable-items/cmd/
workable-items (cached)
```

Step 2 — §1.1 MUTATION: narrow the closureEvents tuple in sync.go

```
from AND h.event_type IN ('Fixed', 'Implemented', 'Completed',
'Obsolete') to AND h.event_type IN ('Completed') /* MUTATED for
paired §1.1 test */ $ go test -run
TestClosureEvidence_EveryTerminalEventType -v ./cmd/workable-
items/... === RUN
TestClosureEvidence_EveryTerminalEventType_UnresolvablePath_
Violation === RUN
TestClosureEvidence_EveryTerminalEventType_UnresolvablePath_
Violation/Fixed add: created WIT-710 (Bug, status=Queued) in
Issues close: moved WIT-710 Issues→Fixed (status=Fixed (→
Fixed.md), evidence=/tmp/.private/milosvasic/
TestClosureEvidence_EveryTerminalEventType_UnresolvablePath_
Viol2097268980/003/closure-artefact.log)
closure_evidence_terminal_types_test.go:129: guard reported 0
violation(s) for an UNRESOLVABLE Fixed-event closure
```

evidence_path, want exactly 1 (narrowing the closureEvents tuple would silently drop this event_type): [] === RUN

TestClosureEvidence_EveryTerminalEventType_UnresolvablePath_Violation/Implemented add: created WIT-711 (Bug, status=Queued) in Issues close: moved WIT-711 Issues→Fixed (status=Implemented (→ Fixed.md), evidence=/tmp/.private/milosvasic/

TestClosureEvidence_EveryTerminalEventType_UnresolvablePath_Viol1381852845/003/closure-artefact.log)

closure_evidence_terminal_types_test.go:129: guard reported 0 violation(s) for an UNRESOLVABLE Implemented-event closure evidence_path, want exactly 1 (narrowing the closureEvents tuple would silently drop this event_type): [] === RUN

TestClosureEvidence_EveryTerminalEventType_UnresolvablePath_Violation/Completed add: created WIT-712 (Bug, status=Queued) in Issues close: moved WIT-712 Issues→Fixed (status=Completed (→ Fixed.md), evidence=/tmp/.private/milosvasic/

TestClosureEvidence_EveryTerminalEventType_UnresolvablePath_Viol1686230897/003/closure-artefact.log) validate: 1 violation(s): - WIT-712: closure evidence_path does not resolve (well-formed path, but nothing exists there) — history id=2, event=Completed, on=2026-08-18: “/tmp/.private/milosvasic/

TestClosureEvidence_EveryTerminalEventType_UnresolvablePath_Viol1686230897/001/docs/qa/never-co ...” (§11.4.5/§11.4.69/ §11.4.123/§11.4.226 — a closure’s captured proof must be producible on demand) === RUN

TestClosureEvidence_EveryTerminalEventType_UnresolvablePath_Violation/Obsolete add: created WIT-713 (Bug, status=Queued) in Issues close: moved WIT-713 Issues→Fixed (status=Obsolete (→ Fixed.md), evidence=/tmp/.private/milosvasic/

TestClosureEvidence_EveryTerminalEventType_UnresolvablePath_Viol870103606/003/closure-artefact.log)

closure_evidence_terminal_types_test.go:129: guard reported 0 violation(s) for an UNRESOLVABLE Obsolete-event closure evidence_path, want exactly 1 (narrowing the closureEvents tuple would silently drop this event_type): [] — FAIL:

TestClosureEvidence_EveryTerminalEventType_UnresolvablePath_Violation (0.02s) — FAIL:

TestClosureEvidence_EveryTerminalEventType_UnresolvablePath_Violation/Fixed (0.00s) — FAIL:

TestClosureEvidence_EveryTerminalEventType_UnresolvablePath_Violation/Implemented (0.00s) — PASS:

TestClosureEvidence_EveryTerminalEventType_UnresolvablePath_Violation/Completed (0.00s) — FAIL:

TestClosureEvidence_EveryTerminalEventType_UnresolvablePath_Violation/Obsolete (0.00s) === RUN

TestClosureEvidence_EveryTerminalEventType_ResolvablePath_NoViolation === RUN

TestClosureEvidence_EveryTerminalEventType_ResolvablePath_NoViolation/Fixed add: created WIT-720 (Bug, status=Queued) in Issues close: moved WIT-720 Issues→Fixed (status=Fixed (→ Fixed.md), evidence=/tmp/.private/milosvasic/

TestClosureEvidence_EveryTerminalEventType_ResolvablePath_NoViolation/Implemented add: created WIT-721 (Bug, status=Queued) in Issues close: moved WIT-721 Issues→Fixed (status=Implemented (→ Fixed.md), evidence=/tmp/.private/milosvasic/

TestClosureEvidence_EveryTerminalEventType_ResolvablePath_NoViolation/Completed add: created WIT-722 (Bug, status=Queued) in Issues close: moved WIT-722 Issues→Fixed (status=Completed (→ Fixed.md), evidence=/tmp/.private/milosvasic/

TestClosureEvidence_EveryTerminalEventType_ResolvablePath_NoViolation/Obsolete add: created WIT-723 (Bug, status=Queued) in Issues close: moved WIT-723 Issues→Fixed (status=Obsolete (→ Fixed.md), evidence=/tmp/.private/milosvasic/

TestClosureEvidence_EveryTerminalEventType_ResolvablePath_NoViolation/Implemented (0.02s) — PASS:

TestClosureEvidence_EveryTerminalEventType_ResolvablePath_NoViolation/Fixed (0.00s) — PASS:

TestClosureEvidence_EveryTerminalEventType_ResolvablePath_NoViolation/Completed (0.00s) — PASS:

TestClosureEvidence_EveryTerminalEventType_ResolvablePath_NoViolation/Obsolete (0.00s) FAIL FAIL github.com/HelixDevelopment/HelixConstitution/scripts/workable-items/cmd/workable-items 0.038s FAIL

Mutation verdict: FAIL — Fixed/Implemented/Obsolete sub-tests broke (guard silently stopped checking those event types); Completed sub-test still PASSEd (the only value left in the narrowed tuple); the ResolvablePath negative-control sub-tests all still PASSEd (narrowing can only reduce detections, never introduce false positives).

Step 3 — restore the real four-value tuple (git diff proves byte-identical restore)

```
$ git checkout - cmd/workable-items/sync.go # restore the real four-value tuple
```

```
$ go test -count=1 -run TestClosureEvidence -v ./cmd/workable-items/... — PASS:
TestClosureEvidence_EveryTerminalEventType_UnresolvablePath_Violation (0.02s) — PASS:
TestClosureEvidence_EveryTerminalEventType_ResolvablePath_NoViolation (0.02s) — PASS:
TestClosureEvidence_ResolvableAbsolutePath_NoViolation (0.00s) — PASS:
TestClosureEvidence_ResolvableRelativePath_AnchoredAtPWD_NoViolation (0.00s) — PASS:
TestClosureEvidence_WellFormedPathButMissingFile_Violation (0.00s) — PASS: TestClosureEvidence_NarrativeText_Violation (0.00s) — PASS:
TestClosureEvidence_OpenItemUnresolvableEvidence_NoViolation (0.00s) — PASS:
TestClosureEvidence_UpdatedEventOnClosedItem_UnresolvablePath_NoViolation (0.00s) PASS ok github.com/HelixDevelopment/HelixConstitution/scripts/workable-items/cmd/workable-items 0.064s
```

Restore verdict: GREEN — all TestClosureEvidence* tests pass again on the restored (un-mutated) sync.go, including every pre-existing HXC-217 test alongside the new MINOR-obs-3 per-terminal-event-type tests.