

Fixed — Closed Workable Items

Revision: 6 **Last modified:** 2026-06-06T19:45:00Z **Ticket prefix:** B0B (operator-mandated, 2026-06-06) **Scope:** Closed items only. Open items live in [Issues.md](#).

Closure statuses per §11.4.33: Bug → Fixed, Feature → Implemented, Task → Completed. Each carries captured-evidence (anti-bluff §11.4).

BOB-001 — start.sh BSD-sed incompatibility aborted the boot

Status: Fixed (→ Fixed.md) **Type:** Bug **Closed:** 2026-06-06 · **Commit:** c5cbd40

GNU sed -i SCRIPT calls (6 sites) aborted start.sh on macOS/BSD sed with “invalid command code”, before compose up — the stack never started. Added a portable sed_inplace() (-i.bak then drop backup; works GNU+BSD) and converted all 6 sites (§11.4.67/§11.4.81). **Evidence:** tests/unit/test_sed_inplace_portable.sh — 4 passed (RED before fix); boot #2 then progressed past the config step.

BOB-002 — start.sh podman unshare incompatible with macOS remote podman

Status: Fixed (→ Fixed.md) **Type:** Bug **Closed:** 2026-06-06 · **Commit:** c5cbd40

podman unshare cp/chmod (rootless-Linux-only) aborted plugin install on the macOS remote podman client. Added _podman_unshare_works() self-detection; falls back to plain cp/chmod on macOS (§11.4.81). **Evidence:** boot #3 reached compose up and brought all 4 containers up.

BOB-003 — macOS tunnel port detection broken (ports never forwarded)

Status: Fixed (→ Fixed.md) **Type:** Bug **Closed:** 2026-06-06 · **Commit:** c5cbd40

ensure-macos-tunnel.sh parsed the connection NAME, not the SSH port (“Bad port ‘podman-machine-default’”), so container ports were never forwarded to macOS localhost. Now uses podman machine inspect {{.SSHConfig.Port}} with a URI-parse fallback. **Evidence:** tunnel established (port 51347); curl localhost 7186→200, 7187→200, 7189→404, 9117→301 after the fix.

BOB-004 — Private-tracker credentials stored securely + verified working

Status: Completed (→ Fixed.md) **Type:** Task **Closed:** 2026-06-06

Stored RuTracker / IPTorrents / RuTor / NNMClub credentials in the gitignored .env (mode 0600). §11.4.10.A pre-store leak audit ran clean (no value in tree or git history). Credentials never committed and never logged. **Evidence:** - Security suite: test_credential_scrubbing + test_credential_file_safety + test_jackett_autoconfig_secrets + test_log_filter — 22 passed, 1 skip. - Wiring: orchestrator reports rutracker + iptorrents creds-available=True. - **End-to-end live proof:** POST /api/v1/search/sync query ubuntu → IPTorrents status=success, results=49, auth=True with real result names (e.g. “Ubuntu Linux Toolbox 1000+ Commands”). RuTracker login attempted (auth=True, CAPTCHA-blocked → tracked as BOB-008).

BOB-013 — torrentkitty _parse_size reported 0 for every KB/MB/GB/TB size

Status: Fixed (→ Fixed.md) **Type:** Bug **Closed:** 2026-06-06 · **Commit:** 14bc5c4

"B" substring-matched inside KB/MB/GB/TB so all realistic sizes parsed to 0. Fixed to match on the suffix, longest unit first. **Evidence:** tests/unit/test_plugin_search_engines.py — torrentkitty size tests assert correct byte values; 18 passed.

BOB-005 — Public-tracker plugins all raised an unhandled exception (systemic)

Status: Fixed (→ Fixed.md) **Type:** Bug · **Severity:** High **Closed:** 2026-06-06

Every public-tracker plugin failed (status=error, "plugin raised an unhandled exception"); only IPTorrents (in-process) worked. Two stacked root causes, both reproduced deterministically via superpowers:systematic-debugging: 1. copy_plugins placed the nova3 framework modules (novaprinter.py, helpers.py) under engines/, but the merge-service harness imports them from the nova3 ROOT (sys.path=<nova3 root>; import novaprinter; plugins do from helpers import ...) → ModuleNotFoundError for every plugin. 2. helpers.py does a top-level import socks (PySocks), absent from the python-alpine download-proxy container → import failed even after #1. (The unit suite masked this via a conftest socks sys.modules stub.)

Fix: start.sh copy_plugins now also copies novaprinter.py+helpers.py to the nova3 root; download-proxy/requirements.txt adds PySocks>=1.7.1.

Evidence: - Regression test tests/unit/merge_service/test_public_plugin_harness.py — 6 passed (incl. negative control proving it catches the bug). - **Runtime proof (clean reboot, §11.4.108):** live search went from **49 results / 0 public trackers** → **909 results / 14 public trackers** (rutor 235, torrentdownload 243, linuxtracker 123, ...). /tmp/boba_search2.json. Remaining per-plugin errors/timeouts tracked separately as BOB-015.

BOB-016 — Jackett plugin crashed (Pool(0)) when zero indexers are configured

Status: Fixed (→ Fixed.md) **Type:** Bug · **Severity:** Medium **Closed:** 2026-06-06

plugins/community/jackett.py search() did with Pool(min(len(indexers), self.thread_count)). With no configured Jackett indexers, min(0, N)==0 and multiprocessing.dummy.Pool(0) raised ValueError: Number of processes must be at least 1 — so EVERY Jackett search failed deterministically (the autoconfig had configured 0 indexers). Found via systematic-debugging determinism test (jackett errored in BOTH live runs while other trackers flapped). **Fix:** guard if not indexers: return before building the pool. **Evidence:** - tests/unit/test_jackett_plugin_pool.py — 2 passed (RED reproduced the exact ValueError before the fix; second test proves the pool path still fans out). - Runtime: in-container harness jackett().search('ubuntu', 'all') → was ValueError, now JACKETT_SEARCH_OK_NO_CRASH (returns gracefully).

BOB-006 — NNMClub username/password login wired

Status: Implemented (→ Fixed.md) **Type:** Feature **Closed:** 2026-06-06 · **Commit:** a94f269

NNMClub now uses the operator's NNMCLUB_USERNAME/NNMCLUB_PASSWORD (in .env) — previously only NNMCLUB_COOKIES was consumed. search.py enables nnmclub on COOKIES OR (USER+PASS) and logs in (POST /forum/login.php, captures phpbb2mysql_4_sid) into the Fernet-encrypted _tracker_sessions; auth.py adds /nnmclub/status + /nnmclub/login. Credentials read from env, never logged. **Evidence:** 19 unit tests (RED-first; mocked login + cookie-shape asserts); ruff + mypy clean; frozen OpenAPI spec reconciled. Live nnm-club.me login is SKIP — host DNS-blocked (§11.4.3); mechanism unit-proven.

BOB-017 — NNMClub plugin self-heal crashed on invalid ICON

Status: Fixed (→ Fixed.md) **Type:** Bug **Closed:** 2026-06-06 · **Commit:** a94f269

Adding password to the plugin Config made _validate_json reject every legacy nnmclub.json, forcing __post_init__'s self-heal, which crashed on base64.b64decode(ICON) (ICON invalid base64 — pre-existing latent). Caught by central full-suite verification (§11.4.125). Guarded the self-heal so a bad cosmetic icon can't abort import. **Evidence:** test_nnmclub_config_selfheal.py 2 passed (RED reproduced the exact binascii crash).

BOB-007 — RuTor documented as public (no-auth)

Status: Completed (→ Fixed.md) **Type:** Task **Closed:** 2026-06-06 · **Commit:** 2d80f03

RuTor is a public tracker with no login endpoint; RUTOR_USERNAME/PASSWORD are not consumed. Documented in CLAUDE.md + AGENTS.md so the unused .env creds are not mistaken for a wiring gap.

BOB-011 — DOCX export support added

Status: Implemented (→ Fixed.md) **Type:** Feature **Closed:** 2026-06-06 · **Commit:** 2d80f03

generate_markdown_exports.sh now emits .docx (pandoc) alongside HTML/PDF, same idempotency/scope. **Evidence:** test_docx_export.sh asserts a valid non-empty zip (PK magic); CLAUDE/AGENTS regenerated with .docx siblings. Note: mass-generation of all docs' .docx is on-demand (not bulk-committed).

BOB-018 — Jackett server image updated to latest

Status: Completed (→ Fixed.md) **Type:** Task **Closed:** 2026-06-06

Pulled lscr.io/linuxserver/jackett:latest (server build 2026-06-06, digest 424d4692...). Confirmed (research) there is no Jackett git submodule; the jackett.py plugin is at parity with qbittorrent/search-plugins v4.9 + our local improvements — the image is the update vector. See docs/research/jackett_update/README.md.

BOB-019 — Jackett added as a reference submodule (latest release)

Status: Completed (→ Fixed.md) **Type:** Task **Closed:** 2026-06-06

Per operator decision, git@github.com:Jackett/Jackett.git is added as a **reference-only** git submodule at submodules/jackett (latest release **v0.24.2027**, shallow). Runtime still uses the maintained linuxserver image; we do NOT build Jackett from source. Provides source awareness for inspecting / cherry-picking indexer definitions. SSH URL per Hard-Stop #2; placed under submodules/ per §11.4.28(C).

BOB-020 — CodeGraph initialized + wired (§11.4.78/79/80)

Status: Completed (→ Fixed.md) **Type:** Task **Closed:** 2026-06-06 · **Commit:** f9a277b

CodeGraph 0.9.9 installed (npm, no sudo), project indexed (509 files / 8906 nodes / 17025 edges), wired as a project-scoped MCP server in `.mcp.json`. Exclusions via `.gitignore` (v0.9.9 is zero-config): 0 secret/credential paths, 0 third-party submodules/jackett paths; constitution (own-org) included. `.codegraph/codegraph.db` gitignored (regen: `codegraph index`, §11.4.77). **Evidence:** `scripts/codegraph_validate.sh` 7 PASS/0 FAIL incl. the unforgeable MCP challenge (MCP `codegraph_status` node count == CLI, both 8906); independently re-verified by the conductor. Docs: `docs/CODEGRAPH.md` + `docs/codegraph/Status.md`.

BOB-010 — Workable-items SQLite DB integrated + pre-build gate wired (§11.4.93/§11.4.95)

Status: Completed (→ Fixed.md) **Type:** Task **Closed:** 2026-06-08

The constitution-grade SQLite-backed single-source-of-truth is now operational: - `constitution/scripts/workable-items/` parser extended to accept [BOB-NNN] bracket IDs - `bin/workable-items` binary built (7.9 MB) - `docs/workable_items.db` created from `Issues.md` + `Fixed.md` — 20 items, all invariants satisfied - `scripts/pre_build_verification.sh` — new invariant 17 runs `workable-items validate` at every gate - Docs headings converted from `## §N.` [BOB-NNN] Title to `## BOB-NNN – Title` (parser-compatible) - Pre-build gate: 17/17 PASS with `validate` invariant - `docs_chain` engine (Phase 4+) still pending per §11.4.106; basic sync infrastructure operational

Evidence: - `./bin/workable-items validate --db docs/workable_items.db` — OK — 20 items, all invariants satisfied - Pre-build gate invariant 17: `CM-WORKABLE-ITEMS-VALIDATE: workable-items validate: OK`

BOB-012 — Export-sync gate expanded to all docs (§11.4.65)

Status: Completed (→ Fixed.md) **Type:** Task **Closed:** 2026-06-08

The CM-MARKDOWN-EXPORT-SYNC gate expanded from 9-doc whitelist to auto-discovery: - All `docs/**/*.md` (excluding `docs/research/` and `docs/qa/`) - All `scripts/**/*.md` - All project-root `*.md` - Checks `.html` and `.pdf` freshness (`mtime ≥ .md`) - Added DOCX warnings (non-blocking, gitignored per BOB-011) - 64 DOCX warnings verified as expected (intentionally gitignored) - Pre-build gate: Invariant 16 now covers all in-scope docs

Evidence: - Pre-build gate: PASS [16]: `CM-MARKDOWN-EXPORT-SYNC: all in-scope docs have fresh .html/.pdf siblings` - WARN: 64 missing `.docx` sibling(s) (gitignored per BOB-011) — expected, non-blocking

BOB-014 — Go generateID() collided under burst (UnixNano-only)

Status: Fixed (→ Fixed.md) **Type:** Bug **Closed:** 2026-06-06 · **Commit:** d46ea57

`time.Now().UnixNano()` is not unique under rapid `StartSearch` calls → dropped searches + broke `MAX_CONCURRENT_SEARCHES`. Fixed with an atomic counter.

Evidence: `TestGenerateID_UniqueUnderBurst` (10k IDs unique) + queue-full test via real `StartSearch`; `go test -race green`, deterministic.