

Fixed — Closed Workable Items

Revision: 22 **Last modified:** 2026-08-18T22:14:38Z **Ticket prefix:** BOB (operator-mandated, 2026-06-06) **Scope:** Closed items only. Open items live in [Issues.md](#).

Closure statuses per §11.4.33: Bug → Fixed, Feature → Implemented, Task → Completed. Each carries captured-evidence (anti-bluff §11.4).

BOB-067 — Lava P4: Jackett cookie-login hardening + behaviorally-equivalent HelixQA fake

Status: Completed (→ Fixed.md) **Type:** Task **Closed:** 2026-08-15 ·
Evidence: challenges/scripts/
jackett_cookie_login_hardening_challenge.sh + challenges/scripts/
helixqa_jackett_fake_behavioral_equivalence_challenge.sh

Ported Lava P4 (../lava/lava-api-go/internal/jackett/client.go — cookie-jar HTTP client, CheckRedirect: ErrUseLastResponse, dashboard login(), doManaged login-on-302 retry, wrong-password safety net) — the CORE hardening already lived in qBitTorrent-go/internal/jackett/client.go (NewClientWithPassword + WarmUp + login + doManaged, alongside the fake in cookie_login_test.go). BOB-067 adds the CHALLENGE-layer autonomous ratchets so the regime is the DISCOVERER (§11.4.238) if the hardening ever regresses.

Root cause (Lava P4): Jackett's MANAGEMENT API (/api/v2.0/indexers, per-indexer /config) authenticates via a DASHBOARD SESSION COOKIE — not the apikey. Apikey-only management gets HTTP 302 → /UI/Login; the apikey ONLY authorizes Torznab /results + /caps. scripts/extract-jackett-key.py reads ServerConfig.json from disk and makes NO HTTP calls — cookie-login hardening does NOT apply to it (§11.4.6 category boundary), it lives in the Go client that consumes the extracted key. **Fix (already shipped):** cookie jar attached, CheckRedirect returns ErrUseLastResponse (302 surfaces instead of being followed into an HTML login page and misdecoded as JSON), login() POSTs password=<admin> to /UI/Dashboard and captures Set-Cookie: Jackett=... into the jar (a no-cookie safety net rejects a 200 login

without a Set-Cookie as a wrong-password failure exactly as real Jackett behaves), doManaged() wraps every management call with a 302→login→retry-once path so a session missing/expired recovers transparently. **Anti-bluff ratchets (this ticket):** challenges/scripts/jackett_cookie_login_hardening_challenge.sh runs the three load-bearing Go tests with go test -v -count=1 and requires 3/3 --- PASS: lines (§11.4.201 false-null guard on a too-narrow -run filter). challenges/scripts/helixqa_jackett_fake_behavioral_equivalence_challenge.sh (a) runs TestFakeJackettRefusesManagementWithoutCookie (the golden-bad detector — a bluff-fake that returned 200 on apikey-only management would be caught by this test, §11.4.107(10)) and (b) when a live Jackett is reachable at http://localhost:9117 (§JACKETT_LIVE_URL override), diffs the fake's contract against the real product on B1 (apikey-only→302) + B2 (login→302+Set-Cookie: Jackett=). **Live equivalence PROVEN 2026-08-15** against localhost:9117 — captured verbatim: real Jackett HTTP/1.1 302 Location: .../UI/Login?ReturnUrl=... on apikey-only management, HTTP/1.1 302 Set-Cookie: Jackett=CfDJ8... on empty-password POST /UI/Dashboard. Fake's cookie name matches (Jackett), fake's status codes match. **§1.1 paired-mutation rehearsal (2026-08-15):** replaced if ! isRedirect(resp.StatusCode) { return resp, nil } in doManaged with a bare return resp, nil // MUTATION — TestManagementCookieLogin_ConfigurableAdminPassword failed with decode: EOF, challenge exited rc=1 (guard IS load-bearing, not a bluff-gate). Reversed, re-ran GREEN. §11.4.115 RED/GREEN polarity in both challenges — RED_MODE=1 recognizes pre-port state (cookie-jar missing / bluff-fake), RED_MODE=0 is the shipped guard. User guides: docs/scripts/jackett-cookie-login-hardening.md + docs/scripts/helixqa-jackett-fake.md. Closes RD2-15/GA-05 (P4 leg of the four Lava-porting items BOB-064..067).

BOB-064 — Lava P1: Durable remote execution (systemd-linger helper)

Status: Completed (→ Fixed.md) **Type:** Task **Closed:** 2026-08-15 · **Evidence:** challenges/scripts/durable_run_helper_challenge.sh

Ported Lava P1 durable-remote-execution helper (../lava/submodules/containers/scripts/lib/durable-run.sh) to scripts/lib/durable-run.sh. Delivers the durable_launch / durable_launch_cmd / durable_is_active / durable_main_pid / durable_wait_sentinel / durable_fetch_log / durable_stop API backed by loginctl enable-linger + systemd-run --user --unit=<n> --collect bash <runner>, so long QA/deploy runs SURVIVE the SSH/login session (root cause: remote systemd-logind KillUserProcesses reaps tmux/nohup/setsid alike — all live in the login session-<n>.scope cgroup and die with it). Anti-bluff regression guard challenges/scripts/

durable_run_helper_challenge.sh with §11.4.115 RED/GREEN polarity: launches a real sleeper, reads MainPID from systemctl --user show, reads /proc/<pid>/cgroup, asserts it is an independently-managed .service cgroup DIFFERENT from the launcher's session scope (a "process alive" check is a §11.4.201(6) false-null — a process alive INSIDE the session scope still dies with it), waits on sentinel, asserts both log markers landed. Captured evidence — job cgroup /user.slice/user-1000.slice/user@1000.service/app.slice/boba-durable-guard-*.service vs launcher ../tmx-boba-*.scope (distinct — §11.4.108 runtime-signature satisfied). RED polarity flips to FAIL post-fix (§11.4.146 same-test-confirms-fix). §11.4.161 rootless + §11.4.234 always-unblocked — no sudo, no interactive prompts; first-boot sudo loginctl enable-linger \$USER printed as a NOTE: reminder. User guide: docs/scripts/durable-run.md. Closes RD2-15/GA-05 (P1 leg of the four Lava-porting items BOB-064..067).

BOB-001 — start.sh BSD-sed incompatibility aborted the boot

Status: Fixed (→ Fixed.md) **Type:** Bug **Closed:** 2026-06-06 ·
Commit: c5cbd40

GNU sed -i SCRIPT calls (6 sites) aborted start.sh on macOS/BSD sed with "invalid command code", before compose up — the stack never started. Added a portable sed_inplace() (-i.bak then drop backup; works GNU+BSD) and converted all 6 sites (§11.4.67/§11.4.81). **Evidence:** tests/unit/test_sed_inplace_portable.sh — 4 passed (RED before fix); boot #2 then progressed past the config step.

BOB-002 — start.sh podman unshare incompatible with macOS remote podman

Status: Fixed (→ Fixed.md) **Type:** Bug **Closed:** 2026-06-06 ·
Commit: c5cbd40

podman unshare cp/chmod (rootless-Linux-only) aborted plugin install on the macOS remote podman client. Added _podman_unshare_works() self-detection; falls back to plain cp/chmod on macOS (§11.4.81). **Evidence:** boot #3 reached compose up and brought all 4 containers up.

BOB-003 — macOS tunnel port detection broken (ports never forwarded)

Status: Fixed (→ Fixed.md) **Type:** Bug **Closed:** 2026-06-06 ·
Commit: c5cbd40

ensure-macos-tunnel.sh parsed the connection NAME, not the SSH port ("Bad port 'podman-machine-default'"), so container ports were never forwarded to macOS localhost. Now uses podman machine inspect {{.SSHConfig.Port}} with a URI-parse fallback.

Evidence: tunnel established (port 51347); curl localhost 7186→200, 7187→200, 7189→404, 9117→301 after the fix.

BOB-004 — Private-tracker credentials stored securely + verified working

Status: Completed (→ Fixed.md) **Type:** Task **Closed:** 2026-06-06

Stored RuTracker / IPTorrents / RuTor / NNMClub credentials in the gitignored .env (mode 0600). \$11.4.10.A pre-store leak audit ran clean (no value in tree or git history). Credentials never committed and never logged. **Evidence:** - Security suite: test_credential_scrubbing + test_credential_file_safety + test_jackett_autoconfig_secrets + test_log_filter — 22 passed, 1 skip. - Wiring: orchestrator reports rutracker + iptorrents creds-available=True. - **End-to-end live proof:** POST /api/v1/search/sync query ubuntu → IPTorrents status=success, results=49, auth=True with real result names (e.g. "Ubuntu Linux Toolbox 1000+ Commands"). RuTracker login attempted (auth=True, CAPTCHA-blocked → tracked as BOB-008).

BOB-013 — torrentkitty _parse_size reported 0 for every KB/MB/GB/TB size

Status: Fixed (→ Fixed.md) **Type:** Bug **Closed:** 2026-06-06 ·
Commit: 14bc5c4

"B" substring-matched inside KB/MB/GB/TB so all realistic sizes parsed to 0. Fixed to match on the suffix, longest unit first.

Evidence: tests/unit/test_plugin_search_engines.py — torrentkitty size tests assert correct byte values; 18 passed.

BOB-005 — Public-tracker plugins all raised an unhandled exception (systemic)

Status: Fixed (→ Fixed.md) **Type:** Bug · **Severity:** High **Closed:** 2026-06-06

Every public-tracker plugin failed (status=error, "plugin raised an unhandled exception"); only IPTorrents (in-process) worked. Two stacked root causes, both reproduced deterministically via superpowers:systematic-debugging: 1. copy_plugins placed the nova3 framework modules (novaprinter.py, helpers.py) under engines/, but the merge-service harness imports them from the nova3 ROOT (sys.path=<nova3 root>; import novaprinter; plugins do from helpers import ...) → ModuleNotFoundError for every plugin. 2. helpers.py does a top-level import socks (PySocks), absent from the python-alpine download-proxy container → import failed even after #1. (The unit suite masked this via a conftest socks sys.modules stub.)

Fix: start.sh copy_plugins now also copies novaprinter.py+helpers.py to the nova3 root; download-proxy/requirements.txt adds PySocks>=1.7.1. **Evidence:** - Regression test tests/unit/merge_service/test_public_plugin_harness.py — 6 passed (incl. negative control proving it catches the bug). - **Runtime proof (clean reboot, §11.4.108):** live search went from **49 results / 0 public trackers** → **909 results / 14 public trackers** (rutor 235, torrentdownload 243, linuxtracker 123, ...). /tmp/boba_search2.json. Remaining per-plugin errors/timeouts tracked separately as BOB-015.

BOB-016 — Jackett plugin crashed (Pool(0)) when zero indexers are configured

Status: Fixed (→ Fixed.md) **Type:** Bug · **Severity:** Medium **Closed:** 2026-06-06

plugins/community/jackett.py search() did with Pool(min(len(indexers), self.thread_count)). With no configured Jackett indexers, min(0, N)==0 and multiprocessing.dummy.Pool(0) raised ValueError: Number of processes must be at least 1 — so EVERY Jackett search failed deterministically (the autoconfig had configured 0 indexers). Found via systematic-debugging determinism test (jackett errored in BOTH live runs while other trackers flapped). **Fix:** guard if not indexers: return before building the pool. **Evidence:** - tests/unit/test_jackett_plugin_pool.py — 2 passed (RED reproduced the

exact ValueError before the fix; second test proves the pool path still fans out). - Runtime: in-container harness
jackett().search('ubuntu','all') → was ValueError, now
JACKETT_SEARCH_OK_NO_CRASH (returns gracefully).

BOB-006 — NNMClub username/ password login wired

Status: Implemented (→ Fixed.md) **Type:** Feature **Closed:**
2026-06-06 · **Commit:** a94f269

NNMClub now uses the operator's NNMCLUB_USERNAME/
NNMCLUB_PASSWORD (in .env) — previously only NNMCLUB_COOKIES was
consumed. search.py enables nnmclub on COOKIES OR
(USER+PASS) and logs in (POST /forum/login.php, captures
phpbb2mysql_4_sid) into the Fernet-encrypted _tracker_sessions;
auth.py adds /nnmclub/status + /nnmclub/login. Credentials read
from env, never logged. **Evidence:** 19 unit tests (RED-first;
mocked login + cookie-shape asserts); ruff + mypy clean; frozen
OpenAPI spec reconciled. Live nnm-club.me login is SKIP — host
DNS-blocked (§11.4.3); mechanism unit-proven.

BOB-017 — NNMClub plugin self-heal crashed on invalid ICON

Status: Fixed (→ Fixed.md) **Type:** Bug **Closed:** 2026-06-06 ·
Commit: a94f269

Adding password to the plugin Config made _validate_json reject
every legacy nnmclub.json, forcing __post_init__'s self-heal, which
crashed on base64.b64decode(ICON) (ICON invalid base64 — pre-
existing latent). Caught by central full-suite verification
(§11.4.125). Guarded the self-heal so a bad cosmetic icon can't
abort import. **Evidence:** test_nnmclub_config_selfheal.py 2 passed
(RED reproduced the exact binascii crash).

BOB-007 — RuTor documented as public (no-auth)

Status: Completed (→ Fixed.md) **Type:** Task **Closed:** 2026-06-06 ·
Commit: 2d80f03

RuTor is a public tracker with no login endpoint; RUTOR_USERNAME/
PASSWORD are not consumed. Documented in CLAUDE.md +
AGENTS.md so the unused .env creds are not mistaken for a
wiring gap.

BOB-011 — DOCX export support added

Status: Implemented (→ Fixed.md) **Type:** Feature **Closed:** 2026-06-06 · **Commit:** 2d80f03

generate_markdown_exports.sh now emits .docx (pandoc) alongside HTML/PDF, same idempotency/scope. **Evidence:** test_docx_export.sh asserts a valid non-empty zip (PK magic); CLAUDE/AGENTS regenerated with .docx siblings. Note: mass-generation of all docs' .docx is on-demand (not bulk-committed).

BOB-018 — Jackett server image updated to latest

Status: Completed (→ Fixed.md) **Type:** Task **Closed:** 2026-06-06

Pulled lscr.io/linuxserver/jackett:latest (server build 2026-06-06, digest 424d4692...). Confirmed (research) there is no Jackett git submodule; the jackett.py plugin is at parity with qbittorrent/search-plugins v4.9 + our local improvements — the image is the update vector. See docs/research/jackett_update/README.md.

BOB-019 — Jackett added as a reference submodule (latest release)

Status: Completed (→ Fixed.md) **Type:** Task **Closed:** 2026-06-06

Per operator decision, git@github.com:Jackett/Jackett.git is added as a **reference-only** git submodule at submodules/jackett (latest release **v0.24.2027**, shallow). Runtime still uses the maintained linuxserver image; we do NOT build Jackett from source. Provides source awareness for inspecting / cherry-picking indexer definitions. SSH URL per Hard-Stop #2; placed under submodules/ per §11.4.28(C).

BOB-020 — CodeGraph initialized + wired (§11.4.78/79/80)

Status: Completed (→ Fixed.md) **Type:** Task **Closed:** 2026-06-06 · **Commit:** f9a277b

CodeGraph 0.9.9 installed (npm, no sudo), project indexed (509 files / 8906 nodes / 17025 edges), wired as a project-scoped MCP server in .mcp.json. Exclusions via .gitignore (v0.9.9 is zero-config): 0 secret/credential paths, 0 third-party submodules/jackett

paths; constitution (own-org) included. .codegraph/codegraph.db
gitignored (regen: codegraph index, §11.4.77). **Evidence:** scripts/
codegraph_validate.sh 7 PASS/0 FAIL incl. the unforgeable MCP
challenge (MCP codegraph_status node count == CLI, both 8906);
independently re-verified by the conductor. Docs: docs/
CODEGRAPH.md + docs/codegraph/Status.md.

BOB-012 — Export-sync gate expanded to all docs (§11.4.65)

Status: Completed (→ Fixed.md) **Type:** Task **Closed:** 2026-06-08

The CM-MARKDOWN-EXPORT-SYNC gate expanded from 9-doc
whitelist to auto-discovery: - All docs/**/* .md (excluding docs/
research/ and docs/qa/) - All scripts/**/* .md - All project-root *.md -
Checks .html and .pdf freshness (mtime ≥ .md) - Added DOCX
warnings (non-blocking, gitignored per BOB-011) - 64 DOCX
warnings verified as expected (intentionally gitignored) - Pre-build
gate: Invariant 16 now covers all in-scope docs

Evidence: - Pre-build gate: PASS [16]: CM-MARKDOWN-EXPORT-SYNC:
all in-scope docs have fresh .html/.pdf siblings - WARN: 64
missing .docx sibling(s) (gitignored per BOB-011) — expected,
non-blocking

BOB-014 — Go generateID() collided under burst (UnixNano-only)

Status: Fixed (→ Fixed.md) **Type:** Bug **Closed:** 2026-06-06 ·
Commit: d46ea57

time.Now().UnixNano() is not unique under rapid StartSearch calls →
dropped searches + broke MAX_CONCURRENT_SEARCHES. Fixed with an
atomic counter. **Evidence:** TestGenerateID_UniqueUnderBurst (10k
IDs unique) + queue-full test via real StartSearch; go test -race
green, deterministic. ## BOB-009 — Containers submodule
integrated with Go wrapper

Status: Completed (→ Fixed.md) **Type:** Task **Evidence:** boba-ctl is
now default for start/stop; -no-boba-ctl falls back to raw compose

Containers submodule integrated with Go wrapper

BOB-010 — Workable-items SQLite DB integrated + pre-build gate wired (§11.4.93/§11.4.95)

Status: Completed (→ Fixed.md) **Type:** Task **Evidence:** SQLite DB integrated with pre-build gate; 20 items tracked; docs_chain validation wired

Workable-items SQLite DB integrated + pre-build gate wired (§11.4.93/§11.4.95)

BOB-021 — env_loader flaky test: KEY2 leak across test ordering

Status: Fixed (→ Fixed.md) **Type:** Bug **Closed:** 2026-06-09 · **Commit:** pending

test_comment_lines_ignored failed intermittently under pytest-randomly because load_env_files has a “first wins” policy — if KEY2 was already set in os.environ by a prior test, the comment-line test’s assertion KEY2 is None failed. Root cause: stale env vars from earlier tests leaking into later ones. **Fix:** Added explicit os.environ.pop("KEY1", None) + KEY2 deletion at test START (not just finally), ensuring clean env state regardless of test ordering. **Evidence:** tests/unit/test_env_loader.py::test_comment_lines_ignored — passed 2147/2147 twice consecutively under random ordering.

BOB-022 — AsyncMock warning in search deep-coverage tests

Status: Fixed (→ Fixed.md) **Type:** Bug **Closed:** 2026-06-09 · **Commit:** pending

test_iporrents_login_no_cookies used AsyncMock() for login_resp and mock_session, producing “coroutine was never awaited” RuntimeWarning. The objects don’t need to be awaitable — they are context managers, not coroutines. **Fix:** Changed to MagicMock() with explicit __aenter__/_aexit_ stubs. **Evidence:** tests/unit/merge_service/test_search_deep_coverage.py — 0 warnings from this test (was 3 AsyncMock warnings).

BOB-023 — gamestorrents plugin deep-coverage tests + B-substring bug documented

Status: Implemented (→ Fixed.md) **Type:** Feature **Closed:** 2026-06-09 · **Commit:** pending

23 tests created for `plugins/gamestorrents.py` covering: `_parse_results` (article cards, single/multi, malformed, empty), `_parse_size` (all units, edge cases), `search` (URL construction, category mapping, exception handling), `download_torrent` (magnet link, .torrent file, `URLError`, no links). Discovered `_parse_size` has the same B-substring bug as BOB-013 (torrentkitty): dict iteration means "B" matches before "GB"/"MB"/"KB"/"TB", so all realistic sizes parse to 0. Tests document actual behavior with `_b_substring_bug` suffix. **Evidence:** `tests/unit/test_plugin_gamestorrents.py` — 23 passed, ruff clean.

BOB-024 — gamestorrents `_parse_size` B-substring bug fixed

Status: Fixed (→ Fixed.md) **Type:** Bug **Closed:** 2026-06-09 · **Commit:** pending

`_parse_size` dict iteration order meant "B" matched before "GB"/"MB"/etc., causing all realistic sizes to parse to 0. Fixed by reordering dict keys longest-first (TB, GB, MB, KB, B) — same approach as BOB-013 (torrentkitty). **Evidence:** `tests/unit/test_plugin_gamestorrents.py::TestParseSize` — 8 tests all pass with correct byte values for GB/MB/KB/TB/B/comma/uppercase.

BOB-025 — eztv.py deep-coverage tests (54 tests)

Status: Implemented (→ Fixed.md) **Type:** Feature **Closed:** 2026-06-09 · **Commit:** pending

54 tests covering `MyHtmlParser` (size units, date patterns, defaults, special chars), `do_query` (URL construction, User-Agent, `URLError`, fallback), `search` (categories, empty/multiple results), edge cases (state reset, href concatenation). **Evidence:** `tests/unit/test_plugin_eztv.py` — 54 passed, ruff clean.

BOB-026 — piratebay.py deep-coverage tests + import-order bug documented

Status: Implemented (→ Fixed.md) **Type:** Feature **Closed:** 2026-06-09 · **Commit:** pending

38 tests covering JSON API parsing, magnet link structure, tracker encoding, gzip responses, charset detection, category mapping. Discovered `import os` placed after `os.fdopen` causes `UnboundLocalError` on torrent file downloads. **Evidence:** `tests/unit/test_plugin_piratebay.py` — 38 passed, ruff clean.

BOB-027 — solidtorrents.py deep-coverage tests (37 tests)

Status: Implemented (→ Fixed.md) **Type:** Feature **Closed:** 2026-06-09 · **Commit:** pending

37 tests covering HTML table parsing, date patterns (relative + absolute), URL construction, pagination, magnet fetch, retry logic, category mapping. **Evidence:** `tests/unit/test_plugin_solidtorrents.py` — 37 passed, ruff clean.

BOB-028 — limetorrents.py deep-coverage tests (52 tests)

Status: Implemented (→ Fixed.md) **Type:** Feature **Closed:** 2026-06-09 · **Commit:** pending

52 tests covering HTML parser (table row filtering, link extraction, data stripping), date parsing (7 relative patterns), search (URL construction, pagination, magnet fetch per result), `download_torrent` (magnet passthrough, HTTP→magnet fetch), `fetch_url_with_retry` (retry on `URLError`, max-retry raise). **Evidence:** `tests/unit/test_plugin_limetorrents.py` — 52 passed, ruff clean.

BOB-029 — torlock.py deep-coverage tests (55 tests)

Status: Implemented (→ Fixed.md) **Type:** Feature **Closed:** 2026-06-09 · **Commit:** pending

55 tests covering HtmlParser (single/multi results, empty/malformed HTML, nofollow filtering, date parsing), search (8 categories, pagination, query encoding), download_torrent (print output), fetch_magnet_from_page (double/single quote href, no-magnet page), fetch_url_with_retry (retry on URLError).

Evidence: tests/unit/test_plugin_torlock.py — 55 passed, ruff clean.

BOB-030 — nyaa.py deep-coverage tests + missing import re bug documented

Status: Implemented (→ Fixed.md) **Type:** Feature **Closed:** 2026-06-09 · **Commit:** pending

55 tests covering HTML parsing (RSS/HTML modes, magnet vs torrent, pub_date), search (all 8 categories, pagination, URL construction), download_torrent (magnet direct, external URL, exception propagation). Discovered download_torrent uses re.search() without importing re — any nyaa.si URL raises NameError. **Evidence:** tests/unit/test_plugin_nyaa.py — 55 passed, ruff clean.

BOB-031 — kickass.py deep-coverage tests + comma-size gap documented

Status: Implemented (→ Fixed.md) **Type:** Feature **Closed:** 2026-06-09 · **Commit:** pending

55 tests covering HTMLParser (single/multi/triple results, KB/GB/TB sizes, strong tags, even/odd rows), retrieve_download_link (magnet positions, exception), search (7 categories, pagination, detail page dispatch), download_torrent (magnet passthrough, page fetch), BOB-015 sleep fragility. Documented comma-separated size parsing gap (1,234.5 MB not matched by regex). **Evidence:** tests/unit/test_plugin_kickass.py — 55 passed, ruff clean.

BOB-032 — anilibra.py deep-coverage tests (49 tests)

Status: Implemented (→ Fixed.md) **Type:** Feature **Closed:** 2026-06-09 · **Commit:** pending

49 tests covering JSON API parsing (empty list, single/multi releases, malformed JSON), process_release (ID validation, name fallbacks, torrent fetching, magnet filtering), search (URL

encoding, category mapping), download_torrent (magnet print, empty string), edge cases (missing keys, empty torrents, mixed results). **Evidence:** tests/unit/test_plugin_anilibra.py — 49 passed, ruff clean.

BOB-033 — kickass.py crash guards added (BOB-015 defense-in-depth)

Status: Fixed (→ Fixed.md) **Type:** Bug **Closed:** 2026-06-09 · **Commit:** pending

Added try/except + empty-response guards to 3 crash-prone patterns in kickass.py: __retrieve_download_link() (re.search on None), download_torrent() (re.search on None), search() (re.sub on None). All now handle empty/None responses gracefully instead of crashing. **Evidence:** tests/unit/test_plugin_kickass_guards.py — 13 passed, ruff clean.

BOB-034 — torrentgalaxy.py + yts.py deeper coverage (80 new tests)

Status: Implemented (→ Fixed.md) **Type:** Feature **Closed:** 2026-06-09 · **Commit:** pending

35 new torrentgalaxy tests (category mapping, pagination, regex edge cases, URL construction, download_torrent, timestamp, metadata) + 45 new yts tests (score.paramBuilder, magnetBuilder, urlBuilder, search pagination math, multiple movies, error handling, metadata, magnet links). **Evidence:** tests/unit/test_plugin_torrentgalaxy_deep.py — 35 passed; tests/unit/test_plugin_yts_deep.py — 45 passed; ruff clean.

BOB-035 — nyaa.py missing import re fixed

Status: Fixed (→ Fixed.md) **Type:** Bug **Closed:** 2026-06-09 · **Commit:** pending

download_torrent() called re.search() without import re, causing NameError on any nyaa.si URL. Added import re at module level. **Evidence:** tests/unit/test_plugin_nyaa.py::TestDownloadTorrent — 6 tests now pass with correct magnet/URL output (was 3 NameError failures).

BOB-036 — kickass.py comma-separated size regex fixed

Status: Fixed (→ Fixed.md) **Type:** Bug **Closed:** 2026-06-09 · **Commit:** pending

Size regex `[\d\.]+` didn't match comma-separated numbers like 1,234.5 MB. Updated to `[\d,\.]+` so commas are captured and stripped by existing `.replace(",", " ")` logic. **Evidence:** tests/unit/test_plugin_kickass.py::TestHTMLParserFeed::test_comma_in_size_now_matched_by_regex — passes with correct size 1234.5 MB.

BOB-037 — rutor.py deep-coverage tests (83 tests)

Status: Implemented (→ Fixed.md) **Type:** Feature **Closed:** 2026-06-09 · **Commit:** pending

83 tests covering date normalization, pagination math, config, proxy, draw (HTML parsing, magnet mode), download_torrent, request (redirect, timeout, HTTP 403), search (9 categories, pagination), EngineError. **Evidence:** tests/unit/test_plugin_rutor.py — 83 passed, ruff clean.

BOB-038 — tokyotoshokan.py deep-coverage tests (60 tests)

Status: Implemented (→ Fixed.md) **Type:** Feature **Closed:** 2026-06-09 · **Commit:** pending

60 tests covering HtmlParser (magnet vs torrent-only, size regex, state reset), search (URL construction, pagination), download_torrent, category mapping, edge cases (handle_more_pages, parser callbacks). **Evidence:** tests/unit/test_plugin_tokyotoshokan.py — 60 passed, ruff clean.

BOB-039 — snowfl.py deep-coverage tests (30 tests)

Status: Implemented (→ Fixed.md) **Type:** Feature **Closed:** 2026-06-09 · **Commit:** pending

30 tests covering token retrieval, parser feed, generate query, download torrent (magnet, JSON payload), search (end-to-end, empty, invalid JSON). **Evidence:** tests/unit/test_plugin_snowfl.py — 30 passed, ruff clean.

BOB-040 — torrentdownload.py deep-coverage tests (35 tests)

Status: Implemented (→ Fixed.md) **Type:** Feature **Closed:** 2026-06-09 · **Commit:** pending

35 tests covering HTMLParser, search (URL construction, pagination, max pages), download_torrent, plugin metadata. **Evidence:** tests/unit/test_plugin_torrentdownload.py — 35 passed, ruff clean.

BOB-041 — linuxtracker.py deep-coverage tests (30 tests)

Status: Implemented (→ Fixed.md) **Type:** Feature **Closed:** 2026-06-09 · **Commit:** pending

30 tests covering LinuxSearchParser, search (URL construction, pagination, category mapping), download_torrent, plugin metadata. **Evidence:** tests/unit/test_plugin_linuxtracker.py — 30 passed, ruff clean.

BOB-042 — audiobookbay.py deep-coverage tests + missing import re fixed

Status: Implemented (→ Fixed.md) **Type:** Feature · **Closed:** 2026-06-09

55 tests. Fixed download_torrent NameError by adding import re. **Evidence:** tests/unit/test_plugin_audiobookbay.py — 55 passed.

BOB-043 — one337x.py deep-coverage tests + B-substring fixed

Status: Implemented (→ Fixed.md) **Type:** Feature · **Closed:** 2026-06-09

53 tests. Fixed `_parse_size` B-substring bug and added comma stripping. **Evidence:** `tests/unit/test_plugin_one337x.py` — 53 passed.

BOB-044 — extratorrent.py deep-coverage tests + B-substring fixed

Status: Implemented (→ Fixed.md) **Type:** Feature · **Closed:** 2026-06-09

47 tests. Fixed `_parse_size` B-substring bug (reordered dict keys). **Evidence:** `tests/unit/test_plugin_extratorrent.py` — 47 passed.

BOB-045 — torrentfunk.py deep-coverage tests + B-substring fixed

Status: Implemented (→ Fixed.md) **Type:** Feature · **Closed:** 2026-06-09

31 tests. Fixed `_parse_size` B-substring bug. **Evidence:** `tests/unit/test_plugin_torrentfunk.py` — 31 passed.

BOB-046 — torrentproject.py deep-coverage tests

Status: Implemented (→ Fixed.md) **Type:** Feature · **Closed:** 2026-06-09

36 tests covering `MyHTMLParser` (`handle_starttag/endtag/data`), `feed`, `fetch_magnet`. **Evidence:** `tests/unit/test_plugin_torrentproject.py` — 36 passed.

BOB-047 — therarbg.py deep-coverage tests + B-substring fixed

Status: Implemented (→ Fixed.md) **Type:** Feature · **Closed:** 2026-06-09

38 tests. Fixed `_parse_size` B-substring bug. **Evidence:** `tests/unit/test_plugin_therarbg.py` — 38 passed.

BOB-048 — academictorrents.py deep-coverage tests

Status: Implemented (→ Fixed.md) **Type:** Feature · **Closed:** 2026-06-09

48 tests covering XML parsing, concurrent.futures, torrent filtering, cache. **Evidence:** tests/unit/test_plugin_academictorrents.py — 48 passed.

BOB-049 — ali213.py deep-coverage tests

Status: Implemented (→ Fixed.md) **Type:** Feature · **Closed:** 2026-06-09

25 tests covering threaded gamepage handling, retry loop (20 ceiling), magnet extraction. **Evidence:** tests/unit/test_plugin_ali213.py — 25 passed.

BOB-050 — yourbittorrent.py deep-coverage tests

Status: Implemented (→ Fixed.md) **Type:** Feature · **Closed:** 2026-06-09

30 tests covering HTMLParser, download_file, 7 categories. **Evidence:** tests/unit/test_plugin_yourbittorrent.py — 30 passed.

BOB-051 — glotorrents.py deep-coverage tests

Status: Implemented (→ Fixed.md) **Type:** Feature · **Closed:** 2026-06-09

40 tests covering pagination, 9 categories, magnet extraction, sleep. **Evidence:** tests/unit/test_plugin_glotorrents.py — 40 passed.

BOB-052 — pctorrent.py deep-coverage tests + B-substring pre-fixed

Status: Implemented (→ Fixed.md) **Type:** Feature · **Closed:** 2026-06-09

30 tests. `_parse_size` B-substring fixed by subagent. **Evidence:** tests/unit/test_plugin_pctorrent.py — 30 passed.

BOB-053 — rockbox.py deep-coverage tests

Status: Implemented (→ Fixed.md) **Type:** Feature · **Closed:** 2026-06-09

32 tests covering datetime, sleep(3) pagination, kb/mb/gb sizes. **Evidence:** tests/unit/test_plugin_rockbox.py — 32 passed.

BOB-054 — bitru.py deep-coverage tests + B-substring fixed

Status: Implemented (→ Fixed.md) **Type:** Feature · **Closed:** 2026-06-09

32 tests. Fixed `_parse_size` B-substring bug. **Evidence:** tests/unit/test_plugin_bitru.py — 32 passed.

BOB-055 — btsow.py deep-coverage tests

Status: Implemented (→ Fixed.md) **Type:** Feature · **Closed:** 2026-06-09

Tests covering data-list card parsing, search, download_torrent. **Evidence:** tests/unit/test_plugin_btsow.py — all passed.

BOB-056 — torrentscsv.py deep-coverage tests

Status: Implemented (→ Fixed.md) **Type:** Feature · **Closed:** 2026-06-09

33 tests covering CSV parsing, search, download_torrent.
Evidence: tests/unit/test_plugin_torrentscsv.py — 33 passed.

BOB-057 — xfsb.py deep-coverage tests + B-substring fixed

Status: Implemented (→ Fixed.md) **Type:** Feature · **Closed:** 2026-06-09

25 tests. Fixed _parse_size B-substring bug. **Evidence:** tests/unit/test_plugin_xfsb.py — 25 passed.

BOB-058 — yihua.py deep-coverage tests + B-substring fixed

Status: Implemented (→ Fixed.md) **Type:** Feature · **Closed:** 2026-06-09

37 tests. Fixed _parse_size B-substring bug. **Evidence:** tests/unit/test_plugin_yihua.py — 37 passed.

BOB-059 — bt4g.py tests fixed (was hanging)

Status: Fixed (→ Fixed.md) **Type:** Bug · **Closed:** 2026-06-09

3 tests had bugs: infinite loop from constant return_value (should use side_effect=[MATCH, EMPTY]), regex mismatch in fixture (missing > before size). **Evidence:** tests/unit/test_plugin_bt4g.py — 44 passed in <1s.

BOB-015 — Remaining public-tracker failures are external / non-deterministic

Status: Fixed (→ Fixed.md) **Type:** Bug · **Severity:** Low **Closed:** 2026-06-09

BOB-015 was originally a low-priority tracking item for residual per-tracker failures that were external/non-deterministic (site availability + network). The resolution direction was “defense-in-depth crash guards.” Since then, all 41 public-tracker plugins have received tested crash guards (empty-response, None-match, regex-mismatch, exception traps — BOB-033 series). 18 bugs discovered and fixed in the process (B-substring size parsing across 8+ plugins, missing import re in 2 plugins, comma-

separated size regex, async mock warnings, bt4g test hangs). Coverage now at 88% across all plugins. The remaining external/non-deterministic site-level failures are handled gracefully by the orchestrator — other trackers succeed when one fails. No code-level failure remains unguarded.

Evidence: - 41 plugin test suites with crash-guard coverage ($\geq 88\%$ total). - 18 bugs found and fixed (BOB-013, BOB-024, BOB-033, BOB-035, BOB-036, BOB-042 through BOB-059). - Determinism test (two consecutive identical live searches): run A = 909 results / 14 success / 10 error; run B = 1422 results / 19 success / 5 error; zero success→error flips — failures are external, not code-driven. - Orchestrator isolates per-tracker failures; no cascading crashes.

BOB-060 — Public-tracker plugins crash on degenerate/empty upstream responses

Status: Fixed (→ Fixed.md) **Type:** Bug **Evidence:** docs/qa/BOB-060/EVIDENCE.md **Severity:** Low **Created-By:** Claude **Assigned-To:** Claude

tokyotoshokan/kickass/yts/piratebay raised unhandled exceptions on empty/None/non-dict-JSON upstream responses; added empty-response guards + RED→GREEN regression tests (§11.4.118 audit found piratebay).

BOB-061 — Unit suite hang + order-dependent test-pollution (non-deterministic failures)

Status: Fixed (→ Fixed.md) **Type:** Bug **Evidence:** docs/qa/BOB-061-062/EVIDENCE.md **Severity:** High **Created-By:** Claude **Assigned-To:** Claude

Full pytest tests/unit/ stalled on an unbounded enricher network lookup; 13-34 order-dependent failures from sys.modules/socket/os.environ leakage across files. Fixed: enricher ClientTimeout + tests/conftest.py path/POLLUTING_ROOTS/socket/environ isolation. Now 4121 passed deterministic.

BOB-062 — Unbounded plugin pagination loops + unbounded network I/O (hang risk)

Status: Fixed (→ Fixed.md) **Type:** Bug **Evidence:** docs/qa/BOB-061-062/EVIDENCE.md **Severity:** Medium **Created-By:** Claude **Assigned-To:** Claude

kickass/bitsearch/torrentgalaxy while-True search loops could run forever; search.py/routes.py/helpers.py/eztv.py network calls had no timeout. Fixed: MAX_PAGES=50 caps + aiohttp.ClientTimeout(urlopen timeout=30 across all sites.

BOB-063 — pirateiro test-isolation: add to conftest isolation + standing regression guard

Status: Completed (→ Fixed.md) **Type:** Task **Evidence:** docs/qa/BOB-063/evidence.md **Severity:** Low **Created-By:** Claude

test_plugin_pirateiro.py injected sys.modules['pirateiro'] at module scope with no teardown; pirateiro was the one root not covered by conftest_isolate_download_proxy_modules, so it leaked into later tests. Fixed by caching+re-registering+purgings the stub per unit test; added a standing isolation guard. RED 1-fail -> GREEN, full suite 4122 passed x2 seeds.

BOB-103 — Incorporate Docs Chain submodule per §11.4.106/§11.4.28(C)

Status: Completed (→ Fixed.md) **Type:** Task **Evidence:** challenges/scripts/docs_chain_verify_challenge.sh **Severity:** Medium

Land docs_chain (git@github.com:vasic-digital/docs_chain.git) as depth-1 reusable-engine submodule at constitution/submodules/docs_chain/ pinned to helixcode-v1.1.0. Build engine binary. Wire pre-build gate invariant 24 CM-DOCS-CHAIN-ENGINE-VERIFY into scripts/pre_build_verification.sh (real docs_chain verify -all against .docs_chain/contexts). Add challenges/scripts/docs_chain_verify_challenge.sh with §11.4.115 RED_MODE polarity. Retire scripts/docs_chain.sh misnomer wrapper by renaming to scripts/workable-items-export.sh (git mv, history preserved) and updating active callers (pre_build_verification.sh + 2 test files + 3 current-state docs). Constitution commit 47d41f8 pushed to all 6 mirrors. Boba-side commit follows this workable-

item creation. [Reconciled 2026-08-18 via BOB-072/073 SSoT-integrity remediation: original item's Fixed-location DB row was deleted by a Fixed.md md-to-db reparse before this restoration ran (BOB-103 had never been written into docs/Fixed.md text) — original item_history rows (id=66 Opened 2026-08-15, id=67 Completed 2026-08-15, evidence challenges/scripts/docs_chain_verify_challenge.sh) survive untouched and remain the authoritative closure record; this add+close pair is a mechanical items-row restoration, not a re-performance of the original 2026-08-15 work.]

BOB-072 — RD2-03: workable_items.db machine-caught SSoT integrity violations + 90% of closures have zero audit trail

Status: Fixed (→ Fixed.md) **Type:** Bug **Evidence:** challenges/scripts/workable_items_integrity_challenge.sh **Severity:** High

RD2-03: workable_items.db machine-caught SSoT integrity violations + 90% of closures have zero audit trail

BOB-073 — RD2-04: workable_items.db and Issues.md/Fixed.md have drifted (BOB-008 body differs)

Status: Fixed (→ Fixed.md) **Type:** Bug **Evidence:** challenges/scripts/workable_items_integrity_challenge.sh **Severity:** High

RD2-04: workable_items.db and Issues.md/Fixed.md have drifted (BOB-008 body differs)

BOB-075 — RD2-08: docs/features/Status.md and docs/codegraph/Status.md are stale

Status: Completed (→ Fixed.md) **Type:** Task **Evidence:** challenges/scripts/status_docs_freshness_challenge.sh **Severity:** High

RD2-08: docs/features/Status.md and docs/codegraph/Status.md are stale

BOB-108 — constitution scripts/ workable-items export reverts docs/ Issues.md + docs/Fixed.md revision counters

Status: Fixed (→ Fixed.md) **Type:** Bug **Evidence:** docs/qa/
2026-08-18-task68-bob108-export-revision-fix/evidence.md
Severity: Medium **Created-By:** Claude

workable-items export (constitution/scripts/workable-items/
workable-items export -db docs/workable_items.db -out-dir docs)
regenerates docs/Issues.md and docs/Fixed.md from the tool's
own internal revision counter, which does not track manually-
bumped §11.4.44 revision headers landed by a prior commit
outside the tool's own write path. Discovered during BOB-069
(.superpowers/sdd/task-bob069-report.md, Concerns section): an
export invocation reverted docs/Issues.md Revision 7->6 and
docs/Fixed.md Revision 16->15, both regressions relative to the
already-committed HEAD values bumped manually in commit
82d9842. Worked around manually by re-bumping both headers
forward (Issues.md->8, Fixed.md->17) per §11.4.44 (monotonic
revision is non-negotiable) rather than shipping the regression.
Recommendation: fix upstream in constitution/scripts/workable-
items so 'export' reads the CURRENT on-disk **Revision:** header
(or the DB's own last-known value, whichever is higher) before
regenerating, instead of relying solely on an internal counter that
can trail a manually-edited file.

BOB-115 — Fix workable-items validate over-scoping to Updated-events (BOB-010 id=64 pattern)

Status: Fixed (→ Fixed.md) **Type:** Bug **Evidence:** docs/qa/task-54/
RED-GREEN-transcript.md **Severity:** High

unresolvableClosureEvidence() (constitution/scripts/workable-
items/cmd/workable-items/sync.go) checked evidence-path
resolvability for EVERY item_history row belonging to a
terminally-closed item, regardless of the row's event_type.
BOB-010's real closure (history id=4, event=Completed) recorded
a resolvable evidence_path; a LATER Updated event (history
id=64, on=2026-08-10) recorded evidence_path=scripts/
docs_chain.sh, a path that stopped resolving after that script was
git-mv'd to scripts/workable-items-export.sh (commits 0558399/
d9d512d). validate flagged the Updated row as an unresolvable
closure claim, mechanically blocking every subsequent commit via
commit-push-all.sh (BOBA_SYNC_SKIP_CI=1 was required to land

1f42357). Fix: added AND h.event_type IN (Fixed, Implemented, Completed, Obsolete) to the query, reusing the SAME closed set correct_evidence.go's closureEvents / assign.go's hasClosureEvidence already recognise. Regression guard: TestClosureEvidence_UpdatedEventOnClosedItem_UnresolvablePath_NoViolation, RED-then-GREEN + paired mutation proof captured at docs/qa/task-54/RED-GREEN-transcript.md.

BOB-116 — 2nd forced-logout incident: user@1000.service SIGKILLed after resource-pressure cascade (perceived host suspend)

Status: Fixed (→ Fixed.md) **Type:** Bug **Evidence:** docs/incidents/2026-08-18-perceived-forced-logout-2nd.md **Severity:** Critical **Created-By:** Claude **Assigned-To:** Claude

On 2026-08-18 the operator reported being fully logged out from host milosvasic account after returning from lid-closed state, finding themselves at the GDM greeter – the 2nd such incident on this project (1st was 2026-07-07, which produced the §12.12 anchor). Root-cause investigation (docs/incidents/2026-08-18-perceived-forced-logout-2nd.md) traced it to a resource-pressure cascade: a §12.12 EAGAIN/SocketException(11) cascade across Jackett trackers at 20:45:48, a pathological 15 GB ugrep from a Task#52 subagent, an HTTP flood at 20:49:00, and multi-fleet concurrent container pressure, culminating in systemd logging user@1000.service Main process exited, code=killed, status=9/KILL at 20:50:59 – no standing check consulted that signal before session termination, and CONST-033 triage confirmed no actual host suspend/poweroff occurred (this is a resource-exhaustion user-session OOM-kill, not a CONST-033 violation). Comprehensive fixes landed this session: new 5-signature proactive detector challenges/scripts/resource_pressure_signature_challenge.sh (commit 1f42357); five REAL per-signature §11.4.115(F) RED fixtures under challenges/fixtures/resource_pressure/ replacing an initially-overstated threshold-mutation polarity claim, verified via verify_resource_pressure_polarity.sh with RED confirmed 5/5 FAIL 0 SKIP 0 (commit efb8a6); wiring into scripts/pre_build_verification.sh invariant 25 (CM-RESOURCE-PRESSURE-SIGNATURE-CHECK) plus an hourly systemd -user timer boba-resource-pressure-check.timer, now LIVE and armed (commit ecb3bf); a §11.4.238 QA-discovery-ledger entry FORCED-LOGOUT-2026-08-18-2ND documenting the coverage escape (commit 98412bf); a fix for a CONST-033 challenge false-positive caused by scratchpad/.superpowers path scanning (part of commit 1f42357); 8 machine-evidence artifacts under docs/qa/BOB-076/ (journalctl, oomctl, cgtop, PSI readings, ps LRSS

snapshot, challenge pass/forced-fail logs, lid+session events); and a persistent-memory incident playbook at ~/.claude-claude4/.../memory/forced_logout_incidents.md. NOTE ON ID COLLISION (documented honestly per §11.4.6/§11.4.54): all of the commits above and the docs/qa/ evidence directory used the label BOB-076 for this incident, but BOB-076 was ALREADY a distinct, legitimately-minted workable item (RD2-09: submodules/jackett fork 1 commit behind upstream, Type=Task, Status=Queued, minted 2026-08-15 – three days before this incident) at the time those commits landed. §11.4.54 forbids ID reuse, so this item is filed under a fresh monotonic ID instead of overwriting BOB-076; the real BOB-076 (jackett submodule bump) is untouched and unrelated to this incident – it was independently already resolved via commit 99a486e. See docs/incidents/2026-08-18-perceived-forced-logout-2nd.md for full forensic detail and docs/QA_DISCOVERY_LEDGER.md entry FORCED-LOGOUT-2026-08-18-2ND for the coverage-escape audit.

BOB-112 — boba-jackett /healthz amplifies under cold-start concurrent burst via uncached Jackett.GetCatalog() call

Status: Fixed (→ Fixed.md) **Type:** Bug **Evidence:** docs/qa/BOB-112/summary.md **Severity:** High **Created-By:** Claude

qBitTorrent-go/internal/jackettapi/health.go:60-63 – HandleHealth makes a synchronous, uncached call to Jackett.GetCatalog() on every single hit to /healthz, with no cache, no distinct timeout, and no circuit breaker. Measured evidence (docs/testing/ddos_resilience.md Findings, 2026-08-18, RED_MODE=0, three independent live runs): up to 98/150 (65%) of health-check requests timed out at 3s under a modest cold-start concurrent burst (10-50 concurrency), recovering to <50ms/request once the burst subsided. This is a genuine self-inflicted DDoS amplification vector: an attacker or a mis-configured monitoring probe hitting /healthz too aggressively can make the Jackett-management API's own health surface appear down without ever touching Jackett itself. Recommended fixes: cache the Jackett liveness signal with a short TTL refreshed by a background ticker; add a tight timeout/circuit-breaker around the GetCatalog call so /healthz itself never blocks past ~250-500ms regardless of Jackett's state. Discovered + scaffolded by BOB-074 (commit ae2b5cb, challenges/scripts/ddos_resilience_challenge.sh); tracked as SDD session task #64 in .superpowers/sdd/progress.md prior to this DB filing – this item is the canonical, tracked workable-items record for that reference

(§11.4.93 SSoT, §11.4.214 recurrence-links-not-mints: no prior BOB-NNN existed for this defect, verified by title/description search before minting).

BOB-119 — docs/ MERGE_SEARCH_DIAGNOSTICS.md states `ENABLE_DEAD_TRACKERS` `default=1`; actual code + compose `default=0` (contradicts sibling doc)

Status: Fixed (→ Fixed.md) **Type:** Bug **Evidence:** docs/
MERGE_SEARCH_DIAGNOSTICS.md **Severity:** Medium **Created-By:** AI

docs/MERGE_SEARCH_DIAGNOSTICS.md line ~128 states 'Default: 1 (all trackers exposed; dead ones filtered by DEAD_PUBLIC_TRACKERS)' for ENABLE_DEAD_TRACKERS. This is factually wrong: download-proxy/src/merge_service/search.py:1032 reads `os.getenv('ENABLE_DEAD_TRACKERS', '0')` (default string '0') and docker-compose.yml:177 sets `ENABLE_DEAD_TRACKERS=0` (also default 0). The sibling doc docs/DEAD_TRACKERS_EXPLAINED.md correctly states 'With `ENABLE_DEAD_TRACKERS=0` (default): 24 public trackers active, 14 excluded' — confirmed against the current DEAD_PUBLIC_TRACKERS frozenset (14 entries, names match exactly). MERGE_SEARCH_DIAGNOSTICS.md's stated default is the one document that disagrees with the source of truth, and could mislead an operator into believing dead trackers are shown to end users by default when they are actually filtered out by default. Found during a §11.4.6 bluff audit (docs/qa/task-bluff-audit/). Fix direction: correct 'Default: 1' to 'Default: 0' in MERGE_SEARCH_DIAGNOSTICS.md to match search.py/docker-compose.yml.

BOB-122 — IPTorrents seed/leech parsing reports 0/0 despite real swarm data — outdated markup selectors in plugins/iptorrents.py AND download- proxy/src/merge_service/search.py

Status: Fixed (→ Fixed.md) **Type:** Bug **Evidence:** docs/qa/task-bob083-fix/README.md **Severity:** High **Created-By:** Claude **Assigned-To:** Claude

IPTorrents changed its results-table markup since these two parsers were written: (1) plugins/iptorrents.py (native qBittorrent nova3 search plugin) never decompressed the gzip-encoded response body in `_get_link()` (`download_torrent()` already did), used an unquoted regex against markup that now emits quoted

, expected `/details.php?id=...` desc links against markup that now emits `/t/`, expected `t_seeders=/t_leechers=` CSS classes that IPTorrents removed entirely (seed/leech/snatch cells are now three bare positional , in Snatches/Seeders/Leechers order per the table's own), and never URL-encoded the search query (a literal space in a multi-word query now raises `http.client.InvalidURL` under Python 3.14's stricter path validation). (2) `download-proxy/src/merge_service/search.py::_parse_iptorrents_html()` required a closing tag on the seed/leech ') but IPTorrents' HTML never closes these

cells

`(re.findall(r'<td[ ^>]*>()'`

tags — so `td_values` is always empty and seeds/leechers both silently default to 0, reproducing the EXACT reported symptom (rows appear with correct name/size but seed/leech literally 0/0 while qBittorrent's own swarm info shows real non-zero values for the same torrent). Root cause confirmed empirically by fetching `https://iptorrents.com/t?...` live and inspecting the real gzip-decompressed HTML (2026-08-19); all four defects fixed with new unit tests (34 total, all pass) and a §1.1 mutation proving the tests are load-bearing (revert -> 10 tests fail). Evidence under `docs/qa/task-bob083-fix/`. NOTE: the discovering agent (task-afe78327, §11.4.143 real-user-journey) referenced this as 'BOB-083', but BOB-083 in the workable-items DB is an unrelated pre-existing Task (RD2-16 codegraph Status.md regen) — no IPTorrents item was ever actually filed under that id (confirmed against both the git-committed HEAD DB and the live working copy). This item is filed at the next genuinely-free id (BOB-122, DB max was 121) per §11.4.54 (ids are never reused/renumbered).

N cells before
