

BOB-122 (reported as “BOB-083”) IPTorrents seed/leech parsing evidence

Revision: 1 Last modified: 2026-08-19T00:20:00Z

Summary

Discovered via a 11.4.143 real-user-journey subagent (task-afe78327): IPTorrents search results showed seed/leech as 0/0 despite qBittorrent’s own swarm info reporting real non-zero values for the same torrent. The dispatcher’s task brief referenced this as **BOB-083**, but the docs/workable_items.db tracker “both the git-committed HEAD copy and the live working copy” shows BOB-083 is an unrelated, pre-existing Task (RD2-16: Regenerate browser_extension/features/codegraph Status.md), and no IPTorrents item was ever actually filed under any id. This is filed at the next genuinely-free id, **BOB-122** (DB max was 121 at investigation time), per 11.4.54 (ids are never reused/renumbered).

Root cause “ TWO independent parsers, TWO independent bugs

IPTorrents changed its results-table markup at some point after both of these parsers were written. Neither had been updated to match.

1. plugins/iptorrents.py (native qBittorrent nova3 search plugin)

Four defects, all confirmed empirically against the live site (<https://iptorrents.com>, fetched 2026-08-19):

1. **_get_link() never decompressed gzip.** IPTorrents always sends content-encoding: gzip regardless of the client’s Accept-Encoding. download_torrent() already handled this; _get_link() (used by search_parse()) did not “ so every “decoded” HTML string was actually still-compressed binary, and every downstream regex silently failed to match.
2. **Table regex required unquoted <table id=torrents>.** The live site now emits the quoted form <table id="torrents">.
3. **Row regex required /details.php?id=... desc links and t_seeders="/t_leechers=" CSS classes.** The site now uses /t/<id> links, and the seed/leech/snatch cells carry **no CSS class at all** “ they are three bare positional <td>N cells (Snatches, Seeders, Leechers, in that order per the table’s own <thead>) immediately before </tr>.

4. **The search query was never URL-encoded.** A literal space in a multi-word query (e.g. "The Bourne Legacy") raises `http.client.InvalidURL: URL can't contain control characters` under Python 3.14's stricter path validation "this is the EXACT exception the previous (killed) subagent hit and left as its last captured state."

2. `download-proxy/src/merge_service/search.py::_parse_iporrents_html()`

This is the parser that reproduces the **exact reported symptom** ("rows appear, seed/leech literally 0/0" unlike bug #1 above, which (prefix) produced **zero rows at all**, not 0/0 per row.

```
td_values = re.findall(r"<td[^>]*>(P<val>\d+)</td>", row_text)
seeds = int(td_values[0]) if len(td_values) > 0 else 0
leechers = int(td_values[1]) if len(td_values) > 1 else 0
```

IPorrents renders its result rows with old-school **unclosed** `<td>` tags "there is no `</td>` anywhere in the real response body. The regex above requires a closing `</td>`, so `td_values` is **always empty** on real markup, and seeds/leechers silently default to 0 "while `name_match/dl_match/size_match` all succeed independently, so the row DOES appear in results, with 0/0.

The existing integration-test fixture for this function (`tests/integration/test_iporrents.py::test_parse_iporrents_html_freeleech`) used a synthetic, neatly-closed `<td>50</td><td>10</td>` shape that does **not** match real markup "a classic bluff-test: it agreed with the buggy code instead of catching the defect. Fixed to mirror the real (unclosed-tag, 3-trailing-column) shape.

Fix

- `plugins/iporrents.py`: gzip-decompress in `_get_link()`; quoted-table regex; `/t/\d+` desc-link regex with positional (not class-based) Snatches/Seeders/Leechers extraction; `quote()` the search query in both `search()` and `search_freeleech()`.
- `download-proxy/src/merge_service/search.py`: replace the closing-`</td>`-dependent `findall` with a trailing-anchored `<td>(snatches)<td>(seeds)<td>(leech)\s*$` match on the unclosed markup.

Evidence in this directory

- `iporrents_real_table_excerpt.html` "the real `<table id='torrents'>` markup captured live from `https://iporrents.com` on 2026-08-19 (gzip-decompressed; account username redacted; **no cookies/passwords present** "response bodies never contain the

- requestâ€™s auth headers; leak-audited per Â§11.4.10.A before being written here).
- live_search_freeleech_output.log â€™ real terminal output of plugins/iptorrents.pyâ€™s fixed search_freeleech("The Bourne Legacy") run against the live tracker (same multi-word query that crashed the pre-fix code with InvalidURL), showing 24 real results with correct, non-zero, varying seed/leech pairs (92|2, 50|0, 35|3, 23|0, â€¦) in the exact pipe-delimited prettyPrinter format qBittorrent consumes.

Â§1.1 mutation evidence (both fixes)

plugins/iptorrents.py (34 unit tests in tests/unit/test_plugin_iptorrents.py): reverting the fix via `git stash` and re-running the suite against the **new**, real-markup fixtures fails **10 of 34** tests (table/row/seed-leech/gzip/URL-encoding regressions all reproduce). Restoring the fix returns the suite to 34/34 green.

download-proxy/src/merge_service/search.py: calling `_parse_iptorrents_html()` directly (bypassing the container-dependent integration harness) against the SAME real captured page:

	seeds/leech on 23 real rows
pre-fix (reverted)	all 23 rows show 0/0 â€™ the exact reported symptom
post-fix (restored)	all 23 rows show their real non-zero swarm values

Honest boundary (Â§11.4.6)

- The merge-service integration test class (`TestIPTorrentsFreeleechDetection`) could not be run through `pytest` in this session because `tests/integration/conftest.py` has a session-scoped fixture that polls the merge serviceâ€™s `/api/v1/stats` endpoint for `active_searches == 0` and the `qbittorrent-proxy` container was not running in this sandbox â€™ an honest Â§11.4.3 SKIP (infrastructure precondition, not a code defect). The fixed function was independently verified via direct invocation (see the `_parse_iptorrents_html` before/after run above) â€™ real, non-mocked, live-captured HTML, same code path, same assertions, without going through the container-gated `pytest` harness.
- Pagination (`<a>Page <b>N</b> of <b>M</b>` in `plugins/iptorrents.py`) was investigated and found **not** broken â€™ its markup is unchanged on the live site; verified against a real 999-result / 20-page search.