

BOB-131 “ qbittorrent-proxy podman common crash”: two different events, neither a common crash

Revision: 1 Last modified: 2026-08-21T17:06:26Z Tracker: BOB-131 (Bug, Queued, Medium) **Verdict (Â§11.4.6): The ticket’s premise is FALSE as written.** No common process crashed. BOB-131 conflates **two unrelated events**, each now identified from primary evidence: 1. **2026-08-19 22:41:39 CEST “ a host power-off.** The container exited 0 (clean SIGTERM) and was removed with every other container on the machine. It was then **absent for 14h 06m 43s** because the boba stack has **no boot-persistence unit enabled.** Class: HOST-POWER-TRANSITION. 2. **2026-08-20 17:56:26 CEST “ a genuine SIGSEGV inside the container.** died exit=139 (128+11). The crash is in **CPython’s own traceback dumper**, reached from a **project-owned diagnostic** (the BOB-137 stall watchdog calling `faulthandler.dump_traceback(all_threads=True)`), and it is a **known upstream CPython defect fixed in 3.13/3.14 but not in the 3.12 the image ships.** Class: PROCESS-SIGSEGV.

Answer to the task’s a/b/c: (a) a real project-side trigger of (b) a known runtime defect. It is *latent, not currently firing*, and it is **not reproducible without deliberately stalling the event loop “** see [Reproduction](#). No fix was manufactured; the code that must change is owned by BOB-137 and is outside this investigation’s file scope.

1. The real error text

The ticket says “podman common crash”. The primary record says this (journalctl, host TZ **Europe/Belgrade CEST = UTC+02:00**):

```
Aug 20 17:56:26 nezha kernel: python3[314359]: segfault at 70 ip 00007fb2d
Aug 20 17:56:26 nezha kernel: Code: 24 46 03 0f 84 d1 00 00 00 41 83 ef 01
Aug 20 17:56:26 nezha kernel: audit: type=1701 audit(1787241386.129:755):
Aug 20 17:56:26 nezha audit[314359]: ANOM_ABEND auid=1000 uid=1000 gid=1000
```

and the container’s own stdout, captured because podman’s log driver is journald:

```
2026-08-20T17:56:26+02:00 nezha qbittorrent-proxy[314357]: Thread 0x00007f
2026-08-20T17:56:26+02:00 nezha qbittorrent-proxy[314357]: File "/usr/lo
2026-08-20T17:56:26+02:00 nezha qbittorrent-proxy[314357]: File "/usr/lo
2026-08-20T17:56:26+02:00 nezha qbittorrent-proxy[314357]: File Fatal Py
2026-08-20T17:56:26+02:00 nezha qbittorrent-proxy[314357]: Extension modul
```

Read the third-from-last line carefully: **File Fatal Python error:**. The dumper wrote the literal " File " for the next frame and then died mid-line; the SIGSEGV handler's banner was spliced into the same stream. That truncation is the signature, and it matches the machine code exactly (Â§3).

No common crash appears anywhere. Over the full journal retention (2026-08-14T05:20:28+02:00 â†' now) the only common messages above <warn> are four, none of them a common fault:

```
common <CID> <error>: Failed to create container: exit status 1
common <CID> <error>: Failed to write 137 to exit file: ... No such file o
```

Those are common **reporting** a condition. A common crash would put common itself in a kernel segfault/ANOM_ABEND line; the only such line in 7.5 days is the python3 one above. Treating "common <error>: string in the log" as "common crashed" is a "11.4.201 carrier match" the token mentions the thing, it is not the thing.

2. When it last occurred, and whether it still does

Occurrences of this SIGSEGV in the whole journal retention	exactly 1
Last (and only) occurrence	2026-08-20 17:56:26 CEST = 2026-08-20T15:56:26Z
Occurrences since	0 " zero Fatal Python error, zero stall dumps since 2026-08-20T15:56:27
Container now	Up, healthy, RestartCount=0, ExitCode=0, CID 979cbb757b77
Is the mechanism still armed?	YES " see Â§5

It recovered by itself: podman's restart: unless-stopped policy restarted the container **0.03 s** later.

```
Aug 20 17:56:26.231718 container died      0dcf880eeb6e (exit 139)
Aug 20 17:56:26.265280 container restart 0dcf880eeb6e
Aug 20 17:56:26.376375 container init    0dcf880eeb6e
Aug 20 17:56:26.386894 container start   0dcf880eeb6e
```

common did its job perfectly: it observed the SIGSEGV, reported exit 139, and the restart policy fired. **The runtime behaved correctly throughout.**

3. The conditions “ what actually triggered it

Not a restart, not a teardown, not an exec. It was a **project-owned diagnostic running on a live 18-thread process**.

Four seconds of context, from the container’s own stdout:

```
2026-08-20T17:50:39+02:00 qbittorrent-proxy[314357]: ===== BOB-137 STALL D
```

That banner is emitted by download-proxy/src/main.py:

```
sink.write(f"\n===== BOB-137 STALL DUMP #{_diag_dumps} episode={episode} .  
faulthandler.dump_traceback(file=sink, all_threads=True)          # main.py:135
```

The BOB-137 stall watchdog fires when the asyncio event loop goes silent for >20 s and re-dumps every 60 s. On 2026-08-20 it fired **17 times** in 16 minutes (download-proxy/diagnostics/stall_dumps.log, #1 at 15:40:04Z through #17 at 15:56:17Z). Dump #17 completed to the **file** sink, then the **stderr** pass of the same dump crashed 9 seconds later at 15:56:26Z.

The instrumentation’s own source comment names the exact trade-off that killed it:

```
faulthandler.dump_traceback() is implemented in C and does  
not need the GIL, so it can still dump when a Python thread is  
hogging it “ which is exactly why sys._current_frames() was  
not used here (it needs the GIL and would hang in the same way  
the thing it is measuring does).
```

Because it does not take the GIL, it walks other threads’s frame chains while those threads are mutating them. That is the race.

3.1 Machine-level proof it is that exact code path

The kernel’s Code: dump was byte-matched against the library on disk inside the running container (pure-Python ELF read, no binutils in the image):

```
kernel Code: bytes at <IP>: 49 8b 46 70 48 85 c0 74 11 48 8b 40 08 f6 80 a  
library bytes at 0x141ea0 : 49 8b 46 70 48 85 c0 74 11 48 8b 40 08 f6 80  
MATCH: True  
kernel Code: bytes before <IP>: 4d 8b 34 24 ba 07 00 00 00 48 8d 35 ea 14  
library bytes before 0x141ea0 : 4d 8b 34 24 ba 07 00 00 00 48 8d 35 ea 14  
MATCH: True
```

Decoded, that is CPython’s dump_frame():

```
4d 8b 34 24      mov    r14, [r12]          ; code = frame->f_execut  
ba 07 00 00 00   mov    edx, 7             ; strlen("  File ")  
48 8d 35 ea 14 35 00 lea    rsi, [rip+0x3514ea] ; -> the string "  File  
89 df           mov    edi, ebx          ; fd
```

```

e8 10 33 fc ff          call <_Py_write_noraise> ; writes " File " <--
49 8b 46 70             <-- mov rax, [r14+0x70] ; code->co_filename **
48 85 c0                test rax, rax ; if (co_filename != NUL
74 11                  je ...
48 8b 40 08             mov rax, [rax+8] ; && Py_TYPE(co_file
f6 80 ab 00 00 00 10    test byte [rax+0xab], 16 ; tp_flags & Py_TPF

```

- The lea operand resolves to the literal " **File** " with `edx = 7` " its exact length " which is precisely the text the log line was truncated after.
- The faulting address is `0x70` (`NULL + offsetof(PyCodeObject, co_filename)`).
- Nearest preceding exported symbol is `_Py_DumpDecimal`, a Python/traceback.c function, `+0x200` before the fault.

The faulting binary is container-side, not host-side: `/usr/local/bin/python3.12` **does not exist on this host** (host Python is `/usr/bin/python3, 3.14.6`); inside the container it is Python **3.12.13**, image `docker.io/library/python:3.12-alpine`, digest `sha256:aa679aa4eed6eb56c1dc6ad3f1b98b7d2d788fd961596779d188fdedad97fb38`.

3.2 Upstream " this is a known CPython bug (Â§11.4.99, fetched 2026-08-21)

- [python/cpython#116008](#) " "œSegfault in fault handler signal handler with threads"œ. Crashes in `dump_frame()` at Python/traceback.c:1190 accessing `code->co_filename` " the same function and the same field. Cause: fault handler touching thread state / frame objects that other threads are concurrently changing. **Status: closed/fixed**, backports listed for **3.13 (#142017)** and **3.14 (#142013)**.
- [python/cpython#128400](#) " crash in `_Py_DumpTracebackThreads` where `_PyFrame_GetCode()` finds executable **NULL** " the same `NULL f_executable` this crash loaded. Fix direction: "œStop-the-world when manually calling `fault_handler`"œ.

No 3.12 backport is listed in either issue. The image ships 3.12.13, so staying on `python:3.12-alpine` does not acquire the fix. (Â§11.4.6: I did not verify 3.12's branch policy directly " recorded as *not listed*, not as *refused*.)

4. The other half of the ticket " the 14-hour absence

This is the event the BOB-129 subagent actually walked into, and it is **not a crash at all**.

```

Aug 19 22:41:39 nezha systemd-logind[1296]: The system will power off now!
Aug 19 22:41:39 nezha systemd-logind[1296]: System is powering down.
Aug 19 22:41:39 nezha systemd[1]: Stopped target graphical.target - Graphi

```

Aug 19 22:41:39 nezha systemd[1]: Stopping gdm.service - GNOME Display Manager
Aug 19 22:41:39 nezha qbittorrent-proxy[1168513]: 2026-08-19 20:41:39,920

systemd[1] â€” the **system** manager, not the user manager â€” stopping graphical.target, gdm, getty, bluetooth, timers. The container ran its own SIGTERM handler and exited 0. Boot -3 ended 22:42:02 CEST.

Answer to BOB-131â€™s question (a) â€”how long was the container dead before discoveryâ€”:

Event	Timestamp (UTC)
died exit=0 â†’ cleanup â†’ remove	2026-08-19T20:41:54Z
create (recovery via ./start.sh)	2026-08-20T10:48:37Z
Absent	14h 06m 43s

The host itself was back up at 2026-08-19 23:35:30 CEST (boot -1), so for **13h 13m of that window the machine was running with the boba stack simply not started.**

Why it did not come back on its own

restart: unless-stopped is a *within-podman* policy. It does not survive a host power cycle. Boot persistence needs a unit, and **none is enabled**:

podman-restart.service	disabled	(user scope)
podman-restart.service	disabled	(system scope)
boba-stack.service	linked	disabled
boba-webui-bridge.service	linked	disabled
loginctl show-user milosvasic -p Linger -> Linger=yes		

boba-stack.service **exists and is linked but is not enabled**, and lingering is already on â€” so the capability is present and one systemctl --user enable away. **That is an operator decision and touching it is outside this investigationâ€™s file scope; it is handed over in Å§6, not performed.**

5. Is the crash mechanism still armed? Yes.

2026-08-21T17:20:39+02:00 qbittorrent-proxy[2449341]: BOB-137 stall watchdog

Defaults apply (BOBA_STALL_WATCHDOG unset in the container â†’ on; _DIAG_STALL_S=20, _DIAG_REDUMP_S=60, _DIAG_MAX_DUMPS=200).

It has not fired since the crash because BOB-137â€™s root cause â€” dedup running $O(N^2)$ regex work synchronously on the asyncio event loop, fixed in 1dd7b0a â€” no longer stalls the loop past 20 s. **The dumper is still wired to the same unsafe API.** Any future â‰¥20 s loop stall re-enters the identical race.

This is the honest statement of residual risk: **latent, armed, one trigger away, and the trigger is exactly the condition the watchdog exists to observe.**

6. Handed to the operator “NOT performed

Both items below were deliberately not executed: the stack is live, three other agents are working, and neither is mine to decide.

(i) Reproduction. Requires deliberately stalling the event loop on a running container. Do this in a throwaway stack, never the operator’s:

```
# NOT run here. Requires a disposable stack; will crash the proxy container
./start.sh                                # a scratch checkout, not the live one
podman exec qbittorrent-proxy python3 -c '
import faulthandler, threading, time
def spin():
    while True:                            # churn frames so f_executable is
        (lambda: (lambda: None)())() # transiently NULL for a walker
threading.Thread(target=spin, daemon=True).start()
for _ in range(10000):
    faulthandler.dump_traceback(all_threads=True) # racy by construction
,
# Expected: exit 139 + a kernel ANOM_ABEND sig=11 for /usr/local/bin/python
# 11.4.6: this reproduction is CONSTRUCTED, not traced from the incident
# preconditions, so per 11.4.115(G) it can mint DEFENSIVE HARDENING only
# it cannot close BOB-131 as "fixed".
```

(ii) Boot persistence (closes the 14h-absence half):

```
systemctl --user enable --now boba-stack.service # operator decision
# or: systemctl --user enable podman-restart.service
systemctl --user is-enabled boba-stack.service # expect: enabled
```

(iii) For BOB-137’s owner (the file is theirs, download-proxy/src/main.py): the stall dumper’s use of `faulthandler.dump_traceback(all_threads=True)` on a live multithreaded process is the crash vector. The upstream fix direction is *stop-the-world*; on 3.12 that is unavailable. Options are theirs to weigh “dump only the current thread, gate all_threads behind an opt-in, cap dumps per episode, or move the image to 3.13+.” **No change was made here.**

Reproduction (not attempted on the live stack)

Per the task’s constraint and 11.4.119, reproduction was **not** attempted: it requires either crashing the operator’s running proxy or restarting the stack, and the stack is live with the operator on the machine. The procedure is handed over in 6(i). Verdict **(a)** rests on the causal chain

in Â§3, which is established from primary evidence (byte-matched machine code + the containerâ€™s own truncated dump + the upstream issue), not from a reproduction.

What was NOT the cause â€” the three lookalikes

Every one of these was checked and excluded from evidence. The reusable version of this is [docs/guises/container-death-triage.md](https://docs.guises/container-death-triage.md).

Lookalike	Verdict	Evidence
cgroup OOM-kill	EXCLUDED	memory.events: oom_kill 0, oom_group_kill 0. Zero oom-kill / Memory cgroup out of memory / Killed process lines in the entire 7.5-day journal retention. Flight recorder: k_oom=0 and oom_cgroups="" across all 62 samples. memory.max = 805306368 (768 MiB, matching mem_limit: 768m), memory.peak = 805371904, memory.events: max 1584 in 48 min â€” the container lives <i>at</i> its ceiling. But max is reclaim , not a kill: oom_kill stayed 0. Containment working as designed. It cannot produce a SIGSEGV. ulimit -u = 65536 soft <i>and</i> hard; observed peak unit_pids_peak = 1559 (2.4 %). No EAGAIN, no â€œfailed to create new OS threadâ€”, no pthread_create failed, no â€œCannot allocate memoryâ€” anywhere. Distinct signature, absent. Flight recorder (62 samples):
cgroup memory- ceiling pressure	REAL, but not the cause	
Â§12.12 thread / RLIMIT_NPROC exhaustion	EXCLUDED	
Host memory pressure	EXCLUDED	

Lookalike	Verdict	Evidence
Host power event during the SIGSEGV	EXCLUDED	psi_mem_full10 max 0.64 , mem_avail_kb min 43.9 GB of 62.6 GB. k_suspend=0, boot_changed=0, no boot_boundary near 2026-08-20 17:56. (The separate 2026-08-19 event was a power-off â€” Â§4.)
common crash	EXCLUDED	Â§1.

The flight recorder (scripts/flight-recorder/) began sampling at **2026-08-21T15:52:01Z**, *after* both events. It cannot retro-cover them; it is cited above only for the **current** baseline. Stated explicitly per Â§11.4.6 rather than presented as incident-time evidence.

Environment (measured, not assumed)

```
podman 5.7.1          conmon 2.2.1 (commit: alt1)      crun 1.27
rootless=true         cgroupVersion=v2                 cgroupManager=systemd
EventLogger=journald  LogDriver=journald              OCIRuntime=crun
host python /usr/bin/python3 -> 3.14.6 (ALT Sisypheus)
container python /usr/local/bin/python3.12 -> 3.12.13
host TZ Europe/Belgrade (CEST, +0200); journal retention from 2026-08-14T
```

Timezone caution for anyone re-reading these logs: podman ps and some podman events records for the boba containers print **+0300** while the host journal prints **+0200 CEST**. The two disagree by an hour on the same instant. Every timestamp in this document is stated with its zone; the SIGSEGV is 2026-08-20 17:56:26 CEST = 2026-08-20T15:56:26Z.

Discovery-channel note (Â§11.4.238)

Both events were found by an agent investigating something else (BOB-129), not by container health monitoring â€” the escape BOB-131 itself records. The detector added by this investigation is [scripts/diagnostics/bob131_container_death_triage.sh](#), which classifies both of these events correctly from raw evidence and distinguishes them from all three lookalikes. It is a **triage** detector, not a monitor: it answers â€œwhat killed this containerâ€, not â€œis the container upâ€.