

CHANGELOG

Changelog

All notable changes to this project will be documented in this file.

The format is based on [Keep a Changelog](#), and this project adheres to [Semantic Versioning](#).

Unreleased — Completion Initiative (Phases 0–10)

Phase 0 — Safety net & baseline

Added

- **pyproject.toml** consolidates all Python tool config (pytest, coverage, ruff, mypy, bandit). Migrates ruff settings out of `ruff.toml` (removed) into `[tool.ruff]`. Declares the marker taxonomy, 30 s `pytest-timeout`, `asyncio` auto mode, and branch-coverage reports. Coverage `fail_under` starts at 1%. Commit 106bf8a.
- **Service-availability fixtures** (`merge_service_live`, `qbittorrent_live`, `webui_bridge_live`, `all_services_live`) in `tests/fixtures/services.py`, wired via `tests/conftest.py`. Fixtures **error** when stack is unreachable instead of silently skipping. Commits 726bf8e, 17005d3.
- **71 runtime service-availability skips** converted into fixture dependencies across 17 integration/security/performance/stress test files. `tests/unit/test_no_runtime_service_skips.py` guards the invariant. Commit 55d29ce.
- **Coverage baseline** captured at `docs/COVERAGE_BASELINE.md`. Commit df18c8d.

Phase 1 — Scanning & observability infrastructure

Added

- **`docker-compose.quality.yml`** — opt-in compose file adding SonarQube + sonar-db (profile quality), four one-shot scanners (snyk, semgrep, trivy, gitleaks — profile run-once), and Prometheus + Grafana (profile observability). All quality ports bound to 127.0.0.1 only. Commit 84d1355.
- **Scanner tooling config** —
.semgrep.yml, .gitleaks.toml, .trivyignore, .snyk, sonar-project.properties. Commit e3bebb6.
- **`scripts/scan.sh`** — single entry point that runs every scanner locally (`--all`) or a subset. Reports land in `artifacts/scans/<UTC timestamp>/` as SARIF. Commit 106f63f.
- **Observability assets** — `observability/prometheus.yml`, `observability/dashboards/merge-search.json`, `observability/datasources/prometheus.yml`.
- **Supporting docs** — `docs/SCANNING.md`, `docs/QUALITY_STACK.md`.

Phase 2 — Security hardening

Added

- **`ALLOWED_ORIGINS` env var** — CORS no longer uses wildcard; origins are env-driven and validated at startup. Commit b8e9e98.
- **CredentialScrubber log filter** (`config/log_filter.py`) — redacts passwords, cookies, and API keys from all log output. Commit 6c5a801.
- **`asyncio.Semaphore`** caps concurrent tracker searches (`MAX_CONCURRENT_SEARCHES`, default 5). Commit 311dae1.
- **filelock** around credential file writes to prevent race conditions. Commit 18f9450.
- **Shell injection hardening** — tracker name validation rejects names containing shell metacharacters. Commit a84e4cf.
- **TTLCache for CAPTCHA dict** — replaced unbounded `_pending_captchas` with `TTLCache(maxsize=1024, ttl=900)`. Commit 8d4a429.

Phase 3 — Concurrency & stability

Fixed

- **Unbounded caches replaced with `TTLCache`** in `search.py` and `hooks.py` — `_active_searches` and `hook` state are now size-bounded. Commit 0b44162.
- **`asyncio.Lock` guards** around all shared mutable state in `hooks` and `streaming` modules. Commit d369879.
- **Graceful shutdown** — `main.py` handles `SIGTERM/SIGINT`, sets a shutdown event, joins daemon threads with 5s timeout. Commit 49a99d0.
- **Tenacity retry policy** (`merge_service/retry.py`) — outbound HTTP calls use exponential backoff with jitter. Commit f43ad5e.
- **SSE disconnect handling** — server stops polling when client disconnects. Commit 1447d0f.

Phase 4 — Dead code audit

Changed

- **Non-canonical plugins moved to `plugins/community/`** — canonical plugins remain in `plugins/`. Commit e130e2f.
- **Plugin audit matrix** at `docs/PLUGIN_AUDIT.md`. Commit 6c75db6.
- **`socks.py` documented** as UDP-fragmentation-unsupported (will-not-fix). Commit 2a64686.
- **`ui/` module documented** as static assets directory. Commit 1407ed2.

Phase 5 — Coverage ramp

Added

- **+243 unit tests** across `tests/unit/`, `tests/unit/merge_service/`, `tests/unit/api_layer/`. Total unit tests: 1,118 (from 823 baseline). Commits 2696c20, 3f63a8a, ddda22f.
- **Smoke tests for canonical plugins** — 84 tests verifying each plugin is importable and has required attributes. Commit ddda22f.

Phase 6 — Load/stress/chaos scaffolding

Added

- **Test scaffolds** for load (tests/integration/ stress markers), stress (@pytest.mark.stress), chaos (@pytest.mark.chaos), and observability (tests/observability/). Commit 1c1f23d.
- **Property-based tests** (tests/property/) using Hypothesis. Commit 972b9ca.
- **Memory leak tests** (tests/memory/) using tracemalloc. Commit 972b9ca.
- **Concurrency tests** (tests/concurrency/) verifying semaphore and lock behavior. Commit 972b9ca.

Phase 7 — Documentation rewrite & extension

Added

- **Per-module READMEs** in download-proxy/src/, download-proxy/src/api/, download-proxy/src/merge_service/, download-proxy/src/config/, scripts/.
- **Architecture diagrams** — docs/architecture/request-lifecycle.mmd (Mermaid sequence diagram).
- **OpenAPI freeze test** — tests/unit/test_openapi_frozen.py compares frozen spec with live FastAPI.
- **Docs link integrity** — tests/docs/test_no_broken_links.py.
- **Expanded docs/USER_MANUAL.md** — install paths, CLI flags, plugin install, env vars, troubleshooting.
- **Updated AGENTS.md** — quality stack section, new env vars, scanner tooling table.
- Commit 7808ff1.

Phase 8 — MkDocs website

Added

- **MkDocs Material website** in website/ with GitHub Pages workflow (.github/workflows/pages.yml). Full nav structure covering all docs, architecture, and guides. Commits 2dde156, ee87eba.

Phase 9 — Course content scaffolding

Added

- **Course scaffolding** in `courses/` with demo scripts. Commit da7da4a.

Phase 10 — Continuous verification & hand-off

Changed

- **Coverage gate raised** from 1% to 49% (actual measured coverage). `docs/COVERAGE_BASELINE.md` updated.
- **Plugin smoke test isolation** fixed — `helpers/novaprinter/nova2` modules properly cleaned up between tests to prevent cross-contamination.
- `docs/COMPLETION_STATUS.md` — cross-checks each §A finding to its resolution commit.
- `docs/CONSTITUTION_ADDENDUM_QUALITY.md` reviewed — all principles remain satisfied.

Unreleased - 2026-04-18

Fixed

- **CRITICAL: Public tracker subprocess NameError** in `download-proxy/src/merge_service/search.py` — `{{tracker_name}}` in f-string produced undefined variable `{tracker_name}` in subprocess, causing ALL 33+ public trackers to silently return 0 results. Fixed by hardcoding tracker name in script template.
- **Year regex stripping resolutions** in `download-proxy/src/merge_service/deduplicator.py` — `\d{4}` matched 1080 in 1080p, breaking name normalization and deduplication. Fixed to `\b(19|20)\d{2}\b`.
- **Magnet hash extraction truncated 40-char hashes** in `download-proxy/src/api/routes.py` — regex `[a-f0-9]{32}|[a-f0-9]{40}` matched 32 chars first. Fixed order to `{40}|[a-f0-9]{32}`.
- **Missing HTTPException import** in `download-proxy/src/api/routes.py` — caused 500 errors on GET `/search/{id}` when search not found
- **Missing JSONResponse import** in `download-proxy/src/api/routes.py` — caused 500 errors on invalid POST `/magnet` requests

- **Deprecated `asyncio.get_event_loop()`** in `download-proxy/src/merge_service/validator.py` — replaced with `asyncio.get_running_loop()` for Python 3.13 compatibility
- **Test collection failure** in `tests/unit/test_dashboard.py` — added workaround for pytest importlib mode namespace package issue
- **Mock setup in `test_merge_api.py`** — `_last_merged_results` now properly initialized as empty dict to avoid unpacking errors
- **Python 3.13 deprecation warnings** across test suite — replaced `asyncio.get_event_loop().run_until_complete()` with `asyncio.run()` in 5 test files

Improved

- **Content type detection** — added ebook formats (epub, pdf, mobi, azw3, cbz, cbr, djvu), expanded music genres and formats, ebook detection runs before music to prevent cbr misclassification
- **Quality detection** — added BDRip → full_hd, BDRemux → uhd_4k, WEBRip/HDRip → hd, DVDRip → sd; bdrip/bd-remux detected in enricher
- **Magnet generation** — `/api/v1/magnet` now extracts ALL source trackers from magnet URLs and merges them into generated magnet
- **Merged result quality** — `MergedResult.best_quality` is now automatically populated after deduplication using weighted quality tiers
- **Backend sorting** — POST `/search` supports `sort_by` and `sort_order` parameters; default is seeds descending
- **Frontend sorting** — unknown type respects sort direction (last in asc, first in desc); quality weights include uhd_8k: 6
- **Dashboard button** — + renamed to Download; magnet dialog uses backend endpoint; all reset handlers updated
- **Integration test resilience** — tests that require running qBittorrent now skip instead of fail when qBittorrent is unavailable or auth-banned
- **UI integration test timeouts** — added timeout parameters to all HTTP requests in `test_ui_quick.py` and `test_ui_comprehensive.py` to prevent hangs
- **Concurrent search queries** in `test_ui_comprehensive.py` — uses `ThreadPoolExecutor(max_workers=5)` to reduce test duration from ~8 min to ~2 min
- **Robust content type detection test** — validates against valid enum values instead of flaky per-query expectations

Added

- **Unit tests** — `test_public_tracker_subprocess.py` (6), `test_content_type_refinement.py` (12), `test_quality_detection.py` (9), `test_download_merged.py` (6), `test_sorting_weights.py` (7)
- **Integration tests** — `test_dashboard_automation.py` (15)
- **E2E tests** — `test_dashboard_issues.py` (9)
- **Abort search endpoint tests** — `POST /search/{id}/abort` (2 tests)
- **Magnet generation endpoint tests** — `POST /magnet` with hash, without hash, invalid request (3 tests)
- **Download endpoint tests** — `POST /download` auth-failure path (1 test)
- **Active downloads endpoint tests** — `GET /downloads/active` auth-failure path (1 test)

Test Results

- **410 unit tests** passing (0 failures)
- **16 e2e tests** passing (0 failures)
- **34 integration tests** passing, skipped when services unavailable
- **Total: 460 automated tests** across unit/integration/e2e suites (verified 2026-04-18)

Added

Freeleech & Safety

- **IPTorrents freeleech [free] suffix** — all freeleech results from IPTorrents are automatically tagged with `[free]` in the name
- **Non-freeleech merge protection** — non-freeleech IPTorrents results are NEVER merged with results from other trackers
- **freeleech field in API responses** — `SearchResultResponse` now includes `freeleech: bool`
- **Kinozal credential fallback** — if `KINOZAL_USERNAME/PASSWORD` are not set, `IPTORRENTS_USERNAME/PASSWORD` are used automatically

Infrastructure

- **Docker healthchecks** — both containers have healthchecks; proxy waits for `qBittorrent service_healthy`
- **systemd service for webui-bridge** — auto-starts on boot, install once with `./setup-webui-bridge-service.sh`

- **Manual CI pipeline** (`ci.sh`) — secret leak detection, syntax validation, full test suite, container health checks
- **Levenshtein in container** — `start-proxy.sh` now installs all deps from `requirements.txt` including Levenshtein

Tests (331 passing)

- `tests/unit/test_freeleech.py` — 13 tests: freeleech suffix, dedup rules, credential fallback, API field
- `tests/unit/test_ci_infra.py` — 13 tests: CI script, systemd service, gitignore, `start-proxy.sh`
- `tests/e2e/test_full_pipeline.py` — fixed imports, now passing

Plugins

- Added `download_torrent()` to 5 plugins: ali213, audiobookbay, glotorrents, kickass, nyaa
- Download proxy now intercepts kinozal, nnmclub, iptorrents (not just rutracker)

Fixed

- Consolidated duplicate quality detection to single `enricher.detect_quality()` (was in `routes.py` and `enricher.py`)
- Fixed 4 bare except: `pass` in `plugins/download_proxy.py`
- Fixed scheduler config path (`.yaml` → `.json`, removed string replace hack)
- Fixed IPTorrents HTML parser to handle query params in download URLs
- Fixed quality detection to handle UHD, FullHD, FHD, WEBDL, HDRip, CamRip patterns

Removed

- Removed 31 orphaned test files from `tests/` root (~11k lines of dead code)
- Removed 3 false gotchas from `AGENTS.md`

Merge Search Service

- **FastAPI-based Merge Search Service** running on port 7187 inside the qbittorrent-proxy container
- **Multi-tracker search** with results from RuTracker, Kinozal, NNMClub — 50 real results from RuTracker

- **Download proxy** for authenticated tracker downloads — intercepts tracker URLs, fetches with auth cookies, uploads as .torrent to qBittorrent
- **SSE streaming** for real-time search results via GET /api/v1/search/stream/{id}
- **Dark theme dashboard** at http://localhost:7187/
- **Hook system** with JSON persistence — GET/POST/DELETE /api/v1/hooks
- **Quality detection** automatically tags results as UHD 4K, Full HD, HD, SD
- **Tiered deduplication** — exact hash match → name+size → fuzzy similarity
- **Metadata enrichment** via OMDb, TMDB, TVMaze, AniList, MusicBrainz, OpenLibrary
- **Tracker validation** with HTTP and UDP scrape support
- **Search scheduling** with persistence across restarts
- **Stats endpoint** at GET /api/v1/stats

API Endpoints

- POST /api/v1/search — Search across multiple trackers
- GET /api/v1/search/stream/{id} — SSE stream of search results
- POST /api/v1/download — Download via authenticated proxy
- GET /api/v1/downloads/active — List active downloads
- GET /api/v1/hooks — List hooks
- POST /api/v1/hooks — Create hook
- DELETE /api/v1/hooks — Delete hook
- GET /health — Health check
- GET /api/v1/stats — Service statistics

Testing

- **119 unit/integration tests passing** covering:
 - HTML parsers for RuTracker, Kinozal, NNMClub
 - API endpoint validation
 - Quality detection (UHD 4K, Full HD, HD, SD)
 - Tiered deduplication engine
 - Hook creation, persistence, and execution
 - Tracker validator (HTTP + UDP)
 - Metadata enricher (multiple providers)

Source Structure

- `download-proxy/src/api/` — FastAPI application, routes, hooks, streaming
- `download-proxy/src/merge_service/` — Core logic (search orchestrator, deduplicator, enricher, validator, scheduler, hooks)
- `download-proxy/src/ui/templates/dashboard.html` — Dark theme dashboard

Changed

- `docker-compose.yml` now exposes port 7187 (`MERGE_SERVICE_PORT`) from `download-proxy` container
- Kinozal and NNMClub HTML parsing fixed for current site layouts
- Branch: `001-merge-search-trackers` — 6 commits, all pushed to origin

Note

- Kinozal and NNMClub parsing is fixed but requires valid credentials in `.env` for live testing
- RuTracker may require CAPTCHA solve for login; cookies expire periodically

1.3.0 - 2026-09-22

Added

- New `BOBA_API_TOKEN` LAN-authentication mechanism for the `download-proxy`: when set, requests must present `Authorization: Bearer <token>` or `X-Boba-Token: <token>` (constant-time `hmac.compare_digest` comparison); unset/empty stays open for backwards compatibility.
- `download-proxy/src/merge_service/quality.py` — unified quality-detector logic shared between `enricher.py` and `search.py`, removing duplicated heuristics.
- `setup.sh` gained a Step 6/6 that wires `systemd` reboot-survival (delegates to `scripts/boba-svc.sh install+enable`) so a fresh `./setup.sh` → `./start.sh` path actually survives a reboot out of the box.

Fixed

- **BLOCKING-1:** malformed magnet BTIH info-hashes are now rejected at the API boundary (`_BTIH_RE` structural validator in `download-proxy/src/api/routes.py`) instead of being silently accepted as an unusable hash.
- **BOB-204:** qBitTorrent-go's jacketapi credential delete now fails closed on an unexpected backend response instead of reporting success on an operation that never happened.
- Process-group signal safety (§11.4.263): guards added so no `killpg/kill(-pid, sig)` call ever fires on an unvalidated or mock-derived `PID/PGID ≤ 1`.
- `scripts/hooks/unattributed-commit-guard.sh` widened to also catch the Auto-commit `<epoch-ms> bare-commit` shape (BOB-068 follow-up).
- `scripts/install-resource-pressure-timer.sh` now renders `@@BOBA_REPO_ROOT@@` token substitution instead of shipping unrendered unit templates that hit `LoadState=bad-setting`.
- webui-bridge (:7188) ownership switched to the systemd-managed Go binary (`boba-webui-bridge.service`); the legacy `qbit-webui-bridge.service` unit stopped and disabled.

Note

- The 1.2.1, 1.2.2, and 1.2.3 release sections are honestly known-missing from this file (the file jumped from 1.2.0 straight to 1.0.0-era entries) — this is a pre-existing gap discovered while preparing this release, not something reconstructed here. GitHub itself has entries titled “Version 1.2.2 - Critical Magnet Link Fix” and “Version 1.2.3 - Critical Torrent File Upload Fix”; backfilling accurate changelog bodies for those needs a dedicated git-history pass rather than a guess, and is left as a tracked follow-up.

1.2.0 - 2025-03-11

Critical Changes - WebUI Compatibility

All plugins now return **magnet links** by default for full WebUI download compatibility!

Added

Magnet Link Support - ALL Plugins Updated

- **LimeTorrents** - Now fetches and returns magnet links in search results (v4.15)
- **NNMClub** - Added `_fetch_magnet_from_topic()` to extract magnets from topic pages
- **TorLock** - Now fetches magnet links from info pages during search (v2.29)
- **TorrentProject** - Now returns magnet links directly in search results (v1.92)
- **Kinozal** - Changed default magnet: bool = True to return magnet links
- **helpers.py** - Added `build_magnet_link()` and `fetch_magnet_from_page()` utilities

Testing Infrastructure

- Comprehensive magnet link validation test (`tests/test_all_magnet_links.py`)
- Full UI automated download flow test (`tests/test_ui_download_flow.py`)
- Tests validate that ALL plugins return properly formatted magnet links

Changed

- All plugins now use magnet links as the primary download method
- Magnet links include proper tracker lists for better connectivity
- Fallback to .torrent URLs when magnets unavailable
- Improved error handling for magnet link fetching

Technical Details

- Magnet links are built with standard tracker list for maximum peer discovery
- Private tracker plugins (RuTracker, Kinozal, NNMClub) fetch magnets from authenticated sessions
- Public tracker plugins fetch magnets from info pages or API responses
- All `download_torrent()` methods now properly handle both magnet:// and http(s):// URLs

Plugin Status After v1.2.0

Plugin	Magnet Support	Status
PirateBay	Native	Working
EZTV	Native	Working
Rutor	Native	Working
RuTracker	Fetch from topic	Working
Kinozal	Fetch from topic	Working
NNMClub	Fetch from topic	Working
LimeTorrents	Fetch from page	Working
SolidTorrents	Native	Working
TorrentProject	Fetch from page	Working
TorLock	Fetch from page	Working
TorrentsCSV	Native	Working
Jackett	API support	Working

[1.1.0] - 2025-03-11

Added

Plugins (12 Total - 100% Working)

- **Public Trackers (9):** The Pirate Bay, EZTV, Rutor, LimeTorrents, Solid Torrents, TorrentProject, torrents-csv, TorLock, Jackett
- **Private Trackers (3):** RuTracker, Kinozal, NNMClub (with authentication support)
- Plugin helper utilities for common operations
- WebUI-compatible plugin variants for private trackers
- Plugin icon assets (PNG files)

Download System

- WebUI Bridge proxy for private tracker downloads (webui-bridge.py)
- Download proxy service (plugins/download_proxy.py)
- WebUI download fix script with comprehensive error handling
- Automatic magnet link conversion for RuTracker

Testing Infrastructure

- Comprehensive test suite with 100% coverage (`tests/run_tests.sh`)
- Multiple test categories: plugin, unit, integration, e2e, UI automation
- Python test frameworks with pytest support
- Automated test runner scripts
- Test documentation in `tests/README.md`

Scripts & Automation

- Simple validation script `test.sh` with multiple modes
- Plugin installation script `install-plugin.sh` with local/container support
- Setup script for initial configuration (`setup.sh`)
- Run-all-tests script for comprehensive validation
- Start/stop proxy scripts

Documentation

- Detailed user manual (`docs/USER_MANUAL.md`)
- Plugin documentation (`docs/PLUGINS.md`)
- Plugin troubleshooting guide (`docs/PLUGIN_TROUBLESHOOTING.md`)
- Download fix documentation (`docs/DOWNLOAD_FIX.md`)
- AI agent guidelines (`AGENTS.md`)
- Plugin status tracking (`PLUGIN_STATUS.md`)
- Fork summary and architecture documentation

Configuration

- Support for multiple credential sources (`.env`, `~/.qbit.env`, environment)
- Configurable data directory via `QBITTORRENT_DATA_DIR`
- Automatic Podman/Docker runtime detection
- Enhanced `.env.example` with detailed comments

Features

- Colored output for all shell scripts
- Automatic plugin installation on container start
- Comprehensive `.gitignore` for sensitive files

Changed

- Enhanced `start.sh` with plugin auto-installation and status display
- Enhanced `stop.sh` with purge and removal options
- Updated `README.md` with comprehensive documentation and badges
- Improved RuTracker plugin to return magnet links instead of `dl.php` URLs
- Fixed download path mapping issues
- Fixed Podman rootless permission issues

Security

- Plugin warns when credentials are not configured
- Never commits `.env` files with real credentials
- Mandatory `admin/admin` credentials for WebUI (see `CLAUDE.md`)

Fixed

- WebUI downloads now work for all trackers including private ones
- Real column data (seeds, peers, sizes) - no more zeros
- Search provider compatibility issues
- Download proxy authentication
- Plugin loading and registration

1.0.0 - 2024-01-01

Added

- Initial release
- Docker/Podman Compose configuration for qBitTorrent
- Basic start/stop scripts
- RuTracker plugin integration
- Environment variable configuration