

Fixed_Summary

Closed workable items (current_location = Fixed), regenerated from the SQLite single-source-of-truth (\$11.4.53).

Counts by Type × Status

Type	Status	Count
Bug	Fixed (→ Fixed.md)	35
Feature	Implemented (→ Fixed.md)	17
Task	Completed (→ Fixed.md)	14
Task	Fixed (→ Fixed.md)	4
Task	Implemented (→ Fixed.md)	17
TOTAL		87

Items

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
1	—	Fixed (→ Fixed.md)	Bug	—	BOB-001 — start.sh BSD-sed incompatibility aborted the boot
2	—	Fixed (→ Fixed.md)	Bug	—	BOB-002 — start.sh podman unsha incompatible with macOS remote podman
3	—	Fixed (→ Fixed.md)	Bug	—	BOB-003 — macOS tunnel port detection broken (ports never forwarded)
4	—	Completed (→ Fixed.md)	Task	—	BOB-004 — Private-tracker credentials stored securely + verified working
5	—	Fixed (→ Fixed.md)	Task	—	BOB-005 — Public-tracker plugin raised an unhandled exception (systemic)
6	—	Implemented (→ Fixed.md)	Feature	—	BOB-006 — NNMClub username password login wired — NNMClub now uses the operator's NNMCLUB_USERNAME/NNMCLUB_PASSWORD

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
7	—	Completed (→ Fixed.md)	Task	—	BOB-007 — RuTor documented a public (no-auth) — RuTor is a public tracker with no login endpoint; RUTOR_USERNAME/PASSWORD are
8	—	Completed (→ Fixed.md)	Task	—	BOB-009 — Containers submodule integrated with Go wrapper
9	—	Completed (→ Fixed.md)	Task	—	BOB-010 — Workable-items SQL DB integrated + pre-build gate w (\$11.4.93/\$11.4.95) BOB-011 — DOCX export support added — generate_markdown_exports 11 — Completed (→ Fixed.md) Task — BOB-012 — Export-sync expanded to all docs (\$11.4.65) 12 — Fixed (→ Fixed.md) Bug BOB-013 — torrentkitty_parse_size reported for every KB/MB/GB/TB size 13 — Fixed (→ Fixed.md) Bug — BOB-014 — GogenerateID() collided under burst (UnixNano-only) 14 — Fixed (→ Fixed.md) Task — BOB-015 — Remaining public-tracker failures are external / non-deterministic 15 — Fixed (→ Fixed.md) Task — BOB-016 — Jackett plugin crashed (Pool(0)) when zero indexers are configured 16 — Fixed (→ Fixed.md) Bug — BOB-017 — NNMClub plugin self-heal crashed invalid ICON 17 — Completed (→ Fixed.md) Task — BOB-018 — Jackett server image updated to latest 18 — Completed (→ Fixed.md) Task — BOB-019 — Jackett added as a reference submodule (latest release) 19 — Completed (→ Fixed.md) Task — BOB-020 — CodeGraph initialized + wired (\$11.4.78/79/80) 20 — Fixed (→ Fixed.md) Bug — BOB-021 — env_loader flaky test: leak across test ordering 21 — Fixed (→ Fixed.md) Bug — BOB-022 — AsyncMock warning in se deep-coverage tests 22 —
10	—	Implemented (→ Fixed.md)	Feature	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					Implemented (→ Fixed.md) Feature – BOB-023 – gamestorrents plugin deep-coverage tests + B-substring documented 23 – Fixed (→ Fixed.md) Bug – BOB-024 – gamestorrents_parse_sizeB-substr bug fixed 24 – Implemente Fixed.md) Feature – BOB-025 eztv.py deep-coverage tests (54 tests) – 54 tests covering MyHtmlParser (size units, date patterns, defaults, special chars 25 – Implemented (→ Fixed.m Feature – BOB-026 – piratebay deep-coverage tests + import-order bug documented 26 – Implemented (→ Fixed.md) Featur – BOB-027 – solidtorrents.py de coverage tests (37 tests) 27 Implemented (→ Fixed.md) Feat – BOB-028 – limetorrents.py c coverage tests (52 tests) 28 Implemented (→ Fixed.md) Feat – BOB-029 – torlock.py deep- coverage tests (55 tests) 29 Implemented (→ Fixed.md) Feat – BOB-030 – nyaa.py deep-cove tests + missing import re bug documented 30 – Implement (→ Fixed.md) Feature – BOB- – kickass.py deep-coverage tests comma-size gap documented 31 Implemented (→ Fixed.md) Feat – BOB-032 – anilibra.py deep- coverage tests (49 tests) 32 Fixed (→ Fixed.md) Bug – BOB-033 – kickass.py crash guards added (BOB-015 defense-in-depth) 33 – Implemented (→ Fixed.md) Feature – BOB-034 – torrentgalaxy.py + yts.py deeper coverage (80 new tests) 34 Fixed (→ Fixed.md) Bug – BOB-035 – nyaa.py missing import fixed –download_torrent()calledr BOB-036 — kickass.py comma- separated size regex fixed
35	—	Fixed (→ Fixed.md)	Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
36	—	Implemented (→ Fixed.md)	Feature	—	BOB-037 — rutor.py deep-coverage tests (83 tests) — 83 tests covering date normalization, pagination mechanism, config, proxy,
37	—	Implemented (→ Fixed.md)	Feature	—	BOB-038 — tokyotoshokan.py deep-coverage tests (60 tests)
38	—	Implemented (→ Fixed.md)	Feature	—	BOB-039 — snowfl.py deep-coverage tests (30 tests)
39	—	Implemented (→ Fixed.md)	Feature	—	BOB-040 — torrentdownload.py deep-coverage tests (35 tests)
40	—	Implemented (→ Fixed.md)	Feature	—	BOB-041 — linuxtracker.py deep-coverage tests (30 tests)
41	—	Implemented (→ Fixed.md)	Task	—	BOB-042 — audiobookbay.py deep-coverage tests + missing import fixed
42	—	Implemented (→ Fixed.md)	Task	—	BOB-043 — one337x.py deep-coverage tests + B-substring fixed
43	—	Implemented (→ Fixed.md)	Task	—	BOB-044 — extratorrent.py deep-coverage tests + B-substring fixed
44	—	Implemented (→ Fixed.md)	Task	—	BOB-045 — torrentfunk.py deep-coverage tests + B-substring fixed
45	—	Implemented (→ Fixed.md)	Task	—	BOB-046 — torrentproject.py deep-coverage tests — 36 tests covering MyHTMLParser (handle_starttag, endtag/data), feed, fetch_magnet
46	—	Implemented (→ Fixed.md)	Task	—	BOB-047 — therarbg.py deep-coverage tests + B-substring fixed
47	—	Implemented (→ Fixed.md)	Task	—	BOB-048 — academictorrents.py deep-coverage tests — 48 tests covering XML parsing, concurrency
48	—	Implemented (→ Fixed.md)	Task	—	BOB-049 — ali213.py deep-coverage tests — 25 tests covering threaded gamepage handling, retry loop (2 ceiling), magnet extraction.
49	—	Implemented (→ Fixed.md)	Task	—	BOB-050 — yourbittorrent.py deep-coverage tests — 30 tests covering HTMLParser, download_file, 7 categories.
50	—	Implemented (→ Fixed.md)	Task	—	BOB-051 — glotorrents.py deep-coverage tests — 40 tests covering pagination, 9 categories, magnet extraction, sleep.
51	—		Task	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Implemented (→ Fixed.md)			BOB-052 — pctorrent.py deep-coverage tests + B-substring pre fixed
52	—	Implemented (→ Fixed.md)	Task	—	BOB-053 — rockbox.py deep-coverage tests — 32 tests covering datetime, sleep(3) pagination, kb mb/gb sizes.
53	—	Implemented (→ Fixed.md)	Task	—	BOB-054 — bitru.py deep-coverage tests + B-substring fixed
54	—	Implemented (→ Fixed.md)	Task	—	BOB-055 — btsow.py deep-coverage tests — Tests covering data-list c parsing, search, download_torrent
55	—	Implemented (→ Fixed.md)	Task	—	BOB-056 — torrentscsv.py deep-coverage tests — 33 tests covering CSV parsing, search, download_torrent.
56	—	Implemented (→ Fixed.md)	Task	—	BOB-057 — xfsb.py deep-coverage tests + B-substring fixed
57	—	Implemented (→ Fixed.md)	Task	—	BOB-058 — yihua.py deep-coverage tests + B-substring fixed
58	—	Fixed (→ Fixed.md)	Task	—	BOB-059 — bt4g.py tests fixed (v hanging) — 3 tests had bugs: infi loop from constant return_value (should use
59	Low	Fixed (→ Fixed.md)	Bug	—	BOB-060 — Public-tracker plugin crash on degenerate/empty upstream responses
60	High	Fixed (→ Fixed.md)	Bug	—	BOB-061 — Unit suite hang + or dependent test-pollution (non-deterministic failures)
61	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-062 — Unbounded plugin pagination loops + unbounded network I/O (hang risk)
62	Low	Completed (→ Fixed.md)	Task	—	BOB-063 — pirateiro test-isolation add to conf test isolation + standard regression guard
63	—	Completed (→ Fixed.md)	Task	—	BOB-064 — Lava P1: Durable rer execution (systemd-linger helper
64	—	Completed (→ Fixed.md)	Task	—	BOB-067 — Lava P4: Jackett cool login hardening + behaviorally-equivalent HelixQA fake
65	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-071 — RD2-01: guard-forbidden-commands.sh hook has

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					live reproducible substring carriage return false-positive
66	High	Fixed (→ Fixed.md)	Bug	—	BOB-072 — RD2-03: workable_items.db machine-caused SSoT integrity violations + 90% of closures have zero audit trail
67	High	Fixed (→ Fixed.md)	Bug	—	BOB-073 — RD2-04: workable_items.db and Issues.md Fixed.md have drifted (BOB-008 body differs)
68	High	Completed (→ Fixed.md)	Task	—	BOB-075 — RD2-08: docs/feature Status.md and docs/codegraph/ Status.md are stale
69	Low	Completed (→ Fixed.md)	Task	—	BOB-076 — RD2-09: submodules jackett fork 1 commit behind upstream (informational)
70	High	Fixed (→ Fixed.md)	Bug	—	BOB-091 — RD2-26: Relocate mocked SearchOrchestrator test unit/ + author real-service replacements (closes GA-14/15/16)
71	Medium	Completed (→ Fixed.md)	Task	—	BOB-103 — Incorporate Docs Changelog submodule per §11.4.106/§11.4.206
72	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-108 — constitution scripts/ workable-items export reverts docs/ Issues.md + docs/Fixed.md revision counters
73	High	Fixed (→ Fixed.md)	Bug	—	BOB-112 — boba-jackett /healthz amplifies under cold-start concurrent burst via uncached Jackett.GetCatalog() call
74	High	Fixed (→ Fixed.md)	Bug	—	BOB-115 — Fix workable-items validate over-scoping to Updated events (BOB-010 id=64 pattern)
75	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-116 — 2nd forced-logout incident: user@1000.service SIGKILLed after resource-pressure cascade (perceived host suspended)
76	High	Fixed (→ Fixed.md)	Bug	—	BOB-117 — rutracker login diag uses forbidden §11.4.6 ‘likely’ vocabulary + wrong error_type (unfixed sibling of nnmclub fix)
77	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-119 — docs/ MERGE_SEARCH_DIAGNOSTICS states ENABLE_DEAD_TRACKER

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
78	High	Fixed (→ Fixed.md)	Bug	—	default=1; actual code + compos default=0 (contradicts sibling do BOB-122 — IPTorrents seed/leec parsing reports 0/0 despite real swarm data — outdated markup selectors in plugins/iptorrents.py AND download-proxy/src/merge_service/search.py
79	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-124 — 5th forced-logout 2026-08-19 15:28:22 — architect install-gap: 4 authored preventiv gates never installed by operator
80	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-125 — 6th forced-logout 2026-08-19 16:04:54 — RESOLV via BOB-126 (root cause was pytkill(-1,9))
81	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-126 — 7th forced-logout 2026-08-19 16:43:43 — REAL RO CAUSE: pytest kill(-1,9) via MagicMock.__int__==1; \$11.4.26 anchor + boba defense-in-depth
82	Low	Fixed (→ Fixed.md)	Bug	—	BOB-127 — Task 8 audit: 2 tests fired real killpg/getpgid on hardcoded PIDs (fixed 8bedc5a)
83	Low	Fixed (→ Fixed.md)	Bug	—	BOB-130 — Badge-test timeout deterministic — synced_fixtures fixture 93s vs -timeout=60
84	High	Fixed (→ Fixed.md)	Bug	—	BOB-132 — qbittorrent-proxy pos recovery: unhealthy — connection refused to qbittorrent sidecar on localhost:7185
85	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-133 — CRITICAL: fleet-wide container dead-but-healthy — podman stale-cache masks service outage
86	High	Fixed (→ Fixed.md)	Bug	—	BOB-138 — Reported-Via: \$11.4.202 reporting directive bug 2026-08-20T14:47:35Z Reported By: Claude What (the report, verbatim): The qbittorrent-proxy container serves TWO ports from one process - 7186 (download pr and 7187 (merge service) - but it health check probes ONLY 7186: docker-compose.yml:214 test:

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					[“CMD-SHELL”, “python -c “import urllib.request; urllib.request.urlopen(‘http://localhost:7186/’, timeout=5)” echo 1”] So when 7187 dies the container reports “healthy” indefinitely. Measured 2026-08-20: podman ps showed “Up 4 hours (healthy)” while 7187 had been returning nothing for roughly two hours (see the sibling wedge item). This is the §11.4.20 defect class exactly: the guard asserts a PROXY signal (one port answers) instead of the REAL condition (every port this container serves answers). A false-negative health pass is a §11.4 PASS-bluff in the orchestration layer – an operator or an orchestrator restart policy, and any dependent service’s depends_on.service_healthy all read “healthy” while the product’s primary capability is dead. The asymmetry is visible in the same file: the Go variant’s health check at docker-compose.yml:129 DOES probe 7187 (curl -sf http://localhost:7187/health). The Python container – which serves both ports – checks only the one that happened to start up. Note also that the two checks probe different things: line 129 uses /health, line 214 uses /. Whichever endpoint is used, the check must cover 7187. FIX DIRECTION: the health check must probe every port the container serves, and fail if ANY of them fail. Root cause here IS established (the check does not cover 7187), independent of WHY 7187 died – this is separately fixable and does not wait on the wedge investigation. DISCOVERY CHANNEL (§11.4.23) found by hand-probing during an unrelated investigation, not by automated QA. Coverage escapes: automated check asserts that a

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
87	High	Fixed (→ Fixed.md)	Bug	—	container's health check covers every port that container publishes Affected scope / file-scope manifest: docker-compose.yml (qbittorrent-proxy healthcheck, line ~214) Reproduction / context: Wedge or stop the 7187 listener while leaving 7186 up, then observe 'podman ps' still reporting (health check) as healthy. Directly: curl -max-time 6 localhost:7186/ -> 200 while curl -max-time 6 localhost:7187/ -> 0 container status 'healthy'. Acceptance criteria: The qbittorrent-proxy health check fails when 7187 is unreachable and passes when both ports answer. Guard: an automated check asserts every published port of a composition service appears in that service's health check. Evidence: health check observed FAILING against a container with a dead 7187 and PASSING with both ports live (both directions, §11.4.201). BOB-142 — Reported-Via: §11.4.202 reporting directive bug 2026-08-20T15:02:34Z Reported-By: Claude What (the report, verbatim): Every string and list on SearchRequest except limit was UNBOUNDED: query: min_length: NO max_length category: NO max_length sort_by: NO max_length sort_order: NO max_length track: NO max_length (list) limit already carried ge=1/le=100, so the model had the bounding idiom - it simply was not applied to the other fields. WHY THIS IS AN AMPLIFICATION SURFACE, NOT A TIDINESS ISSUE POST /api/v1/search fans ONE request out to ~43 tracker plugins. An unbounded field means one client inbound request becomes N expensive upstream requests, each carrying attacker-controlled payload. Rate limiting (BOB-111) does NOT

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					close it: a client staying inside its allowance can still send a multi-megabyte query, and the per-request COST is the problem here, not the request RATE. The two controls are complementary; neither substitutes for the other. Verified on the live service BEFORE the fix: a 100,000 character query was accepted and dispatched. BOUNDS ARE EVIDENCE-BASED, NOT TASTE. Measured across the repo 2026-08-20: the longest legitimate query in any test or source is 14 chars ("boba-111-probe"); the longest category is "boundary-max-length-url" (23); there are 43 managed plugins. Chosen limits leave generous headroom over observed usage while removing the unbounded tail: query 256, category 64, sort_by/sort_order 32, trackers 64 entries. Affected scope / file scope manifest: download-proxy/src/api/routes.py (SearchRequest), tests/security/test_search_request_bounds.py Reproduction / context: POST v1/search with {"query": "A"100000} against the pre-fix service: accepted (HTTP 200) and dispatched to the tracker fan-out. Same for {"trackers": ["t"]10000}. Acceptance criteria: Oversized values are refused with HTTP 429 AND realistic values still return HTTP 200 (§11.4.201 both directions), proven against the live service over real HTTP.