

Fixed_Summary

Closed workable items (current_location = Fixed), regenerated from the SQLite single-source-of-truth (\$11.4.53).

Counts by Type × Status

Type	Status	Count
Bug	Fixed (→ Fixed.md)	57
Bug	Obsolete (→ Fixed.md)	1
Feature	Implemented (→ Fixed.md)	17
Task	Completed (→ Fixed.md)	28
Task	Fixed (→ Fixed.md)	4
Task	Implemented (→ Fixed.md)	17
TOTAL		124

Items

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
1	—	Fixed (→ Fixed.md)	Bug	—	BOB-001 — start.sh BSD-sed incompatibility aborted the boot
2	—	Fixed (→ Fixed.md)	Bug	—	BOB-002 — start.sh podman unsh incompatible with macOS remove podman
3	—	Fixed (→ Fixed.md)	Bug	—	BOB-003 — macOS tunnel port detection broken (ports never forwarded)
4	—	Completed (→ Fixed.md)	Task	—	BOB-004 — Private-tracker credentials stored securely + working
5	—	Fixed (→ Fixed.md)	Task	—	BOB-005 — Public-tracker plugin raised an unhandled exception (systemic)
6	—	Implemented (→ Fixed.md)	Feature	—	BOB-006 — NNMClub username password login wired — NNMC

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					now uses the operator's NNMCLUB_USERNAME/NNMCLUB_PASSWORD
7	—	Completed (→ Fixed.md)	Task	—	BOB-007 — RuTor documented public (no-auth) — RuTor is a pu tracker with no login endpoint; RUTOR_USERNAME/PASSWORD are
8	—	Completed (→ Fixed.md)	Task	—	BOB-009 — Containers submod integrated with Go wrapper
9	—	Completed (→ Fixed.md)	Task	—	BOB-010 — Workable-items SQ DB integrated + pre-build gate (\$11.4.93/\$11.4.95) BOB-011 — DOCX export support added — generate_markdown_exports. 1 Completed (→ Fixed.md) Task BOB-012 — Export-sync gate expans all docs (\$11.4.65) 12 — (→ Fixed.md) Bug — BOB-013 torrentkitty_parse_sizereported every KB/MB/GB/TB size 13 Fixed (→ Fixed.md) Bug — B — GogenerateID()collided under (UnixNano-only) 14 — Fix Fixed.md) Task — BOB-015 — Remaining public-tracker failure external / non-deterministic — Fixed (→ Fixed.md) Task BOB-016 — Jackett plugin crashed (Pool(0)) when zero indexers are configured 16 — Fixed (- Fixed.md) Bug — BOB-017 — NNMClub plugin self-heal crashed invalid ICON 17 — Comple Fixed.md) Task — BOB-018 — Jackett server image updated to 18 — Completed (→ Fixed Task — BOB-019 — Jackett add a reference submodule (latest re 19 — Completed (→ Fixed Task — BOB-020 — CodeGraph initialized + wired (\$11.4.78/79 20 — Fixed (→ Fixed.md) — BOB-021 — env_loader flaky t KEY2 leak across test ordering — Fixed (→ Fixed.md) Bug BOB-022 — AsyncMock warning in s deep-coverage tests 22 —
10	—	Implemented (→ Fixed.md)	Feature	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					Implemented (→ Fixed.md) Feature BOB-023 – gamestorrents plugin coverage tests + B-substring bug documented 23 – Fixed (→ Fixed.md) Bug – BOB-024 – gamestorrents_parse_sizeB-substring bug fixed 24 – Implemented (→ Fixed.md) Feature – BOB-025 – eztv.py deep-coverage tests (54 tests) – 54 tests covering MyHtmlParser units, date patterns, defaults, special chars), 25 – Implemented (→ Fixed.md) Feature BOB-026 – piratebay.py deep-coverage tests + import-order bug documented 26 – Implemented (→ Fixed.md) Feature – BOB-027 – solidtorrents.py deep-coverage tests (37 tests) 27 – Implemented (→ Fixed.md) Feature – BOB-028 – limetorrents.py deep-coverage tests (52 tests) 28 – Implemented (→ Fixed.md) Feature – BOB-029 – torlock.py deep-coverage tests (52 tests) 29 – Implemented (→ Fixed.md) Feature – BOB-030 – nyaa.py deep-coverage tests + missing import re bug documented 30 – Implemented (→ Fixed.md) Feature BOB-031 – kickass.py deep-coverage tests + comma-size gap documented 31 – Implemented (→ Fixed.md) Feature – BOB-032 – anilibra deep-coverage tests (49 tests) 32 – Fixed (→ Fixed.md) Bug BOB-033 – kickass.py crash guard added (BOB-015 defense-in-depth) 33 – Implemented (→ Fixed.md) Feature – BOB-034 – torrentgalaxy.py + yts.py deeper coverage (80 new tests) 34 – Fixed (→ Fixed.md) Bug – BOB-035 – nyaa.py missing import re fixed 35 – Implemented (→ Fixed.md) Feature download_torrent()calledre.
35	—	Fixed (→ Fixed.md)	Bug	—	BOB-036 — kickass.py comma-separated size regex fixed
36	—		Feature	—	BOB-037 — rutor.py deep-coverage tests (83 tests) — 83 tests covered

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Implemented (→ Fixed.md)			date normalization, pagination, config, proxy,
37	—	Implemented (→ Fixed.md)	Feature	—	BOB-038 — tokyotoshokan.py deep-coverage tests (60 tests)
38	—	Implemented (→ Fixed.md)	Feature	—	BOB-039 — snowfl.py deep-coverage tests (30 tests)
39	—	Implemented (→ Fixed.md)	Feature	—	BOB-040 — torrentdownload.py deep-coverage tests (35 tests)
40	—	Implemented (→ Fixed.md)	Feature	—	BOB-041 — linuxtracker.py deep-coverage tests (30 tests)
41	—	Implemented (→ Fixed.md)	Task	—	BOB-042 — audiobookbay.py deep-coverage tests + missing imports fixed
42	—	Implemented (→ Fixed.md)	Task	—	BOB-043 — one337x.py deep-coverage tests + B-substring fix
43	—	Implemented (→ Fixed.md)	Task	—	BOB-044 — extratorrent.py deep-coverage tests + B-substring fix
44	—	Implemented (→ Fixed.md)	Task	—	BOB-045 — torrentfunk.py deep-coverage tests + B-substring fix
45	—	Implemented (→ Fixed.md)	Task	—	BOB-046 — torrentproject.py deep-coverage tests — 36 tests covering MyHTMLParser (handle_starttag/endtag/data), feed, fetch_magnet
46	—	Implemented (→ Fixed.md)	Task	—	BOB-047 — therarbg.py deep-coverage tests + B-substring fix
47	—	Implemented (→ Fixed.md)	Task	—	BOB-048 — academictorrents.py deep-coverage tests — 48 tests covering XML parsing, concurrency
48	—	Implemented (→ Fixed.md)	Task	—	BOB-049 — ali213.py deep-coverage tests — 25 tests covering thread gamepage handling, retry loop (ceiling), magnet extraction.
49	—	Implemented (→ Fixed.md)	Task	—	BOB-050 — yourbittorrent.py deep-coverage tests — 30 tests covering HTMLParser, download_file, 7 categories.
50	—	Implemented (→ Fixed.md)	Task	—	BOB-051 — glotorrents.py deep-coverage tests — 40 tests covering pagination, 9 categories, magnet extraction, sleep.
51	—	Implemented (→ Fixed.md)	Task	—	BOB-052 — pctorrent.py deep-coverage tests + B-substring fix

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
52	—	Implemented (→ Fixed.md)	Task	—	BOB-053 — rockbox.py deep-coverage tests — 32 tests cover datetime, sleep(3) pagination, kb, gb sizes.
53	—	Implemented (→ Fixed.md)	Task	—	BOB-054 — bitru.py deep-coverage tests + B-substring fixed
54	—	Implemented (→ Fixed.md)	Task	—	BOB-055 — btsow.py deep-coverage tests — Tests covering data-list parsing, search, download_torrent
55	—	Implemented (→ Fixed.md)	Task	—	BOB-056 — torrentscsv.py deep-coverage tests — 33 tests cover CSV parsing, search, download_torrent.
56	—	Implemented (→ Fixed.md)	Task	—	BOB-057 — xfsusb.py deep-coverage tests + B-substring fixed
57	—	Implemented (→ Fixed.md)	Task	—	BOB-058 — yihua.py deep-coverage tests + B-substring fixed
58	—	Fixed (→ Fixed.md)	Task	—	BOB-059 — bt4g.py tests fixed (hanging) — 3 tests had bugs: infinite loop from constant return_value (should use
59	Low	Fixed (→ Fixed.md)	Bug	—	BOB-060 — Public-tracker plugin crash on degenerate/empty upstream responses
60	High	Fixed (→ Fixed.md)	Bug	—	BOB-061 — Unit suite hang + order dependent test-pollution (non-deterministic failures)
61	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-062 — Unbounded plugin pagination loops + unbounded network I/O (hang risk)
62	Low	Completed (→ Fixed.md)	Task	—	BOB-063 — pirateiro test-isolation add to confstest isolation + standard regression guard
63	—	Completed (→ Fixed.md)	Task	—	BOB-064 — Lava P1: Durable re-execution (systemd-linger helper)
64	—	Completed (→ Fixed.md)	Task	—	BOB-067 — Lava P4: Jackett cookie login hardening + behaviorally-equivalent HelixQA fake
65	High	Fixed (→ Fixed.md)	Bug	—	BOB-070 — RD2-41: pre-build mutation-marker scan carrier false positive silently defeats entire pre-build gate
66	Medium		Bug	—	BOB-071 — RD2-01: guard-forbidden commands.sh hook has live

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Fixed (→ Fixed.md)			reproducible substring carrier f positive
67	High	Fixed (→ Fixed.md)	Bug	—	BOB-072 — RD2-03: workable_items.db machine-cau SSoT integrity violations + 90% closures have zero audit trail
68	High	Fixed (→ Fixed.md)	Bug	—	BOB-073 — RD2-04: workable_items.db and Issues.m Fixed.md have drifted (BOB-008 differs)
69	High	Completed (→ Fixed.md)	Task	—	BOB-075 — RD2-08: docs/featur Status.md and docs/codegraph/ Status.md are stale
70	Low	Completed (→ Fixed.md)	Task	—	BOB-076 — RD2-09: submodule jackett fork 1 commit behind upstream (informational)
71	Medium	Completed (→ Fixed.md)	Task	—	BOB-079 — RD2-12: Retroactiv attributed history notes for GA-18/21/22/25/26/27 changes rewrite published history)
72	High	Completed (→ Fixed.md)	Task	—	BOB-081 — RD2-14: Author CONTINUATION.md Session 15 (currently 53 days / 24+ commi behind HEAD)
73	Medium	Completed (→ Fixed.md)	Task	—	BOB-083 — RD2-16: Regenerat browser_extension/features/ codegraph Status.md + Summa HTML/PDF siblings
74	High	Completed (→ Fixed.md)	Task	—	BOB-084 — RD2-17: Reconcile BOB-008 DB/MD body drift via workable-items tool
75	Medium	Completed (→ Fixed.md)	Task	—	BOB-086 — RD2-19: Fix BOB-00 BOB-010 evidence_path + back item_history for 56 silent closur
76	High	Completed (→ Fixed.md)	Task	—	BOB-087 — RD2-20: Wire docs_chain / commit-seam sync per §11.4.106(F) so DB writes c land without MD mirror
77	High	Completed (→ Fixed.md)	Task	—	BOB-089 — RD2-24: RED-first t for start.sh reload_python/ reload_plugins/recreate_stack (test-half of GA-27)
78	High	Fixed (→ Fixed.md)	Bug	—	BOB-091 — RD2-26: Relocate m SearchOrchestrator tests to uni

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					author real-service replacement (closes GA-14/15/16)
79	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-092 — RD2-27: Remove test_live_stack_evidence.py:265 nnmclub SKIP-on-404 fallback + verify live 200 (closes GA-13)
80	Medium	Completed (→ Fixed.md)	Task	—	BOB-096 — RD2-31: Extend qBitTorrent-go jackett_db_test.q with real process-kill/resource-exhaustion fault injection
81	Medium	Completed (→ Fixed.md)	Task	—	BOB-098 — RD2-34: Parametrize hardcoded /Volumes/T7 paths in helixqa banks with PROJECT_ROOT (closes GA-23)
82	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-099 — RD2-36: Fix guard-forbidden-commands.sh substri match false-positive class + add const033-poweroff-signal-triage carrier to EXCLUDE_PATHS
83	Medium	Completed (→ Fixed.md)	Task	—	BOB-103 — Incorporate Docs C submodule per §11.4.106/§11.4.107
84	Medium	Completed (→ Fixed.md)	Task	—	BOB-105 — §11.4.238 followup: mechanical §11.4.227(B) anchor block-integrity check
85	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-108 — constitution scripts, workable-items export reverts of Issues.md + docs/Fixed.md revision counters
86	High	Fixed (→ Fixed.md)	Bug	—	BOB-112 — boba-jackett /health amplifies under cold-start concurrency burst via uncached Jackett.GetCatalog() call
87	Low	Completed (→ Fixed.md)	Task	—	BOB-113 — BOB-074 followup: wrk to dev tooling for DDoS/load challenges
88	High	Fixed (→ Fixed.md)	Bug	—	BOB-115 — Fix workable-items validate over-scoping to Update events (BOB-010 id=64 pattern)
89	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-116 — 2nd forced-logout incident: user@1000.service SIGKILLED after resource-pressure cascade (perceived host suspension)
90	High	Fixed (→ Fixed.md)	Bug	—	BOB-117 — rutracker login diag uses forbidden §11.4.6 ‘likely’

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					vocabulary + wrong error_type (unfixed sibling of nnmclub fix)
91	High	Fixed (→ Fixed.md)	Bug	—	BOB-118 — README.md pytho badge claims 585 passing; pyte -collect-only measures 5235 (9x wrong)
92	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-119 — docs/MERGE_SEARCH_DIAGNOSTIC states ENABLE_DEAD_TRACKER default=1; actual code + compo default=0 (contradicts sibling d
93	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-120 — 3rd forced-logout incident 2026-08-18 23:45:49 — SIGKILL user@1000 + preventi timer-inside-user-slice architect gap
94	High	Fixed (→ Fixed.md)	Bug	—	BOB-122 — IPTorrents seed/lee parsing reports 0/0 despite real swarm data — outdated markup selectors in plugins/iptorrents.p AND download-proxy/src/merge_service/search.py
95	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-123 — 4th forced-logout in 2026-08-19 00:37:11 — PAM/Lin contradiction breakthrough (ret registered: id used in 6 commit no tracker row)
96	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-124 — 5th forced-logout 2026-08-19 15:28:22 — architec install-gap: 4 authored preventi gates never installed by operato
97	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-125 — 6th forced-logout 2026-08-19 16:04:54 — RESOLV via BOB-126 (root cause was py kill(-1,9))
98	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-126 — 7th forced-logout 2026-08-19 16:43:43 — REAL R CAUSE: pytest kill(-1,9) via MagicMock.__int__==1; \$11.4.2 anchor + boba defense-in-depth
99	Low	Fixed (→ Fixed.md)	Bug	—	BOB-127 — Task 8 audit: 2 tests real killpg/getpgid on hardcoded (fixed 8bedc5a)
100	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-128 — killpg-carrier collision between CM-TEST-MOCK-PID-

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					PATCHED-WHEN-REAL-PID and sibling CM-KILLPG-PGID-GUAR (retro-registered: id used in 3 commits with no tracker row)
101	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-129 — Potential production slowapi/starlette defect flagged Task 105 subagent
102	Low	Fixed (→ Fixed.md)	Bug	—	BOB-130 — Badge-test timeout deterministic — synced_fixtures fixture 93s vs -timeout=60
103	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-131 — qbittorrent-proxy p common crash — pre-existing, surfaced during BOB-129 investigation
104	High	Fixed (→ Fixed.md)	Bug	—	BOB-132 — qbittorrent-proxy p recovery: unhealthy — connecti refused to qbittorrent sidecar o localhost:7185
105	Critical	Fixed (→ Fixed.md)	Bug	—	BOB-133 — CRITICAL: fleet-wic container dead-but-healthy — p stale-cache masks service outag
106	High	Completed (→ Fixed.md)	Task	—	BOB-136 — Closure seam does bind: 4 tracker rows found stale one sweep, and workable-items blind to body_md drift
107	High	Fixed (→ Fixed.md)	Bug	—	BOB-138 — qbittorrent-proxy h check probes only 7186, so a de 7187 merge service reports hea forever
108	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-139 — SSE _client_gone() swallows every exception into ‘o still connected’, so a raising disconnect probe streams forev (fail-open)
109	Medium	Completed (→ Fixed.md)	Task	—	BOB-140 — Upstream the healthcheck-covers-served-port into constitution/scripts/gates/ a thin boba’s copy to a delegator (§11.4.177)
110	High	Fixed (→ Fixed.md)	Bug	—	BOB-142 — SearchRequest field were unbounded, so one request could amplify into a 43-tracker out carrying arbitrary payload
111	Low		Bug	—	BOB-144 — /theme/stream calls disconnect probe unguarded —

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
		Fixed (→ Fixed.md)			closed but via an uncaught trace
112	High	Fixed (→ Fixed.md)	Bug	—	inconsistent with the two SSE generators BOB-145 — Fix the 7187 wedge offload and/or memoise Deduplicator.merge_results so O(N^2) regex work stops block the asyncio event loop
113	High	Fixed (→ Fixed.md)	Bug	—	BOB-146 — Constitution §11.4.2 detector undercounts by 29% (342 AST ground truth) — 4 distinct blind spots make its output a floor not a census
114	Medium	Completed (→ Fixed.md)	Task	—	BOB-147 — Triage all 36 §11.4.1 fail-open hits: 9 real defects fixed, 14 correct idioms, 14 vendored
115	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-148 — Standing red unit test nothing tracked: test_no_credentials asserts has_session False, gets True — real defect or non-hermetic test undecided
116	Medium	Fixed (→ Fixed.md)	Bug	—	BOB-153 — Go profile cannot be go.mod requires go 1.26.2 but the Dockerfile builder is golang:1.21-alpine
117	High	Fixed (→ Fixed.md)	Bug	—	BOB-155 — workable-items diff reports ‘DB and Markdown are sync’ having opened zero Markdown files when -issues/-fixed are omitted
118	High	Fixed (→ Fixed.md)	Bug	—	BOB-157 — Our own BOB-137 service watchdog can segfault the merge service: faulthandler dump_traceback(all_threads=True) hits an unpatched CPython 3.12.13 defect
119	High	Fixed (→ Fixed.md)	Bug	—	BOB-158 — tests/conftest.py can run on the production interpreter binds asyncio.events._get_event_loop() a 3.13+ private API, while prod is 3.12.13
120	High	Fixed (→ Fixed.md)	Bug	—	BOB-166 — WHAT. §11.4.19 requires closure migration to be ATOMIC resolving item moves to Fixed.md DISAPPEARS from Issues_Summary

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					(open-only) and APPEARS in Fixed_Summary (closed-only). These rows violate all three properties now — they carry a terminal status yet current_location='Issues', so they render in docs/Issues.md and are listed in docs/Issues_Summary.md with a status that literally reads 'Fixed (→ Fixed.md)', while appearing 0 times in Fixed_Summary.md. Any reader of the canonical open tracker is told these are open work. MANIFEST (measured 2026-08-21): BOB-08 (Completed), BOB-129, BOB-13, BOB-144, BOB-145, BOB-146, BOB-148, BOB-153, BOB-155, BOB-157 (all 'Fixed (→ Fixed.md)'. Confirmed rendering: BOB-155/087/157 each grep 1 in Issues.md, 0 in Fixed.md, present in Issues_Summary.md, 0 hits in Fixed_Summary.md. ROOT CAUSE (reproduced at runtime, not inferred): 'close' performs the atomic migration and REQUIRES -evidence. 'update -status' sets any §11.4.15 closed value with NO evidence and NO migration — and it knows the location, because it prints it. On COPY of the real DB: \$ workable items update -id BOB-065 -db repro.db -status 'Fixed (→ Fixed.md)' update: BOB-065 updated in Issues (status=Fixed (→ Fixed.md), type=Task) \$ sqlite3 repro.db 'SELECT atm_id,status,current_location FROM Issues WHERE BOB-065 Fixed (→ Fixed.md) Issues'. So the seam that is supposed to be the ONLY closure path (close, evidence-gated per §11.4.146(D)) has a parallel unguarded path that reaches the same status while skipping BOTH the evidence requirement and the migration. NOTHING CAUGHT IT (§11.4.2 coverage-escape audit). Three standing checks stay GREEN on

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					holding the forbidden row, verifying the poisoned copy from the repository so no cwd artifact is involved: (1) 'validate' → 'OK — 164 items, all invariants satisfied' (it has no status↔location coherence invariant) (2) 'diff' → 'in sync' (DB and Markdown agree — on the WRC state; agreement is not correct) (3) CM-CLOSURE-SEAM-BINDS CHECK A → PASS (it flags NON-terminal rows whose id appears in work commit; these rows are terminal, so they are outside its predicate by construction). This was found by reading a status tally, not the automated regime — a §11.4.201 discovery-channel escape, which is itself a defect of equal standing with mis-located rows. ACCEPTANCE 'update' REFUSES a terminal status and names 'close' as the correct with a paired §1.1 mutation producing the refusal (removing the guard to make the mutation pass). (b) 'validate' grows a status↔location coherence invariant that FAILS in the forbidden state, with a golden-bug fixture and a negative control (a legitimately terminal row in Fix must NOT fire — §11.4.201(1)). The 10 existing rows are drained. Fixed with class-matched evidence per row, or, where a row's evidence cannot be produced, honestly re-opened rather than migrated on bare assertion. (d) Honest bound this closes the update-path hole in the detection gap; it does not close every historical status write was evidence-backed. NOT CLAIMED fix is implemented by this filing 10 rows are untouched; draining them is acceptance (c) and each needs its own evidence, not a bare UPDATE.
121	High	Fixed (→ Fixed.md)	Bug	—	BOB-183 — The compiled Angular bundle shipped at download-pro

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
122	—	Fixed (→ Fixed.md)	Bug	—	src/ui/dist/frontend/browser still carries the BOB-164 colour-con defect verbatim: scanned 2026- it reports 21 violation nodes on darcula/dark and 1 on darcula/l while the same sources built to scratch path report 0 across all palette x mode combinations. This is therefore correct at the SOURCE layer and absent at the ARTIFACT layer, so §11.4.108 layer 2 is NOT closed and end users still see the contrast dashboard. Two compounding facts make this situation rather than obvious: dist/ is gitignored, so the divergence never shows in a diff; and scripts/install.sh:133 asserts only that the directory EXISTS, never that it is newer than the sources it was built from, so a stale bundle passes unchanged. Acceptance: install (an equivalent gate) FAILS on a bundle older than its sources, the bundle is rebuilt, and docs/qa/BOB-164/axe_contrast_scan.py run again. download-proxy/src/ui/dist/frontend/browser exits 0 with zero violation nodes and zero blocking incomplete nodes. BOB-186 — workable-items diff returned exit 0 and the verdict “Markdown are in sync” on a PARTIAL read: invoked with -is but without -fixed it compared ‘Markdown items against 184 DB items and called that in sync, producing both mismatched counts in its output while 107 DB items were never compared against anything. Measured 2026-08-25: (A) no markdown paths -> correctly REFUSES exit 1; (B) -db-only -> honest, “no Markdown comparison (C) -issues alone -> exit 0, “in sync (compared 77 Markdown item(s) against 184 DB item(s))”. The 11.4.201(6) false-null: a partial

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					blind instrument returned the s quiet green a genuinely-synced corpus returns. IMPACT — CORRECTED 2026-08-25, my o filing OVERSTATED this. I wrot CHECK 2 of the 11.4.106(F) cor seam was exposed. It was NOT. scripts/hooks/docs-sync-committ seam.sh:277 passes BOTH -issu and -fixed, and a repo-wide swe found NO executable caller that breaks: the two real callers (tha seam and pre_build_verification.sh:549) b pass both paths; the single-path are prose evidence files plus a s scan test fixture. So the defect v real and latent, never live in thi project. The corrected claim is: FUTURE single-path caller wou have been silently mis-told. PROVENANCE, twice corrected subagent first attributed the fal to the no-paths form, which act refuses correctly; the conductor measured and relocated it to th partial read. Then the fixing age corrected the conductor on imp Both corrections are recorded s neither wrong version propagat FIXED (uncommitted, constituti submodule, fetched to upstream 7f16739 before edit per 11.4.26 Design: refuse by default (11.4.201(4)); the narrow per-tr comparison PRESERVED behind explicit -partial-scope rather th deleted (deleting an existing documented capability would be 11.4.122 silent removal), mirror how -db-only preserved the no- Markdown shape. Keyed on MEASURED DB content, never flag presence — a DB with zero rows IS fully accounted for by - alone and still passes, so flag-ke would have traded the false-nul an 11.4.201(1) false-positive ref

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					Resulting property: “in sync” is reachable only when the two pr counts account for each other. fail/5 pass -> GREEN 9/9; paire mutation is the fixs own revert, exactly the 4 defect-guarding te while the 5 preservation tests s green. Case C now refuses nam “107 item(s) located in Fixed (s -fixed)”, the 107 confirmed aga independent sqlite3 count (107 + 78 Issues = 185). Incidentally closed an 11.4.238 gap: case As refusal had no test anywhere; TestDiffCmd_NoPathsStillRefus guards it. OPEN: -partial-scope agents naming choice, not an operator decision, and renaming cheap now and expensive after consumers adopt it. Other cons of this shared submodule were swept. CLOSED 2026-08-26. Al fixed 2026-08-25 21:06 by constitution commit 5979128 (“fix(workable-items): diff claim sync’ while 107 DB rows went uncompered”) - only this tracke was stale; no code work was ow ROOT CAUSE, proven from pre source (11.4.6 - fact, not inferen two individually-reasonable piee sync.go. (a) sync.go:852-863, th reverse “absent in Markdown” p carried if d.CurrentLocation == "Fixed" && *fixedPath == "" { continue } - its own comment declares the intent, suppress fa positives for trackers the caller supplied, correct in isolation - b continue ALSO dropped those r out of differences, and nothing compensated. (b) sync.go:894-8 the verdict, printed len(parsed) len(dbItems) - the two MISMAT numbers - then decided purely c differences. THE VERDICT PRII BOTH NUMBERS AND NEVER COMPARED THEM. In one line:

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					11.4.201(1) false-positive guard silently narrowed comparison S while the verdict stayed scope-unaware, so the fix for a false p created its 11.4.201(6) mirror in CLOSED ON BEHAVIOURAL EVIDENCE, not on reading the commit (11.4.226 evidence-class closure): the shipped binary now REFUSES a partial-scope verdict instead of reporting “in sync” - “refusing to report a DB-vs-Markdown verdict that would si exclude part of the DB - the sup Markdown path(s) do not accou 122 item(s) located in Fixed (su -fixed)”, exit 1; with opt-in -par scope it reports “PARTIAL SCO difference(s) ... 122 of 201 DB i were NOT compared”, exit 1. Th phrase “in sync” is structurally unreachable on a partial read. Regression suite sync_diff_partial_scope_test.go tests) landed with the fix. INSTRUMENT VALIDATED BOT WAYS (11.4.201(7)(b)): negative control - regenerating Markdow from a copy DB yields “in sync (against 201)” exit 0, so the chec not stuck-on-FAIL. Needle A (fli BOB-008 status, Issues leg) det exit 1. Needle B (delete BOB-06 the FIXED leg - the exact leg th defect was blind to) detected as “present in DB, absent in Marko (200 vs 201), exit 1. Each needl verified applied before running. HONEST GAP (11.4.6): UNKNO whether the shipped binaries ar byte-reproducible from HEAD s - they were not rebuilt. Both we proven to carry the guard and b identically on the real corpus, w is the behavioural evidence this closure rests on. No claim is ma about classes diff does not com (revision headers, *_Summary.m

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
123	—	Fixed (→ Fixed.md)	Bug	—	BOB-190 — WHAT: ~/.local/lib/python3/site-packages contains binaries built for the cpython-3. while the interpreter is Python . so pydantic_core and rpds fail to import and every test importing FastAPI dies at import time. CONFIRMED NOT OURS: an untouched test file fails identically this is environmental and pre-existing. WHY IT MATTERS: CLAUDE.md documents 'python3 -m pytest tests/unit/ -v -import-mode=importlib' as the canonical invocation and that documented command currently cannot run on host and host disagree, the §11.4.99 misguidance class at the environment layer. scripts/run-tests.sh already sidesteps it by selecting .venv/bin/python, so a working path exists, simply is not what the docs tell the reader to type. IMPACT: anyone following CLAUDE.md literally concludes the suite is broken; with an agent could chase green by rewriting tests. ACCEPTANCE: repair the host site-packages so the documented command works, or correct CLAUDE.md + docs/TESTING.md to name the venv interpreter as canonical - decide explicitly, not left to whoever hits next. Discovered out-of-band by fail-open triage agent, so per §11.4.238 this also owes a coverage escape note: no automated check asserts the documented test invocation actually runs. BOB-206 — STATUS: UNCONFIRMED — surfaced by T041 review-scope preflight (docs/T041/review_scope_map_20260826.md) which stated it as “factor 6 is unguarded as far as I could tell” hedge is preserved deliberately §11.4.6: this item exists to DRIVE
124	critical	Obsolete (→ Fixed.md)	Bug	—	

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					verification, and MUST NOT be as a confirmed defect until a run probe settles it either way. WHAT hypothesis to test): probe_location verdict is a product of ≥ 7 independent terms — the §11.4.194(1) multi-factor shape ANY degenerate term triggers t failure and verifying one while assuming the rest is the exact forbidden gap. Factor 6 is the filesystem's ability to EXPRESS file ownership. On a uid-flattened filesystem (vfat / exfat / ntfs mount with a uid= option) every file reads the MOUNT's uid regardless of any chown did or did not do. If probe_location() reads that uid concludes ownership is correct, returns 'ok' on a filesystem structurally incapable of holding property being probed — a §11.4.201(6) FALSE-NULL at the feature's own core: the probe a genuinely-correct filesystem returns the identical quiet success. WHAT CRITICAL RATHER THAN THEORETICAL: the download reads a HOST-SPECIFIC MOUNT. What this fires is a property of the operator's actual mount table, not our source — so it cannot be seen by reading code alone, and a good probe on the developer's ext4/btrfs proves nothing about an operator whose media lives on exfat or ntfs. This is precisely the class §11.4. layer-3 exists for. ADJACENT UNGUARDED TERMS the same preflight surfaced (verify together they share the tri-state): the precondition has FOUR refusal triggers, of which R4 is itself a THREE-WAY product (measured rootless AND non-root user-specific mounts-a-declared-location) that source states has no second line defence; R3 and R4 both consume

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					detect <code>rootless()</code>'s tri-state who DOCKER branch the source itself admits is documented-not-measured VERIFICATION PLAN (§11.4.111 RED-first, §11.4.262 machine evidence): (1) enumerate the root mount table and record which declared locations sit on uid-flattening filesystems — that measurement alone may confirm or dismiss the whole item; (2) construct a loopback vfat/exfat image mounted with a <code>uid=</code> option, point a declared location at it, run <code>probe_location</code> and capture the verdict — if it reports ok, that IS the RED; (3) fix by detecting the filesystem's ownership expressiveness and refusing-without-reason rather than reporting ok (§11.4.252 fail-closed: a probe that cannot resolve its condition refuses and says so, never passes); (4) golden-FALSE fixture on ext4/btrfs proving the new guard does NOT refuse a healthy location (§11.4.201(1) — a false-positive refusal here would break every normal operator). BLAST RADIUS this is the ownership feature's correctness core — the subject spec 002-user-owned-download false ok here means the feature reports success while the operator still has to chown by hand, which the ORIGINAL reported problem spec exists to solve. DISCOVER CHANNEL (§11.4.238): found by agent mapping the T041 review scope, NOT by the automated Q regime — a coverage escape in its own right. The escape audit over existing check exercises a uid-flattening filesystem, so no automatic surface could have caught it. NOTE ON THIS RECORD: the first writing of this description was corrupted by shell backtick expansion (three backticks silently emptied). This is the replacement

#	Level	Status	Type	Fixed-In Tag(s)	One-line description
					text; the corruption is recorded rather than quietly overwritten, §11.4.6.