

MAGNET_LINKS

Magnet Link Implementation Guide

Revision: 1 Last modified: 2026-06-06T00:00:00Z

Status: ALL PLUGINS RETURN MAGNET LINKS

All plugins have been updated to return magnet links in search results, enabling direct WebUI downloads.

What Was Fixed

Version 1.2.1 (Current)

- **LimeTorrents:** Improved magnet link fetching with:
 - Retry logic for failed requests
 - Better error handling
 - Skip results without magnet links (no HTTP fallback)
 - Multiple extraction patterns

Version 1.2.0

All plugins updated to return magnet links: - PirateBay - Native magnet support - EZTV - Native magnet support - Rutor - Native magnet support - RuTracker - Fetches magnet from topic pages - Kinozal - Fetches magnet from topic pages (default: magnet=True) - NNMClub - Fetches magnet from topic pages - LimeTorrents - Fetches magnet from info pages (v4.16 with retry) - SolidTorrents - Native magnet support - TorrentProject -

Fetches magnet from info pages - TorLock - Fetches magnet from info pages - TorrentsCSV - Native magnet support - Jackett - Prefers MagnetUri over Link

How It Works

Search Flow

1. User searches in qBittorrent WebUI
2. Plugin returns results with link field containing magnet URI
3. User clicks “Download”
4. qBittorrent receives magnet link directly
5. Download starts automatically

Magnet Link Format

magnet:?xt=urn:btih:[40-char-hash]&dn=[encoded-name]&tr=[tracker1]&tr=[tracker2]...

Testing Magnet Links

Manual Test

```
cd /run/media/milosvasic/DATA4TB/Projects/qBitTorrent/plugins
python3 << 'EOF'
import sys
sys.path.insert(0, '.')

# Mock prettyPrinter
results = []
def mock_printer(data):
    results.append(data.copy())

import novaprinter
novaprinter.prettyPrinter = mock_printer

# Test any plugin
from piratebay import piratebay
engine = piratebay()
engine.search('ubuntu', 'all')

# Check results
if results:
    link = results[0].get('link', '')
    print(f"First result link: {link[:80]}...")
```

```
        print(f"Is magnet: {link.startswith('magnet:')}")
    else:
        print("No results")
EOF
```

Test All Plugins

`./tests/test_all_magnet_links.py`

Common Issues

Issue: HTTP link instead of magnet

Cause: Magnet fetching failed, plugin fell back to HTTP URL **Fix:** Check site accessibility, verify HTML structure hasn't changed

Issue: No results returned

Causes: - Site is down or blocking requests - HTML structure changed - Network connectivity issues

Debug: Enable logging in plugin:

```
import logging
logging.basicConfig(level=logging.DEBUG)
```

Plugin-Specific Notes

LimeTorrents (v4.16)

- Fetches magnets from individual info pages
- Retries failed requests up to 3 times
- Skips results if magnet fetch fails (no HTTP fallback)
- May be slow due to extra HTTP requests

Private Trackers (RuTracker, Kinozal, NNMClub)

- Require authentication
- Fetch magnets from authenticated session
- Magnet links extracted from topic pages

Public Trackers (PirateBay, EZTV, Rutor, etc.)

- Magnet links available directly in search results
- No extra HTTP requests needed
- Fast performance

Verification Checklist

Before considering a plugin complete, verify: - [] Search returns results - [] Results have link field - [] link field starts with magnet: - [] Magnet link has valid hash (40 hex characters) - [] Download starts when clicking result in WebUI

Performance Tips

1. **Public trackers** are faster (magnets in search results)
2. **Private trackers** require extra requests (slower but necessary)
3. **LimeTorrents** makes extra requests (slower but ensures magnets)

Future Improvements

- ☐ Cache magnet links to avoid re-fetching
- ☐ Parallel magnet fetching for multiple results
- ☐ Better error messages when sites are down
- ☐ Automatic fallback to alternative sites

Support

If a plugin returns HTTP links: 1. Check site is accessible 2. Enable debug logging 3. Report issue with full error message 4. Include sample search query that failed