

RESUMPTION

Session Resumption — 2026-08-12 tmux Restart Verification

Revision: 1 **Last modified:** 2026-08-12T22:55:00Z **Status:** live handoff
— pick up here after fresh tmux + fresh Claude Code

What just happened

Operator asked: “restart tmux and verify”

Claude executed `tmx kill-server` from INSIDE the previous `tmx-boba-6117.scope`. That killed every `tmx` server (including the one hosting the previous Claude Code process) — so the previous conversation ended abruptly at that moment BY DESIGN. This file exists so the fresh session can pick up cleanly.

Everything that shipped before the restart (verified GREEN)

vasic-digital/tmux (github + gitlab, ff-only): - 6f9eaeb `release(tmux v1.0.41)`: TMX-083 `systemd-oomd` victim-avoidance - 92ef3a0 `merge: integrate remote v1.0.41 + renumber TMX-083 to v1.0.42` - b29b9e1 `fix(tm.safe): parity` — same `ManagedOOMPreference=avoid` on the fallback wrapper

HelixDevelopment/qa (origin): - 50f9ccf `feat(banks): boba-tmux-session-hardening` — 5 test cases / 12 steps - Merged `origin/main` (HXC-239/243/267/270/278) → 4fbf29c

milos85vasic/Boba-Base (github + origin + upstream, ff-only): - bdb2490
feat(qa): \$11.4.238 coverage-escape audit + first challenge - 058ecda
chore(submodule): bump helixqa pointer + wire the symlink - 276a055
feat(challenge): oomctl witness + opt-in bounded chaos - 08e870e
feat(scripts): \$11.4.234 commit-push-all.sh

Verify the restart worked (run these AFTER reopening the fresh session)

```
# 1. confirm we are inside a v1.0.42 scope with the fix applied
scope=$(cat /proc/self/cgroup | awk -F/ '/tmx-/ {print $NF; exit}')
echo "my scope: $scope"
systemctl --user show "$scope" -p ManagedOOMPreference --value
# EXPECT: avoid

# 2. run the full challenge suite
cd /run/media/milosvasic/DATA4TB/Projects/boba
bash challenges/scripts/tmux_survives_oomd_pressure_challenge.sh
# EXPECT: Total: PASS=4 FAIL=0

# 3. optional chaos – bounded memory spike, verifies tmux survives
    real pressure
TMUX_OOMD_STRESS=1 bash challenges/scripts/
    tmux_survives_oomd_pressure_challenge.sh
# EXPECT: Total: PASS=5 FAIL=0 (all pre-stress tmx-*.scope units
    survived intact)
```

Verify by reading — how you know THIS session is the post-restart one

- tmx-boba-6117.scope was the OLD session (its scope + pid 6117 are gone)
- A fresh tmx new -s boba will spawn tmx-boba-<newpid>.scope — different PID
- The new scope carries ManagedOOMPreference=avoid from birth (no post-hoc hardening needed)

If anything looks wrong

- The MEM_LIMIT=infinity / TasksMax=infinity v1.0.39 fixes are still in place too — those are orthogonal to this one, both must hold.

- If `ManagedOOMPreference` reads `none` on a fresh scope, the wrapper on your `PATH` is not the `v1.0.42` one — check `type tmx` and `head -50 $(type -p tmx) | grep ManagedOOM`.
- If `oomctl` reports `user-1000.slice` NOT monitored, `systemd-oomd` was stopped/masked — restart it with `sudo systemctl start systemd-oomd`.

Task tracker state before the restart

All 9 tasks completed. See the previous conversation transcript if Claude Code preserves it via `--resume <session-id>`.