

regenerate-continuation-exports

scripts/regenerate-continuation-exports.sh — surgical CONTINUATION.md export regen

Revision: 1 **Last modified:** 2026-08-18T22:47:00Z **Status:** active

Overview

`scripts/regenerate-continuation-exports.sh` regenerates `docs/CONTINUATION.html` and `docs/CONTINUATION.pdf` from `docs/CONTINUATION.md` via a direct `pandoc (+ weasyprint)` invocation. It exists to close a specific, narrow gap: `docs/CONTINUATION.md` is edited frequently (per §12.10, every non-trivial state change), but nothing automatically regenerates its `.html/.pdf` siblings on every edit, so they drift stale and trip pre-build invariant 16 (CM-MARKDOWN-EXPORT-SYNC, §11.4.65) in `scripts/pre_build_verification.sh`.

Why this script exists instead of just running the generic sweep

`scripts/generate_markdown_exports.sh` is the project's generic §11.4.65 exporter — it walks every `*.md` under the project root, `docs/`, and `scripts/` and regenerates any `.html/.pdf/.docx` sibling older than its source. `docs/CONTINUATION.md` **is** technically inside that script's scope (it lives under `docs/`), so in principle running the generic sweep would also fix `CONTINUATION`'s stale exports.

It is deliberately **not** invoked here. Task #80 (`docs_chain sync/verify fix`) found that `scripts/generate_markdown_exports.sh`'s `mtime-gated` `pandoc` pass is `docs_chain`-unaware: it regenerates the `.docx` sibling for

any markdown file whose `.md` is newer than its `.docx`, including files that are actually authored sources inside a registered Docs Chain context (see `.docs_chain/contexts/codegraph-status.yaml` and `.docs_chain/contexts/features-status.yaml`). Docs Chain owns the `sync/verify` lifecycle for those files' derived exports; letting the generic sweep race it corrupts the `docs_chain`-managed baseline (the exact regression task #80 fixed).

`docs/CONTINUATION.md` is **not** a registered `docs_chain` context — a `docs_chain sync --all` run touches nothing for it (confirmed: it reports only the `codegraph-status` and `features-status` contexts, both unrelated). So neither mechanism owns `CONTINUATION`'s exports out of the box. Rather than run the generic, project-wide sweep just to fix two files — and risk re-triggering the class of `docs_chain`-baseline corruption task #80 already had to remediate once — this script does a **surgical, single-target** regeneration: it reads and writes nothing except `docs/CONTINUATION.{html,pdf}`, using the identical `pandoc/weasyprint` invocation shape `generate_markdown_exports.sh` uses, so the rendered output stays visually/structurally consistent with every other exported doc in the project.

Prerequisites

- `bash`
- `pandoc` (hard dependency — the script exits non-zero if absent, since a missing exporter for a `CM-MARKDOWN-EXPORT-SYNC`-gated file is a real blocker, not a soft skip)
- `weasyprint` with a working `python3 -c "from weasyprint import HTML" import` (optional — the PDF step is skipped with an honest §11.4.3 reason if absent; the HTML step still runs)

Usage

```
bash scripts/regenerate-continuation-exports.sh
```

No arguments, no flags. It always regenerates both exports unconditionally on each invocation (it is a deliberately-invoked single-target regen, not a sweep with its own mtime gate — a caller wanting mtime-gated behavior should compare `docs/CONTINUATION.md`'s mtime against the exports before calling, e.g. as part of a pre-commit hook).

Example run

```
$ bash scripts/regenerate-continuation-exports.sh
[regen] docs/CONTINUATION.md -> docs/CONTINUATION.html
[regen] wrote /path/to/boba/docs/CONTINUATION.html
[regen] docs/CONTINUATION.html -> docs/CONTINUATION.pdf
[regen] wrote /path/to/boba/docs/CONTINUATION.pdf
[regen] done.
```

Edge cases

- **docs/CONTINUATION.md missing** — hard failure (exit 1). The script never creates or edits docs/CONTINUATION.md; it is authoritative per §12.10 and is the input, never the output, of this script.
- **pandoc missing** — hard failure (exit 1). Since the whole point of the script is to satisfy a pre-build gate that requires the HTML export to exist and be fresh, silently skipping here would just relocate the original bluff rather than fix it.
- **weasyprint missing (or its Python import broken)** — the HTML step still runs; the PDF step is skipped with a printed SKIP: reason on stderr (§11.4.3). CM-MARKDOWN-EXPORT-SYNC will still FAIL on the missing .pdf in that environment — this is an honest reflection of what actually regenerated, not a workaround for the gate.
- **docs/CONTINUATION.docx** — out of scope for this script. The .docx sibling is a WARNING-only concern under CM-MARKDOWN-EXPORT-SYNC (missing/stale .docx never fails the gate, per BOB-011), so this script does not touch it. If a .docx refresh is ever wanted, run the generic scripts/generate_markdown_exports.sh sweep deliberately, accepting the docs_chain-interaction risk documented above.

Internal behaviour

1. Resolve PROJECT_ROOT from the script's own location.
2. Verify docs/CONTINUATION.md exists; fail loudly if not.
3. Verify pandoc is on PATH; fail loudly if not.
4. `pandoc -f markdown -t html5 -o docs/CONTINUATION.html docs/CONTINUATION.md --metadata title="CONTINUATION"`
5. If weasyprint (and its Python bindings) are available: `weasyprint docs/CONTINUATION.html docs/CONTINUATION.pdf` Otherwise, print an honest skip reason and stop (exit 0 — the HTML export still landed).

Related scripts

- `scripts/generate_markdown_exports.sh` — the generic §11.4.65 exporter this script deliberately does not invoke (see above).
- `scripts/pre_build_verification.sh` — invariant 16 (CM-MARKDOWN-EXPORT-SYNC) is the gate this script exists to satisfy for `docs/CONTINUATION.md`.
- `constitution/scripts/render/render-governance-twins.sh` — a sibling single-purpose pandoc/weasyprint exporter (for the five governance twins: `Constitution.md`/`CLAUDE.md`/`AGENTS.md`/`GEMINI.md`/`QWEN.md`), following the same “don’t run the generic sweep against a specially-owned doc set” pattern for a different reason (deterministic `SOURCE_DATE_EPOCH`-pinned rendering against a historical byte-identical baseline). `CONTINUATION.md` has no such baseline-pinning requirement, so this script does not pin `SOURCE_DATE_EPOCH`.

Last verified

2026-08-18 — real invocation captured: `pandoc 3.10` produced `docs/CONTINUATION.html` (61,660 bytes), `weasyprint` produced `docs/CONTINUATION.pdf` (100,613 bytes), and a full `scripts/pre_build_verification.sh` re-run afterward reported `=== Result: 27 passed, 0 failed ===` with invariant 16 (CM-MARKDOWN-EXPORT-SYNC) reading `PASS [17]: CM-MARKDOWN-EXPORT-SYNC: all in-scope docs have fresh .html/.pdf siblings.`