

Issues_Summary

Open workable items (current_location = Issues), regenerated from the SQLite single-source-of-truth (\$11.4.12).

Counts by Type × Status

Type	Status	Count
Bug	Fixed (→ Fixed.md)	6
Bug	In progress	2
Bug	Operator-blocked	1
Bug	Queued	9
Task	In progress	9
Task	Operator-blocked	3
Task	Queued	19
Task	Ready for testing	2
TOTAL		51

Items

ATM ID	Type	Status	Severity	Description
BOB-008	Bug	Operator-blocked	—	RuTracker automated login blocked by CAPTCHA
BOB-065	Task	Queued	High	Lava P2: Egress diagnosis and VPN-hos SOCKS routing (containers pkg/egress)
BOB-066	Task	In progress	High	Lava P3: BOBA_UPSTREAM_PROXY in download-proxy + qBitTorrent-go + Jac + compose env-forward
BOB-068	Bug	In progress	High	RD2-00: unattributed, unreviewed Auto commit mechanism pushing to main [BOB-136 adoption audit 2026-08-21 -> progress] Work landed but acceptance NOT met. a7e55f9 completed the Phase investigation (no daemon; shared-check race confirmed) and 0972cbc added commit-push-all.sh -scope + challenge, described in its own message as an 'Interim tooling remedy for BOB-068 w

ATM ID	Type	Status	Severity	Description
BOB-069	Task	In progress	High	the §11.4.179 architectural fix (task #6 proposal) is designed'. 35e53db is a DR PROPOSAL only. The §11.4.179 clone-isolation fix is not landed, so the item s open.
				RD2-40: §11.4.238 QA-discovery-channel ledger — ongoing coverage-escape bac. [BOB-136 adoption audit 2026-08-21 -> progress] a4173c8 stood up the ledger followups; 709b06c closed 2 Important review findings (CODEGRAPH-1.5.0-GITIGNORE entry, BOB-108 filed). The BOB-009/010 evidence_path gap this it names as remaining open was closed un BOB-086 (f78f383). NOT terminal by th item's own text: it is explicitly scoped 'ongoing', with the full retroactive audit the ~50 GA-NN/RD2-NN findings deliberately NOT attempted.
				RD2-07: DDoS-class testing fully absent from the mandated test-type matrix [BOB-136 adoption audit 2026-08-21 -> progress] ae2b5cb authored challenges scripts/ddos_resilience_challenge.sh (4 lines, 3 public surfaces) + docs/testing/{ddos_resilience,test_type_matrix}.md, DDoS-class testing is no longer 'fully absent'. But of the three coverages this item's Fix line enumerates, a grep of th shipped challenge finds flood=2 hits, malformed=0, exhaust=0 — malformed request-flood and resource-exhaustion-under-attack are not covered. 258b7db filed the 6 followups (BOB-109..114). Partial, not complete.
BOB-074	Task	In progress	Medium	
BOB-077	Task	Operator-blocked	High	RD2-10: Identify second host running th Auto-commit rsync/sync mechanism (OPERATOR-DECISION)
BOB-078	Task	Queued	High	RD2-11: Once identified, wire Auto-com mechanism through §11.4.234 dedicate commit/push script OR retire it
BOB-079	Task	Queued	Medium	RD2-12: Retroactive attributed history notes for GA-18/21/22/25/26/27 change (never rewrite published history)
BOB-080	Task	Queued	High	RD2-13: Retroactive Fable-xhigh code review of the substantive Auto-commit
BOB-082	Task	Queued	High	

ATM ID	Type	Status	Severity	Description
				RD2-15: Create BOB-064..067 workable items for the four Lava-porting findings (closes GA-05)
BOB-084	Task	Queued	High	RD2-17: Reconcile BOB-008 DB/MD bo drift via the workable-items tool
BOB-085	Task	Queued	Medium	RD2-18: Create top-level Boba proxy/merge-service v1.0.0 readiness ledger (closes GA-10)
BOB-087	Task	Queued	High	RD2-20: Wire docs_chain / commit-search sync hook per §11.4.106(F) so DB writes cannot land without MD mirror
BOB-088	Task	Queued	Medium	RD2-21: Complete/verify README Tracked-Items + Status Documents tab row-completeness (GA-07 remainder)
BOB-090	Task	In progress	Medium	RD2-25: HelixQA Challenge entry exercising all three start.sh subcommands end-to-end against real compose stack [BOB-136 adoption audit 2026-08-21 -> progress] a9366c9 bumped submodules helixqa to HelixDevelopment/qa@00c5c adding banks/boba-start-sh-reload.yaml cases, all three subcommands). The bar EXISTS but has never been EXECUTED the commit states honestly that the helix binary was not built in-session (§11.4.3 SKIP feature disabled by config) and 'bin/helixqa list demo is deferred', with YAML-parse evidence captured. This its acceptance is end-to-end execution against the real compose stack — artifact-class evidence cannot close a runtime-class acceptance (§11.4.226).
BOB-092	Bug	Queued	Medium	RD2-27: Remove test_live_stack_evidence.py:265 nnmcl SKIP-on-404 fallback + verify live 200 (closes GA-13)
BOB-093	Task	In progress	High	RD2-28: Live compose bring-up + verify rutracker ReDoS regex bounds deployed container (closes runtime half of GA-12 [BOB-136 adoption audit 2026-08-21 -> progress] 1c0389a proved 3 of the 4 steps with strong runtime evidence: the bounded regex is confirmed in the DEPLOYED /config/qBittorrent/nova3/engines/rutracker.py inside the running container (sha256 76a6bd2e..), with a s validated challenge + §11.4.115 RED (mutated unsafe form FAILs) and GREE

ATM ID	Type	Status	Severity	Description
BOB-094	Task	In progress	Medium	verdict JSON. The 4th sub-step is NOT : ‘capture timing of a large rutracker res page (<2s)’ was not exercised — in doc qa/BOB-093/live_search_smoke.txt rutracker returned status=empty, results_count=0 in 164ms, so no large page was ever timed. RD2-29: Author tests/stress/ test_tracker_fetch_stress_chaos.py with \$11.4.85 fault injection [BOB-136 adopt audit 2026-08-21 -> In progress] The st landed (test file at 4b7b21d, evidence + RED-on-mutated-classifier capture at f3ca131) with 9 test functions: 2 stress, boundary, 3 chaos (network_drop, midflight_kill, input_corruption), 1 category_map. This item explicitly requ fault injection across process-kill, netw fault AND resource-exhaustion. Only 2 those 3 classes are present — there is n resource-exhaustion scenario in tests/ stress/test_tracker_fetch_stress_chaos.p Partial.
BOB-095	Task	In progress	Medium	RD2-30: Author tests/stress/ test_scheduler_hooks_sse_stress_chaos for Go-side triangle [BOB-136 adoption audit 2026-08-21 -> In progress] d5c8c authored qBitTorrent-go/internal/service sse_broker_stress_chaos_test.go (462 li 6 scenarios, 2 RED captures) and found+fixed a real double-unsubscribe ‘close of closed channel’ defect. But thi item names a THREE-component triang sse_broker.go + internal/api/hooks.go + internal/api/scheduler_api.go. Only sse_broker.go is covered — there is no stress_chaos test anywhere under qBitTorrent-go/internal/api/. 1 of 3, par
BOB-097	Task	Queued	Low	RD2-32: Author DDoS-class coverage fo exposed download-proxy/merge endpoi (canonical impl of RD2-07)
BOB-100	Task	Queued	Low	RD2-39: Bump submodules/jackett one commit (canonical impl of RD2-09)
BOB-101	Task	Operator-blocked	High	GA-19/RW-09: Is -profile go parity still release goal? (gates RW-10..13) — OPERATOR-DECISION
BOB-102	Task	Operator-blocked	Medium	

ATM ID	Type	Status	Severity	Description
				RW-05: LAN-exposure threat model — keep tunnel 127.0.0.1 or keep 0.0.0.0? — OPERATOR-DECISION
BOB-104	Task	In progress	Medium	§11.4.238 followup: CodeGraph 1.5.0 nested-.gitignore regression challenge
BOB-106	Task	Queued	Medium	§11.4.238 followup: §11.4.84 quiescence check helper for the unattributed auto-commit path
BOB-107	Task	Queued	Medium	§11.4.238 followup: pre-dispatch existence check for subagent task-brief source in
BOB-109	Task	Queued	Medium	BOB-074 followup: scaling-class test coverage absent from mandated test-type matrix
BOB-110	Task	Queued	Medium	BOB-074 followup: UX-class test coverage (accessibility/usability) absent
BOB-111	Task	In progress	High	BOB-074 followup: configure real rate limiting for boba's 3 public HTTP endpoints
BOB-114	Task	Queued	Medium	BOB-074 followup: self-validation golden bad fixture for the rate-limit detector
				3rd forced-logout incident 2026-08-18 23:45:49 — SIGKILL user@1000 + preventive-timer-inside-user-slice architectural gap [BOB-136 adoption at 2026-08-21 -> DELIBERATELY LEFT QUEUED] The CM-CLOSURE-SEAM-BINDS gate classifies this row as a CONTRADICTION 'via closes, commit d84d226'. That is a CARRIER match, not a closure. The matching text in d84d226 'closing BOB-120 requires an out-of-use scope watchdog, not more documentation — a statement of what closure would take and the same commit states 'New architectural finding, filed as BOB-120 (Critical, left Queued)'. d84d226 FILED this item; it did not close it. The architectural fix remains unlanded: BOB-121, which carries it, is still Ready for testing and its own body states it is NOT CLOSED, with two operator decisions on it and the watchdog UNTESTED AGAINST REAL FORCED LOGOUT (survival inferred from cgroup topology, not observed). Moving this row on documentation alone would be precisely the §11.4.238 coverage escape bluff this item's own text warns against. Status unchanged; the gate fin
BOB-120	Bug	Queued	Critical	

ATM ID	Type	Status	Severity	Description
BOB-121	Task	Ready for testing	Important	is expected to persist until the out-of-scope watchdog actually lands and is verified. External watchdog for the forced-logout architectural gap (task #85, incident #105). Potential production slowapi/starlette defect flagged by Task 105 subagent — CLOSED 2026-08-21. CONFIRMED as a real defect but ALREADY REMEDIATED by commit 44f3bbe — and this ticket's PREMISE is REFUTED. It is not a slowapi/starlette incompatibility: the mechanism reproduces IDENTICALLY at host starlette 1.4.1 and container 1.6.0, and slowapi's own docs state the contract verbatim (docs/index.md, fetched 2026-08-21). The true root cause is a documented API-usual contract — headers_enabled=True requires a response: Response parameter when the endpoint does not itself return Response. The REAL remaining work was that NO regression guard existed: the code prior references were comments in tests that bypass the decorator via wrapped and never execute slowapi's wrapper — a fix defect with nothing falsifiable guarding against. Added tests/unit/test_bob129_slowapi_response_contract.py, 6 tests including a control needle proving the installed slowapi still raises, and a DRIFT DETECTOR that fails when any decorated endpoint appears without the parameter. §1.1 (revert of 44f3bbe) -> 3 failed with the real 500 body; restore by identical. Description corrected: the incompatibility framing was wrong.
BOB-129	Bug	Fixed (→ Fixed.md)	Medium	qbittorrent-proxy podman common crash pre-existing, surfaced during BOB-129 investigation
BOB-131	Bug	Queued	Medium	Test isolation: test_list_hooks_after_creation fails in bulk suite (Permission denied / config)
BOB-135	Bug	Queued	Low	WHAT. A single 2026-08-20 sweep found FOUR workable-item rows whose track state contradicted reality: BOB-076 (closed by commit 99a486e on 2026-08-15, whose message literally says “closes BOB-076 still Queued), BOB-117 (fix landed AND covered by a permanent guard assertion still Queued), BOB-091 (implemented
BOB-136	Task	Ready for testing	High	

ATM ID	Type	Status	Severity	Description
				under d1a8479 / a3b16bc / 2a0b543, st Queued), and BOB-008 whose Evidence field still quoted a diagnostic string tha BOB-117 removed from source. CORRECTION 2026-08-20 (11.4.6). An earlier revision of this item claimed the enabling defect was that “workable-items diff is blind to body_md drift”. That was WRONG and is corrected here rather th quietly edited. The engine is NOT blind The FLAGLESS INVOCATION is: worka items diff -db docs/workable_items.db - “diff: DB and Markdown are in sync” (opens ZERO .md files) workable-items -db docs/workable_items.db -issues doc Issues.md -fixed docs/Fixed.md -> “~ BOB-008 body differs (md=1346 bytes db=1333 bytes)” -> “diff: 1 difference(s Both measured on the same seeded bod only drift. An independent agent proved the mechanism with strace: the flagless form never opens any Markdown file. S this is a 11.4.201(6) FALSE-NULL of th CALLER, not a gap in the comparison logic. Importantly, pre_build_verification invariant 17 already passes both flags, the STANDING GATE was never blind - the drift above was not caused by a blind gate. THE REAL DEFECTS, restated honestly. (1) The flagless form is a false null trap: it reports a confident, reassur “in sync” while checking nothing. Any caller using it is a green-reporting blind check. It should either default to the conventional Issues.md/Fixed.md paths REFUSE with a clear error, never retur clean verdict for a comparison it did no perform. (2) Work commonly lands und commit messages that do not carry the ATM id (GA-14/15/16 for BOB-091), so nothing mechanically links a commit ba to its row, and closure depends on a hu remembering. 11.4.227: an anchor don state is its SEAM landing, not its TEXT landing. ACCEPTANCE. (a) The flagless invocation no longer returns a clean verdict without reading Markdown, wit paired 1.1 mutation proving it. (b) A rep wide grep confirms no caller uses the flagless form. (c) A sweep that flags any

ATM ID	Type	Status	Severity	Description
BOB-137	Bug	In progress	High	non-terminal item whose id appears in merged commit message, so done-but-c rows are found mechanically rather than by a human noticing. (d) Honest bounds this does not claim to prevent all drift. RELATED. scripts/hooks/docs-sync-commit-seam.sh (added under BOB-087) now enforces doc/DB sync at the commit seam and passes the flags explicitly, plus an independent body_md re-parse oracle. EVIDENCE. docs/qa/BOB-117/closure-evidence.md, docs/qa/BOB-076/closure-evidence.md, docs/qa/BOB-091/closure-evidence.md. Reported-Via: §11.4.202 reporting directive bug on 2026-08-20T14:46:52Z Reported-By: Claude What (the report verbatim): The merge service on port 7187 wedges after hours of uptime: the port stays bound and the container keeps reporting “healthy”, but every HTTP request hangs until the client times out. Measured 2026-08-20 16:41 UTC+2 on container up 3h53m: curl http://localhost:7186/ -> HTTP 200 in 0.096s (proxy, same process) curl http://localhost:7187/ -> HTTP 000 after 6.0s (merge service, WEDGED) Both ports are served by the SAME process (pid 23300, fd 3 = 7186, fd 7 = 7187), so this is not a crashed worker - one loop inside a live process has stopped servicing requests while another in the same process is fine. Thread state at the time of the wedge (proc/2330069/task, 16 threads): - tid 2330529: state R, wchan 0 <- ONE thread spinning on CPU - tid 2330528: state S, wchan do_sys_poll <- the healthy 7186 loop - the other 14: state S, wchan futex_wait_queue That is the GIL-starvation signature: a thread busy-looping in Python holds the GIL and every other thread queues on the GIL futex. 7186 survives because do_sys_poll releases the GIL; the 7187 async loop needs sustained GIL time to service a request and starves. Process CPU was 20.6% while idle. Corroborating evidence: seven sockets held by the process sit in CLOSE-WAIT with unread bytes still in the receive queue (Recv-Q

ATM ID	Type	Status	Severity	Description
				162, 162, 162, 79, 1, 1, 1) - clients sent request and hung up, and the app never read it or closed the fd. The listener had also accumulated an unaccepted backlog (Recv-Q 6 on the 7187 LISTEN socket) at first observation. The container log's last line is 2h before the observation, so the service processed nothing in that window. NOT fd exhaustion: only 48 of 16384 fds were open. ROOT CAUSE NOT ESTABLISHED. All four while True loops in the service (routes.py:166, search.py:161, streaming.py:161, streaming.py:359) are correctly bounded and awaited, so the service is not a naive unslept loop. py-spy could not attach to name the spinning frame because the host has kernel.yama.pttrace_scope=0 which denies non-child attach. Per the §11.4.102 Iron Law no fix is proposed until the spinning frame is identified. Next diagnostic step: obtain a Python stack. Either run py-spy INSIDE the container (musl wheel), or set ptrace_scope=0 for the duration of one dump, or add a SIGQUIT/fault_handler.register() dump handler to main.py so the running service can be asked for its own stacks without ptrace. DISCOVERY CHANNEL (§11.4.238): found by an agent probing the host by hand while investigating an unrelated test-suite regression - NOT by automated QA. This is a cover-up; escape in its own right; see the sibling regression on the health check that was structurally incapable of observing it. Affected scope: file-scope manifest: download-proxy/src/main.py, download-proxy/src/merge_service/, download-proxy/src/apstreaming.py, docker-compose.yml (qbittorrent-proxy) Reproduction / context: Leave the qbittorrent-proxy container running for several hours with search traffic (a full tests/security run is sufficient). Then: curl -max-time 6 http://localhost:7186/ returns 200; curl -max-time 6 http://localhost:7187/ returns 00. Confirm with: ss -ltnp grep 7187 (unaccepted backlog) and awk '{print \$10}' /proc/<pid>/task/*/stat (one R thread, no futex_wait_queue). **Acceptance criteria: The spinning frame is identified from a

ATM ID	Type	Status	Severity	Description
				Python stack dump (not inferred), the b loop is fixed at its root, and a regression guard proves 7187 still answers after a sustained-traffic soak. Evidence: before after curl timings on both ports plus a thread-state census showing no permanently-R thread. [BOB-136 adopt audit 2026-08-21 -> In progress] 1dd7b ESTABLISHED the root cause with captured evidence (16 stack dumps showing Deduplicator.merge_results() called synchronously at search.py:914 o the event-loop thread; loop thread sustained 81-98% user-space CPU while other threads showed d_utime=0). The remediation landed under BOB-145 (0572b71, now Fixed), whose own text headed 'BOB-145 - the 7187 wedge' and which refuted the assumed $O(N^2)$ cau by profiling. BOB-137 and BOB-145 therefore describe the SAME defect; pe §11.4.214 that is a link/dedup decision, a unilateral close, and no post-fix re- observation of the multi-hour wedge is recorded against BOB-137 itself. Left o pending that linkage decision. BOB-1 Task Queued Low **Reported-Via:** §11.4.202 reporting directive `task` on 2026-08-20T14:56:38Z **Reported-By:** Claude **What (the report, verbatim):** CLAUDE.md's Architecture section stat "qbittorrent-proxy-go (Go/Gin, opt-in vi profile go) -- replaces the Python proxy 7186, 7187, 7188" The container cannot deliver that. Read from source rather th prose: qBitTorrent-go/Dockerfile:16 CM ["/app/qbittorrent-proxy"] (ONE binary) qBitTorrent-go/Dockerfile:15 EXPOSE 7 7188 (declares 2) cmd/qbittorrent-prox main.go r.Run(fmt.Sprintf(":%d", cfg.ServerPort)) (binds 1) internal/confi config.go:58 ServerPort = MERGE_SERVICE_PORT (default 7187) the qbittorrent-proxy-go container bind 7187 ONLY. webui-bridge is a SEPARAT binary (cmd/webui-bridge, /bridge/heal cfg.BridgePort) that this container neve starts, and nothing in it binds 7186 eith -- although the compose service does se PROXY_PORT=7186 and

ATM ID	Type	Status	Severity	Description
				BRIDGE_PORT=7188 in its environmen which reinforces the wrong impression EXPOSE likewise declares a port nothing binds. WHY THIS MATTERS BEYOND TIDINESS: this prose was used as the source of truth when first authoring con served_ports.yaml, producing a manifes entry of [7186, 7187, 7188] for that service. The healthcheck gate built on i then FAILED a service whose healthche was already correct -- a §11.4.201(1) fa positive refusal caused directly by trust the doc over the Dockerfile. The manife was corrected against source; the doc v not, and will mislead the next reader th same way. Either the doc is wrong, or t Go container is under-provisioned relat to intent (it should also run webui-bridg and a 7186 listener). Determining WHI is part of this task -- do not simply rew the doc to match the current binary if t intended design was a three-port conta Related: the Go service's compose bloc sets PROXY_PORT and BRIDGE_PORT t no process in the container consumes, & EXPOSE lists 7188 unbound. Whicheve way the above resolves, those should a with reality afterwards. **Affected scop file-scope manifest:** CLAUDE.md (Architecture + Port Map), docker- compose.yml (qbittorrent-proxy-go env, EXPOSE), qBitTorrent-go/Dockerfile **Reproduction / context:** Read qBitTorrent-go/Dockerfile:16 (single CM against CLAUDE.md's 'replaces the Pyt proxy on 7186, 7187, 7188'; confirm cfg.ServerPort resolves to MERGE_SERVICE_PORT=7187 in inter config/config.go:58. **Acceptance criteria:** Doc and container agree, wit the direction of the fix decided delibera (correct the doc, or provision the conta to match the documented intent). PROXY_PORT/BRIDGE_PORT env and EXPOSE lines agree with what the container actually binds. BOB-143 I Queued Medium **Reported-Via:** §11.4.202 reporting directive `bug` on 2026-08-20T15:08:18Z **Reported-By:** Claude **What (the report, verbatim):**

ATM ID	Type	Status	Severity	Description
				`.worktrees/ci-split-workflows/` (13M) and `.worktrees/completion-initiative-phase` (33M) are ORPHANED: `git worktree li  reports only the main checkout, so neit  is a registered worktree. Each contains  `.git` POINTER FILE whose target gitd no longer exists, so git cannot resolve HEAD, branch, or status inside them -- every query returns empty. They are gitignored (.gitignore:122), so nothing tracks them and nothing will ever notic them drifting. WHY THIS IS NOT COSMETIC: they pollute the scan scope whole-tree gates and manufacture false findings. Measured 2026-08-20 by the §11.4.32 sweep: - `cm_test_mock_pid_explicit_int` report violations at tests/unit/merge_service/ test_deadline_tunable.py:44 -- BOTH in these orphaned trees. The MAIN tree's copy of that file is already hardened (it `mock.pid = 12345` and patches os.kill os.getpgid) and passes the gate cleanly The finding read as a live §11.4.263 / BOB-126-class defect and was not one. of the 57 "missing anchor carrier" files flagged by the propagation gates were likewise `.worktrees/**`. That is the §11.4.201(1) false-positive shape source from scan scope, and it costs real investigation time: a reader triaging "2 BOB-126 violations" reasonably treats it a host-safety emergency. CLARIFICATION (established during triage, so the recor not alarming): these trees are NOT a kill(-1) vector. Their `download-proxy/s  merge_service/ search.py` contains ZEL `os.killpg` calls -- they predate that cleanup code entirely -- so there is no unguarded signal call to reach. Addition `pyproject.toml` sets `testpaths =  ["tests"]`, so a plain `pytest` run does n collect from `.worktrees/`. No host-safe risk was found. The defect is scan-scope noise plus 46M of unreferenced disk. W REMOVAL IS NOT DONE AUTONOMOUSLY (§11.4.122 / §11.4.12 §11.4.101): because git cannot resolve their HEAD, it is NOT possible to prove their contents are merged into main.

ATM ID	Type	Status	Severity	Description
				Deleting unprovable-provenance work i exactly the irreversible, operator-owned decision §11.4.122 reserves. Two options for the operator: (a) confirm removal (the are stale dev scratch dirs) -- reversible from backup, so a §9.2 pre-op backup should precede it; or (b) keep them and add <code>`.worktrees/`</code> to the gate scan-scope exclusion list as a §11.4.224(E)-fenced, checked-in, justified entry. Either way the exclusion list is the cheaper immediate mitigation and does not destroy anything **Affected scope / file-scope manifest:** <code>.worktrees/ci-split-workflows/</code>, <code>.worktrees/completion-initiative-phase-0/</code>, gate scan-scope con **Reproduction / context:** git worktree list shows only the main checkout; git <code>-C .worktrees/<dir> log -1</code> returns empty (gitdir target missing). Run the §11.4.3 sweep and observe <code>cm_test_mock_pid_explicit_int</code> report 2 violations, both under <code>.worktrees/</code>, while the main-tree file passes the same gate **Acceptance criteria:** Whole-tree gate no longer report findings sourced from orphaned worktrees: either the dirs are removed after operator confirmation with §9.2 pre-op backup, or <code>.worktrees/</code> is added to a checked-in §11.4.224(E)-fenced exclusion list with justification. Verify by re-running the sweep and confirming zero <code>.worktrees-sourced</code> findings. BOB-144 Bug Fixed (→ Fixed.md) L **Reported-Via:** §11.4.202 reporting directive <code>`bug`</code> on 2026-08-20T15:53:5 **Reported-By:** Claude **What (the report, verbatim):** <code>`/theme/stream`</code> in <code>download-proxy/src/api/routes.py:167</code> on the disconnect probe with NO guard at <code>while True: if await request.is_disconnected(): break</code> If that probe raises, the generator dies with an UNCAUGHT exception. IMPORTANT — this is NOT the BOB-139 fail-open. The effect here is fail-CLOSED: the stream stops, and the enclosing <code>`finally: store.unsubscribe(queue)`</code> still runs, so subscriber queue is released and nothing leaks. The outcome is CORRECT; the

ATM ID	Type	Status	Severity	Description
				manner is not. What is wrong with it: - terminates via an uncaught traceback rather than a clean SSE `close` event, so the client sees a truncated stream instead of a reason; - the failure is not logged as a probe failure, so a systematically raising probe would show up as recurring tracebacks with no diagnosis; - it is inconsistent with the two SSE generators in streaming.py, which after BOB-139 emit `event: close` with reason `disconnect_probe_failed` and log a warning. Three call sites of the same probe now behave two different ways. The BOB-139 fix deliberately did not touch the file (ownership boundary, §11.4.119), and flagged it honestly rather than fixing it out of scope. Acceptance: /theme/stream uses the same probe-failure discipline as the streaming.py generators — a clean close event with the `disconnect_probe_failed` reason plus a logged warning — proven in BOTH directions (§11.4.201(1)): a raising probe closes the stream cleanly AND a normally-connected client still streams uninterrupted. Prefer reusing the shared helper introduced by BOB-139 rather than a third copy of the logic (§11.4.251). Honest boundary (§11.4.6): the product probe-failure rate is UNKNOWN — nobody has measured how often `is_disconnected()` actually raises. This is filed on the inconsistency and the missing diagnosis, not on a measured incident rate. **Affected scope / file-scope manifest:** download-proxy/src/api/routes.py (~line 167, stream_theme) **Reproduction / context:** Monkeypatch Request.is_disconnected to raise, open /theme/stream, observe the generator die with an uncaught traceback rather than emitting event: close with reason disconnect_probe_failed as streaming.py now does. **Acceptance criteria:** Same probe-failure discipline as streaming.py (clean close + disconnect_probe_failed reason + logged warning), verified both directions, reusing the BOB-139 helper rather than a third copy. --- ## CLOSED 2026-08-21. /theme/stream's bare `awa

ATM ID	Type	Status	Severity	Description
				request.is_disconnected() now routes through the shared BOB-139 helper and emits a NAMED close reason instead of letting the exception escape. The outcome was already safe (subscriber_count 0->proved the finally released the queue) but safety was a side effect of an escaping traceback, not a decision — one upstream try/except from becoming fail-open. RE failed / 2 passed -> GREEN 6 passed; the pre-fix passes are the deliberate do-not-weaken guards and are green in BOTH states. Revert -> same 4 failures -> res byte-identical (sha256 94107969... / 6492c8cf...). Honest boundary: the live container still has the pre-fix module imported, so no live-container runtime verification is claimed. BOB-145 Bug Fixed (→ Fixed.md) High **Reported Via:** §11.4.202 reporting directive `bu on 2026-08-20T16:01:43Z **Reported-By: Claude **What (the report, verbatim):** BOB-137 established the root cause: Deduplicator.merge_results() is called at PLAIN SYNCHRONOUS CALL at merge_service/search.py:914 and there executes ON the asyncio event-loop thread. While it runs, uvicorn's only loop runs no callback — no accept, no read, no write so port 7187 stops answering entirely. Measured episodes of 9m37s and 5m56s self-clearing, recurring under ordinary traffic. This item is the FIX. BOB-137 is diagnosis and stays separate per the §11.4.102 Iron Law — the investigation deliberately applied no fix. Three candidate directions, not yet chosen: (a) OFFLOAD hand merge_results to a thread executor (asyncio.to_thread / run_in_executor). Smallest change, immediately unblocks loop. Does NOT make the work cheaper: a large enough merge still burns a core and it introduces concurrency around self.last_merged_results and metadata which must be checked for races before is called safe. (b) MEMOISE — _normalize_name is called at FOUR sites per comparison, each running 5 re.sub, and _extract_identity_from_result twice more with a ~15-re.search chain. lru_c

ATM ID	Type	Status	Severity	Description
				has ZERO matches in that module today, the seed's own normalisation is recomputed for every candidate. Caching the per-result normalisation is a large constant-factor win with no concurrency risk. (c) REDUCE THE COMPARISON SIZE — the $O(N^2)$ shape itself (blocking/bucketing by a cheap key before pairwise comparison). Largest win, largest change, highest risk of altering dedup RESULTS which would need its own correctness evidence, not just a speed measurement. (b) then (a) is the likely order: (b) is risk-free and may alone bring the merge under the threshold, and (a) guarantees the loop is never blocked regardless. MANDATORY for whoever takes this: - RED FIRST (§11.4.43/§11.4.224): a test that FAILS the current code by demonstrating the loop is blocked during a merge — e.g. assert concurrent request to 7187 is served within a bounded time while a large merge runs. A pure speed benchmark is NOT the RED test; the defect is loop-blocking, not slowness. - BOTH POLARITIES (§11.4.201(1)): the loop stays responsive under a large merge AND dedup results are unchanged for the existing corpus. fix that speeds up merging while changing which duplicates are detected is a different defect. - Use the existing instrument: scripts/diagnostics/bob137_soak.sh reproduced the wedge 22/26; it is the natural GREEN check. - Honest bounds carried from BOB-137: measured growth SUPER-LINEAR but not fully quadratic for $N \leq 400$ (2.4-3.4x per doubling vs 4.0). Worst case is quadratic BY CODE STRUCTURE. Do not cite "measured N". **Affected scope / file-scope manifest:** download-proxy/src/merge_service/search.py:914, download-proxy/src/merge_service/deduplicator.py **Reproduction / context:** bash script diagnostics/bob137_soak.sh — reproduced the wedge in 22/26 probes (7187 dead, 7186 alive throughout). **Acceptance criteria:** Port 7187 answers within a bounded time while a large merge runs (loop never blocked), AND dedup results

ATM ID	Type	Status	Severity	Description
				are unchanged for the existing corpus. Proven with the soak repro flipping from 22/26-dead to 0/N-dead, plus a dedup-equivalence check. --- ## CLOSED 2026-08-21. The assumed $O(N^2)$ comparison cost was NOT the problem: cProfile at N=400 showed Levenshtein 0.223s (2.3%) while identity extraction, normalisation and 2,107,721 re_compil calls dominated — over only 400 distinct names. Fixed by memoising the pure per string derivations and hoisting them out the inner loop; comparison count UNTOUCHED, so no matching rule changed. N=400 loop-block 3970ms -> median 349ms; N=800 7337ms -> ~815ms. RED observed at 3970ms vs a 900ms ceiling; revert -> 8994ms; restored byte-identical. Bucketing was IMPLEMENTED and MEASURED before rejection: 0.0% prune rate at N=400 and N=800, and the effective form is unsound because Tier 2 matches on infohash independent of name. Honest limit: the loop still stops while merge_results runs the window shrank, it did not vanish; removing it needs an await at the search.py call site. BOB-146 Bug Fixed (→ Fixed.md) High **Reported Via:** §11.4.202 reporting directive `bu on 2026-08-20T16:10:50Z **Reported-By: Claude **What (the report, verbatim):** The constitution's §11.4.252 detector (constitution/scripts/gates/cm_dangerous_combination_fail_closed UNDERCOUNTS by 29%. Measured against an independent AST instrument (structure, not text — a valid control needle per §11.4.201(7)) on boba's plug tree: gate reports : 30 AST ground truth 42 missed : 12 false positives : 0 A gate that misses 12 of 42 while reporting a confident number is a §11.4.201(6) false null: its output reads as a census when a FLOOR. Anyone fencing an exclusion against that number (§11.4.224(E)) would write the fence against an undercount and lock the invisible sites out of scope permanently. FOUR DISTINCT CAUSES each independently falsifiable: L1 —

ATM ID	Type	Status	Severity	Description
				TRAILING COMMENT DEFEATS THE REGEX (10 of the 12). The pattern anchor the handler line with `...:[[:space:]]*\$`, soexcept Exception: # noqa: S110never matches. The irony is load-bearing: it sites a human consciously reviewed and annotated are exactly the ones the gate cannot see. L2 – TUPLE CLAUSE DEFEATS REGEX (2 of the 12). The exception-type group is[A-Za-z_.]+, which cannot match soexcept (OSError, ValueError):is invisible. L3 – A COMMENT BETWEENexceptANDpassDEFEATS THE BODY CHECK. The detector reads exactlylineno+1. Zero current instances but demonstrated live. This one has a nasty second-order effect: a well-intentioned reviewer adding an explanatory comment INSIDE a handler makes that site vanish from the gate. The triage agent hit this itself – its first patch put comments inside two handlers and the resulting count would have read 7 while only 6 sites were genuinely eliminated. It caught and corrected that rather than reporting the better number which is exactly the \$11.4 discipline working. L4 – THE SHAPE ITSELF, not the regex. The body must be exactlypass, soexcept: return