

scripts/regenerate-continuation-exports.sh “ surgical CONTINUATION.md export regen

Revision: 1 **Last modified:** 2026-08-18T22:47:00Z **Status:** active

Overview

scripts/regenerate-continuation-exports.sh regenerates docs/CONTINUATION.html and docs/CONTINUATION.pdf from docs/CONTINUATION.md via a direct pandoc (+ weasyprint) invocation. It exists to close a specific, narrow gap: docs/CONTINUATION.md is edited frequently (per §12.10, every non-trivial state change), but nothing automatically regenerates its .html/.pdf siblings on every edit, so they drift stale and trip pre-build invariant 16 (CM-MARKDOWN-EXPORT-SYNC, §11.4.65) in scripts/pre_build_verification.sh.

Why this script exists instead of just running the generic sweep

scripts/generate_markdown_exports.sh is the project’s generic §11.4.65 exporter “ it walks every *.md under the project root, docs/, and scripts/ and regenerates any .html/.pdf/.docx sibling older than its source. docs/CONTINUATION.md **is** technically inside that script’s scope (it lives under docs/), so in principle running the generic sweep would also fix CONTINUATION’s stale exports.

It is deliberately **not** invoked here. Task #80 (docs_chain sync/verify fix) found that scripts/generate_markdown_exports.sh’s mtime-gated pandoc pass is docs_chain-unaware: it regenerates the .docx sibling for *any* markdown file whose .md is newer than its .docx, including files that are actually authored sources inside a registered [Docs Chain](#) context (see .docs_chain/contexts/codegraph-status.yaml and .docs_chain/contexts/features-status.yaml). Docs Chain owns the sync/verify lifecycle for those files’ derived exports; letting the generic sweep race it corrupts the docs_chain-managed baseline (the exact regression task #80 fixed).

docs/CONTINUATION.md is **not** a registered docs_chain context “ a docs_chain sync --all run touches nothing for it (confirmed: it reports only the codegraph-status and features-status contexts, both unrelated). So neither mechanism owns CONTINUATION’s exports out of the box. Rather than run the generic, project-wide sweep just to fix two files “ and risk re-triggering the class of docs_chain-baseline corruption task #80 already had to remediate once “ this script does a **surgical, single-target** regeneration: it reads and writes nothing except docs/

CONTINUATION.{html,pdf}, using the identical pandoc/weasyprint invocation shape `generate_markdown_exports.sh` uses, so the rendered output stays visually/structurally consistent with every other exported doc in the project.

Prerequisites

- `bash`
- `pandoc` (hard dependency “the script exits non-zero if absent, since a missing exporter for a CM-MARKDOWN-EXPORT-SYNC-gated file is a real blocker, not a soft skip)
- `weasyprint` with a working `python3 -c "from weasyprint import HTML" import` (optional “the PDF step is skipped with an honest §11.4.3 reason if absent; the HTML step still runs)

Usage

```
bash scripts/regenerate-continuation-exports.sh
```

No arguments, no flags. It always regenerates both exports unconditionally on each invocation (it is a deliberately-invoked single-target regen, not a sweep with its own mtime gate “a caller wanting mtime-gated behavior should compare `docs/CONTINUATION.md`’s mtime against the exports before calling, e.g. as part of a pre-commit hook).

Example run

```
$ bash scripts/regenerate-continuation-exports.sh
[regen] docs/CONTINUATION.md -> docs/CONTINUATION.html
[regen] wrote /path/to/boba/docs/CONTINUATION.html
[regen] docs/CONTINUATION.html -> docs/CONTINUATION.pdf
[regen] wrote /path/to/boba/docs/CONTINUATION.pdf
[regen] done.
```

Edge cases

- **`docs/CONTINUATION.md` missing** “hard failure (exit 1). The script never creates or edits `docs/CONTINUATION.md`; it is authoritative per §12.10 and is the input, never the output, of this script.
- **`pandoc` missing** “hard failure (exit 1). Since the whole point of the script is to satisfy a pre-build gate that requires the HTML export to exist and be fresh, silently skipping here would just relocate the original bluff rather than fix it.
- **`weasyprint` missing (or its Python import broken)** “the HTML step still runs; the PDF step is skipped with a printed SKIP: reason on stderr (§11.4.3). CM-MARKDOWN-EXPORT-SYNC will still FAIL on the missing `.pdf` in that environment “this is an honest reflection of what actually regenerated, not a workaround for the gate.
- **`docs/CONTINUATION.docx`** “out of scope for this script. The `.docx` sibling is a WARNING-only concern under CM-MARKDOWN-EXPORT-SYNC

(missing/stale .docx never fails the gate, per BOB-011), so this script does not touch it. If a .docx refresh is ever wanted, run the generic scripts/generate_markdown_exports.sh sweep deliberately, accepting the docs_chain-interaction risk documented above.

Internal behaviour

1. Resolve PROJECT_ROOT from the script's own location.
2. Verify docs/CONTINUATION.md exists; fail loudly if not.
3. Verify pandoc is on PATH; fail loudly if not.
4. `pandoc -f markdown -t html5 -o docs/CONTINUATION.html docs/CONTINUATION.md --metadata title="CONTINUATION"`
5. If weasyprint (and its Python bindings) are available: `weasyprint docs/CONTINUATION.html docs/CONTINUATION.pdf` Otherwise, print an honest skip reason and stop (exit 0 â€” the HTML export still landed).

Related scripts

- scripts/generate_markdown_exports.sh â€” the generic Â§11.4.65 exporter this script deliberately does not invoke (see above).
- scripts/pre_build_verification.sh â€” invariant 16 (CM-MARKDOWN-EXPORT-SYNC) is the gate this script exists to satisfy for docs/CONTINUATION.md.
- constitution/scripts/render/render-governance-twins.sh â€” a sibling single-purpose pandoc/weasyprint exporter (for the five governance twins: Constitution.md/CLAUDE.md/AGENTS.md/GEMINI.md/QWEN.md), following the same â€œdon't run the generic sweep against a specially-owned doc setâ€” pattern for a different reason (deterministic SOURCE_DATE_EPOCH-pinned rendering against a historical byte-identical baseline). CONTINUATION.md has no such baseline-pinning requirement, so this script does not pin SOURCE_DATE_EPOCH.

Last verified

2026-08-18 â€” real invocation captured: pandoc 3.10 produced docs/CONTINUATION.html (61,660 bytes), weasyprint produced docs/CONTINUATION.pdf (100,613 bytes), and a full scripts/pre_build_verification.sh re-run afterward reported `=== Result: 27 passed, 0 failed ===` with invariant 16 (CM-MARKDOWN-EXPORT-SYNC) reading PASS [17]: CM-MARKDOWN-EXPORT-SYNC: all in-scope docs have fresh .html/.pdf siblings.